OFFICIAL.

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN

TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND,

1906.

DUBLIN:

PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,

BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

1907.

Price Three Pence.

WELLCOME INSTITUTE
LIBRARY

Coll.	WelMOmec
Coll.	
No.	

YEARLY SUMMARY

OF THE

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

1906.

Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown, there were registered during the year 1906 (52 weeks) 11,144 births —5,705 boys and 5,439 girls—being equal to 1 in 34, or 29·4 per 1,000 of the estimated population.* The average rate for the preceding ten years was 28·5 per 1,000.

Of the 11,144 births registered in 1906, 9,513, or 32 in every 1,000 of the population, occurred in the city, and 1,631, or only 19 in every 1,000 inhabitants, in the urban districts named above.

Of the 11,144 births in the entire district, 2,778 were registered during the first quarter of the year, 2,809 in the second, 2,921 in the third, and 2,636 in the fourth, the weekly average being 214.

In London the number of births registered during the year 1906 (52 weeks) was 125,651, being equal to a rate of 27 in every 1,000 of the estimated population; in Glasgow the number was 24,431, equal to 29 per 1,000; and in Edinburgh it was 7,602, or 22 per 1,000 of the population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the year 1906 was 8,857 (4,349 males and 4,508 females)—equal to 1 in 43, or 23·4 in every 1,000 of the estimated population. The average death-rate for the ten years 1896–1905 was 25·4 per 1,000 of the estimated population of the Area as then constituted. Thus the rate for last year is 2·0 below the average—a decrease equivalent tc 7·9 per cent.

Omitting 362 deaths, which, being those of persons admitted into public institutions from localities outside the Dublin Registration Area, are not properly chargeable to it, the death-rate for last year (52 weeks) is 22·4 per 1,000 of the population, the rate for the city being 24·1 per 1,000 (23·8 on the North side, and 24·4 on the South), and for the suburbs 16·8 per 1,000. The rates for the several Registrars' districts range from 12·3 for Clontarf and Howth, No. 1, part of, to 27·4 in South City No. 1 (South Earl street).

Of the 8,857 deaths in the entire district, 2,254 were registered during the first quarter of the year, 2,116 in the second, 2,103 in the third, and 2,384 in the fourth, the weekly average being 170.

* See note (*), page xvii.

In the twenty-one provincial Urban Districts, for which statistics are given in the Weekly Returns, the respective annual death-rates are as follow, ranging in order from the lowest to the highest:—Tralee, 15·1 per 1,000 of the population*; Dundalk, 15·3; Queenstown, 16·1; Newry, 16·3; Sligo, 16·3; Drogheda, 17·4; Ballymena, 17·5, Waterford, 17·6; Kilkenny, 17·8; Londonderry, 17·9; Armagh, 18·1; Lisburn, 18·1; Portadown, 18·1; Lurgan, 18·4; Clonmel, 18·5; Limerick, 18·8; Galway, 19·7; Belfast, 20·1; Cork, 20·2; Wexford, 23·0; and Newtownards, 27·4.

The number of deaths registered in London during the year 1906 (52 weeks) was 73,951, or 15·7 in every 1,000 of the inhabitants; in Glasgow, 14,777, equal to 17·7 per 1,000; and in Edinburgh, 5,421, or 15·9 in every 1,000 of the estimated population.

Public Institutions.—Of the 8,857 deaths registered in the Dublin Registration Area last year 3,693, or 41·7 per cent., occurred in public institutions, viz.:—1,956 in the various hospitals, prisons, and lunatic asylums; 782 in the North Dublin Union Workhouse; 928 in the South Dublin Union Workhouse; and 27 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

Diseases.—*Dublin Registration Area.*—(See Tables III. and IV.)—The mortality last year shows that the total number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area was 689. This number is equal to a rate of 1·8 per 1,000 of the estimated population, the average rate for the preceding ten years being 2·6 per 1,000.

The following tabular statement shows the mortality from each of the principal epidemic diseases during the year 1906, and the average annual number of deaths for the 10 years 1896-1905:—

Principal Epidemic Diseases.	No. of Deaths in 1906.	Average Annual No. of Deaths, 1896–1905.
Small-pox,	—	4
Measles,	56	196
Scarlet Fever,	13	66
Typhus,	4	5
Whooping-cough,	101	172
Diphtheria,	40	54
Pyrexia (origin uncertain),	4	7
Enteric Fever,	54	127
Diarrhœal Diseases,	417	340

Small-pox.—There was no mortality from small-pox recorded during the year 1906 in the Dublin Registration Area; from Table II., page vii., it appears that there were no notifications of small-pox under the "Infectious Diseases (Notification) Act, 1889," during the period under notice.

Measles.—The deaths from measles, 56 in number, correspond to an annual death-rate of 0·15 per 1,000 of the estimated population of the Area, the average number of deaths from this disease in the ten years, 1896–1905, being 196; from Table IV. it appears that of the 56 deaths 3 appertained to the city districts of Dublin North Union; 49 to the city districts of Dublin South Union and 4 to the urban district of Rathmines and Rathgar. Of the deaths in the Union of South Dublin 37 belonged to the district of South City No. 1. From Table I. it appears that 37 deaths from measles occurred in Dublin hospitals.

* See note (*), page xvii.

† Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, *pyrexia* (origin uncertain), enteric fever, and diarrhœal diseases.

Scarlet Fever.—The deaths from scarlet fever, 13 in number, are considerably below the average, 66, and also below the number which were registered during any year in the preceding decade, in which the highest number of deaths from scarlet fever was registered in the year 1896, namely, 148, and the lowest number was registered in the year 1900 namely, 22 deaths. From Table II. it may be gathered that 407 cases of scarlet fever were notified to the respective sanitary authorities of the Area during the year, and in Table I. the hospital statistics dealing with scarlet fever are set forth.

Typhus.—During the year 1906, there were 4 deaths from typhus registered as occurring in the Dublin Registration Area; of these 3 appertained to the districts of North Dublin Union, and one to the district of South City No. 1; in the year 1897, 14 deaths from typhus were registered, this figure being the highest recorded in any year of the decade 1896–1905. It appears from Table I. that 21 cases of typhus were admitted to Dublin hospitals during the year, 17 cases were discharged, there were 4 deaths, and that 2 patients remained under treatment at the close of the year.

Whooping-cough.—With the exception of deaths from diarrhœal diseases, the deaths from whooping-cough out-numbered those from any of the principal epidemic diseases; in number 101, they represent an annual death-rate of 0·27 per 1,000 of the estimated population of the Area. These deaths are, however, considerably below the average for the ten years, 1896–1905; during that decade the highest number of deaths from whooping-cough recorded in any one year was in 1897, when 392 deaths were registered, and the lowest number recorded in any year was in 1905, when 48 deaths from whooping-cough were registered.

Diphtheria.—The deaths from diphtheria registered during the year out-numbered those registered in 1905 by 8, but are 14 below the average for the 10 years preceding; these deaths (40 in number) represent a rate of 0·11 per 1,000 of the population of the Dublin Registration Area, estimated to the 30th June, 1906. Of the 40 deaths, 15 appertained to the city districts of North Dublin Union, 17 to the city districts of South Dublin Union, 4 to the urban districts, and 4 deaths were of persons admitted to institutions from without the Registration Area. The hospital statistics, set forth in Table I., show that 321 cases of diphtheria were admitted, 303 cases were discharged; there were 33 deaths in hospitals from diphtheria, and 23 patients were under treatment at the close of the year 1906.

Enteric Fever.—The decline in the number of deaths from enteric fever which characterised the year 1905 was followed by a further decline of such deaths in the year 1906, the deaths in this period numbering 54, as against 64 in 1905, and an average of 127 for the 10 years, 1896-1905, this figure (54) being the lowest number of deaths from enteric fever registered in any of the eleven years, 1896-1906, in the Area, and representing an annual death-rate of 0·14 per 1,000 of the estimated population. Of the 54 deaths, 28 appertained to the city districts of North Dublin Union, 16 to the city districts of South Dublin Union, 4 to the urban district of Rathmines and Rathgar, 4 to Pembroke urban district, and 2 were deaths of persons admitted to institutions from without the Registration Area. From Table I. it appears that 324 cases of enteric fever were admitted to hospitals, 289 were discharged; there were 24 deaths, and 34 cases of enteric fever were under treatment at the close of the year.

The deaths of 4 persons were assigned to pyrexia (origin uncertain).

Diarrhœal Diseases.—The effect of season on the deaths registered under the head of epidemic diarrhœa, epidemic enteritis, *diarrhœa*, and dysentery, is demonstrated by the numbers of deaths from such causes which were registered in each of the four quarters of the year 1906—namely, in March quarter, 24 deaths; in June quarter,

23 deaths; in September quarter, 275 deaths; and in December quarter, 95 deaths. (The deaths returned as *gastro-enteritis*—92 in number—are not included in above figures.) The total number of deaths from diarrhœal diseases amounted to 417, which represents a rate of 1·10 per 1,000 of the population of the Area, estimated to the middle of the year 1906. Of the deaths, 352 were of children under 5 years of age. Of the total deaths, 210, corresponding to an annual rate of 1·39 per 1,000, appertained to the city districts of North Dublin Union; 148, corresponding to an annual rate of 1·04 per 1,000, appertained to the city districts of South Dublin Union; and 54, corresponding to an annual rate of 0·63 per 1,000, appertained to the suburbs.

Pneumonia.—The deaths from pneumonia, 622 in number, include 59 deaths from lobar pneumonia, 247 deaths from broncho-pneumonia, and 316 deaths from *pneumonia*, not otherwise defined. The total is equal to a death rate of 1·64 per 1,000 of the estimated population of the Area.

Tuberculous Disease.—The mortality from all forms of tuberculous disease, which in the year 1905 amounted to 1,724 deaths, and represented an annual rate of 4·55 per 1,000, slightly declined in the year 1906 to 1,694 deaths, representing an annual death-rate of 4·47 per 1,000. The deaths included 453 from tuberculous phthisis, 699 returned as from *phthisis*, not otherwise defined, 161 from tuberculous meningitis, 42 from tuberculous peritonitis, 14 from *tabes mesenterica*, 6 from *scrofula*, and 319 deaths from other forms of the disease. The deaths from the pulmonary form of the disease numbered 1,152, and represented an annual rate of 3·04 per 1,000 of the population. In the year 1905 the corresponding death-rate was 3·18 per 1,000, and the number of victims to tuberculous disease of the lungs 1,207, the average rate for the ten years, 1896–1905, being 3·27 per 1,000 of the average estimated population of the Area for each year.

In the city districts of the North Dublin Union the death-rate from tuberculous phthisis (*phthisis*) numbered 482, and represented an annual death-rate of 3·20 per 1,000; in the city districts of South Dublin Union there were 455 deaths, equal to a rate of 3·19 per 1,000, and in the suburbs there were 165 deaths, representing an annual rate of 1·93 per 1,000 of the estimated aggregate population of the suburbs.

Malignant Diseases.—The deaths from diseases classified under the head of malignant diseases were 453 in number, and included 166 deaths from carcinoma, 25 deaths from sarcoma, and 262 deaths from cancer (not defined). The total equals an annual death-rate of 1·20 per 1,000, as compared with a total of 372 such deaths in 1905, representing an annual rate of 0·98 per 1,000.

Diseases of the Brain and Nervous System.—The deaths numbered 687, and included 267 deaths from *convulsions*. Of the latter figure, 262 were deaths of children under 5 years of age.

Diseases of the Heart and Blood Vessels.—The deaths caused by diseases of the circulatory system were, in number, 1,315, and included the deaths of 275 persons from valvular heart disease, endocarditis, and of 14 persons from aneurysm.

Diseases of the Respiratory System.—The total number of deaths (1,093) includes 978 from bronchitis and 22 deaths from pleurisy.

Violence.—Among the deaths attributed to accidental violence, in number 188, re 48 caused by burns, scalds, or explosions (including the deaths of 29 children under 5 years of age), 28 by drowning, 20 by vehicles and horses, 10 of infants under 1 year of age by suffocation in bed, and 4 by poisons or poisonous vapours.

Five deaths were caused by homicidal violence, and 10 by suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated during the **Year** (52 weeks) **ended Saturday, 29th December, 1906,** in the principal Dublin Hospitals in which cases of infectious diseases are received.

DISEASES.	No. of Cases in Hospital at close of previous year.	No. admitted during year.	Dis-charged.	Died.	No. under treatment on above date.
Small-pox,	.	.	.	.	.
Measles,	7	323	275	37	18
Scarlet Fever,	54	496	466	11	73*
Typhus,	2	21	17	4	2
Diphtheria,	38	321	303	33	23
Enteric Fever,	23	324	289	24	34
Pneumonia,	20	517	455	60	22

* Exclusive of 12 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 305 cases the cause of death was uncertified, there having been no medical attendant during the last illness: of these 305 cases, 171, or 56·1 per cent., were deaths of children under 5 years of age: these 171 deaths form 6·8 per cent. of the total number of deaths of children of that age period. Of the deaths of 472 infants under 1 month old registered, there were 74 (or 15·7 per cent.) regarding which the cause was uncertified.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Medical Superintendent Officer of Health and the Executive Sanitary Officer for the City of Belfast.

TABLE II.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the Year (52 weeks) ended 29th December, 1906. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Population in middle of 1906.†	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	293,385	.	—	—	300	17	.	229	1	133	381	535	10	—	—	—	—	—	1,606
Rathmines and Rathgar Urban District.	33,203	.	—	—	46	.	.	33	.	2	31	17	.	—	—	—	—	—	129
Pembroke Urban District.	26,025	.	15	3	33	.	.	19	.	12	21	20	2	—	69	.	—	—	194
Blackrock Urban District.	8,759	.	—	—	19	1	.	1	.	.	6	2	.	—	—	—	—	—	29
Kingstown Urban District.	17,622	.	—	—	9	1	.	10	.	.	2	8	.	—	—	—	—	—	30
City of Belfast.	366,220	.	—	—	1193	9	.	233	40	366	551	340	17	—	—	—	—	—	2,749

† See note (*) on page xvii.

TABLE III.—DUBLIN REGISTRATION AREA.*—CAUSES OF DEATH in

Names of Diseases.	Number of Deaths									
	1896 (53† weeks).	1897 (52 weeks).	1898 (52 weeks).	1899 (52 weeks).	1900 (52 weeks).	1901 (52 weeks).	1902 (53† weeks).	1903 (52 weeks).	1904 (52 weeks).	1905 (52 weeks).
General Diseases:—										
Small-pox,	4	2	.	.	.	.	.	36	.	.
Measles,	10	474	9	656	75	7	392	49	191	97
Scarlet Fever,	148	134	89	51	22	31	76	63	26	24
Typhus,	11	14	2	5	2	3	8	2	1	.
Whooping-cough,	174	392	154	150	137	235	59	129	239	48
Diphtheria,	18	75	65	66	54	54	85	60	35	32
Pyrexia‡ (origin uncertain),	12	8	7	4	6	10	4	3	4	8
Enteric Fever,	135	182	179	182	133	107	121	94	74	64
Diarrhœal Diseases,	365	356	381	529	365	390	237	151	339	284
Pneumonia,	481	589	522	720	606	606	620	522	619	553
Phthisis,	1,107	1,147	1,232	1,293	1,348	1,274	1,261	1,218	1,172	1,207
Other General Diseases,§	1,483	1,691	1,788	1,845	1,884	1,664	1,473	1,669	1,735	1,590
Total,	3,948	5,064	4,428	5,501	4,632	4,381	4,336	3,996	4,435	3,907
Local Diseases:—										
Diseases of: Nervous System, Heart and Blood Vessels,	1,822	1,765	1,716	1,822	1,894	1,996	961 / 1,073	809 / 1,365	720 / 1,290	723 / 1,258
Organs of Special Sense,	7	7	10	10	6	9	10	7	11	10
Respiratory System (exclusive of Pneumonia).	1,094	1,372	1,219	1,363	1,456	1,254	1,339	1,183	1,168	1,008
Digestive System,	448	448	394	460	453	427	554	515	553	561
Lymphatic System, &c.,	7	9	9	14	13	14	14	22	20	12
Urinary System,	218	209	196	214	223	260	276	261	283	241
Generative System,	25	26	15	12	18	21	20	19	22	12
Accidents of Childbirth,	17	19	21	22	23	24	40	26	21	21
Diseases of Locomotor System,	32	27	26	20	15	20	29	14	10	5
Diseases of Integumentary§ „	26	26	31	19	30	37	31	22	14	16
Total,	3,696	3,908	3,637	3,956	4,131	4,062	4,347	4,243	4,112	3,867
Other Specified Diseases,	.	.	.	.	.	.	.	.	.	.
Deaths from ill-defined and unspecified causes,	929	879	1,031	999	989	877	823	591	519	443
Violent Deaths,	283	266	238	274	235	251	221	217	198	208
Deaths from all causes,	8,856	10,117	9,334	10,730	9,987	9,571	9,727	9,047	9,264	8,425
Annual Death Rate per 1,000 of Pop.,*	23·9	27·5	25·2	28·7	26·5	25·4	25·3	23·9	24·4	22·2
Mean Temperature of the Air (Fahr.),	48·7°	49·0°	49·8°	49·2°	.	47·7°	47·9°	47·7°	48·1°	48·4°
Rainfall in inches,	29·06	31·02	29·61	26·87	37·21	25·79	26·97	32·48	22·62	24·46

* The figures given for 1896–1900 are for the Dublin Registration Area as then constituted; those for 1901–1906 for

† The numbers for the years 1896 and 1902, respectively, embrace the returns for 53 weeks. This

‡ Formerly described as

§ Deaths from Carbuncle, Cellulitis, Phlegmon, and Lupus which for the years 1896–1901 were included in "Diseases

the years 1896–1906, with the Ratio of the Deaths to the Population.

Registered.						Number of Deaths from each Disease to every 10,000 Persons living.		Names of Diseases.
Yearly Average, 1896–05.	1906.							
	Total (52 weeks)	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Yearly Average, 1896–05.	1906. (52 weeks)	
								General Diseases :—
4	.	.	.	.	.	0·1	.	Small-pox.
196	56	.	9	9	38	5·2	1·5	Measles.
66	13	5	.	4	4	1·8	0·3	Scarlet Fever.
5	4	1	.	2	1	0·1	0·1	Typhus.
172	101	19	21	29	32	4·6	2·7	Whooping-cough.
54	40	15	5	4	16	1·5	1·1	Diphtheria.
7	4	1	.	2	1	0·2	0·1	*Pyrexia*‡ (origin uncertain).
127	54	12	11	11	20	3·4	1·4	Enteric Fever.
340	417	24	23	275	95	9·1	11·0	Diarrhœal Diseases.
584	622	171	177	96	178	15·6	16·4	Pneumonia.
1,226	1,152	320	286	274	272	32·7	30·4	Phthisis.
1,682	1,646	405	428	362	451	44·9	43·4	Other General Diseases.§
4,463	4,109	973	960	1,068	1,108	119·2	108·4	Total.
								Local Diseases:—
1,922	687	180	160	171	176	51·3	18·1	Nervous System. (Diseases of)
	1,315	357	335	269	354		34·7	Heart and Blood Vessels. (Diseases of)
9	6	.	2	3	1	0·2	0·1	Organs of Special Sense. (Diseases of)
1,246	1,093	344	284	152	313	33·3	28·8	Respiratory System (exclusive of Pneumonia). (Diseases of)
481	601	119	137	195	150	12·9	15·9	Digestive System. (Diseases of)
13	22	5	5	7	5	0·3	0·6	Lymphatic System, &c. (Diseases of)
238	288	83	80	52	73	6·4	7·6	Urinary System. (Diseases of)
19	18	3	2	8	5	0·5	0·5	Generative System. (Diseases of)
23	26	7	5	8	6	0·6	0·7	Accidents of Childbirth.
20	11	1	2	2	6	0·5	0·3	Diseases of Locomotor System.
25	15	7	2	3	3	0·7	0·4	Diseases of Integumentary§ ,,
3,996	4,082	1,106	1,014	870	1,092	106·7	107·7	Total.
.	.	.	.	.	.	.	.	Other Specified Diseases.
808	463	117	103	113	130	21·6	12·2	Deaths from ill-defined and Unspecified causes.
239	203	58	39	52	54	6·4	5·4	Violent Deaths.
9,506	8,857	2,251	2,116	2,103	2,384	253·9	233·7	**Deaths from all causes.**
25·4	23·4	23·8	22·3	22·2	25·2	.	.	Annual Death Rate per 1,000 of Populatio.
.	48·3°	40·8°	49·6°	57·9°	45·0°	.	.	Mean Temperature of the Air (Fahr.)
28·61	23·59	7·17	5·66	3·68	7·08	.	.	Rainfall in inches.

the area as at present existing. The rates are calculated on the population estimated to the middle of the respective years. arrangement is occasionally necessary in order that the annual series may correspond with the calendar year.
"Simple Continued Fever."
of the Integumentary System," have been tabulated under "Other General Diseases" for the years 1902-1906

TABLE IV.—Showing for the **Year 1906** (52 weeks) the number of DEATHS of Residents of of the Population of the respective Districts represented thereby, and by the Deaths from Deaths of Infants under 1 year of age and of persons aged 60 years and upwards, and the *which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1906.*	YEAR 1906 (52 WEEKS) ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS: FROM ALL CAUSES.	FROM DISEASES IN COLS. 7–15.	TOTAL DEATHS.	DEATHS. Infants under 1 year of Age.	Persons aged 60 years and upwards.	CAUSED BY Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
North City.											
NORTH CITY, No. 1, E., . .	28,332	21·4	1·7	607	134	143	.	.	.	.	15
" 1, W. . .	39,146	25·5	2·7	997	226	242	.	1	2	2	14
" 2, . .	30,107	27·2	2·7	820	179	168	.	1	3	1	12
" 3, . .	31,673	24·2	2·1	767	175	168	.	1	1	.	9
CLONTARF AND HOWTH, No. 1, part of, ...	4,806	12·3	0·6	59	6	23	.	.	.	.	.
COOLOCK AND DRUMCONDRA, No. 1, part of, ...	10,017	20·9	0·9	209	20	77	.	.	.	.	1
FINGLAS AND GLASNEVIN, part of,	6,665	18·9	0·6	126	16	37	.	.	.	.	.
South City.											
SOUTH CITY, No. 1, . .	38,384	27·4	3·0	1,050	190	304	.	37	4	1	18
" 2, . .	18,286	25·9	1·5	473	99	108	.	3	1	.	1
" 3, . .	41,940	26·1	2·0	1,094	218	310	.	8	.	.	15
" 4, . .	35,138	20·9	1·1	734	125	186	.	1	.	.	5
NEW KILMAINHAM, . .	8,891	13·9	1·7	124	35	28	.	.	.	.	.
Urban Districts.											
RATHMINES AND RATHGAR, .	33,203	16·2	1·1	537	81	204	.	4	1	.	6
PEMBROKE, ...	26,025	16·3	1·0	424	57	165	.	.	.	.	1
BLACKROCK, . . .	8,759	13·6	0·3	119	19	50	.	.	.	.	3
KINGSTOWN, . . .	17,622	20·1	1·0	355	48	139	.	.	.	.	.
Total City, North, . .	150,746	23·8	2·1	3,585	756	858	.	3	6	3	51
Total City, South, . .	142,639	24·4	1·9	3,475	667	936	.	49	5	1	39
Total City, North & South,	293,385	24·1	2·0	7,060	1,423	1,794	.	52	11	4	90
Total Urban Districts, .	85,609	16·8	1·0	1,435	205	558	.	4	1	.	10
Total Registration Area,	378,994	22·4	1·8	8,495	1,628	2,352	.	56	12	4	100
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), ...				362	18	63	.	.	1	.	1

* See note (*) on page xvi

the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Rate per 1,000 the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from*

ENDED 29TH DECEMBER, 1906.

DEATHS. Caused by										Number of Uncertified Deaths.	REGISTRARS' DISTRICTS, &c.
					Tuberculous Disease.						
Diphtheria.	*Pyrexia* † (origin uncertain)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).		
(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	
											North City.
1	.	4	28	47	82	36	17	63	20	33	NORTH CITY, No. 1, E.
7	.	7	72	77	135	52	35	153	20	52	,, 1, W.
1	.	4	58	55	101	54	32	91	25	18	,, 2.
3	.	9	45	67	102	51	31	90	14	22	,, 3.
.	1	.	2	1	8	1	8	3	3	3	CLONTARF AND HOWTH, No. 1, part of.
2	.	4	2	12	33	8	20	21	2	5	COOLOCK AND DRUMCONDRA, No 1, part of.
1	.	.	3	7	21	4	8	7	3	4	FINGLAS AND GLASNEVIN, part of.
											South City.
10	.	9	35	66	149	60	28	171	21	28	SOUTH CITY, No. 1.
1	1	1	20	21	68	33	24	78	7	15	,, 2.
2	.	1	56	78	120	97	61	156	16	32	,, 3.
2	.	4	25	57	97	49	37	101	22	25	,, 4.
2	.	1	12	7	21	4	5	11	3	11	NEW KILMAINHAM.
											Urban Districts.
2	.	4	19	31	76	25	36	46	9	25	RATHMINES AND RATHGAR.
1	1	4	20	30	44	23	28	39	10	7	PEMBROKE.
.	.	.	.	8	7	6	5	14	5	4	BLACKROCK.
1	1	.	15	34	38	15	14	27	11	21	KINGSTOWN.
15	1	28	210	266	482	206	151	428	87	137	**North.** } **Total City.**
17	1	16	148	229	455	243	155	517	69	111	**South.** } **Total City.**
32	2	44	358	495	937	449	306	945	156	248	**North & South.** } **Total City.**
4	2	8	54	103	165	69	83	126	35	57	**Total Urban Districts.**
36	4	52	412	598	1,102	518	389	1,071	191	305	**Total Registration Area.**
4	.	2	5	24	50	24	64	22	12	.	

* See note (†) on page iv. † Formerly described as "Simple Continued Fever."

Ages.—Of the 8,857 deaths registered during the year, 2,497, or 28 per cent., were of children under five years of age, and 2,420, or 27 per cent., were of persons aged 60 years and upwards, including those of 1,116 persons aged 70 years and upwards, of whom 57 were stated to have been nonagenarians.

The deaths of infants under 1 year old were equal to 148 for every 1,000 births registered, against 145 in the preceding year, and 171 in 1904.

TABLE V.—Showing by certain Age-Periods, the Population of the Dublin Registration Area * in 1901, the Number of Deaths registered in each of the years 1896–1906, and the proportion which the Deaths at each age-period bear to the estimated Population at the same age.

Years, &c.		Ages.							
		All Ages.	Under 20 years.			20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
			Under 5 years.	5 and under 20.	Total.				
Census Population in 1901,		375,350	38,157	106,723	144,880	135,683	68,610	24,273	1,904
Number of Deaths *Registered.*	Year 1896,†	8,856	2,715	778	3,493	1,484	1,792	1,695	392
	„ 1897,	10,117	3,854	865	4,719	1,487	1,775	1,771	365
	„ 1898,	9,334	2,923	738	3,661	1,507	1,801	1,955	410
	„ 1899,	10,730	3,776	817	4,593	1,573	2,067	2,069	428
	„ 1900,	9,987	2,885	765	3,650	1,627	2,111	2,119	480
	„ 1901,	9,571	2,750	751	3,501	1,548	1,988	2,084	450
	„ 1902,†	9,727	3,192	762	3,954	1,582	1,924	1,857	410
	„ 1903,	9,047	2,563	648	3,211	1,522	1,950	1,962	402
	„ 1904,	9,264	3,023	654	3,677	1,445	1,808	1,927	407
	„ 1905,	8,425	2,426	640	3,066	1,372	1,733	1,851	403
	Yearly average, 1896-1905,	9,506	3,010	742	3,752	1,515	1,895	1,929	415
	Year 1906,	8,857	2,497	626	3,123	1,380	1,934	2,046	374
	1st Quarter, 1906,	2,254	562	168	730	337	525	553	109
	2nd „ „	2,116	453	171	624	364	509	526	93
	3rd „ „	2,103	753	135	888	307	410	424	74
	4th „ „	2,384	729	152	881	372	490	543	98
Number of Deaths at each Age-Period to every 1,000 of the Estimated Population* at same age.	Year 1896,†	23·9	69·2	7·2	23·7	11·7	25·9	67·2	203·3
	„ 1897,	27·5	99·0	8·1	32·3	11·8	25·9	70·9	190·9
	„ 1898,	25·2	74·5	6·8	24·9	11·9	26·0	77·6	212·8
	„ 1899,	28·7	95·5	7·5	31·0	12·3	29·7	81·5	220·4
	„ 1900,	26·5	72·4	7·0	24·4	12·6	30·0	82·8	245·3
	„ 1901,	25·4	71·9	7·0	24·1	11·4	28·9	85·7	235·8
	„ 1902,†	25·3	81·5	7·0	26·6	11·4	27·3	74·5	209·9
	„ 1903,	23·9	66·5	6·0	22·0	11·1	28·1	80·1	209·2
	„ 1904,	24·4	78·5	6·1	25·1	10·5	26·1	78·6	211·8
	„ 1905,	22·2	63·0	5·9	21·0	10·0	25·0	75·5	209·7
	Yearly average, 1896-1905,	25·3	77·2	6·9	25·5	11·5	27·3	77·4	214·9
	Year 1906,	23·4	64·8	5·8	21·3	10·1	27·9	83·5	194·6

Occupations.—Table VII. on pages xiv.–xv. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to a rate of 15·4 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 16·6 per 1,000; among the "Artizan Class and Petty Shopkeepers" it was 17·8; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 32·3. The number of the living in each of the several classes and orders of occupations in 1901 is shown by age periods in the following Table.

* See note (*), pages viii.–ix. † See note (†), pages viii.–ix.

TABLE VI.—Showing by AGES, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the INHABITANTS of the Dublin Registration Area in 1901.

CLASS.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	AGES. Under 5 years.	5 and under 15.	15 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	ALL PERSONS,	375,350	38,157	67,552	39,171	135,683	68,610	24,273	1,904
	CLASSES.								
	Families of the—								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	937	2,136	1,322	5,665	4,490	2,532	354
II.	MIDDLE CLASS,	87,188	7,418	14,383	9,936	33,875	15,662	5,460	454
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	12,336	21,973	11,462	37,921	20,434	5,920	377
IV.	GENERAL SERVICE CLASS,	154,279	17,205	28,768	16,320	57,135	26,398	7,989	464
V.	INMATES OF WORKHOUSES,	6,024	261	292	131	1,087	1,626	2,372	255
I.	PROFESSIONAL AND INDEPENDENT CLASS.								
	1. Clerical, Medical, and other Professions; Naval and Military Officers; and Heads of Public Departments,	7,799	541	997	548	2,654	2,196	793	70
	2. Merchants and Manufacturers, Higher Class,	1,277	139	268	98	325	322	116	9
	3. Persons of Rank and Property, not otherwise described,	8,360	257	871	676	2,686	1,972	1,623	275
II.	MIDDLE CLASS.								
	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	822	1,509	822	2,461	1,658	412	28
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	2,849	5,110	1,330	6,494	4,995	1,181	57
	6. Clerks and Commercial Assistants,	30,432	2,477	3,842	5,170	14,637	3,630	653	13
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	1,270	3,922	2,614	10,283	5,379	3,204	356
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	1,364	2,151	940	3,627	1,512	271	9
	9. Building and Furnishing Trades,	29,801	4,037	6,963	2,619	9,373	5,452	1,289	68
	10. Clothing Trades,	23,260	1,359	2,995	3,338	9,277	4,484	1,700	107
	11 Food Supply Trades,	9,242	1,279	2,023	742	3,300	1,565	320	13
	12. Other Trades and Callings ranking with Trades,	30,352	3,472	6,258	3,151	9,923	5,623	1,770	155
	13. Petty Shopkeepers,	7,894	825	1,583	672	2,421	1,798	570	25
IV.	GENERAL SERVICE CLASS.								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	1,376	2,217	2,238	5,068	1,655	836	35
	15. Domestic Servants,	36,603	916	2,256	5,873	18,887	6,290	2,203	178
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	2,250	3,385	838	5,084	2,416	407	10
	17. Hawkers, Porters, Labourers, &c.,	89,861	12,663	20,910	7,371	28,096	16,037	4,543	241
V.	INMATES OF WORKHOUSES.								
	18. Workhouse Inmates,	6,024	261	292	131	1,087	1,626	2,372	255

TABLE VII.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL **Year** (52 weeks) **ending Saturday, 29th December, 1906**; the Annual Death-rate the Number from some of the Principal Causes of Death; also the number of Uncertified Deaths.

Class.	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Year: Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	ALL PERSONS,	375,350	23·6	8,857	2,497	626	1,380	1,934	2,046	374
	CLASSES. Deaths in Families of the—									
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	15·4	269	17	3	29	56	106	58
II.	MIDDLE CLASS,	87,188	16·6	1,451	244	103	258	314	416	116
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	17·8	1,964	539	159	312	467	436	51
IV.	GENERAL SERVICE CLASS,	154,279	32·3	3,436	1,433	294	516	626	496	71
V.	INMATES OF WORKHOUSES,	6,024		1,737	264	67	265	471	592	78
I.	PROFESSIONAL AND INDEPENDENT CLASS.									
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	24·2	189	15	1	20	42	74	37
	2. Merchants and Manufacturers, Higher Class,	1,277	7·0	9	2	1	.	3	1	2
	3. Persons of Rank and Property, not otherwise described,	8,360	8·5	71	.	1	9	11	31	19
II.	MIDDLE CLASS.									
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	12·3	95	7	2	15	21	42	8
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	17·8	392	77	25	52	92	116	30
	6. Clerks and Commercial Assistants,	30,432	14·1	428	106	43	121	90	62	6
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	19·8	536	54	33	70	111	196	72
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.									
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	9,874	18·4	182	68	10	27	36	38	3
	9. Building and Furnishing Trades,	29,801	19·7	587	202	68	76	128	105	8
	10. Clothing Trades,	23,260	13·7	319	70	19	73	69	78	10
	11. Food Supply Trades,	9,242	13·7	127	42	7	16	28	30	4
	12. Other Trades and Callings ranking with Trades,	30,352	20·6	624	116	49	109	167	164	19
	13. Petty Shopkeepers,	7,894	15·8	125	41	6	11	39	21	7
IV.	GENERAL SERVICE CLASS.									
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·2	259	87	15	36	52	57	12
	15. Domestic Servants,	36,603	8·6	316	81	21	69	66	63	16
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	23·9	314	128	32	56	69	53	6
	17. Hawkers, Porters, Labourers, &c.,	89,861	28·0	2,517	1,137	226	355	439	323	37
V.	INMATES OF WORKHOUSES.									
	18. Workhouse Inmates,	6,024	.	1,737	264	67	265	471	592	78

Position of the **Persons** whose **Deaths** were registered in the Dublin Registration Area during the represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and

(52 WEEKS) ENDING SATURDAY, 29TH DECEMBER, 1906.

Causes of Death.																			Class and Order.
Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Total, Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.	Number of Uncertified Deaths.	
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
.	56	13	4	101	40	4	54	417	689	622	1,152	542	453	267	1,093	203	3,836	305	
.	.	.	.	.	.	.	1	2	3	19	6	5	31	2	22	2	179	3	I.
.	3	2	1	15	12	2	11	34	80	104	172	71	125	29	100	35	735	30	II.
.	9	3	.	24	8	1	12	107	164	153	269	122	83	60	241	45	827	88	III.
.	42	8	3	61	20	1	28	225	388	274	405	230	121	169	388	113	1,348	183	IV.
.	2	.	.	1	.	.	2	49	54	72	300	114	93	7	342	8	747	1	V.
																			I.
.	.	.	.	.	.	.	.	1	1	13	4	2	22	2	19	1	125	2	1
.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	1	.	4	.	2
.	.	.	.	.	.	.	1	.	1	5	2	2	8	.	2	1	50	1	3
																			II.
.	.	.	.	.	.	.	2	1	3	9	8	3	9	1	3	2	57	.	4
.	1	1	.	3	5	1	5	8	24	37	32	17	34	9	26	9	204	10	5
.	.	.	.	7	5	.	3	21	36	24	91	29	22	15	33	12	166	12	6
.	2	1	1	5	2	1	1	4	17	34	41	22	60	4	38	12	308	8	7
																			III.
.	1	1	.	5	1	.	.	15	23	19	17	9	13	12	13	.	76	8	8
.	2	1	.	10	3	1	5	31	53	54	72	43	22	29	62	21	231	31	9
.	1	.	.	6	2	.	1	11	21	20	62	22	14	3	47	3	127	16	10
.	.	.	.	.	.	.	2	12	14	11	10	9	2	6	18	3	54	5	11
.	3	1	.	2	2	.	3	24	35	45	94	33	26	8	79	15	289	24	12
.	2	.	.	1	.	.	1	14	18	4	14	6	6	2	22	3	50	4	13
																			IV.
.	1	.	.	4	3	.	1	12	21	17	16	11	18	8	27	3	138	8	14
.	.	.	.	2	.	.	6	28	36	20	47	19	21	7	21	7	138	11	15
.	.	1	.	6	1	.	4	22	34	33	35	23	22	15	41	9	132	15	16
.	41	7	3	49	16	1	17	163	297	204	307	177	60	139	299	94	940	149	17
.	2	.	.	1	.	.	2	49	54	72	300	114	93	7	342	8	747	1	V. 18

* Formerly described as "Simple Continued Fever."

PROVINCIAL URBAN DISTRICTS.—(See Tables VIII. and IX.)—The respective death-rates represented by the deaths from the principal epidemic diseases* registered during the year in the twenty-one urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest:—Tralee, 0·2 per 1,000 of the population; Drogheda, 0·4; Limerick, 0·7; Lisburn, 0·7; Kilkenny, 0·8; Queenstown, 0·9; Sligo, 1·0; Waterford, 1·0; Galway, 1·1; Newry, 1·1; Portadown, 1·5; Cork, 1·7; Armagh, 1·7; Wexford, 1·9; Dundalk, 1·9; Lurgan, 2·0; Ballymena, 2·0; Clonmel, 2·1; Belfast, 2·5; Londonderry, 2·7; and Newtownards, 4·6.

Small-pox.—From Table VIII. it appears that, as in the case of Dublin Registration Area, there was no death from small-pox registered in any of the twenty-one provincial urban districts.

Measles.—The deaths registered in Belfast were 29; in Londonderry 42; in Newtownards 22; in Lurgan 12; in Armagh 4; in each of Dundalk, Ballymena, and Portadown 3; and in Drogheda one death from measles.

Scarlet Fever.—For Belfast 26 deaths from scarlet fever were recorded (see note (‡), page xvii.); in Waterford 6 deaths were registered; in each of Limerick, Clonmel, and Newtownards 2; and in each of Londonderry and Newry one death.

Typhus.—Of 12 deaths from typhus 3 were of Belfast, 3 were of Cork, 4 were of Galway, and one of each of Sligo and Clonmel.

Whooping-cough.—The mortality from whooping-cough in Belfast amounted to 331 deaths, in Cork to 14; in Londonderry to 23; in Dundalk to 16; in Newtownards to 10; in Ballymena to 9; in Waterford to 7; in Lisburn to 4; in Clonmel to 3; in each of Galway and Lurgan to 2; and in Newry and Kilkenny one death each was registered.

Diphtheria.—The total deaths from diphtheria, in number 78, include 41 registered in Belfast, 11 in Cork, 6 in Limerick, 5 in Londonderry, 3 in Lurgan, 2 in each of Drogheda, Ballymena, and Sligo; and one in each of Galway, Dundalk, Lisburn, Kilkenny, Clonmel, and Portadown.

Enteric Fever.—The fatalities from enteric fever were 116, and comprise 90 deaths in Belfast; 7 in Limerick; 5 in each of Cork and Clonmel; 2 in each of Londonderry and Newry; and one in each of Waterford, Drogheda, Ballymena, Portadown, and Tralee.

The deaths of 19 *persons were assigned to pyrexia* (*origin uncertain*).

Diarrhœal Diseases.—Diarrhœal diseases caused the deaths of 642 persons inhabiting the 21 provincial urban districts in the year 1906; this represents an annual death-rate of 0·89 per 1,000 of the aggregate population of these areas. Of the total 376 deaths were registered in Belfast; 92 in Cork; 39 in Londonderry; 21 in Wexford; 11 in each of Limerick and Waterford; and 10 in each of Newry and Portadown; for further particulars see Table VIII., page xvii.

Phthisis (*Tuberculous Phthisis*).—The number of deaths from phthisis registered in the twenty-one Town Districts amounted to 1,952, being less than the number registered in 1905 by 169 deaths. The total is equal to an annual rate of 2·7 per 1,000 of the aggregate population of the twenty-one Urban Districts. The deaths in Belfast, 1,015, represent a rate of 2·8 per 1,000 of the estimated population. In the twenty other Urban Districts the deaths, 937, represent an annual rate of 2·6 per 1,000 of the aggregate population of these areas. The death-rate for phthisis in the Dublin Registration Area is equal to 2·9 per 1,000 of the estimated population.

* See note (†) on page iv.

ERRATUM.

Registrar-General's Yearly Summary of Weekly Returns.

(1906).

On page xvii., Table VIII. Col. 18. Belfast.—for "76" read "376."

TABLE VIII.—BIRTHS and DEATHS Registered during the **Year 1906** (52 weeks) in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

TOWNS AND DISTRICTS.	Census Statistics of Districts.* Population. Total.	Persons to an Acre.	REGISTRATION—YEAR 1906 (52 WEEKS). Annual Rate per 1,000 persons represented by BIRTHS.	DEATHS from All Causes.	Diseases in Cols. 10-18.	NUMBERS REGISTERED. BIRTHS.	DEATHS. TOTAL NUMBER.	Under 1 year of Age.	At 60 years and upwards.	Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* † (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
TOTAL OF 22 TOWN DISTRICTS,	1,101,499	19·3	29·2	20·4	1·9	32,216	22,511	4,406	5,916	.	175	52	16	523	114	23	168	1,054	1469	3054	1236	847	2,955	453	769	6,895	985
DUBLIN REGISTRATION AREA,	378,994	27·5	29·4	22·4	1·8	11,144	8,495	1,628	2,352	.	56	12	4	100	36	4	52	412	598	1102	518	389	1,071	191	280	3,331	305
URBAN DISTRICTS.																											
BELFAST, ‡	366,220	24·9	31·0	20·1	2·5	11,355	7,379	1,635	1,585	.	29	26	3	331	41	9	90	76	558	1015	395	209	1,000	158	297	1,673	120
CORK,	76,122	33·6	27·5	20·2	1·7	2,094	1,535	279	406	.	.	.	3	14	11	1	5	92	65	261	81	62	177	20	54	593	88
LONDONDERRY,	42,067	19·4	27·0	17·9	2·7	1,134	753	145	184	.	42	1	.	23	5	.	2	39	33	90	40	28	134	13	22	129	40
LIMERICK,	38,151	18·1	28·0	18·8	0·7	1,070	719	131	197	.	.	2	.	.	6	.	7	11	35	104	27	20	129	4	14	252	99
WATERFORD,	26,769	18·7	23·5	17·6	1·0	628	470	69	135	.	.	6	.	7	.	2	1	11	17	62	28	15	72	19	21	187	34
GALWAY,	13,426	2·5	27·8	19·7	1·1	373	265	32	105	.	.	.	4	2	1	6	.	2	19	45	6	13	24	3	2	107	44
DUNDALK,	13,076	9·4	26·2	15·3	1·9	342	200	39	54	.	3	.	.	16	1	.	.	5	18	26	12	8	19	5	5	35	23
DROGHEDA,	12,760	8·6	25·5	17·4	0·4	326	222	31	74	.	1	.	.	.	2	.	1	1	22	25	2	7	21	1	5	53	4
NEWRY,	12,405	17·8	23·1	16·3	1·1	286	202	30	77	.	.	1	.	1	.	.	2	10	3	24	8	11	11	5	6	43	1
LURGAN,	11,782	13·8	29·9	18·4	2·0	352	217	26	58	.	12	.	.	2	3	.	.	6	13	38	16	13	16	6	9	61	12
LISBURN,	11,461	10·1	27·2	18·1	0·7	312	207	36	67	.	.	.	.	4	1	.	.	3	18	33	10	13	21	1	7	39	9
WEXFORD,	11,168	23·2	29·4	23·0	1·9	328	257	48	82	.	.	.	.	.	.	.	.	21	1	28	28	14	43	5	2	46	41
BALLYMENA,	10,886	8·9	31·5	17·5	2·0	343	190	45	67	.	3	.	.	9	2	.	1	7	11	31	5	5	21	2	1	23	15
SLIGO,	10,870	3·7	26·0	16·3	1·0	283	177	28	78	.	.	.	1	.	2	.	.	8	3	16	8	2	18	.	4	52	48
KILKENNY,	10,609	11·5	31·1	17·8	0·8	330	189	31	73	.	.	.	.	1	1	1	.	6	6	18	3	1	53	.	2	71	25
CLONMEL,	10,167	7·8	24·7	18·5	2·1	251	188	23	54	.	.	2	1	3	1	.	5	9	5	26	3	6	35	1	2	80	39
PORTADOWN,	10,092	13·2	31·1	18·1	1·5	314	183	41	46	.	3	.	.	.	1	.	1	10	9	26	9	9	15	5	8	.	6
TRALEE,	9,867	16·6	27·0	15·1	0·2	266	149	20	58	.	.	.	.	.	.	.	1	1	10	20	6	5	15	.	5	55	3
NEWTOWNARDS,	9,110	18·9	29·4	27·4	4·6	268	250	47	77	.	22	2	.	10	.	.	.	8	6	35	10	8	32	6	12	29	15
QUEENSTOWN,	7,909	14·4	28·2	16·1	0·9	223	127	18	38	.	.	.	.	.	.	.	.	7	13	18	13	1	9	4	6	7	5
ARMAGH,	7,588	22·2	25·6	18·1	1·7	194	137	24	49	.	4	.	.	.	.	.	.	9	6	11	8	8	19	4	5	29	9

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1906; that for each of the other districts is the Population according to the Census of 1901.

† Formerly described as "Simple Continued Fever."

‡ Including one death from scarlet fever of a person admitted from the City of Belfast to the Hospital for Infectious Diseases at Purdysburn, in the Registrar's District of Ballylesson and Union of Lisburn.

TABLE IX.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Year** (52 weeks) **ended 29th December, 1906,** Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in **1901.**	No. of **BIRTHS.**	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10–18.	**DEATHS.** Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer. Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1.)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN, No. 1 DISTRICT,	14,734	465	The estimate of the Population of Belfast now adopted (see Table IV.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		380	72	41	182	85	.	1	2	.	32	5	2	3	16	26	50	15	9	53	17	33	110	7
" 2 "	47,959	1,432			928	185	119	397	227	.	1	2	1	41	4	.	6	11	78	102	48	6	158	17	40	190	11
" 3 "	47,214	1,419			897†	224	103	382	188	.	4	4	.	62	1	.	13	71	90	143	46	27	113	20	31	173	25
" 4 "	40,911	1,621			1,073	275	129	448	221	.	5	3	.	37	3	5	12	54	63	126	51	30	141	21	39	365	19
" 5 "	17,387	537			441	113	72	179	77	.	2	1	.	39	1	.	2	30	33	66	24	11	54	6	14	131	10
" 6 "	48,122	1,132			931	152	82	443	254	.	6	5	.	21	4	2	15	37	74	141	32	39	127	22	33	235	18
" 7 "	1,524	61			48	5	7	27	9	.	.	.	.	.	.	.	.	2	4	11	1	3	4	1	3	20	.
" 8 "	5,060	134			99	19	10	45	25	.	.	.	.	1	2	.	2	8	4	17	7	3	20	2	2	20	.
" 9 "	19,569	666			414	95	45	203	71	.	6	4	.	8	5	.	2	17	25	38	64	11	40	9	15	83	8
" 10 "	23,064	917			586	146	76	260	104	.	3	2	.	32	6	.	13	37	53	103	26	17	75	6	19	89	7
" 11 "	34,802	1,130			649	157	64	282	146	.	.	.	.	26	3	.	6	33	42	89	38	25	79	21	27	104	7
" 12 "	33,588	1,291			655	146	99	298	112	.	.	2	2	20	5	.	13	49	48	90	30	15	111	14	27	121	6
" 13 "	15,006	543			273	45	31	133	64	.	1	1	.	12	2	.	3	11	18	39	12	13	25	2	14	31	2
" 14 "	240	7			5	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Total,	349,180	11,855			7,379†	1,635	879	3,280	1,585	.	29	26	3	331	41	9	90	376	558	1,015	395	209	1,000	158	297	1,673	120
City of Cork.																											
CORK URBAN, No. 1 DISTRICT,	12,867	298	20·8	0·9	267	46	16	103	102	.	.	.	1	2	1	.	.	8	17	32	8	9	20	.	6	130	7
" 2 "	10,701	337	20·8	2·5	223	37	28	114	44	.	.	.	1	1	5	1	3	16	13	48	13	7	21	1	11	69	16
" 3 "	9,973	308	18·9	2·0	189	40	26	93	30	.	.	.	1	1	2	.	1	15	8	35	14	8	33	2	6	53	11
" 4 "	8,666	227	27·5	1·7	238	35	16	121	66	.	.	.	.	.	1	.	.	14	13	43	12	10	24	4	10	145	8
" 5 "	6,592	178	21·2	1·4	140	17	3	73	47	.	.	.	.	1	.	.	1	7	5	23	10	9	11	1	4	54	.
" 6 "	10,702	305	18·9	1·2	149	38	18	61	32	.	.	.	.	1	1	.	.	11	6	18	12	7	9	2	5	26	19
" 7 "	16,616	441	19·8	1·8	329	66	36	142	85	.	.	.	.	8	1	.	.	21	3	62	12	12	59	10	12	116	27
Total,	76,122	2,094	20·2	1·7	1,535	279	143	707	406	.	.	.	3	14	11	1	5	92	65	261	81	62	177	20	54	593	88

* Formerly described as "Simple Continued Fever."

† See note (‡), page xviii.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin, 2nd February, 1907.

ROBERT E. MATHESON,
Registrar-General.

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & CO. (Limited), 87, 88, and 89, Abbey-Street.
375. Wt. P. 292. (9. 06.)—16139.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 6TH JANUARY, 1906. [No. 1.

General Register Office, Charlemont House, Dublin, 8th January, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks.
	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.			Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	
22 Town Dists.	18·6	19·6	17·8	20·6	19·2	Lisburn, . .	18·2	22·7	18·2	45·5	26·1
Armagh, . .	13·7	20·6	27·5	6·9	17·2	Londonderry, .	8·7	13·6	11·2	19·8	13·3
Ballymena, .	33·5	14·4	14·4	14·4	19·2	Lurgan, . .	.	26·6	22·1	22·1	17·7
Belfast, . .	18·5	21·2	18·0	21·4	19·8	Newry, . .	16·8	21·0	21·0	25·2	21·0
Clonmel, . .	15·4	35·9	10·3	15·4	19·2	Newtownards, .	34·3	11·4	51·5	17·2	28·6
Cork, . . .	23·3	13·7	20·5	14·4	18·0	Portadown, .	10·3	5·2	10·3	5·2	7·8
Drogheda, . .	8·2	12·3	16·3	8·2	11·3	Queenstown, .	26·4	19·8	6·6	6·6	14·9
Dublin Reg. Area,	19·7	22·3	17·9	21·7	20·4	Sligo, . . .	19·2	4·8	14·4	24·0	15·6
Dundalk, . .	19·9	27·9	16·0	8·0	18·0	Tralee, . .	5·3	.	15·9	31·7	13·2
Galway, . .	27·2	3·9	27·2	27·2	21·4	Waterford, .	9·7	7·8	7·8	31·2	14·1
Kilkenny, . .	14·7	14·7	4·9	9·8	11·0	Wexford, . .	9·3	14·0	32·7	18·7	18·7
Limerick, . .	24·6	20·5	16·4	17·8	19·8						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 0·9 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·7 in Newtownards. Among the 147 deaths from all causes in Belfast are one from whooping-cough, one from diphtheria, 2 from enteric fever, and 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 245—126 boys and 119 girls; and the deaths to 168—75 males and 93 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·1 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 21·7 per 1,000.

The deaths (168) included 2 from whooping-cough, 2 from diphtheria, 3 from enteric fever, and one death from dysentery; there were 2 deaths attributed to influenza. In

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

each of the 3 preceding weeks deaths from whooping-cough were 2, one, and one; from diphtheria they were one, 0, and 2; from enteric fever they were one, 4, and 3; and from diarrhœal diseases the deaths were one, one, and 2, respectively.

There were 5 deaths from broncho-pneumonia, and 7 deaths from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease numbered 33, and include 8 deaths from tuberculous phthisis, 13 deaths from *phthisis*, 5 deaths from tuberculous meningitis, one death from tuberculous peritonitis, one death from *tabes mesenterica*, and 5 deaths from other forms of the disease. In each of the 3 preceding weeks, the deaths from all forms of tuberculous disease were 24, 31, and 20.

Five deaths were due to carcinoma and 2 to cancer (undefined).

The death of one infant, prematurely born, was registered.

Of 12 deaths from diseases of the brain and nervous system 4 were from *convulsions*, 3 of the latter figure being deaths of infants under one year of age.

Diseases of the heart and blood vessels caused 28 deaths.

There were 24 deaths from bronchitis.

Of 4 deaths from accidental violence, 2 deaths were due to burns, scalds, one of the latter being of a child under 5 years of age.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under one year of age and the death of a person aged 87 years.

Twenty-eight of the persons whose deaths were registered during the week were under 5 years of age (19 being infants under one year, of whom 4 were under one month old) and 41 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 5 were octogenarians, and one (a woman) was stated to have been aged 91 years.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·7 per 1,000; the rate in the City was 23·1 (North City Districts, 22·8; South, 23·4), and in the Suburbs, 17·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·7 (0·3 in the North City Districts, and 1·1 in the South), and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 16·6 per 1,000, and include one death from whooping-cough, 2 deaths from tuberculous disease, and 2 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. There was one death each from influenza and broncho-pneumonia, there were 7 deaths from tuberculous disease, and 3 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·5 per 1,000. The deaths include 3 from tuberculous disease, one from infective endocarditis, one from bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 24·7 per 1,000, and include one death from tuberculous disease, and 2 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 31·2; and Finglas and Glasnevin, part of, 23·5. One of the 6 deaths for Coolock and Drumcondra, No. 1. part of, was from influenza, one from *pneumonia* (not defined), and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (13) represent an annual rate of 17·7 per 1,000, and include one death from diphtheria, one death from broncho-pneumonia, one death from *pneumonia*, 3 deaths from tuberculous disease, and one death from bronchitis.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·4 per 1,000, and include one death from dysentery, 2 deaths from *pneumonia* (not defined), 3 deaths from tuberculous disease, and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 28·6 per 1,000, and include one death from *pneumonia* (not defined), 3 deaths from tuberculous disease, 4 deaths from bronchitis, and one accidental death.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·7 per 1,000, and include one death from enteric fever, one death from broncho-pneumonia, 2 deaths from *pneumonia* (not defined), 3 deaths from *phthisis*, 4 deaths from bronchitis, and one accidental death.

New Kilmainham District.—The one death recorded is equal to an annual rate of 5·9 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·7; Pembroke, 20·0; Blackrock, 17·9; and Kingstown, 14·8. The deaths from the principal epidemic diseases tabulated for these districts consist of 2 from enteric fever for Pembroke. Among the 10 deaths from all causes for Rathmines and Rathgar are one from broncho-pneumonia, 2 f[illegible]*sis*, and one from bronchitis; and the 5 deaths from all causes for Kingstown include 2 from tuberculous phthisis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 6th January, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 16,	.	—	—	10	.	.	3	.	3	12	9	.	—	—	—	—	—	37
	Dec. 23,	.	—	—	6	.	.	10	.	.	7	15	.	—	—	—	—	—	38
	Dec. 30,	.	—	—	2	.	.	1	.	.	6	6	.	—	—	—	—	—	15
	Jan. 6,	.	—	—	4	1	.	1	.	4	1	4	.	—	—	—	—	—	15
Rathmines and Rathgar Urban District.	Dec. 16,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	Dec. 23,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Dec. 30,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	—	2
	Jan. 6,	.	—	—	2	.	.	1	.	.	1	.	.	—	—	—	—	—	4
Pembroke Urban District.	Dec. 16,	.	.	.	2	.	.	5	.	.	.	.	.	—	.	.	—	—	7
	Dec. 23,	.	.	.	2	.	.	.	.	.	.	1	.	—	.	.	—	—	3
	Dec. 30,	.	.	1	.	.	.	.	.	.	.	1	.	—	2	.	—	—	4
	Jan. 6,	.	2	.	.	.	.	1	.	1	2	1	.	—	.	.	—	—	7
Blackrock Urban District.	Dec. 16,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	Dec. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Dec. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 23,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Dec. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Dec. 16,	.	—	—	19	.	.	2	2	8	15	6	.	—	—	—	—	—	52
	Dec. 23,	.	—	—	19	.	.	5	.	8	15	9	1	—	—	—	—	—	57
	Dec. 30,	.	—	—	19	1	.	2	.	10	15	8	.	—	—	—	—	—	55
	Jan. 6,	.	—	—	29	4	.	4	.	13	26	12	.	—	—	—	—	—	88

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th January, 1906.

From this it appears that:—

Three cases of measles were admitted to hospital during the week, 6 were discharged, and 4 patients remained under treatment at its close.

Five cases of scarlet fever were admitted to hospital, 9 were discharged, and 50* cases remained under treatment at the close of the week.

Two cases of typhus remained under treatment in hospital at the close of the week.

Seven cases of diphtheria were admitted to hospital, 7 were discharged, there was one death, and 37 patients remained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital, 3 were discharged, and 24 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 6 were discharged, there were 2 deaths, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 19·4), was equal to an average annual death-rate of 18·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·8 per 1,000, the rate for Glasgow being 20·9, and for Edinburgh 17·1.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 6th January, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 6th January, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e. Week ending 6th Jan., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th Dec., 1905. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd Dec., 1905. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
																												°	°	°		°	°	°	°	°	°	°	
Total of 22 Town Districts,	1,093,959	19·2	31·5	20·6	0·9	660	432	73	108	.	.	1	.	5	2	.	5	5	32	47	29	13	73	16	19	112	24	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	373,994	27·5	33·7	21·7	0·8	245	158	19	40	.	.	.	.	1	1	.	3	1	12	19	11	6	24	4	5	57	4	f54·6	34·6	43·4	0·86	f53·8	33·2	45·7	0·77	f52·4	33·9	46·1	0·29
City of Dublin,	293,385	37·1	35·0	23·1	0·7	197	130	16	29	.	.	.	.	1	1	.	1	1	10	15	11	4	20	3	3	49	3	g52·2 h51·9	33·8 38·0	45·1 44·2	1·67 1·30	g55·6 h54·9	41·0 41·0	47·8 46·8	0·65 0·69	g54·2 h53·5	40·3 39·0	47·6 48·2	0·36 0·29
Urban Dists. Rathmines and Rathgar.	33,203	19·4	33·0	15·7	.	21	10	1	4	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke,	26,025	16·4	28·0	20·0	4·0	14	10	.	5	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,	8,759	8·1	11·9	17·9	.	2	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	32·5	14·8	.	11	5	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	1	.	54	39·5	45·5	1·63	57·0	41·5	47·2	0·86	54·2	41·5	47·2	0·59
Urban Districts.																																							
Belfast,	358,680	24·4	32·6	21·4	1·0	224	147	34	36	.	.	.	.	1	1	.	2	3	15	15	10	3	20	6	6	28	6	50·0	36·2	42·4	0·94	51·0	39·8	44·8	1·15	51·5	36·0	44·2	0·49
Cork,	76,122	33·6	21·9	14·4	0·7	32	21	2	6	.	.	.	.	.	.	.	.	1	1	2	2	2	3	1	2	9	.	51	40	47·8	2·50	52	36	47·9	1·01	51	42	47·8	0·44
Londonderry,	42,067	19·4	26·0	19·8	1·2	21	16	4	3	.	.	.	.	1	.	.	.	.	.	2	1	.	5	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	15·0	17·8	1·4	11	13	2	2	.	.	1	.	.	.	.	.	.	.	3	2	1	6	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	25·3	31·2	1·9	13	16	2	2	.	.	.	.	1	.	.	.	.	1	2	.	.	1	4	4	2	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,426	2·5	54·4	27·2	.	14	7	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	3	1	53	35	46	1·43	54	37	45·5	0·32	53	38	43	0·60
Dundalk,	13,076	3·4	27·9	8·0	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	40·9	8·2	.	10	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	33·6	25·2	.	8	6	2	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.	51·3	35·7	42·8	0·83	51·9	37·9	43·8	0·90	51·0	37·2	45·2	0·49
Lurgan,	11,782	13·8	53·1	22·1	.	12	5	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	51·3	35·7	42·8	0·83	51·9	37·9	43·8	0·90	51·0	37·2	45·2	0·49
Lisburn,	11,461	10·1	27·3	45·5	.	6	10	1	4	.	.	.	.	.	.	.	.	.	.	1	2	.	3	.	.	4	1	51·3	35·7	42·8	0·83	51·9	37·9	43·8	0·90	51·0	37·2	45·2	0·49
Wexford,	11,168	23·2	32·7	18·7	.	7	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	23·9	14·4	.	5	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	14·4	24·0	.	3	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	52·2	35·3	43·5	1·26	52·2	29·5	43·6	0·73	51·5	37·5	46·4	1·30
Kilkenny,	10,609	11·5	19·7	9·8	.	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	54	38	45	1·54	53	36	45·7	0·45	52	39	46·6	0·70
Clonmel,	10,167	7·8	20·5	15·4	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	41·3	5·2	.	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51·3	35·7	42·8	0·83	51·9	37·9	43·8	0·90	51·0	37·2	45·2	0·49
Tralee,	9,867	16·6	37·0	31·7	.	7	6	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	45·8	17·2	5·7	8	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	50	32	42·2	0·99	51	40	44·5	0·85	52	38	45·3	0·42
Queenstown,	7,909	14·4	13·2	6·6	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51	40	47·8	2·50	52	36	47·9	1·01	51	42	47·8	0·44
Armagh,	7,588	22·2	61·8	6·9	.	9	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	51·2	35·7	42·8	0·83	51·9	37·9	43·8	0·90	51·0	37·2	45·2	0·49

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 10 deaths of persons (including one at 70 years), admitted to hospital from localities outside the Area. e Inquiries have been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted [illegible] Mullingar for Sligo, and those at Roche's Point for Cork and

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 6th of January, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	3	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Pneumonia,	.	1	.	.	.	1	.	2	2	1	3	.	1	.	1	.	12	.
Tuberculous Phthisis,	.	4	2	.	.	.	.	2	3	1	3	1	2	.	.	2	19	2
Tuberculous Other Forms,	2	3	1	1	.	.	.	1	1	2	.	.	.	.	.	.	11	1
Cancer, Malignant Disease,	.	2	.	.	.	.	.	.	.	2	.	.	1	1	.	.	6	1
Other General Diseases	.	2	2	1	.	1	.	.	1	2	.	.	.	1	.	.	10	.
Total,	3	12	5	2	.	2	.	6	7	8	7	1	4	4	1	2	64	6
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	.	2	3	.	.	1	3	.	1	.	.	2	.	.	.	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	2	1	4	.	1	.	3	2	5	1	.	1	3	.	2	27	1
Respiratory System,	3	3	1	2	.	1	.	1	1	4	4	.	1	1	1	1	24	2
Digestive System,	1	.	2	3	1	.	2	.	.	2	.	.	1	.	.	.	12	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	1	.	1	.	.	.	2	1	.	.	1	.	.	7	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	1	.
Total,	6	6	6	13	1	3	3	7	3	14	8	.	5	6	1	3	85	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	1	.	.	1	.	.	1	.	.	.	1	.	.	.	5	.
E. VIOLENT DEATHS,	.	.	1	.	.	.	.	.	.	1	1	.	.	.	1	.	4	.
Deaths from all Causes,	9	19	13	15	1	6	3	13	11	23	16	1	10	10	3	5	158	10
Annual Rate of Mortality from all causes in every 1,000 of the population	16·6	25·3	22·5	24·7	10·8	31·2	28·5	17·7	31·4	28·6	23·7	5·9	15·7	20·0	17·9	14·8	21·7	.
	22·8							23·4					17·1					
	23·1																	
Deaths of Infants under 1 year of age,	.	2	4	4	.	.	.	3	.	2	1	.	1	.	1	1	19	.
Deaths of Persons aged 60 years and upwards,	.	4	3	4	1	5	.	2	3	5	2	.	4	5	1	1	40	1
Number of Uncertified Deaths,	.	.	1	.	.	.	1	.	.	1	.	.	.	1	.	.	4	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	2	1	.	.	1	3	3	4	7	.	3	2	.	1	33	9
Workhouse Hospitals,	1	4	4	2	.	.	.	2	3	5	1	.	.	2	.	.	24	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1896-1

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 1st Week of the 10 years 1896-1905.	In the Week ending Saturday 6th January, 1906. Deaths of Persons of the Ages							
	Jan. 4. 1896.	Jan. 9, 1897.	Jan. 8, 1898.	Jan. 7, 1899.	Jan. 6, 1900.	Jan. 5, 1901.	Jan. 4, 1902.	Jan. 10, 1903.	Jan. 9, 1904.	Jan. 7, 1905.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	48·7	41·6	44·4	40·3	38·8	41·1	45·4	39·4	40·0	46·7	42·6	43·4							
ALL CAUSES.	193	236	208	179	337	203	223	206	208	192	218·5	168	4	15	9	17	34	48	33
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	9	.	.	10	2	.	2	2	3	2·8	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	4	5	.	.	.	.	2	3	.	1·6	.	.	.	.	.	.	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	5	4	19	.	2	7	1	.	4·0	2	.	.	.	.	.	1	1
Whooping-cough, ...	2	19	4	6	1	13	1	2	9	.	5·7	2	.	.	1	1	.	.	.
Diphtheria, ...	.	.	.	1	.	4	3	3	1	.	1·2	2	.	.	1	1	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	3	4	6	4	5	3	2	3	6	1	3·7	3	.	.	.	2	1	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	.	3	3	2	2	1	4	. / 3	. / 3	. / 1	2·2	. / 1	.	.	. / 1	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	.	1	.	1	2	.	.	2	·6	1	.	1	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	1	.	2	.	.	.	1	. / . / .	. / . / .	. / . / .	·4	. / . / .	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	.	1
Pneumonia, Lobar,	14	14	17	13	25	11	16	1	2	1	15·8	.	.	.	.	.	.	.	.
Pneumonia, Broncho-Epidemic,								1	6	10		5	.	1	1	1	1	1	.
Pneumonia, Not defined,								. / 9	. / 9	. / 9		. / 7	.	.	.	.	2	3	2
Erysipelas, ...	1	2	.	.	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	3	2	.	.	.	.	. / .	. / .	. / .	·5	. / .	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	28	14	14	19	40	24	30	1 / 22	5 / 21	11 / 20	24·9	8 / 13	.	.	1	2 / 2	3 / 7	1 / 3	1 / 1
Tuberculous Meningitis, ...	3	3	3	6	2	4	2	2	3	3	3·1	5	.	1	1	3	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	3	1	5	4	5	5	1	1 / .	1 / .	2 / 3	3·1	1 / 1	.	.	.	1 / 1	.	.	.
Tuberculous Dis. (other), *Scrofula*, ...	3	5	5	3	6	4	3	3 / .	7 / .	4 / .	4·3	5 / .	.	1	.	.	4	.	.
Alcoholism, ...	.	2	1	.	.	2	3	2	4	1	1·5	2	.	.	.	.	2	.	.
Rheumatic Fever, ...	1	1	1	.	.	2	.	1	.	.	·6	.	.	.	.	.	.	.	.
Gout, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Carcinoma, ... Sarcoma, ... Cancer (undefined),	4	7	9	8	5	2	11	2 / . / 4	. / 1 / 7	6 / 1 / 6	7·2	5 / . / 2	.	.	.	.	.	3 / . / 2	2
Diabetes Mellitus, ...	.	.	.	.	.	.	.	.	.	2	·2	1	.	.	.	.	1	.	.
Premature Birth, ...	2	.	3	.	4	5	2	7	4	2	2·9	1	1	.	.	.	.	.	.

* The figures for the years 1896-1900 are
† Formerly describe

FIRST WEEK ending Saturday, 6th January, 1906, with the deaths from each cause in the corresponding the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Jan. 4, 1896.	Jan. 9, 1897.	Jan. 8, 1898.	Jan. 7, 1899.	Jan. 6, 1900.	Jan. 5, 1901.	Jan. 4, 1902.	Jan. 10, 1903.	Jan. 9, 1904.	Jan. 7, 1906.	Averages in 1st Week of the 10 years 1896-1905.	In the Week ending Saturday, 6th January, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	48·7°	41·6°	44·4°	40·3°	38·8°	41·1°	45·4°	39·4°	40·0°	46·7°	42·6°	Mean Temp. 43·4°								
eningitis (not tuberc.) ...								6	2	5		4	.	2	.	.	2	.	.	.
sanity, G. P. of Insane ...								2	2	2		2	.	.	.	.	.	1	1	.
pilepsy								2	1	.		1	.	.	.	.	.	1	.	.
onvulsions								11	11	9		4	1	2	1	.	.	.	.	.
ocomotor Ataxy ...								.	.	.		.	.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...								.	1	1		.	.	.	.	.	.	.	.	.
ervous System (other Dis.)	37	40	33	43	61	41	47	.	.	2	44·9	1	.	.	.	.	1	.	.	.
alv. Dis., Endocarditis ...								7	.	4		6	.	.	.	1	1	3	1	.
erebr. Hæm. Thromb. ...								4	2	2		3	.	.	.	.	.	2	1	.
poplexy, Hemiplegia ...								7	9	7		6	.	.	.	.	.	2	2	2
neurysm								2	.	.		.	.	.	.	.	.	.	.	.
mbolism, Thromb. (not cerebral)								1	.	.		.	.	.	.	.	.	.	.	.
eart and Blood Vessel Dis.								16	15	14		13	.	1	.	.	1	6	5	.
roup (not Spasm. nor Memb.)	1	1	1	.	2	2	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
ronchitis	23	41	31	23	80	31	37	15	35	29	31·5	24	.	4	.	.	.	8	12	.
sthma, Emphysema ...								1	1	.		.	.	.	.	.	.	.	.	.
leurisy	2	3	2	1	3	2	4	.	.	.	2·7	1	.	.	.	.	.	.	.	1
espiratory Dis. (other) ...								3	4	1		1	.	.	.	.	1	.	.	.
onsillitis, Quinsy ...	.	1	.	1	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
nteritis (not Epid.) ...	.	.	1	.	2	1	.	2	.	3	1·0	1	.	.	.	.	1	.	.	.
astro Enteritis								.	1	.		1	.	.	.	1	.	.	.	.
eritonitis (not Puerp.) ...	.	2	.	1	1	1	.	.	.	.	·5	1	.	.	.	.	1	.	.	.
irrhosis of Liver ...	4	4	2	.	3	6	3	.	.	1	2·6	3	.	.	.	.	2	.	1	.
iver Dis. (other) ...								1	2	.		.	.	.	.	.	.	.	.	.
igestive Dis. (other) ...	7	8	7	6	6	4	11	6	4	4	6·3	7	1	1	1	.	1	2	.	1
Nephritis, Acute ...								.	4	.		2	.	.	.	.	.	2	.	.
Bright's Dis., Albuminuria	3	6	9	6	6	3	4	4	3	2	5·1	2	.	.	.	.	.	2	.	.
Urinary Sys. (Other Dis.)								1	.	.		3	.	.	.	.	.	2	1	.
Generative Organs Dis. ...	1	.	2	.	1	1	.	.	2	.	·7	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of) ...	.	.	2	.	.	1	5	1	.	.	·9	2	.	.	.	1	1	.	.	.
Old Age	16	11	11	15	25	11	10	10	3	1	11·3	3	.	.	.	.	.	.	1	2
Other Diseases	13	21	14	6	19	13	12	18	8	10	13·4	5	1	1	.	.	1	1	1	.
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses ...	1	.	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
In Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	1	2	1	2	1	1	2	.	3	1·3	2	.	.	1	.	.	.	1	.
By Drowning	13	2	.	.	2	.	1	2	1	1	2·2	.	.	.	.	.	.	.	.	.
By Suffocation in Bed ...	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Deaths by Accidents	3	.	4	4	.	1	3	2	1	.	1·8	2	.	.	.	.	.	2	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	1	.	.	2	·3	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

e Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1905–6—Week ending																										
	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.
No. of weeks in Annual Series.	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
Births registered,	200	217	222	178	238	231	164	202	247	202	201	285	189	191	176	175	223	239	205	177	198	191	238	199	184	245
*Average Births in corresponding week of previous 10 years,**	195	194	206	210	201	210	198	216	197	211	199	220	189	185	203	197	194	189	199	181	190	195	183	160	182	210
Deaths registered,	145	153	157	161	151	151	153	165	143	123	137	168	158	141	143	133	195	152	158	173	157	168	148	171	139	163
Annual Death-rate per 1,000,	19·9	21·1	21·6	22·2	20·8	20·8	21·1	22·7	19·7	16·9	18·8	23·1	21·7	19·4	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1
*Average Deaths in corresponding week of previous 10 years,**	145	152	153	167	169	164	168	163	169	165	174	163	156	172	175	177	173	178	186	191	197	185	187	189	199	219
Ages, Under 5 years,	65	59	63	64	59	61	55	54	50	43	42	43	44	33	28	33	54	34	43	52	42	49	47	43	27	28
5—20 ,,	8	19	11	9	8	10	7	12	5	11	10	17	17	11	9	5	6	14	10	9	13	10	13	9	7	17
20—40 ,,	20	19	28	25	27	23	29	12	23	22	29	28	23	23	26	18	36	26	31	18	22	31	13	30	21	34
40—60 ,,	23	25	25	27	22	25	26	45	28	24	23	31	36	32	37	34	35	38	32	36	34	35	32	45	41	48
60—80 ,,	23	23	23	27	32	25	31	30	33	18	24	42	29	36	35	34	59	33	35	50	35	37	34	37	37	35
80 years and upwards,	6	8	7	9	3	7	5	12	4	5	9	7	9	6	8	9	5	7	7	8	11	6	9	7	6	6
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	1	.	.	1	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	1	1	1	.	1	.	1	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	2	1	.	2	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1	3	1	2	2	1	1	2
Diphtheria,	.	.	.	2	1	.	1	1	1	.	.	.	.	.	2	.	.	1	1	.	.	1	1	.	2	2
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.
Enteric Fever,	.	2	1	.	.	1	2	2	4	1	2	2	2	1	4	.	2	2	.	.	2	2	1	4	8	3
Diarrhœal Diseases,	14	18	20	25	24	20	25	19	12	10	10	9	1	4	1	3	4	4	2	3	5	2	1	1	2	1
Pneumonia,	10	8	4	3	4	2	9	9	3	5	5	17	10	9	6	10	18	13	14	15	10	10	8	11	11	12
Tuberculous Disease. {Phthisis,	12	14	18	16	22	23	10	21	12	15	25	23	25	17	18	21	24	21	26	20	18	24	9	27	19	21
Tuberculous Disease. {Other Forms,	11	15	2	12	9	15	10	6	12	12	11	10	17	13	7	4	9	6	12	7	10	4	15	4	1	12
Cancer, Malignant Disease,	8	6	7	10	8	5	11	10	6	4	5	5	11	7	10	8	7	6	5	10	8	6	11	5	6	7
Diseases of Heart and Blood Vessels,	17	19	25	24	19	23	22	35	24	16	18	27	18	23	29	19	29	21	23	24	25	26	21	26	30	28
Diseases of Respiratory System,	9	8	13	8	7	10	13	14	13	7	6	18	13	17	18	17	42	26	26	34	33	22	16	25	20	26
Violent Deaths,	6	9	4	5	2	3	8	3	4	4	4	7	2	5	8	6	3	2	3	3	3	2	2	4	6	4
Number of Uncertified Deaths,	9	11	6	7	7	4	1	4	6	8	5	4	5	3	5	6	4	9	7	9	4	5	9	8	6	4
Mean Temperature of the Air (Phœnix Park),	64·6	61·9	60·2	57·7	57·3	58·2	54·7	55·7	58·3	51·1	51·3	49·4	48·3	49·6	40·0	41·1	42·7	43·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4
Average Mean Temperature in corresponding week of previous 10 years.	59·1	60·4	58·8	59·2	56·9	58·2	57·5	56·4	55·7	55·4	54·3‡	53·5	51·3	48·6	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6
Rainfall in inches,	·150	·280	·210	1·105	·555	·135	3·960	·990	·515	·150	·015	·325	·775	·055	·100	·295	1·190	·250	1·485	·320	·645	·128	·035	·285	·770	·860
Mean Humidity of the Air, complete Saturation, 1·0,	·78	·85	·88	·85	·82	·83	·87	·91	·88	·84	·86	·87	·87	·91	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th January, 1906; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
			REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 6TH JANUARY, 1906.																										
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	23·3	168	28	17	34	48	35	6	..	.	.	.	2	2	.	3	1	8	12	21	12	7	4	26	4	74	4
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	17·9	6	.	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5	1
II.	MIDDLE CLASS,	87,188	17·3	29	3	1	10	5	5	5	.	.	.	.	.	.	.	.	.	.	1	2	2	2	1	3	.	18	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	18·4	39	7	5	7	12	8	.	.	.	.	.	.	1	.	.	.	1	4	5	6	1	.	10	.	12	.
IV.	GENERAL SERVICE CLASS,	154,279	30·6	69	15	10	14	21	9	.	.	.	.	.	2	1	.	3	1	7	7	11	4	2	2	6	3	27	2
V.	INMATES OF WORKHOUSES,	6,024		25	3	1	3	8	10	.	.	.	.	.	.	.	.	.	.	.	.	3	..	2	1	6	1	12	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	33·4	5	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	1
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	16·6	7	2	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	5	.
	6. Clerks and Commercial Assistants,	30,432	17·1	10	1	.	7	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	19·3	10	.	.	1	2	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	8	1
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	9. Building and Furnishing Trades,	29,801	26·2	15	5	2	2	3	3	.	.	.	.	.	.	1	.	.	.	1	1	2	3	.	.	5	.	3	.
	10. Clothing Trades,	23,260	13·5	6	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	1	.	.	.	1	.
	11. Food Supply Trades,	9,242	12·6	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	12. Other Trades and Callings ranking with Trades,	30,352	15·5	9	.	2	1	2	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	4	.	2	.
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	.	2	1	2	1	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	4	.
	15. Domestic Servants,	36,603	12·8	9	.	.	2	5	2	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.	2	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	14·5	4	.	1	.	2	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	1	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	29·0	50	15	7	11	12	5	.	.	.	.	.	2	.	.	1	1	4	5	9	3	2	2	4	2	19	2
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	25	3	1	3	8	10	.	.	.	.	.	.	.	.	.	.	.	.	3	.	2	1	6	1	12	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1905-6 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,832.	Nov. 18,	29·4	.	16	.	.	.	.	.	.	.	.	.	2	5	1	1	.	.	2
	„ 25,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Dec. 2,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 9,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	„ 16,	20·2	.	11	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	1
	„ 23,	16·6	3·7	9	.	.	.	.	.	.	.	2	.	.	2	.	.	1	.	1
	„ 30,	25·8	3·7	14	.	.	.	.	1	.	.	.	1	1	2	.	1	1	1	3
	Jan 6,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	.	.	2	.	3	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Nov. 18,	20·0	.	15	.	.	.	.	.	.	.	.	.	2	4	1	.	3	.	.
	„ 25,	18·6	.	14	.	.	.	.	.	.	.	.	.	3	3	1	1	.	.	1
	Dec. 2,	14·7	1·3	11	.	.	.	.	.	.	.	.	1	.	1	1	.	5	.	.
	„ 9,	21·3	2·7	16	.	.	.	.	.	.	.	1	1	.	1	1	1	3	.	1
	„ 16,	32·0	.	24	.	.	.	.	.	.	.	.	.	3	.	1	.	6	.	3
	„ 23,	25·3	1·3	19	.	.	1	.	.	.	.	.	.	.	5	1	.	2	.	2
	„ 30,	17·3	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.
	Jan. 6,	25·3	.	19	.	.	.	.	.	.	.	.	.	1	4	3	2	3	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 80,107.	Nov. 18,	26·0	.	15	.		.	.	.	.	.	.	.	.	3	.	.	6	1	1
	„ 25,	31·2	3·5	18	.	.	1	.	.	.	.	.	1	1	3	1	.	2	.	2
	Dec. 2,	32·9	.	19	.	.	.	.	.	.	.	.	.	2	4	1	.	5	1	.
	„ 9,	31·2	.	18	.	.	.	.	.	.	.	.	.	1	3	.	1	1	.	1
	„ 16,	20·8	.	12	.	.	.	.	.	.	.	.	.	2	.	3	.	1	.	.
	„ 23,	27·7	.	16	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.
	„ 30,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	3	1	.
	Jan. 6,	22·5	.	13	.	.	.	.	.	.	.	.	.	.	2	1	.	1	1	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Nov. 18,	32·9	1·6	20	.	.	.	.	.	.	.	.	1	1	3	3	.	.	.	.
	„ 25,	36·2	1·6	22	.	.	.	.	.	.	.	.	1	3	2	.	1	3	.	1
	Dec. 2,	21·4	3·3	13	.	.	.	.	1	.	.	.	1	3	.	1	.	1	.	.
	„ 9,	23·0	1·6	14	.	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.
	„ 16,	11·5	3·3	7	.	.	.	.	.	.	.	1	1	.	.	2	.	1	.	.
	„ 23,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	1
	„ 30,	24·7	4·9	15	.	.	.	.	.	.	1	2	.	.	4	.	.	1	1	.
	Jan. 6,	24·7	.	15	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	Nov. 18,	21·7	1·4	16	.	.	1	.	.	.	.	.	.	.	2	1	1	.	1	2
	„ 25,	25·8	1·4	19	.	.	.	.	1	.	.	.	.	1	4	.	.	5	.	.
	Dec. 2,	24·5	2·7	18	.	.	.	.	.	.	.	1	1	.	4	1	.	5	.	.
	„ 9,	16·3	1·4	12	.	.	1	.	.	.	.	.	.	.	.	1	.	2	.	1
	„ 16,	20·4	2·7	15	.	.	.	.	2	.	.	.	.	.	1	3	1	.	.	1
	„ 23,	17·7	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	.
	„ 30,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	3	1	1	2	1	1
	Jan. 6,	17·7	1·4	13	.	.	.	.	.	1	.	.	.	2	2	1	.	1	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Nov. 18,	39·9	5·7	14	.	.	.	.	1	.	.	.	1	1	1	1	.	.	.	.
	„ 25,	34·2	2·9	12	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	1
	Dec. 2,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.
	„ 9,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.
	„ 16,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	„ 23,	42·8	.	15	.	.	.	.	.	.	.	.	.	.	2	.	1	7	.	.
	„ 30,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.
	Jan. 6,	31·4	2·9	11	.	.	.	.	.	.	.	.	1	2	2	1	.	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Nov. 18,	19·9	.	16	.	.	.	.	.	.	.	.	.	1	1	4	.	3	.	1
	„ 25,	24·9	.	20	.	.	.	.	.	.	.	.	.	2	1	2	1	6	1	.
	Dec. 2,	31·1	1·2	25	.	.	.	.	.	.	.	1	.	2	1	4	2	6	.	2
	„ 9,	33·6	2·5	27	.	.	.	.	.	.	1	.	1	.	4	.	1	9	.	.
	„ 16,	19·9	.	16	.	.	.	.	.	.	.	.	.	1	.	3	1	3	.	1
	„ 23,	31·1	.	25	.	.	.	.	.	.	.	.	.	2	4	2	1	3	2	.
	„ 30,	21·1	.	17	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	2
	Jan. 6.	28·6	.	23	.	.	.	.	.	.	.	.	.	1	1	2	2	4	1	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Nov. 18,	17·8	.	12	.	.	.	.	.	.	.	.	.	3	5	.	.	3	.	.
	„ 25,	20·8	1·5	14	.	.	.	.	1	.	.	.	.	1	1	.	2	5	.	.
	Dec. 2,	22·8	1·5	15	.	.	.	.	.	.	.	.	1	2	2	.	2	.	1	.
	„ 9,	29·7	.	20	.	.	.	.	.	.	.	.	.	2	6	.	.	1	1	2
	„ 16,	17·8	.	12	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 23,	16·8	1·5	11	.	.	.	.	1	.	.	.	.	1	2	.	.	1	.	.
	„ 30,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.	.
	Jan 6,	23·7	1·5	16	.	.	.	.	.	.	.	1	.	3	3	.	.	4	1	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1905-6 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(18)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,203.	Nov. 18,	11·0	.	7	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.
	,, 25,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.
	Dec. 2,	22·0	.	14	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	,, 9,	18·8	1·6	12	.	.	.	.	1	.	.	.	.	2	2	.	.	2	.	.
	,, 16,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	1	.	5	.	1	1
	,, 23,	25·1	1·6	16	.	.	.	.	.	.	.	1	.	.	3	.	1	1	1	2
	,, 30,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	.
	Jan. 6,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Nov. 18,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.
	,, 25,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.
	Dec. 2,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.
	,, 9,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	,, 16,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.
	,, 23,	8·0	2·0	4	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
	,, 30,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	Jan. 6,	20·0	4·0	10	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	1
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Nov. 18,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	,, 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	3
	Dec. 2,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	,, 9,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	,, 16,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.
	,, 23,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
	,, 30,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	Jan. 6,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
Belfast. Pop. in 1906 (Est.) 358,680.	Nov. 18,	21·8	0·9	150	.	.	1	.	.	1	.	3	1	14	22	—	—	31	4	—
	,, 25,	20·1	0·9	138	.	.	1	.	.	.	.	3	2	18	16	—	—	28	9	—
	Dec. 2,	20·4	1·0	140	.	.	1	.	1	1	.	4	.	15	26	—	—	29	3	—
	,, 9,	21·5	1·0	148	.	.	.	1	1	.	.	3	2	18	17	—	—	34	3	—
	,, 16,	18·5	1·0	127	.	1	2	.	3	.	.	1	.	14	18	—	—	24	2	—
	,, 23,	21·2	1·6	146	.	2	3	.	1	1	.	2	2	18	21	—	—	31	4	—
	,, 30,	18·0	0·4	124	.	.	.	.	.	.	.	2	1	14	17	—	—	23	5	—
	Jan. 6,	21·4	1·0	147	.	.	.	.	1	1	.	2	3	15	15	10	3	20	6	6
Cork. Pop. (in 1901) 76,122.	Nov. 18,	24·7	.	36	.	.	.	.	.	.	.	.	.	3	.	—	—	6	.	—
	,, 25,	28·3	.	34	.	.	.	.	.	.	.	.	.	1	5	—	—	8	.	—
	Dec. 2,	24·0	.	35	.	.	.	.	.	.	.	.	.	2	4	—	—	.	1	—
	,, 9,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	.	4	—	—	5	1	—
	,, 16,	23·3	.	34	.	.	.	.	.	.	.	.	.	3	9	—	—	5	.	—
	,, 23,	18·7	.	20	.	.	.	.	.	.	.	.	.	2	2	—	—	3	.	—
	,, 30,	20·5	2·1	30	.	.	.	.	.	.	.	1	2	1	3	—	—	5	.	—
	Jan. 6,	14·4	0·7	21	.	.	.	.	.	.	.	.	1	1	2	2	2	3	1	—
Londonderry. Pop. in 1906 (Est.) 42,067.	Nov. 18,	14·9	.	12	.	.	.	.	.	.	.	.	.	.	1	—	—	3	.	—
	,, 25,	11·2	2·5	9	.	.	.	.	.	.	.	.	2	.	1	—	—	1	1	—
	Dec. 2,	19·8	.	16	.	.	.	.	.	.	.	.	.	1	2	—	—	5	.	—
	,, 9,	17·4	1·2	14	.	.	.	.	1	.	.	.	.	1	.	—	—	2	1	—
	,, 16,	8·7	1·2	7	.	.	.	.	1	.	.	.	.	.	.	—	—	2	.	—
	,, 23,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	.	—	—	3	1	—
	,, 30,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	1	—	—	1	.	—
	Jan. 6,	19·8	1·2	16	.	.	.	.	1	.	.	.	.	.	2	1	—	5	1	1
Limerick. Pop. (in 1901) 38,151.	Nov. 18,	9·6	1·4	7	.	.	1	.	.	.	.	.	.	.	.	—	—	1	.	—
	,, 25,	27·3	.	20	.	.	.	.	.	.	.	.	.	3	1	—	—	6	.	—
	Dec, 2,	27·3	.	20	.	.	.	.	.	.	.	.	.	2	4	—	—	4	1	—
	,, 9,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	.	—	—	3	.	—
	,, 16,	24·6	1·4	18	.	.	.	.	.	.	.	.	1	.	3	—	—	1	.	—
	,, 23,	20·5	1·4	15	.	.	.	.	.	1	.	.	.	.	3	—	—	2	.	—
	,, 30,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	1	—	—	5	.	—
	Jan. 6,	17·8	1·4	13	.	.	1	.	.	.	.	.	.	.	3	2	1	6	.	3
Waterford. Pop. (in 1901) 26,769.	Nov. 18,	3·9	.	2	.	.	.	.	.	.	.	.	.	1	1	—	—	.	.	—
	,, 25,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	3	—	—	.	.	—
	Dec. 2,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	—	—	.	.	—
	,, 9,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	.	2	—	—	2	.	—
	,, 16,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	—	—	1	.	—
	,, 23,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	—	—	1	.	—
	,, 30,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	1	—	—	.	.	—
	Jan. 6,	31·2	1·9	16	.	.	.	.	1	.	.	.	.	1	2	—	—	1	4	3

* Formerly described as "Simple Continued Fever."

NOTE.—The Figures for other forms of tuberculous disease, cancer, malignant disease and uncertified deaths, in Belfast, Cork, Londonderry, Limerick, and Waterford, are not available for the seven weeks ending with 30th December, 1905.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th January, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,734	9	28·3	.	8	.	1	3	4	.	.	.	.	.	.	.	.	.	1	1	.	.	2	1	1	.	1
Do. 2 ,, .	47,959	39	15·2	.	14	4	3	3	4	.	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	2	.
Do. 3 ,, .	47,214	31	25·4	2·2	23	6	3	6	8	.	.	.	.	.	.	.	.	2	2	2	2	1	3	.	.	2	2
Do. 4 ,, .	40,911	41	29·3	.	23	6	1	8	8	.	.	.	.	.	.	.	.	.	1	1	1	1	4	.	.	6	1
Do. 5 ,, .	17,387	4	21·0	3·0	7	.	2	5	.	.	.	.	.	.	.	.	1	.	2	1	.	.	1	.	.	.	.
Do 6 ,, .	48,122	25	23·8	1·1	22	6	2	8	6	.	.	.	.	.	.	.	1	.	1	2	2	1	3	1	1	8	2
Do 7 ,, .	1,524	2	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	1	10·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,, .	19,569	10	13·3	.	5	.	.	4	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2	.
Do. 10 ,, .	23,064	17	24·9	6·8	11	6	.	4	1	.	.	.	.	1	1	.	.	1	1	2	1	.	.	.	.	3	.
Do. 11 ,, .	34,802	20	18·0	.	12	5	.	6	1	.	.	.	.	.	.	.	.	.	1	1	.	.	3	3	3	.	.
Do. 12 ,, .	33,588	15	17·1	.	11	.	2	9	.	.	.	.	.	.	.	.	.	.	1	3	1	.	2	1	1	2	.
Do. 13 ,, .	15,006	10	31·3	.	9	1	1	5	2	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	3	.
Do. 14 ,, .	240	.	—	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	224	22·0	1·0	147	34	16	61	36	.	.	.	.	1	1	.	2	3	15	15	10	3	20	6	6	28	6
City of Cork.																											
CORK URBAN No. 1 DISTRICT, .	12,867	5	32·4	4·1	8	1	1	3	3	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	1	6	.
Do. 2 ,, .	10,701	4	9·7	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 3 ,, .	9,978	3	10·5	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 4 ,, .	8,666	5	18·1	.	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do. 5 ,, .	6,592	4	15·8	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 6 ,, .	10,702	3	4·9	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 7 ,, .	16,616	8	9·4	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.
Total, ...	76,122	32	14·4	0·7	21	2	3	10	6	.	.	.	.	.	.	.	.	1	1	2	2	2	3	1	2	9	.

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905-6—Week ending																									
	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept 16.	Sept. 23	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered,	192	251	232	246	195	209	200	208	235	209	216	207	193	210	209	204	234	205	199	200	205	199	194	158	189	224
DEATHS registered,	134	144	151	152	130	125	136	105	109	114	94	109	116	122	130	153	130	141	150	138	140	148	126	146	124	147
Annual Death-rate per 1,000 of estimated Population,	19·5	20·9	22·0	22·1	18·9	18·2	19·8	15·3	15·8	16·6	13·7	15·8	16·9	17·7	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18.3	21·2	18·0	21·4
AGES, Under 1 year,	33	49	51	63	44	43	47	26	28	25	19	22	31	28	25	35	30	36	38	28	27	21	23	31	26	34
AGES, 1-5 years,	21	10	13	16	15	10	9	11	5	16	9	9	3	12	14	19	14	17	15	19	11	13	15	18	19	16
AGES, 5-60 years,	56	58	60	53	43	51	60	50	56	48	50	62	58	48	62	63	55	53	60	65	64	72	58	69	56	61
AGES, 60 years and upwards,	24	27	27	20	28	21	20	18	20	25	16	16	24	34	29	36	31	35	37	26	38	37	30	28	23	36
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	6	2	2	1	.	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.
Scarlet Fever,	.	.	1	1	.	1	.	.	.	1	.	.	.	.	1	3	1	.	1	1	1	.	2	3	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Whooping-cough,	1	.	1	.	1	1	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	1	3	1	.	1
Diphtheria,	.	1	.	.	.	.	.	1	2	.	1	.	1	.	.	2	.	1	1	.	1	.	.	1	.	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Enteric Fever,	6	2	2	8	3	2	3	1	1	5	4	6	.	5	1	.	2	3	3	3	4	3	1	2	2	2
Diarrhœal Diseases,	13	22	34	36	28	29	22	8	10	11	1	3	5	4	2	1	3	3	1	2	.	2	.	2	1	3
Pneumonia,	5	10	4	3	3	4	2	2	12	10	12	4	12	6	12	9	18	16	14	18	15	18	14	18	14	15
Tuberculous Disease, Phthisis,	20	18	28	18	19	15	19	19	16	18	14	10	14	13	17	25	19	22	22	16	26	17	17	21	17	15
Tuberculous Disease, Other Forms,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
Diseases of Respiratory System,	9	12	9	6	10	6	15	5	5	5	4	11	15	17	14	21	31	28	31	28	29	34	23	31	23	20
Violent Deaths,	4	3	6	1	3	3	3	1	2	1	3	2	2	3	7	4	4	3	4	9	3	3	2	4	5	6
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease cancer, malignant disease, and uncertified deaths are not available for the twenty-five weeks ending with that of 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	Jan. 6,	2,788	1,756	19·4	.	64	9	13	33	6	10
EDINBURGH,	341,035	Dec. 30,	155	102	15·8	.	.	1	1	1	.	3
		Jan. 6,	119	112	17·1	.	1	.	1	1	.	2
GLASGOW,	835,125	Dec. 30,	442	287	18·5	.	15	1	5	3	2	5
		Jan. 6,	471	335	20·9	.	18	.	6	2	.	11
CALCUTTA,	847,796	Nov. 18,	.	543	33·3	1	.	.	1	.	174‡	130*
BOMBAY,	776,006	Dec. 5,	401	574	38·5	1	1	.	.	1	61‡	62
MADRAS,	509,316	Nov. 17,	453	520	53·0	2	4	?	?	?	144	102*
PARIS,	2,660,559	Dec. 23,	952	842	17·4	1	11	.	3†	3	4	22
BRUSSELS (with 8 Faubourgs).	598,467	„ 16,	224	189	16·4	.	.	1	3†	5	1	1
ANTWERP,	301,647	„ 16,	145	79	13·7	.	.	.	1†	.	1	3
AMSTERDAM,	556,882	„ 16,	296	147	13·8	.	5	.	3†	4	1	3
COPENHAGEN,	426,000	„ 16,	229	131	16·0	.	2	1	.	2	.	8
STOCKHOLM,	318,398	„ 9,	138	97	15·8	.	.	2	2†	1	1	2
CHRISTIANIA,	222,373	„ 23,	111	60	14·0	.	.	.	4†	.	.	3
ST. PETERSBURG,	1,391,000	„ 23,	865	614	22·9	.	19	36	27	4	27	38
MOSCOW,	1,092,360	Nov. 25,	.	.	.	.	.	.	.	.	.	.
BERLIN,	2,035,815	Dec. 2,	879	593	15·2	.	9	6	6†	14	1	37
HAMBURG,	772,852	„ 9,	.	234	15·7	.	2	.	2†	6	.	12
BRESLAU,	463,283	„ 23,	.	154	17·3	.	1	.	1†	.	1	7
MUNICH,	528,000	„ 23,	.	192	18·9	.	5	.	2†	4	.	10
VIENNA (with suburbs).	1,917,639	„ 23,	917	629	17·2	.	5	3	13†	7	1	38
BUDA-PESTH,	836,267	„ 23,	445	290	18·1	.	10	4	8†	.	3	9
PRAGUE and Faubourgs.	455,241	„ 16,	191	171	19·5	.	.	.	2†	1	.	9
TRIESTE,	195,369	„ 23,	108	82	21·9	.	5	1	2†	1	.	1
ROME,	516,580	Oct. 7,	222	142	14·3	.	.	.	.	.	10	18
VENICE,	169,417	Dec. 9,	64	60	18·5	.	.	.	2†	1	.	4
NEW YORK,	4,024,780	„ 9,	2,163	1,295	16·8	.	7	6	40†	4	13	30
PHILADELPHIA,	1,438,318	„ 2,	.	463	16·7	.	3	.	19†	1	12	10
BOSTON,	595,380	„ 9,	.	237	20·7	.	3	.	3	.	2	4

* Including 74 deaths from cholera in Calcutta, and 12 in Madras.
† Including deaths from croup.
‡ Exclusive of 17 deaths from plague in Calcutta, and 7 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th January, 1906.

DISTRICTS.	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	2	1	.	.	.	.	.	1	.	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	3	.	1	.	.	5
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	1	.	.	.	1	.	.	3
" " 2,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 3,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	4	1	.	1	.	4	1	4	.	.	15

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th January, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th January.			
	Dec. 16.	Dec. 23.	Dec. 30.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	19	11	7	3	6	.	4
Scarlet Fever,	52	50	54	5	9	.	50*
Typhus,	1	2	2	.	.	.	2
Diphtheria,	35	32	38	7	7	1	37
Enteric Fever,	31	25	23	4	3	.	24
Pneumonia,	20	18	20	10	6	2	22

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 6th January, 1906:—

"Dull, wet, open weather ushered in the new year. At the beginning of the week the distribution of atmospheric pressure over Europe was peculiar—an anticyclone with the barometer slightly above 30·5 inches was central over Denmark and Germany; off the west coast of Ireland lay a large and deep depression, in which the barometer stood more than an inch lower (below 29·5 inches). Severe frost held over the Continent, temperature was also low over Great Britain (at Nairn in the N.E. of Scotland the thermometer had been down to 17° and was still as low as 22° at 8 a.m. of Sunday), in the E. of Ireland the thermometer stood at 40°, but in the S.W. of this country it was above 50° (53° at Valentia). Strong S.E. winds, or gales from that point were reported from most British and Irish stations. New Year's Day brought no change in either pressure or temperature. On Tuesday, January 2, gradients for S.E. and S. winds became steeper, since the Continental anticyclone held its position, while the barometer fell to 29·16 inches at Blacksod Point, Co. Mayo. But the warm Atlantic air was steadily pushing eastward, so that frost disappeared from all British stations, while its intensity lessened on the Continent. Rain now fell abundantly and persistently. On Friday morning a trough of low pressure was found over the North Sea. During the following night an energetic depression, in which the barometer fell to 28·92 inches at Nottingham, passed eastwards across the British Isles, causing gales and heavy rain in the S. of England, but bringing a cold N.W. wind and clearer skies to Ireland. In Dublin the mean height of the barometer was 29·558 inches, the range being from 29·902 inches at 9 a.m. of Sunday (wind, S.E., blowing a gale) to 29·251 inches at 9 a.m. of Wednesday (wind, S.S.E.). The corrected mean temperature was 45·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·1°. The screened thermometers fell to 38·8° on Sunday and rose to 52·2° on Thursday. The prevalent wind was S.S.E. Rain fell daily to the large amount of 1·670 inches, of which ·638 inch was measured on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·558 inches. The highest reading (29·911) was on Sunday at 9 a.m., wind S.E., and the lowest (29·248) on Wednesday at 9 a.m., wind S.E.

The mean temperature for the week was 43·4°, being 0·8° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Tuesday, on which day the thermometer registered 54·6°, and was lowest on Sunday, the mercury having fallen to 34·6°. The mean of the Dry Bulb for the week was 43·5°, and of the Wet Bulb 42·5°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 4·6 hours. The rainfall during the week measured 0·860 inch.

At Greenwich the mean temperature for the week was 41·3°, the maximum 52·6°, and the minimum 27·6° ; at Glasgow the maximum was 48·5°, the minimum, 28·4°, and the mean 39·1° ; and at Edinburgh the maximum was 46·7°, the minimum 28·0°, and the mean 38·2. The rainfall at Greenwich measured 0·95 in. ; at Glasgow 0·74 in. ; and at Edinburgh 0·49 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1905-6. Month and Day	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Dec. 31,	29·823	43·0	34·6	38·8	40·0	37·7	·82	·6	0·0	·015	S.E.	S.E.
Monday, Jan. 1,	29·605	41·5	36·9	39·2	39·7	38·9	·94	·6	0·0	·215	E.S.E.	S.E.
Tuesday, „ 2,	29·355	54·6	39·1	46·9	49·2	48·0	·92	·4	1·4	·195	S.	S.E.
Wednesday, „ 3,	29·349	51·9	41·8	46·9	47·4	46·2	·88	·1	1·6	·010	S.E.	S.E.
Thursday, „ 4,	29·532	51·8	42·8	47·3	46·3	46·1	1·00	·5	0·1	·025	Calm.	S.
Friday, „ 5,	29·732	48·1	35·8	42·0	43·1	42·1	·88	·4	1·4	·360	Calm.	S.
Saturday, „ 6,	29·506	48·1	37·8	43·0	39·1	38·2	·93	·6	0·1	·040	S.	S.
Mean, . .	29·558	48·4	38·4	43·4	43·5	42·5	·91	·5	Total 4·6	Total ·860	Prevailing Wind. S.S.E.	

Sunday—Day overcast, light showers ; night overcast. *Monday*—Day overcast, light showers ; night overcast ; drizzling rain all night. *Tuesday*—Cloudy a.m., overcast, drizzling rain from 3 p.m. ; night overcast and wet. *Wednesday*—Day cloudy, light rain 9 to 10 a.m. ; night cloudy p.m., overcast a.m., drizzling rain 4 to 8 a.m. *Thursday*—Cloudy a.m., overcast p.m. ; night overcast, light showers. *Friday*—Day cloudy ; night overcast, light rain 11.30 p.m. to 9 a.m *Saturday*—Overcast, light rain a.m., cloudy p.m. ; night clear, p.m., overcast, light rain a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 6th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1905-6. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Dec. 31,	40·7	43·8	46·1	44·9	39·1	42·0	—	·060
Monday, Jan. 1,	40·1	42·9	46·0	43·5	39·0	41·3	0·2	·423
Tuesday, „ 2,	51·2	43·0	46·0	53·2	40·6	46·9	0·7	·485
Wednesday, „ 3,	48·1	44·7	45·8	52·8	46·0	49·4	0·2	·025
Thursday, „ 4,	47·0	44·3	45·8	52·9	44·0	48·5	—	·030
Friday, „ 5,	43·0	44·7	45·8	49·6	41·0	45·3	—	·401
Saturday, „ 6,	40·4	44·1	45·8	49·0	39·6	44·3	—	·040
Weekly Mean. .	44·4	43·9	45·9	49·4	41·3	45·4	Total 1·1	Total 1·464

DUBLIN : Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

360. Wt P. 374. 12. 1905.—11858.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 13TH JANUARY, 1906. [No. 2.

General Register Office, Charlemont House, Dublin, 15th January, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Dec. 23.	Week ending Dec. 30.	Week ending Jan. 6.	Week ending Jan. 13.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 23.	Week ending Dec. 30.	Week ending Jan. 6.	Week ending Jan. 13.	Average Rate for 4 weeks.
22 Town Dists.	19·6	17·8	20·6	20·0	19·5	Lisburn, . .	22·7	18·2	45·5	9·1	23·9
Armagh, . .	20·6	27·5	6·9	.	13·8	Londonderry, .	13·6	11·2	19·8	8·7	13·3
Ballymena, .	14·4	14·4	14·4	14·4	14·4	Lurgan, . .	26·6	22·1	22·1	13·3	21·0
Belfast, . .	21·2	18·0	21·4	19·3	20·0	Newry, . .	21·0	21·0	25·2	33·6	25·2
Clonmel, . .	35·9	10·3	15·4	15·4	19·3	Newtownards, .	11·4	51·5	17·2	28·6	27·2
Cork, . . .	13·7	20·5	14·4	13·7	15·6	Portadown, .	5·2	10·3	5·2	15·5	9·1
Drogheda, . .	12·3	16·3	8·2	49·0	21·4	Queenstown, .	19·8	6·6	6·6	19·8	13·2
Dublin Reg. Area,	22·3	17·9	21·7	21·7	20·9	Sligo, . . .	4·8	14·4	24·0	28·8	18·0
Dundalk, . .	27·9	16·0	8·0	43·9	23·9	Tralee, . .	.	15·9	31·7	5·3	13·2
Galway, . . .	3·9	27·2	27·2	15·5	18·5	Waterford, .	7·8	7·8	31·2	13·6	15·1
Kilkenny, . .	14·7	4·9	9·8	24·6	13·5	Wexford, . .	14·0	32·7	18·7	18·7	21·0
Limerick, . .	20·5	16·4	17·8	30·1	21·2						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in sixteen of the districts to 11·4 in Newtownards, the 5 deaths from all causes in that district including 2 from measles. Among the 133 deaths from all causes in Belfast are 2 from whooping-cough, one from diphtheria, one from pyrexia (origin uncertain), 3 from enteric fever, and 2 from diarrhœal diseases; and the 11 deaths from all causes in Dundalk include 2 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 192—97 boys and 95 girls; and the deaths to 166—93 males and 73 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 22·8 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 21·7 per 1,000. During the two weeks ending with Saturday last the death-rate averaged 23·0, and was 7·1 below the mean rate for the corresponding portions of the ten years 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

The deaths (166) include 2 from scarlet fever, 3 from whooping-cough, 2 from diphtheria, and one death from dysentery. In each of the 3 preceding weeks the deaths from scarlet fever were one, 0, and 0; the deaths from whooping-cough were one, one and 2; the deaths from diphtheria were 0, 2, and 2; the deaths from enteric fever were 4, 3, and 3; and the deaths from diarrhœal diseases were one, 2, and one, respectively. Two deaths were directly attributed to influenza.

There was one death from lobar pneumonia, there were 7 deaths from broncho-pneumonia, and 7 deaths from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease amounted to 30, and included 5 deaths from tuberculous phthisis, 9 deaths from *phthisis*, 5 deaths from tuberculous meningitis, one death from *tabes mesenterica*, and 10 deaths from other forms of the disease. In the 3 preceding weeks deaths from all forms of tuberculous disease were 31, 20, and 33, respectively.

There were 2 deaths from carcinoma, 2 deaths from sarcoma, and one death from cancer (undefined).

The deaths of 6 infants, prematurely born, were registered.

The deaths of 6 infants under 5 years of age, from *convulsions*, are included in the total (14 deaths) from diseases of the brain and nervous system.

Diseases of the heart and blood vessels accounted for 21 deaths.

There were 24 deaths from bronchitis.

Of 3 accidental deaths registered, 2 were of children under 5 years of age from scalds.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under one year of age.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 10 were under one month old) and 35 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Seventy of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 22 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·7 per 1,000; the rate in the City was 23·5 (North City Districts, 19·7; South, 27·4), and in the Suburbs, 15·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 1·2 (1·0 in the North City Districts, and 1·5 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·7 per 1,000. The deaths include one from whooping-cough, one from broncho-pneumonia, 2 from *pneumonia* (not defined), 2 from *phthisis*, one from influenza, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000, and include one from diphtheria, one from broncho-pneumonia, 2 from *pneumonia* (not defined), one from influenza, 2 from bronchitis, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000, and include 5 from tuberculous disease and 4 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 16·5 per 1,000, and include one from lobar pneumonia, one from *pneumonia* (not defined), one from tuberculous meningitis, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 7·8. There was one death from whooping-cough recorded for Coolock and Drumcondra, No. 1, part of.

No. 1 South City District (South Earl-street).—The deaths (32) represent an annual rate of 43·5 per 1,000. The deaths include 2 from scarlet fever, one from *pneumonia* (not defined), 7 from tuberculous disease, and 5 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000, and include one from broncho-pneumonia and 2 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 23·6 per 1,000, and include one from whooping-cough, one from broncho-pneumonia, one from *pneumonia* (not defined), 3 from tuberculous disease, and 2 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000, and include one from broncho-pneumonia, 5 from tuberculous disease, and 2 from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·5 per 1,000, and include one from dysentery, one from tuberculous phthisis, and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·4; Pembroke, 22·0; Blackrock, 11·9; and Kingstown, 20·7. Among the 11 deaths from all causes for Pembroke are one from broncho-pneumonia, one from *phthisis*, and 3 from bronchitis; and the 7 deaths from all causes for Kingstown include 2 from tuberculous disease.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 13th January, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 23,	.	—	—	6	.	.	10	.	.	7	15	.	—	—	—	—	—	38
	Dec. 30,	.	—	—	2	.	.	1	.	.	6	6	.	—	—	—	—	—	15
	Jan. 6,	.	—	—	4	1	.	1	.	4	1	4	.	—	—	—	—	—	15
	Jan. 13,	.	—	—	4	.	.	4	.	.	3	10	1	—	—	—	—	—	22
Rathmines and Rathgar Urban District.	Dec. 23,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Dec. 30,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	—	2
	Jan. 6,	.	—	—	2	.	.	1	.	.	1	.	.	—	—	—	—	—	4
	Jan. 13,	.	—	—	1	.	.	.	.	.	2	1	.	—	—	—	—	—	4
Pembroke Urban District.	Dec. 23,	.	.	.	2	.	.	.	.	.	.	1	.	—	.	.	—	—	3
	Dec. 30,	.	.	1	.	.	.	.	.	.	.	1	.	—	2	.	—	—	4
	Jan. 6,	.	2	.	.	.	.	1	.	1	2	1	.	—	.	.	—	—	7
	Jan. 13,	.	.	.	1	.	.	.	.	.	.	.	.	—	.	.	—	—	1
Blackrock Urban District.	Dec. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Dec. 23,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Dec. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Dec. 23,	.	—	—	19	.	.	5	.	8	15	9	1	—	—	—	—	—	57
	Dec. 30,	.	—	—	19	1	.	2	.	10	15	8	.	—	—	—	—	—	55
	Jan. 6,	.	—	—	29	4	.	4	.	13	26	12	.	—	—	—	—	—	88
	Jan. 13,	.	—	—	35	1	.	5	.	16	25	10	.	—	—	—	—	—	92

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th January, 1906.

From this it appears that:—

Eight cases of measles were admitted to hospital during the week, and 12 patients remained under treatment at its close.

Nine cases of scarlet fever were admitted to hospital, 10 were discharged, and 49* cases remained under treatment at the close of the week.

Two cases of typhus remained under treatment in hospital at the close of the week.

Seven cases of diphtheria were admitted to hospital, 6 were discharged, there were 2 deaths, and 36 patients remained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital, 5 were discharged, and 23 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 4 were discharged, there were 2 deaths, and 24 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·5), was equal to an average annual death-rate of 16·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·8 per 1,000, the rate for Glasgow being 19·0, and for Edinburgh 17·6.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS AND DEATHS** registered during the Week ending Saturday, 13th January, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 13th January, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyæmia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 13th Jan., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th Jan., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th Dec., 1905. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,093,959	19·2	25·8	20·0	1·0	541	420	67	113	.	2	2	1	7	2	1	3	4	37	45	24	15	53	6	7	146	16	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	378,994	27·5	26·4	21·7	1·0	192	158	31	35	.	.	2	.	3	1	.	.	1	15	13	15	5	26	3	3	62	5	f49·7	34·1	41·5	0·86	f54·6	34·6	43·4	0·86	f53·8	33·2	45·7	0·77
City of Dublin,	298,385	37·1	30·4	28·5	1·2	171	132	29	26	.	.	2	.	3	1	.	.	1	13	11	13	2	23	2	2	57	3	g50·7 h49·9	36·2 35·0	43·2 42·0	0·87 0·84	g52·2 h51·9	38·8 38·0	45·1 44·2	1·67 1·30	g55·6 h54·9	41·0 41·0	47·8 46·8	0·65 0·69
Urban Dists. Rathmines and Rathgar.	33,203	19·4	14·1	9·4	.	9	6	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke,	26,025	16·4	12·0	22·0	.	6	11	.	5	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,	8,759	8·1	11·9	11·9	.	2	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	11·8	20·7	.	4	7	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	51	39·5	44·5	0·66	54	39·5	45·5	1·63	57·0	41·5	47·2	0·86
Urban Districts.																																							
Belfast,	358,680	24·4	28·1	19·3	1·3	193	183	21	37	.	.	.	.	2	1	1	3	2	12	17	4	5	19	1	4	43	2	46·9	32·5	40·0	1·47	50·0	36·2	42·4	0·94	51·0	39·8	44·8	1·15
Cork,	76,122	33·6	30·1	13·7	.	44	20	3	3	.	.	.	.	.	.	.	.	.	.	3	2	3	2	.	.	8	1	51	38	44·8	1·10	51	40	47·8	2·50	52	36	47·9	1·01
Londonderry,	42 057	19·4	14·9	8·7	.	12	7	.	4	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	6·8	30·1	.	5	22	2	6	.	.	.	.	.	.	.	.	.	1	4	1	.	2	.	.	7	2	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	19·5	13·6	.	10	7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	23·3	15·5	.	6	4	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	4	.	51	34	42·4	1·82	53	35	46	1·43	54	37	45·5	0·82
Dundalk,	18,076	3·4	31·9	43·9	8·0	8	11	3	1	.	.	.	.	2	.	.	.	.	2	1	.	.	.	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	4·1	49·0	.	1	12	.	8	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	29·4	33·6	4·2	7	8	.	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	47·2	33·1	40·0	1·06	51·3	35·7	42·8	0·83	51·9	37·9	43·8	0·90
Lurgan,	11,782	13·8	17·7	13·3	.	4	3	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	47·2	33·1	40·0	1·06	51·3	35·7	42·8	0·83	51·9	37·9	43·8	0·90
Lisburn,	11,461	10·1	13·6	9·1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	47·2	33·1	40·0	1·06	51·3	35·7	42·8	0·83	51·9	37·9	43·8	0·90
Wexford,	11,168	23·2	18·7	18·7	.	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	33·5	14·4	.	7	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	52·8	28·8	4·8	11	6	2	1	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	2	1	47·1	32·9	40·8	1·80	52·2	35·3	43·5	1·26	52·2	29·5	43·6	0·73
Kilkenny,	10,609	11·5	34·3	24·6	.	7	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	49	30	40·9	0·92	54	38	45	1·54	53	36	45·7	0·45
Clonmel,	10,167	7·8	30·8	15·4	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	31·0	15·5	.	6	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	47·2	33·1	40·0	1·06	51·3	35·7	42·8	0·83	51·9	37·9	43·8	0·90
Tralee,	9,867	16·6	15·9	5·3	.	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	17·2	28·6	11·4	3	5	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	48	30	40·0	1·05	50	32	42·2	0·99	51	40	44·5	0·85
Queenstown,	7,909	14·4	46·1	19·8	.	7	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	51	38	44·8	1·10	51	40	47·8	2·50	52	36	47·9	1·01
Armagh,	7,588	22·2	13·7	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	47·2	33·1	40·0	1·06	51·2	35·7	42·8	0·88	51·9	37·9	43·8	0·90

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. *b* Formerly described as "Simple Continued Fever." *c* Exclusive of Pneumonia. *d* Exclusive of 8 deaths of persons admitted to hospital from localities outside the Area.
e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 13th of January, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	GOOLOCK and DRUMGONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	3	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Pneumonia,	3	3	.	2	.	.	.	1	1	2	1	.	.	1	1	.	15	.
Tuberculous Disease. Phthisis,	2	.	2	.	.	.	.	4	.	1	1	1	.	1	.	1	13	1
Tuberculous Disease. Other Forms,	.	.	3	1	.	.	.	3	.	2	4	.	1	.	.	1	15	1
Cancer, Malignant Disease,	.	1	.	1	.	.	.	.	.	.	.	.	1	1	.	1	5	.
Other General Diseases	1	2	2	1	1	1	.	1	1	1	2	.	1	.	.	1	15	2
Total,	7	7	7	5	1	2	.	11	2	7	8	2	3	3	1	4	70	5
B. LOCAL DISEASES:																		
Diseases of Nervous System	.	1	1	2	.	1	.	4	1	2	.	.	1	.	.	.	13	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	.	1	3	1	1	.	1	3	1	2	.	1	1	3	1	2	21	.
Diseases of Respiratory System,	.	2	4	1	.	.	.	8	2	2	3	1	.	3	.	.	26	2
Diseases of Digestive System,	.	1	1	.	1	.	.	2	.	2	1	.	.	.	.	1	9	.
Diseases of Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	2	.	1	.	.	.	2	.	1	.	.	.	1	.	.	7	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	7	9	5	2	1	1	19	4	10	4	2	2	7	1	3	77	3
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	.	.	.	1	.	2	.	2	2	.	.	1	.	.	3	.
E. VIOLENT DEATHS,	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
Deaths from all Causes	8	15	16	10	3	4	1	32	6	19	14	4	6	11	2	7	158	8
Annual Rate of Mortality from all causes in every 1,000 of the population	14·7	20·0	27·7	16·5	32·5	20·8	7·8	43·5	17·1	23·6	20·8	23·5	9·4	22·0	11·9	20·7	21·7	.
	19·7							27·4					15·8					
	23·5																	
Deaths of Infants under 1 year of age,	.	3	2	.	.	1	.	5	2	6	8	1	1	.	1	1	31	.
Deaths of Persons aged 60 years and upwards,	1	3	2	1	.	1	1	9	1	4	2	1	2	5	1	1	35	.
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	1	5	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	2	5	1	1	.	5	.	5	.	2	1	2	.	.	20	5
Workhouse Hospitals,	.	4	5	2	1	.	.	9	1	5	4	.	.	1	1	.	33	3

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1896-19

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 2nd Week of the 10 years 1896-1905.	In the Week ending Saturday 13th January, 1906. Deaths of Persons of the Ages c							
	Jan. 11, 1896.	Jan. 16, 1897.	Jan. 15, 1898.	Jan. 14, 1899.	Jan. 13, 1900.	Jan. 12, 1901.	Jan. 11, 1902.	Jan. 17, 1903.	Jan. 16, 1904.	Jan. 14, 1905.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	° 38·8	° 35·9	° 43·4	° 42·8	° 42·2	° 37·3	° 44·7	° 32·3	° 39·4	° 41·6	° 39·8	° 41·5							
ALL CAUSES.	190	233	213	182	331	191	186	227	216	171	214·0	166	10	21	21	17	25	37	28
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	1	9	.	.	18	.	1	3	.	12	4·4	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	5	3	1	1	1	.	1	.	1	1·3	2	.	.	1	1	.	.	.
Typhus, ...	.	2	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	5	5	9	5	20	2	1	4	2	2	5·5	2	.	.	1	.	.	.	1
Whooping-cough, ...	1	27	2	3	1	10	2	2	5	1	5·4	3	.	1	2	.	.	.	.
Diphtheria, ...	.	.	4	2	3	2	3	6	.	2	2·2	2	.	.	1	1	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	2	2	2	1	5	3	3	5	3	1	2·7	.	.	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	3	2	1	3	3	2	2	.	1	1	2·3	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,								.	2	3		1	.	.	.	.	.	.	1
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	1	.	.	.	1	1	.	.	·4	1	.	1	.	.	.	.	.
Puerperal Septicæmia,								.	1	.		.	.	.	.	.	.	.	.
Puerperal Pyæmia,	.	.	.	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	1	.
Puerperal Fever, ...								1	.	.		.	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.
Pneumonia, Lobar,								.	1	2		1	.	.	.	.	.	1	.
Pneumonia, Broncho-	10	18	24	13	28	13	8	5	10	6	15·1	7	1	3	2	.	1	.	.
Pneumonia, Epidemic,								.	.	.		.	.	.	.	.	.	.	.
Pneumonia, Not defined,								3	5	5		7	.	1	1	1	2	1	1
Erysipelas, ...	2	1	.	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	.	.	1	2	2	.	1	1	1	·9	1	.	.	1	.	.	.	.
Pyæmia (not Puerperal),								.	1	.		.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	1	1	·2	2	.	.	.	.	1	1	.
Tuberculous Phthisis,	24	23	26	18	27	19	30	2	8	4	24·4	5	.	.	.	1	4	.	.
"*Phthisis*," ...								24	22	17		9	.	.	.	2	6	1	.
Tuberculous Meningitis, ...	2	4	7	6	10	2	3	2	5	1	4·2	5	.	.	3	2	.	.	.
Tuberculous Peritonitis,	6	4	3	3	5	5	2	2	1	.	3·2	.	.	.	.	.	.	.	.
Tabes Mesenterica, ...								1	.	.		1	.	.	.	1	.	.	.
Tuberculous Dis. (other),	2	3	5	2	5	3	4	4	7	4	4·0	10	.	.	3	4	1	1	1
Scrofula, ...								1	.	.		.	.	.	.	.	.	.	.
Alcoholism, ...	.	.	4	1	2	.	.	1	.	.	·8	3	.	.	.	.	.	3	.
Rheumatic Fever, ...	.	.	.	3	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.
Gout, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Carcinoma, ...								1	1	3		2	.	.	.	.	1	1	.
Sarcoma, ...	3	3	7	5	8	4	6	.	.	.	5·8	2	.	.	1	.	.	1	.
Cancer (undefined),								5	6	6		1	.	.	.	.	.	.	.
Diabetes Mellitus, ..	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.
Premature Birth, ...	1	.	3	3	2	4	1	3	4	.	2·1	6	6	.	.	.	.	.	.

* The figures for the years 1896-1900 are
† Formerly describe

SECOND WEEK ending Saturday, 13th January, 1906, with the deaths from each cause in the corresponding the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Jan. 11, 1896.	Jan. 16, 1897.	Jan. 15, 1898.	Jan. 14, 1899.	Jan. 13, 1900.	Jan. 12, 1901.	Jan. 11, 1902.	Jan. 17, 1903.	Jan. 16, 1904.	Jan. 14, 1906.	Averages in 2nd Week of the 10 years 1896-1905.	In the Week ending Saturday, 13th January, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 38·8	° 35·9	° 43·4	° 42·8	° 42·2	° 37·3	° 41·7	° 32·3	° 39·4	° 41·6	° 39·8	° 41·5								
eningitis (not tuberc.) ...								3	.	4		2	.	.	.	2	.	.	.	.
sanity, G. P. of Insane ...								1	8	.		2	.	.	.	.	1	1	.	.
pilepsy								.	1	.		.	.	.	.	.	.	.	.	.
onvulsions								9	6	3		6	1	4	1	.	.	.	.	.
ocomotor Ataxy ...								.	1	.		.	.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...								2	.	2		1	.	.	.	.	.	1	.	.
ervous System (other Dis.)	44	35	36	35	41	41	37	2	3	2	41·0	3	.	.	.	.	1	1	1	.
alv. Dis., Endocarditis ...								6	8	3		5	.	.	.	.	2	.	2	1
erebr. Hæm. Thromb. ...								3	3	1		1	.	.	.	.	.	1	.	.
oplexy, *Hemiplegia* ...								11	8	2		4	.	.	.	.	1	2	.	1
neurysm								.	2	1		.	.	.	.	.	.	.	.	.
mbolism, Thromb. (not cerebral)								.	.	1		.	.	.	.	.	.	.	.	.
eart and Blood Vessel Dis.								17	15	13		11	.	.	.	.	1	5	4	1
roup (not Spasm. nor Memb.)	.	2	.	2	.	.	.	.	.	.	·4	1	.	.	1	.	.	.	.	.
ronchitis	29	30	28	32	80	32	25	34	28	22	31·0	24	.	6	1	.	.	10	7	.
sthma, Emphysema ...								.	1	.		1	.	.	.	.	.	.	1	.
leurisy	1	2	2	3	2	5	1	1	.	1	2·4	.	.	.	.	.	.	.	.	.
espiratory Dis. (other) ...								2	.	3		2	.	.	.	.	.	.	2	.
onsillitis, Quinsy ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
nteritis (not Epid.) ...	2	.	2	.	2	.	3	1	.	2	1·3	1	.	1	.	.	.	.	.	.
astro Enteritis								.	.	1		.	.	.	.	.	.	.	.	.
eritonitis (not Puerp.) ...	2	1	.	.	1	.	3	.	.	.	·7	.	.	.	.	.	.	.	.	.
irrhosis of Liver ...	3	4	2	3	6	6	5	1	2	1	3·7	1	.	.	.	.	.	.	1	.
iver Dis. (other) ...								1	2	1		.	.	.	.	.	.	.	.	.
igestive Dis. (other) ...	3	10	2	5	3	2	6	5	9	6	5·1	7	1	2	.	2	.	2	.	.
ephritis, Acute ...								.	2	2		1	.	.	.	.	.	.	1	.
right's Dis., Albuminuria	4	3	4	4	7	6	5	5	6	2	5·1	6	.	.	.	.	3	2	1	.
rinary Sys. (Other Dis.)								.	.	1		.	.	.	.	.	.	.	.	.
enerative Organs Dis. ...	.	1	1	.	1	.	1	.	.	.	·4	1	.	.	.	.	.	1	.	.
hildbirth (Accid. of) ...	.	1	.	.	.	1	1	.	1	1	·5	.	.	.	.	.	.	.	.	.
ld Age	16	8	16	13	29	9	13	12	8	5	12·9	5	.	.	.	.	.	.	3	2
ther Diseases	13	25	15	8	12	10	13	22	10	13	14·1	4	1	2	.	.	.	.	1	.
ACCIDENT.																				
y Railways	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
y Vehicles and Horses ...	1	.	.	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
n Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
n Building Operations ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
n Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
y Burns, Scalds, Explosions	1	1	1	1	.	1	1	5	1	1	1·3	2	.	.	2	.	.	.	.	.
y Drowning	4	.	1	.	1	1	1	1	.	.	·9	.	.	.	.	.	.	.	.	.
y Suffocation in Bed ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
y Poison or Poisonous Vapours	1	1	.	.	.	1	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
ther Deaths by Accidents	2	.	1	5	4	1	2	1	2	2	2·0	1	.	.	.	.	.	.	.	1
VIOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
uicide	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

e Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1905-6—Week ending																									
	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.
No. of weeks in Annual Series.	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
Births registered,	217	222	173	238	231	164	202	247	202	201	285	189	191	176	175	223	239	205	177	198	191	238	199	184	245	192
*Average Births in corresponding week of previous 10 years,**	194	206	210	201	210	198	216	197	211	199	220	189	185	203	197	194	189	199	181	190	195	183	160	182	210	206
Deaths registered,	153	157	161	151	151	153	165	143	123	137	168	158	141	143	133	195	152	158	173	157	168	148	171	139	168	166
Annual Death-rate per 1,000,	21·1	21·6	22·2	20·8	20·8	21·1	22·7	19·7	16·9	18·8	23·1	21·7	19·4	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8
*Average Deaths in corresponding week of previous 10 years,**	152	153	167	169	164	168	163	169	165	174	163	156	172	175	177	173	178	186	191	197	185	187	189	199	219	214
Ages,—Under 5 years,	59	63	64	59	61	55	54	50	43	42	43	44	33	28	33	54	34	43	52	42	49	47	43	27	23	52
5—20 "	19	11	9	8	10	7	12	5	11	10	17	17	11	9	5	6	14	10	9	13	10	13	9	7	17	17
20—40 "	19	28	25	27	23	29	12	23	22	29	28	23	23	26	18	36	26	31	18	22	31	13	30	21	34	25
40—60 "	25	25	27	22	25	26	45	28	24	23	31	36	32	37	34	35	38	32	36	34	35	32	45	41	48	37
60—80 "	23	23	27	32	25	31	30	33	18	24	42	29	36	35	34	59	33	35	50	35	37	34	37	37	35	28
80 years and upwards,	8	7	9	8	7	5	12	4	5	9	7	9	6	8	9	5	7	7	8	11	6	9	7	6	6	7
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	1	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	1	1	1	.	1	.	1	.	.	2
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	1	.	2	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1	3	1	2	2	1	1	2	3
Diphtheria,	.	.	2	1	.	1	1	1	.	.	.	.	.	2	.	.	1	1	.	.	1	1	.	2	2	2
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.
Enteric Fever,	2	1	.	.	1	2	2	4	1	2	2	2	1	4	.	2	2	.	.	2	2	1	4	3	3	.
Diarrhœal Diseases,	18	20	25	24	20	25	19	12	10	10	9	1	4	1	3	4	4	2	3	5	2	1	1	2	1	1
Pneumonia,	8	4	3	4	2	9	9	3	5	5	17	10	9	6	10	18	13	14	15	10	10	8	11	11	12	15
Tuberculous Phthisis,	14	18	16	22	23	10	21	12	15	25	23	25	17	18	21	24	21	16	20	18	24	9	27	19	21	14
Disease. Other Forms,	15	2	12	9	15	10	6	12	12	11	10	17	13	7	4	9	6	12	7	10	4	15	4	1	12	16
Cancer, Malignant Disease,	6	7	10	8	5	11	10	6	4	5	5	11	7	10	8	7	6	5	10	8	6	11	5	6	7	5
Diseases of Heart and Blood Vessels,	19	25	24	19	23	22	35	24	16	18	27	18	23	29	19	29	21	23	24	25	26	21	26	30	28	21
Diseases of Respiratory System,	8	13	8	7	10	13	14	13	7	6	18	13	17	18	17	42	26	26	34	33	22	16	25	20	26	28
Violent Deaths,	9	4	5	2	3	8	3	4	4	4	7	2	5	8	6	3	2	3	3	3	2	2	4	6	4	3
Number of Uncertified Deaths,	11	6	7	7	4	1	4	6	8	5	4	5	3	5	6	4	9	7	9	4	5	9	8	6	4	5
Mean Temperature of the Air (Phœnix Park),	61·9	60·2	57·7	57·3	58·2	54·7	55·7	58·3	51·1	51·3	49·4	48·3	49·6	40·0	41·1	42·7	48·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5
Average Mean Temperature in corresponding week of previous 10 years	60·4	58·8	59·2	56·9	58·2	57·5	56·4	55·7	55·4	54·3‡	53·5	51·3	48·6	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8
Rainfall in inches,	·280	·210	1·105	·553	·135	3·980	·990	·515	·150	·015	·325	·775	·035	·100	·295	1·190	·250	1·485	·320	·645	·128	·085	·285	·770	·860	·855
Mean Humidity of the Air, complete Saturation, 1·0,	·85	·83	·85	·82	·83	·87	·91	·83	·84	·86	·87	·87	·91	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th January, 1906: the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 13th January, 1906. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	23·1	166	52	17	25	37	28	7	.	.	2	.	3	2	.	.	1	8	15	14	16	5	6	28	3	71	5
	CLASSES. Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	20·9	7	.	.	1	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.
II.	MIDDLE CLASS,	87,188	16·1	27	6	2	4	9	3	3	.	.	1	.	1	2	.	.	.	4	1	1	1	3	1	.	2	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	17·9	38	12	6	7	4	7	2	.	.	.	.	1	.	.	.	1	2	6	4	4	.	2	5	1	14	2
IV.	GENERAL SERVICE CLASS,	154,279	30·6	58	28	5	8	9	7	1	.	.	1	.	1	.	.	.	.	2	8	3	7	2	3	11	.	22	3
V.	INMATES OF WORKHOUSES,	6,024		36	6	4	5	11	10	.	.	.	.	.	.	.	.	.	.	.	.	6	4	.	.	12	.	14	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	40·1	6	.	.	1	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	23·7	10	2	1	1	4	1	1	.	.	1	.	1	.	.	.	.	2	.	.	1	1	.	.	1	5	.
	6. Clerks and Commercial Assistants,	30,482	15·4	9	3	1	2	2	1	.	.	.	.	.	.	2	.	.	.	2	.	1	.	1	1	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	13·5	7	.	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	5	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	31·7	6	2	.	2	.	2	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	1	.	2	.
	9. Building and Furnishing Trades,	29,801	24·5	14	6	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	2	2	.	1	.	1	6	2
	10. Clothing Trades,	28,260	4·5	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	11. Food Supply Trades,	9,242	16·9	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	20·6	12	2	2	2	1	4	1	.	.	.	.	1	.	.	.	.	1	1	1	1	.	1	3	.	4	.
	13. Petty Shopkeepers,	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	11·7	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.
	15. Domestic Servants,	36,603	5·7	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	2	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	26·7	46	23	5	7	6	5	.	.	.	1	.	1	.	.	.	.	2	6	3	7	1	1	10	.	16	3
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	36	6	4	5	11	10	.	.	.	.	.	.	.	.	.	.	.	.	6	4	.	.	12	.	14	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1905-6 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	Nov. 25,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Dec. 2,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 9,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	„ 16,	20·2	.	11	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	1
	„ 23,	16·6	3·7	9	.	.	.	.	.	.	.	2	.	.	2	.	.	1	.	1
	„ 30,	25·8	3·7	14	.	.	.	.	1	.	.	.	1	1	2	.	1	1	1	3
	Jan 6,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	.	.	2	.	3	.	.
	„ 13,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	3	2	.	.	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 89,146.	Nov. 25,	18·6	.	14	.	.	.	.	.	.	.	.	.	3	3	1	1	.	.	1
	Dec. 2,	14·7	1·3	11	.	.	.	.	.	.	.	.	1	.	1	1	.	5	.	.
	„ 9,	21·3	2·7	16	.	.	.	.	.	.	.	1	1	.	1	1	1	3	.	1
	„ 16,	32·0	.	24	.	.	.	.	.	.	.	.	.	3	.	1	.	6	.	3
	„ 23,	25·3	1·3	19	.	.	1	.	.	.	.	.	.	.	5	1	.	2	.	2
	„ 30,	17·3	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.
	Jan. 6,	25·3	.	19	.	.	.	.	.	.	.	.	.	1	4	3	2	3	.	1
	„ 13,	20·0	1·3	15	.	.	.	.	.	1	.	.	.	3	.	.	1	2	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 80,107.	Nov. 25,	31·2	3·5	18	.		1	.	.	.	.	.	1	1	3	1	.	2	.	2
	Dec. 2,	32·9	.	19	.	.	.	.	.	.	.	.	.	2	4	1	.	5	1	.
	„ 9,	31·2	.	18	.	.	.	.	.	.	.	.	.	1	3	.	1	1	.	1
	„ 16,	20·8	.	12	.	.	.	.	.	.	.	.	.	2	.	3	.	1	.	.
	„ 23,	27·7	.	16	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.
	„ 30,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	3	1	.
	Jan. 6,	22·5	.	13	.	.	.	.	.	.	.	.	.	.	2	1	.	1	1	1
	„ 13,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	2	3	.	4	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 81,678.	Nov. 25,	36·2	1·6	22	.	.	.	.	.	.	.	.	1	3	2	.	1	3	.	1
	Dec. 2,	21·4	3·3	13	.	.	.	.	1	.	.	.	1	3	.	1	.	1	.	.
	„ 9,	23·0	1·6	14	.	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.
	„ 16,	11·5	3·3	7	.	.	.	.	.	.	.	1	1	.	.	2	.	1	.	.
	„ 23,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	1
	„ 30,	24·7	4·9	15	.	.	.	.	.	.	1	2	.	.	4	.	.	1	1	.
	Jan. 6,	24·7	.	15	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	„ 13,	16·5	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 88,884.	Nov. 25,	25·8	1·4	19	.	.	.	.	1	.	.	.	.	1	4	.	.	5	.	.
	Dec. 2,	24·5	2·7	18	.	.	.	.	.	.	.	1	1	.	4	1	.	5	.	.
	„ 9,	16·3	1·4	12	.	.	1	.	.	.	.	.	.	.	.	1	.	2	.	1
	„ 16,	20·4	2·7	15	.	.	.	.	2	.	.	.	.	.	1	3	1	.	.	1
	„ 23,	17·7	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	.
	„ 30,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	3	1	1	2	1	1
	Jan. 6,	17·7	1·4	13	.	.	.	.	.	1	.	.	.	2	2	1	.	1	.	.
	„ 13,	43·5	2·7	32	.	.	2	.	.	.	.	.	.	1	4	3	.	8	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Nov. 25,	34·2	2·9	12	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	1
	Dec. 2,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.
	„ 9,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.
	„ 16,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	„ 23,	42·8	.	15	.	.	.	.	.	.	.	.	.	.	2	.	1	7	.	.
	„ 30,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.
	Jan. 6,	31·4	2·9	11	.	.	.	.	.	.	.	.	1	2	2	1	.	1	.	.
	„ 13,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Nov. 25,	24·9	.	20	.	.	.	.	.	.	.	.	.	2	1	2	1	6	1	.
	Dec. 2,	31·1	1·2	25	.	.	.	.	.	.	.	1	.	2	1	4	2	6	.	2
	„ 9,	33·6	2·5	27	.	.	.	.	.	.	1	.	1	.	4	.	1	9	.	.
	„ 16,	19·9	.	16	.	.	.	.	.	.	.	.	.	1	.	3	1	3	.	1
	„ 23,	31·1	.	25	.	.	.	.	.	.	.	.	.	2	4	2	1	3	2	.
	„ 30,	21·1	.	17	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	2
	Jan. 6.	28·6	.	23	.	.	.	.	.	.	.	.	.	1	1	2	2	4	1	.
	„ 13,	23·6	1·2	19	.	.	.	.	1	.	.	.	.	2	1	2	.	2	.	2
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 85,138.	Nov. 25,	20·8	1·5	14	.	.	.	.	1	.	.	.	.	1	1	.	2	5	.	.
	Dec. 2,	22·3	1·5	15	.	.	.	.	.	.	.	.	1	2	2	.	2	.	1	.
	„ 9,	29·7	.	20	.	.	.	.	.	.	.	.	.	2	6	.	.	1	1	2
	„ 16,	17·8	.	12	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 23,	16·3	1·5	11	.	.	.	.	1	.	.	.	.	1	2	.	.	1	.	.
	„ 30,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.	.
	Jan. 6,	23·7	1·5	16	.	.	.	.	.	.	.	1	.	3	3	.	.	4	1	.
	„ 13,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	4	.	3	.	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1905-6 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	Nov. 25,	15·7	·	10	·	·	·	·	·	·	·	·	·	·	1	·	1	3	·	·
	Dec. 2,	22·0	·	14	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	1
	,, 9,	18·8	1·6	12	·	·	·	·	1	·	·	·	·	2	2	·	·	2	·	·
	,, 16,	25·1	·	16	·	·	·	·	·	·	·	·	·	·	1	·	5	·	1	1
	,, 23,	25·1	1·6	16	·	·	·	·	·	·	·	1	·	·	3	·	1	1	1	2
	,, 30,	14·1	1·6	9	·	·	·	·	·	·	·	·	1	3	·	·	1	·	·	·
	Jan. 6,	15·7	·	10	·	·	·	·	·	·	·	·	·	1	2	·	1	1	·	·
	,, 13,	9·4	·	6	·	·	·	·	·	·	·	·	·	·	·	1	1	·	1	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Nov. 25,	20·0	·	10	·	·	·	·	·	·	·	·	·	2	1	·	1	1	·	·
	Dec. 2,	20·0	·	10	·	·	·	·	·	·	·	·	·	·	·	·	2	2	·	·
	,, 9,	14·0	·	7	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·
	,, 16,	18·0	·	9	·	·	·	·	·	·	·	·	·	1	2	·	1	·	·	·
	,, 23,	8·0	2·0	4	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·
	,, 30,	10·0	·	5	·	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·
	Jan. 6,	20·0	4·0	10	·	·	·	·	·	·	·	2	·	·	·	·	1	1	·	1
	,, 13,	22·0	·	11	·	·	·	·	·	·	·	·	·	1	1	·	1	3	·	·
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Nov. 25,	17·8	·	6	·	·	·	·	·	·	·	·	·	·	·	·	1	2	1	3
	Dec. 2,	8·0	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	,, 9,	11·8	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	,, 16,	14·8	·	5	·	·	·	·	·	·	·	·	·	·	1	·	1	1	1	·
	,, 23,	17·8	3·0	6	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
	,, 30,	5·9	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·
	Jan. 6,	14·8	·	5	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·
	,, 13,	20·7	·	7	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	1
Belfast. Pop. in 1906 (Est.) 358,680.	Nov. 25,	20·1	0·9	138	·	·	1	·	·	·	·	3	2	18	16	—	—	28	9	—
	Dec. 2,	20·4	1·0	140	·	·	1	·	1	1	·	4	·	15	26	—	—	29	3	—
	,, 9,	21·5	1·0	148	·	·	·	1	1	·	·	3	2	18	17	—	—	31	3	—
	,, 16,	18·5	1·0	127	·	1	2	·	3	·	·	1	·	14	18	—	—	24	2	—
	,, 23,	21·2	1·6	146	·	2	3	·	1	1	·	2	2	18	21	—	—	31	4	—
	,, 30,	18·0	0·4	124	·	·	·	·	·	·	·	2	1	14	17	—	—	23	5	—
	Jan. 6,	21·4	1·0	147	·	·	·	·	1	1	·	2	3	15	15	10	3	20	6	6
	,, 13,	19·3	1·3	133	·	·	·	·	2	1	1	3	2	12	17	4	5	19	1	2
Cork. Pop. (in 1901) 76,122.	Nov. 25,	23·3	·	34	·	·	·	·	·	·	·	·	·	1	5	—	—	8	·	—
	Dec. 2,	24·0	·	35	·	·	·	·	·	·	·	·	·	2	4	—	—	·	1	—
	,, 9,	18·5	0·7	27	·	·	·	·	·	·	·	·	1	·	4	—	—	5	1	—
	,, 16,	23·3	·	34	·	·	·	·	·	·	·	·	·	3	9	—	—	5	·	—
	,, 23,	13·7	·	20	·	·	·	·	·	·	·	·	·	2	2	—	—	3	·	—
	,, 30,	20·5	2·1	30	·	·	·	·	·	·	·	1	2	1	3	—	—	5	·	—
	Jan. 6,	14·4	0·7	21	·	·	·	·	·	·	·	·	1	1	2	2	2	3	1	·
	,, 13,	13·7	·	20	·	·	·	·	·	·	·	·	·	·	3	2	3	2	·	1
Londonderry. Pop. in 1906 (Est.) 42,067.	Nov. 25,	11·2	2·5	9	·	·	·	·	·	·	·	·	2	·	1	—	—	1	1	—
	Dec. 2,	19·8	·	16	·	·	·	·	·	·	·	·	·	1	2	—	—	5	·	—
	,, 9,	17·4	1·2	14	·	·	·	·	1	·	·	·	·	1	·	—	—	2	1	—
	,, 16,	8·7	1·2	7	·	·	·	·	1	·	·	·	·	·	·	—	—	2	·	—
	,, 23,	13·6	·	11	·	·	·	·	·	·	·	·	·	·	·	—	—	3	1	—
	,, 30,	11·2	·	9	·	·	·	·	·	·	·	·	·	·	1	—	—	1	·	—
	Jan. 6,	19·8	1·2	16	·	·	·	·	1	·	·	·	·	·	2	1	·	5	1	1
	,, 13,	8·7	·	7	·	·	·	·	·	·	·	·	·	1	2	·	1	1	·	·
Limerick. Pop. (in 1901) 38,151.	Nov. 25,	27·3	·	20	·	·	·	·	·	·	·	·	·	3	1	—	—	6	·	—
	Dec. 2,	27·3	·	20	·	·	·	·	·	·	·	·	·	2	4	—	—	4	1	—
	,, 9,	15·0	·	11	·	·	·	·	·	·	·	·	·	·	·	—	—	3	·	—
	,, 16,	24·6	1·4	18	·	·	·	·	·	·	·	·	1	·	3	—	—	1	·	—
	,, 23,	20·5	1·4	15	·	·	·	·	1	·	·	·	·	·	3	—	—	2	·	—
	,, 30,	16·4	·	12	·	·	·	·	·	·	·	·	·	·	1	—	—	5	·	—
	Jan. 6,	17·8	1·4	13	·	·	1	·	·	·	·	·	·	·	3	2	1	6	·	3
	,, 13,	30·1	·	22	·	·	·	·	·	·	·	·	·	1	4	·	1	2	·	2
Waterford. Pop. (in 1901) 26,769.	Nov. 25,	19·5	1·9	10	·	·	·	·	·	·	·	·	1	1	3	—	—	·	·	—
	Dec. 2,	7·8	·	4	·	·	·	·	·	·	·	·	·	·	·	—	—	·	·	—
	,, 9,	17·5	1·9	9	·	·	·	·	·	·	·	·	1	·	2	—	—	2	·	—
	,, 16,	9·7	·	5	·	·	·	·	·	·	·	·	·	·	·	—	—	1	·	—
	,, 23,	7·8	·	4	·	·	·	·	·	·	·	·	·	·	·	—	—	1	·	—
	,, 30,	7·8	1·9	4	·	·	·	·	·	·	·	·	1	1	1	—	—	·	·	—
	Jan. 6,	31·2	1·9	16	·	·	·	·	1	·	·	·	·	1	2	·	·	1	4	3
	,, 13,	13·6	·	7	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·

* Formerly described as "Simple Continued Fever."

NOTE.—The Figures for other forms of tuberculous disease, cancer, malignant disease and uncertified deaths, in Belfast, Cork, Londonderry, Limerick, and Waterford, are not available for the six weeks ending with 30th December, 1905.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th January, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,734	10	21·2	.	6	3	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 2 „ .	47,959	29	27·2	.	25	4	5	9	7	.	.	.	.	.	.	.	.	.	2	4	3	.	3	.	1	6	.
Do. 3 „ .	47,214	29	15·5	1·1	14	1	2	4	7	.	.	.	.	.	.	.	.	1	3	1	.	1	5	.	.	2	.
Do. 4 „ .	40,911	34	37·0	2·5	29	5	1	13	10	.	.	.	.	.	.	1	1	.	.	2	.	2	6	.	1	10	1
Do. 5 „ .	17,387	4	6·0	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Do 6 „ .	48,122	20	18·4	1·1	17	.	2	9	6	.	.	.	.	.	.	.	1	.	3	2	1	.	1	.	1	10	.
Do 7 „ .	1,524	4	—	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	1	.
Do. 8 „ .	5,060	1	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 „ .	19,569	9	8·0	.	8	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 10 „ .	28,064	12	18·1	4·5	8	3	1	3	1	.	.	.	.	2	.	.	.	.	.	.	.	.	1	1	1	1	.
Do. 11 „ .	34,862	13	21·0	3·0	14	3	1	8	2	.	.	.	.	.	1	.	.	1	.	2	.	1	.	.	.	5	.
Do. 12 „ .	33,588	23	17·1	1·6	11	1	1	7	2	.	.	.	.	.	.	.	1	.	2	3	.	.	2	.	.	5	1
Do. 13 „ .	15,006	5	3·5	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 „ .	240	.	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	193	19·9	1·3	133	21	15	60	37	.	.	.	.	2	1	1	3	2	12	17	4	5	19	1	4	43	2
City of Cork.																											
CORK URBAN No. 1 DISTRICT. .	12,867	9	24·3	.	6	.	.	5	1	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	4	.
Do. 2 „ . .	10,701	5	14·6	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 3 „ . .	9,978	5	10·5	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 4 „ . .	8,666	4	6·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 „ . .	6,592	8	15·8	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 „ . .	10,702	9	4·9	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 7 „ . .	16,616	9	15·7	.	5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.
Total, ...	76,122	44	13·7	.	20	3	2	12	3	.	.	.	.	.	.	.	.	.	.	3	2	3	2	.	.	8	1

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905–6—Week ending																									
	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.
No. of weeks in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered,	251	232	246	195	209	200	208	235	200	216	207	193	210	209	204	234	205	199	200	205	199	194	158	189	224	193
DEATHS registered,	144	151	152	130	125	136	105	109	114	94	109	116	122	130	153	130	141	150	138	140	148	1[illegible]6	146	124	147	133
Annual Death-rate per 1,000 of estimated Population,	20·9	22·0	22·1	18·9	18·2	19·8	15·3	15·8	16·6	13·7	15·8	16·9	17·7	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18.3	21·2	18·0	21·4	19·3
AGES, Under 1 year,	49	51	63	44	43	47	26	28	25	19	23	31	28	25	35	30	36	38	28	27	21	23	31	26	34	21
AGES, 1–5 years,	10	18	16	15	10	9	11	5	16	9	9	3	12	14	19	14	17	15	19	11	13	15	18	19	16	15
AGES, 5–60 years,	58	60	53	43	51	60	50	56	43	50	62	58	48	63	63	55	53	60	65	64	72	58	69	56	61	60
AGES, 60 years and upwards,	27	27	20	28	21	20	18	20	23	16	16	24	34	29	36	31	35	37	26	38	37	30	28	23	36	37
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	2	1	.	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.
Scarlet Fever,	.	1	1	.	1	.	.	.	1	.	.	.	.	1	3	1	.	1	1*	1	.	2	3	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Whooping-cough,	.	1	.	1	1	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	1	3	1	.	1	2
Diphtheria,	1	.	.	.	.	.	1	2	.	1	.	1	.	.	2	.	1	1	.	1	.	.	1	.	1	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Enteric Fever,	2	2	8	3	2	3	1	1	5	4	6	.	5	1	.	2	3	3	3	4	3	1	2	2	2	3
Diarrhœal Diseases,	22	34	36	28	29	22	8	10	11	1	3	5	4	2	1	3	3	1	2	.	2	.	2	1	3	2
Pneumonia,	10	4	3	3	4	2	2	12	10	12	4	12	6	12	9	18	16	14	18	15	18	14	18	14	15	12
Tuberculous Disease, Phthisis,	18	28	18	19	15	19	19	16	18	14	10	14	13	17	25	19	22	22	16	26	17	17	21	17	15	17
Tuberculous Disease, Other Forms,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5
Diseases of Respiratory System,	12	9	6	10	6	15	5	5	5	4	11	15	17	14	21	31	28	31	28	29	34	23	31	21	20	19
Violent Deaths,	3	6	1	3	3	3	1	2	1	3	2	2	3	7	4	4	3	4	9	3	3	2	4	5	6	1
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the twenty-four weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	Jan. 13,	2,705	1,585	17·5	.	53	17	11	32	3	11
EDINBURGH,	341,035	„ 13,	137	115	17·6	.	1	.	2	1	.	3
GLASGOW,	835, 25	„ 13,	467	304	19·0	.	20	.	4	1	2	9
CALCUTTA,	847,796	Nov. 25,	.	653	40·0	4	1	.	2	2	163‡	166*
BOMBAY,	776,006	Dec. 12,	541	593	39·7	.	3	.	.	.	50‡	59*
MADRAS,	509,316	Nov. 24,	414	510	52·0	12	10	?	?	?	118	103*
PARIS,	2,660,559	Dec. 30,	994	1,009	19·6	.	16	.	2†	3	5	11
BRUSSELS (with 8 Faubourgs).	598,467	„ 23,	212	160	13·9	.	.	.	1†	1	1	5
ANTWERP,	301,647	„ 23,	108	79	13·7	.	.	.	.	.	.	6
AMSTERDAM,	556,882	„ 23,	313	145	13·6	.	7	1	2†	1	.	4
COPENHAGEN,	426,000	„ 23,	188	124	15·2	.	1	.	.	3	.	9
STOCKHOLM,	318,398	„ 16,	147	90	14·7	.	.	2	1†	.	.	3
CHRISTIANIA,	222,373	„ 30,	130	48	11·2	.	.	.	3†	1	.	1
ST. PETERSBURG,	1,391,000	„ 30,	.	614	23·0	3	24	21	15	4	27	61
MOSCOW,	1,092,360	Nov. 25,	.	591	28·2	.	8	17	6†	6	8	62
BERLIN,	2,035,815	Dec. 9,	851	618	16·6	.	6	10	13†	13	1	37
HAMBURG,	772,852	„ 16,	.	247	16·6	.	1	.	.	8	.	17
BRESLAU,	463,283	„ 30,	.	200	22·5	.	1	.	.	7	.	13
MUNICH,	528,000	„ 30,	.	207	20·4	.	3	.	8†	3	.	17
VIENNA (with suburbs).	1,917,639	„ 30,	1,0[illegible]7	651	17·7	.	4	4	9†	7	2	28
BUDA-PESTH,	836,267	„ 30,	411	228	11·2	.	7	4	2†	2	.	6
PRAGUE and Faubourgs.	455,241	„ 23,	175	165	18·8	.	1	.	1†	.	3	10
TRIESTE,	195,369	„ 30,	.	.	.	.	.	.	.	.	.	.
ROME,	516,580	Oct. 14,	181	191	19·6	.	1	.	1†	.	14	15
VENICE,	169,417	Dec. 16,	105	73	22·5	.	.	.	1†	.	.	4
NEW YORK,	4,024,780	„ 16,	1,747	1,239	16·7	.	5	4	30†	2	18	22
PHILADELPHIA,	1,438,318	„ 9,	.	479	16·6	.	4	.	16†	.	13	25
BOSTON,	595,380	„ 16,	.	185	16·2	.	3	.	2	1	2	2

* Including 86 deaths from cholera in Calcutta, one in Bombay, and 3 in Madras.
† Including deaths from croup.
‡ Exclusive of 22 deaths from plague in Calcutta, and 15 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th January, 1906.

DISTRICTS.	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	.	.	.	2	.	.	1	.	.	.	3
" " 2,	.	.	.	.	.	.	.	.	.	1	1	1	.	3
" " 3,	.	.	.	1	.	.	2	.	.	.	2	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1,	.	.	.	3*	.	.	.	.	.	.	5	.	.	8
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 4,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Total,	.	.	.	4*	.	.	4	.	.	3	10	1	.	22

* Including 2 cases of "Scarlatina and Diphtheria."

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th January, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th January.			
	Dec. 23.	Dec. 30.	Jan. 6.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	11	7	4	8	.	.	12
Scarlet Fever,	50	54	50	9	10	.	49*
Typhus,	2	2	2	.	.	.	2
Diphtheria,	32	38	37	7	6	2	36
Enteric Fever,	25	23	24	4	5	.	23
Pneumonia,	18	20	22	8	4	2	24

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 13th January, 1906:—

"Weather of the Atlantic type again held throughout this week, but owing to a greater westing of the wind temperature ruled lower and conformed more closely to the average for the time of year. The week opened with a backing wind, a falling barometer, increasing cloud, and rising temperature. These signs were connected with a barometric depression which passed quickly eastwards across the S. of Ireland, reaching Wales at 6 p.m. of Sunday and Norfolk early on Monday morning. It caused squalls and rain in most districts but the N. of Scotland escaped, and Nairn reported a minimum temperature of 24° early on Monday. This day was cool and fine, but by Tuesday morning another and a much deeper depression (below 28·9 inches) had arrived off the N. of Ireland and W. of Scotland. Squalls and heavy showers of rain and hail attended the passage of this new disturbance northeastwards, and thunderstorms occurred in the English Channel and in London. The system was central over the Shetlands at 8 a.m. of Wednesday, when the barometer read 28·76 inches at Sumburgh Head. A lull now ensued and Wednesday was fair, bright and cool. On Thursday the weather broke again and in the afternoon and evening a tempest of wind and rain passed over Dublin. Friday was cloudy, but chiefly dry, Saturday was cold and showery after a bright forenoon. In the evening there was clear starlight and at night the moon shone in an almost cloudless sky. In Dublin the mean height of the barometer was 29·534 inches, the range being from 29·132 inches at 9 a.m. of Tuesday (wind, S.W. by W.) to 29·977 inches at 9 a.m. of Thursday (wind, S.S.W.). The corrected mean temperature was 43·2°, the screened thermometers rising to 50·7° on Tuesday and falling to 36·2° on Saturday. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 41·7°. The prevalent wind was S.W. Rain fell on six days to the amount of ·867 inch, ·444 inch being recorded on Thursday. Hail fell on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·552 inches. The highest reading (29·984) was on Thursday at 9 a.m., wind S.S.W., and the lowest (29·149) on Tuesday at 9 a.m., wind S.

The mean temperature for the week was 41·5°, being 1·7° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Tuesday, on which day the thermometer registered 49·7°, and was lowest on Saturday, the mercury having fallen to 34·1°. The mean of the Dry Bulb for the week was 40·4°, and of the Wet Bulb 38·8°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 16·8 hours. The rainfall during the week measured 0·855 inch.

At Greenwich the mean temperature for the week was 43·1°, the maximum 53·2°, and the minimum 32·5°; at Glasgow the maximum was 47·4°, the minimum, 33·0°, and the mean 39·9°; and at Edinburgh the maximum was 44·2°, the minimum 34·2°, and the mean 38·5°. The rainfall at Greenwich measured 1·20 ins.; at Glasgow 1·36 ins.; and at Edinburgh 0·84 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 7,	29·384	44·5	36·9	40·7	41·4	39·7	·88	·4	0·0	·240	S.	S.
Monday, „ 8,	29·485	46·6	36·8	41·7	38·2	37·5	·94	·6	6·1	025	S.	S.
Tuesday, „ 9,	29·173	49·7	38·0	43·9	43·2	41·0	·83	·4	1·2	·045	S.	S.W.
Wednesday, „ 10,	29·753	43·7	35·0	39·4	36·4	35·3	·91	·7	6·2	—	S.W.	W.S.W.
Thursday, „ 11,	29·737	49·2	34·9	42·1	44·9	42·8	·85	·9	0·1	·405	S.S.W.	S.W.
Friday, „ 12,	29·668	49·1	38·2	43·7	42·4	40·6	·86	·6	0·9	·115	S.W.	S.W.
Saturday, „ 13,	29·661	43·7	34·1	38·9	36·3	34·8	·88	·4	2·3	·025	S.W.	S.W.
Mean, . .	29·552	46·6	36·3	41·5	40·4	38·8	·88	·6	Total 16·8	Total ·855	Prevailing Wind. S.W.	

Sunday—Day overcast, light rain 11 a.m. to 6 p.m.; night cloudy p.m., clear a.m. *Monday*—A fine day; night cloudy, squally showers a.m. *Tuesday*—A cloudy day, squally and showery; night cloudy, showers p.m. clear a.m. *Wednesday*—A fine day; night clear. *Thursday*—A dull day, squally, rain from 4 p.m.; night overcast and wet. *Friday*—A cloudy day; night cloudy and showery. *Saturday*—A cloudy day, rain and sleet showers; night clear p.m. cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 13th, 1906.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Jan. 7,	43·7	43·0	45·9	46·0	39·4	42·7	—	·203
Monday, „ 8,	40·4	42·3	45·8	47·4	39·3	43·4	4·3	·012
Tuesday, „ 9,	46·7	41·9	45·7	50·7	40·7	45·7	1·5	·067
Wednesday, „ 10,	39·1	41·6	45·4	44·9	37·6	41·3	4·2	—
Thursday, „ 11,	42·3	40·4	45·2	51·1	37·3	44·2	—	·361
Friday, „ 12,	42·1	41·2	45·0	50·7	40·0	45·4	0·9	·097
Saturday, „ 13,	39·7	41·3	44·9	45·8	36·6	41·2	2·6	·014
Weekly Mean.	42·0	41·7	45·4	48·1	38·7	43·4	Total 13·5	Total ·759

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 374. 12. 1905.—11978.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 20TH JANUARY, 1906. [No. 3.

General Register Office, Charlemont House, Dublin, 22nd January, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Dec. 30.	Jan. 6.	Jan 13.	Jan. 20.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Average Rate for 4 weeks.
22 Town Dists.	17·8	20·6	20·0	19·3	19·4	Lisburn, . .	18·2	45·5	9·1	27·3	25·0
Armagh, . .	27·5	6·9	.	13·7	12·0	Londonderry, .	11·2	19·8	8·7	13·6	13·3
Ballymena, .	14·4	14·4	14·4	9·6	13·2	Lurgan, . .	22·1	22·1	13·3	22·1	19·9
Belfast, . .	18·0	21·4	19·3	19·6	19·6	Newry, . .	21·0	25·2	33·6	16·8	24·1
Clonmel, . .	10·3	15·4	15·4	20·5	15·4	Newtownards, .	51·5	17·2	28·6	22·9	30·0
Cork, . . .	20·5	14·4	13·7	18·5	16·8	Portadown, .	10·3	5·2	15·5	15·5	11·6
Drogheda, . .	16·3	8·2	49·0	12·3	21·4	Queenstown, .	6·6	6·6	19·8	6·6	9·9
Dublin Reg. Area,	17·9	21·7	21·7	20·1	20·3	Sligo, . . .	14·4	24·0	28·8	4·8	18·0
Dundalk, . .	16·0	8·0	43·9	31·9	24·9	Tralee, . .	15·9	31·7	5·3	31·7	21·1
Galway, . .	27·2	27·2	15·5	15·5	21·3	Waterford, .	7·8	31·2	13·6	11·7	16·1
Kilkenny, . .	4·9	9·8	24·6	9·8	12·3	Wexford, . .	32·7	18·7	18·7	32·7	25·7
Limerick, . .	16·4	17·8	30·1	23·2	21·9						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in thirteen of the districts to 11·4 in Newtownards, the 4 deaths from all causes in that district including one from measles and one from whooping-cough. Among the 135 deaths from all causes in Belfast are 2 from scarlet fever, one from typhus, one from whooping-cough, 2 from pyrexia (origin uncertain), one from enteric fever, and 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 183—94 boys and 89 girls; and the deaths to 154—86 males and 68 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·2 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 20·1 per 1,000. During the three weeks ending with Saturday last the death-rate averaged 22·4, and was 7·4 below the mean rate for the corresponding portions of the ten years 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

Among the deaths (154) are one death from scarlet fever, one from whooping-cough, and one from *diarrhœa*. In each of the 3 preceding weeks deaths from scarlet fever were 0, 0, and 2; deaths from whooping-cough, one, 2, and 3; deaths from diphtheria, 2, 2, and 2; deaths from enteric fever, 3, 3, and 0; and deaths from diarrhœal diseases were 2, one, and one.

Lobar pneumonia caused 2 deaths, broncho-pneumonia 5 deaths, and *pneumonia* (not defined) caused 5 deaths.

There were 28 deaths from all forms of tuberculous disease, including 8 from tuberculous phthisis, 15 from *phthisis*, 2 from tuberculous meningitis, and 3 from other forms of tuberculous disease. Deaths from all forms of tuberculous disease in the 3 preceding weeks numbered 20, 33, and 30, respectively.

Carcinoma caused 4 deaths, sarcoma one death, and cancer (undefined) 7 deaths.

The deaths of 4 infants, due to premature birth, were registered.

Diseases of the brain and nervous system caused 13 deaths, 4 being of children under 5 years of age from *convulsions*.

Twenty-four deaths were attributed to diseases of the heart and blood vessels.

There were 20 deaths from bronchitis.

Of the deaths (7) caused by accidental violence, 4 were due to burns or scalds, one being that of a child under 5 years of age.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the death of one person aged 62 years.

Thirty-nine of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 8 were under one month old) and 41 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a woman) was stated to have been aged 93 years.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·1 per 1,000; the rate in the City was 21·7 (North City Districts, 20·1; South, 23·4), and in the Suburbs, 14·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·4 per 1,000 inhabitants, the rate for the City being 0·4 (0·7 in the North City Districts, and 0·0 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 20·2 per 1,000, and include one from whooping-cough, one from *phthisis*, and 2 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000. Among them are one from broncho-pneumonia, 2 from *pneumonia* (not defined), one from tuberculous phthisis, 4 from bronchitis, and 2 deaths due to accident.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Of the deaths one was from lobar pneumonia, 4 were from *phthisis*, one from bronchitis, and one from accidental violence.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 21·4 per 1,000, and include one death from scarlet fever, one from *pneumonia* (not defined), 5 from tuberculous disease, and 2 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 23·5.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 29·9 per 1,000. Among them are 6 deaths from tuberculous disease, and 5 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 14·3 per 1,000. Two of the deaths were from tuberculous disease, and 3 were from diseases of the heart and blood-vessels.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 27·4 per 1,000. They include 2 deaths from broncho-pneumonia, one from *pneumonia* (not defined), 2 from tuberculous disease, one from bronchitis, and one death due to accidental violence.

No. 4 South City District (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·8 per 1,000. Broncho-pneumonia, *pneumonia* (not defined), and tuberculous phthisis each caused one death, and bronchitis 2 deaths.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 29·3 per 1,000. One of the deaths was from bronchitis, and one was from violence, accidentally caused.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·4; Pembroke, 6·0; Blackrock, 6·0; and Kingstown, 20·7. The only death from any of the principal epidemic diseases recorded for these districts was one from *diarrhœa* for Rathmines and Rathgar. Among the 13 deaths from all causes for the last-named district are 3 from *phthisis*, and one from bronchitis; and of the 7 deaths from all causes for Kingstown one was from *phthisis*, and one was caused accidentally.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 20th January, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 30,	.	—	—	2	.	.	1	.	.	6	6	.	—	—	—	—	—	15
	Jan. 6,	.	—	—	4	1	.	1	.	4	1	4	.	—	—	—	—	—	15
	Jan. 13,	.	—	—	4	.	.	4	.	.	3	10	1	—	—	—	—	—	22
	Jan. 20,	.	—	—	7	.	.	5	.	3	7	19	.	—	—	—	—	—	41
Rathmines and Rathgar Urban District.	Dec. 30,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	—	2
	Jan. 6,	.	—	—	2	.	.	1	.	.	1	.	.	—	—	—	—	—	4
	Jan. 13,	.	—	—	1	.	.	.	.	.	2	1	.	—	—	—	—	—	4
	Jan. 20,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	—	3
Pembroke Urban District.	Dec. 30,	.	.	1	.	.	.	.	.	.	.	1	.	—	2	.	—	—	4
	Jan. 6,	.	2	.	.	.	.	1	.	1	2	1	.	—	.	.	—	—	7
	Jan. 13,	.	.	.	1	.	.	.	.	.	.	.	.	—	.	.	—	—	1
	Jan. 20,	.	.	1	.	.	.	1	.	.	.	.	.	—	3	.	—	—	5
Blackrock Urban District.	Dec. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Dec. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 20,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
City of Belfast.	Dec. 30,	.	—	—	19	1	.	2	.	10	15	8	.	—	—	—	—	—	55
	Jan. 6,	.	—	—	29	4	.	4	.	13	26	12	.	—	—	—	—	—	88
	Jan. 13,	.	—	—	35	1	.	5	.	16	25	10	.	—	—	—	—	—	92
	Jan. 20.	.	—	—	29	.	.	5	2	8	18	7	.	—	—	—	—	—	69

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th January, 1906.

From this it appears that:—

Three cases of measles were admitted to hospital during the week, and 15 patients remained under treatment at its close.

Five cases of scarlet fever were admitted to hospital, 6 were discharged, there was one death, and 47* cases remained under treatment at the close of the week.

Two cases of typhus remained under treatment in hospital at the close of the week.

Nine cases of diphtheria were admitted to hospital, 7 were discharged, there was one death, and 37 patients remained under treatment at the close of the week.

Two cases of enteric fever were admitted to hospital, one was discharged, and 24 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 12 were discharged, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·5), was equal to an average annual death-rate of 15·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·2 per 1,000, the rate for Glasgow being 18·7, and for Edinburgh 18·4.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 20th January, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 20th January, 1906. Numbers Registered. Births. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Deaths. Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 20th Jan., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th Jan., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th Jan., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,093,959	19·2	27·4	19·3	1·0	574	404	76	95	.	1	3	1	6	.	3	2	5	26	61	13	19	59	10	12	120	15	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total, d.	378,994	27·5	25·2	20·1	0·4	183	146	28	38	.	.	1	.	1	.	.	.	1	11	23	5	11	21	6	5	54	6	f49·7	28·9	38·5	1·61	f49·7	34·1	41·5	0·86	f54·6	34·6	43·4	0·86
City of Dublin,	293,385	37·1	27·5	21·7	0·4	155	122	23	29	.	.	1	.	1	.	.	.	.	10	18	5	9	20	5	5	51	4	g51·5 h49·9	31·9 29·0	40·6 39·3	1·46 1·57	g50·7 h49·9	36·2 35·0	43·2 42·0	0·87 0·84	g52·2 h51·9	38·8 38·0	45·1 44·2	1·67 1·30
Urban Dists. Rathmines and Rathgar.	33,208	19·4	18·8	20·4	1·6	12	13	4	5	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke,	26,025	16·4	20·0	6·0	.	10	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,	8,759	8·1	17·9	6·0	.	3	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	8·9	20·7	.	3	7	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	51	32·5	40·0	1·29	51	39·5	44·5	0·66	54	39·5	45·5	1·68
Urban Districts.																																							
Belfast,	358,680	24·4	28·5	19·6	1·3	196	135	30	27	.	.	2	1	1	.	2	1	2	8	17	3	5	12	4	7	31	4	49·6	32·0	39·1	0·75	46·9	32·5	40·0	1·47	50·0	36·2	42·4	0·94
Cork,	76,122	33·6	25·3	18·5	0·7	37	27	3	6	.	.	.	.	.	.	.	.	1	1	7	1	1	1	.	.	12	.	51	34	42·3	1·30	51	38	44·3	1·10	51	40	47·8	2·50
Londonderry,	42,067	19·4	17·4	13·6	2·5	14	11	2	1	.	.	.	2	.	.	.	.	.	1	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	31·4	23·2	1·4	23	17	1	5	.	.	.	.	.	.	.	1	.	.	1	.	1	7	.	.	10	2	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	35·1	11·7	1·9	18	6	1	3	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	19·4	15·5	.	5	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	48	33	40·7	2·46	51	34	42·4	1·82	53	35	46	1·43
Dundalk,	18,076	3·4	19·9	31·9	4·0	5	8	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	12·3	12·3	.	3	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	42·0	16·8	.	10	4	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	48·2	30·5	37·3	1·03	47·2	33·1	40·0	1·06	51·3	35·7	42·8	0·83
Lurgan,	11,782	13·8	53·1	22·1	.	12	5	1	1	.	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	1	1	48·2	30·5	37·3	1·03	47·2	33·1	40·0	1·06	51·3	35·7	42·8	0·83
Lisburn,	11,461	10·1	40·9	27·3	.	9	6	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	48·2	30·5	37·3	1·03	47·2	33·1	40·0	1·06	51·3	35·7	42·8	0·83
Wexford,	11,168	23·2	37·4	32·7	.	8	7	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	38·3	9·6	.	8	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	24·0	4·8	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	49·0	27·5	37·0	2·13	47·1	32·9	40·8	1·80	52·2	35·3	43·5	1·26
Kilkenny,	10,609	11·5	14·7	9·8	4·9	3	2	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	50	25	38·9	1·35	49	30	40·9	0·92	54	38	45	1·54
Clonmel,	10,167	7·8	35·9	20·5	.	7	4	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	36·2	15·5	.	7	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	48·2	30·5	37·3	1·03	47·2	33·1	40·0	1·06	51·3	35·7	42·8	0·83
Tralee,	9,867	16·6	37·0	31·7	.	7	6	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	11·4	22·9	11·4	2	4	.	1	.	1	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	49	33	39·8	0·80	49	30	40·0	1·05	50	32	42·2	0·99
Queenstown,	7,909	14·4	52·7	6·6	.	8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	51	34	42·3	1·30	51	38	44·8	1·10	51	40	47·8	2·50
Armagh,	7,588	22·2	27·5	13·7	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	48·2	30·5	37·3	1·03	47·2	33·1	40·0	1·06	51·2	35·7	42·8	0·83

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 8 deaths of persons (including 3 at 60 years or upwards), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 20th of January, 1906, with the number of uncertified deaths: also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.
	REGISTRATION DISTRICTS IN																
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.									
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumgondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.	
A. GENERAL DISEASES:																	
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Pneumonia,	.	3	1	1	.	.	.	.	.	3	2	.	.	.	1	.	11	1
Tuberculous Disease. Phthisis,	1	1	4	4	.	.	1	5	1	.	1	.	3	1	.	1	23	.
Tuberculous Disease. Other Forms.	.	.	.	1	.	.	.	1	1	2	.	.	.	.	.	.	5	.
Cancer, Malignant Disease,	2	1	1	1	.	1	.	.	.	2	.	1	1	1	.	.	11	1
Other General Diseases	3	1	3	.	.	.	1	1	.	1	1	.	.	1	.	.	12	1
Total,	7	6	9	8	.	1	2	7	2	8	4	1	5	3	1	1	65	3
B. LOCAL DISEASES:																	
Diseases of: Nervous System	1	1	.	.	.	.	1	3	.	3	.	.	2	.	.	2	13	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	.	1	3	2	.	.	.	3	3	5	3	1	3	.	.	.	24	.
Diseases of: Respiratory System,	2	4	1	2	.	.	.	5	.	2	2	2	1	.	.	.	21	1
Diseases of: Digestive System,	.	1	.	1	.	.	.	2	.	2	.	.	1	.	.	1	8	.
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of: Urinary System,	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	4	1
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	3	7	4	5	.	.	1	14	3	13	6	3	7	.	.	4	70	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	.	.	1	.	.	1	.	.	.	.	1	.	.	1	5	.
E. VIOLENT DEATHS,	.	2	1	.	.	.	.	.	.	1	.	1	.	.	.	1	6	1
Deaths from all Causes,	11	15	14	13	1	1	3	22	5	22	10	5	13	3	1	7	146	8
Annual Rate of Mortality from all causes in every 1,000 of the population	20·2	20·0	24·2	21·4	10·8	5·2	23·5	29·9	14·3	27·4	14·8	29·3	20·4	6·0	6·0	20·7	20·1	.
	20·1							23·4					14·6					
	21·7																	
Deaths of Infants under 1 year of age,	6	1	2	2	.	.	.	4	1	4	1	2	4	1	.	.	28	.
Deaths of Persons aged 60 years and upwards,	3	3	.	1	1	1	.	9	1	5	3	2	5	.	1	3	38	3
Number of Uncertified Deaths,	1	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	6	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	5	4	.	.	.	3	1	7	.	1	2	.	.	.	28	7
Workhouse Hospitals,	1	3	2	3	.	.	1	5	3	5	2	.	1	.	.	.	26	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1896-19

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 3rd Week of the 10 years 1896-1905.	In the Week ending Saturday, 20th January, 1906. Deaths of Persons of the Ages o							
	Jan. 18, 1896.	Jan. 23, 1897.	Jan. 22, 1898.	Jan. 21, 1899.	Jan. 20, 1900.	Jan. 19, 1901.	Jan. 18, 1902.	Jan. 24, 1903.	Jan. 23, 1904.	Jan. 21, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	45·0	32·7	48·9	45·7	40·7	44·7	37·3	42·2	42·4	38·6	41·8	Mean Temp. 38·5							
ALL CAUSES.	151	294	221	192	295	209	177	211	195	160	210·5	154	8	20	11	11	18	45	34
Small-pox,	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	15	.	.	9	.	1	1	.	5	3·1	.	.	.	.	.	.	.	.
Scarlet Fever,	1	4	2	1	.	.	.	2	1	2	1·3	1	.	1	.	.	.	.	.
Typhus,	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	4	.	9	3	24	3	2	2	3	4	5·4	.	.	.	.	.	.	.	.
Whooping-cough,	.	23	2	4	3	12	.	.	5	.	4·9	1	.	1	.	.	.	.	.
Diphtheria,	.	1	6	1	2	.	1	3	.	2	1·6	.	.	.	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Enteric Fever,	2	2	7	2	2	3	1	3	3	1	2·6	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	.	10	3	1	6	2	2	. / 1	. / .	. / .	2·5	. / 1	.	. / 1	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	4	1	2	.	2	.	2	1·1	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	1	.	.	.	.	.	.	. / . / .	. / . / .	. / . / .	·1	. / . / .	.	. / . / .	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	9	20	11	5	23	18	8	. / 2 / . / 8	. / 10 / . / 6	. / 6 / . / 6	13·2	2 / 5 / . / 5	.	. / . / 4 / 1	.	.	. / 1	2 / . / 3	. / 1 / .
Erysipelas,	.	2	1	1	.	.	1	.	.	.	·5	1	.	.	.	.	.	1	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	1	.	2	.	1	1	. / .	2 / 1	. / .	·8	1 / .	.	. / .	.	.	1 / .	. / .	. / .
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	17	35	37	24	29	19	20	1 / 28	10 / 17	7 / 20	26·4	8 / 15	.	. / .	.	. / 2	4 / 7	4 / 6	. / .
Tuberculous Meningitis,	5	5	6	4	9	4	2	4	1	3	4·3	2	.	1	.	1	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	2	6	7	4	4	6	2	. / .	. / .	. / 1	3·2	. / .	.	. / .	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	6	5	7	7	4	6	4	1 / .	9 / .	8 / .	5·7	3 / .	.	1 / .	2	.	.	.	.
Alcoholism,	.	.	2	.	3	.	.	.	.	.	·5	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	1	.	1	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.
Gout,	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.
Carcinoma, Sarcoma, Cancer (undefined),	7	3	8	7	5	8	1	3 / 1 / 4	2 / . / 5	1 / . / 4	5·9	4 / 1 / 7	.	. / . / .	.	.	.	2 / 1 / 5	. / . / .
Diabetes Mellitus,	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	1	.
Premature Birth,	5	6	.	5	.	3	4	3	7	2	3·5	4	3	1	.	.	.	.	.

* The figures for the years 1896-1900 ar
† Formerly describe

THIRD WEEK ending Saturday, 20th January, 1906, with the deaths from each cause in the corresponding the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Jan. 18, 1896.	Jan. 23, 1897.	Jan. 22, 1898.	Jan. 21, 1899.	Jan. 20, 1900.	Jan. 19, 1901.	Jan. 18, 1902.	Jan. 24, 1903.	Jan. 23, 1904.	Jan. 21, 1905.	Averages in 3rd Week of the 10 years 1896–1905.	In the Week ending Saturday, 20th January, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 45·0	° 32·7	° 48·9	° 45·7	° 40·7	° 44·7	° 37·3	° 42·2	° 42·4	° 38·6	° 41·8	Mean Temp. ° 38·5								
eningitis (not tuberc.) ...								6	1	3		3	.	.	1	2	.	.	.	.
isanity, G. P. of Insane ...								1	5	1		1	.	.	.	.	.	.	1	.
pilepsy								2	2	.		.	.	.	.	.	.	.	.	.
onvulsions								12	7	5		4	1	2	1	.	.	.	.	.
ocomotor Ataxy ...								.	.	.		.	.	.	.	.	.	.	.	.
araplegia Dis. of Cord ...								2	.	.		1	.	.	.	.	.	1	.	.
ervous System (other Dis.)	31	46	30	40	40	44	43	5	.	1	41·4	4	.	1	.	.	3	.	.	.
alv. Dis., Endocarditis ...								3	6	3		2	.	.	.	1	.	1	.	.
erebr. Hæm. Thromb. ...								3	1	3		1	.	.	.	.	.	.	1	.
poplexy, Hemiplegia ...								12	2	5		6	.	.	.	.	.	2	4	.
neurysm								.	1	1		1	.	.	.	.	.	.	1	.
mbolism, Thromb. (not cerebral)								.	.	.		.	.	.	.	.	.	.	.	.
eart and Blood Vessel Dis.								18	16	13		14	.	.	.	1	.	6	4	3
roup (not Spasm. nor Memb.)	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
ronchitis	19	55	25	24	64	33	31	38	27	15	33·1	20	.	5	1	.	.	3	9	2
sthma, Emphysema ...								.	.	.		1	.	.	.	.	.	.	1	.
leurisy	5	5	.	.	5	4	3	.	.	1	2·8	.	.	.	.	.	.	.	.	.
espiratory Dis. (other) ...								2	1	2		1	.	.	.	.	.	.	1	.
onsillitis, Quinsy ...	.	1	.	.	2	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
nteritis (not Epid.) ...	1	.	1	1	.	2	2	2	1	.	1·1	1	.	.	.	.	1	.	.	.
astro Enteritis								1	.	.		.	.	.	.	.	.	.	.	.
eritonitis (not Puerp.) ...	2	1	.	2	1	.	.	.	1	.	·7	.	.	.	.	.	.	.	.	.
irrhosis of Liver ...	1	3	9	2	3	3	5	2	.	1	3·2	1	.	.	.	.	.	1	.	.
iver Dis. (other) ...								.	3	.		.	.	.	.	.	.	.	.	.
igestive Dis. (other) ...	1	6	3	2	7	5	5	6	3	5	4·3	6	.	2	1	1	.	2	.	.
Nephritis, Acute ...								2	.	2		1	.	.	.	.	.	1	.	.
Bright's Dis., Albuminuria	5	1	5	7	2	2	8	3	3	3	4·5	2	.	.	.	.	1	.	1	.
Urinary Sys. (Other Dis.)								.	.	2		2	.	.	.	.	.	.	2	.
Generative Organs Dis. ...	.	.	.	.	.	.	.	1	1	1	·3	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of) ...	1	.	1	.	3	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Old Age	6	10	17	16	29	6	11	2	11	5	11·3	3	.	.	.	.	.	.	3	.
Other Diseases	13	20	14	14	10	16	17	12	15	7	13·8	10	4	2	.	.	3	.	1	.
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses ...	.	.	.	.	.	1	.	1	1	1	·4	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	2	3	3	3	2	.	1	.	2	1·7	4	.	.	1	3	.	.	.	.
By Drowning	.	.	.	1	1	1	.	.	2	.	·6	.	.	.	.	.	.	.	.	.
By Suffocation in Bed ...	.	1	.	.	.	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Deaths by Accidents	3	2	3	1	.	1	1	1	1	1	1·4	2	.	.	.	.	.	1	.	1
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	2	.	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

he Registration Area as then constituted.
"Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905–6—Week ending																									
	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.
No. of weeks in Annual Series.	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered,	222	173	238	231	161	202	247	202	201	285	189	191	176	175	223	239	205	177	198	191	238	199	184	245	192	183
*Average Births in corresponding week of previous 10 years,**	206	210	201	210	198	216	197	211	199	220	189	185	203	197	194	189	199	181	190	195	183	160	182	210	206	199
DEATHS registered,	157	161	151	151	153	165	143	123	137	168	158	141	143	133	195	152	158	173	157	168	148	171	139	168	166	154
Annual Death-rate per 1,000,	21·6	22·2	20·8	20·8	21·1	22·7	19·7	16·9	18·8	23·1	21·7	19·4	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2
*Average Deaths in corresponding week of previous 10 years,**	153	167	169	164	168	163	169	165	174	163	156	172	175	177	173	178	186	191	197	185	187	189	199	219	214	211
AGES,— Under 5 years,	68	64	59	61	55	54	50	43	42	48	44	33	28	33	54	34	43	52	42	49	47	48	27	28	52	39
5—20 "	11	9	8	10	7	12	5	11	10	17	17	11	9	5	6	14	10	9	13	10	13	9	7	17	17	11
20—40 "	28	25	27	23	29	12	23	22	29	28	23	23	26	18	36	26	31	18	22	31	13	30	21	34	25	18
40—60 "	25	27	22	25	26	45	28	24	23	31	26	32	37	34	35	38	32	36	34	35	32	45	41	48	37	45
60—80 "	28	27	32	25	31	30	33	18	24	42	29	36	35	34	59	33	35	50	35	37	34	37	37	35	28	34
80 years and upwards,	7	9	3	7	5	12	4	5	9	7	9	6	8	9	5	7	7	8	11	6	9	7	6	6	7	7
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	1	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	1	1	1	.	1	.	1	.	.	2	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	2	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1	3	1	2	2	1	1	2	3	1
Diphtheria,	.	2	1	.	1	1	1	.	.	.	.	.	2	.	.	1	1	.	.	1	1	.	2	2	2	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.
Enteric Fever,	1	.	.	1	2	2	4	1	2	2	2	1	4	.	2	2	.	.	2	2	1	4	3	3	.	.
Diarrhœal Diseases,	20	25	24	20	25	19	12	10	10	9	1	4	1	3	4	4	2	3	5	2	1	1	2	1	1	1
Pneumonia,	4	3	4	2	9	9	3	5	5	17	10	9	6	10	18	13	14	15	10	10	8	11	11	12	15	12
Tuberculous Disease, (Phthisis,	18	16	22	23	10	21	12	15	25	23	25	17	18	21	24	21	26	20	18	24	9	27	19	21	14	23
Other Forms,	2	12	9	15	10	6	12	12	11	10	17	13	7	4	9	6	12	7	10	4	15	4	1	12	16	5
Cancer, Malignant Disease,	7	10	8	5	11	10	6	4	5	5	11	7	10	8	7	6	5	10	8	6	11	5	6	7	5	12
Diseases of Heart and Blood Vessels,	25	24	19	23	22	35	24	16	18	27	18	23	29	19	29	21	28	24	25	26	21	26	30	28	21	24
Diseases of Respiratory System,	13	8	7	10	13	14	13	7	6	18	13	17	18	17	42	26	26	34	33	22	16	25	20	26	28	23
Violent Deaths,	4	5	2	3	8	3	4	4	4	7	2	5	8	6	3	2	3	3	3	2	2	4	6	4	3	7
Number of Uncertified Deaths,	6	7	7	4	1	4	6	8	5	4	5	3	5	6	4	9	7	9	4	5	9	8	6	4	5	6
Mean Temperature of the Air (Phœnix Park),	60·2	57·7	57·8	58·2	54·7	55·7	58·3	51·1	51·3	49·4	48·3	49·6	40·0	41·1	42·7	48·0	38·0	40·0	44·1	46·3	43·0	46·1	45·7	43·4	41·5	38·5
Average Mean Temperature in corresponding week of previous 10 years.	58·8	59·2	56·9	58·2	57·5	56·4	55·7	55·4	54·3‡	53·5	51·3	48·6	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8
Rainfall in inches,	·210	1·105	·555	·135	3·980	·990	·515	·150	·015	·325	·775	·085	·100	·295	1·190	·250	1·485	·320	·645	·128	·085	·285	·770	·860	·855	1·605
Mean Humidity of the Air, complete Saturation, 1·0.	·88	·85	·82	·83	·87	·91	·88	·84	·86	·87	·87	·91	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th January, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH JANUARY, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	21·4	154	39	11	18	45	34	7	.	.	1	.	1	.	.	.	1	3	12	23	5	12	4	22	7	66	6
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	17·9	6	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	4	.
II.	MIDDLE CLASS,	87,188	13·8	23	4	1	2	11	4	1	.	.	.	.	1	.	.	.	.	1	2	3	1	3	.	.	1	12	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	12·7	27	6	5	1	7	8	.	.	.	.	.	.	.	.	.	1	1	3	2	.	3	1	3	3	11	1
IV.	GENERAL SERVICE CLASS,	154,279	31·9	71	26	4	9	17	13	2	.	.	1	.	.	.	.	.	.	1	5	11	3	4	3	13	2	29	4
V.	INMATES OF WORKHOUSES,	6,024		27	3	1	6	9	7	1	.	.	.	.	.	.	.	.	.	.	1	7	1	2	.	6	.	10	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	28·4	12	2	1	.	7	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	7	1
	6. Clerks and Commercial Assistants,	30,432	5·1	3	2	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	13·5	7	.	.	1	3	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	3	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	5.3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	9. Building and Furnishing Trades,	29,801	19·2	11	4	2	.	1	4	.	.	.	.	.	.	.	.	.	1	1	1	1	.	2	1	1	2	2	.
	10. Clothing Trades,	23,260	9·0	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.
	11. Food Supply Trades,	9,242	22·6	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	1
	12. Other Trades and Callings ranking with Trades,	30,352	12·0	7	1	1	1	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	4	.
	13. Petty Shopkeepers,	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	18,425	7·8	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	15. Domestic Servants,	36,603	4·3	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	29·0	8	1	1	2	1	3	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	3	1	.	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	33·7	58	25	3	6	15	9	.	.	.	1	.	.	.	.	.	.	1	4	9	2	3	3	9	1	26	4
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	27	3	1	6	9	7	1	.	.	.	.	.	.	.	.	.	.	1	7	1	2	.	6	.	10	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1905-6 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	Dec. 2,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	" 9,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	" 16,	20·2	.	11	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	1
	" 23,	16·6	3·7	9	.	.	.	.	.	.	.	2	.	.	2	.	.	1	.	1
	" 30,	25·8	3·7	14	.	.	.	.	1	.	.	.	1	1	2	.	1	1	1	3
	Jan. 6,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	.	.	2	.	3	.	.
	" 13,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	3	2	.	.	.	1	.
	" 20,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	.	1	.	2	2	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Dec. 2,	14·7	1·3	11	.	.	.	.	.	.	.	.	1	.	1	1	.	5	.	.
	" 9,	21·3	2·7	16	.	.	.	.	.	.	.	1	1	.	1	1	1	3	.	1
	" 16,	32·0	.	24	.	.	.	.	.	.	.	.	.	3	.	1	.	6	.	3
	" 23,	25·8	1·8	19	.	.	1	.	.	.	.	.	.	.	5	1	.	2	.	2
	" 30,	17·8	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.
	Jan. 6,	25·3	.	19	.	.	.	.	.	.	.	.	.	1	4	3	2	3	.	1
	" 13,	20·0	1·3	15	.	.	.	.	.	1	.	.	.	3	.	.	1	2	1	.
	" 20,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.	1	4	2	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Dec. 2,	32·9	.	19	.		.	.	.	.	.	.	.	2	4	1	.	5	1	.
	" 9,	31·2	.	18	.	.	.	.	.	.	.	.	.	1	3	.	1	1	.	1
	" 16,	20·8	.	12	.	.	.	.	.	.	.	.	.	2	.	3	.	1	.	.
	" 23,	27·7	.	16	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.
	" 30,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	3	1	.
	Jan. 6,	22·5	.	13	.	.	.	.	.	.	.	.	.	.	2	1	.	1	1	1
	" 13,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	2	3	.	4	.	.
	" 20,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	4	.	1	1	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,673.	Dec. 2,	21·4	3·3	13	.	.	.	.	1	.	.	.	1	3	.	1	.	1	.	.
	" 9,	23·0	1·6	14	.	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.
	" 16,	11·5	3·3	7	.	.	.	.	.	.	.	1	1	.	.	2	.	1	.	.
	" 23,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	1
	" 30,	24·7	4·9	15	.	.	.	.	.	.	1	2	.	.	4	.	.	1	1	.
	Jan. 6,	24·7	.	15	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	" 13,	16·5	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.
	" 20,	21·4	1·6	13	.	.	1	.	.	.	.	.	.	1	4	1	1	2	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	Dec. 2,	24·5	2·7	18	.	.	.	.	.	.	.	1	1	.	4	1	.	5	.	.
	" 9,	16·3	1·4	12	.	.	1	.	.	.	.	.	.	.	.	1	.	2	.	1
	" 16,	20·4	2·7	15	.	.	.	.	2	.	.	.	.	.	1	3	1	.	.	1
	" 23,	17·7	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	.
	" 30,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	3	1	1	2	1	1
	Jan. 6,	17·7	1·4	13	.	.	.	.	.	1	.	.	.	2	2	1	.	1	.	.
	" 13,	43·5	2·7	32	.	.	2	.	.	.	.	.	.	1	4	3	.	8	.	.
	" 20,	29·9	.	22	.	.	.	.	.	.	.	.	.	.	5	1	.	5	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Dec. 2,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.
	" 9,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.
	" 16,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	" 23,	42·8	.	15	.	.	.	.	.	.	.	.	.	.	2	.	1	7	.	.
	" 30,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.
	Jan. 6,	31·4	2·9	11	.	.	.	.	.	.	.	.	1	2	2	1	.	1	.	.
	" 13,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	" 20,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Dec. 2,	31·1	1·2	25	.	.	.	.	.	.	.	1	.	2	1	4	2	6	.	2
	" 9,	33·6	2·5	27	.	.	.	.	.	.	1	.	1	.	4	.	1	9	.	.
	" 16,	19·9	.	16	.	.	.	.	.	.	.	.	.	1	.	3	1	3	.	1
	" 23,	31·1	.	25	.	.	.	.	.	.	.	.	.	2	4	2	1	3	2	.
	" 30,	21·1	.	17	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	2
	Jan. 6,	28·6	.	23	.	.	.	.	.	.	.	.	.	1	1	2	2	4	1	.
	" 13,	23·6	1·2	19	.	.	.	.	1	.	.	.	.	2	1	2	.	2	.	2
	" 20,	27·4	.	22	.	.	.	.	.	.	.	.	.	3	.	2	2	2	1	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Dec. 2,	22·8	1·5	15	.	.	.	.	.	.	.	.	1	2	2	.	2	.	1	.
	" 9,	29·7	.	20	.	.	.	.	.	.	.	.	.	2	6	.	.	1	1	2
	" 16,	17·8	.	12	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	" 23,	16·8	1·5	11	.	.	.	.	1	.	.	.	.	1	2	.	.	1	.	.
	" 30,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.	.
	Jan. 6,	28·7	1·5	16	.	.	.	.	.	.	.	1	.	3	3	.	.	4	1	.
	" 13,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	4	.	3	.	1
	" 20,	14·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1905-6 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	Dec. 2,	22·0	.	14	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	„ 9,	18·8	1·6	12	.	.	.	.	1	.	.	.	.	2	2	.	.	2	.	.
	„ 16,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	1	.	5	.	1	1
	„ 23,	25·1	1·6	16	.	.	.	.	.	.	.	1	.	.	3	.	1	1	1	2
	„ 30,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	.
	Jan. 6,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.
	„ 13,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1
	„ 20,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Dec. 2,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.
	„ 9,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 16,	18·0	.	9	.	.	.	.	.	.	.	1	.	1	2	.	1	.	.	.
	„ 23,	8·0	2·0	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 30,	10·0	.	5	.	.	.	.	.	.	.	2	.	1	1	.	.	1	.	.
	Jan. 6,	20·0	4·0	10	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
	„ 13,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.
	„ 20,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Dec. 2,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 9,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 16,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.
	„ 23,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
	„ 30,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	Jan. 6,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 13,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1
	„ 20,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
Belfast. Pop. in 1906 (Est.) 358,680.	Dec. 2,	20·4	1·0	140	.	.	1	.	1	1	.	4	.	15	26	—	—	29	3	—
	„ 9,	21·5	1·0	148	.	.	.	1	1	.	.	3	2	18	17	—	—	31	3	—
	„ 16,	18·5	1·0	127	.	1	2	.	3	.	.	1	.	14	18	—	—	24	2	—
	„ 23,	21·2	1·6	146	.	2	3	.	1	1	.	2	2	18	21	—	—	31	4	—
	„ 30,	18·0	0·4	124	.	.	.	.	.	.	.	2	1	14	17	—	—	23	5	—
	Jan. 6,	21·4	1·0	147	.	.	.	.	1	1	.	2	3	15	15	10	3	20	6	6
	„ 13,	19·3	1·3	133	.	.	.	.	2	1	1	3	2	12	17	4	5	19	1	2
	„ 20,	19·6	1·3	135	.	.	2	1	1	.	2	1	2	8	17	3	5	12	4	4
Cork. Pop. (in 1901) 76,122.	Dec. 2,	24·0	.	35	.	.	.	.	.	.	.	.	.	2	4	—	—	.	1	—
	„ 9,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	.	4	—	—	5	1	—
	„ 16,	23·3	.	34	.	.	.	.	.	.	.	.	.	3	9	—	—	5	.	—
	„ 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	2	2	—	—	3	.	—
	„ 30,	20·5	2·1	30	.	.	.	.	.	.	.	1	2	1	3	—	—	5	.	—
	Jan. 6,	14·4	0·7	21	.	.	.	.	.	.	.	.	1	1	2	2	2	3	1	.
	„ 13,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	3	2	3	2	.	1
	„ 20,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	1	7	1	1	1	.	.
Londonderry. Pop. in 1906 (Est.) 42,067.	Dec. 2,	19·8	.	16	.	.	.	.	.	.	.	.	.	1	2	—	—	5	.	—
	„ 9,	17·4	1·2	14	.	.	.	.	1	.	.	.	.	1	.	—	—	2	1	—
	„ 16,	8·7	1·2	7	.	.	.	.	1	.	.	.	.	.	.	—	—	2	.	—
	„ 23,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	.	—	—	3	1	—
	„ 30,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	1	—	—	1	.	—
	Jan. 6,	19·8	1·2	16	.	.	.	.	1	.	.	.	.	.	2	1	.	5	1	1
	„ 13,	8·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.
	„ 20,	13·6	2·5	11	.	.	.	.	2	.	.	.	.	1	1	.	.	1	.	.
Limerick. Pop. (in 1901) 38,151.	Dec. 2,	27·3	.	20	.	.	.	.	.	.	.	.	.	2	4	—	—	4	1	—
	„ 9,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	.	—	—	5	.	—
	„ 16,	24·6	1·4	18	.	.	.	.	.	.	.	.	1	.	3	—	—	1	.	—
	„ 23,	20·5	1·4	15	.	.	.	.	.	1	.	.	.	.	3	—	—	2	.	—
	„ 30,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	1	—	—	5	.	—
	Jan. 6,	17·8	1·4	13	.	.	1	.	.	.	.	.	.	.	3	2	1	6	.	3
	„ 13,	30·1	.	22	.	.	.	.	.	.	.	.	.	1	4	.	1	2	.	2
	„ 20,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	.	1	.	1	7	.	2
Waterford. Pop. (in 1901) 26,769.	Dec. 2,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	—	—	.	.	—
	„ 9,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	.	2	—	—	2	.	—
	„ 16,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	—	—	1	.	—
	„ 23,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	—	—	1	.	—
	„ 30,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	1	—	—	.	.	—
	Jan. 6,	31·2	1·9	16	.	.	.	.	1	.	.	.	.	1	2	.	.	1	4	3
	„ 13,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 20,	11·7	1·9	6	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	.

* Formerly described as "Simple Continued Fever."

NOTE.—The Figures for other forms of tuberculous disease, cancer, malignant disease and uncertified deaths, in Belfast, Cork, Londonderry, Limerick, and Waterford, are not available for the five weeks ending with 30th December, 1905.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th January, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,734	12	28·3	.	8	1	.	6	1	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	1	2	.
Do. 2 ,, .	47,959	20	23·9	1·1	22	5	2	8	7	.	.	.	1	.	.	.	.	.	4	.	.	1	2	.	.	6	1
Do. 3 ,, .	47,214	23	15·5	2·2	14	4	1	6	3	.	.	1	.	.	.	.	1	.	2	1	.	1	1	.	1	3	1
Do. 4 ,, .	40,911	19	26·8	3·8	21	5	5	5	6	.	.	1	.	.	.	2	.	.	.	.	.	1	3	2	2	8	1
Do. 5 ,, .	17,387	10	24·0	.	8	1	1	5	1	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	3	1
Do 6 ,, .	48,122	24	17·3	.	16	.	1	13	2	.	.	.	.	.	.	.	.	.	2	4	.	.	1	.	.	2	.
Do 7 ,, .	1,524	.	—	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Do. 8 ,, .	5,060	2	10·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,, .	19,569	16	13·3	.	5	1	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.
Do. 10 ,, .	28,064	14	27·1	4·5	12	4	3	3	2	.	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	3	.
Do. 11 ,, .	34,862	19	18·5	.	9	2	2	4	1	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	3	.
Do. 12 ,, .	33,588	22	20·2	.	13	3	1	6	3	.	.	.	.	.	.	.	.	.	.	3	.	1	1	1	2	.	.
Do. 13 ,, .	15,006	14	17·4	3·5	5	3	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
Do. 14 ,, .	240	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	196	20·2	1·3	135	30	16	62	27	.	.	2	1	1	.	2	1	2	8	17	3	5	12	4	7	31	4
City of Cork.																											
CORK URBAN No. 1 DISTRICT. .	12,867	4	16·2	4·1	4	.	3	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	.
Do. 2 ,, . .	10,701	4	24·4	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 3 ,, . .	9,978	5	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 ,, . .	8,666	3	54·2	.	9	.	1	8	.	.	.	.	.	.	.	.	.	.	1	5	.	1	.	.	.	6	.
Do. 5 ,, . .	6,592	4	15·8	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 ,, . .	10,702	6	9·7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 ,, . .	16,616	11	15·7	.	5	1	.	1	3	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	3	.
Total, ...	76,122	37	18·5	0·7	27	3	4	14	6	.	.	.	.	.	.	.	.	1	1	7	1	1	1	.	.	12	.

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905-6—Week ending																									
	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept 16.	Sept. 23	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered,	232	246	195	209	200	208	235	209	216	207	198	210	209	204	234	205	199	200	205	199	194	158	189	224	193	196
DEATHS registered.	151	152	130	125	136	105	109	114	94	109	116	122	130	153	130	141	150	138	140	148	126	146	124	147	133	135
Annual Death-rate per 1,000 of estimated Population.	22·0	22·1	18·9	18·2	19·8	15·3	15·8	16·6	13·7	15·8	16·9	17·7	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18.3	21·2	18·0	21·4	19·3	19·6
AGES, Under 1 year,	51	63	44	43	47	26	28	25	19	22	31	28	25	35	30	36	38	28	27	21	23	31	26	34	21	30
AGES, 1-5 years,	13	16	15	10	9	11	5	16	9	9	3	12	14	19	14	17	15	19	11	13	15	18	19	16	15	16
AGES, 5-60 years,	60	53	43	51	60	50	56	48	50	62	58	48	62	63	55	53	60	65	64	72	58	69	56	61	60	62
AGES, 60 years and upwards,	27	20	28	21	20	18	20	25	16	16	24	34	29	36	31	35	37	26	38	37	30	28	23	36	37	27
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	1	.	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.
Scarlet Fever,	1	1	.	1	.	.	.	1	.	.	.	.	1	3	1	.	1	1	1	.	2	3	.	.	.	2
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Whooping-cough,	1	.	1	1	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	1	3	1	.	1	2	1
Diphtheria,	.	.	.	.	.	1	2	.	1	.	1	.	.	2	.	1	1	.	1	.	.	1	.	1	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2
Enteric Fever,	2	8	3	2	3	1	1	5	4	6	.	5	1	.	2	3	3	3	4	3	1	2	2	2	3	1
Diarrhœal Diseases,	34	36	28	29	22	8	10	11	1	3	5	4	2	1	3	3	1	2	.	2	.	2	1	3	2	2
Pneumonia,	4	3	3	4	2	2	12	10	12	4	13	6	12	9	18	16	14	18	15	18	14	18	14	15	12	8
Tuberculous Disease, Phthisis,	28	18	19	15	19	19	16	18	14	10	14	13	17	25	19	22	22	16	26	17	17	21	17	15	17	17
Tuberculous Disease, Other Forms,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4	3
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	5
Diseases of Respiratory System,	9	6	10	6	15	5	5	5	4	11	15	17	14	21	31	28	31	28	29	34	23	31	23	20	19	12
Violent Deaths,	6	1	3	3	8	1	2	1	3	2	2	3	7	4	4	3	4	9	3	3	2	4	5	6	1	4
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	4

*Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the twenty-three weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	Jan. 20,	2,390	1,399	15·5	.	52	13	12	21	3	8
EDINBURGH, .	341,035	„ 20,	142	120	18·4	.	1	.	1	.	.	2
GLASGOW, . .	835,625	„ 20,	478	299	18·7	.	19	3	.	1	.	5
CALCUTTA, . .	847,796	Dec. 2,	.	670	41·0	6	1	.	3	.	156‡	177*
BOMBAY, . .	776,006	„ 19,	536	648	43·4	2	2	.	.	.	80‡	79
MADRAS, . .	509,346	„ 1,	432	526	53·6	7	7	?	?	?	135	110*
PARIS, . .	2,660,559	Jan. 6,	997	969	18·8	1	21	.	3†	3	8	17
BRUSSELS (with 8 Faubourgs).	598,467	Dec. 30,	230	182	15·8	.	1	1	2†	1	.	6
ANTWERP, . .	301,647	„ 30,	141	81	14·0	.	1	.	.	1	.	6
AMSTERDAM,§ .	556,882	„ 31,	347	148	12·1	.	12	1	1†	7	1	3
COPENHAGEN, .	426,000	„ 30,	219	115	14·1	.	.	.	.	2	.	5
STOCKHOLM, .	318,398	„ 23,	132	94	15·4	.	.	.	1†	.	.	4
CHRISTIANIA, .	222,373	Jan. 6,	96	62	14·5	.	.	1	3†	.	.	2
ST. PETERSBURG,	1,391,000	„ 6,	.	663	24·9	2	21	22	19	8	27	73
MOSCOW, . .	1,092,360	Dec. 2,	.	524	25·0	1	3	7	11†	7	19	51
BERLIN, . .	2,037,203	„ 16,	863	547	14·0	.	11	8	5†	10	1	29
HAMBURG, . .	772,852	„ 23,	.	244	16·4	.	3	.	2†	11	.	14
BRESLAU, . .	463,283	Jan. 6,	.	151	17·0	.	1	.	2†	4	.	9
MUNICH, . .	540,000	„ 6,	.	204	19·6	.	7	1	4†	2	.	22
VIENNA (with suburbs).	1,917,639	„ 6,	915	616	16·7	.	2	6	14†	8	.	29
BUDA-PESTH, .	859,134	„ 6,	359	343	20·8	.	8	4	4†	1	.	10
PRAGUE and Faubourgs.	455,241	Dec. 30,	189	173	19·8	.	1	.	1†	1	1	10
TRIESTE,§ . .	195,369	„ 31,	152	117	27·3	.	1	.	1†	2	1	.
ROME, . . .	516,580	Oct. 21,	207	191	19·6	.	1	.	2†	.	10	15
VENICE, .	169,417	Dec. 23,	77	92	28·3	.	.	.	1†	.	1	6
NEW YORK, .	4,024,780	„ 23,	2,016	1,373	17·8	.	12	6	39†	5	10	43
PHILADELPHIA,	1,438,318	„ 16,	.	509	18·4	.	5	3	14†	.	10	17
BOSTON, .	595,380	„ 23,	.	192	16·8	.	5	1	1	1	3	.

* Including 102 deaths from cholera in Calcutta, and 6 in Madras.
† Including deaths from croup.
‡ Exclusive of 20 deaths from plague in Calcutta, and 8 in Bombay
§ The figures are for 8 days.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th January, 1906.

DISTRICTS.	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	.	.	2	.	.	1	.	1	.	1	.	.	5
" " 2,	.	.	.	.	.	.	1	.	.	1	2	.	.	4
" " 3,	.	.	.	1	.	.	1	.	1	2	6	.	.	11
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	.	.	1	1	9	.	.	12
" " 2,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 3,	.	.	.	1	.	.	.	.	.	.	1	.	.	2
" " 4,	.	.	.	.	.	.	1	.	.	1	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	7	.	.	5	.	3	7	19	.	.	41

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th January, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th January.			
	Dec. 30.	Jan. 6.	Jan. 13.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	7	4	12	3	.	.	15
Scarlet Fever,	54	50	49	5	6	1	47*
Typhus,	2	2	2	.	.	.	2
Diphtheria,	38	37	36	9	7	1	37
Enteric Fever,	23	24	23	2	1	.	24
Pneumonia,	20	22	24	7	12	.	19

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 20th January, 1906:—

"Extremely unsettled weather again prevailed. The week opened with a backing wind and rising temperature, and in the course of Sunday night the wind freshened to a whole gale from S.W. with driving rain. The thermometer rose to 51·5° during this stormy night—a reading which proved to be the highest temperature recorded in the week. About 6 a.m. of Monday a startling change occurred: there was a heavy fall of cold rain and sleet (snow on the mountains), and by 9 a.m. the thermometer was down to 35·8°. From this time temperature remained below the average to nearly the close of the week. On Wednesday night a brisk fall of the barometer took place, and by 8 a.m. of Thursday the centre of a well-marked cyclone had reached Anglesea, having crossed Ireland during the previous 12 hours. At 9 a.m. a downpour of rain, which had been falling for some hours in Dublin, gave place to a violent snow-storm of three hours' duration. The ground became covered to a depth of about 2 inches, but a rapid thaw followed on the lowlands in the afternoon. The highlands of the Dublin and Wicklow Mountains, however, remained deeply snowclad to the end of the week. So quickly did the barometer rise in the wake of Thursday's depression that the reading of 30·627 inches was recorded at 9 p.m. of Friday, compared with one of 29·362 inches at 9 a.m. of Thursday—an increase of pressure amounting to 1·265 inches in 36 hours. Frost occurred on Friday night, but Saturday was again changeable and finally rainy. In Dublin the mean height of the barometer was 29·877 inches, pressure being observed to fall (as already mentioned) to 29·362 inches at 9 a.m. of Thursday (wind, N.W.) and to rise to 30·627 inches at 9 p.m. of Friday (wind, W.N.W.). The corrected mean temperature was 40·6°, the mean dry bulb temperature at 9 a.m. and 9 p.m being 39·6°. The screened thermometers rose to 51·5° on Monday and fell to 31·9° on Saturday. The dominant winds were S.W. and W.N.W. Rain fell on 6 days to the amount of 1·460 inches, ·532 inch being recorded on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·893 inches. The highest reading (30·639) was on Friday at 9 p.m., wind N., and the lowest (29·384) on Thursday at 9 a.m., wind N.E.

The mean temperature for the week was 38·5°, being 3·3° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Sunday, on which day the thermometer registered 49·7°, and was lowest on Saturday, the mercury having fallen to 28·9°. The mean of the Dry Bulb for the week was 38·3°, and of the Wet Bulb 36·8°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 17·3 hours. The rainfall during the week measured 1·605 inches.

At Greenwich the mean temperature for the week was 42·0°, the maximum 49·6°, and the minimum 29·1°; at Glasgow the maximum was 49·6°, the minimum, 31·8°, and the mean 39·7°; and at Edinburgh the minimum was 31·8°. The rainfall at Greenwich measured 1·06 ins.; at Glasgow 0·95 in.; and at Edinburgh 0·74 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Jan. 14,	29·771	49·7	32·5	41·1	45·3	43·4	·86	·6	2·1	·490	S.W.	S.W.
Monday, „ 15,	29·506	49·4	32·9	41·2	35·5	34·5	·90	·5	1·1	·085	W.	S.W.
Tuesday, „ 16,	29·541	43·2	33·9	38·1	36·1	35·0	·89	·6	2·0	·045	S.W.	S.W.
Wednesday, „ 17,	29·863	42·2	33·0	37·6	39·1	37·2	·85	·6	4·5	·520	S.W.	S.W.
Thursday, „ 18,	29·643	41·3	32·2	36·8	36·6	35·2	·88	·8	0·7	·395	N.E.	N.
Friday, „ 19,	30·515	42·0	32·2	37·1	34·8	33·3	·86	·4	6·8	—	N.	N.
Saturday, „ 20,	30·412	45·9	28·9	37·4	40·8	39·2	·88	·6	0·1	·070	N.	W.
Mean . .	29·893	44·8	32·2	38·5	38·3	36·8	·87	·6	Total 17·3	Total 1·605	Prevailing Wind. S.W.	

Sunday—A very stormy and showery day; night overcast, stormy and showery. *Monday*—Day cloudy, rain and snow a.m.; night cloudy and showery. *Tuesday*—Day cloudy and showery; night clear. *Wednesday*—A fine day; night overcast, heavy rain 10.30 p.m. and 9 a.m. *Thursday*—Day overcast, with heavy fall of snow from 9 a.m. to 2 p.m., then fine; night clear. *Friday*—A fine bright day; night clear p.m., cloudy a.m. *Saturday*—A dull day, showers p.m.; night overcast, showery p.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 20th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Jan. 14,	43·1	40·1	44·8	50·7	36·0	43·4	1·1	·433
Monday, „ 15,	35·8	41·7	44·7	51·8	34·8	43·3	1·0	·060
Tuesday, „ 16,	40·1	40·4	44·5	44·7	36·0	40·4	3·1	·055
Wednesday, „ 17,	39·4	39·8	44·4	44·1	34·2	39·2	3·3	·555
Thursday, „ 18,	36·0	40·0	44·2	43·1	33·1	38·1	—	·340
Friday, „ 19,	38·2	39·0	44·0	43·7	36·4	40·1	4·9	·002
Saturday, „ 20,	37·7	38·0	43·9	46·4	32·6	39·5	0·2	·044
Weekly Mean. .	38·6	39·9	44·4	46·4	34·7	40·6	Total 13·6	Total 1·489

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 374. 12. 1905.—12096.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 27TH JANUARY, 1906. [No. 4.

General Register Office, Charlemont House,
Dublin, 29th January, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Jan. 6.	Week ending Jan. 13.	Week ending Jan. 20.	Week ending Jan. 27.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 6.	Week ending Jan. 13.	Week ending Jan. 20.	Week ending Jan. 27.	Average Rate for 4 weeks.
22 Town Dists.	20·6	20·0	19·3	21·5	20·4	Lisburn, . .	45·5	9·1	27·3	27·3	27·3
Armagh, . .	6·9	.	13·7	13·7	8·6	Londonderry, .	19·8	8·7	13·6	17·4	14·9
Ballymena, .	14·4	14·4	9·6	19·2	14·4	Lurgan, . .	22·1	13·3	22·1	17·7	18·8
Belfast, . .	21·4	19·3	19·6	23·3	20·9	Newry, . .	25·2	33·6	16·8	33·6	27·3
Clonmel, . .	15·4	15·4	20·5	30·8	20·5	Newtownards, .	17·2	28·6	22·9	45·8	28·6
Cork, . . .	14·4	13·7	18·5	21·2	17·0	Portadown,	5·2	15·5	15·5	25·8	15·5
Drogheda, . .	8·2	49·0	12·3	12·3	20·4	Queenstown, .	6·6	19·8	6·6	.	8·3
Dublin Reg. Area,	21·7	21·7	20·1	21·2	21·2	Sligo, . . .	24·0	28·8	4·8	9·6	16·8
Dundalk, . .	8·0	43·9	31·9	16·0	24·9	Tralee, . .	31·7	5·3	31·7	10·6	19·8
Galway, . .	27·2	15·5	15·5	23·3	20·4	Waterford, .	31·2	13·6	11·7	13·6	17·5
Kilkenny, . .	9·8	24·6	9·8	29·5	18·4	Wexford, . .	18·7	18·7	32·7	37·4	26·9
Limerick, . .	17·8	30·1	23·2	16·4	21·9						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in fourteen of the districts to 22·9 in Newtownards, the 8 deaths from all causes in that district including 3 from measles and one from whooping-cough. Among the 160 deaths from all causes in Belfast are one from scarlet fever, 3 from whooping-cough, 2 from enteric fever, and 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 220—107 boys and 113 girls; and the deaths to 160—92 males and 68 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 22·0 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 21·2 per 1,000. During the four weeks ending with Saturday last the death-rate averaged 22·3, and was 7·1 below the mean rate for the corresponding portions of the ten years 1896–1905.

The deaths registered (160) included one from whooping-cough, one from diphtheria, 3 from diarrhœal diseases, and 2 deaths attributed to influenza. In each of the 3 weeks

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

preceding, deaths from whooping-cough were 2, 3, and one; deaths from diphtheria were 2, 2, and 0; deaths from diarrhœal diseases were one, one, and one; and deaths from influenza were 2, 2, and 0.

There was one death from lobar pneumonia, there were 9 deaths from broncho-pneumonia, and 6 deaths from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease amounted to 27, and included 8 deaths from tuberculous phthisis, 13 deaths from *phthisis*, one death from tuberculous meningitis, and 5 deaths from other forms of the disease. In the 3 preceding weeks, deaths from all forms of tuberculous disease were, respectively, 33, 30, and 28.

There were 4 deaths from carcinoma, one death from sarcoma, and one death from cancer (undefined).

The deaths of 4 infants were due to prematurity.

The deaths from diseases of the brain and nervous system (12) include the deaths of 4 infants under one year of age from *convulsions*.

Diseases of the heart and blood vessels accounted for the deaths of 33 persons.

There were 17 deaths from bronchitis.

Of 8 deaths from accidental violence, 3, including one child under 5 years of age, were from burns, scalds, or explosions, and 2 were by drowning.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year of age.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 8 were under one month old) and 52 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a female) was stated to have been aged 99 years.

Seventy-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, 14 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·2 per 1,000; the rate in the City was 21·9 (North City Districts, 20·4; South, 23·4), and in the Suburbs, 18·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·7 per 1,000 inhabitants, the rate for the City being 0·9 (1·0 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·7 per 1,000, and include one from influenza, one from broncho-pneumonia, and 2 from tuberculous disease.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000, and include one from diphtheria, 4 from broncho-pneumonia, 3 from tuberculous disease of the lungs, one from bronchitis, and two accidental deaths.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·5 per 1,000, and include 2 deaths from diarrhœal diseases, one from broncho-pneumonia, one from bronchitis, and 2 accidental deaths.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 21·4 per 1,000, and include one death from *pneumonia* (not defined), 3 deaths from tuberculous disease of the lungs, and 2 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 26·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0. Among the 5 deaths from all causes for Coolock and Drumcondra, No. 1, part of, 2 were from *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 19·0 per 1,000, and include one death from *diarrhœa*, 3 deaths from tuberculous disease, and 3 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 20·0 per 1,000, and include one death from broncho-pneumonia, 2 deaths from bronchitis, and one accidental death.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 28·6 per 1,000, and include one death from whooping-cough, 2 deaths from broncho-pneumonia, one death from *pneumonia* (not defined), 4 deaths from tuberculous disease, one death from bronchitis, and 7 deaths from diseases of the heart and blood vessels.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000, and include one death from influenza, 2 deaths from *pneumonia* (not defined), one death from tuberculous phthisis, one death from bronchitis, and 2 deaths from accidental causes.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 35·2 per 1,000. There was one death from *phthisis*, one from bronchitis, and one caused accidentally.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·1; Pembroke, 22·0; Blackrock, 0·0; and Kingstown, 32·5. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Among the 9 deaths from all causes recorded for Rathmines and Rathgar are 2 from tuberculous disease and 3 from bronchitis; of the 11 deaths from all causes for Pembroke one was from tuberculous meningitis and 5 were from diseases of the heart and blood vessels; and the 11 deaths from all causes for Kingstown include 2 from *pneumonia* (not defined), 2 from *phthisis*, and one from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 27th January, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 6,	.	—	—	4	1	.	1	.	4	1	4	.	—	—	—	—	—	15
	Jan. 13,	.	—	—	4	.	.	4	.	.	3	10	1	—	—	—	—	—	22
	Jan. 20,	.	—	—	7	.	.	5	.	3	7	19	.	—	—	—	—	—	41
	Jan. 27,	.	—	—	6	.	.	2	.	.	3	16	.	—	—	—	—	—	27
Rathmines and Rathgar Urban District.	Jan. 6,	.	—	—	2	.	.	1	.	.	1	.	.	—	—	—	—	—	4
	Jan. 13,	.	—	—	1	.	.	.	.	.	2	1	.	—	—	—	—	—	4
	Jan. 20,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	—	3
	Jan. 27,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
Pembroke Urban District.	Jan. 6,	.	2	.	.	.	.	1	.	1	2	1	.	—	.	.	—	—	7
	Jan. 13,	.	.	.	1	.	.	.	.	.	.	.	.	—	.	.	—	—	1
	Jan. 20,	.	.	1	.	.	.	1	.	.	.	.	.	—	3	.	—	—	5
	Jan. 27,	.	.	.	.	.	.	1	.	.	.	1	.	—	1	.	—	—	3
Blackrock Urban District.	Jan. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Jan. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 20,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Jan. 27,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
City of Belfast.	Jan. 6,	.	—	—	29	4	.	4	.	13	26	12	.	—	—	—	—	—	88
	Jan. 13,	.	—	—	35	1	.	5	.	16	25	10	.	—	—	—	—	—	92
	Jan. 20.	.	—	—	29	.	.	5	2	8	18	7	.	—	—	—	—	—	69
	Jan. 27,	.	—	—	22	.	.	5	3	12	20	6	.	—	—	—	—	—	68

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th January, 1906.

From this it appears that:—

Two cases of measles were admitted to hospital during the week, 5 were discharged, and 12 patients remained under treatment at its close.

Six cases of scarlet fever were admitted to hospital, 7 were discharged, and 46* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital and 3 cases of typhus remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 4 were discharged, there was one death, and 36 patients remained under treatment at the close of the week.

Three cases of enteric fever were admitted to hospital, 5 were discharged, and 22 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 9 were discharged, there was one death, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·3), was equal to an average annual death-rate of 15·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·6 per 1,000, the rate for Glasgow being 18·5, and for Edinburgh 20·3.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 27th January, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 27th January, 1906. Numbers Registered. Births. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyæmia. b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease,	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 27th Jan., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th Jan., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th Jan., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	30·0	21·5	1·2	630	452	79	128	.	4	1	.	6	2	.	2	10	28	58	17	17	60	11	15	139	21	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total, d.	378,994	27·5	30·3	21·2	0·7	220	154	23	51	.	.	.	.	1	1	.	.	3	15	18	6	6	17	8	8	70	6	f53·6	25·1	48·1	0·23	f49·7	23·9	38·5	1·61	f49·7	34·1	41·5	0·86
																											5	g54·0	29·0	45·1	0·19	g51·5	31·9	40·6	1·46	g50·7	36·2	43·2	0·87
																												h54·3	26·2	44·0	0·24	h49·9	29·0	39·3	1·57	h49·9	35·0	42·0	0·84
City of Dublin,	293,385	37·1	30·9	21·9	0·9	174	123	17	38	.	.	.	.	1	1	.	.	3	13	15	4	6	13	8	6	60	5	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Rathmines and Rathgar,	33,208	19·4	31·4	14·1	.	20	9	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke,	26,025	16·4	32·1	22·0	.	16	11	1	8	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,	8,759	8·1	6·0		.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	26·6	32·	.	9	11	3	4	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	2	2	.	54	30·5	45·5	0·15	51	32·5	40·0	1·29	51	39·5	44·5	0·66
Urban Districts.																																							
Belfast,	358,080	24·4	34·3	23·3	1·3	236	160	31	36	.	.	1	.	3	.	.	2	3	11	22	8	7	20	1	4	31	4	53·0	25·8	41·2	0·24	49·6	33·0	39·1	0·75	46·9	32·5	40·0	1·47
Cork,	76,122	33·6	30·1	21·2	2·1	44	31	4	6	.	.	.	.	.	.	.	.	.	.	6	1	1	3	1	2	13	.	52	33	44·7	0·18	51	34	42·3	1·30	51	38	44·8	1·10
Londonderry,	42,067	19·4	23·5	17·4	.	27	14	5	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	20·5	16·4	1·4	15	12	2	3	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	23·4	18·6	.	12	7	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	23·3	23·3	.	6	6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	50	30	43	0·56	48	33	40·7	2·46	51	34	42·4	1·32
Dundalk,	18,076	9·4	12·0	16·0	4·0	3	4	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	.	12·3	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	33·6	33·6	4·2	8	8	3	4	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	1	.	51·7	29·0	41·7	0·14	48·2	30·5	37·8	1·03	47·2	33·1	40·0	1·06
Lurgan,	11,782	13·8	35·4	17·7	4·4	8	4	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1	51·7	29·0	41·7	0·14	48·2	30·5	37·8	1·03	47·2	33·1	40·0	1·06
Lisburn,	11,461	10·1	18·2	27·3	.	4	6	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	3	1	51·7	29·0	41·7	0·14	48·2	30·5	37·8	1·03	47·2	33·1	40·0	1·06
Wexford,	11,168	23·2	28·0	37·4	.	6	8	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,686	8·9	33·5	19·2	.	7	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	33·6	9·6	.	7	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	53·5	25·7	44·1	0·48	49·0	27·5	37·0	2·13	47·1	32·9	40·8	1·80
Kilkenny,	10,609	11·5	29·5	29·5	.	6	6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	55	26	42·5	0·13	50	25	38·9	1·35	49	30	40·9	0·92
Clonmel,	10,167	7·8	51·3	30·8	.	10	6	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	15·5	25·8	.	3	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	51·7	29·0	41·7	0·14	48·2	30·5	37·8	1·03	47·2	33·1	40·0	1·06
Tralee,	9,867	16·6	.	10·6	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	17·2	45·8	22·9	3	8	2	1	.	3	.	.	1	.	.	.	.	.	2	.	.	.	.	.	2	.	53	32	43·1	0·09	49	33	39·8	0·80	48	30	40·0	1·05
Queenstown,	7,909	14·4	26·4	.	.	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52	33	44·7	0·18	51	34	42·3	1·30	51	38	44·8	1·10
Armagh,	7,588	22·2	6·9	13·7	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51·7	29·0	41·7	0·14	48·2	30·5	37·3	1·03	47·2	33·1	40·0	1·06

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 6 deaths of persons (including one at 64 years), admitted to hospital from localities outside the Area. e Meteorology. [illegible] some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 27th of January, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Pneumonia,	1	4	1	1	.	.	.	.	1	3	2	.	.	.	.	2	15	1
Tuberculous Disease. Phthisis,	1	3	.	3	.	2	.	2	.	2	1	1	1	.	.	2	18	3
Tuberculous Disease. Other Forms.	1	.	.	.	.	.	.	1	.	2	.	.	1	1	.	.	6	.
Cancer, Malignant Disease,	.	1	.	.	.	.	.	.	1	2	2	.	.	.	.	.	6	.
Other General Diseases	1	2	1	.	.	.	.	1	1	2	1	1	.	3	.	1	14	.
Total,	4	11	4	4	.	2	.	5	3	12	6	2	2	4	.	5	64	4
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	.	2	1	.	.	.	.	.	2	2	.	2	1	.	1	12	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	2	5	3	2	.	2	.	3	.	7	3	1	.	5	.	2	33	.
Diseases of: Respiratory System,	.	1	1	3	.	.	.	3	2	1	1	1	3	.	.	1	17	1
Diseases of: Digestive System,	.	2	.	.	.	1	.	1	.	.	.	.	1	1	.	1	7	.
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Urinary System,	1	.	.	2	.	.	.	1	1	.	.	.	.	.	.	1	6	1
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	4	6	6	9	.	3	.	8	3	10	6	2	6	7	.	6	76	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	1	.	.	.	.	1	.	1	.	1	1	.	.	.	6	.
E. VIOLENT DEATHS,	.	2	2	.	.	.	.	.	1	.	2	1	.	.	.	.	8	.
Deaths from all Causes,	8	20	13	13	.	5	.	14	7	23	14	6	9	11	.	11	154	6
Annual Rate of Mortality from all causes in every 1,000 of the population	14·7	26·6	22·5	21·4	.	26·0	.	19·0	20·0	28·6	20·8	35·2	14·1	22·0	.	32·5	21·2	.
	20·4							23·4					18·9					
	21·9																	
Deaths of Infants under 1 year of age,	.	3	3	1	.	.	.	.	1	6	1	2	2	1	.	3	23	.
Deaths of Persons aged 60 years and upwards,	2	7	4	3	.	1	.	6	2	7	5	1	1	8	.	4	51	1
Number of Uncertified Deaths,	.	.	.	.	.	.	.	1	.	1	.	3	1	.	.	.	6	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	5	4	3	.	2	.	4	2	6	5	1	1	5	.	1	41	5
Workhouse Hospitals,	1	3	4	6	.	.	.	2	4	3	3	.	2	.	.	1	29	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register week of the ten years, 1896

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 4th Week of the 10 years 1896-1905.	In the Week ending Saturd 27th January, 1906. Deaths of Persons of the Age					
	Jan. 25, 1896.	Jan. 30, 1897.	Jan. 29, 1898.	Jan. 28, 1899.	Jan. 27, 1900.	Jan. 26, 1901.	Jan. 25, 1902.	Jan. 31, 1903.	Jan. 30, 1904.	Jan. 28, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	39·2°	33·7°	47·3°	36·6°	43·8°	41·5°	45·0°	46·7°	41·9°	40·4°	41·6°	Mean Temp. 43·1°						
ALL CAUSES.	181	281	191	167	259	196	158	187	196	192	201·7	160	8	15	14	13	21	37
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	7	.	.	5	.	1	.	1	13	2·7	.	.	.	.	.	.	.
Scarlet Fever, ...	1	6	3	1	.	1	.	3	.	2	1·7	.	.	.	.	.	.	.
Typhus, ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	5	10	3	27	3	.	3	3	2	5·9	2	.	.	.	.	.	.
Whooping-cough, ...	1	27	4	5	3	8	1	.	11	2	6·2	1	.	.	1	.	.	.
Diphtheria, ...	.	.	1	.	1	2	1	1	.	.	·6	1	.	.	1	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	2	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.
Enteric Fever, ...	6	1	6	5	1	5	2	2	1	.	2·9	.	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	3	4	1	.	.	3	4	. / 7	. / 1	. / 1	2·4	1 / 2	. / .	1 / .	. / 1	. / .	. / .	. / .
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	2	.	1	.	1	1	.	.	.	·5	1	1	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	2	.	.	.	.	.	.	. / . / 2	. / . / .	. / . / .	·4	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,								.	.	1		1	.	.	.	1	.	.
Pneumonia, Broncho-Epidemic,	10	14	15	10	20	12	20	3	4	4	13·1	9	.	4	1	1	1	.
Pneumonia, Not defined,								. / 8	. / 4	. / 6		. / 6	. / .	. / 1	. / .	. / 1	. / 1	. / 1
Erysipelas, ...	.	2	2	1	.	.	.	.	2	1	·8	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	2	2	.	1	1	1	1	1 / .	1 / .	. / .	1·0	2 / .	. / .	. / .	. / .	. / .	. / .	. / .
Other Infective Conditions,	.	.	.	.	.	.	.	.	2	.	·2	2	.	.	.	.	1	.
Tuberculous Phthisis, "*Phthisis*," ...	20	21	23	18	36	26	19	1 / 17	4 / 22	9 / 23	23·9	8 / 13	. / .	. / .	. / .	. / 3	2 / 7	6 / 3
Tuberculous Meningitis, ...	3	2	9	5	8	2	2	1	4	4	4·0	1	.	1	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	5	7	3	6	6	4	1	. / 1	. / .	3 / 2	3·8	. / .	. / .	. / .	. / .	. / .	. / .	. / .
Tuberculous Dis. (other), *Scrofula*, ...	.	9	3	3	6	6	7	7 / .	5 / .	5 / .	5·1	5 / .	. / .	1 / .	2 / .	2 / .	. / .	. / .
Alcoholism, ...	.	.	1	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Gout, ...	.	.	.	.	2	.	.	.	.	.	·2	1	.	.	.	.	.	.
Carcinoma, ... Sarcoma, ... Cancer (undefined),	7	2	8	6	6	5	8	2 / . / 3	2 / 2 / 4	1 / . / .	5·6	4 / 1 / 1	. / . / .	. / . / .	. / . / .	. / . / .	1 / . / .	2 / . / 1
Diabetes Mellitus, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.
Premature Birth, ...	4	8	2	1	2	2	3	3	5	3	3·3	4	4	.	.	.	.	.

* The figures for the years 1896-1900 are
† Formerly describe

FOURTH WEEK ending Saturday, 27th January, 1906, with the deaths from each cause in the corresponding
the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Jan. 25, 1896.	Jan. 30, 1897.	Jan. 29, 1898.	Jan. 28, 1899.	Jan. 27, 1900.	Jan. 26, 1901.	Jan. 25, 1902.	Jan. 31, 1903.	Jan. 30, 1904.	Jan. 28, 1905.	Averages in 4th Week of the 10 years 1896-1905.	In the Week ending Saturday, 27th January, 1906. Deaths of Persons of the Ages of: All Ages.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 39·2	° 33·7	° 47·3	° 36·6	° 43·8	° 41·5	° 45·0	° 46·7	° 41·9	° 40·4	° 41·6	Mean Temp. ° 43·1			0 to 5.					
eningitis (not tuberc.) ...								4	3	3		.	.	.	.	.	.	.	.	.
sanity, G. P. of Insane ...								2	3	2		2	.	.	.	2	.	.	.	.
pilepsy								.	1	1		.	.	.	.	.	.	.	.	.
nvulsions								6	7	7		5	2	2	1	.	.	.	.	.
ocomotor Ataxy ...								.	.	.		.	.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...								.	2	2		1	.	.	.	.	.	1	.	.
ervous System (other Dis.)	44	38	35	39	51	30	32	2	2	1	40·0	4	.	.	.	.	2	1	1	.
alv. Dis., Endocarditis ...								4	3	6		5	.	.	.	.	1	3	1	.
rebr. Hæm. Thromb. ...								3	2	2		2	.	.	.	.	.	.	2	.
oplexy, *Hemiplegia* ...								5	4	3		8	.	.	.	.	.	4	4	.
neurysm								1	.	.		1	.	.	.	.	.	.	1	.
mbolism, Thromb. (not cerebral)								.	.	.		1	.	.	.	.	.	1	.	.
eart and Blood Vessel Dis.								15	21	14		16	.	.	.	.	.	3	10	3
oup (not Spasm. nor Memb.)	2	1	.	1	2	1	1	.	.	.	·8	.	.	.	.	.	.	.	.	.
ronchitis	28	67	26	19	30	34	14	29	29	28	30·4	17	1	1	2	.	.	5	7	1
sthma, Emphysema ...								1	1	.		.	.	.	.	.	.	.	.	.
eurisy	2	4	2	.	3	5	.	.	.	1	2·5	.	.	.	.	.	.	.	.	.
espiratory Dis. (other) ...								3	3	.		1	.	.	.	1	.	.	.	.
onsillitis, Quinsy ...	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
nteritis (not Epid.) ...								1	1	.		1	.	.	.	1	.	.	.	.
astro *Enteritis*	.	.	.	1	.	1	1	1	4	2	1·2	.	.	.	.	.	.	.	.	.
eritonitis (not Puerp.) ...	.	.	2	1	.	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	.
rrhosis of Liver ...								2	.	2		.	.	.	.	.	.	.	.	.
ver Dis. (other) ...	3	.	3	2	2	3	2	2	.	.	2·1	2	.	.	.	.	.	1	1	.
igestive Dis. (other) ...	3	8	4	4	6	2	3	9	3	5	4·7	4	.	.	1	1	.	2	.	.
ephritis, Acute ...								.	1	1		3	.	.	1	.	2	.	.	.
right's Dis., Albuminuria	3	1	6	5	6	6	4	4	5	2	4·8	3	.	.	.	.	1	1	1	.
rinary Sys. (Other Dis.)								1	1	2		1	.	.	.	1	.	.	.	.
enerative Organs Dis. ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
uildbirth (Accid. of) ...	1	1	.	2	.	.	1	1	.	.	·6	.	.	.	.	.	.	.	.	.
d *Age*	10	13	11	9	19	17	12	6	4	5	10·6	2	.	.	.	.	.	.	.	2
ther Diseases	12	18	8	7	13	10	12	14	9	15	11·8	7	.	3	2	.	.	1	1	.
ACCIDENT.																				
y Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
y Vehicles and Horses ...	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
y Burns, Scalds, Explosions	1	2	1	4	.	2	2	2	1	2	1·7	3	.	.	1	1	.	.	1	.
y Drowning	4	2	1	.	1	1	1	1	1	.	1·2	2	.	.	.	.	2	.	.	.
y Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
y Poison or Poisonous Vapours	.	.	.	1	.	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.
ther Deaths by Accidents	3	7	1	2	1	1	2	.	5	2	2·4	3	.	1	.	.	.	1	1	.
IOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
icide	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905–6—Week ending																									
	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.
No. of weeks in Annual Series.	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered,	173	238	231	164	202	247	202	201	285	189	191	176	175	223	239	205	177	198	191	238	199	184	245	192	183	220
*Average Births in corresponding week of previous 10 years,**	210	201	210	198	216	197	211	199	220	189	185	203	197	194	189	199	181	190	195	183	160	182	210	206	199	200
DEATHS registered,	161	151	151	153	165	143	128	137	168	158	141	143	133	195	152	158	173	157	168	148	171	139	168	166	154	160
Annual Death-rate per 1,000,	22·2	20·8	20·8	21·1	22·7	19·7	16·9	18·8	23·1	21·7	19·4	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0
*Average Deaths in corresponding week of previous 10 years,**	167	169	164	168	163	169	165	174	163	156	172	175	177	173	178	186	191	197	185	187	189	199	219	214	211	202
AGES, Under 5 years,	64	59	61	55	54	50	43	42	43	44	33	28	33	54	34	43	52	42	49	47	43	27	28	52	39	37
5—20 ,,	9	8	10	7	12	5	11	10	17	17	11	9	5	6	14	10	9	13	10	13	9	7	17	17	11	13
20—40 ,,	25	27	23	29	12	23	22	29	28	23	23	26	18	36	26	31	18	22	31	13	30	21	34	25	18	21
40—60 ,,	27	22	25	26	45	28	24	23	31	36	32	37	34	35	38	32	36	34	35	32	45	41	48	37	45	37
60—80 ,,	27	32	25	31	30	33	18	24	42	29	36	35	34	59	33	35	50	35	37	34	37	37	35	28	34	43
80 years and upwards,	9	3	7	5	12	4	5	9	7	9	6	8	9	5	7	7	8	11	6	9	7	6	6	7	7	9
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	1	.	.	.	1	.	.	.	.	.	1	.	1	1	1	.	1	.	1	.	.	2	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	2	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1	3	1	2	2	1	1	2	3	1	1
Diphtheria,	2	1	.	1	1	1	.	.	.	.	.	2	.	.	1	1	.	.	1	1	.	2	2	2	.	1
Pyrexia † (origin uncertain),	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.
Enteric Fever,	.	.	1	2	2	4	1	2	2	2	1	4	.	2	2	.	.	2	2	1	4	3	3	.	.	.
Diarrhœal Diseases,	25	24	20	25	19	12	10	10	9	1	4	1	3	4	4	2	3	5	2	1	1	2	1	1	1	3
Pneumonia,	3	4	2	9	9	3	5	5	17	10	9	6	10	18	13	14	15	10	10	8	11	11	12	15	12	16
Tuberculous Disease. Phthisis,	16	22	23	10	21	12	15	25	23	25	17	18	21	24	21	26	20	18	24	9	27	19	21	14	23	21
Tuberculous Disease. Other Forms,	12	9	15	10	6	12	12	11	10	17	13	7	4	9	6	12	7	10	4	15	4	1	12	16	5	6
Cancer, Malignant Disease,	10	8	5	11	10	6	4	5	5	11	7	10	8	7	6	5	10	8	6	11	5	6	7	5	12	6
Diseases of Heart and Blood Vessels,	24	19	23	22	35	24	16	18	27	18	23	29	19	29	21	23	24	25	26	21	26	30	28	21	24	33
Diseases of Respiratory System,	8	7	10	18	14	18	7	6	18	13	17	18	17	42	26	26	34	33	22	16	25	20	26	28	22	18
Violent Deaths,	5	2	3	8	3	4	4	4	7	2	5	8	6	3	2	3	3	3	2	2	4	6	4	3	7	8
Number of Uncertified Deaths,	7	7	4	1	4	6	8	5	4	5	3	5	6	4	9	7	9	4	5	9	8	6	4	5	6	6
Mean Temperature of the Air (Phœnix Park),	57·7	57·3	58·2	54·7	55·7	58·3	51·1	51·3	49·4	48·3	49·6	40·0	41·1	42·7	43·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1
Average Mean Temperature in corresponding week of previous 10 years	59·2	56·9	58·2	57·5	56·4	55·7	55·4	54·3‡	53·5	51·3	48·6	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6
Rainfall in inches,	1·105	·555	·135	3·980	·990	·515	·150	·015	·325	·775	·035	·100	·295	1·190	·250	1·485	·820	·645	·128	·035	·285	·770	·860	·855	1·605	·230
Mean Humidity of the Air, complete Saturation, 1·0,	·85	·82	·83	·87	·91	·83	·84	·86	·87	·87	·91	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th January, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 27TH JANUARY, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	22·2	160	37	18	21	27	43	9	.	.	.	.	1	1	.	.	3	5	16	21	6	6	5	18	8	75	6
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	38·9	13	1	.	.	2	7	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	11	.
II.	MIDDLE CLASS,	87,186	13·2	22	2	3	5	7	5	.	.	.	.	.	.	.	.	.	.	.	1	6	.	1	.	1	.	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	16·1	34	9	3	6	3	12	1	.	.	.	.	1	.	.	.	.	1	6	3	3	.	2	3	2	14	1
IV.	GENERAL SERVICE CLASS,	154,279	29·6	61	23	7	8	12	9	2	.	.	.	.	.	1	.	.	3	4	7	6	3	2	3	6	6	24	5
V.	INMATES OF WORKHOUSES,	6,024		30	2	.	2	13	10	3	.	.	.	.	.	.	.	.	.	.	1	6	.	2	.	8	.	13	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	66·9	10	1	.	.	2	5	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	8	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	18·7	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	4·7	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants,	30,432	17·1	10	1	1	2	4	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	7	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	13·5	7	.	1	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	.	3	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	1	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	2	.
	9. Building and Furnishing Trades,	29,801	14·0	8	4	1	.	.	3	.	.	.	.	.	1	.	.	.	.	1	2	.	.	.	2	.	1	2	1
	10. Clothing Trades,	28,260	9·0	4	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.
	11. Food Supply Trades,	9,242	22·6	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	12. Other Trades and Callings ranking with Trades,	30,352	15·5	9	1	.	4	1	3	.	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	4	.
	13. Petty Shopkeepers,	7,894	26·4	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	3	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	3	1
	15. Domestic Servants,	36,603	5·7	4	.	1	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	6	1	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	3	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	26·1	45	19	4	5	10	6	1	.	.	.	.	.	1	.	.	3	4	5	4	2	1	2	5	6	16	3
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	30	2	.	2	13	10	3	.	.	.	.	.	.	.	.	.	.	1	6	.	2	.	8	.	13	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1905-6 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of). COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1906 (Est.) 28,882.	Dec. 9,	16·6	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	„ 16,	20·2	.	11	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	1
	„ 23,	16·6	3·7	9	.	.	.	.	.	.	.	2	.	.	2	.	.	1	.	1
	„ 30,	25·8	3·7	14	.	.	.	.	1	.	.	.	1	1	2	.	1	1	1	3
	Jan 6,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	.	.	2	.	3	.	.
	„ 13,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	3	2	.	.	.	1	.
	„ 20,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	.	1	.	2	2	.	1
	„ 27,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1906 (Est.) 39,146.	Dec. 9,	21·3	2·7	16	.	.	.	.	.	.	.	1	1	.	1	1	1	3	.	1
	„ 16,	32·0	.	24	.	.	.	.	.	.	.	.	.	3	.	1	.	6	.	3
	„ 23,	25·8	1·3	19	.	.	1	.	.	.	.	.	.	.	5	1	.	2	.	2
	„ 30,	17·3	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.
	Jan. 6,	25·8	.	19	.	.	.	.	.	.	.	.	.	1	4	3	2	3	.	1
	„ 13,	20·0	1·3	15	.	.	.	.	.	1	.	.	.	3	.	.	1	2	1	.
	„ 20,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.	1	4	2	.
	„ 27,	26·6	1·3	20	.	.	.	.	.	1	.	.	.	4	3	.	1	1	2	.
North City, No. 2. (Office, Lisburn-street.) Pop. in 1906 (Est.) 30,107.	Dec. 9,	31·2	.	18	.	.	.	.	.	.	.	.	.	1	3	.	1	1	.	1
	„ 16,	20·8	.	12	.	.	.	.	.	.	.	.	.	2	.	3	.	1	.	.
	„ 23,	27·7	.	16	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.
	„ 30,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	3	1	.
	Jan. 6,	22·5	.	13	.	.	.	.	.	.	.	.	.	.	2	1	.	1	1	1
	„ 13,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	2	3	.	4	.	.
	„ 20,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	4	.	1	1	1	.
	„ 27,	22·5	3·5	13	.	.	.	.	.	.	.	.	2	1	.	.	.	1	2	.
North City, No. 3. (Office, Benburb-street.) Pop. in 1906 (Est.) 31,678.	Dec. 9,	23·0	1·6	14	.	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.
	„ 16,	11·5	3·3	7	.	.	.	.	.	.	1	1	.	.	.	2	.	1	.	.
	„ 23,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	1
	„ 30,	24·7	4·9	15	.	.	.	.	.	.	1	2	.	.	4	.	.	1	1	.
	Jan. 6,	24·7	.	15	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	„ 13,	16·5	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.
	„ 20,	21·4	1·6	13	.	.	1	.	.	.	.	.	.	1	4	1	1	2	.	.
	„ 27,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
South City, No. 1. (Office, South Earl-street.) Pop. in 1906 (Est.) 38,884.	Dec. 9,	16·3	1·4	12	.	.	1	.	.	.	.	.	.	.	.	1	.	2	.	1
	„ 16,	20·4	2·7	15	.	.	.	.	2	.	.	.	.	.	1	3	1	.	.	1
	„ 23,	17·7	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	.
	„ 30,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	3	1	1	2	1	1
	Jan. 6,	17·7	1·4	13	.	.	.	.	.	1	.	.	.	2	2	1	.	1	.	.
	„ 13,	43·5	2·7	32	.	.	2	.	.	.	.	.	.	1	4	3	.	8	.	.
	„ 20,	29·9	.	22	.	.	.	.	.	.	.	.	.	.	5	1	.	5	.	1
	„ 27,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	.	2	1	.	3	.	1
South City, No. 2. (Office, Castle-street.) Pop. in 1906 (Est.) 18,286.	Dec. 9,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.
	„ 16,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	„ 23,	42·8	.	15	.	.	.	.	.	.	.	.	.	.	2	.	1	7	.	.
	„ 30,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.
	Jan. 6,	31·4	2·9	11	.	.	.	.	.	.	.	.	1	2	2	1	.	1	.	.
	„ 13,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	„ 20,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.
South City, No. 3. (Office, Peter-street.) Pop. in 1906 (Est.) 41,940.	Dec. 9,	33·6	2·5	27	.	.	.	.	.	.	1	.	1	.	4	.	1	9	.	.
	„ 16,	19·9	.	16	.	.	.	.	.	.	.	.	.	1	.	3	1	5	.	1
	„ 23,	31·1	.	25	.	.	.	.	.	.	.	.	.	2	4	2	1	3	2	.
	„ 30,	21·1	.	17	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	2
	Jan. 6.	28·6	.	23	.	.	.	.	.	.	.	.	.	1	1	2	2	4	1	.
	„ 13,	28·6	1·2	19	.	.	.	.	1	.	.	.	.	2	1	2	.	2	.	2
	„ 20,	27·4	.	22	.	.	.	.	.	.	.	.	.	3	.	2	2	2	1	.
	„ 27,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	3	2	2	2	1	.	1
South City, No. 4. (Office, Grand Canal-street.) Pop. in 1906 (Est.) 35,138.	Dec. 9,	29·7	.	20	.	.	.	.	.	.	.	.	.	2	6	.	.	1	1	2
	„ 16,	17·8	.	12	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 23,	16·3	1·5	11	.	.	.	.	1	.	.	.	.	1	2	.	.	1	.	.
	„ 30,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.	.
	Jan. 6,	28·7	1·5	16	.	.	.	.	.	.	.	1	.	3	3	.	.	4	1	.
	„ 13,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	4	.	3	.	1
	„ 20,	14·3	.	10	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.
	„ 27,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	1	.	2	1	2	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1905-6 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,308.	Dec. 9,	18·8	1·6	12	.	.	.	.	1	.	.	.	.	2	2	.	.	2	.	.
	„ 16,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	1	.	5	.	1	1
	„ 23,	25·1	1·6	16	.	.	.	.	.	.	.	1	.	.	3	.	1	1	1	2
	„ 30,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	.
	Jan. 6,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.
	„ 13,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1
	„ 20,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1
	„ 27,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	1
Pembroke Urban District. Pop. in 1906 (Est.) 76,025	Dec. 9,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 16,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.
	„ 23,	8·0	2·0	4	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
	„ 30,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	Jan. 6,	20·0	4·0	10	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	1
	„ 13,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.
	„ 20,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 27,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Dec. 9,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 16,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.
	„ 23,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
	„ 30,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	Jan. 6,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 13,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1
	„ 20,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	„ 27,	32·5	.	11	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
Belfast. Pop. in 1906 (Est.) 358,680.	Dec. 9,	21·5	1·0	148	.	.	.	1	1	.	.	3	2	18	17	—	—	34	3	—
	„ 16,	18·5	1·0	127	.	1	2	.	3	.	.	1	.	14	18	—	—	24	2	—
	„ 23,	21·2	1·6	146	.	2	3	.	1	1	.	2	2	18	21	—	—	31	4	—
	„ 30,	18·0	0·4	124	.	.	.	.	.	.	.	2	1	14	17	—	—	23	5	—
	Jan. 6,	21·4	1·0	147	.	.	.	.	1	1	.	2	3	15	15	10	3	20	6	6
	„ 13,	19·3	1·3	133	.	.	.	.	2	1	1	3	2	12	17	4	5	19	1	2
	„ 20,	19·6	1·3	135	.	.	2	1	1	.	2	1	2	8	17	3	5	12	4	4
	„ 27,	23·3	1·3	160	.	.	1	.	3	.	.	2	3	11	22	8	7	20	1	4
Cork. Pop. (in 1901) 76,122.	Dec. 9,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	.	4	—	—	5	1	—
	„ 16,	23·3	.	34	.	.	.	.	.	.	.	.	.	3	9	—	—	5	.	—
	„ 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	2	2	—	—	3	.	—
	„ 30,	20·5	2·1	30	.	.	.	.	.	.	.	1	2	1	3	—	—	5	.	—
	Jan. 6,	14·4	0·7	21	.	.	.	.	.	.	.	.	1	1	2	2	2	3	1	.
	„ 13,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	3	2	3	2	.	1
	„ 20,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	1	7	1	1	1	.	.
	„ 27,	21·2	2·1	31	.	.	.	.	.	.	.	.	3	.	6	1	1	3	1	.
Londonderry. Pop. in 1906 (Est.) 42,067.	Dec. 9,	17·4	1·2	14	.	.	.	.	1	.	.	.	.	1	.	—	—	2	1	—
	„ 16,	8·7	1·2	7	.	.	.	.	1	.	.	.	.	.	.	—	—	2	.	—
	„ 23,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	.	—	—	3	1	—
	„ 30,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	1	—	—	1	.	—
	Jan. 6,	19·8	1·2	16	.	.	.	.	1	.	.	.	.	.	2	1	.	5	1	1
	„ 13,	8·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.
	„ 20,	13·6	2·5	11	.	.	.	.	2	.	.	.	.	1	1	.	.	1	.	.
	„ 27,	17·4	.	14	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
Limerick. Pop. (in 1901) 38,151.	Dec. 9,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	.	—	—	3	.	—
	„ 16,	24·6	1·4	18	.	.	.	.	.	.	.	.	1	.	3	—	—	1	.	—
	„ 23,	20·5	1·4	15	.	.	.	.	.	1	.	.	.	.	3	—	—	2	.	—
	„ 30,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	1	—	—	5	.	—
	Jan. 6,	17·8	1·4	13	.	.	1	.	.	.	.	.	.	.	3	2	1	6	.	3
	„ 13,	30·1	.	22	.	.	.	.	.	.	.	.	.	1	4	.	1	2	.	2
	„ 20,	23·2	1·4	17	.	.	.	.	.	.	.	1	.	.	1	.	1	7	.	2
	„ 27,	16·4	1·4	12	.	.	.	.	.	1	.	.	.	.	.	1	.	3	.	1
Waterford. Pop. (in 1901) 26,769.	Dec. 9,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	.	2	—	—	2	.	—
	„ 16,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	—	—	1	.	—
	„ 23,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	—	—	1	.	—
	„ 30,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	1	—	—	.	.	—
	Jan. 6,	31·2	1·9	16	.	.	.	.	1	.	.	.	.	1	2	.	.	1	4	3
	„ 13,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 20,	11·7	1·9	6	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	.
	„ 27,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.

* Formerly described as "Simple Continued Fever."

NOTE.—The Figures for other forms of tuberculous disease, cancer, malignant disease and uncertified deaths, in Belfast, Cork, Londonderry, Limerick, and Waterford, are not available for the four weeks ending with 30th December, 1905.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th January, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,784	8	21·2	.	6	2	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	2	.
Do. 2 ,, .	47,959	35	21·7	.	20	3	3	8	6	.	.	.	.	.	.	.	.	.	.	4	2	.	3	.	.	3	.
Do. 3 ,, .	47,214	30	21·0	3·3	19	5	4	6	4	.	.	.	.	1	.	.	.	2	3	2	.	1	2	.	.	2	.
Do. 4 ,, .	40,911	43	29·3	1·3	23	6	2	9	6	.	.	.	.	.	.	.	1	.	1	3	1	1	3	.	.	8	2
Do. 5 ,, .	17,387	12	39·0	6·0	13	2	3	7	1	.	.	.	.	2	.	.	.	.	1	3	.	1	1	.	1	2	.
Do 6 ,, .	48,122	17	21·7	.	20	3	2	11	4	.	.	.	.	.	.	.	.	.	3	3	.	2	1	.	.	5	.
Do 7 ,, .	1,524	.	—	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,, .	19,569	12	24·0	2·7	9	2	2	4	1	.	.	1	.	.	.	.	.	.	.	.	3	.	.	.	1	2	.
Do. 10 ,, .	23,064	18	22·6	.	10	2	2	5	1	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.	3	.
Do. 11 ,, .	34,802	22	16·5	1·5	11	2	1	5	3	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	2	.
Do. 12 ,, .	33,588	29	37·3	1·6	24	4	2	12	6	.	.	.	.	.	.	.	1	.	2	3	1	2	6	.	.	2	2
Do. 13 ,, .	15,006	9	13·9	.	4	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 ,, .	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	236	23·9	1·3	160	31	22	71	36	.	.	1	.	3	.	.	2	3	11	22	8	7	20	1	4	31	4
City of Cork.																											
CORK URBAN No. 1 DISTRICT. .	12,867	3	16·2	.	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
Do. 2 ,, . .	10,701	10	19·5	4·9	4	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.
Do. 3 ,, . .	9,978	2	20·9	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.
Do. 4 ,, . .	8,666	2	4 ·1	.	7	.	.	6	1	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	3	.
Do. 5 ,, . .	6,592	7	15·8	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
Do. 6 ,, . .	10,702	7	19·5	4·9	4	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 7 ,, . .	16,616	13	18·8	3·1	6	1	.	4	1	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	1	4	.
Total, ...	76,122	44	21·2	2·1	31	4	3	18	6	.	.	.	.	.	.	.	.	3	.	6	1	1	3	1	2	13	.

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905-6—Week ending																									
	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept 16.	Sept. 23	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.
No. of weeks in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered,	246	195	209	200	208	235	209	216	207	193	210	209	204	234	205	199	200	205	199	194	158	189	224	193	196	236
DEATHS registered,	152	130	125	136	105	109	114	94	109	116	122	130	153	130	141	150	138	140	148	1[illegible]6	146	124	147	133	135	160
Annual Death-rate per 1,000 of estimated Population,	22·1	18·9	18·2	19·8	15·3	15·8	16·6	13·7	15·8	16·9	17·7	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18.3	21·2	18·0	21·4	19·3	19·6	23 3
AGES, Under 1 year,	63	44	43	47	26	28	25	19	23	31	28	35	35	30	36	38	28	27	21	23	31	26	34	21	30	31
AGES, 1-5 years,	16	15	10	9	11	5	16	9	9	8	12	14	19	14	17	15	19	11	13	15	18	19	16	15	16	22
AGES, 5-60 years,	53	43	51	60	50	56	48	50	62	58	48	62	68	55	53	60	65	64	72	58	69	56	61	60	62	71
AGES, 60 years and upwards,	20	28	21	20	18	20	25	16	16	24	34	29	36	31	35	37	26	38	37	30	28	23	36	37	27	36
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.
Scarlet Fever,	1	.	1	.	.	.	1	.	.	.	.	1	3	1	.	1	1	1	.	2	3	.	.	.	2	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Whooping-cough,	.	1	1	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	1	3	1	.	1	2	1	3
Diphtheria,	.	.	.	.	1	2	.	1	.	1	.	.	2	.	1	1	.	1	.	.	1	.	1	1	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.
Enteric Fever,	8	3	2	3	1	1	5	4	6	.	5	1	.	2	3	3	3	4	3	1	2	2	2	3	1	2
Diarrhœal Diseases,	36	28	29	22	8	10	11	1	3	5	4	2	1	3	3	1	2	.	2	.	2	1	3	2	2	3
Pneumonia,	3	3	4	2	2	12	10	12	4	13	6	12	9	13	16	14	18	15	18	14	18	14	15	12	8	11
Tuberculous Disease, Phthisis,	18	19	15	19	19	16	18	14	10	14	13	17	25	19	22	22	16	26	17	17	21	17	15	17	17	22
Tuberculous Disease, Other Forms,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4	3	8
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	5	7
Diseases of Respiratory System,	6	10	6	15	5	5	5	4	11	15	17	14	21	31	28	31	28	29	34	23	31	23	20	19	12	20
Violent Deaths,	1	3	3	8	1	2	1	3	2	2	3	7	4	4	3	4	9	3	3	2	4	5	6	1	4	1
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	4	4

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the twenty-two weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Deaths. Exclusive of Stillborn.		Annual Death-rate per 1,000 living.	Deaths from						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	Jan. 27,	2,451	1,382	15·3	.	44	10	22	37	3	19
EDINBURGH,	341,035	„ 27,	152	133	20·3	.	1	.	2	1	.	1
GLASGOW,	835,625	„ 27,	466	296	18·5	.	25	1	8	4	2	7
CALCUTTA,	847,796	Dec. 9,	.	649	39·8	7	1	.	.	4	168‡	158*
BOMBAY,	776,006	„ 26,	536	688	46·1	6	3	.	.	.	80‡	87
MADRAS,	509,316	„ 8,	394	556	56·7	3	10	?	?	?	134	144*
PARIS,	2,660,559	Jan. 13,	987	982	19·1	1	18	1	5†	2	4	18
BRUSSELS (with 8 Faubourgs).	598,467	„ 6,	243	193	16·8	.	1	1	3†	6	1	4
ANTWERP,	301,647	„ 6,	125	98	16·9	.	.	.	1†	.	1	7
AMSTERDAM,§	557,614	„ 6,	206	155	16·9	.	5	1	1†	3	2	4
COPENHAGEN,	426,000	„ 6,	226	113	13·8	.	.	.	.	4	.	4
STOCKHOLM,	318,398	Dec. 30,	154	98	16·0	.	.	3	2†	.	.	4
CHRISTIANIA,	222,373	Jan. 13,	124	51	11·9	.	.	.	4†	1	1	.
ST. PETERSBURG,	1,391,000	„ 13,	.	707	26·5	3	26	14	18	8	31	77
MOSCOW,	1,092,360	Dec. 9,	.	513	24·5	2	3	7	11†	2	16	59
BERLIN,	2,038,722	„ 23,	944	626	16·0	.	6	8	4†	18	.	37
HAMBURG,	772,852	„ 30,	.	265	17·8	.	1	.	1†	10	.	22
BRESLAU,	471,857	Jan. 13,	.	190	21·0	.	.	.	2†	4	.	5
MUNICH,	540,000	„ 13,	.	185	17·8	.	1	2	5†	2	.	14
VIENNA (with suburbs).	1,917,639	„ 13,	843	675	18·3	.	4	2	14†	4	2	31
BUDA-PESTH,	859,134	„ 13,	408	321	19·5	.	8	3	1†	2	1	16
PRAGUE and Faubourgs.	455,241	„ 6,	191	169	19·3	.	3	.	.	1	1	12
TRIESTE,§	194,749	„ 6,	109	102	31·9	.	1	1	2†	.	.	.
ROME,	516,580	Oct. 28,	193	214	21·6	.	.	.	2†	.	17	14
VENICE,	169,417	Dec. 30,	78	89	27·4	.	.	.	.	1	2	3
NEW YORK,	4,024,780	„ 30,	2,217	1,391	18·0	.	12	6	38†	5	8	44
PHILADELPHIA,	1,433,318	„ 23,	.	524	18·9	.	6	.	15†	4	14	11
BOSTON,	595,380	„ 30,	.	213	18·7	.	4	2	2	.	.	.

* Including 83 deaths from cholera in Calcutta, and 8 in Madras.
† Including deaths from croup.
‡ Exclusive of 27 deaths from plague in Calcutta, and 9 in Bombay.
§ The figures are for 6 days.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th January, 1906.

DISTRICTS.	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	2	.	.	.	.	.	.	3	.	.	5
" " 2,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
" " 3,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	2	.	.	.	.	.	.	.	.	.	2
South City No. 1,	.	.	.	2	.	.	.	.	.	1	7	.	.	10
" " 2,	.	.	.	.	.	.	.	.	.	.	2	.	.	2
" " 3,	.	.	.	.	.	.	1	.	.	1	3	.	.	5
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	6	.	.	2	.	.	3	16	.	.	27

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th January, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th January.			
	Jan. 6.	Jan. 13.	Jan. 20.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	4	12	15	2	5	.	12
Scarlet Fever,	50	49	47	6	7	.	46*
Typhus,	2	2	2	1	.	.	3
Diphtheria,	37	36	37	4	4	1	36
Enteric Fever,	24	23	24	3	5	.	22
Pneumonia,	22	24	19	6	9	1	15

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 27th January, 1906 :—

"The weather of this week was generally favourable—drier than of late, cold at first, afterwards very mild. During the early hours of Sunday a shallow atmospheric depression passed down the North Sea in a south-easterly direction, its centre reaching the Helder at 8 a.m. Northerly winds blew over the British Isles, but temperature remained tolerably high till nightfall when it gave way briskly. By 8 a.m. of Monday an anticyclone had become central over Ireland, where the barometer stood uniformly high at about 30·6 inches. Owing to calm, smoke-fog formed over Dublin interfering with effective sunshine and keeping the temperature low—the highest in the daytime on Monday was 40·0°. Sharp frost occurred at night; but it proved transitory, for with the passing of the anticyclone towards S.E., a S.W. air-current set in over Ireland, clouds increased, and the thermometer rose. On the Continent, however, the frost stiffened, and very low temperatures prevailed over France and Germany on Wednesday and Thursday. At 8 a.m. of the latter day the thermic gradient was both steep and interesting—Munich reported 8°; Bodö (in Norway, some 30 degrees further N.), 40°; Paris, 19°; London, 45°. At this time, the barometer ranged from 28·90 inches on the West Coast of Norway, to 30·43 inches at Biarritz. On Friday the mild weather spread to the Continent and became more marked in the British Isles. Saturday was springlike, breezy, and at times bright—at 8 a.m. the barometer was down to 28·18 inches at Bodö. In Dublin the mean height of the barometer was 30·213 inches, pressure ranging between 30·636 inches at 9 p.m. of Monday (wind, W.), and 29·800 inches at 9 a.m. of Thursday (wind also W.). The corrected mean temperature was 45·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·1°. The screened thermometers fell to 29·0° on Tuesday and rose to 54·0° on Saturday. The dominant winds were W. and S.W. The rainfall was ·188 inch on 2 days, ·180 inch being measured on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·224 inches. The highest reading (30·642) was on Monday at 9 p.m., air calm, and the lowest (29·794) on Thursday at 9 a.m., wind W.

The mean temperature for the week was 43·1°, being 1·5° over the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Saturday, on which day the thermometer registered 53·6°, and was lowest on Tuesday, the mercury having fallen to 25·1°. The mean of the Dry Bulb for the week was 42·6°, and of the Wet Bulb 41·1°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 17·6 hours. The rainfall during the week measured ·230 inch.

At Greenwich the mean temperature for the week was 40·4°, the maximum 52·3°, and the minimum 25·8°; at Glasgow the maximum was 51·8°, the minimum, 26·8°, and the mean 42·4°; and at Edinburgh the maximum was 50·0°; the minimum 30·0°; and the mean 41·9°. The rainfall at Glasgow measured 0·75 in.; and at Edinburgh 0·15 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 21,	30·430	47·2	35·9	41·6	41·6	39·9	·87	·4	5·6	—	N.W.	N.
Monday, „ 22,	30·640	45·5	27·0	36·3	28·9	23·6	·94	·1	6·3	—	Calm.	Calm.
Tuesday, „ 23,	30·586	41·8	25·1	33·5	37·3	35·9	·84	·3	0·0	—	Calm.	S.W.
Wednesday, „ 24,	30·070	50·1	39·8	45·0	47·1	45·0	·85	·4	1·3	·205	S.W.	S.W.
Thursday, „ 25,	29·813	50·4	43·1	46·8	45·7	44·6	·92	·3	0·4	·015	W.	W.
Friday, „ 26,	30·015	49·7	46·8	48·3	48·3	46·6	·88	·8	0·1	—	W.	W.
Saturday, „ 27,	30·016	53·6	47·1	50·4	49·4	46·9	·84	·3	3·9	·010	S.W.	S.W.
Mean . .	30·224	48·3	37·8	43·1	42·6	41·1	·88	·4	Total 17·6	Total ·230	Prevailing Wind. S.W.	

Sunday—A fine day; night cloudy. *Monday*—A fine bright day; night sky clear, foggy p.m., overcast a.m. *Tuesday*—Day overcast, fine; night overcast p.m., cloudy a.m. *Wednesday*—Day fine but cloudy; night overcast, rain 10.30 p.m. to 5 a.m. *Thursday*—Day cloudy; night overcast, light rain 8 p.m. to 11.30 p.m. *Friday*—Day fine but dull; night cloudy. *Saturday*—A fine day; night cloudy, light shower 5 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 27th, 1906.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Jan. 21,	44·7	39·6	43·8	48·5	42·3	45·4	4·4	—
Monday, „ 22,	33·9	39·7	43·7	43·6	32·9	38·3	0·1*	·001
Tuesday, „ 23,	38·7	38·2	43·7	43·1	28·9	36·0	—	·001
Wednesday, „ 24,	45·9	39·0	43·5	51·1	41·9	46·5	1·0	·187
Thursday, „ 25,	45·0	41·3	43·3	52·0	44·5	48·3	—	·002
Friday, „ 26,	49·6	42·9	43·3	51·1	47·9	49·5	0·1	·001
Saturday, „ 27,	51·2	44·0	43·6	54·8	47·9	51·4	5·4	—
Weekly Mean.	44·1	40·7	43·6	49·2	40·9	45·1	Total 11·0	Total ·192

* Smoke fog over the City, Monday 22nd.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 374. 12. 1905.—12203.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 3RD FEBRUARY, 1906. [No. 5.

General Register Office, Charlemont House, Dublin, 5th February, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Jan. 13.	Week ending Jan. 20.	Week ending Jan. 27.	Week ending Feb. 3.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 13.	Week ending Jan. 20.	Week ending Jan. 27.	Week ending Feb. 3.	Average Rate for 4 weeks.
22 Town Dists.	20·0	19·3	21·5	21·8	20·7	Lisburn, . .	9·1	27·3	27·3	18·2	20·5
Armagh, . .	.	13·7	13·7	13·7	10·3	Londonderry, .	8·7	13·6	17·4	17·4	14·3
Ballymena, .	14·4	9·6	19·2	4·8	12·0	Lurgan, . .	13·3	22·1	17·7	17·7	17·7
Belfast, . .	19·3	19·6	23·3	20·2	20·6	Newry, . .	33·6	16·8	33·6	25·2	27·3
Clonmel, . .	15·4	20·5	30·8	20·5	21·8	Newtownards, .	28·6	22·9	45·8	68·7	41·5
Cork, . . .	13·7	18·5	21·2	15·1	17·1	Portadown,	15·5	15·5	25·8	20·7	19·4
Drogheda, . .	49·0	12·3	12·3	24·5	24·5	Queenstown .	19·8	6·6	.	26·4	13·2
Dublin Reg. Area,	21·7	20·1	21·2	24·4	21·8	Sligo, . . .	28·8	4·8	9·6	24·0	16·8
Dundalk, . .	43·9	31·9	16·0	27·9	29·9	Tralee, . .	5·3	31·7	10·6	15·9	15·9
Galway, . .	15·5	15·5	23·3	35·0	22·3	Waterford, .	13·6	11·7	13·6	11·7	12·7
Kilkenny, . .	24·6	9·8	29·5	19·7	20·9	Wexford, . .	18·7	32·7	37·4	28·0	29·2
Limerick, . .	30·1	23·2	16·4	24·6	23·6						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in sixteen of the districts to 28·6 in Newtownards, the 12 deaths from all causes in that district including 4 from measles and one from whooping-cough. Among the 139 deaths from all causes in Belfast are one from scarlet fever, one from whooping-cough, 2 from enteric fever, and 2 from diarrhœal diseases; and the 7 deaths from all causes in Dundalk include 3 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 283—148 boys and 135 girls; and the deaths to 187—91 males and 96 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·7 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 24·4 per 1,000. During the five weeks ending with Saturday last the death-rate averaged 23·0, and was 6·4 below the mean rate for the corresponding portions of the ten years 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

The deaths (187) included one from scarlet fever, 2 from whooping-cough, one from diphtheria, one from enteric fever, and one death from *diarrhœa.* In each of the 3 weeks preceding, deaths from scarlet fever were 2, one, and 0; from whooping-cough were 3, one, and one; from diphtheria were 2, 0, and one; and from diarrhœal diseases the deaths were one, one, and 3.

There were 11 deaths from broncho-pneumonia and 8 deaths from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease, which were 30, 28, and 27 in each of the 3 preceding weeks, rose to 38 in the period under notice; this latter figure includes 12 deaths from tuberculous phthisis, 17 deaths from *phthisis,* 2 deaths from tuberculous meningitis, 6 deaths from other forms of tuberculous disease, and one death from *scrofula.*

There were 4 deaths from carcinoma and 4 deaths from cancer (undefined).

The deaths of 6 infants were due to prematurity.

The 14 deaths from diseases of the brain and nervous system include the deaths of 7 infants under one year of age from *convulsions.*

Diseases of the heart and blood vessels accounted for the deaths of 31 persons.

There were 24 deaths from bronchitis.

Four deaths were attributed to accidental causes; of these one was of a child under 5 years of age from burning. One death of an infant was assigned to homicide.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under one year of age and the deaths of 4 persons aged 60 years and upwards.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 11 were under one month old) and 65 were aged 60 years and upwards, including 30 persons aged 70 and upwards, of whom 10 were octogenarians, and 3 (females) were stated to have been aged 90, 92, and 95 years, respectively.

Eighty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse and 25 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·4 per 1,000; the rate in the City was 24·9 (North City Districts, 28·7; South, 20·8), and in the Suburbs, 22·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·7 per 1,000 inhabitants, the rate for the City being 0·5 (0·7 in the North City Districts, and 0·4 in the South), and for the Suburbs, 1·2.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000, and include one from whooping-cough, one from *pneumonia* (not defined), 5 from tuberculous disease of the lungs, one from bronchitis, and one from accident.

No. 1 *North City District, West* (Summer-hill).—The deaths (25) are equal to an annual rate of 33·3 per 1,000, and include 2 from broncho-pneumonia, 3 from *pneumonia* (not defined), 3 from tuberculous disease, and 6 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·9 per 1,000, and include one from *diarrhœa,* one from broncho-pneumonia, one from *pneumonia* (not defined), 9 from tuberculous disease, one from bronchitis, and one death from accident.

No. 3 *North City District* (Benburb-street).—The deaths (11) represent an annual rate of 18·1 per 1,000, and include one from broncho-pneumonia, 2 from tuberculous disease of the lungs, one from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 31·2; and Finglas and Glasnevin, part of, 46·9. Of the 6 deaths from all causes for Coolock and Drumcondra, No. 1 (part of), one was from broncho-pneumonia and 2 were from bronchitis; and the 6 deaths from all causes for Finglas and Glasnevin (part of) include one from *phthisis* and one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (16) represent an annual rate of 21·7 per 1,000, and include one from broncho-pneumonia, 3 from tuberculous disease, one from bronchitis, and and one infanticide.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1,000, and include one death from *phthisis* and 3 deaths from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 27·4 per 1,000, and include one death from whooping-cough, 3 from broncho-pneumonia, 6 from tuberculous disease, and 4 from bronchitis.

No. 4 *South City District* (Grand Canal-street).—The deaths (9) are equivalent to an annual rate of 13·4 per 1,000, and include one death from broncho-pneumonia, 2 deaths from *pneumonia* (not defined), and one death from *phthisis.*

New Kilmainham District.—The one death recorded is equal to an annual rate of 5·9 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8; Pembroke, 30·1; Blackrock, 11·9; and Kingstown, 23·7. The deaths from the principal epidemic diseases recorded for these districts comprise one from enteric fever for Rathmines and Rathgar, and one from diphtheria for Pembroke. The 12 deaths from all causes for Rathmines and Rathgar include 3 from tuberculous disease of the lungs and 4 from diseases of the heart and blood vessels; and the 15 deaths from all causes for Pembroke include one from *pneumonia* (not defined), 3 from tuberculous disease of the lungs, and 2 from bronchitis.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 3rd February, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 13,	.	—	—	4	.	.	4	.	.	3	10	1	—	—	—	—	—	22
	Jan. 20,	.	—	—	7	.	.	5	.	3	7	19	.	—	—	—	—	—	41
	Jan. 27,	.	—	—	6	.	.	2	.	.	3	16	.	—	—	—	—	—	27
	Feb. 3,	.	—	—	6	.	.	3	1	3	7	11	.	—	—	—	—	—	31
Rathmines and Rathgar Urban District.	Jan. 13,	.	—	—	1	.	.	.	.	.	2	1	.	—	—	—	—	—	4
	Jan. 20,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	—	3
	Jan. 27,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Feb. 3,	.	—	—	1	.	.	.	.	.	3	1	.	—	—	—	—	—	5
Pembroke Urban District.	Jan. 13,	.	.	.	1	.	.	.	.	.	.	.	.	—	.	.	—	—	1
	Jan. 20,	.	.	1	.	.	.	1	.	.	.	.	.	—	3	.	—	—	5
	Jan. 27,	.	.	.	.	.	.	1	.	.	.	1	.	—	1	.	—	—	3
	Feb. 3,	.	1	.	2	.	.	1	.	.	.	.	.	—	2	.	—	—	6
Blackrock Urban District.	Jan. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Feb. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Jan. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 20,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Jan. 27,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	Feb. 3,	.	—	—	.	1*	.	.	.	.	.	.	.	—	—	—	—	—	1
City of Belfast.	Jan. 13,	.	—	—	35	1	.	5	.	16	25	10	.	—	—	—	—	—	92
	Jan. 20,	.	—	—	29	.	.	5	2	8	18	7	.	—	—	—	—	—	69
	Jan. 27,	.	—	—	22	.	.	5	3	12	20	6	.	—	—	—	—	—	68
	Feb. 3,	.	—	—	33	1	.	6	3	9	12	3	2	—	—	—	—	—	69

* The patient, a Nurse (who contracted the disease in Sligo), was removed immediately to the Mater Misericordiæ Hospital.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd February, 1906.

From this it appears that:—

Twelve cases of measles remained under treatment at the close of the week.

Ten cases of scarlet fever were admitted to hospital, 8 were discharged, there was one death, and 47* cases remained under treatment at the close of the week.

One case of typhus was discharged from hospital, and 2 cases of typhus remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 9 were discharged, and 34 patients remained under treatment at the close of the week.

Twelve cases of enteric fever were admitted to hospital, 7 were discharged, and 27 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, one was discharged, there were 2 deaths, and 21 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·8), was equal to an average annual death-rate of 15·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·5 per 1,000, the rate for Glasgow being 15·9, and for Edinburgh 16·7.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 3rd February, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 3rd February, 1906. Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia, b* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 3rd Feb., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th Jan., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th Jan., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	35·0	21·8	1·1	734	457	69	154	.	4	1	1	8	1	.	3	6	35	62	24	17	69	7	11	164	22	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	878,994	27·5	38·9	24·4	0·7	288	177	32	63	.	.	.	.	2	1	.	1	1	18	28	9	7	26	4	4	79	11	f53·3	34·7	44·3	0·18	f53·6	25·1	43·1	0·23	f49·7	28·9	38·5	1·61
City of Dublin,	293,385	37·1	45·1	24·9	0·5	254	140	28	46	.	.	.	.	2	.	.	.	1	17	22	9	5	22	4	4	64	10	g54·9 h54·5	36·7 35·0	45·9 45·4	0·12 0·15	g54·0 h54·3	29·0 26·2	45·1 44·0	0·19 0·24	g51·5 h49·9	31·9 29·0	40·6 39·3	1·46 1·57
Urban Dists. Rathmines and Rathgar.	33,208	19·4	17·3	18·8	1·6	11	12	1	5	.	.	.	.	.	.	.	1	.	.	3	.	.	1	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Pembroke,	26,025	16·4	24·0	30·1	2·0	12	15	1	5	.	.	.	.	.	1	.	.	.	1	3	.	2	3	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Blackrock,	8,759	8·1	6·0	11·9	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Kingstown,	17,622	12·1	14·8	23·7	.	5	8	2	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	54·5	41·5	46·5	0·15	54	30·5	45·5	0·15	51	32·5	40·0	1·29
Urban Districts.																																							
Belfast,	358,680	24·4	33·6	20·2	0·9	231	139	24	43	.	.	1	.	1	.	.	2	2	10	16	7	5	26	3	5	47	3	54·0	36·5	45·0	0·93	53·0	25·8	41·2	0·24	49·6	32·0	39·1	0·75
Cork,	76,122	33·6	22·6	15·1	.	33	22	1	8	.	.	.	.	.	.	.	.	.	1	4	3	1	.	.	1	9	.	51	40	46·7	0·04	52	33	44·7	0·18	51	34	42·3	1·30
Londonderry,	42,067	19·4	35·9	17·4	5·0	29	14	1	6	.	.	.	.	1	.	.	.	3	1	.	.	.	4	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	64·2	24·6	.	47	18	1	8	.	.	.	.	.	.	.	.	.	.	3	1	1	4	.	.	9	2	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	21·4	11·7	.	11	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	31·1	35·0	3·9	8	9	.	3	.	.	.	1	.	.	.	.	.	3	3	.	1	1	.	.	.	.	51	40	46·4	0·91	50	30	43	0·56	48	33	40·7	2·46
Dundalk,	18,076	2·4	35·9	27·9	12·0	9	7	2	1	.	.	.	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	32·7	24·5	.	8	6	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	12·6	25·2	.	3	6	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	50·3	34·9	.	0·82	51·7	29·0	41·7	0·14	48·2	30·5	37·3	1·08
Lurgan,	11,789	13·8	26·6	17·7	.	6	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	50·3	34·9	43·7	0·82	51·7	29·0	41·7	0·14	48·2	30·5	37·3	1·08
Lisburn,	11,461	10·1	40·9	18·2	.	9	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3	.	50·3	34·9	43·7	0·82	51·7	29·0	41·7	0·14	48·2	30·5	37·3	1·08
Wexford,	11,168	23·2	23·0	28·0	.	6	6	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	38·3	4·8	.	8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	19·2	24·0	.	4	5	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1	50·8	37·3	44·7	1·35	53·5	25·7	44·1	0·48	49·0	27·5	37·0	2·13
Kilkenny,	10,609	11·5	59·0	19·7	.	12	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	52	36	44·1	0·16	55	26	42·5	0·13	50	25	38·9	1·35
Clonmel,	10,167	7·8	5·1	20·5	.	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	20·7	20·7	.	4	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	50·3	34·9	43·7	0·82	51·7	29·0	41·7	0·14	48·2	30·5	37·3	1·08
Tralee,	9,867	16·6	15·9	15·9	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	34·3	68·7	28·6	6	12	5	3	.	4	.	.	1	.	.	.	.	.	.	.	.	2	.	1	2	1	51	37	43·8	0·53	53	32	43·1	0·09	49	33	39·8	0·80
Queenstown,	7,909	14·4	46·1	26·4	.	7	4	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	51	40	46·7	0·04	52	33	44·7	0·18	51	34	42·3	1·30
Armagh,	7,588	22·2	41·2	13·7	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	50·3	34·9	43·7	0·82	51·7	29·0	41·7	0·14	48·2	30·5	37·3	1·08

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 10 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 3rd of February, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diarrhœal Diseases,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Pneumonia,	1	5	2	1	.	1	.	1	.	3	3	.	.	1	.	.	18	1
Tuberculous Phthisis,	5	2	7	2	.	.	1	1	1	2	1	.	3	3	.	.	28	1
Tuberculous Other Forms.	.	1	2	.	.	.	.	2	.	4	.	.	.	.	.	.	9	.
Cancer, Malignant Disease,	.	.	.	.	.	1	1	.	1	1	1	.	.	2	.	.	7	1
Other General Diseases	1	1	1	1	.	.	.	2	1	.	.	.	.	1	.	3	11	1
Total,	8	9	13	4	.	2	2	6	3	11	5	.	4	8	.	3	78	5
B. LOCAL DISEASES:																		
Diseases of Nervous System	1	4	1	.	.	.	1	2	1	1	1	.	2	.	.	.	14	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	1	2	1	.	1	2	.	4	2	4	1	.	4	3	1	4	30	1
Diseases of Respiratory System,	2	6	2	1	.	2	1	1	3	4	.	.	1	3	.	.	26	1
Diseases of Digestive System,	1	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	4	2
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	.	2	.	.	1	1	.	1	.	.	1	.	.	.	7	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.
Accidents of Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	5	14	4	6	1	4	3	8	6	11	2	1	8	7	1	4	85	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	2	1	.	1	.	1	1	.	.	2	.	.	.	1	1	10	.
E. VIOLENT DEATHS,	1	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	4	1
Deaths from all Causes	14	25	19	11	2	6	6	16	9	22	9	1	12	15	2	3	177	10
Annual Rate of Mortality from all causes in every 1,000 of the population	25·8	33·3	32·9	18·1	21·7	31·2	46·9	21·7	25·7	27·4	18·4	5·9	18·8	30·1	11·9	23·7	24·4	.
	28·7							20·8					22·5					
	24·9																	
Deaths of Infants under 1 year of age,	2	5	6	1	.	1	1	4	2	3	2	1	1	1	.	2	32	.
Deaths of Persons aged 60 years and upwards,	3	11	2	4	2	3	1	8	3	6	3	.	5	5	2	5	63	2
Number of Uncertified Deaths,	.	3	1	1	1	1	1	.	1	1	.	.	.	.	.	1	11	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	5	2	1	.	1	3	1	1	5	3	.	7	4	.	.	35	8
Workhouse Hospitals,	1	8	4	6	.	.	.	8	4	8	1	.	1	3	.	.	44	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registere week of the ten years, 1896-1

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 5th Week of the 10 years 1896-1905.	In the Week ending Saturday 3rd February, 1906. Deaths of Persons of the Ages							
	Feb. 1, 1896.	Feb. 6, 1897.	Feb. 5, 1898.	Feb. 4, 1899.	Feb. 3, 1900.	Feb. 2, 1901.	Feb. 1, 1902.	Feb. 7, 1903.	Feb. 6, 1904.	Feb. 4, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	41·5	38·7	44·6	35·8	35·6	35·9	34·9	44·6	37·0	43·9	39·3	Mean Temp. 44·3							
ALL CAUSES.	178	296	220	213	238	186	169	202	233	183	211·8	187	11	21	14	16	18	42	52
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	18	.	.	4	.	1	.	.	5	2·8	.	.	.	.	.	.	.	.
Scarlet Fever,	1	4	2	2	1	.	1	3	.	1	1·5	1	.	.	.	1	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	4	.	14	2	18	3	2	1	3	2	4·9	.	.	.	.	.	.	.	.
Whooping-cough,	2	24	3	3	.	12	1	3	9	2	5·9	2	.	1	1	.	.	.	.
Diphtheria,	.	1	.	.	3	1	1	3	1	1	1·1	1	.	.	.	1	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Enteric Fever,	2	2	7	1	2	3	.	.	1	.	1·8	1	.	.	.	.	.	1	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	1	3	2	4	2	2	.	. / 1	. / 1	.	1·7	. / 1	.	. / 1	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	2	1	.	1	.	1	1	1	1	·8	1	.	.	1	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	1	1 / . / .	. / . / .	. / . / .	·2	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	15	14	15	5	17	19	15	2 / 4 / . / 11	2 / 4 / . / 12	2 / 7 / . / 2	14·4	11 / 8	1 / .	5 / .	1 / 2	. / 1	1 / .	. / 1	3 / 4
Erysipelas,	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	1	.	.	.	1	.	. / .	. / .	1 / .	·3	. / .	. / .	. / .	. / .	. / .	. / .	. / .	. / .
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	17	31	22	18	29	20	33	2 / 19	7 / 16	7 / 21	25·2	12 / 17	. / .	. / .	. / .	5 / 4	2 / 7	5 / 6	. / .
Tuberculous Meningitis,	4	5	7	8	7	2	.	4	4	4	4·5	2	.	.	2	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	2	6	9	4	5	2	.	1 / 1	1 / 2	2 / .	3·5	. / .	. / .	. / .	. / .	. / .	. / .	. / .	. / .
Tuberculous Dis. (other), *Scrofula*,	9	5	3	4	4	5	6	5 / .	4 / .	5 / .	5·0	6 / 1	. / .	2 / 1	3 / .	1 / .	. / .	. / .	. / .
Alcoholism,	.	1	1	1	1	.	.	.	.	1	·5	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	1	.	1	2	.	1	1	.	·6	.	.	.	.	.	.	.	.
Gout,	1	.	.	.	.	.	.	1	.	1	·3	.	.	.	.	.	.	.	.
Carcinoma, Sarcoma, Cancer (undefined),	6	5	7	12	5	4	7	1 / 2 / 1	4 / . / 7	4 / 1 / 3	6·9	4 / . / 4	. / . / .	. / . / .	. / . / .	. / . / .	1 / . / .	2 / . / 2	1 / . / 2
Diabetes Mellitus,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
Premature Birth,	3	6	4	3	3	2	2	8	9	7	4·7	6	3	3	.	.	.	.	.

* The figures for the years 1896–1900 are
† Formerly described

'IFTH WEEK ending Saturday, 3rd February, 1906, with the deaths from each cause in the corresponding ıe average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Feb. 1, 1896.	Feb. 6, 1897.	Feb. 5, 1898.	Feb. 4, 1899.	Feb. 3, 1900.	Feb. 2, 1901.	Feb. 1, 1902.	Feb. 7, 1903.	Feb. 6, 1904.	Feb. 4, 1905.	Averages in 5th Week of the 10 years 1896-1905.	In the Week ending Saturday, 3rd February, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 41·5	° 38·7	° 44·6	° 35·8	° 35·6	° 35·9	° 34·9	° 44·6	° 37·0	° 43·9	° 39·3	Mean Temp. ° 44·3								
ıingitis (not tuberc.) ...								4	1	3		2	.	.	.	2	.	.	.	.
ınity, G. P. of Insane ...								1	5	1		.	.	.	.	.	.	.	.	.
lepsy								.	1	.		1	.	.	.	.	1	.	.	.
vulsions								8	15	8		7	4	3	.	.	.	.	.	.
omotor Ataxy ...								.	.	.		.	.	.	.	.	.	.	.	.
aplegia Dis. of Cord ...								3	2	.		1	.	.	.	.	.	1	.	.
'vous System (other is.)	41	47	39	53	42	35	30	.	.	1	42·3	3	.	.	.	.	.	1	1	1
v. Dis., Endocarditis ...								5	6	6		5	.	.	.	.	.	.	4	1
ebr. Hæm. Thromb. ...								.	1	2		2	.	.	.	.	.	1	1	.
plexy, Hemiplegia ...								7	5	3		9	.	.	.	.	1	2	6	.
ırysm								1	.	.		.	.	.	.	.	.	.	.	.
bolism, Thromb. (not erebral)								.	.	.		.	.	.	.	.	.	.	.	.
ırt and Blood Vessel Dis.								19	11	17		15	.	.	.	.	.	5	5	5
up (not Spasm. nor lemb.)	.	.	.	2	1	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
ınchitis	27	54	32	42	44	27	29	37	32	25	34·9	24	.	1	1	.	1	9	12	.
hma, Emphysema ...								.	.	.		1	.	.	.	.	.	.	1	.
urisy	3	7	.	3	5	3	3	2	.	2	3·9	1	.	.	.	.	.	1	.	.
ıpiratory Dis. (other) ...								3	3	5		1	.	.	1	.	.	.	.	.
ısillitis, Quinsy ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
teritis (not Epid.) ...								1	.	4	1·2	.	.	.	.	.	.	.	.	.
stro Enteritis	1	.	.	1	.	1	3	.	.	1		2	.	1	.	.	1	.	.	.
itonitis (not Puerp.) ...	1	.	.	.	2	.	.	.	2	.	·5	.	.	.	.	.	.	.	.	.
rhosis of Liver ...								.	2	1	2·3	.	.	.	.	.	.	.	.	.
ver Dis. (other) ...	.	4	3	3	3	1	3	.	3	.		.	.	.	.	.	.	.	.	.
gestive Dis. (other) ...	4	4	2	2	6	2	4	4	5	4	3·7	4	.	1	.	.	.	3	.	.
phritis, Acute ...								2	.	1		.	.	.	.	.	.	.	.	.
ght's Dis., Albuminuria	3	4	4	5	1	2	8	2	6	3	4·4	2	.	.	.	.	1	.	1	.
inary Sys. (Other Dis.)								1	2	.		5	.	.	.	.	1	1	3	.
nerative Organs Dis. ...	.	1	1	.	.	1	.	.	.	.	·3	2	.	.	.	.	1	.	1	.
ildbirth (Accid. of) ...	.	1	1	.	2	1	.	1	2	.	·8	1	.	.	.	.	.	1	.	.
l Age	11	20	7	15	15	11	6	4	18	5	11·2	8	.	.	.	.	.	.	3	5
ıer Diseases	10	20	15	15	8	15	9	17	15	6	13·0	8	2	2	1	.	.	.	3	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	.	1	.	.	2	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exlusive of Drowning) ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	1	.	1	.	3	3	2	.	3	2	1·5	2	.	.	1	.	.	.	.	1
Drowning	3	.	.	.	.	1	.	1	2	.	·7	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
ıher Deaths by Accidents	3	6	4	4	1	2	.	1	1	1	2·3	1	.	.	.	.	.	1	.	.
'IOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	1	.	.	.	.	.	·1	1	1	.	.	.	.	.	.	.
ıicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1905–6—Week ending																									
	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.
No. of weeks in Annual Series.	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
Births registered,	283	281	164	202	247	202	201	285	189	191	176	175	223	239	205	177	198	191	238	199	184	245	192	183	220	283
*Average Births in corresponding week of previous 10 years,**	201	210	198	216	197	211	199	220	189	185	203	197	194	189	199	181	190	195	183	160	182	210	206	199	200	221
Deaths registered,	151	151	153	165	143	128	137	168	158	141	143	133	195	152	158	178	157	168	148	171	139	168	166	154	160	187
Annual Death-rate per 1,000,	20·8	20·8	21·1	22·7	19·7	16·9	18·8	23·1	21·7	19·4	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7
*Average Deaths in corresponding week of previous 10 years,**	169	164	168	163	169	165	174	163	156	172	175	177	173	178	186	191	197	185	187	189	199	219	214	211	202	212
Ages, Under 5 years,	59	61	55	54	50	43	42	43	44	33	28	33	54	34	43	52	42	49	47	43	27	28	52	39	37	46
5—20 "	8	10	7	12	5	11	10	17	17	11	9	5	6	14	10	9	13	10	13	9	7	17	17	11	13	16
20—40 "	27	28	29	12	23	22	29	28	28	23	26	18	36	26	31	18	22	31	18	30	21	34	25	18	21	18
40—60 "	22	25	26	45	28	24	23	31	36	32	37	34	35	38	32	36	34	35	32	45	41	48	37	45	37	42
60—80 "	32	25	31	30	33	18	24	42	29	36	35	34	59	33	35	50	35	37	34	37	37	35	28	34	43	52
80 years and upwards,	3	7	5	12	4	5	9	7	9	6	8	9	5	7	7	8	11	6	9	7	6	6	7	7	9	13
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	1	.	.	.	1	.	.	.	.	.	1	.	1	1	1	.	1	.	1	.	.	2	1	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1	3	1	2	2	1	1	2	3	1	1	2
Diphtheria,	1	.	1	1	1	.	.	.	.	.	2	.	.	1	1	.	.	1	1	.	2	2	2	.	1	1
Pyrexia † (origin uncertain),	.	.	.	.	1	.	1	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.
Enteric Fever,	.	1	2	2	4	1	2	2	2	1	4	.	2	2	.	.	2	2	1	4	3	3	.	.	.	1
Diarrhœal Diseases,	24	20	25	19	12	10	10	9	1	4	1	3	4	4	2	3	5	2	1	1	2	1	1	1	3	1
Pneumonia,	4	2	9	9	3	5	5	17	10	9	6	10	18	13	14	15	10	10	8	11	11	12	15	12	16	19
Tuberculous (Phthisis,	22	23	10	21	12	15	25	23	25	17	18	21	24	21	26	20	18	24	9	27	19	21	14	23	21	29
Disease. Other Forms,	9	15	10	6	12	12	11	10	17	13	7	4	9	6	12	7	10	4	15	4	1	12	16	5	6	9
Cancer, Malignant Disease,	8	5	11	10	6	4	5	5	11	7	10	8	7	6	5	10	8	6	11	5	6	7	5	12	6	8
Diseases of Heart and Blood Vessels,	19	23	22	35	24	16	18	27	18	23	29	19	29	21	23	24	25	26	21	26	30	28	21	24	33	31
Diseases of Respiratory System,	7	10	13	14	13	7	6	18	13	17	18	17	42	26	26	34	33	22	16	25	20	26	28	22	18	27
Violent Deaths,	2	3	8	3	4	4	4	7	2	5	8	6	3	2	3	3	3	2	2	4	6	4	3	7	8	5
Number of Uncertified Deaths,	7	4	1	4	6	8	5	4	5	3	5	6	4	9	7	9	4	5	9	8	6	4	5	6	6	11
Mean Temperature of the Air (Phœnix Park),	57·3	58·2	54·7	55·7	53·3	51·1	51·3	49·4	48·3	49·6	40·0	41·1	42·7	43·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3
Average Mean Temperature in corresponding week of previous 10 years	56·9	58·2	57·5	56·4	55·7	55·4	54·3‡	53·5	51·3	48·6	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3
Rainfall in inches,	·555	·235	3·980	·990	·515	·150	·015	·325	·775	·085	·100	·295	1·190	·250	1·485	·320	·645	·128	·035	·285	·770	·860	·855	1·605	·230	·180
Mean Humidity of the Air, complete Saturation, 1·0,	·82	·83	·87	·91	·83	·84	·86	·87	·87	·91	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

in the Dublin Registration Area during the Week ending Saturday, 3rd February, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 3RD FEBRUARY, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	26·0	187	46	16	18	42	52	13	.	.	1	.	2	1	.	1	1	6	19	29	9	8	7	27	5	77	11
	CLASSES. Deaths in Families of the—																												
I.	Professional and Independent Class,	17,486	26·9	9	1	.	.	.	3	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	7	.
II.	Middle Class,	87,188	15·0	25	2	3	2	5	8	5	.	.	1	.	.	1	.	.	.	2	3	2	1	2	.	1	1	18	3
III.	Artisan Class and Petty Shopkeepers,	110,428	19·4	41	6	5	4	17	7	2	.	.	.	.	.	.	.	1	1	2	4	10	.	4	2	7	2	10	4
IV.	General Service Class,	154,279	36·4	66	32	5	10	6	12	1	.	.	.	.	2	.	.	.	.	2	9	9	5	.	5	7	2	27	4
V.	Inmates of Workhouses,	6,024		46	5	3	2	14	22	.	.	.	.	.	.	.	.	.	.	.	2	8	3	1	.	12	.	20	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	40·1	6	1	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	18·7	3	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	14·2	6	.	1	.	2	3	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	3	1
	6. Clerks and Commercial Assistants,	30,432	10·3	6	2	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	2	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	25·1	13	.	2	1	2	3	5	.	.	1	.	.	.	.	.	.	1	1	1	.	1	.	.	1	8	1
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
	9. Building and Furnishing Trades,	29,801	15·7	9	2	1	1	4	1	.	.	.	.	.	.	.	.	1	1	2	1	2	.	2	1	1	.	.	2
	10. Clothing Trades,	23,260	9·0	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	1	.
	11. Food Supply Trades,	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	36·1	21	2	3	2	8	4	2	.	.	.	.	.	.	.	.	.	.	1	5	.	.	.	4	2	9	2
	13. Petty Shopkeepers,	7,894	19·8	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
	15. Domestic Servants,	36,603	15·7	11	2	.	3	1	5	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	.	6	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	4	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	1	.	.	2	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	26·1	45	25	4	6	5	4	1	.	.	.	.	1	.	.	.	.	1	6	7	5	.	3	6	2	15	4
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates,	6,024	.	46	5	3	2	14	22	.	.	.	.	.	.	.	.	.	.	.	2	8	3	1	.	12	.	20	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* the similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1905-6 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	Dec. 16,	20·2	.	11	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	1
	„ 23,	16·6	3·7	9	.	.	.	.	.	.	.	2	.	.	2	.	.	1	.	1
	„ 30,	25·8	3·7	14	.	.	.	.	1	.	.	.	1	1	2	.	1	1	1	3
	Jan. 6,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	.	.	2	.	3	.	.
	„ 13,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	3	2	.	.	.	1	.
	„ 20,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	.	1	.	2	2	.	1
	„ 27,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Feb. 3,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	1	5	.	.	2	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Dec 16,	32·0	.	24	.	.	.	.	.	.	.	.	.	3	.	1	.	6	.	3
	„ 23,	25·3	1·3	19	.	.	1	.	.	.	.	.	.	.	5	1	.	2	.	2
	„ 30,	17·3	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.
	Jan. 6,	25·3	.	19	.	.	.	.	.	.	.	.	.	1	4	3	2	3	.	1
	„ 13,	20·0	1·3	15	.	.	.	.	.	1	.	.	.	3	.	.	1	2	1	.
	„ 20,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.	1	4	2	.
	„ 27,	26·6	1·3	20	.	.	.	.	.	1	.	.	.	4	3	.	1	1	2	.
	Feb. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	5	2	1	.	6	.	3
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Dec. 16,	20·8	.	12	.	.	.	.	.	.	.	.	.	2	.	3	.	1	.	.
	„ 23,	27·7	.	16	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.
	„ 30,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	3	1	.
	Jan. 6,	22·5	.	13	.	.	.	.	.	.	.	.	.	.	2	1	.	1	1	1
	„ 13,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	2	3	.	4	.	.
	„ 20,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	4	.	1	1	1	.
	„ 27,	22·5	3·5	13	.	.	.	.	.	.	.	.	2	1	.	.	.	1	2	.
	Feb. 3,	32·9	1·7	19	.	.	.	.	.	.	.	.	1	2	7	2	.	2	1	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Dec. 16,	11·5	3·3	7	.	.	.	.	.	.	.	1	1	.	.	2	.	1	.	.
	„ 23,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	1
	„ 30,	24·7	4·9	15	.	.	.	.	.	.	1	2	.	.	4	.	.	1	1	.
	Jan. 6,	24·7	.	15	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	„ 13,	16·5	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.
	„ 20,	21·4	1·6	13	.	.	1	.	.	.	.	.	.	1	4	1	1	2	.	.
	„ 27,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
	Feb. 3,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	Dec. 16,	20·4	2·7	15	.	.	.	.	2	.	.	.	.	.	1	3	1	.	.	1
	„ 23,	17·7	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	.
	„ 30,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	3	1	1	2	1	1
	Jan. 6,	17·7	1·4	13	.	.	.	.	.	1	.	.	.	2	2	1	.	1	.	.
	„ 13,	43·5	2·7	32	.	.	2	.	.	.	.	.	.	1	4	3	.	8	.	.
	„ 20,	29·9	.	22	.	.	.	.	.	.	.	.	.	.	5	1	.	5	.	1
	„ 27,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	.	2	1	.	3	.	1
	Feb. 3,	21·7	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	1	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Dec. 16,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	„ 23,	42·8	.	15	.	.	.	.	.	.	.	.	.	.	2	.	1	7	.	.
	„ 30,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.
	Jan. 6,	31·4	2·9	11	.	.	.	.	.	.	.	.	1	2	2	1	.	1	.	.
	„ 13,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	„ 20,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.
	Feb. 3,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Dec. 16,	19·9	.	16	.	.	.	.	.	.	.	.	.	1	.	3	1	3	.	1
	„ 23,	31·1	.	25	.	.	.	.	.	.	.	.	.	2	4	2	1	3	2	.
	„ 30,	21·1	.	17	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	2
	Jan. 6,	28·6	.	23	.	.	.	.	.	.	.	.	.	1	1	2	2	4	1	.
	„ 13,	23·6	1·2	19	.	.	.	.	1	.	.	.	.	2	1	2	.	2	.	2
	„ 20,	27·4	.	22	.	.	.	.	.	.	.	.	.	3	.	2	2	2	1	.
	„ 27,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	3	2	2	2	1	.	1
	Feb. 3,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	3	2	4	1	4	.	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Dec. 16,	17·8	.	12	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 23,	16·3	1·5	11	.	.	.	.	1	.	.	.	.	1	2	.	.	1	.	.
	„ 30,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.	.
	Jan. 6,	23·7	1·5	16	.	.	.	.	.	.	1	.	.	3	3	.	.	4	1	.
	„ 13,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	4	.	3	.	1
	„ 20,	14·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.
	„ 27,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	1	.	2	1	2	.
	Feb. 3,	13·4	.	9	.	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1905-6 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,203.	Dec. 16,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	1	.	5	.	1	1
	" 23,	25·1	1·6	16	.	.	.	.	.	.	.	1	.	.	3	.	1	1	1	2
	" 30,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	.
	Jan. 6,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.
	" 13,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1
	" 20,	20·4	1·6	18	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1
	" 27,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	1
	Feb. 3,	18·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.	.	1	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Dec. 16,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.
	" 23,	8·0	2·0	4	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
	" 30,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	Jan. 6,	20·0	4·0	10	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	1
	" 13,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.
	" 20,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	" 27,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 3,	30·1	2·0	15	.	.	.	.	.	1	.	.	.	1	3	.	2	3	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Dec. 16,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.
	" 23,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
	" 30,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	Jan. 6,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	" 13,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1
	" 20,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	" 27,	32·5	.	11	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
	Feb. 3,	28·7	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1906 (Est.) 358,680.	Dec. 16,	18·5	1·0	127	.	1	2	.	3	.	.	1	.	14	18	—	—	24	2	—
	" 23,	21·2	1·6	146	.	2	3	.	1	1	.	2	2	18	21	—	—	31	4	—
	" 30,	18·0	0·4	124	.	.	.	.	.	.	.	2	1	14	17	—	—	23	5	—
	Jan. 6,	21·4	1·0	147	.	.	.	.	1	1	.	2	3	15	15	10	3	20	6	6
	" 13,	19·3	1·3	133	.	.	.	.	2	1	1	3	2	12	17	4	5	19	1	2
	" 20,	19·6	1·3	135	.	.	2	1	1	.	2	1	2	8	17	3	5	12	4	4
	" 27,	23·3	1·3	160	.	.	1	.	3	.	.	2	3	11	22	8	7	20	1	4
	Feb. 3,	20·2	0·9	139	.	.	1	.	1	.	.	2	2	10	16	7	5	26	3	3
Cork. Pop. (in 1901) 76,122.	Dec. 16,	23·3	.	34		.	.	.	.	.	.	.	.	3	9	—	—	5	.	—
	" 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	2	2	—	—	3	.	—
	" 30,	20·5	2·1	30	.	.	.	.	.	.	.	1	2	1	3	—	—	5	.	—
	Jan. 6,	14·4	0·7	21	.	.	.	.	.	.	.	.	1	1	2	2	2	3	1	.
	" 13,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	3	2	3	2	.	1
	" 20,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	1	7	1	1	1	.	.
	" 27,	21·2	2·1	31	.	.	.	.	.	.	.	.	3	.	6	1	1	3	1	.
	Feb. 3,	15·1	.	22	.	.	.	.	.	.	.	.	.	1	4	3	1	.	.	.
Londonderry. Pop. in 1906 (Est.) 42,067.	Dec. 16,	8·7	1·2	7	.	.	.	.	1	.	.	.	.	.	.	—	—	2	.	—
	" 23,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	.	—	—	3	1	—
	" 30,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	1	—	—	1	.	—
	Jan. 6,	19·8	1·2	16	.	.	.	.	1	.	.	.	.	.	2	1	.	5	1	1
	" 13,	8·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.
	" 20,	13·6	2·5	11	.	.	.	.	2	.	.	.	.	1	1	.	.	1	.	.
	" 27,	17·4	.	14	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	Feb. 3,	17·4	5·0	14	.	.	.	.	1	.	.	.	3	1	.	.	.	4	.	1
Limerick. Pop. (in 1901) 38,151.	Dec. 16,	24·6	1·4	18	.	.	.	.	.	.	.	.	1	.	3	—	—	1	.	—
	" 23,	20·5	1·4	15	.	.	.	.	.	1	.	.	.	.	3	—	—	2	.	—
	" 30,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	1	—	—	5	.	—
	Jan. 6,	17·8	1·4	13	.	.	1	.	.	.	.	.	.	.	3	2	1	6	.	3
	" 13,	30·1	.	22	.	.	.	.	.	.	.	.	.	1	4	.	1	2	.	2
	" 20,	23·2	1·4	17	.	.	.	.	.	.	.	1	.	.	1	.	1	7	.	2
	" 27,	16·4	1·4	12	.	.	.	.	.	1	.	.	.	.	.	1	.	3	.	1
	Feb. 3,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	3	1	1	4	.	2
Waterford. Pop. (in 1901) 26,769.	Dec. 16,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	—	—	1	.	—
	" 23,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	—	—	1	.	—
	" 30,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	1	—	—	.	.	—
	Jan. 6,	31·2	1·9	16	.	.	.	.	1	.	.	.	.	1	2	.	.	1	4	3
	" 13,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	" 20,	11·7	1·9	6	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	.
	" 27,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.
	Feb. 3,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.

* Formerly described as "Simple Continued Fever."

NOTE.—The Figures for other forms of tuberculous disease, cancer, malignant disease and uncertified deaths, in Belfast, Cork, Londonderry, Limerick, and Waterford, are not available for the three weeks ending with 30th December, 1905.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd February, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,784	6	24·8	7·1	7	2	.	4	1	.	.	.	.	.	.	.	.	2	1	.	.	.	.	1	1	3	.
Do. 2 ,, .	47,959	24	25·0	1·1	23	2	2	11	8	.	.	1	.	.	.	.	.	.	.	2	.	.	7	1	1	7	.
Do. 3 ,, .	47,214	36	18·8	1·1	17	1	2	6	8	.	.	.	.	1	.	.	.	.	1	2	.	.	2	1	1	6	1
Do. 4 ,, .	40,911	37	20·4	.	16	3	2	9	2	.	.	.	.	.	.	.	.	.	1	2	2	.	3	.	.	7	.
Do. 5 ,, .	17,887	7	39·0	.	13	7	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	7	.
Do 6 ,, .	48,122	25	15·2	.	14	1	2	5	6	.	.	.	.	.	.	.	.	.	3	2	.	.	4	.	.	5	.
Do 7 ,, .	1,524	4	—	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	3	30·9	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 9 ,, .	19,569	9	8·0	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1
Do. 10 ,, .	28,064	19	31·7	2·3	14	2	2	7	3	.	.	.	.	.	.	.	1	.	4	2	2	.	2	.	1	6	.
Do. 11 ,, .	34,802	21	12·0	.	8	1	.	4	3	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	1	1
Do. 12 ,, .	33,588	30	20·2	1·6	13	2	1	6	4	.	.	.	.	.	.	.	1	.	.	2	1	1	3	.	.	3	.
Do. 13 ,, .	15,006	10	24·3	.	7	.	.	5	2	.	.	.	.	.	.	.	.	.	.	2	.	3	.	.	1	1	.
Do. 14 ,, .	240	.	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	231	20·8	0·9	139	24	11	61	43	.	.	1	.	1	.	.	2	2	10	16	7	5	26	3	5	47	3
City of Cork.																											
CORK URBAN No. 1 DISTRICT. .	12,867	6	24·3	.	6	.	.	4	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5	.
Do. 2 ,, . .	10,701	2	9·7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Do. 3 ,, . .	9,978	4	5·2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 4 ,, . .	8,666	5	36·1	.	6	.	.	3	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	2	.
Do. 5 ,, . .	6,592	6	15·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 6 ,, . .	10,702	3	9·7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 7 ,, . .	16,616	7	9·4	.	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Total, ...	76,122	33	15·1	.	22	1	2	11	8	.	.	.	.	.	.	.	.	.	1	4	3	1	.	.	1	9	.

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905-6—Week ending																									
	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept 16.	Sept. 23	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20	Jan. 27.	Feb. 3.
No. of weeks in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered,	195	209	200	208	235	209	216	207	193	210	209	204	234	205	199	200	205	199	194	158	189	224	193	196	236	231
DEATHS registered.	130	125	136	105	109	114	94	109	116	122	130	153	130	141	150	138	140	148	136	146	124	147	138	135	160	139
Annual Death-rate per 1,000 of estimated Population.	18·9	18·2	19·8	15·3	15·8	16·6	13·7	15·8	16·9	17·7	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18.3	21·2	18·0	21·4	19·3	19·6	23·3	20 2
AGES — Under 1 year,	44	43	47	26	28	25	19	23	31	28	25	35	30	36	38	28	27	21	23	31	26	34	21	30	31	24
AGES — 1-5 years,	15	10	9	11	5	16	9	9	3	12	14	19	14	17	15	19	11	13	15	18	19	16	15	16	22	11
AGES — 5-60 years,	43	51	60	50	56	48	50	62	58	48	62	63	55	53	60	65	64	72	58	69	56	61	60	62	71	61
AGES — 60 years and upwards,	28	21	20	18	20	25	16	16	24	34	29	36	31	35	37	26	38	37	30	28	23	36	37	27	36	43
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.
Scarlet Fever,	.	1	.	.	.	1	.	.	.	.	1	3	1	.	1	1	1	.	2	3	.	.	.	2	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Whooping-cough,	1	1	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	1	3	1	.	1	2	1	3	1
Diphtheria,	.	.	.	1	2	.	1	.	1	.	.	2	.	1	1	.	1	.	.	1	.	1	1	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.
Enteric Fever,	3	2	3	1	1	5	4	6	.	5	1	.	2	3	3	3	4	3	1	2	2	2	3	1	2	2
Diarrhœal Diseases,	28	29	22	8	10	11	1	3	5	4	2	1	3	3	1	2	.	2	.	2	1	3	2	2	3	2
Pneumonia,	3	4	2	2	12	10	12	4	13	6	12	9	18	16	14	18	15	18	14	18	14	15	12	8	11	10
Tuberculous Disease — Phthisis,	19	15	19	19	16	18	14	10	14	13	17	25	19	22	22	16	26	17	17	21	17	13	17	17	22	16
Tuberculous Disease — Other Forms,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4	3	8	7
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	5	7	5
Diseases of Respiratory System,	10	6	15	5	5	5	4	11	15	17	14	21	31	28	31	28	29	34	23	31	23	20	19	12	20	26
Violent Deaths,	3	3	8	1	2	1	3	2	2	3	7	4	4	3	4	9	3	3	2	4	5	6	1	4	1	3
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	4	4	3

*Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the twenty-one weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	Feb. 3,	2,508	1,337	14·8	.	28	5	17	34	1	14
EDINBURGH, .	341,035	„ 3,	144	109	16·7	.	.	.	1	.	.	4
GLASGOW, . .	835,625	„ 3,	448	254	15·9	.	12	.	.	4	.	10
CALCUTTA, . .	847,796	Dec. 16,	.	701	42·9	20	4	.	.	1	173‡	156*
BOMBAY, . .	776,006	Jan. 2,	595	621	41·6	7	6	.	.	.	67‡	71
MADRAS, . .	509,346	„ 15,	417	625	63·8	5	5	?	?	?	186	124*
PARIS, . .	2,660,559	„ 20,	985	897	18·4	.	21	1	2†	2	2	19
BRUSSELS (with 8 Faubourgs).	598,467	„ 13,	226	206	17·9	.	.	.	3†	2	1	5
ANTWERP, . .	301,647	„ 13,	119	73	12·6	.	2	.	.	.	1	4
AMSTERDAM, .	557,614	„ 13,	313	174	16·3	.	5	.	3†	3	1	8
COPENHAGEN, .	426,000	„ 13,	211	125	15·2	.	2	.	1†	4	.	4
STOCKHOLM, .	318,398	„ 6,	128	93	15·2	.	.	2	.	3	1	4
CHRISTIANIA, .	222,373	„ 20,	133	70	16·4	.	.	.	2†	.	.	2
ST. PETERSBURG,	1,429,000	„ 20,	.	739	27·0	2	18	33	32	1	23	68
MOSCOW, . .	1,092,360	Dec. 16,	.	601	28·7	.	1	7	12†	5	10	63
BERLIN,§ . .	2,039,145	„ 31,	922	703	15·7	.	10	6	7†	15	.	33
HAMBURG, . .	772,852	Jan. 6,	.	289	19·4	.	1	.	1†	7	.	15
BRESLAU, . .	471,857	„ 20,	.	148	16·4	.	.	.	1†	2	.	5
MUNICH, . .	540,000	„ 20,	.	187	18·0	.	1	.	3†	2	.	24
VIENNA (with suburbs).	1,917,639	„ 20,	882	621	16·8	.	4	5	8†	8	2	58
BUDA-PESTH, .	859,134	„ 20,	436	289	17·5	.	5	5	6†	4	2	7
PRAGUE and Faubourgs.	455,241	„ 13,	171	153	17·5	.	1	.	1†	1	.	11
TRIESTE, . .	194,749	„ 13,	130	106	28·4	.	1	.	1†	2	1	.
ROME, . . .	516,580	Nov. 4,	237	194	19·6	.	.	.	1†	.	7	16
VENICE, . .	169,417	Jan. 6,	103	106	32·6	.	.	.	2†	.	.	6
NEW YORK, .	4,152,860	„ 6,	2,255	1,477	18·5	.	16	13	50†	4	11	41
PHILADELPHIA,	1,438,318	Dec. 30,	.	491	17·7	.	3	1	9†	1	14	23
BOSTON, .	595,380	Jan. 6,	.	234	20·5	.	4	.	2	4	2	.

* Including 61 deaths from cholera in Calcutta, and 8 in Madras.
† Including deaths from croup.
‡ Exclusive of 21 deaths from plague in Calcutta, and 9 in Bombay.
§ The figures are for 8 days.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd February, 1906.

DISTRICTS.	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	2	.	.	.	.	2	.	.	.	.	4
" " 1, West,	.	.	.	1	.	.	1	.	.	1	2	.	.	5
" " 2,	.	.	.	.	.	.	.	.	1	.	2	.	.	3
" " 3,	.	.	.	2	.	.	2	1	.	.	2	.	.	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	2	5	.	.	7
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 4,	.	.	.	.	.	.	.	.	.	2	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	6	.	.	3	1	3	7	11	.	.	31

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd February, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd February.			
	Jan. 13.	Jan. 20.	Jan. 27.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	12	15	12	.	.	.	12
Scarlet Fever,	49	47	46	10	8	1	47*
Typhus,	2	2	3	.	1	.	2
Diphtheria,	36	37	36	7	9	.	34
Enteric Fever,	23	24	22	12	7	.	27
Pneumonia,	24	19	15	9	1	2	21

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 3rd February, 1906:—

"The weather of this week was for the most part favourable and in the end seasonably cold. Sunday was singularly warm for the time of year, a fresh W.S.W. wind keeping the temperature between 48·8° and 54·9°—a mean of 51·9°, or fully 10° above average. During the ensuing night a small and shallow depression, secondary to a large and deep cyclonic system over Northern Europe, passed across the British Isles. It caused the wind to draw into N.W. with a lower temperature. During the next 2 or 3 days an anticyclone lay to the southwestward of the British Isles, while the barometer was rather low and unsteady in the far North. Hence came fresh westerly winds and open, chiefly dry weather. Gradients became steeper, and the weather in consequence rougher and less settled. At 8 a.m. of Friday the barometer stood at 28·95 inches at Christiansund on the W. coast of Norway, whereas it was as high as 30·55 inches at Biarritz. This difference of pressure—1·60 inches—led to strong and squally W. to N.W. and finally N. winds, lower temperatures, and passing squalls of cold rain, sleet, and hail on the last 2 days of the week. An apparent near approach of the Moon and the planet Jupiter was well seen on Friday evening. At 8 a.m. of Saturday the centre of a cyclonic system in which the barometer was below 29 inches was found over the S. of Norway, travelling southeastwards. In Dublin the mean height of the barometer was 30·181 inches, the range being from 29·907 inches at 9 p.m. of Sunday (wind, W.S.W.) to 30·427 inches at 9 p.m. of Tuesday (wind, W.). The corrected mean temperature was 45·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·6°. The screened thermometers rose to 54·9° on Sunday and fell to 36·7° on Saturday. The dominant wind direction was W.N.W. Rain fell on four days to the amount of ·121 inch, ·081 inch being recorded on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·191 inches. The highest reading (30·441) was on Tuesday at 9 p.m., wind W., and the lowest (29·912) on Sunday at 9 p.m., wind S.W.

The mean temperature for the week was 44·3°, being 5·0° over the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Sunday, on which day the thermometer registered 53·3°, and was lowest on Saturday, the mercury having fallen to 34·7°. The mean of the Dry Bulb for the week was 43·5°, and of the Wet Bulb 41·6°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 9·4 hours. The rainfall during the week measured ·180 inch.

At Greenwich the mean temperature for the week was 42·8°, the maximum 51·2°, and the minimum 31·5°; at Glasgow the maximum was 50·6°, the minimum, 33·5°, and the mean 42·7°; and at Edinburgh the maximum was 50·1°; the minimum 31·9°; and the mean 41·1°. The rainfall at Greenwich measured 0·10 inch; at Glasgow 0·99 in.; and at Edinburgh 0·92 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Jan. 28,	29·930	53·3	47·1	50·2	50·2	48·0	·83	·8	0·1	·030	S.W.	S.W.
Monday, „ 29,	30·177	51·1	41·3	46·2	43·7	42·2	·89	·3	0·5	—	W.	W.
Tuesday, „ 30,	30·417	48·2	38·2	43·2	42·6	41·6	·92	·4	1·7	—	W.	W.
Wednesday, „ 31,	30·336	48·3	39·4	43·9	45·3	43·5	·86	·4	0·4	·020	S.W.	S.W.
Thursday, Feb. 1,	30·279	48·1	40·9	44·5	42·6	40·5	·84	·4	1·6	·005	W.	W.
Friday, „ 2,	30·105	46·1	40·0	43·1	42·0	39·9	·84	·6	0·7	·100	W.	W.
Saturday, „ 3,	30·090	42·6	34·7	38·7	38·2	35·8	·81	·5	4·4	·025	N.W.	W.
Mean . .	30·191	48·2	40·2	44·3	43·5	41·6	·86	·5	Total 9·4	Total ·180	Prevailing Wind. W.	

Sunday—A dull day; night cloudy, showery at intervals. *Monday*—A cloudy day; night clear. *Tuesday*—A cloudy day; night cloudy. *Wednesday*—A cloudy day; night cloudy, drizzling rain 10.30 p.m. to 1.30 a.m. *Thursday*—A cloudy day, shower at 6.30 p.m.; night cloudy. *Friday*—A cloudy day, showery a.m.; night cloudy, showery. *Saturday*—A cloudy day, heavy shower of sleet 11.30 a.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 3rd, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Jan. 28,	50·9	44·4	43·9	54·8	48·9	51·9	1·0	·015
Monday, „ 29,	46·5	45·3	44·1	52·6	43·4	48·0	0·2	—
Tuesday, „ 30,	44·1	44·0	44·4	48·8	40·3	44·6	1·9	—
Wednesday, „ 31,	44·5	43·7	44·7	50·0	41·2	45·6	0·4	·009
Thursday, Feb. 1,	44·1	44·1	44·8	50·3	42·5	46·4	1·9	·002
Friday, „ 2,	44·0	43·4	44·8	47·2	41·5	44·4	0·3	·078
Saturday, „ 3,	41·3	42·9	44·9	44·8	37·0	40·9	3·7	·005
Weekly Mean.	45·1	44·0	44·5	49·8	42·1	46·0	Total 9·4	Total ·109

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 374. 12. 1905.—12284.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 10TH FEBRUARY, 1906. [No. 6.

General Register Office, Charlemont House,
Dublin, 12th February, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 20.	Jan. 27.	Feb. 3.	Feb 10.			Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	
22 Town Dists.	19·3	21·5	21·8	21·4	21·0	Lisburn, . .	27·3	27·3	18·2	22·7	23·9
Armagh, . .	13·7	13·7	13·7	13·7	13·7	Londonderry,	13·6	17·4	17·4	26·0	18·6
Ballymena, .	9·6	19·2	4·8	14·4	12·0	Lurgan, . .	22·1	17·7	17·7	22·1	19·9
Belfast, . .	19·6	23·3	20·2	21·2	21·1	Newry, . .	16·8	33·6	25·2	8·4	21·0
Clonmel, . .	20·5	30·8	20·5	20·5	23·1	Newtownards, .	22·9	45·8	68·7	40·1	44·4
Cork, . . .	18·5	21·2	15·1	21·9	19·2	Portadown,	15·5	25·8	20·7	10·3	18·1
Drogheda, . .	12·3	12·3	24·5	24·5	18·4	Queenstown .	6·6	.	26·4	.	8·3
Dublin Reg. Area,	20·1	21·2	21·4	20·5	21·5	Sligo, . . .	4·8	9·6	24·0	19·2	14·4
Dundalk, . .	31·9	16·0	27·9	31·9	26·9	Tralee, . .	31·7	10·6	15·9	26·4	21·1
Galway, . .	15·5	23·3	35·0	31·1	26·2	Waterford, .	11·7	13·6	11·7	23·4	15·1
Kilkenny, . .	9·8	29·5	19·7	24·6	20·9	Wexford, . .	32·7	37·4	28·0	23·3	30·3
Limerick, . .	23·2	16·4	24·6	23·2	21·8						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in fourteen of the districts to 17·2 in Newtownards, the 7 deaths from all causes in that district including 2 from measles and one from whooping-cough. Among the 146 deaths from all causes in Belfast are 2 from whooping-cough, 6 from enteric fever, and one from diarrhœa; the 32 deaths from all causes in Cork include one from typhus, one from diphtheria, and one from enteric fever; the 21 deaths from all causes in Londonderry include 5 from whooping-cough and one from diphtheria, and the 8 deaths from all causes in Dundalk include 3 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 202—101 boys and 101 girls; and the deaths to 151—81 males and 70 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·8 in every 1,000 of the population; omitting the deaths (numbering 2) of persons admitted

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

into public institutions from localities outside the Area, the rate was 20·5 per 1,000. During the six weeks ending with Saturday last the death-rate averaged 22·6, and was 6·8 below the mean rate for the corresponding portions of the ten years 1896–1905.

The deaths (151) included one death of a nurse from typhus; no death was registered excepting this from any of the principal epidemic diseases in the period under notice, (see Table V., page 88.)

There were 4 deaths from broncho-pneumonia and 2 deaths from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease were 33, and include 7 deaths from tuberculous phthisis, 11 deaths from *phthisis*, 7 deaths from tuberculous meningitis, one death from *tabes mesenterica*, and 7 deaths from other forms of the disease. In each of the 3 weeks preceding, deaths from all forms of tuberculous disease were 28, 27, and 38.

There were 4 deaths from carcinoma and 10 deaths from cancer (undefined).

Two deaths of infants were caused by premature birth.

Of 12 deaths from diseases of the brain and nervous system, 5 deaths of infants under one year of age were due to *convulsions*.

Diseases of the heart and blood vessels caused 23 deaths.

Bronchitis accounted for 25 deaths.

Of the 5 deaths which resulted from violence, 3 were caused by accident and 2 by suicide, one of the latter being by oxalic acid.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year of age and the deaths of 2 persons aged 60 years and upwards.

Thirty-five of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 6 were under one month old) and 45 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 6 were octogenarians.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, 14 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·5 per 1,000; the rate in the City was 22·4 (North City Districts, 20·4; South, 24·5), and in the Suburbs, 14·0.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·1 per 1,000 inhabitants, the rate for the City being 0·2 (0·3 in the North City Districts, and 0·0 in the South), and for the Suburbs, 0.0.

No. 1 North City District, East (Clarence-street, North).—The deaths (4) are equal to an annual rate of 7·4 per 1,000, and include 2 deaths from diseases of the heart and blood vessels.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·6 per 1,000, and include one death from typhus, one death from broncho-pneumonia, 2 deaths from tuberculous disease, and 6 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000, and include 2 deaths from tuberculous disease and 2 deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (20) represent an annual rate of 32·9 per 1,000, and include 2 deaths from broncho-pneumonia, 2 deaths from *pneumonia* (not defined), 5 deaths from tuberculous disease, one death from bronchitis, and one death by suicide.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 15·6.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 27·2 per 1,000, and include 4 deaths from tuberculous disease, 5 deaths from bronchitis, and one death by an accidental fall.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000, and include 4 deaths from tuberculous disease and 2 deaths from bronchitis.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 23·6 per 1,000, and include one death from broncho-pneumonia, 6 deaths from tuberculous disease, 2 deaths from bronchitis, and one death by suicide.

No. 4 South City District (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000, and include 4 deaths from tuberculous disease and one death from accidental fall.

New Kilmainham District.—The one death recorded is equal to an annual rate of 5·9 per 1,000. The death was due to cancer (undefined).

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·4; Pembroke, 10·0; Blackrock, 11·9; and Kingstown, 29·6. There were no deaths from the principal epidemic diseases recorded for these districts. Among the 6 deaths from all causes for Rathmines and Rathgar are 2 from bronchitis; and the 10 deaths from all causes for Kingstown include 4 from tuberculous disease and 2 from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 10th February, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 20,	.	—	—	7	.	.	5	.	3	7	19	.	—	—	—	—	—	41
	Jan. 27,	.	—	—	6	.	.	2	.	.	3	16	.	—	—	—	—	—	27
	Feb. 3,	.	—	—	6	.	.	3	1	3	7	11	.	—	—	—	—	—	31
	Feb. 10,	.	—	—	11	.	.	.	.	1	5	12	1	—	—	—	—	—	30
Rathmines and Rathgar Urban District.	Jan. 20,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	—	3
	Jan. 27,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Feb. 3,	.	—	—	1	.	.	.	.	.	3	1	.	—	—	—	—	—	5
	Feb. 10,	.	—	—	1	.	.	3	.	.	1	.	.	—	—	—	—	—	5
Pembroke Urban District.	Jan. 20,	.	.	1	.	.	.	1	.	.	.	.	.	—	3	.	—	—	5
	Jan. 27,	.	.	.	.	.	.	1	.	.	.	1	.	—	1	.	—	—	3
	Feb. 3,	.	1	.	2	.	.	1	.	.	.	.	.	—	2	.	—	—	6
	Feb. 10,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
Blackrock Urban District.	Jan. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Jan. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Feb. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Feb. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Jan. 20,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Jan. 27,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	Feb. 3,	.	—	—	.	1*	.	.	.	.	.	.	.	—	—	—	—	—	1
	Feb. 10,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
City of Belfast.	Jan. 20,	.	—	—	29	.	.	5	2	8	18	7	.	—	—	—	—	—	69
	Jan. 27,	.	—	—	22	.	.	5	3	12	20	6	.	—	—	—	—	—	68
	Feb. 3,	.	—	—	33	1	.	6	3	9	12	3	2	—	—	—	—	—	69
	Feb. 10,	.	—	—	35	.	.	3	1	9	24	10	.	—	—	—	—	—	82

* The patient, a Nurse (who contracted the disease in Sligo), was removed immediately to the Mater Misericordiæ Hospital.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th February, 1906.

From this it appears that:—

Eight cases of measles were discharged from hospital, and 4 remained under treatment at the close of the week.

Fifteen cases of scarlet fever were admitted to hospital, 4 were discharged, and 58* cases remained under treatment at the close of the week.

One case of typhus died in hospital, and one case remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 8 were discharged, and 29 patients remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, 6 were discharged, and 26 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 4 were discharged, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·9), was equal to an average annual death-rate of 15·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·8 per 1,000, the rate for Glasgow being 16·5, and for Edinburgh 16·2.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 10th February, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 10th February, 1906. Numbers Registered. Births.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Deaths. Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 10th Feb., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd Feb., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th Jan., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	26·5	21·4	1·3	556	448	82	132	.	2	.	2	11	3	1	7	1	23	59	28	26	68	8	20	144	22	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	378,994	27·5	27·8	20·5	0·1	202	149	23	44	.	.	.	1	.	.	.	.	.	6	18	15	14	26	5	9	62	7	f47·4	25·1	37·4	0·76	f53·3	34·7	44·3	0·18	f53·6	25·1	43·1	0·23
City of Dublin,	298,385	37·1	30·7	22·4	0·2	173	126	20	37	.	.	.	1	.	.	.	.	.	6	14	13	13	20	4	8	55	6	g48·9 h47·9	30·1 27·6	39·5 41·8	0·58 0·59	g54·9 h54·5	36·7 35·0	45·9 45·4	0·12 0·15	g54·0 h54·3	29·0 26·2	45·1 44·0	0·19 0·24
Urban Dists. Rathmines and Rathgar.	33,203	19·4	7·9	9·4		5	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	36·1	10·0	.	18	5	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·9	11·9	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	8·9	29·6	.	3	10	2	3	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	1	1	.	48·5	31·0	40·8	0·34	54·5	41·5	46·5	0·15	54	30·5	45·5	0·15
Urban Districts.																																							
Belfast,	358,680	24·4	27·5	21·2	1·3	189	146	29	35	.	.	.	.	2	.	.	6	1	8	23	6	4	23	1	8	36	3	47·4	31·0	40·3	0·10	54·0	36·5	45·0	0·93	53·0	25·8	41·2	0·24
Cork,	76,122	33·6	26·0	21·9	2·1	38	32	6	10	.	.	.	1	.	1	.	1	.	.	8	1	1	3	1	2	12	2	50	31	41·4	0·32	51	40	46·7	0·04	52	33	44·7	0·18
Londonderry,	42,067	19·4	17·4	26·0	7·4	14	21	4	3	.	.	.	.	5	1	.	.	.	.	2	2	2	4	.	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	27·3	23·2	1·4	20	17	4	6	.	.	.	.	.	1	.	.	.	1	1	1	1	6	.	.	4	3	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	29·2	23·4	.	15	12	4	2	.	.	.	.	.	.	.	.	.	1	2	3	1	1	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	19·4	31·1	3·9	5	8	.	5	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	4	.	50	32	42	1·08	51	40	46·4	0·91	50	30	43	0·56
Dundalk,	18,076	3·4	23·9	31·9	12·0	6	8	2	1	.	.	.	.	3	.	.	.	.	2	.	.	1	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	20·4	24·5	.	5	6	1	4	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	4·2	8·4	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	47·2	26·1	37·3	0·69	50·3	34·9	43·7	0·82	51·7	29·0	41·7	0·14
Lurgan,	11,782	13·8	35·4	22·1	.	8	5	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	2	.	47·2	26·1	37·3	0·69	50·3	34·9	43·7	0·82	51·7	29·0	41·7	0·14
Lisburn,	11,461	10·1	13·6	22·7	.	3	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	47·2	26·1	37·3	0·69	50·3	34·9	43·7	0·82	51·7	29·0	41·7	0·14
Wexford,	11,168	23·2	18·7	23·3	.	4	5	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	52·7	14·4	.	11	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	24·0	19·2	.	5	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny,	10,609	11·5	9·8	24·6	.	2	5	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	47·9	27·8	38·5	1·46	50·8	37·3	44·7	1·35	53·5	25·7	44·1	0·48
Clonmel,	10,167	7·8	5·1	20·5	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	48	27	39	0·70	52	36	44·1	0·16	55	26	42·5	0·13
Portadown,	10,092	13·2	56·8	10·3	.	11	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,867	16·6	31·7	26·4	.	6	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	47·2	26·1	37·3	0·69	50·3	34·9	43·7	0·82	51·7	29·0	41·7	0·14
Newtownards,	9,110	18·9	11·4	40·1	17·2	2	7	1	3	.	2	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown,	7,909	14·4	33·0	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	46	29	38·2	0·63	51	37	43·8	0·53	53	32	43·1	0·09
Armagh,	7,588	22·2	20·6	13·7	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	50	31	41·4	0·32	51	40	46·7	0·04	52	33	44·7	0·18
																						1	.	.	.	2	.	47·2	26·1	37·3	0·69	50·3	34·9	43·7	0·82	51·7	29·0	41·7	0·14

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 2 deaths of persons (including one at 80 years), admitted to hospital from localities outside the Area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 10th of February, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
Pneumonia,	.	1	.	4	.	.	.	.	.	1	.	.	.	.	.	.	18	.
Tuberculous Phthisis,	.	1	1	3	.	.	.	3	2	2	2	.	.	2	.	2	15	.
Tuberculous Other Forms.	.	1	1	2	.	.	.	1	2	4	2	.	.	.	.	2	14	.
Cancer, Malignant Disease,	.	2	3	1	.	1	.	.	1	2	2	1	.	.	.	1	5	.
Other General Diseases	.	.	.	2	.	.	.	.	.	1	1	.	1	.	.	.		
Total,	.	6	5	12	.	1	.	4	5	10	7	1	1	2	.	5	59	.
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	3	1	3	.	.	.	1	.	.	1	.	2	.	.	.	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	.	3	1	.	.	.	4	2	3	3	.	.	.	1	2	21	2
Respiratory System,	.	6	3	1	.	.	1	5	2	2	.	.	2	1	1	2	26	.
Digestive System,	.	1	1	.	.	.	.	.	.	1	4	.	.	.	.	.	7	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	10	8	7	.	.	1	12	5	7	8	.	4	1	2	4	72	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	1	1	.	1	.	1	3	.	1	1	.	1	1	.	1	13	.
E. VIOLENT DEATHS,	.	.	.	1	.	.	.	1	.	1	1	.	.	1	.	.	5	.
Deaths from all Causes,	4	17	14	20	1	1	2	20	10	19	17	1	6	5	2	10	149	2
Annual Rate of Mortality from all causes in every 1,000 of the population	7·4	22·6	24·2	32·9	10·8	5·2	15·6	27·2	28·5	23·6	25·2	5·9	9·4	10·0	11·9	29·6	20·5	.
	20·4							24·5					14·0					
	22·4																	
Deaths of Infants under 1 year of age,	1	3	.	4	.	.	1	2	1	3	5	.	1	.	.	2	23	.
Deaths of Persons aged 60 years and upwards,	2	3	3	3	1	.	1	11	1	6	5	1	1	2	1	3	44	1
Number of Uncertified Deaths,	1	1	.	.	.	.	1	1	.	.	.	2	1	.	.	.	7	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	1	4	5	.	.	.	2	5	7	3	.	3	3	.	.	34	1
Workhouse Hospitals,	.	3	4	6	.	.	.	5	4	3	2	.	.	.	.	1	28	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1896-19

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 6th Week of the 10 years 1896-1905.	In the Week ending Saturday, 10th February, 1906. Deaths of Persons of the Ages o							
	Feb. 8, 1896.	Feb. 13, 1897.	Feb. 12, 1898.	Feb. 11, 1899.	Feb. 10, 1900.	Feb. 9, 1901.	Feb. 8, 1902.	Feb. 14, 1903.	Feb. 13, 1904.	Feb. 11, 1905.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	45·5	43·4	43·8	46·1	29·9	36·9	35·7	49·1	38·3	44·4	41·3	37·4							
ALL CAUSES.	165	276	234	212	199	229	181	193	207	194	209·0	151	6	17	12	8	21	42	39
Small-pox, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	26	.	.	3	.	.	2	.	.	3·1	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	2	3	1	2	.	.	3	1	2	1·5	.	.	.	.	.	.	.	.
Typhus, ...	.	2	.	.	.	.	.	.	.	.	·2	1	.	.	.	.	1	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4	6	9	3	13	5	3	2	7	1	5·3	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	25	2	2	5	9	2	3	6	.	5·6	.	.	.	.	.	.	.	.
Diphtheria, ...	.	.	2	1	5	.	.	1	1	.	1·0	.	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.
Enteric Fever, ...	2	1	7	4	.	4	2	1	2	2	2·5	.	.	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	5	1	3	.	2	2	1	1	1	.	2·3	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,								3	1	2		.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	3	.	.	.	.	.	2	2	5	1·3	.	.	.	.	.	.	.	.
Puerperal Septicæmia,								.	1	1		.	.	.	.	.	.	.	.
Puerperal Pyæmia,	.	1	1	1	.	.	.	.	.	.	·6	.	.	.	.	.	.	.	.
Puerperal Fever, ...								.	1	.		.	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,								.	4	.		.	.	.	.	.	.	.	.
Pneumonia, Broncho-	7	23	16	9	17	18	5	2	5	10	14·2	4	.	1	1	.	.	.	2
Pneumonia, Epidemic,								.	.	.		.	.	.	.	.	.	.	.
Pneumonia, Not defined,								7	12	7		2	.	.	.	1	1	.	.
Erysipelas, ...	.	.	1	1	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	1	1	1	.	1	1	1	2	.	1	·9	1	.	.	.	.	.	1	.
Pyæmia (not Puerperal),								.	.	.		.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	21	20	25	30	23	28	31	1	4	12	26·7	7	.	1	.	1	3	2	.
"*Phthisis*," ...								27	15	20		11	.	.	.	1	6	3	1
Tuberculous Meningitis, ...	5	2	6	7	5	2	.	6	8	1	4·2	7	.	2	3	2	.	.	.
Tuberculous Peritonitis,	3	7	3	4	4	7	1	1	2	1	3·6	.	.	.	.	.	.	.	.
Tabes Mesenterica, ...								1	1	1		1	.	1	.	.	.	.	.
Tuberculous Dis. (other),	3	7	4	5	5	4	6	7	7	8	5·6	7	1	1	1	1	2	1	.
Scrofula, ...								.	.	.		.	.	.	.	.	.	.	.
Alcoholism, ...	1	.	.	1	.	.	.	1	.	2	·5	1	.	.	.	.	.	1	.
Rheumatic Fever, ...	.	1	1	.	.	.	1	.	1	.	·4	.	.	.	.	.	.	.	.
Gout, ...	.	1	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.
Carcinoma, ...								.	1	3		4	.	.	.	.	.	3	1
Sarcoma, ...	5	4	7	11	3	4	6	.	1	1	6·7	.	.	.	.	.	.	.	.
Cancer (undefined),								6	9	6		10	.	.	.	.	.	5	4
Diabetes Mellitus, ..	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
Premature Birth, ...	2	4	8	1	1	4	3	1	2	2	2·8	2	2	.	.	.	.	.	.

* The figures for the years 1896-1900 are
† Formerly described

TH WEEK ending Saturday, 10th February, 1906, with the deaths from each cause in the corresponding average for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Feb. 8, 1896.	Feb. 13, 1897.	Feb. 12, 1898.	Feb. 11, 1899.	Feb. 10, 1900.	Feb. 9, 1901.	Feb. 8, 1902.	Feb. 14, 1903.	Feb. 13, 1904.	Feb. 11, 1905.	Averages in 6th Week of the 10 years 1896-1905.	In the Week ending Saturday, 10th February, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 45·5	° 43·4	° 43·8	° 46·1	° 29·9	° 36·9	° 35·7	° 49·1	° 38·3	° 44·4	° 41·3	Mean Temp. ° 37·4								
ngitis (not tuberc.) ...								6	2	3		4	.	1	1	1	1	.	.
ility, G. P. of Insane ...								1	1	1		1	.	.	.	.	1	.	.
epsy								3	.	2		.	.	.	.	.	.	.	.
ulsions								5	10	8		5	1	4	.	.	.	.	.
motor Ataxy ...								.	1	.		.	.	.	.	.	.	.	.
plegia Dis. of Cord ...								1	1	3		2	.	.	.	.	1	1	.
rous System (other s.)	41	34	37	36	33	43	36	.	3	.	39·0	.	.	.	.	.	.	.	.
. Dis., Endocarditis ...								2	4	10		6	.	.	.	.	1	2	2	1
br. Hæm. Thromb. ...								3	4	2		2	.	.	.	.	.	2	.	.
plexy, Hemiplegia ...								2	4	7		1	.	.	.	.	.	.	1	.
arysm								.	.	.		.	.	.	.	.	.	.	.	.
bolism, Thromb. (not rebral)								1	.	.		.	.	.	.	.	.	.	.	.
rt and Blood Vessel Dis.								11	16	13		14	.	.	.	.	.	5	8	1
up (not Spasm. nor emb.)	1	1	2	.	.	2	.	.	1	.	·7	.	.	.	.	.	.	.	.	.
nchitis	24	53	48	43	45	39	29	26	34	22	36·3	25	.	3	2	.	3	6	9	2
ma, Emphysema ...								1	1	.		.	.	.	.	.	.	.	.	.
risy	4	3	.	2	3	3	2	1	.	.	2·7	.	.	.	.	.	.	.	.	.
piratory Dis. (other) ...								4	.	3		1	.	.	.	.	.	.	1	.
sillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
eritis (not Epid.) ...	2	.	.	1	.	.	.	2	.	1	·8	1	.	1	.	.	.	.	.	.
tro Enteritis								1	1	.		.	.	.	.	.	.	.	.	.
itonitis (not Puerp.) ...	.	1	3	.	.	1	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
rhosis of Liver ...								.	2	.	1·8	1	.	.	.	.	1	.	.	.
er Dis. (other) ...	1	3	2	4	1	1	1	3	.	.		1	.	.	.	.	.	.	1	.
estive Dis. (other) ...	7	3	3	6	1	5	7	9	4	3	4·8	4	.	1	2	.	1	.	.	.
phritis, Acute ...								3	.	4		1	.	.	.	.	.	1	.	.
ght's Dis., Albuminuria	3	2	3	4	2	5	5	4	2	2	4·1	2	.	.	.	.	.	2	.	.
inary Sys. (Other Dis.)								1	.	1		1	.	.	.	.	.	.	1	.
nerative Organs Dis. ...	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of) ...	1	.	1	.	.	.	3	2	2	1	1·0	1	.	.	.	.	1	.	.	.
l Age	7	14	9	18	11	20	9	6	6	4	10·4	5	.	.	.	.	.	.	4	1
her Diseases	7	18	12	12	10	13	21	11	6	9	11·9	10	2	1	2	.	.	2	3	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	.	.	1	.	1	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	2	1	·1	1	.	.	.	.	1	.	.	.
Burns, Scalds, Explosions	1	3	3	2	1	2	2	.	.	1	·7	.	.	.	.	.	.	.	.	.
Drowning	1	.	.	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ther Deaths by Accidents	2	3	.	.	1	1	.	2	2	2	1·3	2	.	.	.	.	.	2	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
uicide	.	.	1	.	.	.	1	1	1	.	·4	2	.	.	.	.	.	1	1	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
imple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905-6—Week ending																										
	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.
No. of weeks in Annual Series.	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered,	234	164	202	247	202	201	285	189	191	176	175	223	239	205	177	198	191	238	199	184	245	192	183	220	283	202
*Average Births in corresponding week of previous 10 years,**	210	198	216	197	211	199	220	189	185	203	197	194	189	199	181	190	195	183	160	182	210	206	199	200	221	215
DEATHS registered,	151	153	165	143	123	137	168	158	141	143	133	195	152	158	173	157	168	148	171	139	168	166	154	160	187	151
Annual Death-rate per 1,000,	20·8	21·1	22·7	19·7	16·9	18·8	23·1	21·7	19·4	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8
*Average Deaths in corresponding week of previous 10 years,**	164	168	163	169	165	174	163	156	172	175	177	173	178	186	191	197	185	187	189	199	219	214	211	202	212	209
AGES, Under 5 years,	61	55	54	52	43	42	43	44	33	28	33	54	34	43	52	42	49	47	43	27	28	52	39	37	46	35
5—20 ,,	10	7	12	5	11	10	17	17	11	9	5	6	14	10	9	13	10	13	9	7	17	17	11	13	16	8
20—40 ,,	23	29	12	23	22	29	28	23	23	26	18	36	26	31	18	22	31	13	30	21	34	25	18	21	18	21
40—60 ,,	25	26	45	28	24	23	31	36	32	37	34	35	38	32	36	34	35	32	45	41	48	37	45	37	42	42
60—80 ,,	25	31	30	33	18	24	42	29	36	35	34	59	33	35	50	35	37	34	37	37	35	28	34	43	52	39
80 years and upwards,	7	5	12	4	5	9	7	9	6	8	9	5	7	7	8	11	6	9	7	6	6	7	7	9	13	6
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	1	.	.	.	1	.	.	.	.	.	1	.	1	1	1	.	1	.	1	.	.	2	1	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough,	.	.	.	.	.	1	.	.	.	1	2	.	.	1	3	1	2	2	1	1	2	3	1	1	2	.
Diphtheria,	.	1	1	1	.	.	.	.	.	2	.	.	1	1	.	.	1	1	.	2	2	2	.	1	1	.
Pyrexia † (origin uncertain),	.	.	.	1	.	1	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.
Enteric Fever,	1	2	2	4	1	2	2	2	1	4	.	2	2	.	.	2	2	1	4	3	3	.	.	.	1	.
Diarrhœal Diseases,	20	25	19	12	10	10	9	1	4	1	3	4	4	2	3	5	2	1	1	2	1	1	1	3	1	.
Pneumonia,	2	9	9	3	5	5	17	10	9	6	10	18	13	14	15	10	10	8	11	11	12	15	12	16	19	6
Tuberculous Phthisis,	23	10	21	12	15	25	23	25	17	18	21	24	21	26	20	18	24	9	27	19	21	14	23	21	29	18
Disease. Other Forms,	15	10	6	12	12	11	10	17	13	7	4	9	6	12	7	10	4	15	4	1	12	16	5	6	9	15
Cancer, Malignant Disease,	5	11	10	6	4	5	5	11	7	10	8	7	6	5	10	8	6	11	5	6	7	5	12	6	8	14
Diseases of Heart and Blood Vessels,	23	22	35	24	16	18	27	18	23	29	19	29	21	23	24	25	26	21	26	30	28	21	24	33	31	23
Diseases of Respiratory System,	10	13	14	13	7	6	18	13	17	18	17	42	26	26	34	33	22	16	25	20	26	28	23	18	27	26
Violent Deaths,	3	8	3	4	4	4	7	2	5	8	6	3	2	3	3	3	2	2	4	6	4	3	7	8	5	5
Number of Uncertified Deaths,	4	1	4	6	8	5	4	5	3	5	6	4	9	7	9	4	5	9	8	6	4	5	6	6	11	7
Mean Temperature of the Air (Phœnix Park),	58·2	54·7	55·7	58·3	51·1	51·8	49·4	48·3	49·6	40·0	41·1	42·7	48·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4
Average Mean Temperature in corresponding week of previous 10 years.	58·2	57·5	56·4	55·7	55·4	54·3‡	53·5	51·3	48·6	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3
Rainfall in inches,	·135	3·980	·990	·515	·150	·015	·325	·775	·085	·100	·295	1·190	·250	1·485	·320	·645	·128	·035	·285	·770	·860	·855	1·605	·230	·180	·755
Mean Humidity of the Air, complete Saturation, 1·0,	·88	·87	·91	·83	·84	·86	·87	·87	·91	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	·88

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th February, 1906: the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH FEBRUARY, 1906.

Class	Occupation or Social Position. [The 25,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	21·0	151	35	8	21	42	39	6	.	.	.	1	.	.	.	.	.	1	6	18	15	14	5	26	5	61	7
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	3·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
II.	MIDDLE CLASS,	87,188	13·2	22	1	.	6	2	11	2	.	.	.	1	.	.	.	.	.	1	1	3	1	2	.	4	1	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	15·1	32	10	2	3	8	7	2	.	.	.	.	.	.	.	.	.	.	.	4	7	1	1	6	.	13	3
IV.	GENERAL SERVICE CLASS,	154,279	31·2	67	22	5	6	22	11	1	.	.	.	.	.	.	.	.	.	.	3	7	6	7	4	8	3	29	4
V.	INMATES OF WORKHOUSES,	6,024		29	2	1	6	10	9	1	.	.	.	.	.	.	.	.	.	.	2	4	1	3	.	8	1	10	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	23·7	10	.	.	3	1	6	.	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	3	.	2	.
	6. Clerks and Commercial Assistants,	30,432	3·4	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	19·3	10	1	.	3	.	5	1	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	1	7	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.
	9. Building and Furnishing Trades,	29,801	22·7	13	7	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	1	3	.	4	2
	10. Clothing Trades,	28,260	9·0	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2	.
	11. Food Supply Trades,	9,242	5·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	15·5	9	1	1	2	2	2	1	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	1	.	3	1
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	27·2	7	2	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	5	.
	15. Domestic Servants,	36,603	7·1	5	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	36·2	10	1	.	2	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	1	1	4	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	26·1	45	18	5	4	14	4	.	.	.	.	.	.	.	.	.	.	.	3	6	5	2	3	6	2	18	4
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	29	2	1	6	10	9	1	.	.	.	.	.	.	.	.	.	.	2	4	1	3	.	8	1	10	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1905-6 Week ending	Annual Rate of Mortality per 1,000 Living. From all causes.	Annual Rate of Mortality per 1,000 Living. From diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of).																				
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	Dec. 23,	16·6	3·7	9	.	.	.	.	.	.	.	2	.	.	2	.	.	1	.	1
	„ 30,	25·8	3·7	14	.	.	.	.	1	.	.	.	1	1	2	.	1	1	1	3
	Jan 6,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	.	.	2	.	3	.	.
	„ 13,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	3	2	.	.	.	1	.
	„ 20,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	.	1	.	2	2	.	1
	„ 27,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Feb. 3,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	1	5	.	.	2	1	.
	„ 10,	7·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Dec 23,	25·3	1·3	19	.	.	1	.	.	.	.	.	.	.	5	1	.	2	.	2
	„ 30,	17·3	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.
	Jan. 6,	25·3	.	19	.	.	.	.	.	.	.	.	.	1	4	3	2	3	.	1
	„ 13,	20·0	1·3	15	.	.	.	.	.	1	.	.	.	3	.	.	1	2	1	.
	„ 20,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.	1	4	2	.
	„ 27,	26·6	1·3	20	.	.	.	.	.	1	.	.	.	4	3	.	1	1	2	.
	Feb. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	5	2	1	.	6	.	3
	„ 10,	22·6	1·3	17	.	.	.	1	.	.	.	.	.	1	1	1	2	6	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Dec. 23,	27·7	.	16	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.
	„ 30,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	3	1	.
	Jan. 6,	22·5	.	13	.	.	.	.	.	.	.	.	.	.	2	1	.	1	1	1
	„ 13,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	2	3	.	4	.	.
	„ 20,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	4	.	1	1	1	.
	„ 27,	22·5	3·5	13	.	.	.	.	.	.	.	.	2	1	.	.	.	1	2	.
	Feb. 3,	32·9	1·7	19	.	.	.	.	.	.	.	.	1	2	7	2	.	2	1	1
	„ 10,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,673.	Dec. 23,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	1
	„ 30,	24·7	4·9	15	.	.	.	.	.	.	1	2	.	.	4	.	.	1	1	.
	Jan. 6,	24·7	.	15	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	„ 13,	16·5	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.
	„ 20,	21·4	1·6	13	.	.	1	.	.	.	.	.	.	1	4	1	1	2	.	.
	„ 27,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
	Feb. 3,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1
	„ 10,	32·9	.	20	.	.	.	.	.	.	.	.	.	4	3	2	1	1	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	Dec. 23,	17·7	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	.
	„ 30,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	3	1	1	2	1	1
	Jan. 6,	17·7	1·4	13	.	.	.	.	.	1	.	.	.	2	2	1	.	1	.	.
	„ 13,	43·5	2·7	32	.	.	2	.	.	.	.	.	.	1	4	3	.	8	.	.
	„ 20,	29·9	.	22	.	.	.	.	.	.	.	.	.	.	5	1	.	5	.	1
	„ 27,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	.	2	1	.	3	.	1
	Feb. 3,	21·7	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	1	1	.
	„ 10,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	3	1	.	5	1	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Dec. 23,	42·8	.	15	.	.	.	.	.	.	.	.	.	.	2	.	1	7	.	.
	„ 30,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.
	Jan. 6,	31·4	2·9	11	.	.	.	.	.	.	.	.	1	2	2	1	.	1	.	.
	„ 13,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	„ 20,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.
	Feb. 3,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	1
	„ 10,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Dec. 23,	31·1	.	25	.	.	.	.	.	.	.	.	.	2	4	2	1	3	2	.
	„ 30,	21·1	.	17	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	2
	Jan. 6,	28·6	.	23	.	.	.	.	.	.	.	.	.	1	1	2	2	4	1	.
	„ 13,	23·6	1·2	19	.	.	.	.	1	.	.	.	.	2	1	2	.	2	.	2
	„ 20,	27·4	.	22	.	.	.	.	.	.	.	.	.	3	.	2	2	2	1	.
	„ 27,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	3	2	2	2	1	.	1
	Feb. 3,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	3	2	4	1	4	.	1
	„ 10,	23·6	.	19	.	.	.	.	.	.	.	.	.	1	2	4	2	2	1	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Dec. 23,	16·3	1·5	11	.	.	.	.	1	.	.	.	.	1	2	.	.	1	.	.
	„ 30,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.	.
	Jan. 6,	23·7	1·5	16	.	.	.	.	.	.	.	1	.	3	3	.	.	4	1	.
	„ 13,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	4	.	3	.	1
	„ 20,	14·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.
	„ 27,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	1	.	2	1	2	.
	Feb. 3,	13·4	.	9	.	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.
	„ 10,	25·2	.	17	.	.	.	.	.	.	.	.	.	.	2	2	2	.	1	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1905-6 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	Dec. 23,	25·1	1·6	16	.	.	.	.	.	.	.	1	.	.	3	.	1	1	1	2
	„ 30,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	.
	Jan. 6,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.
	„ 13,	9·4	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	1	1
	„ 20,	20·4	1·6	13	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	1
	„ 27,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	1
	Feb. 3,	18·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.	.	1	.	.
	„ 10,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Dec. 23,	8·0	2·0	4	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
	„ 30,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
	Jan. 6,	20·0	4·0	10	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.
	„ 13,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.
	„ 20,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 27,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 3,	30·1	2·0	15	.	.	.	.	.	1	.	.	.	1	3	.	2	3	.	.
	„ 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Dec. 23,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
	„ 30,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Jan. 6,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 13,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1
	„ 20,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	„ 27,	32·5	.	11	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
	Feb. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 10,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
Belfast. Pop. in 1906 (Est.) 358,680.	Dec. 23,	21·2	1·6	146	.	2	3	.	1	1	.	2	2	18	21	—	—	31	4	—
	„ 30,	18·0	0·4	124	.	.	.	.	.	.	.	2	1	14	17	—	—	23	5	—
	Jan. 6,	21·4	1·0	147	.	.	.	.	1	1	.	2	3	15	15	10	3	20	6	6
	„ 13,	19·3	1·3	133	.	.	.	.	2	1	1	3	2	12	17	4	5	19	1	2
	„ 20,	19·6	1·3	135	.	.	2	1	1	.	2	1	2	8	17	3	5	12	4	4
	„ 27,	28·3	1·3	160	.	.	1	.	3	.	.	2	3	11	22	8	7	20	1	4
	Feb. 3,	20·2	0·9	139	.	.	1	.	1	.	.	2	2	10	16	7	5	26	3	3
	„ 10,	21·2	1·3	146	.	.	.	.	2	.	.	6	1	8	23	6	4	23	1	3
Cork. Pop. (in 1901) 76,122.	Dec. 23,	18·7	.	20	.	.	.	.	.	.	.	.	.	2	2	—	—	3	.	—
	„ 30,	20·5	2·1	30	.	.	.	.	.	.	.	1	2	1	3	—	—	5	.	—
	Jan. 6,	14·4	0·7	21	.	.	.	.	.	.	.	.	1	1	2	2	2	3	1	.
	„ 13,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	3	2	3	2	.	1
	„ 20,	18·5	0·7	27	.	.	.	.	.	.	.	.	3	.	7	1	1	1	.	.
	„ 27,	21·2	2·1	31	.	.	.	.	.	.	.	.	.	.	6	1	1	3	1	.
	Feb. 3,	15·1	.	22	.	.	.	.	.	.	.	.	.	1	4	3	1	.	.	.
	„ 10,	21·9	2·1	32	.	.	.	1	.	1	.	1	.	.	8	1	1	3	1	2
Londonderry. Pop. in 1906 (Est.) 42,067.	Dec. 23,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	.	—	—	3	1	—
	„ 30,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	1	—	—	1	.	—
	Jan. 6,	19·8	1·2	16	.	.	.	.	1	.	.	.	.	.	2	1	.	5	1	1
	„ 13,	8·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.
	„ 20,	18·6	2·5	11	.	.	.	.	2	.	.	.	.	1	1	.	.	1	.	.
	„ 27,	17·4	.	14	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	Feb. 3,	17·4	5·0	14	.	.	.	.	1	.	.	.	3	1	.	.	.	4	.	1
	„ 10,	26·0	7·4	21	.	.	.	.	5	1	.	.	.	.	2	2	2	4	.	1
Limerick. Pop. (in 1901) 38,151.	Dec. 23,	20·5	1·4	15	.	.	.	.	.	1	.	.	.	.	3	—	—	2	.	—
	„ 30,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	1	—	—	5	.	—
	Jan. 6,	17·8	1·4	13	.	.	1	.	.	.	.	.	.	.	3	2	1	6	.	3
	„ 13,	30·1	.	22	.	.	.	.	.	.	.	.	.	1	4	.	1	2	.	2
	„ 20,	23·2	1·4	17	.	.	.	.	.	.	.	1	.	.	1	.	1	7	.	2
	„ 27,	16·4	1·4	12	.	.	.	.	.	1	.	.	.	.	.	1	.	3	.	1
	Feb. 3,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	3	1	1	4	.	2
	„ 10,	23·2	1·4	17	.	.	.	.	.	1	.	.	.	1	1	1	1	6	.	3
Waterford. Pop. (in 1901) 26,769.	Dec. 23,	7·8	.	4	.	.	.	.	.	.	.	.	1	.	.	—	—	1	.	—
	„ 30,	7·8	1·9	4	.	.	.	.	.	.	.	.	.	1	1	—	—	.	.	—
	Jan. 6,	31·2	1·9	16	.	.	.	.	1	.	.	.	.	1	2	.	.	1	4	3
	„ 13,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 20,	11·7	1·9	6	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	.
	„ 27,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.
	Feb. 3,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 10,	23·4	.	12	.	.	.	.	.	.	.	.	.	1	2	3	1	1	.	1

* Formerly described as "Simple Continued Fever."

NOTE.—The Figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths, in Belfast, Cork, Londonderry, Limerick, and Waterford, are not available for the two weeks ending with 30th December, 1905.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th February, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,784	6	31·9	.	9	3	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	3	1
Do. 2 ,, .	47,959	22	14·1	.	13	2	2	3	6	.	.	.	.	.	.	.	.	.	.	1	.	.	5	.	1	3	2
Do. 3 ,, .	47,214	25	27·6	2·2	25	3	1	13	8	.	.	.	.	.	.	.	2	.	3	6	2	.	3	.	.	7	.
Do. 4 ,, .	40,911	25	29·3	1·3	23	4	1	15	3	.	.	.	.	.	.	.	1	.	1	4	1	.	4	.	.	3	.
Do. 5 ,, .	17,387	8	30·0	6·0	10	2	3	3	2	.	.	.	.	.	.	.	1	1	.	.	.	.	3	.	1	3	.
Do 6 ,, .	48,122	9	19·5	.	18	3	.	9	6	.	.	.	.	.	.	.	.	.	2	4	1	1	3	.	.	4	.
Do 7 ,, .	1,524	1	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	13	30·9	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Do. 9 ,, .	19,569	12	18·7	2·7	7	2	1	3	1	.	.	.	.	1	.	.	.	.	.	1	.	2	1	.	.	1	.
Do. 10 ,, .	23,064	19	18·1	2·3	8	4	.	3	1	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1	1	.
Do. 11 ,, .	34,802	19	19·5	1·5	13	2	2	8	1	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.	1	3	.
Do. 12 ,, .	33,588	26	12·4	1·6	8	3	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	1	1	.
Do. 13 ,, .	15,006	4	31·3	.	9	1	1	6	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	2	1	.
Do. 14 ,, .	240	.	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	189	21·8	1·3	146	29	11	71	35	.	.	.	.	2	.	.	6	1	8	23	6	4	23	1	8	36	3
City of Cork.																											
CORK URBAN No. 1 DISTRICT. .	12,867	10	32·4	.	8	5	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	2
Do. 2 ,, . .	10,701	7	34·1	14·6	7	1	1	5	.	.	.	.	1	.	1	.	1	.	.	2	1	.	.	.	1	3	.
Do. 3 ,, . .	9,978	7	10·5	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 ,, . .	8,666	5	6·0	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 5 ,, . .	6,592	1	31·6	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	3	.
Do. 6 ,, . .	10,702	3	4·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 7 ,, . .	16,616	5	28·2	.	9	.	.	5	4	.	.	.	.	.	.	.	.	.	.	4	.	1	1	.	.	4	.
Total, ...	76,122	38	21·9	2·1	32	6	3	13	10	.	.	.	1	.	1	.	1	.	.	8	1	1	3	1	2	12	2

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons** *admitted from without the City are omitted.*

BELFAST.	1905–6—Week ending																									
	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept 16.	Sept. 23	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered,	209	200	208	235	209	216	207	198	210	209	204	234	205	199	200	205	199	194	158	189	224	198	196	236	231	189
DEATHS registered,	125	136	105	109	114	94	109	116	122	130	153	130	141	150	138	140	148	126	146	124	147	133	135	160	139	146
Annual Death-rate per 1,000 of estimated Population,	18·2	19·8	15·8	15·8	16·6	13·7	15·8	16·9	17·7	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18.3	21·2	18·0	21·4	19·3	19·6	23·3	20·2	21·2
AGES: Under 1 year,	43	47	26	28	25	19	22	31	28	25	35	30	36	38	28	27	21	23	31	26	34	21	30	31	24	29
AGES: 1–5 years,	10	9	11	5	16	9	9	3	12	14	19	14	17	15	19	11	18	15	18	19	16	15	16	22	11	11
AGES: 5–60 years,	51	60	50	56	48	50	62	58	48	62	63	55	53	60	65	64	72	58	69	56	61	60	62	71	61	71
AGES: 60 years and upwards,	21	20	18	20	25	16	16	24	34	29	36	31	35	37	26	38	37	30	28	23	36	37	27	36	43	35
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.
Scarlet Fever,	1	.	.	.	1	.	.	.	.	1	3	1	.	1	1	1	.	2	3	.	.	.	2	1	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.
Whooping-cough,	1	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	1	3	1	.	1	2	1	3	1	2
Diphtheria,	.	.	1	2	.	1	.	1	.	.	2	.	1	1	.	1	.	.	1	.	1	1	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Enteric Fever,	2	3	1	1	5	4	6	.	5	1	.	2	3	3	3	4	3	1	2	2	2	3	1	2	2	6
Diarrhœal Diseases,	29	22	8	10	11	1	3	5	4	2	1	3	3	1	2	.	2	.	2	1	3	2	2	3	2	1
Pneumonia,	4	2	2	12	10	12	4	12	6	12	9	18	16	14	18	15	18	14	18	14	15	12	8	11	10	8
Tuberculous Disease, Phthisis,	15	19	19	16	18	14	10	14	13	17	25	19	22	22	16	26	17	17	21	17	15	17	17	22	16	23
Tuberculous Disease, Other Forms,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4	3	8	7	6
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	5	7	5	4
Diseases of Respiratory System,	6	15	5	5	5	4	11	15	17	14	21	31	28	31	28	29	34	23	31	23	20	19	12	20	26	23
Violent Deaths,	3	8	1	2	1	3	2	2	3	7	4	4	3	4	9	3	3	2	4	5	6	1	4	1	3	1
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	4	4	3	3

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the twenty weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	Feb. 10,	2,550	1,346	14·9	.	26	11	16	33	4	23
EDINBURGH,	341,035	„ 10,	129	106	16·2	.	1	.	.	.	.	3
GLASGOW,	835,625	„ 10,	491	265	16·5	.	14	3	2	3	2	6
CALCUTTA,	847,796	Dec. 23,	.	675	41·4	20	1	.	1	.	168‡	164*
BOMBAY,	776,006	Jan. 9,	410	737	49·4	6	2	.	.	.	60‡	81
MADRAS,	509,346	Dec. 22,	379	557	56·8	9	5	?	?	?	135‡	124*
PARIS,	2,660,559	Jan. 27,	1,016	951	18·5	2	22	1	4†	1	4	20
BRUSSELS (with 8 Faubourgs).	598,467	„ 20,	211	203	18·1	.	.	1	2†	1	2	8
ANTWERP,	301,647	„ 20,	130	89	15·4	.	1	1	.	.	2	1
AMSTERDAM,	557,614	„ 20,	284	146	13·7	.	4	1	4†	1	1	6
COPENHAGEN,	426,000	„ 20,	230	123	15·1	.	.	.	2†	1	.	1
STOCKHOLM,	318,398	„ 13,	169	84	13·7	.	.	1	2†	.	.	2
CHRISTIANIA,	222,373	„ 27,	150	73	17·1	.	.	1	3†	.	.	2
ST. PETERSBURG,	1,429,000	„ 27,	.	694	25·3	.	18	20	21	4	33	79
MOSCOW,	1,092,360	Dec. 23,	.	330	15·8	.	1	4	11†	3	3	46
BERLIN,§	2,039,277	Jan. 6,	826	573	17·1	.	13	6	9†	9	1	26
HAMBURG,	772,852	„ 13,	.	290	19·5	.	1	.	2†	5	.	17
BRESLAU,	471,857	„ 27,	.	163	18·0	.	.	.	.	3	.	7
MUNICH,	540,000	„ 27,	.	182	17·5	.	.	1	2†	3	.	32
VIENNA (with suburbs).	1,917,639	„ 27,	950	663	18·2	.	7	2	12†	10	1	30
BUDA-PESTH,	859,134	„ 27,	305	307	18·6	.	6	8	4†	1	3	12
PRAGUE and Faubourgs.	455,241	„ 20,	201	164	18·7	.	.	1	.	.	1	12
TRIESTE,	194,749	„ 20,	126	92	24·6	.	.	.	.	1	3	1
ROME,	516,580	Nov. 11,	218	163	16·5	.	1	.	.	.	10	8
VENICE,	169,417	Jan. 13,	72	71	21·9	.	.	.	1†	.	.	4
NEW YORK,	4,152,860	„ 13,	2,312	1,525	19·2	.	15	7	62†	3	7	29
PHILADELPHIA,	1,469,126	„ 6,	.	536	19·0	.	10	3	24†	1	19	27
BOSTON,	595,380	„ 13,	.	198	17·4	.	3	1	3	.	5	2

* Including 65 deaths from cholera in Calcutta, and 5 in Madras.
† Including deaths from croup.
‡ Exclusive of 19 deaths from plague in Calcutta, 17 in Bombay, and one in Madras.
§ The figures are for 6 days.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th February, 1906.

DISTRICTS.	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 1, West,	.	.	.	1	.	.	.	.	.	.	3	.	.	4
" " 2,	.	.	.	.	.	.	.	.	.	1	1	1	.	3
" " 3,	.	.	.	2	.	.	.	.	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1,	.	.	.	4	.	.	.	.	.	.	5	.	.	9
" " 2,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 3,	.	.	.	2*	.	.	.	.	.	1	1	.	.	4
" " 4,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Total,	.	.	.	11*	.	.	.	.	1	5	12	1	.	30

* Including one case of Scarlatina and Diphtheria.

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th February, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th February.			
	Jan. 20.	Jan. 27.	Feb. 3.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	15	12	12	.	8	.	4
Scarlet Fever,	47	46	47	15	4	.	58*
Typhus,	2	3	2	.	.	1	1
Diphtheria,	37	36	34	3	8	.	29
Enteric Fever,	24	22	27	5	6	.	26
Pneumonia,	19	15	21	6	4	.	23

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 10th February, 1906:—

"Atmospheric pressure was in very unstable equilibrium over the greater part of Europe throughout this week, and the weather was consequently unsettled and changeable. The general distribution of pressure was anticyclonic both over Russia and off the western shores of Ireland, France, and the Peninsula; cyclonic both in the Norwegian Sea and in the Mediterranean Basin. Sunday and Monday were cloudy and cold, but fine and dry. On Tuesday morning severe frost occurred in the Midland counties of England, the thermometer falling to 22° in the screen at Bath and Nottingham and to 17° on the grass at Oxford. A V-shaped depression, secondary to a primary off the extreme N.W. coast of Norway, disturbed the weather in Ireland and Scotland at that time, clouds, rain, and a higher temperature prevailing in those countries. As the disturbances moved off, the western anticyclone renewed its strength and at 8 a.m. of Wednesday the barometer read 30·51 inches at Valentia, Co. Kerry. In the course of the following night a rapid fall of the mercury took place over the British Isles and Scandinavia—at Sumburgh Head, in the Shetlands, the fall exceeded an inch in 14 hours, and at 8 a.m. of Thursday the barometer read 28·74 inches at that station. Gales from S.W. to N.W. and N. sprang up on all coasts—a blizzard of hail, sleet and snow passed over Dublin at noon, and violent thunder and hail storms visited the inland, southern and eastern counties of England. On Friday dawn broke over a snow-covered country in Ireland—at night a new and still deeper depression advanced quickly from the Atlantic, and the week closed with storm, rain and renewed cold. In Dublin the mean height of the barometer was 29·939 inches, the range being from 30·415 inches at 9 a.m. of Wednesday (wind, W.N.W.) to 28·568 inches at 4.15 p.m. of Saturday (wind, W.). The mean temperature was 39·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 38·9°. The screened thermometers fell to 30·1° on Friday and rose to 48·9° on Saturday. The prevalent wind was W.N.W. Rain fell on six days to the amount of ·582 inch, of which ·229 inch was measured on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·954 inches. The highest reading (30·432) was on Wednesday at 9 a.m., wind W., and the lowest (28·638) on Saturday at 9 p.m., wind W.

The mean temperature for the week was 37·4°, being 3·9° under the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Saturday, on which day the thermometer registered 47·4°, and was lowest on Monday, the mercury having fallen to 25·1°. The mean of the Dry Bulb for the week was 37·7°, and of the Wet Bulb 36·4°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 15·6 hours. The rainfall during the week measured ·755 inch.

At Greenwich the mean temperature for the week was 37·0°, the maximum 49·7°, and the minimum 30·4°; at Glasgow the maximum was 47·8°, the minimum, 23·3°, and the mean 36·9°; and at Edinburgh the maximum was 46·2°; the minimum 27·4°; and the mean 37·0°. The rainfall at Greenwich measured 0·38 inch; at Glasgow 0·84 in.; and at Edinburgh 0·30 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Feb. 4,	30·338	39·6	34·7	37·2	36·1	33·8	·80	·3	0·0	—	W.N.W.	N.
Monday, „ 5,	30·332	38·1	25·1	31·6	32·9	31·8	·87	·4	0·0	·020	N.	Calm.
Tuesday, „ 6,	30·283	46·5	35·1	40·8	40·0	39·0	·92	·4	0·0	—	W.	W.N.W.
Wednesday, „ 7,	30·356	45·1	34·4	39·8	40·9	39·4	·88	·7	2·0	·080	W.	S.W.
Thursday, „ 8,	29·817	46·8	29·4	38·1	38·8	37·8	·93	·5	1·8	·150	W.	W.
Friday, „ 9,	29·805	37·8	28·1	33·0	33·6	32·6	·89	·6	6·6	·320	W.	S.
Saturday, „ 10,	28·744	47·4	34·9	41·2	41·9	40·3	·88	·8	5·2	·185	S.W.	W.
Mean . .	29·954	43·0	31·7	37·4	37·7	36·4	·88	·5	Total 15·6	Total ·755	Prevailing Wind. W.	

Sunday—Day overcast, fine; night cloudy. *Monday*—Day overcast; night cloudy and showery. *Tuesday*—Day overcast, fine; night cloudy. *Wednesday*—Day cloudy; night overcast, rain 7 a.m. to 8.30 a.m. *Thursday*—Day cloudy, rain and snow showers; night cloudy, heavy snow showers at intervals. *Friday*—A fine day; night overcast, snow and rain 8 p.m. to 6.30 a.m. *Saturday*—A fine day; night overcast, rain p.m., cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 10th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Feb. 4,	38·2	41·4	44·9	40·7	37·1	38·9	0·3	trace.
Monday, „ 5,	34·0	40·4	44·8	40·2	30·6	35·4	0·2	·007
Tuesday, „ 6,	42·8	40·4	44·5	46·9	37·6	42·3	0·0	·005
Wednesday, „ 7,	40·1	40·9	44·3	46·8	36·6	41·7	0·9	·082
Thursday, „ 8,	47·6	41·4	44·1	48·2	31·6	39·9	1·6	·081
Friday, „ 9,	32·1	40·1	44·2	39·5	30·3	34·9	5·3	·227
Saturday, „ 10,	45·3	40·4	44·1	48·8	37·1	42·9	5·4	·139
Weekly Mean.	40·0	40·7	44·4	44·4	34·4	39·4	Total 13·7	Total ·541

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 374. 12. 1905.—12372.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 17TH FEBRUARY, 1906. [No. 7.

General Register Office, Charlemont House,
Dublin, 19th February, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Jan. 27.	Week ending Feb 3.	Week ending Feb 10.	Week ending Feb. 17.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 27.	Week ending Feb. 3.	Week ending Feb. 10.	Week ending Feb. 17.	Average Rate for 4 weeks.
22 Town Dists.	21·5	21·8	21·4	22·2	21·7	Lisburn, . .	27·3	18·2	22·7	31·8	25·0
Armagh, . .	13·7	13·7	13·7	6·9	12·0	Londonderry,	17·4	17·4	26·0	18·6	19·9
Ballymena, .	19·2	4·8	14·4	14·4	13·2	Lurgan, . .	17·7	17·7	22·1	17·7	18·8
Belfast, . .	23·3	20·2	21·2	26·0	22·7	Newry, . .	33·6	25·2	8·4	12·6	20·0
Clonmel, . .	30·8	20·5	20·5	20·5	23·1	Newtownards, .	45·8	68·7	40·1	40·1	48·7
Cork, . . .	21·2	15·1	21·9	21·2	19·9	Portadown,	25·8	20·7	10·3	36·2	23·2
Drogheda, . .	12·3	24·5	24·5	16·3	19·4	Queenstown .	.	26·4	.	26·4	13·2
Dublin Reg. Area,	21·2	24·4	20·5	19·0	21·3	Sligo, . . .	9·6	24·0	19·2	43·2	24·0
Dundalk, . .	16·0	27·9	31·9	8·0	21·0	Tralee, . .	10·6	15·9	26·4	21·1	18·5
Galway, . .	23·3	35·0	31·1	11·7	25·3	Waterford, .	13·6	11·7	23·4	17·5	16·6
Kilkenny, . .	29·5	19·7	24·6	29·5	25·8	Wexford, . .	37·4	28·0	23·3	18·7	26·8
Limerick, . .	16·4	24·6	23·2	28·7	23·2						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in fifteen of the districts to 11·4 in Newtownards, the 7 deaths from all causes in that district including 2 from measles. The 179 deaths from all causes in Belfast include one from measles, 6 from whooping-cough, 2 from diphtheria, one from pyrexia (origin uncertain), and 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 188—102 boys and 86 girls; and the deaths to 149—58 males and 91 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·5 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 19·0 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

During the seven weeks ending with Saturday last the death-rate averaged 22·3, and was 7·0 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The 149 deaths include one death from dysentery; the deaths from diarrhœal diseases in each of the 3 preceding weeks were 3, 1, and 0. Not one death from any of the other principal epidemic diseases was registered in the weekly period under notice. Two deaths were due to influenza.

There were 2 deaths from lobar pneumonia, 5 deaths from broncho-pneumonia, and 4 deaths from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease were 33 in number; and included 9 deaths from tuberculous phthisis, 14 deaths from *phthisis*, 2 deaths from tuberculous meningitis, 2 deaths from tuberculous peritonitis, and 6 deaths from other forms of the disease. The deaths from all forms of tuberculous disease registered in the 3 preceding weeks were 27, 38, and 33, respectively.

There were 2 deaths from carcinoma and 4 deaths from cancer (undefined).

The death of one infant, prematurely born, was registered.

Of 9 deaths from diseases of the brain and nervous system, there were 3 deaths of children under 5 years of age from *convulsions*.

Diseases of the heart and blood vessels accounted for 27 of the deaths registered.

There were 25 deaths from bronchitis.

Not one death was registered during the week from violence, accidental or otherwise.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age and the deaths of 3 persons aged 60 years and upwards.

Thirty-two of the persons whose deaths were registered during the week were under 5 years of age (16 being infants under one year, of whom 5 were under one month old) and 47 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 7 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Fifty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·0 per 1,000; the rate in the City was 19·7 (North City Districts, 18·3; South, 21·2), and in the Suburbs, 16·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·1 per 1,000 inhabitants, the rate for the City being 0·2 (0·3 in the North City Districts, and 0·0 in the South), and for the Suburbs, 0.0.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 20·2 per 1,000, and include one death from dysentery, one death from *pneumonia* (not defined), 4 deaths from tuberculous disease, one death from acute parotitis, and 2 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (22) are equal to an annual rate of 29·3 per 1,000, and include one death from broncho-pneumonia, 4 deaths from tuberculous disease of the lungs, 2 deaths from influenza, and 2 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·6 per 1,000, and include one death from tuberculous phthisis and 3 deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (8) represent an annual rate of 13·2 per 1,000, and include 2 deaths from tuberculous disease and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 10·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 7·8.

No. 1 South City District (South Earl-street).—The deaths (11) represent an annual rate of 14·9 per 1,000, and include one death from broncho-pneumonia, 4 deaths from tuberculous disease, and one death from bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1 000, and include one death from general tuberculosis and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 28·6 per 1,000, and include 2 deaths from broncho-pneumonia, one death from *pneumonia* (not defined), 9 deaths from tuberculous disease, and 5 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 19·3 per 1,000, and include 2 deaths from tuberculous disease and 5 deaths from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000, and were of persons aged 67 years and 83 years, respectively.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·0; Pembroke, 24·0; Blackrock, 6·0; and Kingstown, 20·7. There were no deaths from any of the principal epidemic diseases recorded for these districts. Among the 7 deaths from all causes for Rathmines and Rathgar are one from *pneumonia* (not defined), one from tuberculous phthisis, and one from bronchitis; the 12 deaths from all causes for Pembroke include one from lobar pneumonia, 2 from tuberculous phthisis, and 2 from bronchitis; and the 7 deaths for Kingstown include one from broncho-pneumonia, one from *phthisis*, and 2 from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 17th February, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 27,	.	—	—	6	.	.	2	.	.	3	16	.	—	—	—	—	—	27
	Feb. 3,	.	—	—	6	.	.	3	1	3	7	11	.	—	—	—	—	—	31
	Feb. 10,	.	—	—	11	.	.	.	.	1	5	12	1	—	—	—	—	—	30
	Feb. 17,	.	—	—	3	.	.	6	.	2	5	11	2	—	—	—	—	—	29
Rathmines and Rathgar Urban District.	Jan. 27,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Feb. 3,	.	—	—	1	.	.	.	.	.	3	1	.	—	—	—	—	—	5
	Feb. 10,	.	—	—	1	.	.	3	.	.	1	.	.	—	—	—	—	—	5
	Feb. 17,	.	—	—	.	.	.	3	.	.	1	.	.	—	—	—	—	—	4
Pembroke Urban District.	Jan. 27,	.	.	.	.	.	.	1	.	.	.	1	.	—	1	.	—	—	3
	Feb. 3,	.	1	.	2	.	.	1	.	.	.	.	.	—	2	.	—	—	6
	Feb. 10,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	Feb. 17,	.	.	.	.	.	.	.	.	.	.	1	.	—	5	.	—	—	6
Blackrock Urban District.	Jan. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Feb. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Feb. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Feb. 17,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
Kingstown Urban District.	Jan. 27,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	Feb. 3,	.	—	—	.	1	.	.	.	.	.	.	.	—	—	—	—	—	1
	Feb. 10,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Feb. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Jan. 27,	.	—	—	22	.	.	5	3	12	20	6	.	—	—	—	—	—	68
	Feb. 3,	.	—	—	33	1	.	6	3	9	12	3	2	—	—	—	—	—	69
	Feb. 10,	.	—	—	35	.	.	3	1	9	24	10	.	—	—	—	—	—	82
	Feb. 17.	.	—	—	30	.	.	5	2	5	21	2	1	—	—	—	—	—	66

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th February, 1906.

From this it appears that :—

Two cases of measles were discharged from hospital, and 2 remained under treatment at the close of the week.

Six cases of scarlet fever were admitted to hospital, 9 were discharged, and 55* cases remained under treatment at the close of the week.

Two cases of typhus were admitted to hospital, and 3 cases remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 3 were discharged, and 33 patients remained under treatment at the close of the week.

Two cases of enteric fever were admitted to hospital, 5 were discharged, and 23 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, were discharged, and 21 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·8), was equal to an average annual death-rate of 17·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·0 per 1,000, the rate for Glasgow being 18·0, and for Edinburgh 17·3.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 17th February, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature and Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 17th February, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia. b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 17th Feb., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th Feb., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd Feb., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	30·1	22·2	1·0	631	465	63	155	.	4	.	.	7	2	1	.	6	32	66	23	9	81	8	17	134	30	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total, d.	878,994	27·5	25·9	19·0	0·1	188	188	15	44	.	.	.	.	.	.	.	.	1	9	22	10	3	27	.	4	45	6	f46·0	27·1	36·4	0·10	f47·4	25·1	37·4	0·76	f53·3	34·7	44·8	0·18
City of Dublin,	293,385	37·1	28·1	19·7	0·2	158	111	11	32	.	.	.	.	.	.	.	.	1	6	18	10	2	22	.	3	40	5	g47·9 h46·9	29·1 28·0	38·5 37·0	0·09 0·07	g48·9 h47·9	30·1 27·6	39·5 41·8	0·58 0·59	g51·9 h54·5	36·7 25·0	45·9 45·4	0·12 0·15
Urban Dists. Rathmines and Rathgar.	33,203	19·4	18·8	11·0	.	12	7	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Pembroke	26,025	16·4	24·0	24·0	.	12	12	2	3	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Blackrock	8,759	8·1	6·0	6·0	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Kingstown,	17,622	12·1	14·8	20·7	.	5	7	2	3	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	48·0	29·5	39·5	0·12	48·5	31·0	40·8	0·31	51·5	41·5	46·5	0·15
Urban Districts.																																							
Belfast,	358,680	24·4	35·8	26·0	1·9	246	179	31	47	.	1	.	.	6	2	1	.	3	19	22	7	5	22	6	11	42	5	44·4	28·4	36·6	0·94	47·4	31·0	40·3	0·10	54·0	36·5	45·0	0·98
Cork,	76,122	33·6	36·8	21·2	.	53	31	5	18	.	.	.	.	.	.	.	.	.	.	4	.	1	7	.	.	14	3	49	29	39·5	0·89	50	31	41·4	0·32	51	40	46·7	0·04
Londonderry,	42,067	19·4	28·5	18·6	.	23	15	3	6	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	23·2	28·7	.	17	21	2	6	.	.	.	.	.	.	.	.	.	1	3	1	.	8	.	.	10	5	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	18·6	17·5	1·9	7	9	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	3	2	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	19·4	11·7	.	5	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	1	48	29	39·4	0·90	50	32	42	1·03	51	40	46·4	0·91
Dundalk,	18,076	3·4	16·0	8·0	4·0	4	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	33·1	16·3	.	13	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	29·4	12·6	.	7	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	48·2	27·4	36·0	0·27	47·2	26·1	37·3	0·69	50·3	34·9	43·7	0·82
Lurgan,	11,782	13·8	26·6	17·7	4·4	6	4	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	48·2	27·4	36·0	0·27	47·2	26·1	37·3	0·69	50·3	34·9	43·7	0·82
Lisburn,	11,461	10·1	22·7	31·8	.	5	7	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3	1	48·2	27·4	36·0	0·27	47·2	26·1	37·3	0·69	50·3	34·9	43·7	0·82
Wexford,	11,168	23·2	14·0	18·7	.	3	4	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	38·3	14·4	.	8	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	24·0	43·2	.	5	9	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	6	1	47·8	28·4	37·0	0·71	47·9	27·8	38·5	1·46	50·8	37·3	44·7	1·35
Kilkenny,	10,609	11·5	39·3	29·5	.	8	6	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	46	24	34·2	0·33	48	27	39	0·70	52	36	44·1	0·16
Clonmel,	10,167	7·8	25·6	20·5	.	5	4	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	15·5	36·2	.	3	7	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	48·2	27·4	36·0	0·27	47·2	26·1	37·3	0·69	50·3	34·9	43·7	0·82
Tralee,	9,867	16·6	52·8	21·1	.	10	4	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	34·3	40·1	11·4	6	7	.	1	.	2	.	.	.	.	.	.	.	.	4	.	.	.	.	.	1	1	47	30	37·2	0·45	46	29	38·2	0·63	51	37	43·8	0·53
Queenstown,	7,909	14·4	26·4	26·4	6·6	4	4	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	49	29	39·5	0·89	50	31	41·4	0·32	51	40	46·7	0·04
Armagh,	7,588	22·2	34·4	6·9	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	48·2	27·4	36·0	0·27	47·2	26·1	37·3	0·69	50·3	34·9	43·7	0·82

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1905. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 11 deaths of persons (including one under 1 year old and 8 at 60 years or upwards), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 17th of February, 1906, with the number of uncertified deaths: also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Pneumonia,	1	1	.	.	.	.	.	1	.	3	.	.	1	1	.	1	9	2
Tuberculous Disease. Phthisis,	2	4	1	1	.	1	.	3	.	5	1	.	1	2	.	1	22	1
Tuberculous Disease. Other Forms,	2	.	.	1	.	.	.	1	1	4	1	.	.	.	.	.	10	.
Cancer, Malignant Disease,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	3	3
Other General Diseases	2	3	.	.	.	.	.	1	1	1	2	.	.	.	.	1	11	.
Total,	8	8	1	3	.	1	.	6	2	13	5	.	2	3	1	3	56	6
B. LOCAL DISEASES:																		
Disease of: Nervous System	1	2	.	1	.	.	1	.	2	1	.	.	.	1	.	.	9	.
Disease of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disease of: Heart and Blood Vessels,	.	5	2	2	.	1	.	.	2	4	2	.	2	3	.	2	25	2
Disease of: Respiratory System,	2	3	3	1	.	.	.	2	1	5	5	.	1	2	.	2	27	.
Disease of: Digestive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
Disease of: Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disease of: Urinary System,	.	.	3	1	.	.	.	2	1	.	.	.	.	1	.	.	8	.
Disease of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	3	12	8	5	.	1	1	4	6	10	7	.	3	7	.	4	71	5
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	2	.	.	.	.	.	1	1	.	1	2	2	2	.	.	11	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Deaths from all Causes,	11	22	9	8	.	2	1	11	9	23	13	2	7	12	1	7	138	11
Annual Rate of Mortality from all causes in every 1,000 of the population	20·2	29·3	15·6	18·2	.	10·4	7·8	14·9	25·7	28·6	19·3	11·7	11·0	24·0	6·0	20·7	19·0	.
	18·3							21·2					16·4					
	19·7																	
Deaths of Infants under 1 year of age,	.	3	.	.	.	.	.	2	3	2	1	.	.	2	.	2	15	1
Deaths of Persons aged 60 years and upwards,	1	5	4	4	.	1	.	1	1	7	6	2	5	3	1	3	44	3
Number of Uncertified Deaths,	.	2	.	.	.	.	.	1	.	1	.	1	.	1	.	.	6	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	2	3	.	.	.	1	1	3	1	.	.	3	1	.	20	11
Workhouse Hospitals,	2	3	2	3	.	.	.	4	2	8	.	.	.	1	.	.	25	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths, at Eight periods of Life from each Disease registered** week of the ten years, 1896-1

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 7th Week of the 10 years 1896-1905.	In the Week ending Saturday 17th February, 1906.							
												Deaths of Persons of the Ages							
	Feb. 15, 1896.	Feb. 20, 1897.	Feb. 19, 1898.	Feb. 18, 1899.	Feb. 17, 1900.	Feb. 16, 1901.	Feb. 15, 1902.	Feb. 21, 1903.	Feb. 20, 1904.	Feb. 18, 1905.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.				
Mean Temperature.	° 44·0	° 45·5	° 43·4	° 43·2	° 32·9	° 34·8	° 29·9	° 46·9	° 37·7	° 45·5	° 40·4	° 36·4							
ALL CAUSES.	151	291	191	183	284	235	200	161	223	175	209·4	149	5	11	16	9	15	46	39
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	43	.	.	1	1	3	6	1	2	5·7	.	.	.	.	.		.	.
Scarlet Fever,	2	5	2	.	1	2	2	5	.	.	1·9	.	.	.	.	.	.	.	.
Typhus,	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	3	11	7	20	6	3	5	5	3	6·4	2	.	.	.	.	.	.	1
Whooping-cough,	2	16	2	4	5	3	3	3	9	1	4·8	.	.	.	.	.	.	.	.
Diphtheria,	.	1	1	2	3	1	.	3	1	1	1·3	.	.	.	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	3	4	2	3	2	2	1	3	3	2·6	.	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	1	2	2	.	2	2	2	. / 1	. / 2	. / 1	1·5	. / 1	.	.	.	.	.	. / 1	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	1	2	.	2	.	.	1	3	·9	1	.	1	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	.	. / . / .	. / 1 / .	. / . / .	·1	. / . / 2	.	.	.	.	.	. / 1	. / 1
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	13	16	9	9	19	24	13	. / 1 / 7	1 / 7 / 8	. / 4 / 7	13·8	2 / 5 / 4	.	. / 1 / .	. / 1 / 1	.	. / 1 / .	1 / 2 / 3	1 / . / .
Erysipelas,	.	.	1	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	2	.	.	.	.	.	1 / .	1 / .	2 / .	·6	. / .	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	.	1	.
Tuberculous Phthisis, "*Phthisis*,"	20	28	26	30	32	36	27	1 / 20	12 / 15	9 / 19	27·5	9 / 14	.	.	. / 1	2 / 1	3 / 5	2 / 6	2 / 1
Tuberculous Meningitis,	3	4	7	3	7	2	1	3	.	2	3·2	2	.	1	.	1	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	1	6	3	3	10	6	1	. / 1	2 / 1	1 / 1	3·6	2 / .	.	.	.	1	1	. / .	. / .
Tuberculous Dis. (other), *Scrofula*,	1	8	4	3	7	4	5	3 / .	3 / 1	7 / 1	4·7	6 / .	.	.	4 / .	2	.	.	.
Alcoholism,	2	1	1	.	.	.	.	.	.	1	·5	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	.	.	.	1	.	.	.	1	·2	1	.	.	.	.	.	1	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma, Sarcoma, Cancer (undefined),	5	8	4	4	5	4	6	2 / . / 2	2 / . / 3	4 / 1 / 1	5·1	2 / . / 4	.	.	.	.	.	2 / . / 2	. / . / 2
Diabetes Mellitus,	.	.	.	.	.	.	.	2	4	.	·6	1	.	.	.	.	.	.	1
Premature Birth,	3	6	3	3	5	7	7	1	5	2	4·2	1	1	.	.	.	.	.	.

* The figures for the years 1896-1900 are f
† Formerly described

SEVENTH WEEK ending Saturday, 17th February, 1906, with the deaths from each cause in the corresponding
the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 7th Week of the 10 years 1896-1905.	In the Week ending Saturday, 17th February, 1906. Deaths of Persons of the Ages of							
	Feb. 15, 1896.	Feb. 20, 1897.	Feb. 19, 1898.	Feb. 18, 1899.	Feb. 17, 1900.	Feb. 16, 1901.	Feb. 15, 1902.	Feb. 21, 1903.	Feb. 20, 1904.	Feb. 18, 1905.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	0 to 5. 1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 44·0	° 45·5	° 43·4	° 43·2	° 32·9	° 31·8	° 29·9	° 46·9	° 37·7	° 45·5	° 40·4	° 36·4								
eningitis (not tuberc.) ...								6	8	5		2	.	.	2	.	.	.	.	.
sanity, G. P. of Insane ...								1	5	3		1	.	.	.	.	.	.	1	.
pilepsy								.	.	2		1	.	.	.	.	.	1	.	.
nvulsions								6	8	7		3	1	1	1	.	.	.	.	.
comotor Ataxy ...								.	.	.		.	.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...								1	1	.		1	.	.	.	.	.	.	1	.
ervous System (other Dis.)	33	40	40	41	52	43	38	1	4	2	42·2	1	.	.	.	.	.	.	1	.
lv. Dis., Endocarditis ...								3	3	7		6	.	.	.	.	2	4	.	.
rebr. Hæm. Thromb. ...								1	1	4		3	.	.	.	.	1	1	1	.
oplexy, *Hemiplegia* ...								4	5	3		2	.	.	.	.	.	1	1	.
neurysm								1	2	.		.	.	.	.	.	.	.	.	.
nbolism, Thromb. (not cerebral)								.	.	.		.	.	.	.	.	.	.	.	.
eart and Blood Vessel Dis.								16	11	14		16	.	.	.	.	.	6	8	2
oup (not Spasm. nor Memb.)	2	4	.	.	.	1	.	1	.	.	·8	1	.	.	1	.	.	.	.	.
ronchitis	19	44	30	29	51	38	33	14	38	18	31·4	25	.	2	2	2	.	7	11	1
sthma, Emphysema ...								.	2	1		.	.	.	.	.	.	.	.	.
eurisy	2	3	2	2	4	3	2	.	2	.	2·9	.	.	.	.	.	.	.	.	.
espiratory Dis. (other) ...								3	1	2		1	.	.	.	.	.	1	.	.
nsillitis, Quinsy ...	.	1	1	1	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
nteritis (not Epid.) ...								.	.	1		1	.	.	.	.	.	.	.	1
astro Enteritis	.	.	.	.	1	.	1	.	5	.	·8	.	.	.	.	.	.	.	.	.
ritonitis (not Puerp.) ...	1	.	.	.	.	.	1	.	.	.	·2	1	.	.	.	.	.	.	1	.
rrhosis of Liver ...								.	.	.		.	.	.	.	.	.	.	.	.
ver Dis. (other) ...	3	.	2	3	.	1	2	6	1	3	2·1	1	1	.	.	.	.	.	.	.
gestive Dis. (other) ...	6	6	.	4	6	6	4	3	4	3	4·2	1	.	.	1	.	.	.	.	.
ephritis, Acute ...								2	2	3		2	.	.	1	.	1	.	.	.
ight's Dis., Albuminuria	4	4	9	3	7	10	5	3	1	1	5·8	4	.	.	.	.	.	2	2	.
rinary Sys. (Other Dis.)								2	1	1		2	.	.	.	.	.	1	1	.
enerative Organs Dis. ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of) ...	1	.	1	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
d Age	8	13	11	12	22	15	11	3	10	6	11·1	5	.	.	.	.	.	.	2	3
ther Diseases	12	16	9	13	12	10	20	11	16	10	12·9	9	2	5	1	.	.	.	1	.
ACCIDENT.																				
y Railways	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
y Vehicles and Horses ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
y Burns, Scalds, Explosions	.	1	.	1	4	1	3	.	1	.	1·1	.	.	.	.	.	.	.	.	.
y Drowning	3	.	.	.	.	2	2	2	.	.	·9	.	.	.	.	.	.	.	.	.
y Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
y Poison or Poisonous Vapours	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
ther Deaths by Accidents	.	4	4	1	4	1	1	1	2	.	1·8	.	.	.	.	.	.	.	.	.
IOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
icide	.	1	.	.	.	.	.	.	.	2	·3	.	.	.	.	.	.	.	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1905–6—Week ending																									
	Aug. 26	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.
No. of weeks in Annual Series.	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
Births registered,	164	202	247	202	201	285	189	191	176	175	223	239	205	177	198	191	238	199	184	245	192	183	220	283	202	188
*Average Births in corresponding week of previous 10 years,**	198	216	197	211	199	220	189	185	203	197	194	189	199	181	190	195	183	160	182	210	206	199	200	221	215	205
Deaths registered,	153	165	143	123	137	168	158	141	143	133	195	152	158	173	157	168	148	171	189	168	166	154	160	187	151	149
Annual Death-rate per 1,000,	21·1	22·7	19·7	16·9	18·8	23·1	21·7	19·4	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5
*Average Deaths in corresponding week of previous 10 years,**	168	163	169	165	174	163	156	172	175	177	173	178	186	191	197	185	187	189	199	219	214	211	202	212	209	209
Ages, Under 5 years,	55	54	52	43	42	43	44	33	28	33	54	34	43	52	42	49	47	43	47	28	52	39	37	46	35	32
5—20 ,,	7	12	5	11	10	17	17	11	9	5	6	14	10	9	13	10	13	9	7	17	17	11	13	16	8	9
20—40 ,,	29	12	23	22	29	28	23	23	26	18	36	26	31	18	22	31	13	30	21	34	25	18	21	18	21	15
40—60 ,,	26	45	28	24	23	31	36	32	37	34	35	38	32	36	34	35	32	45	41	48	37	45	37	42	42	46
60—80 ,,	31	30	33	18	24	42	29	36	35	34	59	33	35	50	35	37	34	37	37	35	28	34	43	52	39	39
80 years and upwards,	5	12	4	5	9	7	9	6	8	9	5	7	7	8	11	6	9	7	6	6	7	7	9	13	6	8
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	1	.	.	.	.	.	1	.	1	1	1	.	1	.	1	.	.	2	1	.	1	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	1	.	.	.	1	2	.	.	1	3	1	2	2	1	1	2	3	1	1	2	.	.
Diphtheria	1	1	1	.	.	.	.	.	2	.	.	1	1	.	.	1	1	.	2	2	2	.	1	1	.	.
Pyrexia † (origin uncertain),	.	.	1	.	1	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.
Enteric Fever	2	2	4	1	2	2	2	1	4	.	2	2	.	.	2	2	1	4	3	3	.	.	.	1	.	.
Diarrhœal Diseases,	25	19	12	10	10	9	1	4	1	3	4	4	2	3	5	2	1	1	2	1	1	1	3	1	.	1
Pneumonia,	9	9	8	5	5	17	10	9	6	10	18	13	14	15	10	10	8	11	11	12	15	12	16	19	6	11
Tuberculous Disease. Phthisis,	10	21	12	15	25	23	25	17	18	21	24	21	26	20	18	24	9	27	19	21	14	23	21	29	18	8
Tuberculous Disease. Other Forms,	10	6	12	12	11	10	17	13	7	4	9	6	12	7	10	4	15	4	1	12	16	5	6	9	15	10
Cancer, Malignant Disease,	11	10	6	4	5	5	11	7	10	8	7	6	5	10	8	6	11	5	6	7	5	12	6	8	14	6
Diseases of Heart and Blood Vessels,	22	35	24	16	18	27	18	28	29	19	29	21	28	24	25	26	21	26	30	28	21	24	33	31	23	27
Diseases of Respiratory System,	13	14	13	7	6	18	13	17	18	17	42	26	26	34	33	22	16	25	20	26	28	22	18	27	26	27
Violent Deaths,	8	3	4	4	4	7	2	5	8	6	3	2	3	3	3	2	2	4	6	4	3	7	8	5	5	.
Number of Uncertified Deaths,	1	4	6	8	5	4	5	3	5	6	4	9	7	9	4	5	9	8	6	4	5	6	6	11	7	6
Mean Temperature of the Air (Phœnix Park),	54·7	55·7	58·3	51·1	51·3	49·4	48·3	49·6	40·0	41·1	42·7	48·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4
Average Mean Temperature in corresponding week of previous 10 years	57·5	56·4	55·7	55·4	54·3‡	53·5	51·3	48·6	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4
Rainfall in inches,	3·980	990	·515	·150	·015	325	775	·035	·100	·295	1·190	·250	1·485	·320	·645	·128	·035	·285	·770	·860	·855	1·605	·230	·180	755	·095
Mean Humidity of the Air, complete Saturation, 1·0	·87	·91	·88	·84	·86	·87	·87	·91	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	88	86

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th February, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH FEBRUARY, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	20·7	149	32	9	15	46	39	8	.	.	.	.	.	.	.	.	.	1	11	23	10	6	3	27	.	68	6
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	20·9	7	.	.	.	.	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	5	.
II.	MIDDLE CLASS,	37,188	15·0	25	3	1	4	9	5	3	.	.	.	.	.	.	.	.	.	.	2	2	2	3	1	4	.	11	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	14·6	31	10	3	2	9	6	1	.	.	.	.	.	.	.	.	1	1	1	10	2	.	2	7	.	8	1
IV.	GENERAL SERVICE CLASS,	154,279	28·0	61	17	5	5	18	14	2	.	.	.	.	.	.	.	.	.	.	8	4	6	2	.	11	.	30	3
V.	INMATES OF WORKHOUSES,	6,024		25	2	.	4	10	8	1	.	.	.	.	.	.	.	.	.	.	.	6	.	.	.	5	.	14	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	33·4	5	.	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,860	12·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	18·9	8	1	.	1	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	2	.	3	1
	6. Clerks and Commercial Assistants,	30,432	12·0	7	2	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	2	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	15·4	8	.	.	2	2	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	3	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	5·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	1	.	.	.	.
	9. Building and Furnishing Trades,	29,801	15·7	9	2	2	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	3	1	.	.	3	.	1	.
	10. Clothing Trades,	23,260	13·5	6	3	1	.	2		.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	2	.	1	.
	11. Food Supply Trades,	9,242	16·9	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1
	12. Other Trades and Callings ranking with Trades,	30,352	18·9	11	3	.	.	5	2	1	.	.	.	.	.	.	.	.	1	1	.	4	1	.	1	2	.	2	.
	13. Petty Shopkeepers,	7,894	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	7·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	15. Domestic Servants,	36,603	5·7	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	6	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	2	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	28·4	49	15	4	4	15	9	2	.	.	.	.	.	.	.	.	.	.	6	2	5	.	.	10	.	26	2
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	25	2	.	4	10	8	1	.	.	.	.	.	.	.	.	.	.	.	6	.	.	.	5	.	14	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1905-6 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia*[*] (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of).	Cols. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	Dec. 30,	25·8	5·7	14	.	.	.	.	1	.	.	.	1	1	2	.	1	1	1	3
	Jan 6,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	.	.	2	.	3	.	.
	„ 13,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	3	2	.	.	.	1	.
	„ 20,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	.	1	.	2	2	.	1
	„ 27,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Feb. 3,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	1	5	.	.	2	1	.
	„ 10,	7·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 17,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	1	2	2	.	2	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Dec 30,	17·3	.	13	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.
	Jan. 6,	25·3	.	19	.	.	.	.	.	.	.	.	.	1	4	3	2	3	.	1
	„ 13,	20·0	1·3	15	.	.	.	.	.	1	.	.	.	3	.	.	1	2	1	.
	„ 20,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.	1	4	2	.
	„ 27,	26·6	1·3	20	.	.	.	.	.	1	.	.	.	4	3	.	1	1	2	.
	Feb. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	5	2	1	.	6	.	3
	„ 10,	22·6	1·3	17	.	.	.	1	.	.	.	.	.	1	1	1	2	6	.	1
	„ 17,	29·3	.	22	.	.	.	.	.	.	.	.	.	1	4	.	.	3	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Dec. 30,	24·2	.	14	.	.	.	.	.	.	.	.	.	1		.	.	3	1	.
	Jan. 6,	22·5	.	13	.	.	.	.	.	.	.	.	.	.	2	1	.	1	1	1
	„ 13,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	2	3	.	4	.	.
	„ 20,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	4	.	1	1	1	.
	„ 27,	22·5	3·5	13	.	.	.	.	.	.	.	.	2	1	.	.	.	1	2	.
	Feb. 3,	32·9	1·7	19	.	.	.	.	.	.	.	.	1	2	7	2	.	2	1	1
	„ 10,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.
	„ 17,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Dec. 30,	24·7	4·9	15	.	.	.	.	.	.	1	2	.	.	4	.	.	1	1	.
	Jan. 6,	24·7	.	15	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	„ 13,	16·5	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.
	„ 20,	21·4	1·6	13	.	.	1	.	.	.	.	.	.	1	4	1	1	2	.	.
	„ 27,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
	Feb. 3,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1
	„ 10,	32·9	.	20	.	.	.	.	.	.	.	.	.	4	3	2	1	1	1	.
	„ 17,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	Dec. 30,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	3	1	1	2	1	1
	Jan. 6,	17·7	1·4	13	.	.	.	.	.	1	.	.	.	2	2	1	.	1	.	.
	„ 13,	43·5	2·7	32	.	.	2	.	.	.	.	.	.	1	4	3	.	8	.	.
	„ 20,	29·9	.	22	.	.	.	.	.	.	.	.	.	.	5	1	.	5	.	1
	„ 27,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	.	2	1	.	3	.	1
	Feb. 3,	21·7	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	1	1	.
	„ 10,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	3	1	.	5	1	1
	„ 17,	14·9	.	11	.	.	.	.	.	.	.	.	.	1	3	1	.	2	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Dec. 30,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.
	Jan. 6,	31·4	2·9	11	.	.	.	.	.	.	.	.	1	2	2	1	.	1	.	.
	„ 13,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	„ 20,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.
	Feb. 3,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	1
	„ 10,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
	„ 17,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Dec. 30,	21·1	.	17	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	2
	Jan. 6.	28·6	.	23	.	.	.	.	.	.	.	.	.	1	1	2	2	4	1	.
	„ 13,	23·6	1·2	19	.	.	.	.	1	.	.	.	.	2	1	2	.	2	.	2
	„ 20,	27·4	.	22	.	.	.	.	.	.	.	.	.	3	.	2	2	2	1	.
	„ 27,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	3	2	2	2	1	.	1
	Feb. 3,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	3	2	4	1	4	.	1
	„ 10,	23·6	.	19	.	.	.	.	.	.	.	.	.	1	2	4	2	2	1	.
	„ 17,	28·6	.	23	.	.	.	.	.	.	.	.	.	3	5	4	.	5	.	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Dec. 30,	14·8	1·5	10	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.	.
	Jan 6,	23·7	1·5	16	.	.	.	.	.	.	.	1	.	3	3	.	.	4	1	.
	„ 13,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	4	.	3	.	1
	„ 20,	14·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.
	„ 27,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	1	.	2	1	2	.
	Feb. 3,	18·4	.	9	.	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.
	„ 10,	25·2	.	17	.	.	.	.	.	.	.	.	.	.	2	2	2	.	1	.
	„ 17,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted*; also, Provincial County Boroughs in Ireland.

DISTRICTS.	1905-6 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,203.	Dec. 30,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	.
	Jan. 6,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.
	„ 13,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1
	„ 20,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1
	„ 27,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	1
	Feb. 3,	18·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.	.	1	.	.
	„ 10,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	„ 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Dec. 30,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	Jan. 6,	20·0	4·0	10	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	1
	„ 13,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.
	„ 20,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 27,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 3,	30·1	2·0	15	.	.	.	.	.	1	.	.	.	1	3	.	2	3	.	.
	„ 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
	„ 17,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Dec. 30,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	Jan. 6,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	„ 13,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1
	„ 20,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	„ 27,	32·5	.	11	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
	Feb. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 10,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
	„ 17,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.
Belfast. Pop. in 1906 (Est.) 358,680.	Dec. 30,	18·0	0·4	124	.	.	.	.	.	.	.	2	1	14	17	—	—	23	5	—
	Jan. 6,	21·4	1·0	147	.	.	.	.	1	1	.	2	3	15	15	10	3	20	6	6
	„ 13,	19·3	1·3	133	.	.	.	.	2	1	1	3	2	12	17	4	5	19	1	2
	„ 20,	19·6	1·3	135	.	.	2	1	1	.	2	1	2	8	17	3	5	12	4	4
	„ 27,	23·3	1·3	160	.	.	1	.	3	.	.	2	3	11	22	8	7	20	1	4
	Feb. 3,	20·2	0·9	139	.	.	1	.	1	.	.	2	2	10	16	7	5	26	3	3
	„ 10,	21·2	1·3	146	.	.	.	.	2	.	.	6	1	8	23	6	4	23	1	3
	„ 17,	26·0	1·9	179	.	1	.	.	6	2	1	.	3	19	22	7	5	22	6	5
Cork. Pop. (in 1901) 76,122.	Dec. 30,	20·5	2·1	30	.	.	.	.	.	.	.	1	2	1	3	—	—	5	.	—
	Jan. 6,	14·4	0·7	21	.	.	.	.	.	.	.	.	1	1	2	2	2	3	1	.
	„ 13,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	3	2	3	2	.	1
	„ 20,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	1	7	1	1	1	.	.
	„ 27,	21·2	2·1	31	.	.	.	.	.	.	.	.	3	.	6	1	1	3	1	.
	Feb. 3,	15·1	.	22	.	.	.	.	.	.	.	.	.	1	4	3	1	.	.	.
	„ 10,	21·9	2·1	32	.	.	.	1	.	1	.	1	.	.	8	1	1	3	1	2
	„ 17,	21·2	.	31	.	.	.	.	.	.	.	.	.	.	4	.	1	7	.	3
Londonderry. Pop. in 1906 (Est.) 42,067.	Dec. 30,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	1	—	—	1	—	—
	Jan. 6,	19·8	1·2	16	.	.	.	.	1	.	.	.	.	.	2	1	.	5	.	1
	„ 13,	8·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.	1	1	1	.
	„ 20,	13·6	2·5	11	.	.	.	.	2	.	.	.	.	1	1	.	.	1	.	.
	„ 27,	17·4	.	14	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	Feb. 3,	17·4	5·0	14	.	.	.	.	1	.	.	.	3	1	.	.	.	4	.	1
	„ 10,	26·0	7·4	21	.	.	.	.	5	1	.	.	.	.	2	2	2	4	.	1
	„ 17,	18·6	.	15	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	2
Limerick. Pop. (in 1901) 38,151.	Dec. 30,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	1	—	—	5	.	—
	Jan. 6,	17·8	1·4	13	.	.	1	.	.	.	.	.	.	.	3	2	1	6	.	3
	„ 13,	30·1	.	22	.	.	.	.	.	.	.	.	.	1	4	.	1	2	.	2
	„ 20,	23·2	1·4	17	.	.	.	.	.	.	.	1	.	.	1	.	1	7	.	2
	„ 27,	16·4	1·4	12	.	.	.	.	.	1	.	.	.	.	.	1	.	3	.	1
	Feb. 3,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	3	1	1	4	.	2
	„ 10,	23·2	1·4	17	.	.	.	.	.	1	.	.	.	1	1	1	1	6	.	3
	„ 17,	28·7	.	21	.	.	.	.	.	.	.	.	.	1	3	1	.	8	.	5
Waterford. Pop. (in 1901) 26,769.	Dec. 30,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	1	—	—	.	.	—
	Jan. 6,	31·2	1·9	16	.	.	.	.	1	.	.	.	.	1	2	.	.	1	4	3
	„ 13,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 20,	11·7	1·9	6	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	.
	„ 27,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.
	Feb. 3,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 10,	23·4	.	12	.	.	.	.	.	.	.	.	.	1	2	3	1	1	.	1
	„ 17,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	.	1	.	.	3	2	1

* Formerly described as "Simple Continued Fever."

NOTE.—The Figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths, in Belfast, Cork, Londonderry, Limerick, and Waterford, are not available for the week ending 30th December, 1905.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th February, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,734	9	24·8	8·5	7	2	1	3	1	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.	1	2	.
Do. 2 ,,	47,959	31	27·2	1 1	25	3	3	12	7	.	.	.	.	.		.	.	.	3	2	.	.	5	1	1	8	.
Do. 3 ,,	47,214	23	29·8	4·4	27	5	2	14	6	.	.	.	.	1	.	.	.	3	4	1	1	.		.	2	5	1
Do. 4 ,,	40,911	31	29·3	2·5	23	7	.	10	6	.	1	.	.	.	.	1	.	.	1	5	1	.	2	.	1	4	.
Do. 5 ,,	17,387	8	39·0	6·0	13	4	1	2	6	.	.	.	.	2	.	.	.	.	2	1	.	1	.	1	2	4	1
Do 6 ,,	48,122	28	18·4	1·1	17	3	1	9	4	.	.	.	.	.	1	.	.	.	4	4	.	.	1	1	1	7	1
Do 7 ,,	1,524	2	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	1	51·5	.	5	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
Do. 9 ,,	19,569	14	26·6	. .	10	1	.	5	4	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.
Do. 10 ,,	28,064	21	20·3	2·3	9	2	.	6	1	.	.	.	.	1	.	.	.	.		1	.	.	3	.	.	1	1
Do. 11 ,,	34,802	26	30·0	.	20	2	3	12	3	.	.	.	.	.	.	.	.	.	2	3	1	1	.	1	1	5	1
Do. 12 ,,	33,588	40	24·8	1·6	16	.	2	9	5	.	.	.	.	1	.	.	.	.	1	2	.	1	4	1	1	4	.
Do. 13 ,,	15,006	12	24·3	.	7	.	.	3	4	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	2	.
Do. 14 ,,	240	.	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	246	26·7	1 9	179	31	14	87	47	.	1	.	.	6	2	1	.	3	19	22	7	5	22	6	11	42	5
City of Cork.																											
CORK URBAN No. 1 DISTRICT	12,867	6	28·4	.	7		.	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	6	.
Do. 2 ,,	10,701	6	14·6	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Do. 3 ,,	9,978	8	26·1	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	4	.
Do. 4 ,,	8,666	4	18·1	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 5 ,,	6,592	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 ,,	10,702	7	24·4	.	5	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1		.	.	.	1
Do. 7 ,,	16,616	14	25·1	.	8	1	.	2	5	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	1
Total,	76,122	53	21·2	.	31	5	.	8	18	.	.	.	.	.	.	.	.	.	.	4	.	1	7	.	.	14	3

* Formerly described as "Simple Continued Fever."

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905–6—Week ending																									
	Aug. 26.	Sept. 2.	Sept. 9.	Sept 16.	Sept. 23	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.
No. of weeks in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered,	200	208	235	209	216	207	198	210	209	204	234	205	199	200	205	199	194	158	189	224	193	196	236	231	189	246
DEATHS registered.	136	105	109	114	94	109	116	122	130	153	130	141	150	188	140	148	126	146	124	147	133	135	160	139	146	179
Annual Death-rate per 1,000 of estimated Population,	19·8	15·3	15·8	16·6	13·7	15·8	16·9	17·7	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18.3	21·2	18·0	21·4	19·3	19·6	23·3	20 2	21·2	26·0
AGES: Under 1 year,	47	26	28	25	19	22	31	28	25	35	30	36	38	28	27	21	23	31	26	34	21	30	31	24	29	31
AGES: 1–5 years,	9	11	5	16	9	9	3	12	14	19	14	17	15	19	11	13	15	18	19	16	15	16	22	11	11	14
AGES: 5–60 years,	60	50	56	48	50	62	58	48	62	63	55	53	60	65	64	72	58	69	56	61	60	62	71	61	71	87
AGES: 60 years and upwards,	20	18	20	25	16	16	24	34	29	36	31	35	37	6	38	37	30	28	23	36	37	27	36	43	35	47
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1
Scarlet Fever,	.		.	1	.	.	.	.	1	3	1	.	1	1	1	.	2	3	.	.		2	1	1	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
Whooping-cough,	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	1	3	1	.	1	2	1	3	1	2	6
Diphtheria,	.	1	2	.	1	.	1	.	.	2	.	1	1	.	1	.	.	1	.	1	1		.	.	.	2
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
Enteric Fever,	3	1	1	3	4	6	.	5	1	.	2	3	3	3	4	3	1	2	2	2	3	1	2	2	6	.
Diarrhœal Diseases,	22	8	10	11	1	3	5	4	2	1	3	3	1	2	.	2	.	2	1	3	2	2	3	2	1	3
Pneumonia,	2	2	12	10	12	4	12	6	12	9	18	16	14	18	15	18	14	18	14	15	12	8	11	10	8	19
Tuberculous Disease, Phthisis,	19	19	16	18	14	10	14	13	17	25	19	12	12	16	26	17	17	21	17	15	17	17	22	16	23	22
Tuberculous Disease, Other Forms,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4	3	8	7	6	7
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	5	7	5	4	5
Diseases of Respiratory System,	15	5	5	5	4	11	15	17	14	21	31	28	31	28	29	34	23	31	23	20	19	12	20	26	23	22
Violent Deaths,	8	1	2	1	3	2	2	3	7	4	4	3	4	9	3	3	2	4	5	6	1	4	1	3	1	6
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	4	4	3	3	5

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the nineteen weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	Feb. 17,	2,391	1,517	16·8	.	43	9	13	45	5	13
EDINBURGH, .	341,035	„ 17,	146	113	17·3	.	5	1	1	.	.	1
GLASGOW, . .	835,625	„ 17,	489	238	18·0	.	25	.	5	2	2	4
CALCUTTA, . .	847,796	Dec. 30,	.	641	39·3	35	2	.	.	2	147‡	138*
BOMBAY, . .	776,006	Jan. 16,	406	739	49·5	2	7	.	.	1	86‡	71
MADRAS, . .	509,346	Dec. 29,	428	640	65·3	6	7	?	?	?	144‡	140*
PARIS, . .	2,660,559	Feb. 3,	1,034	944	18·4	.	22	3	3†	4	4	15
BRUSSELS (with 8 Faubourgs).	598,467	Jan. 27,	206	192	16·6	.	1	1	.	1	.	5
ANTWERP, . .	301,647	„ 27,	135	94	16·2	.	.	.	2†	.	.	9
AMSTERDAM, .	557,614	„ 27,	308	173	16·2	.	4	1	3†	1	1	4
COPENHAGEN, .	426,000	„ 27,	201	140	17·1	.	.	.	.	3	.	6
STOCKHOLM, .	318,398	„ 20,	168	86	14·0	.	1	3	1†	.	.	2
CHRISTIANIA, .	222,373	Feb. 3,	111	60	14·0	.	.	.	3†	.	.	4
ST. PETERSBURG,	1,429,000	„ 3,	.	669	24·4	3	18	7	8	3	32	70
MOSCOW, . .	1,092,360	Dec. 30,	.	789	37·7	2	2	10	12†	2	9	63
BERLIN, . .	2,039,277	Jan. 13,	966	638	16·3	.	10	4	8†	11	.	26
HAMBURG, . .	772,852	„ 20,	.	265	17·3	.	2	1	4†	6	.	14
BRESLAU, . .	471,857	Feb. 3,	.	161	17·8	.	.	1	.	.	.	5
MUNICH, . .	540,000	„ 3,	.	183	17·6	.	5	.	1†	3	.	21
VIENNA (with suburbs).	1,917,639	„ 3	980	639	17·3	.	7	7	5†	6	3	30
BUDA-PESTH, .	859,134	„ 3,	451	315	19·2	.	9	4	5†	3	1	7
PRAGUE and Faubourgs.	455,241	Jan. 27,	195	162	18·5	.	3	.	.	1	1	13
TRIESTE, . .	194,749	„ 27,	148	101	27·0	.	1	.	1†	.	.	.
ROME, . . .	516,580	Nov. 18,	193	149	15·0	.	.	.	.	.	9	9
		„ 25,	223	158	15·9	.	1	.	.	1	8	12
VENICE, . .	171,709	Jan. 20,	80	100	30·4	.	.	.	1†	1	1	4
NEW YORK, .	4,152,860	„ 20,	2,153	1,514	19·0	.	17	10	46†	5	6	36
PHILADELPHIA,	1,469,126	„ 13,	.	582	20·6	.	17	1	17†	4	23	17*
BOSTON, .	595,380	„ 20,	.	243	21·3	.	4	1	3	2	3	3

* Including 64 deaths from cholera in Calcutta, 5 in Madras, and one in Philadelphia.
† Including deaths from croup.
‡ Exclusive of 14 deaths from plague in Calcutta, 24 in Bombay, and 3 in Madras.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th February, 1906.

DISTRICTS.	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 1, West,	.	.	.	.	.	.	2	.	.	.	.	.	.	2
" " 2,	.	.	.	.	.	.	.	.	1	1	.	1	.	3
" " 3,	.	.	.	.	.	.	1	.	1	1	2	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	1
South City No. 1,	.	.	.	2	.	.	.	.	.	1	7	.	.	10
" " 2,	.	.	.	.	.	.	1	.	.	.	.	1	.	2
" " 3,	.	.	.	.	.	.	1	.	.	1	.	.	.	2
" " 4,	.	.	.	1*	.	.	.	.	.	1	1	.	.	3
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	3*	.	.	6	.	2	5	11	2	.	29

* Including one case of "Scarlatina and Diphtheria."

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th February, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th February.			
	Jan. 27.	Feb. 3.	Feb. 10.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	12	12	4	.	2	.	2
Scarlet Fever,	46	47	58	6	9	.	55*
Typhus,	3	2	1	2	.	.	3
Diphtheria,	36	34	29	7	3	.	33
Enteric Fever,	22	27	26	2	5	.	23
Pneumonia,	15	21	23	3	5	.	21

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 17th February, 1906:—

"Cold and changeable, yet seasonable, weather prevailed during this week, which opened with a strong northerly gale. At 8 a.m. of Sunday a large and deep depression, which had crossed the N. of Ireland and S. of Scotland in the course of the previous night, was central over the North Sea, and the barometer was below 29 inches all over Great Britain with the exception of the Cornwall Peninsula. In Dublin this day was clear, dry and cold and frost set in at night after some 7 hours of sunshine. Monday was again fine and cold—at night cirrus cloud appeared as the forerunner of a V-shaped depression which brought rain and sleet in the early morning hours of Tuesday. Another spell of fine weather followed, hoar frost occurring on Wednesday morning. Early on Thursday a small secondary depression, V-shaped, appeared over the S. of England, to which district it brought rain. This disturbance was soon overshadowed by, and merged in, a large Atlantic depression, which reached the Shetlands at 8 a.m. of Friday (barometer 28·91 inches at Sumburgh Head). Squalls and rain were the result, but in Ireland the weather soon moderated owing to the arrival of secondary depressions in and near the English Channel and a consequent lessening of the baric gradient to the northwestward of that region. On Saturday fine weather held in Ireland, whereas it was unsettled and wet in England. In Dublin the mean height of the barometer was 29·489 inches, the range being from 29·120 inches about 4·30 a.m. of Tuesday (wind, W.S.W.) to 29·902 inches at 9 p.m. of Saturday (wind, N.W.). The mean temperature was 38·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 36·3°. The screened thermometers fell to 29·1° on Monday and rose to 47·9° on Friday. The prevalent wind was N.W. Rain fell on 3 days to the amount of ·090 inch, ·058 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·505 inches. The highest reading (29·924) was on Saturday at 9 p.m., air calm, and the lowest (29·192) on Tuesday at 9 a.m., wind S.W.

The mean temperature for the week was 36·4°, being 4·0° under the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Saturday, on which day the thermometer registered 46·0°, and was lowest on Monday, the mercury having fallen to 27·1°. The mean of the Dry Bulb for the week was 34·4°, and of the Wet Bulb 33·1°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 34·4 hours. The rainfall during the week measured ·095 inch.

At Greenwich the mean temperature for the week was 38·2°, the maximum 50·7°, and the minimum 27·1°; at Glasgow the maximum was 47·3°, the minimum, 28·8°, and the mean 37·2°; and at Edinburgh the maximum was 45·1°; the minimum 27·8°; and the mean 36·3°. The rainfall at Greenwich measured 0·92 inch; at Glasgow 0·50 in.; and at Edinburgh 0·08 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 11,	29·367	38·2	28·9	33·6	33·5	30·8	·74	·4	7·0	—	N.W.	W.
Monday, „ 12,	29·551	41·5	27·1	34·3	30·9	30·1	·90	·8	7·3	—	W.	Calm.
Tuesday, „ 13,	29·313	42·1	29·9	36·0	34·8	33·6	·89	·5	5·1	·010	S.W.	S.W.
Wednesday, „ 14,	29·507	43·6	29·9	36·8	32·5	31·6	·89	·2	6·0	—	S.W.	Calm.
Thursday, „ 15,	29·439	44·7	30·4	37·6	39·4	37·9	·83	·3	1·8	·065	S.W.	S.S.W.
Friday, „ 16,	29·515	45·9	31·8	38·9	36·7	35·4	·90	·2	0·5	·020	S.W.	Calm.
Saturday, „ 17,	29·844	46·0	28·9	37·5	33·0	32·0	·89	·4	6·7	—	W.	Calm.
Mean	29·505	43·1	29·6	36·4	34·4	33·1	·86	·4	Total 34·4	Total ·095	Prevailing Wind. S.W.	

Sunday—A fine day, light cloudy; night clear. *Monday*—A fine bright day; night clear. *Tuesday*—A cloudy day, light rain a.m., fine p.m.; night clear. *Wednesday*—Day fine but cloudy; night cloudy. *Thursday*—Day fine but cloudy; night overcast, light rain p.m. *Friday*—Cloudy a.m., dull p.m., light showers; night clear. *Saturday*—A fine day; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 17th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Feb. 11,	38·9	40·8	43·9	42·7	30·6	36·6	5·8	—
Monday, „ 12,	33·0	39·0	44·0	41·4	29·2	35·3	5·7	·012
Tuesday, „ 13,	37·8	38·2	43·8	43·3	33·0	38·1	2·2	·001
Wednesday, „ 14,	35·7	38·0	43·6	44·8	33·2	39·0	3·5	—
Thursday, „ 15,	37·2	37·9	43·1	46·8	33·5	40·1	1·4	·044
Friday, „ 16,	42·0	39·3	43·0	47·6	37·1	42·4	0·1	·003
Saturday, „ 17,	35·7	39·1	42·9	46·9	33·3	40·1	5·2	·001
Weekly Mean.	37·2	38·9	43·5	44·8	32·8	38·8	Total 23·9	Total ·061

DUBLIN: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 374. 12. 1905.—12455.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 24TH FEBRUARY, 1906. [No. 8.

General Register Office, Charlemont House, Dublin, 26th February, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 24·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Feb. 3.	Week ending Feb. 10.	Week ending Feb. 17.	Week ending Feb. 24.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 3.	Week ending Feb. 10.	Week ending Feb. 17.	Week ending Feb. 24.	Average Rate for 4 weeks.
22 Town Dists.	21·8	21·4	22·2	24·4	22·5	Lisburn, . .	18·2	22·7	31·8	22·7	23·8
Armagh, . .	13·7	13·7	6·9	20·6	13·7	Londonderry,	17·4	26·0	18·6	21·8	21·7
Ballymena, .	4·8	14·4	14·4	19·2	13·2	Lurgan, . .	17·7	22·1	17·7	26·6	21·0
Belfast, . .	20·2	21·2	26·0	25·3	23·2	Newry, . .	25·2	8·4	12·6	33·6	20·0
Clonmel, . .	20·5	20·5	20·5	15·4	19·2	Newtownards, .	68·7	40·1	40·1	74·4	55·8
Cork, . . .	15·1	21·9	21·2	23·3	20·4	Portadown,	20·7	10·3	36·2	31·0	24·5
Drogheda, . .	24·5	24·5	16·3	12·3	19·4	Queenstown .	26·4	.	26·4	6·6	14·9
Dublin Reg. Area,	24·4	20·5	19·0	24·4	22·1	Sligo, . . .	24·0	19·2	43·2	9·6	24·0
Dundalk, . .	27·9	31·9	8·0	16·0	21·0	Tralee, . .	15·9	26·4	21·1	26·4	22·5
Galway, . .	35·0	31·1	11·7	38·8	29·1	Waterford, .	11·7	23·4	17·5	17·5	17·5
Kilkenny, . .	19·7	24·6	29·5	29·5	25·8	Wexford, . .	28·0	23·3	18·7	.	17·5
Limerick, . .	24·6	23·2	28·7	24·6	25·3						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in fourteen of the districts to 34·3 in Newtownards, the 13 deaths from all causes in that district including 4 from measles and 2 from whooping-cough. Among the 174 deaths from all causes in Belfast are one from scarlet fever, 7 from whooping-cough, 3 from diphtheria, 2 from enteric fever, and 2 from diarrhœal diseases; 6 deaths from all causes in Portadown include 2 from measles and one from enteric fever, and the 6 deaths from all causes in Lurgan include 3 from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 169—92 boys and 77 girls; and the deaths to 185—104 males and 81 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·5 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 24·4 per 1,000. During the eight weeks ending with Saturday last the death-rate averaged 22·7, and was 6·8 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The deaths (185) included one death from each of scarlet fever, whooping-cough, diph-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-12 of Table II.

theria, and enteric fever, and 2 deaths from diarrhœal diseases. In each of the 3 preceding weeks deaths from scarlet fever were one, 0, and 0; deaths from whooping-cough were 2, 0, and 0; deaths from diphtheria were one, 0, and 0; deaths from enteric fever were one, 0, and 0; and deaths from diarrhœal diseases were one, 0, and one. One death from influenza was registered.

There were 10 deaths from broncho-pneumonia and 3 deaths from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease amounted to 41, and included 11 deaths from tuberculous phthisis, 18 deaths from *phthisis*, 5 deaths from tuberculous meningitis, and 7 deaths from other forms of the disease. In the 3 weeks preceding deaths from tuberculous disease were 38, 33, and 33, respectively.

Of 13 deaths from malignant diseases, 6 were attributed to carcinoma, one to sarcoma, and 6 to cancer (undefined).

The 18 deaths from diseases of the brain and nervous system include 11 deaths from *convulsions*, 9 of the latter being of infants under one year of age, and 2 deaths of children between the ages of one year and 5 years.

There were 21 deaths from diseases of the heart and blood vessels, and bronchitis accounted for 27 deaths.

Of 4 deaths due to accidental causes, 2 were of children under 5 years of age from burns.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the death of one person aged 90 years.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 7 were under one month old) and 51 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a man) was stated to have been aged 90 years.

Eighty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 20 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·4 per 1,000; the rate in the City was 25·2 (North City Districts, 26·6; South, 23·8), and in the Suburbs, 21·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 1·1 (1·4 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 27·6 per 1,000, and include one death from whooping-cough, one death from influenza, one death from *pneumonia* (not defined), 3 deaths from tuberculous disease of the lungs, and one death from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (23) are equal to an annual rate of 30·6 per 1,000, and include one death from scarlet fever, one death from enteric fever, 2 deaths from broncho-pneumonia, 4 deaths from tuberculous disease, 5 deaths from bronchitis, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·4 per 1,000, and include one death from dysentery, one death from broncho-pneumonia, 6 deaths from tuberculous disease, one death from bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 29·6 per 1,000, and include one death from broncho-pneumonia, one death from *pneumonia* (not defined), 3 deaths from tuberculous disease, and 4 deaths from diseases of the respiratory system.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 10·4; and Finglas and Glasnevin, part of, 7·8. The deaths include one death from tuberculous phthisis in Clontarf and Howth, No. 1, part of; and one death from broncho-pneumonia in Finglas and Glasnevin, part of.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 25·8 per 1,000, and include one death from diphtheria, one death from broncho-pneumonia, 6 deaths from tuberculous disease, 5 deaths from bronchitis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 34·2 per 1,000, and include one death from tuberculous phthisis, and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·6 per 1,000, and include one death from *diarrhœa*, one death from broncho-pneumonia, 5 deaths from tuberculous disease, and 2 deaths from diseases of the respiratory system.

No. 4 South City District (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000, and include one death from broncho-pneumonia, 3 deaths from tuberculous disease of the lungs, and 7 deaths from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000. Of the two deaths registered one was caused by tuberculous phthisis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 25·1; Pembroke, 12·0; Blackrock, 29·8; and Kingstown, 23·7. There were no deaths from any of the principal epidemic diseases recorded for these districts. Among the 16 deaths from all causes for Rathmines and Rathgar are 2 from tuberculous disease of the lungs, 3 from diseases of the heart and blood vessels, one from bronchitis, and one accidental death; and the 8 deaths from all causes for Kingstown include one from broncho-pneumonia, 2 from tuberculous disease, and one from bronchitis.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. awcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive anitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock rban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban istrict; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 24th February, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Feb. 3,	.	—	—	6	.	.	3	1	3	7	11	.	—	—	—	—	—	31
	Feb. 10,	.	—	—	11	.	.	.	.	1	5	12	1	—	—	—	—	—	30
	Feb. 17,	.	—	—	3	.	.	6	.	2	5	11	2	—	—	—	—	—	29
	Feb. 24,	.	—	—	5	1	.	1	.	.	5	9	.	—	—	—	—	—	21
Rathmines and Rathgar Urban District.	Feb. 3,	.	—	—	1	.	.	.	.	.	3	1	.	—	—	—	—	—	5
	Feb. 10,	.	—	—	1	.	.	3	.	.	1	.	.	—	—	—	—	—	5
	Feb. 17,	.	—	—	.	.	.	3	.	.	1	.	.	—	—	—	—	—	4
	Feb. 24,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	2
Pembroke Urban District.	Feb. 3,	.	1	.	2	.	.	1	.	.	.	.	.	—	2	.	—	—	6
	Feb. 10,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	Feb. 17,	.	.	.	.	.	.	.	.	.	.	1	.	—	5	.	—	—	6
	Feb. 24,	.	.	.	1	.	.	.	.	.	1	1	.	—	.	.	—	—	3
Blackrock Urban District.	Feb. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Feb. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Feb. 17,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Feb. 24,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
Kingstown Urban District.	Feb. 3,	.	—	—	.	1	.	.	.	.	.	.	.	—	—	—	—	—	1
	Feb. 10,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Feb. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Feb. 24,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
City of Belfast.	Feb. 3,	.	—	—	33	1	.	6	3	9	12	3	2	—	—	—	—	—	69
	Feb. 10,	.	—	—	35	.	.	3	1	9	24	10	.	—	—	—	—	—	82
	Feb. 17,	.	—	—	30	.	.	5	2	5	21	2	1	—	—	—	—	—	66
	Feb. 24,	.	—	—	32	.	.	7	1	10	9	13	1	—	—	—	—	—	73

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 24th February, 1906.

From this it appears that:—

Two cases of measles were discharged from hospital, and not one case remained under atment at the close of the week.

Nine cases of scarlet fever were admitted to hospital, 14 were discharged, there was one ath, and 49* cases remained under treatment at the close of the week.

One case of typhus was discharged from hospital, and 2 cases remained under treatment the close of the week.

Three cases of diphtheria were admitted to hospital, 7 were discharged, there was one ath, and 28 patients remained under treatment at the close of the week.

Eight cases of enteric fever were admitted to hospital, 4 were discharged, and 27 cases mained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, were discharged, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the e was 17·5), was equal to an average annual death-rate of 17·3 per 1,000 persons living; average rate for 8 principal towns of Scotland was 19·3 per 1,000, the rate for Glasgow ng 21·0, and for Edinburgh 18·7.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, Medical Officer of Health for Edinburgh with a y of his Return of Infectious Diseases notified during the week ended 24th February. From this Return ppears that of a total of 50 cases notified 22 were diphtheria, one membranous croup, 21 scarlet fever, 6 erysipelas. Among the 316 cases of infectious disease in hospital at the close of the week were 133 es of scarlet fever, 76 of diphtheria, 2 of membranous croup, 65 of measles, and 17 of typhoid.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 24th February, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Annual Rate per 1,000 persons represented by Deaths. From all Causes.	Annual Rate per 1,000 persons represented by Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 24th February, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e. Week ending 24th Feb., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th Feb., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th Feb., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	26·1	24·4	1·8	548	511	93	138	.	9	2	.	11	4	1	4	6	38	67	25	20	82	11	20	167	32	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	878,994	27·5	23·8	24·4	0·8	169	177	27	50	.	.	1	.	1	1	.	1	2	12	28	12	9	32	4	5	78	8	f47·1	28·1	36·3	0·63	f46·0	27·1	36·4	0·10	f47·4	25·1	37·4	0·76
City of Dublin,	293,385	37·1	25·1	25·2	1·1	141	142	22	39	.	.	1	.	1	1	.	1	2	10	23	10	7	27	3	2	73	4	g47·0 h46·9	29·9 23·0	38·9 36·7	0·63 0·66	g47·9 h46·9	29·1 28·0	38·5 37·0	0·09 0·07	g48·9 h47·9	30·1 27·6	39·5 41·8	0·58 0·59
Urban Dists. Rathmines and Rathgar.	38,208	19·4	17·8	25·1	.	11	16	4	4	.	.	.	.	.	.	.	.	.	.	2	.	2	2	1	2	2	4	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Pembroke	26,025	16·4	20·0	12·0	.	10	6	.	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Blackrock	8,759	8·1	6·0	29·8	.	1	5	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Kingstown,	17,622	12·1	17·8	28·7	.	6	8	1	3	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	1	.	49	29·5	39·8	0·54	48·0	29·5	39·5	0·12	48·5	31·0	40·8	0·34
Urban Districts.																																							
Belfast,	358,680	24·4	31·1	25·3	2·2	214	174	43	37	.	.	1	.	7	3	.	2	2	17	23	7	6	24	4	7	46	3	46·9	26·5	37·6	0·30	44·4	28·4	36·6	0·94	47·4	31·0	40·3	0·10
Cork,	76,122	33·6	21·2	23·3	.	31	34	4	8	.	.	.	.	.	.	.	.	.	2	8	.	2	4	2	4	9	4	49	31	41·3	1·37	49	29	39·5	0·89	50	31	41·4	0·32
Londonderry,	42,067	19·4	29·7	24·8	2·5	24	20	5	6	.	.	.	.	1	.	.	.	1	1	2	2	1	3	.	.	7	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	20·5	24·6	.	15	18	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	3	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	21·4	17·5	.	11	9	1	4	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,426	2·5	27·2	38·8	3·9	7	10	1	5	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	5	2	52	30	40·7	0·64	48	29	39·4	0·90	50	32	42	1·03
Dundalk,	18,076	3·4	31·9	16·0	.	8	4	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	36·8	12·3	.	9	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	29·4	33·6	4·2	7	8	.	4	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	3	.	48·7	27·9	37·6	0·52	48·2	27·4	36·0	0·27	47·2	26·1	37·3	0·69
Lurgan,	11,782	13·8	35·4	26·6	13·3	8	6	.	.	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	48·7	27·9	37·6	0·52	48·2	27·4	36·0	0·27	47·2	26·1	37·3	0·69
Lisburn,	11,461	10·1	27·3	22·7	.	6	5	3	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	1	1	48·7	27·9	.	0·52	48·2	27·4	36·0	0·27	47·2	26·1	37·3	0·69
Wexford,	11,168	23·2	28·0	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	23·9	19·2	.	5	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	14·4	9·6	.	3	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	47·0	28·5	37·3	0·75	47·8	28·4	37·0	0·71	47·9	27·8	38·5	1·46
Kilkenny,	10,609	11·5	4·9	29·5	.	1	6	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4	48	24	34·1	0·90	46	24	34·2	0·33	48	27	39	0·70
Clonmel,	10,167	7·8	25·6	15·4	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	15·5	31·0	15·5	3	6	1	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	48·7	27·9	37·6	0·52	48·2	27·4	36·0	0·27	47·2	26·1	37·3	0·69
Tralee,	9,867	16·6	15·9	26·4	.	3	5	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	22·9	74·4	34·3	4	13	2	4	.	4	.	.	2	.	.	.	.	.	.	.	.	5	.	.	1	2	46	31	38·6	0·56	47	30	37·2	0·45	46	29	38·2	0·63
Queenstown,	7,909	14·4	39·6	6·6	.	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	49	31	41·3	1·37	49	29	39·5	0·89	50	31	41·4	0·32
Armagh,	7,588	22·2	20·6	20·6	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	48·7	27·9	37·6	0·52	48·2	27·4	36·0	0·27	47·2	26·1	37·3	0·69

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 8 deaths of persons (including one at 60 years), admitted to hospital from localities outside the Area.

e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings of the nearest stations from which Returns are received have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 24th of February, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	GOOLOCK AND DRUMGONDRA, No. 1 (pt. of)	FINGLAS AND GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Pneumonia,	1	2	1	2	.	.	1	1	.	1	1	.	.	1	.	1	12	1
Tuberculous Disease. Phthisis,	3	3	4	2	1	.	.	4	1	1	3	1	2	1	1	1	28	1
Tuberculous Disease. Other Forms.	.	1	2	1	.	.	.	2	.	4	.	.	.	1	.	1	12	.
Cancer, Malignant Disease,	.	2	1	1	.	.	.	.	2	1	.	.	2	.	.	.	9	4
Other General Diseases	2	1	1	1	.	.	.	1	1	1	.	.	2	.	.	.	10	.
Total,	7	11	10	7	1	.	1	9	4	9	4	1	6	3	1	3	77	6
B. LOCAL DISEASES:																		
Diseases of Nervous System	1	1	1	4	.	1	.	1	4	2	.	1	2	.	.	.	18	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	.	2	2	.	.	.	.	2	1	1	5	.	3	2	1	2	21	.
Diseases of Respiratory System,	1	6	1	4	.	.	.	5	1	2	7	.	2	.	2	1	32	.
Diseases of Digestive System,	.	.	.	1	.	1	.	.	1	.	.	.	.	.	1	2	6	.
Diseases of Lymphatic System, &c.,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Urinary System,	2	.	1	1	.	.	.	.	1	1	1	.	.	.	.	.	7	2
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	9	5	10	.	2	.	8	8	6	13	1	7	2	4	5	85	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	3	2	1	1	.	.	.	1	.	.	.	.	2	1	.	.	11	.
E. VIOLENT DEATHS,	.	1	1	.	.	.	.	1	.	.	.	.	1	.	.	.	4	.
Deaths from all Causes	15	23	17	18	1	2	1	19	12	15	17	2	16	6	5	8	177	8
Annual Rate of Mortality from all causes in every 1,000 of the population	27·6	30·6	29·4	29·6	10·8	10·4	7·8	25·8	34·2	18·6	25·2	11·7	25·1	12·0	29·8	23·7	24·4	.
	26·6							23·8					21·3					
	25·2																	
Deaths of Infants under 1 year of age,	3	3	3	4	.	1	.	1	4	1	1	1	4	.	.	1	27	.
Deaths of Persons aged 60 years and upwards,	3	6	3	5	1	.	.	9	1	5	5	1	4	3	1	3	50	1
Number of Uncertified Deaths,	1	1	.	.	.	.	.	.	2	.	.	.	4	.	.	.	8	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	8	8	5	.	.	.	6	4	3	3	.	1	1	1	1	42	7
Workhouse Hospitals,	3	6	3	6	.	.	1	4	2	5	5	.	1	.	.	.	36	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register week of the ten years, 1896

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years 1896-1905.	In the Week ending Saturda 24th February, 1906. Deaths of Persons of the Age						
	Feb. 22, 1896.	Feb. 27, 1897.	Feb. 26, 1898.	Feb. 25, 1899.	Feb. 24, 1900.	Feb. 23, 1901.	Feb. 22, 1902.	Feb. 28, 1903.	Feb. 27, 1904.	Feb. 25, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 40·8	° 47·5	° 37·1	° 41·2	° 41·4	° 37·4	° 40·5	° 40·9	° 42·6	° 36·3	° 40·6	Mean Temp. ° 36·3						
ALL CAUSES.	133	222	209	203	342	232	248	195	206	191	221·4	185	7	20	18	8	38	43
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	34	.	.	5	.	3	1	2	3	4·8	.	.	.	.	.	.	.
Scarlet Fever, ...	1	2	.	3	1	.	.	3	1	.	1·1	1	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	5	5	13	6	17	4	4	8	2	4	6·8	1	.	.	.	.	.	1
Whooping-cough, ...	.	12	.	2	.	3	2	5	11	1	3·6	1	.	1	.	.	.	.
Diphtheria, ...	.	3	4	.	.	1	1	1	.	.	1·0	1	.	.	1	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	2	4	4	1	4	3	1	2	.	2·2	1	.	.	1	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	.	2	1	3	4	4	2	.	.	1	2·1	.	.	.	.	.	.	.
Diarrhœa, Dysentery,								4	.	.		2	.	1	.	.	.	1
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	2	.	.	.	.	1	.	3	·7	.	.	.	.	.	.	.
Puerperal Septicæmia,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Puerperal Pyæmia,								.	.	.		.	.	.	.	.	.	.
Puerperal Fever, ...								.	.	.		1	.	.	.	.	1	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,								.	2	1	15·3	.	.	.	.	.	.	.
Pneumonia, Broncho-								1	9	7		10	.	2	1	1	2	2
Pneumonia, Epidemic,								.	.	.		.	.	.	.	.	.	.
Pneumonia, Not defined,								4	8	6		3	.	.	1	.	.	1
Erysipelas, ...	.	.	.	1	1	.	.	1	.	.	·2	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	1	.	.	.	.	1	.	2	.	·4	.	.	.	.	.	.	.
Pyæmia (not Puerperal),								.	.	.		1	.	.	.	.	1	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Tuberculous Phthisis,	18	23	28	32	40	19	27	2	5	7	26·7	11	.	.	1	1	5	2
"*Phthisis*," ...								22	15	28		18	.	.	.	.	13	3
Tuberculous Meningitis, ...	5	6	4	3	15	1	1	3	1	8	4·7	5	.	2	.	2	1	.
Tuberculous Peritonitis,	3	5	3	2	4	5	1	2	2	.	3·0	.	.	.	.	.	.	.
Tabes Mesenterica, ...								1	2	.		.	.	.	.	.	.	.
Tuberculous Dis. (other),	4	8	5	5	4	6	3	5	9	6	5·5	7	.	.	3	2	2	.
Scrofula, ...								.	.	.		.	.	.	.	.	.	.
Alcoholism, ...	.	1	.	.	.	.	1	.	2	1	·5	1	.	.	.	.	.	1
Rheumatic Fever, ...	.	.	.	.	1	.	.	2	.	.	·3	.	.	.	.	.	.	.
Gout, ...	.	1	.	.	.	2	.	.	.	.	·3	.	.	.	.	.	.	.
Carcinoma, ...								2	5	1	7·0	6	.	.	.	.	.	4
Sarcoma, ...	2	7	9	6	10	1	11	.	.	1		1	.	.	.	.	1	.
Cancer (undefined),								6	6	3		6	.	.	.	.	.	5
Diabetes Mellitus, ..	.	.	.	.	.	.	.	1	.	1	·2	1	.	.	.	.	.	1
Premature Birth, ...	2	2	.	8	4	5	4	3	3	2	3·3	.	.	.	.	.	.	.

* The figures for the years 1896-1900 ar
† Formerly describe

EIGHTH WEEK ending Saturday, 24th February, 1906, with the deaths from each cause in the corresponding the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years 1896-1905.	In the Week ending Saturday, 24th February, 1906. Deaths of Persons of the Ages of								
	Feb. 22, 1896.	Feb. 27, 1897.	Feb. 26, 1898.	Feb. 25, 1899.	Feb. 24, 1900.	Feb. 23, 1901.	Feb. 22, 1902.	Feb. 28, 1903.	Feb. 27, 1904.	Feb. 25, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 40·8	° 47·5	° 37·1	° 41·2	° 41·4	° 37·4	° 40·5	° 40·9	° 42·6	° 36·3	° 40·6	Mean Temp. ° 36·3								
eningitis (not tuberc.) ...								7	3	3		3	.	2	1	.	.	.	.	.
sanity, G. P. of Insane ...								1	3	3		1	.	.	.	.	.	1	.	.
pilepsy								.	.	.		1	.	.	.	.	1	.	.	.
nvulsions								8	6	8		11	1	8	2	.	.	.	.	.
comotor Ataxy ...								.	.	.		.	.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...								2	2	.		1	.	.	.	.	.	1	.	.
rvous System (other Dis.)	30	33	37	36	61	41	48	3	1	.	41·9	1	.	.	.	.	1	.	.	.
lv. Dis., Endocarditis ...								3	4	6		4	.	.	.	1	1	2	.	
rebr. Hæm. Thromb. ...								2	1	3		6	.	.	.	.	1	5	.	
oplexy, *Hemiplegia* ...								6	8	4		1	.	.	.	.	1	.	.	
eurysm								3	1	.		2	.	.	.	1	1	.	.	
nbolism, Thromb. (not cerebral)								2	.	.		.	.	.	.	.	.	.	.	
eart and Blood Vessel Dis.								12	11	14		8	.	.	.	1	2	2	3	.
oup (not Spasm. nor Memb.)	1	1	1	1	.	.	.	.	.	1	·5	1	.	.	1	.	.	.	.	.
ronchitis	10	33	39	31	74	45	56	25	31	22	36·6	27	1	2	1	.	2	3	16	2
thma, Emphysema ...								1	1	2		.	.	.	.	.	.	.	.	.
eurisy	7	12	3	3	1	.	4	.	.	.	4·0	1	.	.	.	.	.	.	.	1
espiratory Dis. (other) ...								2	3	1		3	.	.	.	1	2	.	.	
onsillitis, Quinsy ...	1	.	1	.	2	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
nteritis (not Epid.) ...	.	.	3	1	2	.	.	1	.	2	1·4	.	.	.	.	.	.	.	.	.
astro Enteritis								3	.	2		2	.	1	1	.	.	.	.	.
eritonitis (not Puerp.) ...	1	.	1	.	2	.	.	.	.	.	·4	2	.	.	1	.	1	.	.	.
irrhosis of Liver ...	5	1	2	2	3	1	2	.	3	2	2·3	.	.	.	.	.	.	.	.	.
iver Dis. (other) ...								.	1	1		1	.	.	.	.	1	.	.	.
igestive Dis. (other) ...	1	5	2	5	7	5	8	5	2	7	4·7	1	.	.	.	.	.	1	.	.
ephritis, Acute ...								1	1	1		5	.	.	.	.	.	4	1	.
right's Dis., Albuminuria	2	6	5	6	10	9	12	3	4	2	6·4	2	.	.	.	.	2	.	.	.
rinary Sys. (Other Dis.)								1	.	1		2	.	.	.	.	.	1	1	.
enerative Organs Dis. ...	.	.	.	1	1	.	1	1	.	1	·5	.	.	.	.	.	.	.	.	.
hildbirth (Accid. of) ...	.	.	.	.	1	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
ld Age	11	11	18	10	28	18	8	3	9	8	12·4	6	.	.	.	.	.	.	2	4
ther Diseases	11	17	10	14	20	23	16	13	14	13	15·1	10	4	1	.	1	.	3	1	.
ACCIDENT.																				
y Railways	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.
y Vehicles and Horses ...	2	.	.	.	.	.	1	.	.	.	·3	1	.	.	.	.	1	.	.	.
n Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
n Building Operations ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
n Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
y Burns, Scalds, Explosions	.	.	3	.	2	2	3	2	2	1	1·5	2	.	.	2	.	.	.	.	.
y Drowning	1	.	1	1	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
y Suffocation in Bed ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
y Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ther Deaths by Accidents	1	1	2	2	1	3	3	2	2	.	1·7	1	1	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
uicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
imple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905-6—Week ending																									
	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.
No. of weeks in Annual Series.	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered,	202	247	202	201	285	189	191	176	175	223	239	205	177	198	191	238	199	184	245	192	188	220	283	202	188	169
*Average Births in corresponding week of previous 10 years,**	216	197	211	199	220	189	185	203	197	194	189	199	181	190	195	183	160	182	210	206	199	200	221	215	205	217
DEATHS registered,	165	143	123	137	168	158	141	143	133	195	152	158	173	157	168	148	171	139	168	166	154	160	187	151	149	185
Annual Death-rate per 1,000,	22·7	19·7	16·9	18·8	23·1	21·7	19·4	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5
*Average Deaths in corresponding week of previous 10 years,**	163	169	165	174	163	156	172	175	177	173	178	186	191	197	185	187	189	199	219	214	211	202	212	209	209	221
AGES, Under 5 years,	54	52	43	42	43	44	38	28	33	54	34	43	52	42	49	47	43	27	28	52	39	37	46	35	32	43
5—20 ,,	12	5	11	10	17	17	11	9	5	6	14	10	9	13	10	13	9	7	17	17	11	13	16	8	9	8
20—40 ,,	12	23	22	29	28	23	23	26	18	36	26	31	18	22	31	13	30	21	34	25	18	21	13	21	15	33
40—60 ,,	45	28	24	23	31	36	32	37	34	35	38	32	36	34	35	32	45	41	48	37	45	37	42	42	46	43
60—80 ,,	30	33	18	24	42	29	36	35	34	59	38	35	50	35	37	34	37	37	35	28	34	43	52	39	39	44
80 years and upwards,	12	4	5	9	7	9	6	8	9	5	7	7	8	11	6	9	7	6	6	7	7	9	13	6	8	7
Deaths from :—																										
Small-pox,																										
Measles,	2								1																	1
Scarlet Fever			1						1		1	1	1		1		1			2	1		1			
Typhus,																								1		
Whooping-cough,				1				1	2			1	3	1	2	2	1	1	2	3	1	1	2			1
Diphtheria,	1	1						2			1	1			1	1		2	2	2		1	1			1
Pyrexia † (origin uncertain),		1		1	1						1				1			1								
Enteric Fever,	2	4	1	2	2	2	1	4		2	2			2	2	1	4	3	3				1			1
Diarrhœal Diseases,	19	12	10	10	9	1	4	1	3	4	4	2	3	5	2	1	1	2	1	1	1	3	1		1	2
Pneumonia,	9	3	5	5	17	10	9	6	10	18	13	14	15	10	10	8	11	11	12	15	12	16	19	6	11	13
Tuberculous Phthisis,	21	12	15	25	23	25	17	18	21	24	21	26	20	18	24	9	27	19	21	14	23	21	29	18	23	29
Disease. Other Forms,	6	12	12	11	10	17	13	7	4	9	6	12	7	10	4	15	4	1	12	16	5	6	9	15	10	13
Cancer, Malignant Disease,	10	6	4	5	5	11	7	10	8	7	6	5	10	8	6	11	5	6	7	5	12	6	8	14	6	13
Diseases of Heart and Blood Vessels,	35	24	16	18	27	18	23	29	19	29	21	23	24	25	26	21	26	30	28	21	21	33	31	23	27	21
Diseases of Respiratory System,	14	13	7	6	18	13	17	18	17	42	26	26	34	33	22	16	25	20	26	28	22	18	27	26	27	32
Violent Deaths,	3	4	4	4	7	2	5	8	6	3	2	3	3	3	2	2	4	6	4	3	7	8	5	5		4
Number of Uncertified Deaths,	4	6	8	5	4	5	3	5	6	4	9	7	9	4	5	9	8	6	4	5	6	6	11	7	6	8
Mean Temperature of the Air (Phœnix Park),	55·7	58·3	51·1	51·3	49·4	48·3	49·6	40·0	41·1	42·7	43·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3
Average Mean Temperature in corresponding week of previous 10 years	56·4	55·7	55·4	54·3‡	53·5	51·3	48·6	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6
Rainfall in inches,	·990	·515	·150	·015	·325	·775	·035	·100	·295	1·190	·250	1·485	·320	·645	·128	·035	·285	·770	·860	·855	1·605	·230	·180	·755	·095	·625
Mean Humidity of the Air, complete Saturation, 1·0.	·91	·83	·84	·86	·87	·87	·91	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	·88	·86	·87

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th February, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 24th February, 1906. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	25·7	185	45	8	38	43	44	7	.	.	1	.	1	1	.	1	2	6	13	29	12	13	11	32	4	65	8
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	20·9	7	1	.	1	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	5	.
II.	MIDDLE CLASS,	87,188	13·2	22	3	.	5	3	8	3	.	.	.	.	.	.	.	.	.	.	2	4	.	3	1	4	.	8	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	17·9	38	9	.	3	14	11	1	.	.	.	.	.	.	.	.	.	.	2	5	2	4	3	5	.	17	2
IV.	GENERAL SERVICE CLASS,	154,279	38·4	81	28	6	19	18	9	1	.	.	1	.	1	1	.	1	.	4	6	10	7	4	7	14	4	25	5
V.	INMATES OF WORKHOUSES,	6,024		37	4	2	10	7	13	1	.	.	.	.	.	.	.	.	2	2	3	10	3	1	.	8	.	10	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	31·2	5	.	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	11·8	5	.	.	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	2	1
	6. Clerks and Commercial Assistants,	30,432	12·0	7	2	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	17·4	9	1	.	1	2	4	1	.	.	.	.	.	.	.	.	.	.	1	2	.	2	.	1	.	3	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	.
	9. Building and Furnishing Trades,	29,801	17·5	10	5	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	2	.	3	1
	10. Clothing Trades,	23,260	9·0	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2	1
	11. Food Supply Trades,	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	27·5	16	3	.	1	5	6	1	.	.	.	.	.	.	.	.	.	.	.	2	2	2	.	2	.	8	.
	13. Petty Shopkeepers,	7,894	19·8	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	18,425	23·3	6	3	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	4	.
	15. Domestic Servants,	36,603	10·0	7	2	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	29·0	8	3	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	2	3	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	34·8	60	20	5	13	15	7	.	.	.	1	.	1	1	.	1	.	4	5	9	5	3	6	12	2	14	4
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	37	4	2	10	7	13	1	.	.	.	.	.	.	.	.	2	2	3	10	3	1	.	8	.	10	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all causes.	From diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (part of).																				
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	Jan. 6,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	.	.	2	.	3	.	.
	„ 13,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	3	2	.	.	.	1	.
	„ 20,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	.	1	.	2	2	.	1
	„ 27,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Feb. 3,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	1	5	.	.	2	1	.
	„ 10,	7·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 17,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	1	2	2	.	2	.	.
	„ 24,	27·6	1·8	15	.	.	.	.	1	.	.	.	.	1	3	.	.	1	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Jan. 6,	25·3	.	19	.	.	.	.	.	.	.	.	.	1	4	3	2	3	.	1
	„ 13,	20·0	1·3	15	.	.	.	.	.	1	.	.	.	3	.	.	1	2	1	.
	„ 20,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.	1	4	2	.
	„ 27,	26·6	1·3	20	.	.	.	.	.	1	.	.	.	4	3	.	1	1	2	.
	Feb. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	5	2	1	.	6	.	3
	„ 10,	22·6	1·3	17	.	.	.	1	.	.	.	.	.	1	1	1	2	6	.	1
	„ 17,	29·8	.	22	.	.	.	.	.	.	.	.	.	1	4	.	.	3	.	2
	„ 24,	30·6	2·7	23	.	.	1	.	.	.	.	1	.	2	3	1	2	6	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Jan. 6,	22·5	.	13	.	.	.	.	.	.	.	.	.	.	2	1	.	1	1	1
	„ 13,	27·7	.	16	.	.	.	.	.	.	.	.	.	.	2	3	.	4	.	.
	„ 20,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	4	.	1	1	1	.
	„ 27,	22·5	3·5	13	.	.	.	.	.	.	.	.	2	1	.	.	.	1	2	.
	Feb. 3,	32·9	1·7	19	.	.	.	.	.	.	.	.	1	2	7	2	.	2	1	1
	„ 10,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.
	„ 17,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.
	„ 24,	22·4	1·7	17	.	.	.	.	.	.	.	.	1	1	4	2	1	1	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Jan. 6,	24·7	.	15	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	„ 13,	16·5	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.
	„ 20,	21·4	1·6	13	.	.	1	.	.	.	.	.	.	1	4	1	1	2	.	.
	„ 27,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
	Feb. 3,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1
	„ 10,	32·9	.	20	.	.	.	.	.	.	.	.	.	4	3	2	1	1	1	.
	„ 17,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.
	„ 24,	29·6	.	18	.	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 88,884.	Jan. 6,	17·7	1·4	13	.	.	.	.	.	1	.	.	.	2	2	1	.	1	.	.
	„ 13,	43·5	2·7	32	.	.	2	.	.	.	.	.	.	1	4	3	.	8	.	.
	„ 20,	29·9	.	22	.	.	.	.	.	.	.	.	.	.	5	1	.	5	.	1
	„ 27,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	.	2	1	.	3	.	1
	Feb. 3,	21·7	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	1	1	.
	„ 10,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	3	1	.	5	1	1
	„ 17,	14·9	.	11	.	.	.	.	.	.	.	.	.	1	3	1	.	2	.	1
	„ 24,	25·8	1·4	19	.	.	.	.	.	1	.	.	.	1	4	2	.	5	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Jan. 6,	31·4	2·9	11	.	.	.	.	.	.	.	.	1	2	2	1	.	1	.	.
	„ 13,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	„ 20,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.
	Feb. 3,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	1
	„ 10,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
	„ 17,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	„ 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	2
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Jan. 6,	28·6	.	23	.	.	.	.	.	.	.	.	.	1	1	2	2	4	1	.
	„ 13,	23·6	1·2	19	.	.	.	.	1	.	.	.	.	2	1	2	.	2	.	2
	„ 20,	27·4	.	22	.	.	.	.	.	.	.	.	.	3	.	2	2	2	1	.
	„ 27,	28·6	1·2	23	.	.	.	.	.	.	.	.	.	3	2	2	2	1	.	1
	Feb. 3,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	3	2	4	1	4	.	1
	„ 10,	23·6	.	19	.	.	.	.	.	.	.	.	.	1	2	4	2	2	1	.
	„ 17,	28·6	.	23	.	.	.	.	.	.	.	.	.	3	5	4	.	5	.	1
	„ 24,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	1	1	4	1	2	.	.
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1906 (Est.) 35,188.	Jan. 6,	23·7	1·5	16	.	.	.	.	.	.	.	1	.	3	3	.	.	4	1	.
	„ 13,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	4	.	3	.	1
	„ 20,	14·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.
	„ 27,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	1	.	2	1	2	.
	Feb. 3,	13·4	.	9	.	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.
	„ 10,	25·2	.	17	.	.	.	.	.	.	.	.	.	.	2	2	2	.	1	.
	„ 17,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	5	.	.
	„ 24,	25·2	.	17	.	.	.	.	.	.	.	.	.	1	3	.	.	7	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,203.	Jan. 6,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.
	" 13,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1
	" 20,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1
	" 27,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	1
	Feb. 3,	18·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.	.	1	.	.
	" 10,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	" 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	" 24,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	2	1	4
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Jan. 6,	20·0	4·0	10	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	1
	" 13,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.
	" 20,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	" 27,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 3,	30·1	2·0	15	.	.	.	.	.	1	.	.	.	1	3	.	2	3	.	.
	" 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
	" 17,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1
	" 24,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Jan. 6,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.
	" 13,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1
	" 20,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	" 27,	32·5	.	1	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
	Feb. 3,	23·7	.	18	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	" 10,	29·6	.	0	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
	" 17,	20·7	.	17	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.
	" 24,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.
Belfast. Pop. in 1906 (Est.) 358,680.	Jan. 6,	21·4	1·0	147	.	.	.	.	1	1	.	2	3	15	15	10	3	20	6	6
	" 13,	19·3	1·3	133	.	.	.	.	2	1	1	3	2	12	17	4	5	19	1	2
	" 20,	19·6	1·3	135	.	.	2	1	1	.	2	1	2	8	17	3	5	12	4	4
	" 27,	23·3	1·3	160	.	.	1	.	3	.	.	2	3	11	22	8	7	20	1	4
	Feb. 3,	20·2	0·9	139	.	.	1	.	1	.	.	2	2	10	16	7	5	26	3	3
	" 10,	21·2	1·3	146	.	.	.	.	2	.	.	6	1	8	23	6	4	23	1	3
	" 17,	26·0	1·9	179	.	1	.	.	6	2	1	.	3	19	22	7	5	22	6	5
	" 24,	25·3	2·2	174	.	.	1	.	7	3	.	2	2	17	23	7	6	24	4	3
Cork. Pop. (in 1901) 76,122.	Jan. 6,	14·4	0·7	21	.	.	.	.	.	.	.	.	1	1	2	2	2	3	1	.
	" 13,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	3	2	3	2	.	1
	" 20,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	1	7	1	1	1	.	.
	" 27,	21·2	2·1	31	.	.	.	.	.	.	.	.	3	.	6	1	1	3	1	.
	Feb. 3,	15·1	.	22	.	.	.	.	.	.	.	.	.	1	4	3	1	.	.	.
	" 10,	21·9	2·1	32	.	.	.	1	.	1	.	1	.	.	8	1	1	3	1	2
	" 17,	21·2	.	31	.	.	.	.	.	.	.	.	.	.	4	.	1	7	.	3
	" 24,	23·3	.	34	.	.	.	.	.	.	.	.	.	2	8	.	2	4	2	4
Londonderry. Pop. in 1906 (Est.) 42,067.	Jan. 6,	19·8	1·2	16	.	.	.	.	1	.	.	.	.	.	2	1	.	5	.	1
	" 13,	8·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.	1	1	1	.
	" 20,	13·6	2·5	11	.	.	.	.	2	.	.	.	.	1	1	.	.	1	.	.
	" 27,	17·4	.	14	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	Feb. 3,	17·4	5·0	14	.	.	.	.	1	.	.	.	3	1	.	.	.	4	.	1
	" 10,	26·0	7·4	21	.	.	.	.	5	1	.	.	.	.	2	2	2	4	.	1
	" 17,	18·6	.	15	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	2
	" 24,	24·8	2·5	20	.	.	.	.	1	.	.	.	1	1	2	2	1	3	.	3
Limerick. Pop. (in 1901) 38,151.	Jan. 6,	17·8	1·4	13	.	.	1	.	.	.	.	.	.	.	3	2	1	6	.	3
	" 13,	30·1	.	22	.	.	.	.	.	.	.	.	.	1	4	.	1	2	.	2
	" 20,	23·2	1·4	17	.	.	.	.	.	.	.	1	.	.	1	.	1	7	.	2
	" 27,	16·4	1·4	12	.	.	.	.	.	1	.	.	.	.	.	1	.	3	.	1
	Feb. 3,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	3	1	1	4	.	2
	" 10,	23·2	1·4	17	.	.	.	.	.	1	.	.	.	1	1	1	1	6	.	2
	" 17,	28·7	.	21	.	.	.	.	.	.	.	.	.	1	3	1	.	8	.	5
	" 24,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	2
Waterford. Pop. (in 1901) 26,769.	Jan. 6,	31·2	1·9	16	.	.	.	.	1	.	.	.	.	1	2	.	.	1	4	3
	" 13,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	" 20,	11·7	1·9	6	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	.
	" 27,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.
	Feb. 3,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	" 10,	23·4	.	12	.	.	.	.	.	.	.	.	.	1	2	3	1	1	.	1
	" 17,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	.	1	.	.	3	2	1
	" 24,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th February, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,784	6	53·1	3·5	15	3	1	6	5	.	.	.	.	.	1	.	.	.	2	1	.	.	2	1	1	6	.
Do. 2 ,, .	47,959	33	17·4	1·1	16	2	2	10	2	.	.	.	.	1	.	.	.	.	3	2	1	.	4	.	.	1	.
Do. 3 ,, .	47,214	25	21·0	4·4	19	6	1	9	3	.	.	1	.	2	.	.	.	1	.	4	.	.	5	.	.	3	2
Do. 4 ,, .	40,911	21	37·0	.	29	9	2	8	10	.	.	.	.	.	.	.	.	.	3	4	.	.	2	1	1	15	.
Do. 5 ,, .	17,387	15	42·0	9·0	14	1	6	5	2	.	.	.	.	3	.	.	.	.	1	1	.	1	1	.	.	5	.
Do 6 ,, .	48,122	20	22·8	1·1	21	3	1	10	7	.	.	.	.	.	1	.	.	.	1	1	1	2	4	1	1	4	.
Do 7 ,, .	1,524	.	—	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
Do. 8 ,, .	5,060	.	20·6	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.
Do. 9 ,, .	19,569	8	13·3	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 10 ,, .	28,064	13	40·7	6·8	18	5	3	9	1	.	.	.	.	1	.	.	1	1	1	5	1	1	2	.	2	2	1
Do. 11 ,, .	34,802	36	28·5	1·5		9	1	6	3	.	.	.	.	.	.	.	1	.	2	2	2	1	2	.	1	3	.
Do. 12 ,, .	38,588	24	10·9	1·6	7	1	1	4	1	.	.	.	.	.	1	.	.	.	.	2	1	.	1	.	.	3	.
Do. 13 ,, .	15,006	13	20·8	.	6	.	1	4	1	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
Do. 14 ,, .	240	.	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	214	26·0	2·2	174	43	20	74	37	.	.	1	.	7	3	.	2	2	17	23	7	6	24	4	7	46	3
City of Cork.																											
CORK URBAN No. 1 DISTRICT, .	12,867	3	24·3	.	6	1	.	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	4	1
Do. 2 ,, . .	10,701	5	29·2	.	6	3	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	2
Do. 3 ,, . .	9,978	6	15·7	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
Do. 4 ,, . .	8,666	5	18·1	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
Do. 5 ,, . .	6,592	1	47·5	.	6	.	.	6	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	2	.
Do. 6 ,, . .	10,702	6	29·2	.	6	.	.	4	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	1	.
Do. 7 ,, . .	16,616	5	12·6	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	1
Total, ...	76,122	31	23·3	.	34	4	1	21	8	.	.	.	.	.	.	.	.	.	2	8	.	2	4	2	4	9	4

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905-6—Week ending																									
	Sept. 2.	Sept. 9.	Sept 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered,	208	235	209	216	207	193	210	209	204	284	205	199	200	205	199	194	158	189	224	193	196	236	231	189	246	214
DEATHS registered.	105	109	114	94	109	116	122	130	153	130	141	150	138	140	148	126	146	124	147	133	135	160	139	146	179	174
Annual Death-rate per 1,000 of estimated Population.	15·3	15·8	16·6	13·7	15·8	16·9	17·7	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18.3	21·2	18·0	21·4	19·3	19·6	23·3	20 2	21·2	26·0	25·3
AGES — Under 1 year,	26	28	25	19	22	31	28	25	35	30	36	38	28	27	21	23	31	26	34	21	30	31	24	29	31	43
AGES — 1-5 years,	11	5	16	9	9	3	12	14	19	14	17	15	19	11	18	15	18	19	16	15	16	22	11	11	14	20
AGES — 5-60 years,	50	56	48	50	62	58	48	62	63	55	53	60	65	64	72	58	69	56	61	60	62	71	61	71	87	74
AGES — 60 years and upwards,	18	20	25	16	16	24	34	29	36	31	35	37	26	38	37	30	28	23	36	37	27	36	43	35	47	37
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	1	.	.	.	.	1	3	1	.	1	1	1	.	2	3	.	.	.	2	1	1	.	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
Whooping-cough,	.	.	.	.	1	.	1	1	.	.	.	.	.	1	1	3	1	.	1	2	1	3	1	2	6	7
Diphtheria,	1	2	.	1	.	1	.	.	2	.	1	1	.	1	.	.	1	.	1	1	.	.	.	.	2	3
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.
Enteric Fever,	1	1	5	4	6	.	5	1	.	2	3	3	3	4	3	1	2	2	2	3	1	2	2	6	.	2
Diarrhœal Diseases,	8	10	11	1	3	5	4	2	1	3	3	1	2	.	2	.	2	1	3	2	2	3	2	1	3	2
Pneumonia,	2	12	10	12	4	12	6	12	9	18	16	14	18	15	18	14	18	14	15	12	8	11	10	8	19	17
Tuberculous Disease, Phthisis,	19	16	18	14	10	14	13	17	25	19	22	22	16	26	17	17	21	17	15	17	17	22	16	23	22	23
Tuberculous Disease, Other Forms,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4	3	8	7	6	7	7
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	5	7	5	4	5	6
Diseases of Respiratory System,	5	5	5	4	11	15	17	14	21	31	28	31	28	29	34	23	31	23	20	19	12	20	26	23	22	24
Violent Deaths,	1	2	1	3	2	2	3	7	4	4	3	4	9	3	3	2	4	5	6	1	4	1	3	1	6	4
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	4	4	3	3	5	3

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the eighteen weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	Feb. 24,	2,500	1,535	17·5	.	52	10	18	35	3	13
EDINBURGH, .	341,035	„ 24,	152	122	18·7	.	4	3	1	2	.	1
GLASGOW, . .	835,625	„ 24,	482	336	21·0	.	16	.	1	2	3	1
CALCUTTA, . .	847,796	Jan. 6,	.	677	41·5	61	1	.	.	1	162‡	155*
BOMBAY, .	776,006	„ 23,	438	741	49·6	5	11	.	.	.	78‡	75
MADRAS, . .	509,346	„ 5,	364	638	65·1	21	14	?	?	?	164‡	139*
PARIS, . .	2,660,559	Feb. 10,	1,049	984	19·2	.	21	3	3†	8	5	13
BRUSSELS (with 8 Faubourgs).	598,467	„ 3,	225	181	15·7	.	.	1	1†	3	2	5
ANTWERP, . .	304,975	„ 3,	157	81	13·9	.	1	.	.	2	.	2
AMSTERDAM, .	558,736	„ 3,	268	139	13·0	.	7	.	1†	2	1	3
COPENHAGEN, .	426,000	„ 3,	241	139	17·0	.	1	.	1†	.	.	3
STOCKHOLM, .	318,398	Jan. 27,	121	101	16·5	.	.	1	.	.	.	5
CHRISTIANIA, .	222,373	Feb. 10,	123	55	12·8	.	.	1	5†	1	.	1
ST. PETERSBURG,	1,429,000	„ 10,	.	668	24·4	2	21	32	24	3	26	88
MOSCOW, . .	1,092,360	Jan. 6,	.	662	31·6	1	8	6	5†	5	9	55
BERLIN, . .	2,041,689	„ 20,	.	629	16·1	.	17	3	10†	10	2	32
HAMBURG, . .	772,852	„ 27,	.	269	18·1	.	1	.	3†	1	.	20
BRESLAU, . .	471,857	Feb. 10,	.	162	17·9	.	.	.	2†	1	.	4
MUNICH, . .	540,000	„ 10,	.	216	20·8	.	3	.	4†	4	.	27
VIENNA (with suburbs).	1,917,639	„ 10,	950	667	18·1	.	4	5	14†	7	4	24
BUDA-PESTH, .	859,134	„ 10,	423	275	16·8	.	4	2	3†	1	.	10
PRAGUE and Faubourgs.	455,241	„ 3,	184	166	19·0	.	1	1	1†	.	1	18
TRIESTE, . .	194,749	„ 3,	120	114	30·5	.	.	.	1†	.	.	1
ROME, . . .	516,580	Dec. 2,	252	178	18·0	.	2	.	1†	.	3	9
		„ 9,	271	167	16·9	.	.	.	3†	2	4	7
VENICE, . .	171,709	Jan. 27,	77	66	20·0	.	.	.	.	.	.	3
NEW YORK, .	4,152,860	„ 27,	2,049	1,446	18·2	.	34	16	41†	4	6	31
PHILADELPHIA,	1,469,126	„ 20,	.	633	22·4	.	28	.	21†	6	16	23
BOSTON, .	595,380	„ 27,	.	212	18·6	.	3	4	1	.	.	4

* Including 72 deaths from cholera in Calcutta, and 3 in Madras.
† Including deaths from croup.
‡ Exclusive of 25 deaths from plague in Calcutta, 31 in Bombay, and 2 in Madras.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th February, 1906.

DISTRICTS.	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 1, West,	.	.	.	.	1	.	.	.	.	.	.	.	.	1
" " 2,	.	.	.	2	.	.	.	.	.	2	2	.	.	6
" " 3,	.	.	.	1	.	.	1	.	.	2	4	.	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	.	2	.	.	2
" " 2,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 3,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	5	1	.	1	.	.	5	9	.	.	21

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th February, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th February.			
	Feb. 3.	Feb. 10.	Feb. 17.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	12	4	2	.	2	.	.
Scarlet Fever,	47	58	55	9	14	1	49*
Typhus,	2	1	3	.	1	.	2
Diphtheria,	34	29	33	3	7	1	28
Enteric Fever,	27	26	23	8	4	.	27
Pneumonia,	21	23	21	6	9	.	18

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 24th February, 1906:—

"True to the character of the present month, this week was cold and winterly—in Dublin also there was a considerable though not constant rainfall. During the whole period snow lay deep on the summits of the Dublin and Wicklow Mountains. Sunday was fine, with a N.W. air current above (as shown by the movement of cirrus clouds) and a S.E. ground current. At night a trough of low atmospheric pressure spread eastwards across Ireland, causing a considerable rainfall in many parts of the British Isles. Of two minima in the low pressure area, one was central off the N. of Ireland, the other over South Wales at 8 a.m. of Monday. In Ireland N.W. winds prevailed on that day and the evening was frosty. The trough of low pressure drifted slowly across Great Britain and on Tuesday morning stretched from the Shetlands to Holland. By 8 a.m. of Wednesday it had reached Denmark, having assumed a definite cyclonic form. At this time a new and deeper depression appeared off the S.W. of Ireland, whence it spread slowly towards E.S.E., being central over Cornwall on Friday morning. This system caused heavy rain over the S. of Ireland, the S. of Wales and the S.W. of England. Dublin got ·413 inch of rain, but Holyhead escaped. Fog and cold prevailed in Dublin on Friday evening, but another disturbance brought cold rain and sleet in the early morning of Saturday, and it had scarcely passed off when a still larger and deeper depression arrived with clouds, showers, and a higher temperature. In Dublin the mean height of the barometer was 29·856 inches, the barometer rising to 30·241 inches at 9 a.m. of Wednesday (wind, W.) and falling to 29·406 inches at 9 p.m. of Saturday (wind, S.). The mean temperature was 38·9°, the dry bulb reading at 9 a.m. and 9 p.m. being 37·3°. On Wednesday the screened thermometers fell to 29·9°, on Saturday they rose to 47·0°. The rainfall was ·656 inch on 5 days, ·383 inch being measured on Thursday. The wind was variable—chiefly W. and S.E."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·865 inches. The highest reading (30·250) was on Wednesday at 9 a.m., air calm, and the lowest (29·414) on Saturday at 9 p.m., wind W.

The mean temperature for the week was 36·3°, being 4·3° under the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Sunday, on which day the thermometer registered 47·1°, and was lowest on Wednesday, the mercury having fallen to 23·1°. The mean of the Dry Bulb for the week was 35·9°, and of the Wet Bulb 34·5°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 30·1 hours. The rainfall during the week measured ·625 inch.

At Greenwich the mean temperature for the week was 37·4°, the maximum 46·2°, and the minimum 26·1°; at Glasgow the maximum was 47·2°, the minimum, 21·8°, and the mean 35·2°; and at Edinburgh the maximum was 44·5°; the minimum 25·9°; and the mean 36·0°. The rainfall at Greenwich measured 0·27 inch; at Glasgow 0·68 in.; and at Edinburgh 0·44 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 18,	29·780	47·1	24·0	35·6	34·7	33·2	·87	·5	7·5	·210	Calm.	S.E.
Monday, „ 19,	29·803	42·4	32·5	37·5	35·0	34·1	·91	·5	0·5	·050	W.	W.
Tuesday, „ 20,	30·197	46·8	30·4	38·6	33·9	32·5	·86	·2	9·0	—	W.	W.
Wednesday, „ 21,	30·214	44·9	23·1	34·0	35·1	33·4	·84	·0	5·7	—	Calm.	Calm.
Thursday, „ 22,	29·812	43·2	32·2	37·7	39·1	37·3	·87	·4	0·8	·310	N.	N.E.
Friday, „ 23,	29·724	42·0	26·0	34·0	32·8	31·2	·83	·2	5·2	·030	N.E.	Calm.
Saturday, „ 24,	29·522	46·8	26·9	36·9	41·0	39·5	·88	·6	1·4	·025	W.	W.
Mean, . .	29·865	44·7	27·9	36·3	35·9	34·5	·87	·3	Total 30·1	Total ·625	Prevailing Wind. W.	

Sunday—A fine bright day; night clear p.m., overcast, light and heavy rain 3 a.m to 9 a.m. *Monday*—Day overcast to 3 p.m., rain 9 a.m. to 11 a.m.; night clear. *Tuesday*—A fine bright day; night clear. *Wednesday*—A fine day, bright intervals; night clear. *Thursday*—A cloudy day; night overcast and wet to 5.30 a.m. *Friday*—A fine day; night clear p.m., overcast a.m., sleet and snow 4.15 a.m. to 7.30 a.m. *Saturday*—A cloudy day; night overcast, drizzling rain p.m., cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 24th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Feb. 18,	33·8	38·5	42·9	46·3	27·9	37·4	6·7	·224
Monday, „ 19,	38·7	39·0	42·7	43·1	34·3	38·7	0·1	·050
Tuesday, „ 20,	37·2	38·6	42·5	46·9	33·5	40·2	*	—
Wednesday, „ 21,	31·7	38·0	42·4	44·9	30·3	37·6	5·0	—
Thursday, „ 22,	41·9	38·0	42·3	45·5	36·5	41·0	1·5	·321
Friday, „ 23,	39·3	38·9	42·2	42·7	33·8	38·3	4·2	·027
Saturday, „ 24,	39·3	38·5	42·1	47·1	33·6	40·4	1·1	·002
Weekly Mean.	37·4	38·5	42·4	45·3	32·8	39·1	Total 6 days, 18·6	Total ·624

* No observation taken.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 374. 12. 1905.—12525.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 3RD MARCH, 1906. [No. 9.

General Register Office, Charlemont House, Dublin, 5th March, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 24·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Feb 10.	Feb. 17.	Feb. 24.	Mar. 3.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Average Rate for 4 weeks.
22 Town Dists.	21·4	22·2	24·4	24·1	23·0	Lisburn,	22·7	31·8	22·7	9·1	21·6
Armagh,	13·7	6·9	20·6	13·7	13·7	Londonderry,	26·0	18·6	24·8	16·1	21·4
Ballymena,	14·4	14·4	19·2	19·2	16·8	Lurgan,	22·1	17·7	26·6	44·3	27·7
Belfast,	21·2	26·0	25·3	24·1	24·1	Newry,	8·4	12·6	33·6	21·0	18·9
Clonmel,	20·5	20·5	15·4	25·6	20·5	Newtownards,	40·1	40·1	74·4	40·1	48·7
Cork,	21·9	21·2	23·3	23·3	22·4	Portadown,	10·3	36·2	31·0	15·5	23·2
Drogheda,	24·5	16·3	12·3	36·8	22·5	Queenstown	.	26·4	6·6	33·0	16·5
Dublin Reg. Area,	20·5	19·0	24·4	24·8	22·2	Sligo,	19·2	43·2	9·6	14·4	21·6
Dundalk,	31·9	8·0	16·0	31·9	22·0	Tralee,	26·4	21·1	26·4	10·6	21·1
Galway,	31·1	11·7	38·8	3·9	21·4	Waterford,	23·4	17·5	17·5	35·1	23·4
Kilkenny,	24·6	29·5	29·5	14·7	24·6	Wexford,	23·3	18·7	.	23·3	16·3
Limerick,	23·2	28·7	24·6	27·3	25·9						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in thirteen of the districts to 8·9 in Lurgan, the 10 deaths from all causes in that district including one from measles and one from diarrhœa. Among the 166 deaths from all causes in Belfast are one from scarlet fever, 9 from whooping-cough, 2 from diphtheria, 2 from enteric fever, and one from diarrhœa; and the 8 deaths from all causes in Dundalk include 2 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 252—132 boys and 120 girls; and the deaths to 183—104 males and 79 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·2 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 24·8 per 1,000. During the nine weeks ending with Saturday last the death-rate averaged 23·0, and was 6·8 below the mean rate for the corresponding portions of the ten years, 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths (183) included 4 deaths from whooping-cough, one death from enteric fever, and one death from *diarrhœa.* In the 3 weeks preceding, deaths from whooping-cough were 0, 0, and one; deaths from enteric fever were 0, 0, and one; and deaths from diarrhœal diseases were 0, one, and 2, respectively. There was one death attributed to influenza.

Broncho-pneumonia caused 5 deaths, and *pneumonia* (not defined) caused 11 deaths.

The total deaths from all forms of tuberculous disease increased to 50; the deaths in each of the 3 preceding weeks being 33, 33, and 41. The 50 deaths from tuberculous disease registered during last week comprise 8 deaths from tuberculous phthisis, 24 deaths from *phthisis,* 2 deaths from tuberculous meningitis, one death from tuberculous peritonitis, and 15 deaths from other forms of the disease.

There were 3 deaths from carcinoma and 3 deaths from cancer (undefined).

The deaths attributed to diseases of the brain and nervous system were 15 in number, and included the deaths of 5 infants under one year of age, also the death of one child between one year and 5 years of age, from *convulsions.*

Twenty-five deaths were from diseases of the heart and blood vessels, and bronchitis caused the deaths of 24 persons.

Of 10 deaths caused by violence, 8 were attributed to accidents; of this number 3 deaths were by burns, scalds, or explosions, and 3 were by drowning. There was one death caused by homicide, and one death was by suicide.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age and the death of a person aged 69 years.

Forty of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 3 were under one month old) and 56 were aged 60 years and upwards, including 29 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a woman) was stated to have been aged 94 years.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·8 per 1,000; the rate in the City was 26·8 (North City Districts, 26·6; South, 27·1), and in the Suburbs, 17·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 1·1 (0·7 in the North City Districts, and 1·5 in the South), and for the Suburbs, 0·0.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000, and include one death from *pneumonia* (not defined), 2 deaths from *phthisis,* 3 deaths from diseases of the respiratory system, and one death by drowning.

No. 1 *North City District, West* (Summer-hill).—The deaths (25) are equal to an annual rate of 33·3 per 1,000, and include 6 deaths from tuberculous disease, 8 deaths from bronchitis, and one death from accidental burns.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·1 per 1,000, and include one death from broncho-pneumonia, one death from *pneumonia* (not defined), and 8 deaths from tuberculous disease.

No. 3 *North City District* (Benburb-street).—The deaths (20) represent an annual rate of 32·9 per 1,000, and include 2 deaths from whooping-cough, one death from influenza, 2 deaths from broncho-pneumonia, one death from *pneumonia* (not defined), 5 deaths from tuberculous disease, 2 deaths from bronchitis, and one death from burns.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 36·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 7·8. Two of the 7 deaths for Coolock and Drumcondra, No. 1, part of, were from *phthisis,* and 3 were from diseases of the heart and blood vessels.

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 29·9 per 1,000, and include one death from enteric fever, 8 deaths from tuberculous disease, 4 deaths from bronchitis, and 3 accidental deaths.

No. 2 *South City District* (Castle-street).—The deaths (14) are equal to an annual rate of 39·9 per 1,000, and include one death from *pneumonia* (not defined), 4 deaths from tuberculous disease, and 3 deaths from diseases of the respiratory system.

No. 3 *South City District* (Peter-street).—The deaths (26) are equal to an annual rate of 32·3 per 1,000, and include 2 deaths from whooping-cough, one death from *diarrhœa,* one death from *pneumonia* (not defined), 6 deaths from tuberculous disease, and 5 deaths from bronchitis.

No. 4 *South City District* (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·8 per 1,000, and include one death from *pneumonia* (not defined), one death from tuberculous phthisis, and one death by homicide.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000, and include one death from meningitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8; Pembroke, 16·0; Blackrock, 6·0; and Kingstown, 23·7. There was no death from any of the principal epidemic diseases recorded for these districts. Among the 12 deaths from all causes for Rathmines and Rathgar are 2 from broncho-pneumonia, 3 from tuberculous disease, 2 from bronchitis, 2 from accidental drowning, and one suicidal death; the 8 deaths from all causes for Pembroke include 2 from *pneumonia* (not defined), 2 from tuberculous disease, and one from bronchitis; and of the 8 deaths from all causes for Kingstown 3 were from *pneumonia* (not defined), and 3 from diseases of the heart and blood vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 3rd March, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Feb. 10,	.	—	—	11	.	.	.	.	1	5	12	1	—	—	—	—	—	30
	Feb. 17,	.	—	—	3	.	.	6	.	2	5	11	2	—	—	—	—	—	29
	Feb. 24,	.	—	—	5	1	.	1	.	.	5	9	.	—	—	—	—	—	21
	Mar. 3,	.	—	—	8	.	.	3	.	3	7	10	2	—	—	—	—	—	33
Rathmines and Rathgar Urban District.	Feb. 10,	.	—	—	1	.	.	3	.	.	1	.	.	—	—	—	—	—	5
	Feb. 17,	.	—	—	.	.	.	3	.	.	1	.	.	—	—	—	—	—	4
	Feb. 24,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	2
	Mar. 3,	.	—	—	1	.	.	.	.	.	2	.	.	—	—	—	—	—	3
Pembroke Urban District.	Feb. 10,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	Feb. 17,	.	.	.	.	.	.	.	.	.	.	1	.	—	5	.	—	—	6
	Feb. 24,	.	.	.	1	.	.	.	.	.	1	1	.	—	.	.	—	—	3
	Mar. 3,	.	.	.	1	.	.	1	.	.	1	.	.	—	2	.	—	—	5
Blackrock Urban District.	Feb. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Feb. 17,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Feb. 24,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Mar. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Feb. 10,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Feb. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Feb. 24,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	Mar. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Feb. 10,	.	—	—	35	.	.	3	1	9	24	10	.	—	—	—	—	—	82
	Feb. 17,	.	—	—	30	.	.	5	2	5	21	2	1	—	—	—	—	—	66
	Feb. 24,	.	—	—	32	.	.	7	1	10	9	13	1	—	—	—	—	—	73
	Mar. 3,	.	—	—	27	.	.	4	.	12	21	10	1	—	—	—	—	—	75

* CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd March, 1906.

From this it appears that:—

Eight cases of scarlet fever were admitted to hospital, 6 were discharged, and 51* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital, and 3 cases remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 6 were discharged, and 30 patients remained under treatment at the close of the week.

Two cases of enteric fever were admitted to hospital, 5 were discharged, and 24 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 15 cases of pneumonia were admitted to hospital, were discharged, there was one death, and 28 cases remained under treatment at the nd of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the ate was 16·6), was equal to an average annual death-rate of 17·4 per 1,000 persons living; he average rate for 8 principal towns of Scotland was 19·3 per 1,000, the rate for Glasgow eing 20·0, and for Edinburgh 17·9.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a opy of his Return of Infectious Diseases notified during the week ended 3rd March. From this Return it ppears that of a total of 39 cases notified 21 were scarlet fever, 12 diphtheria, 4 erysipelas, and 2 typhoid fever. mong the 538 cases of infectious diseases in hospital at the close of the week were 134 cases of scarlet ever, 97 of diphtheria, 2 of membranous croup, 83 of measles, 16 of erysipelas, and 15 of typhoid fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 3rd March, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 3rd March, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyræxia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 3rd March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th Feb., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th Feb., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	32·4	24·1	1·5	679	505	71	134	.	2	2	.	18	2	.	3	5	49	90	33	12	89	12	20	155	20	° .	° .	° .	° .	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—Total, d.	878,994	27·5	34·7	24·8	0·8	252	180	22	55	.	.	.	.	4	.	.	1	1	16	31	18	4	28	10	9	61	4	f52·4	27·7	40·6	0·55	f47·1	28·1	36·3	0·63	f46·0	27·1	36·4	0·10
																												g53·9	30·2	42·4	0·42	g47·0	29·9	38·9	0·66	g47·9	29·1	38·5	0·09
																												h53·9	28·0	41·1	0·51	h46·9	28·0	36·7	0·66	h46·9	28·0	37·0	0·07
City of Dublin,	298,885	37·1	37·7	26·8	1·1	212	151	22	44	.	.	.	.	4	.	.	1	1	9	28	15	4	25	7	6	56	4	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Rathmines and Rathgar.	33,203	19·4	15·7	18·8	.	10	12	.	3	.	.	.	.	.	.	.	.	.	2	2	1	.	2	3	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	30·1	16·0	.	15	8	.	3	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	6·0	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	38·5	23·7	.	13	8	.	4	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	55·5	31·5	42·6	0·36	49	29·5	39·8	0·54	48·0	29·5	39·5	0·12
Urban Districts.																																							
Belfast,	358,680	24·4	35·8	24·1	2·2	246	166	26	38	.	.	1	.	9	2	.	2	1	13	33	6	5	34	2	8	36	5	54·0	29·0	39·4	0·71	46·0	26·5	37·6	0·30	44·4	28·4	36·6	0·94
Cork,	76,122	33·6	20·5	23·3	1·4	30	34	4	6	.	.	.	.	1	.	.	.	1	4	10	.	1	4	.	2	17	.	55	35	44·3	0·16	49	31	41·3	1·37	49	29	39·5	0·89
Londonderry,	42,097	19·4	28·5	16·1	2·5	28	13	3	4	.	.	.	.	2	.	.	.	.	.	1	.	.	6	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	45·1	27·3	.	33	20	1	5	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	.	10	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	11·7	35·1	.	6	18	1	11	.	.	.	.	.	.	.	.	.	3	3	3	.	3	.	.	12	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	23·8	3·9	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	54	33	44	1·12	52	30	40·7	0·64	48	29	39·4	0·90
Dundalk,	18,076	9·4	39·9	31·9	8·0	10	8	3	.	.	.	.	.	2	.	.	.	.	2	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	20·4	36·8	.	5	9	1	3	.	.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	21·0	21·0	4·2	5	5	3	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	50·8	28·8	40·0	0·67	48·7	27·9	37·6	0·52	48·2	27·4	36·0	0·27
Lurgan,	11,782	13·8	22·1	44·3	8·9	5	10	2	1	.	1	.	.	.	.	.	.	1	2	1	.	1	1	.	.	4	1	50·8	28·8	40·0	0·67	48·7	27·9	37·6	0·52	48·2	27·4	36·0	0·27
Lisburn,	11,461	10·1	13·6	9·1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	50·8	28·8	40·0	0·67	48·7	27·9	37·6	0·52	48·2	27·4	36·0	0·27
Wexford,	11,168	23·2	32·7	23·3	4·7	7	5	1	1	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	19·2	19·2	.	4	4	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	33·6	14·4	.	7	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	51·8	27·5	40·2	0·90	47·0	28·5	37·3	0·75	47·8	28·4	37·0	0·71
Kilkenny,	10,609	11·5	54·1	14·7	.	11	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.	55	28	41·0	0·32	48	24	34·1	0·90	46	24	34·2	0·33
Clonmel,	10,167	7·8	35·9	25·6	.	7	5	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	50·8	28·8	40·0	0·67	48·7	27·9	37·6	0·52	48·2	27·4	36·0	0·27
Portadown,	10,092	13·2	25·8	15·5	.	5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,867	16·6	26·4	10·6	.	5	2	.	2	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	2	48	30	39·2	0·38	46	31	38·6	0·56	47	30	37·2	0·45
Newtownards,	9,110	18·9	22·9	40·1	5·7	4	7	2	1	.	1	.	.	.	.	.	.	.	.	1	1	.	2	.	.	1	.	55	35	44·3	0·16	49	31	41·3	1·37	49	29	39·5	0·89
Queenstown,	7,909	14·4	18·2	33·0	.	2	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	50·8	28·8	40·0	0·67	48·7	27·9	37·6	0·52	48·2	27·4	36·0	0·27
Armagh,	7,588	22·2	20·6	13·7	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 3 deaths of persons (including one at 60 years), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and [illegible] f Observations by Sir John Moore taken at Fitzwilliam Square. g Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin. h Observations by Mr. F. W. Moore taken at Phœnix Park.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 3rd of March, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	GOOLOCK and DRUMGONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	2	.	.	.	.	.	2	.	.	.	.	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Pneumonia,	1	.	2	3	.	.	.	.	1	1	1	.	2	2	.	3	16	.
Tuberculous Phthisis,	2	4	4	2	.	2	1	7	2	3	1	.	2	1	.	.	31	1
Tuberculous Other Forms.	.	2	4	3	.	.	.	1	2	3	.	.	1	1	.	1	18	.
Cancer, Malignant Disease,	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	4	2
Other General Diseases	.	2	.	2	.	1	.	.	.	.	.	.	.	.	.	.	5	.
Total,	3	8	10	12	.	3	1	9	6	12	3	.	5	4	.	4	80	3
B. LOCAL DISEASES:																		
Diseases of: Nervous System	2	1	.	4	.	.	.	.	.	5	1	1	1	.	.	.	15	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	.	.	1	.	3	.	5	5	3	2	.	.	1	1	3	25	.
Respiratory System,	3	8	.	2	.	.	.	4	3	5	.	.	2	1	.	.	28	.
Digestive System,	.	2	.	.	.	.	.	1	.	1	2	.	.	.	.	.	6	.
Lymphatic System, &c.,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Urinary System,	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	14	1	7	.	3	.	10	8	14	5	1	3	4	1	4	81	.
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	3	2	.	.	.	1	.	.	.	.	1	1	1	.	.	.	9	.
E. VIOLENT DEATHS,	1	1	.	1	.	.	.	3	.	.	1	.	3	.	.	.	10	.
Deaths from all Causes,	13	25	11	20	.	7	1	22	14	26	10	2	12	8	1	8	180	3
Annual Rate of Mortality from all causes in every 1,000 of the population	23·9	33·3	19·1	32·9	.	36·4	7·3	19·9	39·9	32·3	14·8	11·7	18·8	16·0	6·0	23·7	24·8	.
	26·6							27·1					17·7					
	26·8																	
Deaths of Infants under 1 year of age,	3	2	1	7	.	1	.	2	1	4	1	.	.	.	.	.	22	.
Deaths of Persons aged 60 years and upwards,	5	9	.	2	.	2	.	5	7	9	4	1	3	3	1	4	55	1
Number of Uncertified Deaths,	1	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	4	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	7	3	4	.	2	.	3	1	5	2	.	4	.	.	.	33	3
Workhouse Hospitals,	1	6	8	8	.	.	.	4	5	3	2	.	.	1	.	.	23	.

* Formerly described as "Simple Continued Fever"

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1896-19

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 9th Week of the 10 years 1896–1905.	In the Week ending Saturday, 3rd March, 1906.						
												Deaths of Persons of the Ages o						
	Mar. 1, 1896.	Mar. 6, 1897.	Mar. 5, 1898.	Mar. 4, 1899.	Mar. 3, 1900.	Mar. 2, 1901.	Mar. 1, 1902.	Mar. 7, 1903.	Mar. 5, 1904.	Mar. 4, 1905.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.				
Mean Temperature.	° 42·1	° 39·4	° 38·9	° 41·1	° 40·2	° 42·9	° 46·0	° 41·0	° 36·1	° 39·2	° 40·7	° 40·6							
ALL CAUSES.	178	303	218	214	230	320	218	211	201	232	232·5	183	3	19	18	14	39	34	49
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	44	.	.	1	1	1	1	.	3	5·1	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	4	5	4	1	.	1	2	.	.	1·9	.	.	.	.	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	3	7	3	13	16	5	8	5	8	7·0	1	.	.	.	.	.	.	1
Whooping-cough, ...	1	21	2	5	.	5	5	3	10	.	5·2	4	.	3	1	.	.	.	.
Diphtheria, ...	.	.	.	.	1	1	.	1	.	2	·5	.	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	4	7	7	6	4	3	3	1	3	.	3·8	1	.	.	1	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	1	3	2	2	5	2	4	. / 2	. / 1	1 / 2	2·5	. / 1	.	.	. / 1	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	1	1	2	1	1	1	2	.	3	1·2	2	.	.	1	.	1	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	.	1	1	.	.	.	. / . / .	. / . / .	. / . / 1	·3	. / . / .	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,								.	.	.		.	.	.	.	.	.	.	.
Pneumonia, Broncho-Epidemic,	11	29	10	17	16	18	18	2	6	15	15·5	5	.	1	.	1	.	2	1
Pneumonia, Not defined,								. / 3	. / 5	. / 5		. / 11	.	. / 1	.	.	. / 2	. / 3	. / 5
Erysipelas, ...	1	.	1	.	2	1	.	1	.	1	·7	1	.	.	.	.	.	.	1
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	1	2	.	.	.	1	.	. / .	. / .	. / .	·4	. / .	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	37	25	19	32	30	20	33	2 / 33	6 / 21	13 / 23	29·4	8 / 24	.	.	. / 1	. / 2	7 / 15	1 / 6	.
Tuberculous Meningitis, ...	4	3	1	8	6	3	3	5	3	4	4·0	2	.	.	1	1	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	1	5	3	6	2	6	1	2 / .	. / .	1 / .	2·7	1 / .	.	.	.	1 / .	.	.	.
Tuberculous Dis. (other), *Scrofula*, ...	4	9	5	7	7	5	5	7 / .	5 / .	12 / .	6·6	15 / .	.	4	5	3	3	.	.
Alcoholism, ...	1	.	1	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gout, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Carcinoma, ... Sarcoma, ... Cancer (undefined),	3	6	6	6	8	12	6	. / . / 2	. / 1 / 4	3 / . / 2	5·9	3 / . / 3	.	.	.	.	.	1 / . / 1	2 / . / 1
Diabetes Mellitus, ..	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
Premature Birth, ...	.	2	3	.	1	6	4	2	4	5	2·7	.	.	.	.	.	.	.	.

* The figures for the years 1896–1900 are fo
† Formerly described a

INTH WEEK ending Saturday, 3rd March, 1906, with the deaths from each cause in the corresponding ne average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 9th Week of the 10 years 1896–1905.	In the Week ending Saturday, 3rd March, 1906.							
												Deaths of Persons of the Ages of							
	Mar. 1, 1896.	Mar. 6, 1897.	Mar. 5, 1898.	Mar. 4, 1899.	Mar. 3, 1900.	Mar. 2, 1901.	Mar. 1, 1902.	Mar. 7, 1903.	Mar. 5, 1904.	Mar. 4, 1905.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 42·1	° 39·4	° 38·9	° 41·1	° 40·2	° 42·9	° 46·0	° 41·0	° 36·1	° 39·2	° 40·7	Mean Temp. ° 40·6	Under 1 month.	1 month and under a year.	1 to 5.					
ingitis (not tuberc.) ...								3	2	5		2	.	.	.	1	1	.	.	.
nity, G. P. of Insane ...								1	4	3		1	.	.	.	.	.	1	.	.
epsy								1	.	3		2	.	.	.	.	.	1	1	.
ulsions								10	5	9		6	.	5	1	.	.	.	.	.
omotor Ataxy ...								.	1	.		.	.	.	.	.	.	.	.	.
aplegia Dis. of Cord ...								1	2	3		1	.	.	.	.	.	1	.	.
vous System (other s.)	29	50	44	27	41	71	33	2	2	2	45·7	3	.	.	1	.	1	1	.	.
v. Dis., Endocarditis ...								4	4	8		6	.	.	.	.	1	1	4	.
ebr. Hæm. Thromb. ...								6	1	3		2	.	.	.	.	.	1	1	.
plexy, Hemiplegia ...								5	6	6		3	.	.	.	.	.	.	3	.
urysm								.	.	.		.	.	.	.	.	.	.	.	.
bolism, Thromb. (not rebral)								.	.	.		.	.	.	.	.	.	.	.	.
rt and Blood Vessel Dis.								19	17	24		14	.	.	.	.	.	5	8	1
up (not Spasm. nor emb.)	1	2	.	1	.	.	.	2	.	.	·6	.	.	.	.	.	.	.	.	.
nchitis	24	27	44	28	38	74	54	33	30	30	38·2	24	1	2	1	.	2	4	14	.
ma, Emphysema ...								.	.	1		2	.	.	.	.	.	.	2	.
irisy	2	4	1	2	1	5	1	.	1	1	2·2	.	.	.	.	.	.	.	.	.
piratory Dis. (other) ...								2	.	1		2	.	1	.	.	.	.	1	.
sillitis, Quinsy ...	1	1	1	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
eritis (not Epid.) ...								1	2	1	·8	.	.	.	.	.	.	.	.	.
tro Enteritis	.	.	.	.	.	.	.	2	2	.		.	.	.	.	.	.	.	.	.
tonitis (not Puerp.) ...	1	1	.	2	1	.	.	2	.	1	·8	.	.	.	.	.	.	.	.	.
rhosis of Liver ...	4	5	1	2	3	3	2	3	3	.	2·9	1	.	.	.	.	.	.	1	.
er Dis. (other) ...								2	.	1		1	.	.	.	.	.	1	.	.
estive Dis. (other) ...	3	3	3	10	6	7	5	4	6	3	5·0	4	.	1	1	1	1	.	.	.
hritis, Acute ...								2	2	1		1	.	.	1	.	.	.	.	.
ght's Dis., Albuminuria	2	5	6	7	2	3	5	.	2	.	4·2	3	.	.	.	.	1	1	.	1
nary Sys. (Other Dis.)								.	3	2		1	.	.	.	.	.	.	1	.
erative Organs Dis. ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ldbirth (Accid. of) ...	.	1	2	1	2	1	1	.	1	2	1·1	.	.	.	.	.	.	.	.	.
Age	8	10	13	15	24	27	8	3	11	2	12·1	5	.	.	.	.	.	.	2	3
er Diseases	21	24	22	11	12	21	13	15	12	11	16·2	7	2	1	1	.	.	2	1	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
Vehicles and Horses ...	.	1	1	1	.	.	.	2	1	1	·7	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	2	.	2	2	1	4	3	1	2	3	2·0	3	.	.	1	2	.	.	.	.
Drowning	2	.	.	1	.	.	.	1	2	1	·7	3	.	.	.	2	1	.	.	.
Suffocation in Bed ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Poison or Poisonous apours	.	.	1	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
er Deaths by Accidents	2	2	3	2	1	1	2	2	1	.	1·6	1	.	.	.	.	.	.	1	.
OLENCE OTHER THAN ACCIDENTAL.																				
nicide	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	1	.	.
cide	2	.	.	1	.	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.
ple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905–6—Week ending																									
	Sept. 9.	Sept. 16.	Sept. 23	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13	Jan. 20	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24	Mar. 3.
No. of weeks in Annual Series.	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered,	247	202	201	285	189	191	176	175	223	239	205	177	198	191	238	199	184	245	192	183	220	283	202	188	169	252
*Average Births in corresponding week of previous 10 years,**	197	211	199	220	189	185	203	197	194	189	199	181	190	195	183	160	182	210	206	199	200	221	215	205	217	213
DEATHS registered,	143	123	137	168	128	141	143	133	195	152	158	173	157	168	148	171	139	168	166	154	160	187	151	149	185	188
Annual Death-rate per 1,000,	19·7	16·9	18·8	23·1	21·7	19·4	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2
*Average Deaths in corresponding week of previous 10 years,**	169	165	174	163	156	172	175	177	173	178	186	191	197	185	187	189	199	219	214	211	202	212	209	209	221	233
AGES,— Under 5 years,	52	43	42	48	44	38	28	38	54	34	48	52	42	49	47	48	27	28	52	39	37	46	35	32	45	46
5—20 ,,	5	11	10	17	17	11	9	5	6	14	10	9	13	10	13	9	7	17	17	11	13	16	8	9	8	14
20—40 ,,	23	22	29	28	23	23	26	18	36	26	31	18	22	31	13	30	21	34	25	18	21	18	21	15	38	39
40—60 ,,	28	24	23	31	26	32	37	34	35	38	32	36	34	35	32	45	41	48	37	45	37	42	42	46	43	31
60—80 ,,	33	18	24	42	29	36	35	34	59	33	35	50	35	37	34	37	37	35	28	34	43	52	39	39	41	49
80 years and upwards,	4	5	9	7	9	6	8	9	5	7	7	8	11	6	9	7	6	6	7	7	9	13	6	8	7	7
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	2	1	.	1	.	.	1	.
Scarlet Fever	.	1	.	.	.	.	.	1	.	1	1	1	.	1	.	1	.	.	.	.	.	.	1	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4
Whooping-cough,	.	.	1	.	.	.	1	2	.	.	1	3	1	2	2	1	1	2	3	1	1	2	.	.	1	.
Diphtheria,	1	.	.	.	.	.	2	.	.	1	1	.	.	1	1	.	2	2	2	.	1	1	.	.	1	.
Pyrexia † (origin uncertain),	1	.	1	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	1	2	2	2	1	4	.	2	2	.	.	2	2	1	4	3	3	.	.	.	1	.	.	1	1
Diarrhœal Diseases,	12	10	10	9	1	4	1	3	4	4	2	3	5	2	1	1	2	1	1	1	3	1	.	1	2	1
Pneumonia,	3	5	5	17	10	9	6	10	18	13	14	15	10	10	8	11	11	12	15	12	16	19	6	11	13	16
Tuberculous Disease. {Phthisis,	12	15	25	23	25	17	18	21	24	21	26	20	18	24	9	27	19	21	14	23	21	29	18	23	29	32
Tuberculous Disease. {Other Forms,	12	12	11	10	17	13	7	4	9	6	12	7	10	4	15	4	1	12	16	5	6	9	15	10	12	18
Cancer, Malignant Disease,	6	4	5	5	11	7	10	8	7	6	5	10	8	6	11	5	6	7	5	12	6	8	14	6	13	6
Diseases of Heart and Blood Vessels,	24	16	18	27	18	23	29	19	29	21	23	24	25	26	21	26	30	28	21	24	33	31	23	27	21	25
Diseases of Respiratory System,	13	7	6	18	13	17	18	17	42	26	26	34	33	22	16	25	20	26	28	21	18	27	26	27	32	28
Violent Deaths,	4	4	4	7	2	5	8	6	3	2	3	3	3	2	2	4	6	4	3	7	8	5	5	.	4	10
Number of Uncertified Deaths,	6	8	5	4	5	3	5	6	4	9	7	9	4	5	9	8	6	4	5	6	6	11	7	6	8	4
Mean Temperature of the Air (Phœnix Park),	58·3	51·1	51·3	49·4	48·3	49·6	40·0	41·1	42·7	43·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6
Average Mean Temperature in corresponding week of previous 10 years	55·7	55·4	54·3‡	53·5	51·3	48·6	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7
Rainfall in inches,	·515	·150	·015	·325	·775	·035	·100	·295	1·190	·250	1·485	·320	·645	·128	·035	·285	·770	·860	·855	1·635	·230	·180	·755	·095	·325	·545
Mean Humidity of the Air, complete Saturation, 1·0,	·83	·84	·86	·87	·87	·91	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	.88	·86	·87	·89

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd March, 1906: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 3RD MARCH, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	25·4	183	40	14	39	34	49	7	.	.	.	.	4	.	.	1	1	6	16	32	18	6	6	28	10	61	4
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	17·9	6	.	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	3	.
II.	MIDDLE CLASS,	87,188	22·7	38	7	5	3	8	12	3	.	.	.	.	1	.	.	.	.	1	4	3	2	1	3	7	3	14	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	20·3	43	8	2	11	8	12	2	.	.	.	.	2	.	.	1	1	4	4	6	4	1	1	6	2	15	1
IV.	GENERAL SERVICE CLASS,	154,279	31·2	68	20	6	16	14	11	1	.	.	.	.	1	.	.	.	.	1	7	14	7	2	2	9	5	21	1
V.	INMATES OF WORKHOUSES,	6,024		28	5	1	7	3	11	1	.	.	.	.	.	.	.	.	.	.	.	8	4	2	.	6	.	8	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described,	8,360	18·7	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	37·9	16	2	3	.	5	5	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	2	3	3	5	1
	6. Clerks and Commercial Assistants,	30,432	18·8	11	4	1	3	2	.	1	.	.	.	.	1	.	.	.	.	1	.	2	1	.	.	2	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	19·3	10	1	1	.	1	6	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	4	1
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades,	29,801	15·7	9	1	.	3	2	3	.	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.	2	.	3	.
	10. Clothing Trades,	28,260	20·2	9	3	1	2	1	.	2	.	.	.	.	1	.	.	.	.	1	.	3	1	.	1	.	.	3	1
	11. Food Supply Trades,	9,242	16·9	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	29·2	17	1	.	4	4	8	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	4	2	7	.
	13. Petty Shopkeepers,	7,894	19·8	3	2	.	1	.	.	.	.	.	.	.	1	.	.	1	.	2	.	.	1	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	31·1	8	3	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	4	.
	15. Domestic Servants,	36,603	8·5	6	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	39·9	11	4	.	2	2	3	.	.	.	.	.	.	.	.	.	.	.	4	3	.	1	1	.	.	1	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	25·0	43	13	5	12	8	4	1	.	.	.	.	1	.	.	.	.	1	1	10	6	.	.	6	4	15	1
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates.	6,024	.	28	5	1	7	3	11	1	.	.	.	.	.	.	.	.	.	.	.	8	4	2	.	6	.	8	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,892.	Jan 13,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	3	2	.	.	.	1	.
	„ 20,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	.	1	.	2	2	.	1
	„ 27,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Feb. 3,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	1	5	.	.	2	1	.
	„ 10,	7·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 17,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	1	2	2	.	2	.	.
	„ 24,	27·6	1·8	15	.	.	.	.	1	.	.	.	.	1	3	.	.	1	.	1
	Mar. 3,	23·9	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Jan. 13,	20·0	1·3	15	.	.	.	.	.	1	.	.	.	3	.	.	1	2	1	.
	„ 20,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.	1	4	2	.
	„ 27,	26·6	1·3	20	.	.	.	.	.	1	.	.	.	4	3	.	1	1	2	.
	Feb. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	5	2	1	.	6	.	3
	„ 10,	22·6	1·3	17	.	.	.	1	.	.	.	.	.	1	1	1	2	6	.	1
	„ 17,	29·3	.	22	.	.	.	.	.	.	.	.	.	1	4	.	.	3	.	2
	„ 24,	30·6	2·7	23	.	.	1	.	.	.	.	1	.	2	3	1	2	6	1	1
	Mar. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	.	4	2	.	8	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Jan. 13,	27·7	..	16	.	.	.	.	..	.	.	..	.	.	2	3	.	4	.	.
	„ 20,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	4	.	1	1	1	.
	„ 27,	22·5	3·5	13	.	.	.	.	.	.	.	.	2	1	.	.	.	1	2	.
	Feb. 3,	32·9	1·7	19	..	.	..	..	.	.	.	.	1	2	7	2	.	2	1	1
	„ 10,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.
	„ 17,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.
	„ 24,	22·4	1·7	17	.	.	.	.	.	.	.	.	1	1	4	2	1	1	1	.
	Mar. 3,	19·1	.	11	.	.	.	.	.	.	.	.	.	2	4	4	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Jan. 13,	16·5	.	10	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.
	„ 20,	21·4	1·6	13	.	.	1	.	.	.	.	.	.	1	4	1	1	2	.	.
	„ 27,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
	Feb. 3,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1
	„ 10,	32·9	.	20	.	.	.	.	.	.	.	.	.	4	3	2	1	1	1	.
	„ 17,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.
	„ 24,	29·6	.	18	.	.	.	.	.	.	.	.	.	2	3	1	1	4	.	.
	Mar. 3,	32·9	3·3	20	.	.	.	.	2	.	.	.	.	3	2	3	.	2	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	Jan. 13,	43·5	2·7	32	.	.	2	.	.	.	.	.	.	1	4	3	.	8	.	.
	„ 20,	29·9	.	22	.	.	.	.	.	.	.	.	.	.	5	1	.	5	.	1
	„ 27,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	.	2	1	.	3	.	1
	Feb. 3,	21·7	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	1	1	.
	„ 10,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	3	1	.	5	1	.
	„ 17,	14·9	.	11	.	.	.	.	.	.	.	.	.	1	3	1	.	2	.	1
	„ 24,	25·8	1·4	19	.	.	.	.	.	1	.	.	.	1	4	2	.	5	1	.
	Mar. 3,	29·9	1·4	22	.	.	.	.	.	.	.	1	.	.	7	1	.	4	3	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Jan. 13,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	„ 20,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.
	Feb. 3,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	1
	„ 10,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
	„ 17,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	„ 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	2
	Mar. 3,	39·9	.	14	.	.	.	.	.	.	.	.	.	1	2	2	1	3	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Jan. 13,	23·6	1·2	19	.	.	.	.	1	.	.	.	.	2	1	2	.	2	.	2
	„ 20,	27·4	.	22	.	.	.	.	.	.	.	.	.	3	.	2	2	2	1	.
	„ 27,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	3	2	2	2	1	.	1
	Feb. 3,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	3	2	4	1	4	.	1
	„ 10,	23·6	.	19	.	.	.	.	.	.	.	.	.	1	2	4	2	2	1	.
	„ 17,	28·6	.	23	.	.	.	.	.	.	.	.	.	3	5	4	.	5	.	1
	„ 24,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	1	1	4	1	2	.	.
	Mar. 3,	32·3	3·7	26	.	.	.	.	2	.	.	.	1	1	3	3	2	5	.	2
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1906 (Est.) 35,188.	Jan 13,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	4	.	3	.	1
	„ 20,	14·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.
	„ 27,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	1	.	2	1	2	.
	Feb. 3,	13·4	.	9	.	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.
	„ 10,	25·2	.	17	.	.	.	.	.	.	.	.	.	.	2	2	2	.	1	.
	„ 17,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	5	.	.
	„ 24,	25·2	.	17	.	.	.	.	.	.	.	.	.	1	3	.	.	7	.	.
	Mar. 3,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	Jan. 13,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1
	" 20,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1
	" 27,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	1
	Feb. 3,	18·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.	.	1	.	.
	" 10,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	" 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	" 24,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	2	1	4
	Mar. 3,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	2	1	.	2	3	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025.	Jan. 13,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.
	" 20,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	" 27,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 3,	30·1	2·0	15	.	.	.	.	.	1	.	.	.	1	3	.	2	3	.	.
	" 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
	" 17,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1
	" 24,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Mar. 3,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Jan. 13,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1
	" 20,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	" 27,	32·5	.	1	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
	Feb. 3,	28·7	.	18	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	" 10,	29·6	.	0	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
	" 17,	20·7	.	17	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.
	" 24,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.
	Mar. 3,	28·7	.	8	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
Belfast. Pop. in 1906 (Est.) 358,680.	Jan. 13,	19·3	1·3	133	.	.	.	.	2	1	1	3	2	12	17	4	5	19	1	2
	" 20,	19·6	1·3	135	.	.	2	1	1	.	2	1	2	8	17	3	5	12	4	4
	" 27,	23·3	1·3	160	.	.	1	.	3	.	.	2	3	11	22	8	7	20	1	4
	Feb. 3,	20·2	0·9	139	.	.	1	.	1	.	.	2	2	10	16	7	5	26	3	3
	" 10,	21·2	1·3	146	.	.	.	.	2	.	.	6	1	8	23	6	4	23	1	3
	" 17,	26·0	1·9	179	.	1	.	.	6	2	1	.	3	19	22	7	5	22	6	5
	" 24,	25·3	2·2	174	.	.	1	.	7	3	.	2	2	17	23	7	6	24	4	3
	Mar. 3,	24·1	2·2	166	.	.	1	.	9	2	.	2	1	13	33	6	5	34	2	5
Cork. Pop. (in 1901) 76,122.	Jan. 13,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	3	2	3	2	.	1
	" 20,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	1	7	1	1	1	.	.
	" 27,	21·2	2·1	31	.	.	.	.	.	.	.	.	3	.	6	1	1	3	1	.
	Feb. 3,	15·1	.	22	.	.	.	.	.	.	.	.	.	1	4	3	1	.	.	.
	" 10,	21·9	2·1	32	.	.	.	1	.	1	.	1	.	.	3	1	1	3	1	2
	" 17,	21·2	.	31	.	.	.	.	.	.	.	.	.	.	4	.	1	7	.	3
	" 24,	23·3	.	34	.	.	.	.	.	.	.	.	.	2	8	.	2	4	2	4
	Mar. 3,	23·3	1·4	34	.	.	.	.	1	.	.	.	1	4	10	.	1	4	.	.
Londonderry. Pop. in 1906 (Est.) 42,067.	Jan. 13,	8·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.	1	1	1	.
	" 20,	13·6	2·5	11	.	.	.	.	2	.	.	.	.	1	1	.	.	1	.	.
	" 27,	17·4	.	14	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	Feb. 3,	17·4	5·0	14	.	.	.	.	1	.	.	.	3	1	.	.	.	4	.	1
	" 10,	26·0	7·4	21	.	.	.	.	5	1	.	.	.	.	2	2	2	4	.	1
	" 17,	13·6	.	15	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	2
	" 24,	24·8	2·5	20	.	.	.	.	1	.	.	.	1	1	2	2	1	3	.	3
	Mar. 3,	16·1	2·5	13	.	.	.	.	2	.	.	.	.	.	1	.	.	6	.	.
Limerick. Pop. (in 1901) 38,151.	Jan. 13,	30·1	.	22	.	.	.	.	.	.	.	.	.	1	4	.	1	2	.	2
	" 20,	23·2	1·4	17	.	.	.	.	.	.	.	1	.	.	1	.	1	7	.	2
	" 27,	16·4	1·4	12	.	.	.	.	.	1	.	.	.	.	.	1	.	3	.	1
	Feb. 3,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	3	1	1	4	.	2
	" 10,	23·2	1·4	17	.	.	.	.	.	1	.	.	.	1	1	1	1	6	.	3
	" 17,	28·7	.	21	.	.	.	.	.	.	.	.	.	1	3	1	.	8	.	5
	" 24,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	2
	Mar. 3,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	3
Waterford. Pop. (in 1901) 26,769.	Jan. 13,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	" 20,	11·7	1·9	6	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	.
	" 27,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.
	Feb. 3,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	" 10,	23·4	.	12	.	.	.	.	.	.	.	.	.	1	2	3	1	1	.	1
	" 17,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	.	1	.	.	3	2	1
	" 24,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.
	Mar. 3,	35·1	.	18	.	.	.	.	.	.	.	.	.	3	3	3	.	3	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd March, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,734	9	28·3	3·5	8	1	1	3	3	.	.	.	.	1	.	.	.	.	1	2	.	.	1	.	1	1	.
Do. 2 ,, .	47,959	32	20·7	1·1	19	3	3	8	5	.	.	.	.	1	.	.	.	.	.	2	1	.	6	.	.	4	.
Do. 3 ,, .	47,214	40	24·3	3·3	22	4	3	8	7	.	.	.	.	1	1	.	.	1	3	4	2	.	3	1	2	5	1
Do. 4 ,, .	40,911	20	24·2	1·3	19	1	1	14	3	.	.	.	.	.	.	.	1	.	1	6	.	1	3	1	1	6	.
Do. 5 ,, .	17,387	13	42·0	9·0	14	6	2	5	1	.	.	.	.	3	.	.	.	.	.	3	.	.	2	.	.	4	1
Do 6 ,, .	48,122	28	29·3	1·1	27	4	1	16	6	.	.	.	.	.	.	.	1	.	1	5	.	1	7	.	2	4	3
Do 7 ,, .	1,524	3	—	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Do. 8 ,, .	5,060	.	10·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,, .	19,569	16	21·3	2·7	8	.	2	3	3	.	.	.	.	.	1	.	.	.	2	.	2	.	1	.	.	4	.
Do. 10 ,, .	28,064	21	24·9	4·5	11	1	1	6	3	.	.	1	.	1	.	.	.	.	.	3	.	.	2	.	1	1	.
Do. 11 ,, .	34,802	30	21·0	.	14	1	2	9	2	.	.	.	.	.	.	.	.	.	2	3	1	1	3	.	.	3	.
Do. 12 ,, .	33,588	25	21·7	3·1	14	3	1	6	4	.	.	.	.	2	.	.	.	.	3	2	.	1	5	.	.	1	.
Do. 13 ,, .	15,006	9	20·8	.	6	.	.	5	1	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	1	1	.
Do. 14 ,, .	240	.	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	246	24·8	2·2	166	26	17	85	38	.	.	1	.	9	2	.	2	1	13	33	6	5	34	2	8	36	5
City of Cork.																											
CORK URBAN No. 1 DISTRICT, .	12,867	1	16·2	4·1	4	1	.	2	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 2 ,, . .	10,701	7	24·4	.	5	.	.	4	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	2	.
Do. 3 ,, . .	9,978	2	20·1	5·2	5	2	.	3	.	.	.	.	.	.	.	.	.	1	.	3	.	.	1	.	.	1	.
Do. 4 ,, . .	8,666	3	42·1	.	7	.	1	5	1	.	.	.	.	.	.	.	.	.	2	3	.	.	.	.	.	6	.
Do. 5 ,, . .	6,592	.	47·5	.	6	.	.	3	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	2	.
Do. 6 ,, . .	10,702	5	14·6	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.
Do. 7 ,, . .	16,616	12	12·6	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	2	.
Total, ...	76,122	30	23·3	1·4	34	4	1	23	6	.	.	.	.	1	.	.	.	1	4	10	.	1	4	.	2	17	.

TABLE IX.—**City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.***

BELFAST.	1905-6—Week ending																									
	Sept. 9.	Sept 16.	Sept. 23	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.
No. of weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered,	235	200	216	207	193	210	209	204	284	205	199	200	205	199	194	158	189	224	193	196	236	231	189	246	214	246
DEATHS registered.	109	114	94	109	116	122	130	153	130	141	150	138	140	148	136	146	124	147	133	135	160	139	146	179	174	166
Annual Death-rate per 1,000 of estimated Population.	15·8	16·6	13·7	15·8	16·9	17·7	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18.3	21·2	18·0	21·4	19·3	19·6	23·3	20 2	21·2	26·0	25·3	24·1
AGES: Under 1 year,	28	25	19	22	31	28	25	35	30	36	38	28	27	21	23	31	26	34	21	30	31	24	29	31	43	26
AGES: 1-5 years,	5	16	9	9	3	12	14	19	14	17	15	19	11	13	15	18	19	16	15	16	22	11	11	14	20	17
AGES: 5-60 years,	56	48	50	62	58	48	62	68	55	53	60	65	64	72	58	69	56	61	60	62	71	61	71	87	74	85
AGES: 60 years and upwards,	20	25	16	16	24	34	29	36	31	35	37	26	38	37	30	28	23	36	37	27	36	43	35	47	37	38
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1	.	.
Scarlet Fever,	.	1	.	.	.	.	1	3	1	.	1	1	1	.	2	3	.	.	.	2	1	1	.	.	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	.	1	1	.	.	.	.	.	1	1	3	1	.	1	2	1	3	1	2	6	7	9
Diphtheria,	2	.	1	.	1	.	.	2	.	1	1	.	1	.	.	1	.	1	1	.	.	.	.	2	3	2
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.
Enteric Fever,	1	5	4	6	.	5	1	.	2	3	3	3	4	3	1	2	2	2	3	1	2	2	6	.	2	2
Diarrhœal Diseases,	10	11	1	3	5	4	2	1	3	3	1	2	.	2	.	2	1	3	2	2	3	2	1	3	2	1
Pneumonia,	12	10	12	4	13	6	12	9	18	16	14	18	15	18	14	18	14	15	12	8	11	10	8	19	17	13
Tuberculous Disease, Phthisis,	16	18	14	10	14	13	17	25	19	22	22	16	26	17	17	21	17	15	17	17	22	16	23	23	23	33
Tuberculous Disease, Other Forms,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4	3	8	7	6	7	7	6
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	5	7	5	4	5	6	5
Diseases of Respiratory System,	5	5	4	11	15	17	14	21	31	28	31	28	29	34	23	31	23	20	19	12	20	26	23	23	24	34
Violent Deaths,	2	1	3	2	2	3	7	4	4	3	4	9	3	3	3	2	4	5	6	1	4	1	3	1	6	4	2
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	4	4	3	3	5	3	5

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the seventeen weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
			Exclusive of Stillborn.									
LONDON, . .	4,721,217	Mar 3,	2,470	1,501	16·6	.	55	6	18	29	5	14
EDINBURGH, .	341,035	„ 3,	153	117	17·9	.	2	.	1	1	1	1
GLASGOW, . .	835,625	„ 3,	431	320	20·0	.	16	1	4	6	1	6
CALCUTTA, . .	847,796	Jan. 13,	.	718	44·0	55	1	.	.	1	175‡	167*
BOMBAY, .	776,006	„ 30,	410	825	55·3	10	8	.	.	.	66‡	82
MADRAS, . .	509,346	„ 12,	349	568	57·9	19	13	?	?	?	137‡	114*
PARIS, . .	2,660,559	Feb. 17,	1,027	970	18·8	.	20	2	.	5	7	18
BRUSSELS (with 8 Faubourgs).	598,467	„ 10,	224	172	14·9	.	.	1	2†	3	.	7
ANTWERP, . .	304,975	„ 10,	121	95	16·2	.	.	1	.	1	.	11
AMSTERDAM, .	558,736	„ 10,	284	159	14·8	.	4	1	2	2	2	3
COPENHAGEN, .	426,000	„ 10,	235	124	15·2	.	2	1	1†	3	.	4
STOCKHOLM, .	318,398	„ 3,	149	80	13·1	.	.	1	.	.	.	.
CHRISTIANIA, .	222,373	„ 17,	139	50	11·7	.	.	.	2†	.	.	.
ST. PETERSBURG,	1,429,000	„ 17,	.	724	26·4	.	26	17	17	7	21	87
MOSCOW, . .	1,092,360	Jan. 13,	.	686	32·7	1	2	12	15†	4	10	54
BERLIN, . .	2,044,030	„ 27,	971	600	15·3	.	10	10	7†	10	2	24
HAMBURG, . .	772,852	Feb. 3,	.	222	14·9	.	2	.	1†	5	1	19
BRESLAU, . .	473,565	„ 17,	.	200	22·0	.	.	1	.	5	1	13
MUNICH, . .	540,000	„ 17,	.	212	20·4	.	1	.	4†	3	1	15
VIENNA (with suburbs).	1,917,639	„ 17,	951	620	16·8	.	5	5	11†	2	1	37
BUDA-PESTH, .	859,134	„ 17,	433	322	19·5	.	4	2	2†	4	2	7
PRAGUE and Faubourgs.	455,241	„ 10,	210	138	15·8	.	.	.	1†	2	.	10
TRIESTE, . .	194,749	„ 10,	137	92	24·6	.	1	1	1†	.	1	1
ROME, . . .	516,580	Dec. 16,	262	167	16·9	.	3	.	1†	.	2	7
		„ 23,	232	176	17·8	1	3	.	.	.	2	7
VENICE, . .	171,709	Feb. 3,	82	106	32·2	.	.	.	.	.	.	7
NEW YORK, .	4,152,860	„ 3,	2,117	1,434	18·0	.	52	7	39†	4	3	41
PHILADELPHIA,	1,469,126	Jan. 27,	.	583	20·6	.	15	.	14†	4	17	35
BOSTON, .	595,380	Feb. 3,	.	233	20·4	.	2	1	4	2	2	3

* Including 61 deaths from cholera in Calcutta, and one in Madras.
† Including deaths from croup.
‡ Exclusive of 16 deaths from plague in Calcutta, 62 in Bombay, and one in Madras.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd March, 1906.

DISTRICTS.	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	3	.	.	.	.	.	2	.	.	.	5
" " 1, West,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
" " 2,	.	.	.	.	.	.	.	.	2	.	.	.	.	2
" " 3,	.	.	.	1	.	.	1	.	1	.	2	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	4	6	1	.	11
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	1	.	.	1	.	.	.	1	1	.	4
" " 4,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
New Kilmainham,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Total,	.	.	.	8	.	.	3	.	3	7	10	2	.	33

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd March, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd March.			
	Feb. 10.	Feb. 17.	Feb. 24.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	4	2	.	.	.	.	.
Scarlet Fever,	58	55	49	8	6	.	51*
Typhus,	1	3	2	1	.	.	3
Diphtheria,	29	33	28	8	6	.	30
Enteric Fever,	26	23	27	2	5	.	24
Pneumonia,	23	21	18	15	4	1	28

* Exclusive of 7 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 3rd March, 1906:—

"The weather remained cold till the afternoon of Wednesday, but March came in like a lamb with a day of singular mildness, dampness and gloom on Thursday. The rise in temperature was short lived, for Friday proved a cold day and a frost occurred during the following night. The week opened with a large and very deep atmospheric depression central near the Hebrides—at 8 a.m. of Sunday the barometer ranged from 28·54 inches at Stornoway to 30·38 inches at Haparanda, Gulf of Bothnia, towards the N.E., and to 30·20 inches at Biarritz towards the S. Rough, showery weather was general, and the thermometer was low save along the West Coast of France—at 8 a.m. the reading at Haparanda was −10° F. On Monday afternoon a secondary depression developed over the British Isles, causing unsettled weather with showers of cold rain or sleet, and hail, at many stations. A cold night followed, but on Wednesday baric gradients became steep owing to a rapid increase of pressure over the southern half of the British Isles and the North of France, and a decided fall of the barometer over Scotland and in Norway. By 8 a.m. of Thursday, March 1, the barometer fell to 28·68 inches at Christiansund on the west coast of Norway. At this time a warm, humid westerly current spread over Ireland and England, whereas temperature remained low in Scotland. Early on Friday, owing to the formation of a secondary depression over England, a light N.E. wind sprang up in Ireland and Wales, where temperature fell briskly. Saturday was a beautiful, bright, springlike day. In Dublin the mean height of the barometer was 29·725 inches, the range being from 29·219 inches at 9 p.m. of Monday (wind, S.W.) to 30·371 inches at 9 a.m. of Saturday (wind, W.S.W.). The corrected mean temperature was 42·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 41·1°. On Wednesday the screened thermometers fell to 30·2°, on Saturday they rose to 53·9°. On this latter day the thermometer rose 22° in a few hours. The rainfall was ·421 inch on 5 days, ·196 inch being measured on Thursday. The wind was chiefly W.S.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·740 inches. The highest reading (30·386) was on Saturday at 9 a.m., wind W.S.W., and at 9 p.m., wind S.W., and the lowest (29·239) on Monday at 9 p.m., wind S.W.

The mean temperature for the week was 40·6°, being 0·1° under the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Saturday, on which day the thermometer registered 52·4°, and was lowest on Wednesday, the mercury having fallen to 27·7°. The mean of the Dry Bulb for the week was 39·6°, and of the Wet Bulb 38·2°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 26·3 hours. The rainfall during the week measured ·545 inch.

At Greenwich the mean temperature for the week was 41·7°, the maximum 50·1°, and the minimum 27·4°; at Glasgow the maximum was 48·0°, the minimum, 21·9°, and the mean 37·2°; and at Edinburgh the maximum was 45·1°; the minimum 29·2°; and the mean 36·9°. The rainfall at Greenwich measured 0·17 inch; at Glasgow 0·84 in.; and at Edinburgh 0·16 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 25,	29·379	47·0	35·5	41·3	37·3	35·2	·83	·7	7·0	·055	W.	S.W.
Monday, „ 26,	29·283	48·7	35·7	42·2	38·1	37·2	·93	·9	5·7	·170	S.W.	S.W.
Tuesday, „ 27,	29·510	42·0	31·3	36·7	34·5	33·6	·92	·2	1·5	·030	W.	W.
Wednesday, „ 28,	29·857	45·7	27·7	36·7	40·6	38·0	·80	·3	0·0	·085	S.W.	W.
Thursday, March 1,	29·668	51·2	42·9	47·1	47·3	46·7	·97	·4	0·0	·205	S.W.	W.
Friday, „ 2,	30·098	50·3	29·4	39·9	35·2	34·8	·95	·5	2·7	—	N.	Calm.
Saturday, „ 3,	30·386	52·4	27·8	40·1	44·3	42·2	·81	·4	9·4	—	W.S.W.	S.W.
Mean, . .	29·740	48·2	32·9	40·6	39·6	38·2	·89	·5	Total 26·3	Total ·545	Prevailing Wind. W.S.W.	

Sunday—A fine day, bright intervals; night clear p.m., cloudy and showery a.m. *Monday*—Day fine but cloudy; night cloudy, heavy rain 5.30 p.m. to 6.30 p.m. *Tuesday*—Overcast a.m., cloudy, hail and rain showers p.m.; night cloudy. *Wednesday*—Day overcast and showery; night overcast and showery. *Thursday*—Day overcast and showery; night overcast, drizzling rain all night. *Friday*—Overcast a.m., cloudy, fine p.m.; night clear. *Saturday*—A fine mild day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 3rd, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Feb. 25,	39·1	39·8	42·1	48·3	37·0	42·6	7·4	·021
Monday, „ 26,	42·0	39·4	42·1	49·2	37·5	43·3	5·8	·127
Tuesday, „ 27,	34·4	39·7	42·2	43·9	33·8	38·9	1·8	·017
Wednesday, „ 28,	40·2	38·9	42·2	45·0	30·4	37·7	0·0	·060
Thursday, March 1,	46·0	40·0	42·2	52·7	44·0	48·4	0·1	·171
Friday, „ 2,	41·7	42·7	42·3	51·3	37·1	44·2	1·8	·001
Saturday, „ 3,	45·0	41·1	42·6	54·4	30·2	42·3	8·7	—
Weekly Mean. .	41·2	40·2	42·2	49·3	35·7	42·5	Total 25·6	Total ·397

DUBLIN: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 374. 12. 1905.—12591.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 10TH MARCH, 1906. [No. 10.

General Register Office, Charlemont House, Dublin, 12*th March,* 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Feb. 17.	Week ending Feb. 24.	Week ending Mar. 3.	Week ending Mar. 10.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 17.	Week ending Feb. 24.	Week ending Mar. 3.	Week ending Mar. 10.	Average Rate for 4 weeks.
22 Town Dists.	22·2	24·4	24·1	22·8	23·4	Lisburn, . .	31·8	22·7	9·1	18·2	20·5
Armagh, . .	6·9	20·6	13·7	20·6	15·5	Londonderry,	18·6	24·8	16·1	23·6	20·8
Ballymena, .	14·4	19·2	19·2	14·4	16·8	Lurgan, . .	17·7	26·6	44·3	26·6	28·8
Belfast, . .	26·0	25·3	24·1	22·5	24·5	Newry, . .	12·6	33·6	21·0	4·2	17·9
Clonmel, . .	20·5	15·4	25·6	20·5	20·5	Newtownards, .	40·1	74·4	40·1	40·1	48·7
Cork, . . .	21·2	23·3	23·3	24·0	22·9	Portadown,	36·2	31·0	15·5	20·7	25·8
Drogheda, . .	16·3	12·3	36·8	32·7	24·5	Queenstown .	26·4	6·6	33·0	19·8	21·5
Dublin Reg. Area,	19·0	24·4	24·8	24·6	23·2	Sligo, . . .	43·2	9·6	14·4	9·6	19·2
Dundalk, . .	8·0	16·0	31·9	16·0	18·0	Tralee, . .	21·1	26·4	10·6	15·9	18·5
Galway, . .	11·7	38·8	3·9	23·3	19·4	Waterford, .	17·5	17·5	35·1	19·5	22·4
Kilkenny, . .	29·5	29·5	14·7	14·7	22·1	Wexford, . .	18·7	.	23·3	23·3	16·3
Limerick, . .	28·7	24·6	27·3	19·1	24·9						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in sixteen of the districts to 8·9 in Lurgan, the 6 deaths from all causes in that district including 2 from measles. The 155 deaths from all causes in Belfast include one from scarlet fever, 5 from whooping-cough, one from pyrexia (origin uncertain), and 6 from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 214—114 boys and 100 girls; and the deaths to 187—95 males and 92 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·7 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 24·6 per 1,000. During the ten weeks ending with Saturday last the death-rate averaged 23·3, and was 6·6 below the mean rate for the corresponding portions of the ten years, 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

The deaths (187) included one death from whooping-cough, 2 deaths from diphtheria, and 3 deaths from diarrhœal diseases. In the 3 preceding weeks the deaths from whooping-cough were 0, one, and 4; the deaths from diphtheria were 0, one, and 0; and the deaths from diarrhœal diseases were one, 2, and one, respectively. Three deaths were returned as being due to influenza.

There were 8 deaths from broncho-pneumonia, and 10 deaths from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease, which had been 33, 41, and 50 in each of the 3 weeks preceding, were 39 in the period under notice; the latter figure comprises 15 deaths from tuberculous phthisis, 15 deaths from *phthisis*, 3 deaths from tuberculous meningitis, and 6 deaths from other forms of the disease.

There were 4 deaths from carcinoma and 2 deaths from cancer (undefined).

Four infants, prematurely born, succumbed.

The 9 deaths from diseases of the brain and nervous system include the deaths from *convulsions* of 3 infants under one year of age, one child aged one year, and one aged 7 years.

Diseases of the heart and blood vessels caused 31 deaths, and bronchitis accounted for the deaths of 24 persons.

One death was registered as being the result of suicide.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 2 infants under one year old) and the death of one person aged 75 years.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 11 were under one month old) and 59 were aged 60 years and upwards, including 31 persons aged 70 and upwards, of whom 10 were octogenarians.

Eighty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·6 per 1,000; the rate in the City was 26·7 (North City Districts, 28·4; South, 24·9), and in the Suburbs, 17·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 1·1 (1·4 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 27·6 per 1,000, and include 2 deaths from broncho-pneumonia, one death from *pneumonia* (not defined), 5 deaths from tuberculous disease, and one death from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000, and include one death from whooping-cough, one death from diphtheria, one death from epidemic enteritis, one death from broncho-pneumonia, one death from *pneumonia* (not defined), 4 deaths from tuberculous disease of the lungs, and 3 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 36·4 per 1,000, and include one death from broncho-pneumonia, one death from *pneumonia* (not defined), 8 deaths from tuberculous disease, and 3 deaths from diseases of the respiratory system.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 29·6 per 1,000, and include one death from dysentery, 2 deaths broncho-pneumonia, one death from *pneumonia* (not defined), one death from influenza, and 3 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 26·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 31·3. Of the 5 deaths recorded for Coolock and Drumcondra, No. 1, part of, 2 were from *phthisis*, and 2 from diseases of the heart and blood vessels; and the 4 deaths for Finglas and Glasnevin, part of, include one from tuberculous phthisis and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 24·5 per 1,000, and include 2 deaths from *pneumonia* (not defined), 4 deaths from tuberculous phthisis, and 2 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1,000, and include one death from *pneumonia* (not defined), and 3 deaths from tuberculous disease.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·9 per 1,000, and include one death from *diarrhœa*, 2 deaths from broncho-pneumonia, 3 deaths from tuberculous disease, one death from influenza, and 3 deaths from diseases of the respiratory system.

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000, and include 3 deaths from tuberculous disease of the lungs and 6 deaths from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000, One of the deaths was from diphtheria, one from tuberculous phthisis, and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·3; Pembroke, 18·0; Blackrock, 17·9; and Kingstown, 17·8. There was no death from any of the principal epidemic diseases recorded for these districts. Among the 11 deaths from all causes for Rathmines and Rathgar are 3 from tuberculous disease of the lungs, 3 from diseases of the heart and blood vessels, and one from bronchitis; of the 9 deaths from all causes for Pembroke 2 were from *pneumonia* (not defined), and one was from tuberculous phthisis; and the 6 deaths from all causes for Kingstown include one from influenza and 2 from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 10th March, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Feb. 17,	.	—	—	3	.	.	6	.	2	5	11	2	—	—	—	—	—	29
	Feb. 24,	.	—	—	5	1	.	1	.	.	5	9	.	—	—	—	—	—	21
	Mar. 3,	.	—	—	8	.	.	3	.	3	7	10	2	—	—	—	—	—	33
	Mar. 10,	.	—	—	8	.	.	3	.	6	2	11	1	—	—	—	—	—	31
Rathmines and Rathgar Urban District.	Feb. 17,	.	—	—	.	.	.	3	.	.	1	.	.	—	—	—	—	—	4
	Feb. 24,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	2
	Mar. 3,	.	—	—	1	.	.	.	.	.	2	.	.	—	—	—	—	—	3
	Mar. 10,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	2
Pembroke Urban District.	Feb. 17,	.	.	.	.	.	.	.	.	.	.	1	.	—	5	.	—	—	6
	Feb. 24,	.	.	.	1	.	.	.	.	.	1	1	.	—	.	.	—	—	3
	Mar. 3,	.	.	.	1	.	.	1	.	.	1	.	.	—	2	.	—	—	5
	Mar. 10,	.	.	.	2	.	.	.	.	2	2	.	.	—	3	.	—	—	9
Blackrock Urban District.	Feb. 17,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Feb. 24,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Mar. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Feb. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Feb. 24,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	Mar. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Feb. 17,	.	—	—	30	.	.	5	2	5	21	2	1	—	—	—	—	—	66
	Feb. 24,	.	—	—	32	.	.	7	1	10	9	13	1	—	—	—	—	—	73
	Mar. 3,	.	—	—	27	.	.	4	.	12	21	10	1	—	—	—	—	—	75
	Mar. 10,	.	—	—	29	.	.	4	.	10	17	8	1	—	—	—	—	—	69

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th March, 1906.

From this it appears that:—

Five cases of measles were admitted to hospital during the week, and remained under treatment at its close.

Ten cases of scarlet fever were admitted to hospital, 8 were discharged, and 53* cases remained under treatment at the close of the week.

Three cases of typhus remained under treatment in hospital at the close of the week.

Nine cases of diphtheria were admitted to hospital, 8 were discharged, there were 2 deaths, and 29 patients remained under treatment at the close of the week.

Three cases of enteric fever were admitted to hospital, and 27 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 8 were discharged, there were 2 deaths, and 28 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·2), was equal to an average annual death-rate of 16·7 per 1,000 persons living the average rate for 8 principal towns of Scotland was 18·2 per 1,000, the rate for Glasgow being 19·0, and for Edinburgh 16·4.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th March. From this Return it appears that of a total of 47 cases notified 25 were scarlet fever, 10 diphtheria, 10 erysipelas, and 2 typhoid fever. Among the 320 cases of infectious diseases in hospital at the close of the week were 133 cases of scarlet fever, 68 of diphtheria, 2 of membranous croup, 77 of measles, 18 of erysipelas, and 14 of typhoid fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 10th March, 1906, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature and Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Registration—Week ending Saturday, 10th March, 1906. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-16.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 10th March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th Feb., 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,093,959	19·2	29·2	22·8	1·2	612	478	75	142	.	3	1	.	9	2	1	6	4	40	73	24	13	82	9	11	173	23	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	378,994	27·5	29·4	24·6	0·8	214	179	25	58	.	.	.	.	1	2	.	.	3	17	29	9	6	27	1	2	78	6	57·7	35·9	46·3	0·76	52·4	27·7	40·6	0·55	47·1	23·1	36·8	0·63
City of Dublin,	298,885	37·1	30·9	26·7	1·1	174	150	22	45	.	.	.	.	1	2	.	.	3	15	25	9	2	24	.	1	72	6	58·6 / 58·8	37·2 / 37·0	47·8 / 46·9	0·68 / 0·74	53·9 / 53·9	30·2 / 23·0	42·4 / 41·1	0·42 / 0·51	47·0 / 46·9	29·9 / 23·0	38·9 / 36·7	0·63 / 0·66
Urban Distks. Rathmines and Rathgar.	33,208	19·4	29·8	17·3	.	19	11	.	4	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	26·0	18·0	.	13	9	.	5	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·9	17·9	.	3	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	14·8	17·8	.	5	6	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	50	36·5	47·8	0·68	55·5	31·5	42·6	0·36	49	29·2	39·8	0·54
Urban Districts.																																							
Belfast,	358,680	24·4	33·3	22·5	1·9	229	155	31	43	.	.	1	.	5	.	1	6	.	16	15	10	1	33	6	7	43	2	55·5	29·2	44·4	0·32	54·0	29·0	39·4	0·71	46·9	26·5	37·6	0·30
Cork,	76,122	33·6	24·0	24·0	.	35	35	5	7	.	.	.	.	.	.	.	.	.	1	7	1	2	3	.	.	19	4	54	40	47·5	0·71	55	35	44·3	0·16	49	31	41·3	1·37
Londonderry,	43,057	19·4	26·0	28·6	3·7	21	19	4	2	.	.	.	.	2	.	.	.	1	1	5	1	1	1	.	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	12·8	19·1	.	9	14	3	5	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	.	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	19·5	19·5	.	10	10	.	3	.	.	.	.	.	.	.	.	.	.	5	1	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,426	2·5	35·0	23·3	.	9	6	.	.	.	.	.	.	.	.	.	.	.	.	3	1	1	1	.	.	6	.	56	43	49	0·51	54	33	44	1·12	52	30	40·7	0·64
Dundalk,	18,076	3·4	31·9	16·0	.	8	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	16·3	32·7	.	4	8	2	1	.	.	.	.	.	.	.	.	.	1	2	.	1	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	25·2	4·2	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	55·7	34·4	45·2	0·82	50·8	28·8	40·0	0·67	48·7	27·9	37·6	0·52
Lurgan,	11,782	13·8	35·4	26·6	8·9	8	6	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	55·7	34·4	45·2	0·82	50·8	28·8	40·0	0·67	48·7	27·9	37·6	0·52
Lisburn,	11,461	10·1	31·8	18·2	.	7	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	.	55·7	34·4	45·2	0·82	50·8	28·8	40·0	0·67	48·7	27·9	37·6	0·52
Wexford,	11,168	23·2	28·0	23·3	.	6	5	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	47·9	14·4	.	10	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	33·6	9·6	.	7	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	55·3	33·4	45·2	1·47	51·8	27·5	40·2	0·90	47·0	23·5	37·3	0·75
Kilkenny,	10,609	11·5	49·1	14·7	.	10	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	57	35	47·2	1·06	55	28	41·0	0·32	48	24	34·1	0·90
Clonmel,	10,167	7·8	15·4	20·5	5·1	3	4	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	25·8	20·7	.	5	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	55·7	34·4	45·2	0·82	50·8	28·8	40·0	0·67	48·7	27·9	37·6	0·52
Tralee,	9,867	16·6	26·4	15·9	.	5	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	11·4	40·1	5·7	2	7	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	3	1	1	2	.	56	35	44·1	0·49	48	30	39·2	0·38	46	31	38·6	0·56
Queenstown,	7,909	14·4	6·6	19·8	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	54	40	47·5	0·71	55	35	44·3	0·16	49	31	41·3	1·37
Armagh,	7,588	22·2	20·6	20·6	.	3	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	55·7	34·4	45·2	0·82	50·8	28·8	40·0	0·67	48·7	27·9	37·6	0·52

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. *b* Formerly described as "Simple Continued Fever." *c* Exclusive of Pneumonia. *d* Exclusive of 8 deaths of persons (including one under 1 year old and one at 67 years), admitted to hospital from localities outside the Area. *e* It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 10th of March, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Pneumonia,	3	2	2	3	.	.	.	2	1	2	.	.	.	2	.	.	17	1
Tuberculous Disease. Phthisis,	4	4	4	.	.	2	1	4	2	.	3	1	3	1	.	.	29	1
Tuberculous Disease. Other Forms.	1	.	4	.	.	.	.	.	1	3	.	.	.	.	.	.	9	.
Cancer, Malignant Disease,	.	.	.	1	.	.	.	.	1	.	.	.	1	2	.	1	6	.
Other General Diseases	1	.	2	3	.	.	.	1	1	4	1	.	2	1	.	1	17	1
Total,	9	9	12	8	.	2	1	7	6	10	4	2	6	6	.	2	84	3
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	2	.	.	.	.	.	3	.	2	.	.	.	.	.	2	9	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	3	4	4	1	.	2	1	2	2	3	3	.	3	2	.	.	30	1
Diseases of: Respiratory System,	1	3	3	3	.	1	1	2	.	3	6	1	1	.	.	2	27	1
Diseases of: Digestive System,	.	1	.	4	.	.	.	2	1	.	.	.	.	1	1	.	10	2
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Urinary System,	.	.	.	1	.	.	.	.	.	1	3	.	1	.	1	.	7	1
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	4	10	8	10	.	3	2	9	3	9	12	1	5	3	2	4	85	5
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	2	.	1	.	.	.	1	2	.	1	2	.	.	.	.	.	9	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Deaths from all Causes,	15	19	21	18	.	5	4	18	9	20	18	3	11	9	3	6	179	8
Annual Rate of Mortality from all causes in every 1,000 of the population	27·6	35·3	36·4	29·6	.	26·0	31·3	24·5	25·7	24·9	26·7	17·6	17·3	18·0	17·9	17·8	24·6	.
	28·4							24·9					17·7					
	26·7																	
Deaths of Infants under 1 year of age,	1	3	2	4	.	.	.	3	1	5	2	1	.	.	1	2	25	1
Deaths of Persons aged 60 years and upwards,	6	3	5	7	.	1	1	5	1	8	8	.	4	5	1	3	58	1
Number of Uncertified Deaths,	.	2	1	.	.	.	.	1	1	1	.	.	.	.	.	.	6	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	6	3	3	.	3	1	4	1	4	2	1	4	2	.	.	38	8
Workhouse Hospitals,	3	3	8	3	.	.	.	4	3	9	7	.	.	.	.	.	40	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1896-19

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 10th Week of the 10 years 1896-1905.	In the Week ending Saturday, 10th March, 1906. Deaths of Persons of the Ages o							
	Mar. 7, 1896.	Mar. 13, 1897.	Mar. 12, 1898.	Mar. 11, 1899.	Mar. 10, 1900.	Mar. 9, 1901.	Mar. 8, 1902.	Mar. 14, 1903.	Mar. 12, 1904.	Mar. 11, 1905.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	43·1°	40·7°	40·2°	42·3°	38·3°	41·5°	44·3°	41·8°	38·0°	42·4°	41·3°	46·3°							
ALL CAUSES.	157	262	250	191	247	276	222	200	213	189	220·7	187	11	15	17	8	34	43	49
Small-pox, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	43	.	.	2	.	6	1	.	1	5·3	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	2	6	.	1	.	1	1	1	.	1·2	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	11	7	6	16	2	1	6	4	5·5	3	.	1	.	.	.	1	1
Whooping-cough, ...	3	9	3	5	.	10	.	2	6	.	3·8	1	.	.	1	.	.	.	.
Diphtheria, ...	.	1	1	1	2	.	3	2	.	.	1·0	2	.	.	2	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	2	1	5	6	2	1	2	3	3	1	2·6	.	.	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	2	5	1	3	3	1	1	1 .	. 1	. .	1·8	1 2	. .	1 1	. 1	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	1	.	.	2	1	.	2	1	·7	1	1	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	2	1	1	.	2	.	.	2 . .	1 . .	. . .	·9	. . 1	. . .	. . .	. . .	. . .	. . 1	. . .	. . .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-, Epidemic, Not defined,	14	18	14	13	23	20	16	. 3 . 11	. 10 4 .	2 8 . 8	16·4	. 8 . 10	. . . .	. 1 . .	. 1 . 3	1 . . .	. 1 . 4	1 . . 3	1 . . .
Erysipelas, ...	.	1	.	.	.	1	1	.	.	.	·3	3	.	.	1	.	.	1	1
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	1	1	1	.	1	2 .	. .	. .	·6	. .	. .	. .	. .	. .	. .	. .	. .
Other Infective Conditions,	.	.	.	.	.	.	.	.	3	1	·4	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	17	15	39	25	37	25	38	. 32	5 25	9 16	28·3	15 15	. .	. .	1 .	2 1	5 9	6 5	1 .
Tuberculous Meningitis, ...	2	4	4	4	8	7	3	3	6	5	4·6	3	.	2	1	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	4	9	6	3	3	3	.	. 3	. 1	1 .	3·3	. .	. .	. .	. .	. .	. .	. .	. .
Tuberculous Dis. (other), *Scrofula*, ...	4	2	4	3	3	8	3	10 .	11 .	5 .	5·3	6 .	. .	. .	3 .	. .	2 .	1 .	.
Alcoholism, ...	1	1	.	.	1	1	.	.	.	3	·7	1	.	.	.	.	.	1	.
Rheumatic Fever, ...	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.
Carcinoma, ... Sarcoma, ... Cancer (undefined),	5	7	8	6	6	9	7	2 . 5	3 . 4	1 . 2	6·5	4 . 2	. . .	. . .	. . .	. . .	. . .	1 . .	2 . 2
Diabetes Mellitus, ..	.	.	.	.	.	.	.	.	3	.	·3	2	.	.	.	1	.	1	.
Premature Birth, ...	.	6	5	1	7	4	5	1	1	5	3·5	4	4	.	.	.	.	.	.

* The figures for the years 1896-1900 are fo
† Formerly described a

ENTH WEEK ending Saturday, 10th March, 1906, with the deaths from each cause in the corresponding ie average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Mar. 7, 1896.	Mar. 13, 1897.	Mar. 12, 1898.	Mar. 11, 1899.	Mar. 10, 1900.	Mar. 9, 1901.	Mar. 8, 1902.	Mar. 14, 1903.	Mar. 12, 1904.	Mar. 11, 1905.	Averages in 10th Week of the 10 years 1896-1905.	In the Week ending Saturday, 10th March, 1906. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 43·1	° 40·7	° 40·2	° 42·3	° 38·3	° 41·5	° 44·3	° 41·8	° 38·0	° 42·4	° 41·3	Mean Temp. ° 46·3								
ingitis (not tuberc.) ...								5	.	3		2	.	1	.	.	.	.	1	.
nity, G. P. of Insane ...								2	2	1		.	.	.	.	.	.	.	.	.
lepsy								.	1	.		1	.	.	.	.	1	.	.	.
vulsions								8	9	4		5	2	1	1	1	.	.	.	.
omotor Ataxy ...								.	.	1		.	.	.	.	.	.	.	.	.
aplegia Dis. of Cord ...								1	.	.		.	.	.	.	.	.	.	.	.
vous System (other s.)	35	38	38	32	40	57	42	.	2	1	42·5	1	.	.	.	.	.	.	1	.
v. Dis., Endocarditis ...								4	4	8		11	.	.	.	.	2	6	2	1
ebr. Hæm. Thromb. ...								2	6	2		2	.	.	.	.	.	.	1	1
plexy, Hemiplegia ...								9	8	8		6	.	.	.	.	.	3	3	.
urysm								.	.	.		.	.	.	.	.	.	.	.	.
bolism, Thromb. (not rebral)								.	.	.		.	.	.	.	.	.	.	.	.
rt and Blood Vessel Dis.								16	23	13		12	.	.	.	.	.	5	7	.
up (not Spasm. nor emb.)	.	1	.	1	.	.	1	1	.	1	·5	.	.	.	.	.	.	.	.	.
nchitis	26	41	46	38	54	54	43	21	28	34	38·5	24	.	2	2	.	3	3	12	2
hma, Emphysema ...								.	1	.		.	.	.	.	.	.	.	.	.
urisy	2	5	1	3	1	2	5	1	.	.	2·7	2	.	.	.	.	2	.	.	.
spiratory Dis. (other) ...								2	1	3		2	.	.	.	1	.	.	1	.
nsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
teritis (not Epid.) ...								.	3	.		1	.	.	.	.	1	.	.	.
stro Enteritis	.	.	.	1	.	.	1	.	.	3	·8	.	.	.	.	.	.	.	.	.
itonitis (not Puerp.) ...	.	.	2	1	.	3	1	.	.	.	·7	.	.	.	.	.	.	.	.	.
rhosis of Liver ...	.	2	2	1	2	4	.	1	1	1	2·0	2	.	.	.	.	.	1	1	.
er Dis. (other) ...								.	1	5		1	1	.	.	.	.	.	.	.
estive Dis. (other) ...	4	6	4	3	5	4	2	5	7	4	4·4	8	1	2	.	.	1	1	3	.
phritis, Acute ...								1	.	1		2	.	.	.	.	1	1	.	.
ght's Dis., Albuminuria	5	2	2	2	4	8	3	3	1	1	3·7	3	.	.	.	.	1	1	.	1
inary Sys. (Other Dis.)								.	2	1		3	.	.	.	.	1	.	2	.
nerative Organs Dis. ...	2	.	.	1	.	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of) ...	.	1	1	1	.	.	.	2	.	.	·5	1	.	.	.	.	1	.	.	.
d Age	11	14	22	11	13	19	16	4	3	5	11·8	6	.	.	.	.	.	.	4	2
her Diseases	12	21	20	12	19	11	14	15	8	12	14·4	7	2	3	.	1	1	.	.	.
ACCIDENT.																				
Railways	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	.	.	1	.	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	.	2	.	1	1	.	1	4	.	.	·9	.	.	.	.	.	.	.	.	.
Drowning	.	1	1	1	.	2	.	2	.	.	·7	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
her Deaths by Accidents	3	1	.	2	1	2	2	1	3	2	1·7	.	.	.	.	.	.	.	.	.
IOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
icide	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
xecution	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1905-6—Week ending																									
	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.
No. of weeks in Annual Series.	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
Births registered,	202	201	285	189	191	176	175	228	189	205	177	198	191	238	199	184	245	192	183	220	283	202	188	169	252	214
*Average Births in corresponding week of previous 10 years,**	211	199	220	189	185	203	197	194	189	199	181	190	195	183	160	182	210	206	199	200	221	215	205	217	213	208
Deaths registered,	133	137	168	158	141	146	133	195	152	158	173	157	168	148	171	189	168	166	154	160	187	151	149	185	183	187
Annual Death-rate per 1,000,	16·9	18·8	23·1	21·7	19·4	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7
*Average Deaths in corresponding week of previous 10 years,**	165	174	163	156	172	175	177	173	178	186	191	197	185	187	189	199	219	214	211	202	212	209	209	221	233	221
Ages, Under 5 years,	43	42	48	44	33	28	33	54	31	43	52	42	49	47	43	47	28	52	39	37	46	35	32	45	40	43
5—20 "	11	10	17	17	11	9	5	6	14	10	9	13	10	13	9	7	17	17	11	13	16	8	9	8	14	8
20—40 "	22	29	38	23	23	26	18	36	26	31	18	22	31	13	30	21	34	25	18	21	18	21	15	38	39	34
40—60 "	24	23	31	26	32	37	34	35	28	32	36	34	35	32	45	41	48	37	45	37	42	42	46	43	34	43
60—80 "	18	24	42	29	36	35	34	59	33	35	50	35	37	34	37	37	35	28	34	43	52	39	39	44	49	49
80 years and upwards,	6	9	7	9	6	8	9	5	7	7	8	11	6	9	7	6	6	7	7	9	13	6	8	7	7	10
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	1	.	.	.	.	.	1	.	1	1	1	.	1	.	1	.	.	2	1	.	1	.	.	1	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Whooping-cough,	.	1	.	.	.	1	2	.	.	1	3	1	2	2	1	1	2	3	1	1	2	.	.	1	4	1
Diphtheria,	.	.	.	.	.	2	.	.	1	1	.	.	1	1	.	2	2	2	.	1	1	.	.	1	.	2
Pyrexia † (origin uncertain),	.	1	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	2	2	2	1	4	.	2	2	.	.	2	2	1	4	3	3	.	.	.	1	.	.	1	1	.
Diarrhœal Diseases,	10	10	9	1	4	1	3	4	4	2	3	5	2	1	1	2	1	1	1	3	1	.	1	2	1	3
Pneumonia,	5	5	17	10	9	6	10	18	13	14	15	10	10	8	11	11	12	15	12	16	19	6	11	13	16	18
Tuberculous Phthisis,	15	25	23	25	17	18	21	24	21	26	20	18	24	9	27	19	21	14	23	21	29	18	23	29	32	30
Disease. Other Forms,	12	11	10	17	13	7	4	9	6	12	7	10	4	15	4	1	12	16	5	6	9	15	10	12	18	9
Cancer, Malignant Disease,	4	5	5	11	7	10	8	7	6	5	10	8	6	11	5	6	7	5	12	6	8	14	6	13	6	6
Diseases of Heart and Blood Vessels,	16	18	27	18	23	29	19	29	21	23	24	25	26	21	26	30	28	21	24	33	31	23	27	21	25	31
Diseases of Respiratory System,	7	6	18	13	17	18	17	42	26	26	34	33	22	16	25	20	26	28	22	18	27	26	27	32	28	28
Violent Deaths,	4	4	7	2	5	8	6	3	2	3	3	3	2	2	4	6	4	3	7	8	5	5	.	4	10	1
Number of Uncertified Deaths,	8	5	4	5	3	5	6	4	9	7	9	4	5	9	8	6	4	5	6	6	11	7	6	8	4	6
Mean Temperature of the Air (Phœnix Park),	51·1	51·3	49·4	48·3	49·6	40·0	41·1	42·7	43·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3
Average Mean Temperature in corresponding week of previous 10 years	55·4	54·3‡	53·5	51·3	48·6	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3
Rainfall in inches,	·150	·015	·325	·775	·035	·100	·295	1·190	·250	1·485	·320	·645	·128	·035	·285	·770	·860	·855	1·605	·230	·180	·755	·095	·625	·545	·758
Mean Humidity of the Air, complete Saturation, 1·0,	·84	·86	·87	·87	·91	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	.88	·86	·87	·89	·87

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS OF SOCIAL POSITION OF THE PERSONS [illegible] in the Dublin Registration Area during the Week ending Saturday, 10th March, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	26·0	187	43	6	34	43	49	10	.	.	.	.	1	2	.	.	3	6	18	30	9	6	5	28	1	84	6
	CLASSES.																												
	Deaths in Families of the—																												
I	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	20·9	7	.	.	1	2	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	5	.
II.	MIDDLE CLASS,	87,188	21·5	36	7	2	5	9	10	3	.	.	.	.	.	.	.	.	.	.	3	3	.	4	.	6	1	19	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	15·6	33	8	1	9	4	10	1	.	.	.	.	.	1	.	.	.	1	2	8	3	.	.	3	.	16	.
IV.	GENERAL SERVICE CLASS,	154,279	36·1	71	21	4	13	18	14	1	.	.	.	.	1	1	.	.	1	3	8	12	.	.	5	11	.	32	6
V.	INMATES OF WORKHOUSES,	6,024		40	7	1	6	10	12	4	.	.	.	.	.	.	.	.	2	2	3	7	6	2	.	8	.	12	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	33·4	5	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	21·3	9	2	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	5	.
	6. Clerks and Commercial Assistants,	30,482	18·7	8	3	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	30·9	16	2	.	3	3	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	3	.	9	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	1	.	.	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades,	29,801	17·5	10	3	1	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	4	1	.	.	2	.	3	.
	10. Clothing Trades,	23,260	11·2	5	1	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	2	.
	11. Food Supply Trades,	9,242	22·6	4	1	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades,	30,352	17·2	10	2	.	1	1	5	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	7	.
	13. Petty Shopkeepers,	7,894	6·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	2	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	3	.
	15. Domestic Servants,	36,603	12·8	9	2	.	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	1	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	1	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	29·6	51	17	4	9	12	8	1	.	.	.	.	1	1	.	.	1	3	5	6	.	.	5	8	.	24	6
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	40	7	1	6	10	12	4	.	.	.	.	.	.	.	.	2	2	3	7	6	2	.	8	.	12	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* the similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all causes.	From diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (part of).																				
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	Jan 20,	20·2	1·3	11	.	.	.	.	1	.	.	.	.	.	1	.	2	2	.	1
	„ 27,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Feb. 3,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	1	5	.	.	2	1	.
	„ 10,	7·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 17,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	1	2	2	.	2	.	.
	„ 24,	27·6	1·8	15	.	.	.	.	1	.	.	.	.	1	3	.	.	1	.	1
	Mar. 3,	28·9	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1
	„ 10,	27·6	.	15	.	.	.	.	.	.	.	.	.	3	4	1	.	1	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Jan. 20,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.	1	4	2	.
	„ 27,	26·6	1·3	20	.	.	.	.	1	.	.	.	.	4	3	.	1	1	2	.
	Feb. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	5	2	1	.	6	.	3
	„ 10,	22·6	1·3	17	.	.	.	1	.	.	.	.	.	1	1	1	2	6	.	1
	„ 17,	29·3	.	22	.	.	.	.	.	.	.	.	.	1	4	.	.	3	.	2
	„ 24,	30·6	2·7	23	.	.	1	.	.	.	.	1	.	2	3	1	2	6	1	1
	Mar. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	.	4	2	.	8	1	.
	„ 10,	25·3	4·0	19	.	.	.	.	1	1	.	.	1	2	4	.	.	3	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Jan 20,	24·2	.	14	.	.	.	.	.	.	.	.	.	1	4	.	1	1	1	.
	„ 27,	22·5	3·5	13	.	.	.	.	.	.	.	.	2	1	.	.	.	1	2	.
	Feb. 3,	32·9	1·7	19	.	.	.	.	.	.	.	.	1	2	7	2	.	2	1	1
	„ 10,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.
	„ 17,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.
	„ 24,	29·4	1·7	17	.	.	.	.	.	.	.	.	1	1	4	2	1	1	1	.
	Mar. 3,	19·1	.	11	.	.	.	.	.	.	.	.	.	2	4	4	.	.	.	.
	„ 10,	36·4	.	21	.	.	.	.	.	.	.	.	.	2	4	4	.	3	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Jan. 20,	21·4	1·6	13	.	.	1	.	.	.	.	.	.	1	4	1	1	2	.	.
	„ 27,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
	Feb. 3,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1
	„ 10,	32·9	.	20	.	.	.	.	.	.	.	.	.	4	3	2	1	1	1	.
	„ 17,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.
	„ 24,	29·6	.	18	.	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.
	Mar. 3,	32·9	3·3	20	.	.	.	.	2	.	.	.	.	3	2	3	.	2	1	.
	„ 10,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	3	.	.	1	3	.	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	Jan. 20,	29·9	.	22	.	.	.	.	.	.	.	.	.	.	5	1	.	5	.	1
	„ 27,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	.	2	1	.	3	.	1
	Feb. 3,	21·7	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	1	1	.
	„ 10,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	3	1	.	5	1	1
	„ 17,	14·9	.	11	.	.	.	.	.	.	.	.	.	1	3	1	.	2	.	1
	„ 24,	25·8	1·4	19	.	.	.	.	.	1	.	.	.	1	4	2	.	5	1	.
	Mar. 3,	25·9	1·4	22	.	.	.	.	.	.	.	1	.	.	7	1	.	4	3	.
	„ 10,	24·5	.	18	.	.	.	.	.	.	.	.	.	2	4	.	.	2	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Jan. 20,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.
	Feb. 3,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	1
	„ 10,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
	„ 17,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	„ 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	2
	Mar. 3,	39·9	.	14	.	.	.	.	.	.	.	.	.	1	2	2	1	3	.	.
	„ 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Jan. 20,	27·4	.	22	.	.	.	.	.	.	.	.	.	3	.	2	2	2	1	.
	„ 27,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	3	2	2	2	1	.	1
	Feb. 3,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	3	2	4	1	4	.	1
	„ 10,	28·6	.	19	.	.	.	.	.	.	.	.	.	1	2	4	2	2	1	.
	„ 17,	28·6	.	23	.	.	.	.	.	.	.	.	.	3	5	4	.	5	.	1
	„ 24,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	1	1	4	1	2	.	.
	Mar. 3,	32·3	3·7	26	.	.	.	.	2	.	.	.	1	1	3	3	2	5	.	2
	„ 10,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	2	.	3	.	3	.	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,138.	Jan 20,	14·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.
	„ 27,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	1	.	2	1	2	.
	Feb. 3,	13·4	.	9	.	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.
	„ 10,	25·2	.	17	.	.	.	.	.	.	.	.	.	.	2	2	2	.	1	.
	„ 17,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	5	.	.
	„ 24,	25·2	.	17	.	.	.	.	.	.	.	.	.	1	3	.	.	7	.	.
	Mar. 3,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.
	„ 10,	26·7	.	18	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,208.	Jan. 20,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	.	3	.	1	1	.	1
	„ 27,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	1
	Feb. 3,	18·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.	.	1	.	.
	„ 10,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	„ 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 24,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	2	1	4
	Mar. 3,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	2	1	.	2	3	.
	„ 10,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025.	Jan. 20,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 27,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 3,	30·1	2·0	15	.	.	.	.	.	1	.	.	.	1	3	.	2	3	.	.
	„ 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
	„ 17,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1
	„ 24,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Mar. 3,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
	„ 10,	18·0	.	9	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Jan. 20,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	„ 27,	32·5	.	11	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
	Feb. 3,	28·7	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 10,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
	„ 17,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.
	„ 24,	28·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.
	Mar. 3,	28·7	.	8	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
Belfast. Pop. in 1906 (Est.) 358,680.	Jan. 20,	19·6	1·3	135	.	.	2	1	1	.	2	1	2	8	17	3	5	12	4	4
	„ 27,	23·3	1·3	160	.	.	1	.	3	.	.	2	3	11	22	8	7	20	1	4
	Feb. 3,	20·2	0·9	139	.	.	1	.	1	.	.	2	2	10	16	7	5	26	3	3
	„ 10,	21·2	1·3	146	.	.	.	.	2	.	.	6	1	8	23	6	4	23	1	3
	„ 17,	26·0	1·9	179	.	1	.	.	6	2	1	.	3	19	22	7	5	22	6	5
	„ 24,	25·3	2·2	174	.	.	1	.	7	3	.	2	2	17	23	7	6	24	4	3
	Mar. 3,	24·1	2·2	166	.	.	1	.	9	2	.	2	1	13	33	6	5	34	2	5
	„ 10,	22·5	1·9	155	.	.	1	.	5	.	1	6	.	16	15	10	1	33	6	2
Cork. Pop. (in 1901) 76,122.	Jan. 20,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	1	7	1	1	1	.	.
	„ 27,	21·2	2·1	31	.	.	.	.	.	.	.	.	3	.	6	1	1	3	1	.
	Feb. 3,	15·1	.	22	.	.	.	.	.	.	.	.	.	1	4	3	1	.	.	.
	„ 10,	21·9	2·1	32	.	.	.	1	.	1	.	1	.	.	8	1	1	3	1	2
	„ 17,	21·2	.	31	.	.	.	.	.	.	.	.	.	.	4	.	1	7	.	3
	„ 24,	23·3	.	34	.	.	.	.	.	.	.	.	.	1	2	8	.	2	4	2
	Mar. 3,	23·3	1·4	34	.	.	.	.	1	.	.	.	1	4	10	.	1	4	.	.
	„ 10,	24·0	.	35	.	.	.	.	.	.	.	.	.	1	7	1	2	3	.	4
Londonderry. Pop. in 1906 (Est.) 42,067.	Jan. 20,	13·6	2·5	11	.	.	.	.	2	.	.	.	.	1	1	.	.	1	.	.
	„ 27,	17·4	.	14	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	Feb. 3,	17·4	5·0	14	.	.	.	.	1	.	.	.	3	1	.	.	.	4	.	1
	„ 10,	26·0	7·4	21	.	.	.	.	5	1	.	.	.	.	2	2	2	4	.	1
	„ 17,	18·6	.	15	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	2
	„ 24,	24·8	2·5	20	.	.	.	.	1	.	.	.	1	1	2	2	1	3	.	3
	Mar. 3,	16·1	2·5	13	.	.	.	.	2	.	.	.	.	.	1	.	.	6	.	.
	„ 10,	23·6	3·7	19	.	.	.	.	2	.	.	.	1	1	5	1	1	1	.	1
Limerick. Pop. (in 1901) 38,151.	Jan. 20,	23·2	1·4	17	.	.	.	.	.	.	.	1	.	.	1	.	1	7	.	2
	„ 27,	16·4	1·4	12	.	.	.	.	.	1	.	.	.	.	.	1	.	3	.	1
	eb. 3,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	3	1	1	4	.	2
	„ 10,	28·2	1·4	17	.	.	.	.	.	1	.	.	.	1	1	1	1	6	.	3
	„ 17,	28·7	.	21	.	.	.	.	.	.	.	.	.	1	3	1	.	8	.	5
	„ 24,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	2
	Mar. 3,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	3
	„ 10,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	4
Waterford. Pop. (in 1901) 26,769.	Jan. 20,	11·7	1·9	6	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	.
	„ 27,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.
	Feb. 3,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 10,	23·4	.	12	.	.	.	.	.	.	.	.	.	1	2	3	1	1	.	1
	„ 17,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	.	1	.	.	3	2	1
	„ 24,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.
	Mar. 3,	35·1	.	18	.	.	.	.	.	.	.	.	.	3	3	3	.	3	.	1
	„ 10,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	5	1	.	1	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th March, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,734	6	42·5	3·5	12	1	2	6	3	.	.	.	.	.	.	1	.	.	2	2	.	.	2	1	1	4	.
Do. 2 ,, .	47,959	25	25·0	1·1	23	2	4	9	8	.	.	.	.	1	.	.	.	.	3	2	1	.	6	1	1	8	.
Do. 3 ,, .	47,214	35	27·6	4·4	25	6	5	6	8	.	.	.	.	4	.	.	.	.	4	3	2	.	3	1	1	6	.
Do. 4 ,, .	40,911	40	22·9	.	18	5	3	6	4	.	.	.	.	.	.	.	.	.	3	1	1	.	3	.	.	7	1
Do. 5 , .	17,387	13	21·0	.	7	1	1	4	1	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	1	.
Do 6 ,, .	48,122	20	16·3	1·1	15	1	.	8	6	.	.	.	.	.	.	.	1	.	2	3	1	.	3	1	1	4	.
Do 7 ,, .	1,524	.	—	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 8 ,, .	5,060	9	10·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 9 ,, .	19,569	15	32·0	2·7	12	1	2	7	2	.	.	.	.	.	.	.	1	.	1	.	2	.	4	.	.	4	.
Do. 10 ,, .	28,064	13	38·4	6·8	17	5	3	5	4	.	.	.	.	.	.	.	3	.	.	2	.	.	3	1	1	3	
Do. 11 ,, .	34,802	20	21·0	.	14	7	.	5	2	.	.	.	.	.	.	.	.	.	.	1	.	1	5	1	1	2	1
Do. 12 ,, .	33,588	15	9·3	1·6	6	1	1	1	3	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	1	2	.
Do. 13 ,, .	15,006	19	6·9	3·5	2	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 14 ,, .	240	.	—	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	229	23·1	1·9	155	31	22	59	43	.	.	1	.	5	.	1	6	.	16	15	10	1	33	6	7	43	2
City of Cork.																											
CORK URBAN No. 1 DISTRICT. .	12,867	5	32·4	.	8	2	.	5	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	5	1
Do. 2 ,, . .	10,701	12	29·2	.	6	.	1	4	1	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	2	.
Do. 3 ,, . .	9,978	4	15·7	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Do. 4 ,, . .	8,666	1	30·1	.	5	.	.	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	4	.
Do. 5 ,, . .	6,592	2	15·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 6 ,, . .	10,702	5	14·6	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 7 ,, . .	16,616	6	25·1	.	8	2	.		2	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	4	2
Total, ...	76,122	35	24·0	.	35	5	2	1	7	.	.	.	.	.	.	.	.	.	1	7	1	2	3	.	.	19	4

* Formerly described as "Simple Continued Fever."

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905–6—Week ending																									
	Sept. 16.	Sept. 23	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered,	200	216	207	198	210	209	204	284	205	199	200	205	199	194	158	189	224	198	196	236	231	189	246	214	246	229
DEATHS registered.	114	94	109	116	122	130	153	130	141	150	188	140	148	136	146	124	147	133	135	160	139	146	179	174	166	155
Annual Death-rate per 1,000 of estimated Population.	16·6	13·7	15·8	16·9	17·7	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18.3	21·2	18·0	21·4	19·3	19·6	23·3	20·2	21·2	26·0	25·3	24·1	22·5
AGES — Under 1 year,	25	19	22	31	28	25	35	30	36	38	28	27	21	23	31	26	34	21	30	31	24	29	31	43	26	31
AGES — 1–5 years,	16	9	9	3	12	14	19	14	17	15	19	11	18	15	18	19	16	15	16	22	11	11	14	20	17	22
AGES — 5–60 years,	48	50	62	58	48	62	63	55	58	60	65	64	72	58	69	56	61	60	62	71	61	71	87	74	85	59
AGES — 60 years and upwards,	25	16	16	24	34	29	36	31	35	37	26	38	37	30	28	23	36	37	27	36	43	35	47	37	38	43
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1	.	.	.
Scarlet Fever,	1	.	.	.	.	1	3	1	.	1	1	1	.	2	3	.	.	.	2	1	1	.	.	1	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	.	1	1	.	.	.	.	.	1	1	3	1	.	1	2	1	3	1	2	6	7	9	5
Diphtheria,	.	1	.	1	.	.	2	.	1	1	.	1	.	.	1	.	1	1	.	.	.	.	2	3	2	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1
Enteric Fever,	5	4	6	.	5	1	.	2	3	3	3	4	3	1	2	2	2	3	1	2	2	6	.	2	2	6
Diarrhœal Diseases,	11	1	3	5	4	2	1	3	3	1	2	.	2	.	2	1	3	2	2	3	2	1	3	2	1	.
Pneumonia,	10	12	4	12	6	12	9	18	16	14	18	15	18	14	18	14	15	12	8	11	10	8	19	17	13	16
Tuberculous Disease, Phthisis,	18	14	10	14	13	17	25	19	22	22	16	26	17	17	21	17	15	17	17	22	16	23	2	23	33	15
Tuberculous Disease, Other Forms,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4	3	8	7	6	7	7	6	10
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	5	7	5	4	5	6	5	1
Diseases of Respiratory System,	5	4	11	15	17	14	21	31	28	31	28	29	34	23	31	23	20	19	12	20	26	23	2	4	31	33
Violent Deaths,	1	3	2	2	3	7	4	4	3	4	9	3	3	2	4	5	6	1	4	1	3	1	6	4	2	6
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	4	4	3	3	5	3	5	2

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the sixteen weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	Mar 10,	2,509	1,468	16·2	.	56	12	12	34	3	19
EDINBURGH,	341,035	„ 10,	152	107	16·4	.	6	1	1	.	1	.
GLASGOW,	835,625	„ 10,	486	304	19·0	.	10	.	7	7	2	4
CALCUTTA,	847,796	Jan. 20,	.	686	42·0	55	5	.	1†	.	171‡	112*
BOMBAY,	776,006	Feb. 6,	411	830	55·6	3	14	.	.	1	107‡	61
MADRAS,	509,346	Jan. 19,	413	541	55·2	12	23	?	?	?	135‡	101*
PARIS,	2,660,559	Feb. 24,	916	938	19·3	1	17	.	4†	8	4	21
BRUSSELS (with 8 Faubourgs).	598,467	„ 17,	214	189	16·4	.	.	1	.	2	.	11
ANTWERP,	304,975	„ 17,	139	72	12·3	.	.	.	.	1	.	6
AMSTERDAM,	558,736	„ 17,	269	139	13·0	.	3	.	1†	1	.	3
COPENHAGEN,	426,000	„ 17,	221	118	14·4	.	2	.	1†	3	.	4
STOCKHOLM,	318,398	„ 10,	152	85	13·9	.	1	3	.	.	.	2
CHRISTIANIA,	222,373	„ 24,	123	51	11·9	.	.	1	3†	.	.	2
ST. PETERSBURG,	1,429,000	„ 24,	.	667	24·3	2	9	6	3	7	21	117
MOSCOW,	1,092,360	Jan. 20,	.	488	23·3	.	18	11	10†	6	4	33
BERLIN,	2,045,960	Feb. 3,	965	637	16·2	.	7	4	6†	12	2	34
HAMBURG,	803,000	„ 10,	.	199	12·9	.	2	.	.	1	.	13
BRESLAU,	473,565	„ 24,	.	181	19·9	.	1	1	.	6	.	8
MUNICH,	540,000	„ 24,	.	208	20·0	.	3	.	2†	4	1	17
VIENNA (with suburbs).	1,917,639	„ 24,	991	686	18·6	.	9	4	15†	3	2	40
BUDA-PESTH,	859,134	„ 24,	434	304	18·4	.	5	1	4†	5	2	5
PRAGUE and Faubourgs.	455,241	„ 17,	186	186	21·2	.	4	.	1†	2	1	17
TRIESTE,	194,749	„ 17,	144	94	25·2	.	2	.	1†	.	2	2
ROME,	516,580	Dec. 30,	236	218	22·0	.	.	.	1†	1	2	10
VENICE,	171,709	Feb. 10,	80	94	28·5	.	.	.	1†	.	.	7
NEW YORK,	4,152,860	„ 10,	2,170	1,498	18·8	.	48	16	50†	3	7	34
PHILADELPHIA,	1,469,126	„ 3,	.	571	20·2	.	26	.	13†	7	21	29
BOSTON,	595,380	„ 10,	.	244	21·4	.	5	.	4	3	2	3

* Including 43 deaths from cholera in Calcutta, and one in Madras.
† Including deaths from croup.
‡ Exclusive of 32 deaths from plague in Calcutta, 81 in Bombay, and 4 in Madras.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th March, 1906.

DISTRICTS.	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	2	.	.	1	.	1	.	.	.	.	4
" " 2,	.	.	.	.	.	.	.	.	3	1	.	.	.	4
" " 3,	.	.	.	.	.	.	.	.	2	.	5	.	.	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	2	.	.	.	5	.	.	8
" " 2,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 3,	.	.	.	3	.	.	.	.	.	.	.	.	.	3
" " 4,	.	.	.	2	.	.	.	.	.	1	.	1	.	4
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	8	.	.	3	.	6	2	11	1	.	31

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th March, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th March.			
	Feb. 17.	Feb. 24.	Mar. 3.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	2	.	.	5	.	.	5
Scarlet Fever,	55	49	51	10	8	.	53*
Typhus,	3	2	3	.	.	.	3
Diphtheria,	33	28	30	9	8	2	29
Enteric Fever,	23	27	24	3	.	.	27
Pneumonia,	21	18	28	10	8	2	28

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 10th March, 1906:—

"At first fine, dry, and mild, the weather afterwards became unsettled, cold, squally, and showery—Saturday was dull and wet. The week opened with an anticyclone central over the South of Germany, in which region the barometer stood about 30·6 inches. At the same time a deep depression was central over Bodö, in the N.W. of Norway (barometer, 29·07 inches). The day (Sunday) was fine in Dublin, with hazy atmosphere till 2 p.m., when it cleared. Under the influence of the S.W. winds of the Continental anticyclone and of bright sunshine the day-temperatures rose considerably—on Tuesday, 58·6° was reached in Dublin, 63° in London and at Bath, and 64° at Oxford; on Wednesday, the thermometer in the shade touched 65° in London and at Yarmouth, 66° at Oxford, and 67° at Lowestoft. This day was cooler than Tuesday in Ireland, and the wind freshened from W.S.W. with a threatening appearance. By 8 a.m of Thursday the barometer fell to 28·43 inches at Bodö in Norway, a fresh easterly gale and snow prevailing at that station with a temperature of 19°. As the barometer at the time was 2 inches higher in the S. of France (30·44 inches at Lyons), strong and squally S.W. to N.W. winds were everywhere prevalent; rain also fell generally, snow or sleet and hail in Scotland, snow in Scandinavia. On Saturday a new and subsidiary depression came in over Ireland, bringing with it cold, dull, wet weather, which lasted to the close of the week. In Dublin the mean height of the barometer was 29·958 inches, the range being from 30·254 inches at 9 a.m. of Sunday (wind, S.E.) to 29·631 inches at 9 p.m. of Saturday (wind, E.S.E.). The corrected mean temperature was 47·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·8°. On Tuesday the screened thermometers rose to 58·6°, on Friday they sank to 37·2°. S.W. and W. winds chiefly prevailed. The rainfall was ·676 inch on 4 days, ·478 inch falling on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·958 inches. The highest reading (30·271) was on Sunday at 9 a.m., wind S.W., and the lowest (29·635) on Saturday at 9 p.m., wind W.

The mean temperature for the week was 46·3°, being 5·0° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Tuesday, on which day the thermometer registered 57·7°, and was lowest on Friday, the mercury having fallen to 35·9°. The mean of the Dry Bulb for the week was 45·3°, and of the Wet Bulb 43·4°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 28·7 hours. The rainfall during the week measured ·758 inch.

At Greenwich the mean temperature for the week was 47·2°, the maximum 65·0°, and the minimum 41·4°; at Glasgow the maximum was 52·6°, the minimum, 28·2°, and the mean 42·5°; and at Edinburgh the maximum was 52·1°; the minimum 30·1°; and the mean 42·7°. The rainfall at Greenwich measured 0·35 inch; at Glasgow 1·04 ins.; and at Edinburgh 0·48 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily reading, corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, March 4,	30·197	52·4	42·2	47·3	46·3	43·1	·80	·6	8·4	—	S.W.	S.
Monday, „ 5,	29·902	53·8	43·9	48·9	48·8	46·7	·83	·8	0·4	·005	S.	S.W.
Tuesday, „ 6,	30·118	57·7	49·0	53·4	51·3	49·0	·85	·7	6·7	—	S.W.	S.W.
Wednesday, „ 7,	30·013	52·8	45·0	48·9	48·4	46·2	·85	·1	2·6	·165	S.W.	S.W.
Thursday, „ 8,	29·781	49·8	39·0	44·4	42·4	40·3	·86	·5	6·1	·038	W.	W.
Friday, „ 9,	29·897	47·0	35·9	41·5	39·7	38·4	·90	·8	4·5	·035	W.	W.
Saturday, „ 10,	29·801	42·0	37·5	39·8	40·4	39·9	·97	·5	0·0	·515	Calm.	S.
Mean, . .	29·958	50·8	41·8	46·3	45·3	43·4	·87	·6	Total 28·7	Total ·758	Prevailing Wind. S.W.	

Sunday—A fine mild day; night cloudy. *Monday*—Day cloudy; night cloudy, light shower at 9 p.m. *Tuesday*—Day fine but cloudy; night cloudy. *Wednesday*—Day cloudy; night overcast, light rain 8.30 p.m. to 4 a.m. *Thursday*—Day cloudy and showery; night cloudy and showery. *Friday*—Day cloudy and showery; night cloudy and showery. *Saturday*—Day overcast, continuous rain; night overcast, rain to 3 a.m., then cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 10th, 1906.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 4,	45·8	42·0	42·6	46·3	41·9	44·4	7·9	—
Monday, „ 5,	49·0	42·7	42·8	54·5	43·9	49·2	0·9	—
Tuesday, „ 6,	53·2	44·2	43·0	59·1	50·6	54·9	6·5	—
Wednesday, „ 7,	49·0	45·3	43·1	55·8	46·3	51·1	4·4	·134
Thursday, „ 8,	46·5	46·0	43·5	52·4	40·7	46·6	6·3	·012
Friday, „ 9,	42·1	44·2	43·9	48·1	37·6	42·9	4·1	·033
Saturday, „ 10,	41·1	43·0	44·0	42·4	38·6	40·5	—	·482
Weekly Mean.	46·7	43·9	43·3	51·3	42·8	47·1	Total 30·1	Total ·661

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 374. 12. 1905.—12659.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 17TH MARCH, 1906. [No. 11.

General Register Office, Charlemont House, Dublin, 19th March, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Feb. 24.	Week ending Mar. 3.	Week ending Mar. 10.	Week ending Mar. 17.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 24.	Week ending Mar. 3.	Week ending Mar. 10.	Week ending Mar. 17.	Average Rate for 4 weeks.
22 Town Dists.	24·4	24·1	22·8	22·6	23·5	Lisburn, . .	22·7	9·1	18·2	13·6	15·9
Armagh, . .	20·6	13·7	20·6	20·6	18·9	Londonderry,	21·8	16·1	23·6	18·6	20·8
Ballymena, .	19·2	19·2	14·4	19·2	18·0	Lurgan, . .	26·6	44·3	26·6	4·4	25·5
Belfast, . .	25·3	24·1	22·5	27·8	24·9	Newry, . .	33·6	21·0	4·2	12·6	17·9
Clonmel, . .	15·4	25·6	20·5	25·6	21·8	Newtownards, .	74·4	40·1	40·1	40·1	48·7
Cork, . . .	23·3	23·3	24·0	16·4	21·8	Portadown,	31·0	15·5	20·7	5·2	18·1
Drogheda, . .	12·3	36·8	32·7	20·4	25·5	Queenstown .	6·6	33·0	19·8	6·6	16·5
Dublin Reg. Area,	24·4	24·8	24·6	23·1	24·2	Sligo, . . .	9·6	14·4	9·6	43·2	19·2
Dundalk, . .	16·0	31·9	16·0	12·0	19·0	Tralee, . .	26·4	10·6	15·9	.	13·2
Galway, . .	38·8	3·9	23·3	11·7	19·4	Waterford, .	17·5	35·1	19·5	15·6	21·9
Kilkenny, . .	29·5	11·7	14·7	19·7	19·7	Wexford, . .	.	23·3	23·3	23·3	17·5
Limerick, . .	24·6	27·3	19·1	15·0	21·5						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in thirteen of the districts to 10·3 in Clonmel, the 5 deaths from all causes in that district including one from enteric fever and one from diarrhœa. Among the 191 deaths from all causes in Belfast are one from scarlet fever, 9 from whooping-cough, one from diphtheria, one from pyrexia (origin uncertain), 6 from enteric fever, and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 189—96 boys and 93 girls; and the deaths to 173—91 males and 82 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·8 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 23·1 per 1,000. During the eleven weeks ending with Saturday last the death-rate averaged 23·3, and was 6·6 below the mean rate for the corresponding portions of the ten years, 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

The deaths (173) included 2 deaths from whooping-cough, 2 deaths from diphtheria, one death from *pyrexia* (origin uncertain), 3 deaths from enteric fever, and 3 deaths from diarrhœal diseases. In each of the 3 weeks preceding that under notice deaths from whooping-cough were one, 4 and one; deaths from diphtheria were one, 0, and 2; deaths from enteric fever were one, one, and 0; and deaths from diarrhœal diseases were 2, one, and 3. There was one death from influenza.

There was one death from lobar-pneumonia; broncho-pneumonia caused 5 deaths, and *pneumonia* (not defined) 4 deaths.

The deaths from all forms of tuberculous disease amounted to 35, and included 8 deaths from tuberculous phthisis, 15 deaths from *phthisis*, 5 deaths from tuberculous meningitis, one death from *tabes mesenterica*, and 6 deaths from other forms of the disease. In each of the 3 weeks preceding deaths from all forms of tuberculous disease were 41, 50, and 39.

There was one death from carcinoma, there were 2 deaths from sarcoma, and there were 3 deaths from cancer (undefined).

The deaths of 5 infants prematurely born were registered.

There were 20 deaths from diseases of the brain and nervous system; these included the deaths of 7 infants under one year of age from *convulsions*.

There were 29 deaths from diseases of the heart and blood vessels, and 20 deaths from bronchitis.

Of 2 deaths from accidental circumstances one was caused by drowning.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age and the deaths of 4 persons aged 60 years and upwards.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (38 being infants under one year, of whom 13 were under one month old) and 49 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 7 were octogenarians, and one (a man) was stated to have been aged 90 years.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, 11 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·1 per 1,000; the rate in the City was 25·1 (North City Districts, 27·0; South, 23·0), and in the Suburbs, 16·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·6 (1·7 in the North City Districts, and 1·5 in the South), and for the Suburbs, 0·6.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·9 per 1,000, and include one death from *phthisis* and 4 deaths from diseases of the brain and nervous system.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. Among them are one death from croupous pneumonia, one death from broncho-pneumonia, 5 deaths from tuberculous disease, one death from bronchitis, and one death from accident.

No. 2 *North City District* (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 36·4 per 1,000. Of the deaths one was caused by *diarrhœa*, one by *pneumonia* (not defined), 6 by tuberculous disease, and 3 by bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (21) represent an annual rate of 34·6 per 1,000. Enteric fever and *diarrhœa* each caused one death, tuberculous disease 3 deaths, diseases of the heart and blood vessels 5 deaths, and bronchitis caused 2 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 54·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 7·8. Of the 5 deaths for Clontarf and Howth, No. 1, part of, one was from *pyrexia* (origin uncertain), one from broncho-pneumonia, and one from *phthisis*; and of the 3 deaths from all causes for Coolock and Drumcondra, No. 1, part of, one was from enteric fever.

No. 1 *South City District* (South Earl-street).—The deaths (16) represent an annual rate of 21·7 per 1,000. They include one death each from whooping-cough and diphtheria, 4 deaths from tuberculous disease, 4 deaths from diseases of the heart and blood vessels, and 4 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (4) are equal to an annual rate of 11·4 per 1,000, and include one from influenza and 2 deaths from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (25) are equal to an annual rate of 31·1 per 1,000. Whooping-cough caused one death, *diarrhœa* one death, broncho-pneumonia 2 deaths, *pneumonia* (not defined) 2 deaths, tuberculous disease 4 deaths, and diseases of the respiratory system caused 2 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000, and include one death from *pneumonia* (not defined), 5 deaths from tuberculous disease, and 3 deaths from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·5 per 1,000. Of the deaths one was from broncho-pneumonia, one from tuberculous disease, and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·0; Pembroke, 16·0; Blackrock, 17·9; and Kingstown, 26·6. The only death from any of the principal epidemic diseases recorded for these districts was one from enteric fever for Pembroke. Among the 7 deaths from all causes for Rathmines and Rathgar are 3 from diseases of the heart and blood vessels and one from bronchitis; the 8 deaths from all causes for Pembroke include 2 from tuberculous disease; and the 9 deaths from all causes for Kingstown include 2 from tuberculous disease, and 3 from diseases of the heart and blood vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases otification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. wcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive nitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock ban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban strict; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 17th March, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Feb. 24,	.	—	—	5	1	.	1	.	.	5	9	.	—	—	—	—	—	21
	Mar. 3,	.	—	—	8	.	.	3	.	3	7	10	2	—	—	—	—	—	33
	Mar. 10,	.	—	—	8	.	.	3	.	6	2	11	1	—	—	—	—	—	31
	Mar. 17,	.	—	—	1	2	.	4	.	3	2	16	.	—	—	—	—	—	28
Rathmines and Rathgar Urban District.	Feb. 24,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	2
	Mar. 3,	.	—	—	1	.	.	.	.	.	2	.	.	—	—	—	—	—	3
	Mar. 10,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	2
	Mar. 17,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	—	4
Pembroke Urban District.	Feb. 24,	.	.	.	1	.	.	.	.	.	1	1	.	—	.	.	—	—	3
	Mar. 3,	.	.	.	1	.	.	1	.	.	1	.	.	—	2	.	—	—	5
	Mar. 10,	.	.	.	2	.	.	.	.	2	2	.	.	—	3	.	—	—	9
	Mar. 17,	.	.	.	.	.	.	.	.	.	.	.	.	—	1	.	—	—	1
Blackrock Urban District.	Feb. 24,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Mar. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Feb. 24,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	Mar. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 17,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
City of Belfast.	Feb. 24,	.	—	—	32	.	.	7	1	10	9	13	1	—	—	—	—	—	73
	Mar. 3,	.	—	—	27	.	.	4	.	12	21	10	1	—	—	—	—	—	75
	Mar. 10,	.	—	—	29	.	.	4	.	10	17	8	1	—	—	—	—	—	69
	Mar. 17.	.	—	—	27	1	.	2	1	5	10	6	.	—	—	—	—	—	52

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the blin Hospitals during the week ended 17th March, 1906.

From this it appears that:—

Six cases of measles were admitted to hospital during the week, and 11 cases remained ler treatment at its close.

Seven cases of scarlet fever were admitted to hospital, 11 were discharged, and 49* cases nained under treatment at the close of the week.

Two cases of typhus were admitted to hospital during the week, one was discharged, and ases remained under treatment at its close.

Five cases of diphtheria were admitted to hospital, 3 were discharged, there were 2 ths, and 29 patients remained under treatment at the close of the week.

Three cases of enteric fever were admitted to hospital, 5 were discharged, there was death, and 24 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, ere discharged, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the e was 16·5), was equal to an average annual death-rate of 16·2 per 1,000 persons living. average rate for 8 principal towns of Scotland was 19·3 per 1,000, the rate for Glasgow ng 20·9, and for Edinburgh 15·6.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a y of his Return of Infectious Diseases notified during the week ended 17th March. From this Return it ears that of a total of 54 cases notified 28 were scarlet fever, 15 diphtheria, 8 erysipelas, and 3 typhoid fever. ong the 321 cases of infectious diseases in hospital at the close of the week were 149 cases of scarlet r, 61 of diphtheria, 73 of measles, 16 of erysipelas, 14 of typhoid fever, and 6 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 17th March, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 17th March, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyæmia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 17th March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,098,959	19·2	28·7	22·6	1·8	602	474	96	186	.	.	1	.	12	5	2	10	7	43	60	21	15	84	2	14	131	21	°	°	°	.	°	°	°	.	°	°	°	.
DUBLIN REGISTRATION AREA:— TOTAL, d.	878,994	27·5	26·0	23·1	1·4	189	168	37	48	.	.	.	.	2	1	1	3	3	10	23	12	6	20	1	5	63	7	57·7	28·7	43·3	0·43	57·7	35·9	46·8	0·76	52·4	27·7	40·6	0·55
CITY OF DUBLIN,	298,385	37·1	29·0	25·1	1·6	163	141	32	40	.	.	.	.	2	1	1	2	3	10	21	9	4	18	1	5	59	6	59·9 58·8	32·0 30·0	44·9 43·9	0·39 0·44	58·6 58·8	37·2 37·0	47·3 46·9	0·68 0·74	53·9 53·9	30·2 28·0	42·4 41·1	0·42 0·51
Urban Dists. RATHMINES AND RATHGAR.	33,203	19·4	12·6	11·0	.	8	7	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE	26,025	16·4	28·0	16·0	2·0	14	8	2	1	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK	8,759	8·1	.	17·9	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	11·8	26·6	.	4	9	.	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	2	.	60	32·5	47·5	0·32	59	36·5	47·8	0·68	55·5	31·5	42·6	0·36
URBAN DISTRICTS.																																							
BELFAST,	358,680	24·4	33·3	27·8	2·8	229	191	32	52	.	.	1	.	9	1	1	6	1	23	26	5	6	36	1	7	37	4	55·0	21·0	39·3	1·46	55·5	29·2	44·4	0·32	54·0	29·0	39·4	0·71
CORK,	76,122	33·6	34·9	16·4	.	51	24	7	8	.	.	.	.	.	.	.	.	.	3	1	2	1	8	.	.	5	2	58	35	45·7	0·47	54	40	47·5	0·71	55	35	41·3	0·16
LONDONDERRY,	42,067	19·4	23·6	18·6	1·2	19	15	3	4	.	.	.	.	.	.	.	.	1	3	1	.	.	6	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	10·9	15·0	1·4	8	11	3	5	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	22·2	15·6	.	15	8	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	15·5	11·7	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.	54	33	45	2·19	56	43	49	0·51	54	33	44	1·12
DUNDALK,	18,076	9·4	19·9	12·0	4·0	5	3	1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	28·6	20·4	4·1	7	5	3	1	.	.	.	.	.	1	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	33·6	12·6	.	8	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	54·6	28·0	41·6	0·77	55·7	34·4	45·2	0·82	50·8	28·8	40·0	0·67
LURGAN,	11,782	13·8	4·4	4·4	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	54·6	28·0	41·6	0·77	55·7	34·4	45·2	0·82	50·8	28·8	40·0	0·67
LISBURN,	11,461	10·1	40·9	13·6	.	9	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	54·6	28·0	41·6	0·77	55·7	34·4	45·2	0·82	50·8	28·8	40·0	0·67
WEXFORD,	11,168	28·2	18·7	23·3	.	4	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	23·9	19·2	.	5	4	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	.	48·2	4·8	.	9	1	3	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	5	1	55·3	29·8	42·3	1·59	55·3	35·4	45·2	1·47	51·8	27·5	40·2	0·90
KILKENNY,	10,609	11·5	33·6	19·7	.	17	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	1	58	33	45·1	0·81	57	35	47·2	1·06	55	28	41·0	0·32
CLONMEL,	10,167	7·8	10·3	25·6	10·3	2	5	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	36·2	5·2	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	51·6	28·0	41·6	0·77	55·7	34·4	45·2	0·82	50·8	28·8	40·0	0·67
TRALEE,	9,667	16·6	26·4	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	45·8	40·1	5·7	8	7	3	2	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1	56	25	40·7	0·70	56	35	44·1	0·49	48	30	39·2	0·38
QUEENSTOWN,	7,909	14·4	26·4	6·6	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	58	35	45·7	0·47	54	40	47·5	0·71	55	35	41·3	0·16
ARMAGH,	7,588	22·2	34·4	20·6	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	54·6	28·0	41·6	0·77	55·7	34·4	45·2	0·82	50·8	28·8	40·0	0·67

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1905. b Formerly

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 17th of March, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	North City No. 1E.	North City No. 1 W.	North City No 2.	North City No. 3.	Glontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
*Pyrexia** (origin uncertain),	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever,	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	3	.
Diarrhœal Diseases,	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Pneumonia,	.	2	1	.	1	.	.	.	.	4	1	1	.	.	.	.	10	.
Tuberculous Disease. Phthisis,	1	3	4	2	1	.	.	3	.	3	4	.	.	1	.	1	23	.
Tuberculous Disease. Other Forms.	.	2	2	1	.	.	.	1	.	1	1	1	.	1	1	1	12	.
Cancer, Malignant Disease,	.	.	1	.	.	.	.	.	.	2	1	.	.	1	.	1	6	.
Other General Diseases	.	.	2	1	.	.	.	.	1	4	1	.	.	1	.	1	11	1
Total,	1	7	11	6	3	1	.	6	1	16	8	2	.	5	1	4	72	2
B. LOCAL DISEASES:																		
Diseases of Nervous System	4	4	2	5	.	.	.	.	.	1	.	.	1	1	1	1	20	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	.	.	4	5	1	1	1	4	1	3	1	1	3	.	.	3	28	1
Diseases of Respiratory System,	.	1	3	2	.	.	.	4	2	2	3	1	1	.	1	.	20	1
Diseases of Digestive System,	1	2	.	2	.	1	.	1	.	2	1	.	1	.	.	.	11	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	3	1	.	.	.	.	.	.	1	1	.	.	1	.	1	8	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	10	10	14	1	2	1	9	3	9	6	2	6	2	2	5	87	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	2	.	1	1	.	.	1	.	.	.	.	1	1	.	.	8	.
E. VIOLENT DEATHS,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Deaths from all Causes,	7	20	21	21	5	3	1	16	4	25	14	4	7	8	3	9	168	5
Annual Rate of Mortality from all causes in every 1,000 of the population	12·9	26·6	36·4	34·6	54·2	15·6	7·8	21·7	11·4	31·1	20·8	23·5	11·0	16·0	17·9	26·6	23·1	.
	27·0							23·0					16·4					
	25·1																	
Deaths of Infants under 1 year of age,	4	3	6	6	2	1	.	1	1	5	2	1	3	2	.	.	37	1
Deaths of Persons aged 60 years and upwards,	2	3	3	6	1	1	1	3	2	8	4	1	2	1	.	5	48	1
Number of Uncertified Deaths,	1	2	.	1	1	.	.	.	.	.	.	1	.	1	.	.	7	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	5	6	3	.	.	.	3	.	11	5	1	.	1	.	1	36	4
Workhouse Hospitals,	1	2	5	3	1	.	1	6	.	3	3	.	.	.	1	1	27	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regi
week of the ten years,

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years 1896-1905.	In the Week ending Satu 17th March, 1906.					
												Deaths of Persons of the					
	Mar. 14, 1896.	Mar. 20, 1897.	Mar. 19, 1898.	Mar. 18, 1899.	Mar. 17, 1900.	Mar. 16, 1901.	Mar. 15, 1902.	Mar. 21, 1903.	Mar. 19, 1904.	Mar. 18, 1905.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	45·0	45·2	45·3	44·8	41·1	43·6	44·9	45·3	42·6	43·5	44·1	43·3					
ALL CAUSES.	190	271	237	217	209	234	154	212	213	182	211·9	173	13	25	17	15	
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles (Morbilli),	.	46	.	.	4	.	4	1	4	4	6·3	.	.	.	.	.	
Scarlet Fever,	4	2	4	.	.	.	3	.	.	1	1·4	.	.	.	.	.	
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza,	3	4	11	9	5	14	5	1	5	5	6·2	1	.	.	.	.	
Whooping-cough,	2	20	3	10	1	11	.	2	13	.	6·2	2	.	1	1	.	
Diphtheria,	.	.	1	2	.	2	.	3	1	1	1·0	2	.	.	1	1	
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
Enteric Fever,	3	2	7	.	.	1	1	2	1	1	1·8	3	.	.	1	.	
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epidemic Diarrhœa (Infective Enteritis)	1	4	2	.	4	.	1	.	.	1	1·5	.	.	.	.	.	
Diarrhœa, Dysentery,								1	1	.		3	.	2	1	.	
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease,	.	.	.	.	.	1	1	2	2	3	·9	1	.	1	.	.	
Puerperal Septicæmia,	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	
Puerperal Pyæmia,								.	.	.		.	.	.	.	.	
Puerperal Fever,								.	.	.		.	.	.	.	.	
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pneumonia, Lobar,	9	15	7	19	10	14	17	.	1	1	13·0	1	.	1	.	.	
Pneumonia, Broncho-Epidemic,								6	4	6		5	.	3	1	1	
Pneumonia, Not defined,								.	.	.		.	.	.	.	.	
								11	8	2		4	.	.	1	.	
Erysipelas,	.	.	1	1	.	.	.	2	.	1	·5	.	.	.	.	.	
Septicæmia (not Puerperal)	1	.	.	.	.	.	.	1	2	.	·4	.	.	.	.	.	
Pyæmia (not Puerperal),								.	.	.		.	.	.	.	.	
Other Infective Conditions,	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	
Tuberculous Phthisis,	27	38	26	33	29	23	17	4	3	6	26·6	8	.	.	1	.	
"*Phthisis*,"								16	23	21		15	.	.	.	1	
Tuberculous Meningitis,	2	3	7	4	6	4	3	13	5	4	5·1	5	.	.	1	4	
Tuberculous Peritonitis,	7	6	3	7	4	9	.	3	1	.	4·1	.	.	.	.	.	
Tabes Mesenterica,								.	1	.		1	.	.	.	1	
Tuberculous Dis. (other),	4	6	1	4	5	7	3	11	4	8	5·3	6	1	1	1	3	
Scrofula,								.	.	.		.	.	.	.	.	
Alcoholism,	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	
Rheumatic Fever,	1	.	1	1	1	.	1	.	.	.	·5	.	.	.	.	.	
Gout,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	
Carcinoma,	7	6	5	3	4	9	4	1	3	2	5·6	1	.	.	.	.	
Sarcoma,								1	.	1		2	.	.	.	.	
Cancer (undefined),								5	2	3		3	.	.	.	.	
Diabetes Mellitus,	.	.	.	.	.	.	.	1	1	1	·3	1	.	.	.	.	
Premature Birth,	3	1	.	5	1	5	1	3	9	3	3·1	5	5	.	.	.	

* The figures for the years 1896-
† Formerly de

ELEVENTH WEEK ending Saturday, 17th March, 1906, with the deaths from each cause in the corresponding the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years 1896–1905.	In the Week ending Saturday, 17th March, 1906. Deaths of Persons of the Ages of							
	Mar. 14, 1896.	Mar. 20, 1897.	Mar. 19, 1898.	Mar. 18, 1899.	Mar. 17, 1900.	Mar. 16, 1901.	Mar. 15, 1902.	Mar. 21, 1903.	Mar. 19, 1904.	Mar. 18, 1905.		ALL AGES.	0 to 5.						
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 45·0	° 45·2	° 45·3	° 44·8	° 41·1	° 43·6	° 44·9	° 45·3	° 42·6	° 43·5	° 44·1	° 43·3								
eningitis (not tuberc.) ...								3	4	2		7	.	3	4	.	.	.	.	.
sanity, G. P. of Insane ...								3	4	1		2	.	.	.	.	1	1	.	.
pilepsy								1	2	1		.	.	.	.	.	.	.	.	.
nvulsions								8	4	8		7	1	6	.	.	.	.	.	.
ocomotor Ataxy ...								.	.	1		.	.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...								3	1	3		2	.	.	.	.	.	2	.	.
ervous System (other Dis.)	35	38	52	37	40	46	33	4	1	3	41·7	2	.	.	.	2	.	.	.	.
alv. Dis., Endocarditis ...								2	.	3		8	.	.	.	.	5	2	1	
erebr. Hæm. Thromb. ...								1	1	1		3	.	.	.	.	1	2	.	
oplexy, *Hemiplegia* ...								4	5	5		1	.	.	.	.	1	.	.	
eurysm								.	.	.		.	.	.	.	.	.	.	.	
mbolism, Thromb. (not cerebral)								.	.	.		.	.	.	.	.	.	.	.	
eart and Blood Vessel Dis.								20	17	20		17	.	.	.	1	3	4	6	3
roup (not Spasm. nor Memb.)	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
ronchitis	24	27	35	38	27	37	21	28	33	13	28·6	20	.	3	1	1	.	1	13	1
sthma, Emphysema ...								.	.	.		.	.	.	.	.	.	.	.	.
eurisy	.	6	.	2	2	4	3	.	1	1	2·1	.	.	.	.	.	.	.	.	.
espiratory Dis. (other) ...								1	.	1		1	.	.	.	.	.	1	.	.
onsillitis, Quinsy ...	1	1	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
nteritis (not Epid.) ...	.	.	.	1	1	1	.	.	.	.	·6	1	1	.	.	.	.	.	.	.
astro Enteritis								.	.	3		.	.	.	.	.	.	.	.	.
eritonitis (not Puerp.) ...	1	1	1	1	.	2	2	1	.	.	·9	1	.	.	.	.	1	.	.	.
irrhosis of Liver ...	1	1	4	.	6	1	3	1	1	2	2·5	1	.	.	.	.	.	1	.	.
iver Dis. (other) ...								.	5	.		1	1	.	.	.	.	.	.	.
igestive Dis. (other) ...	5	5	5	4	5	5	3	9	4	6	5·1	7	1	4	1	.	.	1	.	.
ephritis, Acute ...								.	.	2		1	.	.	.	.	1	.	.	.
right's Dis., Albuminuria	5	4	6	4	9	4	7	3	4	2	5·1	3	.	.	.	.	.	2	1	.
rinary Sys. (Other Dis.)								.	1	.		4	.	.	.	.	1	1	2	.
enerative Organs Dis. ...	1	.	.	.	1	.	.	1	.	2	·5	.	.	.	.	.	.	.	.	.
hildbirth (Accid. of) ...	1	.	1	1	.	.	.	1	1	1	·6	.	.	.	.	.	.	.	.	.
ld Age	13	16	26	18	19	15	4	8	6	10	13·5	3	.	.	.	.	.	.	1	2
ther Diseases	24	11	23	9	21	14	15	14	13	12	15·6	9	3	.	2	1	.	1	2	.
ACCIDENT.																				
y Railways	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
y Vehicles and Horses ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
n Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
n Building Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
n Conflagrations ...	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.
y Burns, Scalds, Explosions	3	.	2	.	3	.	.	1	1	1	1·1	.	.	.	.	.	.	.	.	.
y Drowning	.	2	1	1	.	1	.	1	.	.	·6	1	.	.	.	.	1	.	.	.
y Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
y Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ther Deaths by Accidents	2	4	1	2	1	3	2	1	2	1	1·9	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
uicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
imple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905-6—Week ending Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.
No. of weeks in Annual Series.	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered,	201	285	189	191	176	175	223	239	205	177	198	191	238	199	184	245	192	183	220	283	202	188	169	252	214	189
*Average Births in corresponding week of previous 10 years,**	199	220	189	185	203	197	194	189	199	181	190	195	183	160	182	210	206	199	200	221	215	205	217	213	208	219
DEATHS registered,	137	168	158	141	148	133	195	152	158	173	157	168	148	171	139	168	166	154	160	187	151	149	185	183	187	173
Annual Death-rate per 1,000,	18·8	23·1	21·7	19·4	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8
*Average Deaths in corresponding week of previous 10 years,**	174	163	156	172	175	177	173	178	186	191	197	185	187	189	199	219	214	211	202	212	209	209	221	233	221	212
AGES,— Under 5 years,	42	43	44	33	28	33	54	34	43	52	42	49	47	43	27	28	52	39	37	46	35	32	45	40	43	53
5—20 "	10	17	17	11	9	5	6	14	10	9	13	10	13	9	7	17	17	11	13	16	8	9	8	14	8	15
20—40 "	29	28	23	23	26	18	36	26	31	18	22	31	13	30	21	34	25	18	21	18	21	15	38	33	34	19
40—60 "	23	31	36	32	37	34	35	28	32	36	34	35	32	45	41	48	37	45	37	42	42	46	43	34	43	35
60—80 "	24	42	29	36	35	34	39	38	35	50	35	37	34	37	37	35	28	34	43	52	39	39	44	49	49	41
80 years and upwards,	9	7	9	6	8	9	5	7	7	8	11	6	9	7	6	6	7	7	9	13	6	8	7	7	10	8
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	.	.	1	.	1	1	1	.	1	.	1	.	.	2	1	.	1	.	.	1	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Whooping-cough,	1	.	.	.	1	2	.	.	1	3	1	2	2	1	1	2	3	1	1	2	.	.	1	4	1	2
Diphtheria,	.	.	.	.	2	.	.	1	1	.	.	1	1	.	2	2	2	.	1	1	.	.	1	.	2	2
Pyrexia † (origin uncertain),	1	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Enteric Fever,	2	2	2	1	4	.	2	2	.	.	2	2	1	4	3	3	.	.	.	1	.	.	1	1	.	3
Diarrhœal Diseases,	10	9	1	4	1	3	4	4	2	3	5	2	1	1	2	1	1	1	3	1	.	1	2	1	3	3
Pneumonia,	5	17	10	9	6	10	18	13	14	15	10	10	8	11	11	12	15	12	16	19	6	11	13	16	18	10
Tuberculous Phthisis,	25	23	25	17	18	21	24	21	16	20	18	24	9	27	19	21	14	23	21	29	18	23	29	32	30	23
Disease. Other Forms,	11	10	17	13	7	4	9	6	12	7	10	4	15	4	1	12	16	5	6	9	15	10	12	18	9	12
Cancer, Malignant Disease,	5	5	11	7	10	8	7	6	5	10	8	6	11	5	6	7	5	12	6	8	14	6	13	6	6	6
Diseases of Heart and Blood Vessels,	18	27	18	23	29	19	29	21	23	24	25	26	21	26	30	28	21	24	33	31	23	27	21	25	31	29
Diseases of Respiratory System,	6	18	13	17	13	17	42	26	26	34	33	22	16	25	20	26	28	22	18	27	26	27	32	28	28	21
Violent Deaths,	4	7	2	5	8	6	3	2	3	3	3	2	2	4	6	4	3	7	8	5	5	.	4	10	1	2
Number of Uncertified Deaths,	5	4	5	3	5	6	4	9	7	9	4	5	9	8	6	4	5	6	6	11	7	6	8	4	6	7
Mean Temperature of the Air (Phœnix Park),	51·3	49·4	48·3	49·6	40·0	41·1	42·7	48·0	38·0	40·0	44·1	46·6	48·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3
Average Mean Temperature in corresponding week of previous 10 years	54·3‡	53·5	51·3	48·6	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1
Rainfall in inches,	·015	·325	·775	·035	·100	·295	1·190	·250	1·485	·320	·645	·128	·035	·285	·770	·860	·855	1·605	·230	·180	·755	·095	·625	·545	·728	·430
Mean Humidity of the Air, complete Saturation, 1·0,	·86	·87	·87	·91	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	.88	·86	·87	·89	·87	·85

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—SHOWING IN FIVE GENERAL CLASSES and EIGHTEEN SUBDIVISIONS the Deaths registered in the Dublin Registration Area during the Week ending Saturday, 17th March, 1906; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH MARCH, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	24·0	173	35	15	19	35	41	8	.	.	.	.	2	2	1	3	3	11	10	23	12	6	7	21	2	81	7
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class,	17,486	15·0	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
II.	Middle Class,	87,188	17·3	29	9	2	7	1	9	1	.	.	.	.	.	1	1	1	1	4	1	4	1	1	2	2	1	13	2
III.	Artisan Class and Petty Shopkeepers,	110,423	16·1	34	10	4	2	11	6	1	.	.	.	.	.	.	.	1	1	2	2	5	3	2	2	4	.	14	.
IV.	General Service Class,	154,279	34·2	77	30	8	7	17	12	3	.	.	.	.	2	1	.	1	1	5	7	9	7	.	3	10	1	35	5
V.	Inmates of Workhouses,	6,024		28	5	1	2	5	13	2	.	.	.	.	.	.	.	.	.	.	.	5	1	2	.	5	.	15	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	13·7	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	23,016	26·1	11	3	1	3	1	3	.	.	.	.	.	.	.	1	1	.	2	1	2	.	1	.	1	.	4	1
	6. Clerks and Commercial Assistants,	30,482	13·7	8	5	.	3	.	.	.	.	.	.	.	.	1	.	.	1	2	.	2	.	.	2	.	1	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	15·4	8	.	1	1	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	6	1
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.
	9. Building and Furnishing Trades,	29,801	17·5	10	3	.	.	2	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	3	.	3	.
	10. Clothing Trades,	23,260	6·7	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
	11. Food Supply Trades,	9,242	22·6	4	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2	.
	12. Other Trades and Callings ranking with Trades,	30,352	15·5	9	.	3	1	4	1	.	.	.	.	.	.	.	.	1	.	1	.	3	1	.	.	.	.	4	.
	13. Petty Shopkeepers,	7,894	26·4	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	7·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	15. Domestic Servants,	36,603	15·7	11	.	1	2	5	3	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	2	.	5	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	47·1	13	6	.	1	3	2	1	.	.	.	.	1	.	.	.	.	1	2	1	1	.	1	1	.	6	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	29·6	51	22	7	4	9	7	2	.	.	.	.	1	1	.	.	1	3	5	5	6	.	2	7	1	22	3
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates,	6 024	.	28	5	1	2	5	13	2	.	.	.	.	.	.	.	.	.	.	.	5	1	2	.	5	.	15	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000. Living. From all causes.	From diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (part of).																				
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	Jan. 27,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Feb. 3,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	1	5	.	.	2	1	.
	„ 10,	7·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 17,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	1	2	2	.	2	.	.
	„ 24,	27·6	1·8	15	.	.	.	.	1	.	.	.	.	1	3	.	.	1	.	1
	Mar. 3,	23·9	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1
	„ 10,	27·6	.	15	.	.	.	.	.	.	.	.	.	3	4	1	.	1	.	.
	„ 17,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Jan. 27,	26·6	1·3	20	.	.	.	.	.	1	.	.	.	4	3	.	1	1	2	.
	Feb. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	5	2	1	.	6	.	3
	„ 10,	22·6	1·3	17	.	.	.	1	.	.	.	.	.	1	1	1	2	6	.	1
	„ 17,	29·3	.	22	.	.	.	.	.	.	.	.	.	1	4	.	.	3	.	2
	„ 24,	30·6	2·7	23	.	.	1	.	.	.	.	1	.	2	3	1	2	6	1	1
	Mar. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	.	4	2	.	8	1	.
	„ 10,	25·3	4·0	19	.	.	.	.	1	1	.	.	1	2	4	.	.	3	.	2
	„ 17,	26·6	.	20	.	.	.	.	.	.	.	.	.	2	3	2	.	1	1	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Jan. 27,	22·5	3·5	13	.	.	.	.	.	.	.	.	2	1	.	.	.	1	2	.
	Feb. 3,	32·9	1·7	19	.	.	.	.	.	.	.	.	1	2	7	2	.	2	1	1
	„ 10,	24·9	.	14	.	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.
	„ 17,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.
	„ 24,	29·4	1·7	17	.	.	.	.	.	.	.	.	1	1	4	2	1	1	1	.
	Mar. 3,	19·1	.	11	.	.	.	.	.	.	.	.	.	2	4	4	.	.	.	.
	„ 10,	36·4	.	21	.	.	.	.	.	.	.	.	.	2	4	4	.	3	.	1
	„ 17,	36·4	1·7	21	.	.	.	.	.	.	.	.	1	1	4	2	1	3	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Jan. 27,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
	Feb. 3,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1
	„ 10,	32·9	.	20	.	.	.	.	.	.	.	.	.	4	3	2	1	1	1	.
	„ 17,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.
	„ 24,	29·6	.	18	.	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.
	Mar. 3,	32·9	3·3	20	.	.	.	.	2	.	.	.	.	3	2	3	.	2	1	.
	„ 10,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	3	.	.	1	3	.	1
	„ 17,	34·6	3·3	21	.	.	.	.	.	.	.	1	1	.	2	1	.	2	.	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	Jan. 27,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	.	2	1	.	3	.	1
	Feb. 3,	21·7	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	1	1	.
	„ 10,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	3	1	.	5	1	1
	„ 17,	14·9	.	11	.	.	.	.	.	.	.	.	.	1	3	1	.	2	.	1
	„ 24,	25·8	1·4	19	.	.	.	.	.	1	.	.	.	1	4	2	.	5	1	.
	Mar. 3,	29·9	1·4	22	.	.	.	.	.	.	.	1	.	.	7	1	.	4	3	.
	„ 10,	24·5	.	18	.	.	.	.	.	.	.	.	.	2	4	.	.	2	.	1
	„ 17,	21·7	2·7	16	.	.	.	.	1	1	.	.	.	.	3	1	.	4	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Jan. 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.
	Feb. 3,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	1
	„ 10,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
	„ 17,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	„ 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	2
	Mar. 3,	39·9	.	14	.	.	.	.	.	.	.	.	.	1	2	2	1	3	.	.
	„ 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
	„ 17,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Jan. 27,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	3	2	2	2	1	.	1
	Feb. 3,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	3	2	4	1	4	.	1
	„ 10,	23·6	.	19	.	.	.	.	.	.	.	.	.	1	2	4	2	2	1	.
	„ 17,	28·6	.	23	.	.	.	.	.	.	.	.	.	3	5	4	.	5	.	1
	„ 24,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	1	1	4	1	2	.	.
	Mar. 3,	32·8	3·7	26	.	.	.	.	2	.	.	.	1	1	3	3	2	5	.	2
	„ 10,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	2	.	3	.	3	.	1
	„ 17,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	3	1	2	2	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,138.	Jan. 27,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	1	.	2	1	2	.
	Feb. 3,	18·4	.	9	.	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.
	„ 10,	25·2	.	17	.	.	.	.	.	.	.	.	.	.	2	2	2	.	1	.
	„ 17,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	5	.	.
	„ 24,	25·2	.	17	.	.	.	.	.	.	.	.	.	1	3	.	.	7	.	.
	Mar. 3,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.
	„ 10,	26·7	.	18	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	.
	„ 17,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	4	1	1	3	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,208.	Jan. 27,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	1
	Feb. 3,	18·8	1·6	13	.	.	.	.	.	.	.	1	.	.	3	.	.	1	.	.
	„ 10,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	„ 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 24,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	2	1	4
	Mar. 3,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	2	1	.	2	3	.
	„ 10,	17·8	.	11	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.
	„ 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025.	Jan. 27,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 3,	30·1	2·0	15	.	.	.	.	.	1	.	.	.	1	3	.	2	3	.	.
	„ 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
	„ 17,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1
	„ 24,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Mar. 3,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
	„ 10,	18·0	.	9	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
	„ 17,	16·0	2·0	8	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	1
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Jan. 27,	32·5	.	11	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.
	Feb. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 10,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
	„ 17,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.
	„ 24,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.
	Mar. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
Belfast. Pop. in 1906 (Est.) 358,680.	Jan. 27,	23·3	1·3	160	.	.	1	.	3	.	.	2	3	11	22	8	7	20	1	4
	Feb. 3,	20·2	0·9	139	.	.	1	.	1	.	.	2	2	10	16	7	5	26	3	3
	„ 10,	21·2	1·3	146	.	.	.	.	2	.	.	6	1	8	23	6	4	23	1	3
	„ 17,	26·0	1·9	179	.	1	.	.	6	2	1	.	3	19	22	7	5	22	6	5
	„ 24,	25·3	2·2	174	.	.	1	.	7	3	.	2	2	17	23	7	6	24	4	3
	Mar. 3,	24·1	2·2	166	.	.	1	.	9	2	.	2	1	13	33	6	5	34	2	5
	„ 10,	22·5	1·9	155	.	.	1	.	5	.	1	6	.	16	15	10	1	33	6	2
	„ 17,	27·8	2·8	191	.	.	1	.	9	1	1	6	1	23	26	5	6	36	1	4
Cork. Pop. (in 1901) 76,122.	Jan. 27,	21·2	2·1	31	.	.	.	.	.	.	.	.	3	.	6	1	1	3	1	.
	Feb. 3,	15·1	.	22	.	.	.	.	.	.	.	.	.	1	4	3	1	.	.	.
	„ 10,	21·9	2·1	32	.	.	.	1	.	1	.	1	.	.	8	1	1	3	1	2
	„ 17,	21·2	.	31	.	.	.	.	.	.	.	.	.	.	4	.	1	7	.	3
	„ 24,	23·3	.	34	.	.	.	.	.	.	.	.	.	2	8	.	2	4	2	4
	Mar. 3,	23·3	1·4	34	.	.	.	.	1	.	.	.	1	4	10	.	1	4	.	.
	„ 10,	24·0	.	35	.	.	.	.	.	.	.	.	.	1	7	1	2	3	.	4
	„ 17,	16·4	.	24	.	.	.	.	.	.	.	.	.	3	1	2	1	8	.	2
Londonderry. Pop. in 1906 (Est.) 42,067.	Jan. 27,	17·4	.	14	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	Feb. 3,	17·4	5·0	14	.	.	.	.	1	.	.	.	3	1	.	.	.	4	.	1
	„ 10,	26·0	7·4	21	.	.	.	.	5	1	.	.	.	.	2	2	2	4	.	1
	„ 17,	18·6	.	15	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	2
	„ 24,	24·8	2·5	20	.	.	.	.	1	.	.	.	1	1	2	2	1	8	.	3
	Mar. 3,	16·1	2·5	13	.	.	.	.	2	.	.	.	.	.	1	.	.	6	.	.
	„ 10,	23·6	3·7	19	.	.	.	.	2	.	.	.	1	1	5	1	1	1	.	1
	„ 17,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	3	1	.	.	6	.	.
Limerick. Pop. (in 1901) 38,151.	Jan. 27,	16·4	1·4	12	.	.	.	.	.	1	.	.	.	.	.	1	.	3	.	1
	Feb. 3,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	3	1	1	4	.	2
	„ 10,	23·2	1·4	17	.	.	.	.	.	1	.	.	.	1	1	1	1	6	.	3
	„ 17,	28·7	.	21	.	.	.	.	.	.	.	.	.	1	3	1	.	8	.	5
	„ 24,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	2
	Mar. 3,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	3
	„ 10,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	4
	„ 17,	15·0	1·4	11	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.	.
Waterford. Pop. (in 1901) 26,769.	Jan. 27,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.
	Feb. 3,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 10,	23·4	.	12	.	.	.	.	.	.	.	.	.	1	2	3	1	1	.	1
	„ 17,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	.	1	.	.	3	2	1
	„ 24,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.
	Mar. 3,	35·1	.	18	.	.	.	.	.	.	.	.	.	3	3	3	.	3	.	1
	„ 10,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	5	1	.	1	.	.
	„ 17,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	2

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th March, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia.* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,734	2	24·8	.	7	1	.	3	3	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	1	2	.
Do. 2 ,, .	47,959	39	41·3	1·1	38	5	6	14	13	.	.	.	.	1	.	.	.	.	6	7	1	.	7	.	2	9	.
Do. 3 ,, .	47,214	24	30·9	5·5	28	7	1	14	6	.	.	.	.	1	.	.	3	1	2	4	1	1	5	1	2	7	1
Do. 4 ,, .	40,911	32	29·3	.	23	3	3	7	10	.	.	.	.	.	.	.	.	.	2	1	1	1	2	.	1	7	1
Do. 5 ,, .	17,387	11	33·0	9·0	11	3	4	3	1	.	.	.	.	3	.	.	.	.	2	1	.	.	2	.	.	2	1
Do 6 ,, .	48,122	22	29·3	4·3	27	4	1	16	6	.	.	1	.	1	.	1	1	.	4	5	1	3	5	.	.	4	.
Do 7 ,, .	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	2	20·6	10·3	2	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 9 ,, .	19,569	15	5·3	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 10 ,, .	23,064	23	38·4	6·8	17	4	4	6	3	.	.	.	.	2	.	.	1	.	3	1	.	.	6	.	1	.	.
Do. 11 ,, .	34,802	22	24·0	.	16	3	2	4	7	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	1	.
Do. 12 ,, .	38,588	26	26·4	1·6	17	2	2	11	2	.	.	.	.	.	1	.	.	.	1	5	.	.	4	.	.	3	1
Do. 13 ,, .	15,006	11	6·9	3·5	2	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 ,, .	240	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Total, ...	349,180	229	28·5	2·8	191	32	23	84	52	.	.	1	.	9	1	1	6	1	23	26	5	6	36	1	7	37	4
City of Cork.																											
CORK URBAN No. 1 DISTRICT. .	12,867	10	16·2	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.
Do. 2 ,, . .	10,701	7	19·5	.	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Do. 3 ,, . .	9,978	4	10·5	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 4 ,, . .	8,666	3	6·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 ,, . .	6,592	4	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 ,, . .	10,702	10	9·7	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 7 ,, . .	16,616	13	34·5	.	11	3	1	2	5	.	.	.	.	.	.	.	.	.	2	1	1	.	5	.	.	2	1
Total, ...	76,122	51	16·4	.	24	7	3	6	8	.	.	.	.	.	.	.	.	.	3	1	2	1	8	.	.	5	2

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905-6—Week ending																									
	Sept. 23	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.
No. of weeks in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered,	216	207	193	210	209	204	284	205	199	200	205	199	194	158	189	224	193	196	236	231	189	246	214	246	229	229
DEATHS registered,	94	109	116	122	130	153	130	141	150	138	140	148	126	146	124	147	138	135	160	139	146	179	174	166	155	191
Annual Death-rate per 1,000 of estimated Population,	13·7	15·8	16·9	17·7	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18.3	21·2	18·0	21·4	19·3	19·6	23·3	20 2	21·2	26·0	25·3	24·1	22·5	27·8
AGES: Under 1 year,	19	22	31	28	25	35	30	36	38	28	27	21	23	31	26	34	21	30	31	24	29	31	43	26	31	32
AGES: 1-5 years,	9	9	3	12	14	19	14	17	15	19	11	18	15	18	19	16	15	16	22	11	11	14	20	17	22	23
AGES: 5-60 years,	50	62	58	48	62	63	55	53	60	65	64	72	58	69	56	61	60	62	71	61	71	87	74	85	59	84
AGES: 60 years and upwards,	16	16	24	34	29	36	31	35	37	26	38	37	30	28	23	36	37	27	36	43	35	47	37	38	43	52
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.
Scarlet Fever,	.	.	.	.	1	3	1	.	1	1	1	.	2	3	.	.	.	2	1	1	.	.	1	1	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	1	1	.	.	.	.	.	1	1	3	1	.	1	2	1	3	1	2	6	7	9	5	9
Diphtheria,	1	.	1	.	.	2	.	1	1	.	1	.	.	1	.	1	1	.	.	.	.	2	3	2	.	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1	1
Enteric Fever,	4	6	.	5	1	.	2	3	3	3	4	3	1	2	2	2	3	1	2	2	6	.	2	2	6	6
Diarrhœal Diseases,	1	3	5	4	2	1	3	3	1	2	.	2	.	2	1	3	2	2	3	2	1	3	2	1	.	1
Pneumonia,	12	4	12	6	12	9	18	16	14	18	15	18	14	18	14	15	12	8	11	10	8	19	17	13	16	23
Tuberculous Disease, Phthisis,	14	10	14	13	17	25	19	22	22	16	26	17	17	21	17	15	17	17	22	16	23	22	23	33	15	26
Tuberculous Disease, Other Forms,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4	3	8	7	6	7	7	6	10	5
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	5	7	5	4	5	6	5	1	6
Diseases of Respiratory System,	4	11	15	17	14	21	31	28	31	28	29	34	23	31	23	20	19	12	20	26	23	22	24	34	33	36
Violent Deaths,	3	2	2	3	7	4	4	3	4	9	3	3	2	4	5	6	1	4	1	3	1	6	4	2	6	1
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	4	4	3	3	5	3	5	2	4

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the fifteen weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	Mar 17,	2,499	1,498	16·5	.	70	10	14	38	3	17
EDINBURGH,	341,035	„ 17,	152	102	15·6	.	3	.	.	.	.	2
GLASGOW,	835,625	„ 17,	479	335	20·9	.	18	1	5	5	3	12
CALCUTTA,	847,796	Jan. 27,	.	646	39·6	102	5	.	.	1	145‡	112*
BOMBAY,	776,006	Feb. 13,	386	906	60·7	9	12	.	.	.	89‡	86
MADRAS,	509,346	Jan. 26,	315	487	49·7	22	13	?	?	?	118‡	100*
PARIS,	2,660,559	Mar. 3,	1,248	1,038	20·8	.	28	.	3†	3	3	15
BRUSSELS (with 8 Faubourgs).	598,467	Feb. 24,	256	170	14·8	.	.	1	2†	3	1	.
ANTWERP,	304,975	„ 24,	147	84	14·4	.	.	.	1†	.	.	12
AMSTERDAM,	558,736	„ 24,	349	157	14·6	.	1	.	.	3	.	4
COPENHAGEN,	426,000	„ 24,	223	141	17·3	.	.	.	.	1	.	4
STOCKHOLM,	318,398	„ 17,	162	115	18·8	.	.	2	2†	1	1	6
CHRISTIANIA,	222,373	Mar. 3,	107	69	16·1	.	.	1	2†	.	.	1
ST. PETERSBURG,	1,429,000	Feb. 24,	.	667	24·3	2	9	6	3	7	21	117
MOSCOW,	1,092,360	Jan. 27,	.	576	27·5	1	4	4	3†	7	6	57
BERLIN,	2,046,985	Feb. 10,	972	575	14·6	.	10	3	14†	7	.	17
HAMBURG,	803,000	„ 17,	.	241	15·6	.	2	1	1†	3	1	14
BRESLAU,	473,565	Mar. 3,	.	194	21·4	.	.	.	3†	3	.	12
MUNICH,	540,000	„ 3,	.	209	14·5	.	.	1	2†	2	.	22
VIENNA (with suburbs).	1,917,639	„ 3,	958	674	18·3	.	6	5	14†	2	1	27
BUDA-PESTH,	859,134	„ 3,	481	239	17·5	.	6	3	6†	2	1	9
PRAGUE and Faubourgs.	455,241	Feb. 24,	199	156	17·8	.	3	.	3†	.	.	14
TRIESTE,	194,749	„ 24,	123	126	33·6	.	4	.	5†	.	.	.
ROME,	526,170	Jan. 6,	274	219	21·7	.	.	.	2†	.	4	6
VENICE,	171,709	Feb. 17,	91	106	32·2	.	.	.	.	.	1	4
NEW YORK,	4,152,860	„ 17,	2,313	1,561	19·6	.	37	11	62†	2	10	28
PHILADELPHIA,	1,469,126	„ 10,	.	584	20·7	.	20	4	11†	8	29	32*
BOSTON,	595,380	„ 17,	.	217	19·0	.	3	.	4	.	2	.

* Including 44 deaths from cholera in Calcutta, 3 in Madras, and one in Philadelphia
† Including deaths from croup.
‡ Exclusive of 30 deaths from plague in Calcutta, 121 in Bombay, and 3 in Madras.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th March, 1906.

DISTRICTS.	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	1	.	.	.	.	.	.	.	.	1
" " 1, West,	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 2,	.	.	.	.	1	.	.	.	.	.	1	.	.	2
" " 3,	.	.	.	.	.	.	1	.	2	.	6	.	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	2	.	.	1	8	.	.	11
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 4,	.	.	.	.	.	.	1	.	.	1	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	1	2	.	4	.	3	2	16	.	.	28

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th March, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th March.			
	Feb. 24.	Mar. 3.	Mar. 10.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	.	.	5	6	.	.	11
Scarlet Fever,	49	51	53	7	11	.	49*
Typhus,	2	3	3	2	1	.	4
Diphtheria,	28	30	29	5	3	2	29
Enteric Fever,	27	24	27	3	5	1	24
Pneumonia,	18	28	28	5	8	.	25

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 17th March, 1906:—

"Very rough and boisterous weather prevailed during the greater part of this week, and the changes in temperature were unusually sudden and extreme. On Sunday morning a deep and energetic depression was central off the coasts of Mayo, Sligo and Donegal, the barometer at 8 a.m. being down to 28·99 inches at Blacksod Point. Rough S.W. winds swept over the southern half of the British Isles and north of France, in which districts temperature was high—at Blacksod Point, however, the wind had already at 8 a.m. shifted to N. with a brisk fall of temperature. At noon the barometer was 28·92 inches in Dublin—about that time the wind veered from S.W. to N.W. in this City and the thermometer fell from 53° to 41°. There were squalls of hail and sleet in the afternoon, and by 9 p.m. temperature had fallen to 36°. By 8 a.m. of Monday the centre of the depression had reached the Skager Rack, the Skaw reporting a barometer reading of 28·36 inches, or 1·44 inches below the reading recorded at that station 24 hours previously. The disturbance caused piercing northerly gales, snowstorms, and high tides in the North Sea. In Scotland and the North of England severe frost occurred over a snow-covered country, the thermometer sinking to 17° at Wick, 18° at Shields, 19° at Nairn, and 20° at Stornoway on Tuesday night. The Dublin Mountains were deeply covered with snow at this time, but the frost was not severe on the lowlands. On Wednesday a new depression in the N.W. brought strong and squally S.W. winds and a rapid rise of temperature, which quickly spread over the whole Kingdom. These conditions held to the end of the week. In Dublin the mean height of the barometer was 29·714 inches, pressure ranging between 28·924 inches at noon of Sunday (wind, S.W.) and 29·961 inches at 9 a.m. of Wednesday (wind, S.E.). The corrected mean temperature was 44·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·3°. The screened thermometers rose to 59·9° on Friday, having fallen to 32·0° on Wednesday. Rain fell on six days to the amount of ·590 inch, ·164 inch being measured on Tuesday. The prevailing wind was W.S.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·724 inches. The highest reading (29·972) was on Wednesday at 9 a.m., air calm, and the lowest (29·078) on Sunday at 9 a.m., wind S.W.

The mean temperature for the week was 43·3°, being 0·8° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Friday, on which day the thermometer registered 57·7°, and was lowest on Wednesday, the mercury having fallen to 28·7°. The mean of the Dry Bulb for the week was 43·4°, and of the Wet Bulb 41·4°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 19·3 hours. The rainfall during the week measured ·430 inch.

At Greenwich the mean temperature for the week was 43·5°, the maximum 63·9°, and the minimum 39·1°; and at Edinburgh the maximum was 54·1°; the minimum 19·4°; and the mean 36·6°. The rainfall at Greenwich measured 0·29 in.; and at Edinburgh 1·09 ins. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, March 11,	29·191	51·8	33·8	42·8	41·9	40·5	·88	·8	2·5	·140	S.W.	W.
Monday, „ 12,	29·846	38·5	30·8	34·7	32·8	31·9	·90	·6	8·3	·025	N.N.W.	Calm.
Tuesday, „ 13,	29·823	38·9	29·8	34·4	34·1	33·3	·92	·2	0·2	·155	Calm.	S.
Wednesday, „ 14,	29·858	50·4	28·7	39·6	44·5	41·7	·80	·6	3·3	·040	Calm.	S.W.
Thursday, „ 15,	29·677	57·6	43·9	50·8	48·4	46·1	·84	·9	3·1	·070	S.W.	W.
Friday, „ 16,	29·788	57·7	42·6	50·2	52·9	50·5	·84	·5	0·6	—	S.W.	S.W.
Saturday, „ 17,	29·888	55·4	45·7	50·6	49·0	46·0	·80	·7	1·3	—	S.W.	W.
Mean, . .	29·724	50·0	36·5	43·3	43·4	41·4	·85	·6	Total 19·3	Total ·430	Prevailing Wind. S.W.	

Sunday—A cloudy day, heavy rain, hail and snow showers; night overcast, snow 4 a.m. to 4.45 a.m. *Monday*—A fine day, light snow 10 a.m.; night cloudy, showers. *Tuesday*—A dull day; night overcast and showery. *Wednesday*—Cloudy a.m., overcast, showery p.m.; night overcast and showery. *Thursday*—A cloudy day, light shower 9 a.m.; night overcast, showers p.m. *Friday*—A dull day, cloudy intervals; night overcast *Saturday*—A dull day, cloudy intervals; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 17th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 11,	51·9	43·6	44·2	54·1	35·2	44·7	3·3	·079
Monday, „ 12,	35·0	42·4	44·2	39·9	33·0	36·5	8·2	·019
Tuesday, „ 13,	34·2	41·2	44·0	38·3	32·2	35·3	—	·150
Wednesday, „ 14,	41·3	40·7	44·1	51·7	31·2	41·5	2·5	·019
Thursday, „ 15,	54·3	42·8	44·0	59·5	45·3	52·4	5·9	·036
Friday, „ 16,	54·0	44·0	44·2	59·8	44·2	52·0	1·0	·002
Saturday, „ 17,	52·8	46·0	44·0	56·6	47·1	51·9	2·0	·001
Weekly Mean, .	46·2	43·0	44·1	51·4	38·3	44·9	Total 22·9	Total ·306

DUBLIN: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 374. 12. 1905.—12738.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 24TH MARCH, 1906. [No. 12.

General Register Office, Charlemont House,
Dublin, 26th March, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Mar. 3.	Week ending Mar. 10.	Week ending Mar. 17.	Week ending Mar. 24.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 3.	Week ending Mar. 10.	Week ending Mar. 17.	Week ending Mar. 24.	Average Rate for 4 weeks.
22 Town Dists.	24·1	22·8	22·6	23·8	23·3	Lisburn, . .	9·1	18·2	13·6	27·3	17·1
Armagh, . .	13·7	20·6	20·6	13·7	17·2	Londonderry,	16·1	23·6	18·6	9·9	17·1
Ballymena, .	19·2	14·4	19·2	28·7	20·4	Lurgan, . .	44·3	26·6	4·4	26·6	25·5
Belfast, . .	24·1	22·5	27·8	22·1	24·1	Newry, . .	21·0	4·2	12·6	25·2	15·8
Clonmel, . .	25·6	20·5	25·6	25·6	24·3	Newtownards, .	40·1	40·1	40·1	45·8	41·5
Cork, . . .	23·3	24·0	16·4	26·0	22·4	Portadown,	15·5	20·7	5·2	10·3	12·9
Drogheda, . .	36·8	32·7	20·4	24·5	28·6	Queenstown .	33·0	19·8	6·6	46·1	26·4
Dublin Reg. Area,	24·8	24·6	23·1	25·6	24·5	Sligo, . . .	14·4	9·6	43·2	19·2	21·6
Dundalk, . .	31·9	16·0	12·0	19·9	20·0	Tralee, . .	10·6	15·9	.	.	6·6
Galway, . .	3·9	23·3	11·7	38·8	19·4	Waterford, .	35·1	19·5	15·6	31·2	25·3
Kilkenny, . .	14·7	14·7	19·7	9·8	14·7	Wexford, . .	23·3	23·3	23·3	18·7	22·2
Limerick, . .	27·3	19·1	15·0	27·3	22·2						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in fourteen of the districts to 17·2 in Newtownards, the 8 deaths from all causes in that district including one from measles, one from whooping-cough, and one from diarrhœa. Among the 152 deaths from all causes in Belfast are 5 from whooping-cough, 2 from diphtheria, 3 from enteric fever, and 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 211—107 boys and 104 girls; and the deaths to 193—90 males and 103 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 26·6 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 25·6 per 1,000. During the twelve weeks ending with Saturday last the death-rate averaged 23·6, and was 6·3 below the mean rate for the corresponding portions of the ten years, 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths (193) included one death from diphtheria, 5 deaths from diarrhœal diseases, and one death from influenza. In each of the 3 preceding weeks the deaths from diphtheria were 0, 2, and 2, and the deaths from diarrhœal diseases were one, 3, and 3.

There were 6 deaths from broncho-pneumonia, and 7 deaths from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease were 43 in number, and included 14 deaths from tuberculous phthisis, 18 deaths from *phthisis*, 5 deaths from tuberculous meningitis, 2 deaths from tuberculous peritonitis, and 4 deaths from other forms of the disease. In each of the 3 weeks preceding, deaths from all forms of tuberculous disease were 50, 39, and 35.

Four deaths were attributed to carcinoma, 2 deaths to sarcoma, and 5 deaths to cancer (undefined).

The deaths of 2 infants, prematurely born, were registered.

Of 18 deaths from diseases of the brain and nervous system, 4 were of infants under one year, and 2 were of children between the ages of one year and 5 years, from *convulsions*.

Diseases of the heart and blood vessels were accountable for 31 deaths; there were also 31 deaths from bronchitis.

Of 4 deaths from accidental circumstances one was due to vehicles and horses, one to burns, one to suffocation in bed, and one to accidental poisoning.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under one year old and the death of one person aged 64 years.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 10 were under one month old) and 66 were aged 60 years and upwards, including 32 persons aged 70 and upwards, of whom 10 were octogenarians, and one (a female) was stated to have been aged 90 years.

Seventy-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 31 took place in the North Dublin Union Workhouse, 11 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·6 per 1,000; the rate in the City was 28·1 (North City Districts, 30·1; South, 26·0), and in the Suburbs, 17·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·6 per 1,000 inhabitants, the rate for the City being 0·5 (0·3 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·6.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000, and include 3 deaths from tuberculous disease of the lungs and 2 deaths from diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (23) are equal to an annual rate of 30·6 per 1,000, and include one death from dysentery, one death from broncho-pneumonia, one death from *pneumonia* (not defined), 5 deaths from tuberculous disease of the lungs, and 8 deaths from diseases of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (28) are equivalent to an annual rate of 48·5 per 1,000, and include 5 deaths from *phthisis*, 4 deaths from bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 24·7 per 1,000, and include 2 deaths from broncho-pneumonia, 5 deaths from tuberculous disease, and 2 deaths from bronchitis

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 26·0; and Finglas and Glasnevin, part of, 23·5.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 24·5 per 1,000, and include one death from *diarrhœa*, one death from broncho-pneumonia, 2 deaths from *pneumonia* (not defined), 3 deaths from tuberculous phthisis, and 4 deaths from diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 31·2 per 1,000, and include 4 deaths from tuberculous disease and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 27·4 per 1,000, and include one death from *diarrhœa*, 7 deaths from tuberculous disease, and 5 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000, and include one death from broncho-pneumonia, one death from *pneumonia* (not defined), 5 deaths from tuberculous disease, and 3 deaths from bronchitis.

New Kilmainham District.—The one death recorded is equal to an annual rate of 5·9 per 1,000, and was caused by tuberculous phthisis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·3; Pembroke, 16·0; Blackrock, 11·9; and Kingstown, 20·7. The only death from any of the principal epidemic diseases recorded for these districts is one from diphtheria for Rathmines and Rathgar. Among the 11 deaths from all causes for the last-named district are one death each from influenza and broncho-pneumonia, 2 deaths from tuberculous phthisis, and one death caused accidentally; the 8 deaths from all causes for Pembroke include one from tuberculous meningitis, one from bronchitis and one from accidental violence; and the 7 deaths from all causes for Kingstown include 2 from *pneumonia* (not defined), 2 from bronchitis, and one caused by accident.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 24th March, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Mar. 3,	.	—	—	8	.	.	3	.	3	7	10	2	—	—	—	—	—	33
	Mar. 10,	.	—	—	8	.	.	3	.	6	2	11	1	—	—	—	—	—	31
	Mar. 17,	.	—	—	1	2	.	4	.	3	2	16	.	—	—	—	—	—	28
	Mar. 24,	.	—	—	5	.	.	3	.	.	1	5	.	—	—	—	—	—	14
Rathmines and Rathgar Urban District.	Mar. 3,	.	—	—	1	.	.	.	.	.	2	.	.	—	—	—	—	—	3
	Mar. 10,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	2
	Mar. 17,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	—	4
	Mar. 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
Pembroke Urban District.	Mar. 3,	.	.	.	1	.	.	1	.	.	1	.	.	—	2	.	—	—	5
	Mar. 10,	.	.	.	2	.	.	.	.	2	2	.	.	—	3	.	—	—	9
	Mar. 17,	.	.	.	.	.	.	.	.	.	.	.	.	—	1	.	—	—	1
	Mar. 24,	.	.	.	.	.	.	.	.	.	1	.	.	—	5	.	—	—	6
Blackrock Urban District.	Mar. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Mar. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 17,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	Mar. 24,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	2
City of Belfast.	Mar. 3,	.	—	—	27	.	.	4	.	12	21	10	1	—	—	—	—	—	75
	Mar. 10,	.	—	—	29	.	.	4	.	10	17	8	1	—	—	—	—	—	69
	Mar. 17,	.	—	—	27	1	.	2	1	5	10	6	.	—	—	—	—	—	52
	Mar. 24,	.	—	—	39	.	.	3	2	11	18	9	.	—	—	—	—	—	82

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th March, 1906.

From this it appears that:—

Six cases of measles were admitted to hospital during the week, 3 were discharged, and 4 cases remained under treatment at its close.

Seven cases of scarlet fever were admitted to hospital, 4 were discharged, and 52* cases remained under treatment at the close of the week.

Two cases of typhus were discharged from hospital during the week, and 2 cases remained under treatment at its close.

Eight cases of diphtheria were admitted to hospital, 14 were discharged, and 23 patients remained under treatment at the close of the week.

Three cases of enteric fever were admitted to hospital, 6 were discharged, and 21 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 4 were discharged, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·8), was equal to an average annual death-rate of 15.8 per 1,000 persons living. The average rate for 8 principal towns of Scotland was 18·0 per 1,000, the rate for Glasgow being 18·3, and for Edinburgh 17·0.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th March. From this Return it appears that of a total of 40 cases notified 21 were scarlet fever, 11 diphtheria, and 8 erysipelas. Among the 293 cases of infectious diseases in hospital at the close of the week were 145 cases of scarlet fever, 58 of diphtheria, 59 of measles, 13 of erysipelas, 12 of typhoid fever, and 8 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 24th March, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 24th March, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 24th March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	30·2	23·8	1·1	654	499	89	162	.	2	.	.	8	3	.	3			70	27	20	76	5	11	154	24	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	378,994	27·5	29·0	25·6	0·6	211	186	30	64	.	.	.	.	.	1	.	.	3	12	31	11	10	34	4	5	72	6	f50·6	30·7	40·3	0·19	f57·7	28·7	43·3	0·43	f57·7	35·9	46·3	0·76
City of Dublin,	298,385	37·1	30·6	28·1	0·5	172	158	25	53	.	.	.	.	.	.	.	.	.	9	29	10	10	30	1	3	67	6	g51·0 / h51·3	33·4 / 33·0	42·5 / 41·0	0·16 / 0·15	g59·9 / h58·8	32·0 / 30·0	44·9 / 43·9	0·39 / 0·44	g58·6 / h58·8	37·2 / 37·0	47·3 / 46·9	0·68 / 0·74
Urban Dists. Rathmines and Rathgar.	33,203	19·4	29·8	17·3	1·6	19	11	.	4	.	.	.	.	.	1	.	.	.	1	2	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	22·0	16·0	.	11	8	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	29·8	11·9	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	11·8	20·7	.	4	7	.	4	.	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	3	.	48·5	31·5	42·2	0·19	60	32·5	46·4	0·32	59	36·5	47·3	0·68
Urban Districts.																																							
Belfast,	358,680	24·4	32·1	22·1	1·7	221	152	37	42	.	.	.	.	5	2	.	3	2	10	17	6	4	24	.	2	38	3	53·5	30·0	42·3	0·21	55·0	21·0	39·3	1·46	55·5	29·2	44·4	0·32
Cork,	76,122	33·6	28·1	26·0	0·7	41	38	6	10	.	.	.	.	.	.	.	.	1	1	5	4	1	8	.	.	11	4	51	34	43·2	0·03	58	35	45·7	0·47	54	40	47·5	0·71
Londonderry,	42,067	19·4	26·0	9·9	1·2	21	8	1	1	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	31·4	27·3	.	23	20	2	6	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	37·0	31·2	.	19	16	1	8	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	35·0	38·8	.	9	10	2	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	4	2	54	35	41·3	0·02	54	33	45	2·19	56	43	49	0·51
Dundalk,	13,076	3·4	19·9	19·9	.	5	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	40·9	24·5	.	10	6	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	29·4	25·2	.	7	6	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.	50·0	30·2	40·4	0·08	54·6	28·0	41·6	0·77	55·7	34·4	45·2	0·82
Lurgan,	11,782	13·8	31·0	26·6	4·4	7	6	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	50·0	30·2	40·4	0·08	54·6	28·0	41·6	0·77	55·7	34·4	45·2	0·82
Lisburn,	11,461	10·1	36·4	27·3	.	8	6	1	2	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	1	1	1	50·0	30·2	40·4	0·08	54·6	28·0	41·6	0·77	55·7	34·4	45·2	0·82
Wexford,	11,168	23·2	42·0	18·7	.	9	4	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	19·2	28·7	.	4	6	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	38·6	19·2	.	7	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	52·1	32·8	41·5	0·16	55·3	29·8	42·3	1·59	55·3	36·4	45·2	1·47
Kilkenny,	10,609	11·5	19·7	9·8	4·9	4	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	51	33	40·7	0·02	58	33	45·1	0·81	57	35	47·2	1·06
Clonmel,	10,167	7·8	30·8	25·6	5·1	6	5	1	3	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	25·8	10·3	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	50·0	30·2	40·4	0·08	54·6	28·0	41·6	0·77	55·7	34·4	45·2	0·82
Tralee,	9,867	16·6	42·3	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	5·7	45·8	17·2	1	8	1	3	.	1	.	.	1	.	.	.	1	.	3	.	.	.	.	.	1	.	46	31	40·9	0·03	56	25	40·7	0·70	56	35	44·1	0·49
Queenstown,	7,909	14·4	19·8	46·1	.	3	7	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	51	34	43·2	0·03	58	35	45·7	0·47	54	40	47·5	0·71
Armagh,	7,588	22·2	34·4	13·7	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	50·0	30·2	40·4	0·08	54·6	28·0	41·6	0·77	55·7	34·4	45·2	0·82

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 7 deaths of persons (including one under 1 year old and 2 at 60 years or upwards), admitted to hospital from localities outside the Area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 24th of March, 1906, with the number of uncertified deaths: also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLASTHULE & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	2
Pneumonia,	.	2	.	2	.	.	.	3	.	.	2	.	1	.	.	2	12	1
Tuberculous Disease. { Phthisis,	3	5	5	3	.	.	.	3	3	2	4	1	2	.	.	.	31	1
Tuberculous Disease. { Other Forms.	.	.	1	2	.	.	.	.	1	5	1	.	.	1	.	.	11	.
Cancer, Malignant Disease,	1	.	.	1	1	2	.	2	.	1	2	.	.	.	.	.	10	1
Other General Diseases	2	.	.	.	.	1	.	2	.	2	.	.	2	.	.	.	9	.
Total,	6	8	6	8	1	3	.	11	4	11	9	1	6	1	.	2	77	5
B. LOCAL DISEASES:																		
Diseases of { Nervous System	1	.	6	2	.	.	1	.	2	.	2	.	1	3	.	.	18	.
Diseases of { Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of { Heart and Blood Vessels,	2	4	8	1	.	1	1	3	1	4	2	.	1	.	1	1	30	1
Diseases of { Respiratory System,	2	8	4	2	.	1	.	4	1	5	3	.	.	1	1	2	34	.
Diseases of { Digestive System,	.	2	.	1	.	.	.	.	1	2	1	.	2	1	.	1	11	.
Diseases of { Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of { Urinary System,	.	1	2	.	.	.	.	.	.	.	1	.	.	1	.	.	5	.
Diseases of { Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	15	20	6	.	2	2	7	5	11	9	.	4	6	2	4	98	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	1	1	.	.	1	.	3	.	.	.	.	.	.	.	7	.
E. VIOLENT DEATHS,	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	1	4	.
Deaths from all Causes,	12	23	28	15	1	5	3	18	12	22	18	1	11	8	2	7	186	7
Annual Rate of Mortality from all causes in every 1,000 of the population	22·1	30·6	48·5	24·7	10·8	26·0	23·5	24·5	34·2	27·4	26·7	5·9	17·3	16·0	11·9	20·7	25·6	.
	30·1							26·0					17·1					
	28·1																	
Deaths of { Infants under 1 year of age,	3	8	4	6	.	1	1	3	2	3	.	.	.	4	.	.	30	1
Deaths of { Persons aged 60 years and upwards,	5	10	12	2	.	4	2	5	2	5	6	.	4	2	1	4	64	2
Number of Uncertified Deaths,	2	1	.	.	.	.	.	.	1	2	.	.	.	.	.	.	6	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	8	3	4	.	.	.	4	1	3	9	1	1	1	.	.	30	5
Workhouse Hospitals,	3	9	9	7	.	.	.	4	2	3	2	.	.	.	.	3	42	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1896-

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 12th Week of the 10 years 1896-1905.	In the Week ending Saturday 24th March, 1906. Deaths of Persons of the Age						
	Mar. 21, 1896.	Mar. 27, 1897.	Mar. 26, 1898.	Mar. 25, 1899.	Mar. 24, 1900.	Mar. 23, 1901.	Mar. 22, 1902.	Mar. 28, 1903.	Mar. 26, 1904.	Mar. 25, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 43·6	° 51·2	° 39·7	° 35·3	° 36·4	° 39·3	° 44·4	° 46·0	° 43·6	° 43·8	° 42·3	Mean Temp. ° 40·3						
ALL CAUSES.	170	242	198	214	236	253	167	225	235	169	210·9	193	10	21	12	15	29	40
Small-pox,	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	37	.	.	.	.	1	2	5	4	4·9	.	.	.	.	.	.	.
Scarlet Fever,	1	1	2	.	1	.	1	4	.	.	1·0	.	.	.	.	.	.	.
Typhus,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	6	1	9	12	3	12	2	1	4	4	5·4	1	.	.	.	.	.	1
Whooping-cough,	2	19	3	2	.	7	1	6	5	1	4·6	.	.	.	.	.	.	.
Diphtheria,	3	1	.	1	1	1	1	2	2	.	1·2	1	.	.	1	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.
Enteric Fever,	1	.	6	4	.	1	1	3	.	1	1·7	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	.	7	1	1	4	5	1	. / 3	. / 1	. / 1	2·4	1 / 4	.	1 / 1	. / 1	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	1	1	1	2	1	.	2	2	1·1	1	.	1	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	.	1 / . / .	. / . / .	. / . / .	·1	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	9	14	12	17	22	15	12	.	1	1	13·4	.	.	.	.	.	.	.
Pneumonia, Broncho-Epidemic,								5	6	5		6	2	1	.	1	1	.
Pneumonia, Not defined,								. / 8	1 / 2	. / 4		. / 7	.	. / 1	. / 1	.	1	. / 1
Erysipelas,	.	.	.	.	.	.	.	2	.	.	·2	1	.	.	.	1	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	3	.	.	1	1	1	.	2 / .	2 / .	. / .	1·0	. / .	.	. / .	. / .	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	5	1	·6	.	.	.	.	.	.	.
Tuberculous Phthisis,	27	32	36	26	27	27	36	2	15	12	31·4	14	.	1	.	1	10	2
"*Phthisis*,"								28	21	25		18	.	.	.	1	11	6
Tuberculous Meningitis,	4	2	6	4	3	5	4	10	4	1	4·3	5	.	4	1	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	3	6	9	7	10	4	1	. / .	. / 1	1 / .	4·2	2 / .	.	. / .	.	2	. / .	.
Tuberculous Dis. (other), *Scrofula*,	5	4	1	4	6	7	6	9 / .	4 / .	2 / 1	4·9	4 / .	.	1 / .	.	1	1	1
Alcoholism,	1	.	1	2	.	.	2	2	1	.	·9	1	.	.	.	.	.	.
Rheumatic Fever,	1	.	1	1	1	.	1	.	.	2	·7	.	.	.	.	.	.	.
Gout,	.	.	.	2	.	.	.	1	.	.	·3	.	.	.	.	.	.	.
Carcinoma,	5	4	6	5	10	8	4	.	5	3	6·6	4	.	.	.	.	.	.
Sarcoma,								.	.	1		2	.	.	.	.	.	2
Cancer (undefined),								6	5	4		5	.	.	.	.	.	2
Diabetes Mellitus,	.	.	.	.	.	.	.	.	1	2	·3	.	.	.	.	.	.	.
Premature Birth,	1	5	1	2	1	3	3	5	6	4	3·1	2	1	1	.	.	.	.

* The figures for the years 1896-1900 a
† Formerly describ

TWELFTH WEEK ending Saturday, 24th March, 1906, with the deaths from each cause in the corresponding he average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 12th Week of the 10 years 1896–1905.	In the Week ending Saturday, 24th March, 1906. Deaths of Persons of the Ages of							
	Mar. 21, 1896.	Mar. 27, 1897.	Mar. 26, 1898.	Mar. 25, 1899.	Mar. 24, 1900.	Mar. 23, 1901.	Mar. 22, 1902.	Mar. 28, 1903.	Mar. 26, 1904.	Mar. 25, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 43·6	° 51·2	° 39·7	° 35·3	° 36·4	° 39·3	° 44·4	° 46·0	° 43·6	° 43·8	° 42·3	Mean Temp. ° 40·3							
ningitis (not tuberc.) ...								2	3	.		1	.	.	1	.	.	.	.
anity, G. P. of Insane ...								1	2	2		4	.	.	.	.	2	2	.
ilepsy								.	.	1		2	.	.	.	1	.	1	.
vulsions								8	6	7		6	1	3	2	.	.	.	.
omotor Ataxy ...								.	.	.		.	.	.	.	.	.	.	.
aplegia Dis. of Cord ...								5	1	7		1	.	.	.	.	.	.	1
rvous System (other is.)	39	42	37	39	42	58	32	2	.	.	42·9	4	.	1	.	1	.	1	1
rv. Dis., Endocarditis ...								8	7	1		2	.	.	.	.	1	1	.
ebr. Hæm. Thromb. ...								2	2	.		3	.	.	.	1	.	1	1
oplexy, Hemiplegia ...								4	6	3		3	.	.	.	1	1	.	1
eurysm								.	.	.		.	.	.	.	.	.	.	.
bolism, Thromb. (not erebral)								.	1	.		1	.	.	.	.	.	1	.
art and Blood Vessel Dis.								21	19	16		22	.	.	.	.	.	8	12	2
up (not Spasm. nor lemb.)	1	3	.	1	.	.	.	.	.	.	·5	2	.	.	1	1	.	.	.	.
onchitis	17	18	26	30	48	39	16	22	29	17	26·2	31	.	3	3	2	.	5	14	4
hma, Emphysema ...								.	2	1		.	.	.	.	.	.	.	.	.
urisy	3	1	.	.	2	4	2	1	1	1	2·5	.	.	.	.	.	.	.	.	.
spiratory Dis. (other) ...								3	2	2		1	.	.	.	.	1	.	.
nsillitis, Quinsy ...	.	1	.	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
teritis (not Epid.) ...	.	1	.	.	2	.	1	1	.	.	·6	1	.	1	.	.	.	.	.	.
stro Enteritis								.	1	.		.	.	.	.	.	.	.	.	.
itonitis (not Puerp.) ...	.	1	1	1	.	.	3	1	.	.	·7	.	.	.	.	.	.	.	.	.
rhosis of Liver ...	1	3	2	2	1	4	5	.	.	2	2·4	1	.	.	.	.	.	1	.	.
er Dis. (other) ...								2	1	1		2	.	.	.	.	.	.	2	.
gestive Dis. (other) ...	3	5	4	2	6	5	1	6	10	5	4·7	7	1	.	.	2	.	3	1	.
phritis, Acute ...								3	1	3		1	.	.	.	.	1	.	.	.
ght's Dis., Albuminuria	6	3	4	5	4	6	7	2	6	2	5·4	4	.	.	.	.	1	1	2	.
inary Sys. (Other Dis.)								.	2	.		.	.	.	.	.	.	.	.	.
nerative Organs Dis. ...	1	1	.	.	.	.	.	1	2	.	·5	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of) ...	1	1	.	.	.	.	1	.	1	1	·5	1	.	.	.	.	1	.	.	.
d Age	15	7	15	18	17	17	.	6	11	4	11·0	3	.	.	.	.	.	.	2	1
ner Diseases	7	14	8	16	13	15	13	11	13	8	11·8	7	4	1	1	.	.	.	1	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	.	2	1	.	1	1	.	1	.	·6	1	.	.	.	.	.	1	.	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	2	1	.	.	6	2	4	1	1	1	1·8	1	.	.	.	.	.	.	1	.
Drowning	1	3	2	4	.	1	.	1	2	1	1·5	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Poison or Poisonous Vapours	.	.	2	.	.	1	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
her Deaths by Accidents	.	1	.	1	2	1	3	5	1	.	1·4	.	.	.	.	.	.	.	.	.
IOLENCE OTHER THAN ACCIDENTAL.																				
omicide	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
icide	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905-6—Week ending																									
	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.
No. of weeks in Annual Series.	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered,	285	189	191	176	175	223	239	205	177	198	191	238	199	184	245	192	183	220	283	202	188	169	252	214	189	211
*Average Births in corresponding week of previous 10 years,**	220	189	185	203	197	194	189	199	181	190	195	183	160	182	210	206	199	200	221	215	205	217	213	208	219	206
DEATHS registered,	168	158	141	143	133	195	152	158	173	157	168	148	171	189	168	166	154	160	187	151	149	185	183	187	173	193
Annual Death-rate per 1,000,	23·1	21·7	19·4	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6
*Average Deaths in corresponding week of previous 10 years,**	163	156	172	175	177	173	178	186	191	197	185	187	189	199	219	214	211	202	212	209	209	221	233	221	212	211
AGES, Under 5 years,	43	44	33	28	33	54	34	43	52	42	49	47	43	27	28	52	39	37	46	35	32	45	40	43	55	43
5—20 ,,	17	17	11	9	5	6	14	10	9	13	10	13	9	7	17	17	11	13	16	8	9	8	14	8	15	15
20—40 ,,	28	23	23	26	18	36	26	31	18	22	31	13	30	21	34	35	18	21	18	21	15	38	39	34	19	29
40—60 ,,	31	36	32	37	34	35	38	32	36	34	35	32	45	41	48	37	45	37	42	42	46	43	34	43	35	40
60—80 ,,	42	29	36	35	34	59	33	35	50	35	37	34	37	37	35	28	34	43	52	39	39	44	49	49	41	55
80 years and upwards,	7	9	6	8	9	5	7	7	8	11	6	9	7	6	6	7	7	9	13	6	8	7	7	10	8	11
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	.	1	.	1	1	1	.	1	.	1	.	.	2	1	.	1	.	.	1	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	2	.	.	1	8	1	2	2	1	1	2	3	1	1	2	.	.	1	4	1	2	.
Diphtheria,	.	.	.	2	.	.	1	1	.	.	1	1	.	2	2	2	.	1	1	.	.	1	.	2	2	1
Pyrexia † (origin uncertain),	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	1	.	.	.	.	.	1	.
Enteric Fever,	2	2	1	4	.	2	2	.	.	2	2	1	4	3	3	.	.	.	1	.	.	1	1	.	3	.
Diarrhœal Diseases,	9	1	4	1	3	4	4	2	3	5	2	1	1	2	1	1	1	3	1	.	1	2	1	3	3	5
Pneumonia,	17	10	9	6	10	18	13	14	15	10	10	8	11	11	12	15	12	16	19	6	11	13	16	18	10	13
Tuberculous Phthisis,	23	25	17	18	21	24	21	16	20	18	24	9	27	19	21	14	23	21	29	18	23	29	32	30	23	32
Disease. Other Forms,	10	17	13	7	4	9	6	12	7	10	4	15	4	1	12	16	5	6	9	15	10	12	18	9	12	11
Cancer, Malignant Disease,	5	11	7	10	8	7	6	5	10	8	6	11	5	6	7	5	12	6	8	14	6	13	6	6	6	11
Diseases of Heart and Blood Vessels,	27	18	28	29	19	29	21	23	24	25	26	21	26	30	28	21	24	33	31	23	27	21	25	31	29	31
Diseases of Respiratory System,	18	13	17	18	17	42	26	26	34	33	22	16	25	20	26	28	22	18	27	26	27	32	28	28	21	34
Violent Deaths,	7	2	5	8	6	3	2	3	3	3	2	2	4	6	4	3	7	8	5	5	.	4	10	1	2	4
Number of Uncertified Deaths,	4	5	3	5	6	4	9	7	9	4	5	9	8	6	4	5	6	6	11	7	6	8	4	6	7	6
Mean Temperature of the Air (Phœnix Park),	49·4	48·3	49·6	40·0	41·1	42·7	48·0	38·0	40·0	44·1	46·6	48·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	48·3	40·3
Average Mean Temperature in corresponding week of previous 10 years	53·5	51·3	48·6	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3
Rainfall in inches,	·325	·775	·035	·100	·295	1·190	·250	1·485	·320	·645	·128	·035	·285	·770	·860	·855	1·605	·230	·180	·755	·095	·625	·545	·758	·430	·185
Mean Humidity of the Air, complete Saturation, 1·0.	·87	·87	·91	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	.88	·86	·87	·89	·87	·85	·80

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

in the Dublin Registration Area during the Week ending Saturday, 24th March, 1906; the Annual Death-rate represented in each Class and Group of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH MARCH, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cóls. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	26·8	193	43	15	29	40	55	11	.	.	.	.	.	1	.	.	5	6	13	32	11	11	6	34	4	76	6
	CLASSES.																												
	Deaths in Families of the—																												
I.	Professional and Independent Class,	17,436	23·9	8	1	.	.	2	3	2	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	1	.	4	.
II.	Middle Class,	87,188	22·7	38	7	2	5	7	13	4	.	.	.	.	.	1	.	.	.	1	2	4	1	5	2	2	.	21	.
III.	Artisan Class and Petty Shopkeepers,	110,423	18·9	40	10	6	4	8	9	3	.	.	.	.	.	.	.	.	.	.	1	6	6	2	2	4	2	17	1
IV.	General Service Class,	154,279	34·8	63	18	6	14	11	14	.	.	.	.	.	.	.	.	.	.	.	6	14	2	2	2	17	2	18	5
V.	Inmates of Workhouses,	6,024		44	7	1	6	12	16	2	.	.	.	.	.	.	.	.	4	4	3	8	2	1	.	10	.	16	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	33·4	5	1	.	.	2	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	1	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,860	18·7	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	27·0	4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	23·7	10	2	.	.	1	5	2	.	.	.	.	.	1	.	.	.	1	.	.	.	2	1	1	.	5	.
	6. Clerks and Commercial Assistants,	30,432	24·0	14	4	1	2	3	4	.	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	1	.	8	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	19·3	10	1	1	2	2	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	6	.
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	2	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
	9. Building and Furnishing Trades,	29,801	15·7	9	2	2	1	.	1	3	.	.	.	.	.	.	.	.	.	.	1	1	2	.	1	2	.	2	.
	10. Clothing Trades,	28,260	15·7	7	3	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	5	1
	11. Food Supply Trades,	9,242	5·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	27·5	16	2	2	2	5	5	.	.	.	.	.	.	.	.	.	.	.	.	4	3	1	.	1	2	5	.
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	38·8	10	4	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	5	.
	15. Domestic Servants,	36,603	4·3	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	29·0	8	3	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6	.	1	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	24·4	42	11	3	11	10	7	.	.	.	.	.	.	.	.	.	.	.	3	12	2	1	1	10	2	11	4
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates,	6 024	.	44	7	1	6	12	16	2	.	.	.	.	.	.	.	.	4	4	3	8	2	1	.	10	.	16	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of).	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	Feb. 3,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	1	5	.	.	2	1	.
	„ 10,	7·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 17,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	1	2	2	.	2	.	.
	„ 24,	27·6	1·8	15	.	.	.	.	1	.	.	.	.	1	3	.	.	1	.	1
	Mar. 3,	23·9	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1
	„ 10,	27·6	.	15	.	.	.	.	.	.	.	.	.	3	4	1	.	1	.	.
	„ 17,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 24,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	3	.	1	2	.	2
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,145.	Feb. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	5	2	1	.	6	.	3
	„ 10,	22·6	1·3	17	.	.	.	1	.	.	.	.	.	1	1	1	2	6	.	1
	„ 17,	29·3	.	22	.	.	.	.	.	.	.	.	.	1	4	.	.	3	.	2
	„ 24,	30·6	2·7	23	.	.	1	.	.	.	.	1	.	2	3	1	2	6	1	1
	Mar. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	.	4	2	.	8	1	.
	„ 10,	25·3	4·0	19	.	.	.	.	1	1	.	.	1	2	4	.	.	3	.	2
	„ 17,	26·6	.	20	.	.	.	.	.	.	.	.	.	2	3	2	.	1	1	2
	„ 24,	30·6	1·3	23	.	.	.	.	.	.	.	.	1	2	5	.	.	8	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Feb. 3,	32·9	1·7	19	.	.	.	.	.	.	.	.	1	2	7	2	.	2	1	1
	„ 10,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.
	„ 17,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.
	„ 24,	22·4	1·7	17	.	.	.	.	.	.	.	.	1	1	4	2	1	1	1	.
	Mar. 3,	19·1	.	11	.	.	.	.	.	.	.	.	.	2	4	4	.	.	.	.
	„ 10,	36·4	.	21	.	.	.	.	.	.	.	.	.	2	4	4	.	3	.	1
	„ 17,	36·4	1·7	21	.	.	.	.	.	.	.	.	1	1	4	2	1	3	.	.
	„ 24,	48·5	.	28	.	.	.	.	.	.	.	.	.	.	5	1	.	4	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Feb. 3,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1
	„ 10,	32·9	.	20	.	.	.	.	.	.	.	.	.	4	3	2	1	1	1	.
	„ 17,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.
	„ 24,	29·6	.	18	.	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.
	Mar. 3,	32·9	3·3	20	.	.	.	.	2	.	.	.	.	3	2	3	.	2	1	.
	„ 10,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	3	.	.	1	3	.	1
	„ 17,	34·6	3·3	21	.	.	.	.	.	.	.	1	1	.	2	1	.	2	.	1
	„ 24,	24·7	.	15	.	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 32,384.	Feb. 3,	21·7	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	1	1	.
	„ 10,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	3	1	.	5	1	1
	„ 17,	14·9	.	11	.	.	.	.	.	.	.	.	.	1	3	1	.	2	.	1
	„ 24,	25·8	1·4	19	.	.	.	.	.	1	.	.	.	1	4	2	.	5	1	.
	Mar. 3,	29·9	1·4	22	.	.	.	.	.	.	.	1	.	.	7	1	.	4	3	.
	„ 10,	24·5	.	18	.	.	.	.	.	.	.	.	.	2	4	.	.	2	.	1
	„ 17,	21·7	2·7	16	.	.	.	.	1	1	.	.	.	.	3	1	.	4	.	.
	„ 24,	24·5	1·4	18	.	.	.	.	.	.	.	.	1	3	3	.	2	4	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Feb. 3,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	1
	„ 10,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
	„ 17,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	„ 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	2
	Mar. 3,	39·9	.	14	.	.	.	.	.	.	.	.	.	1	2	2	1	3	.	.
	„ 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
	„ 17,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Feb. 3,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	3	2	4	1	4	.	1
	„ 10,	23·6	.	19	.	.	.	.	.	.	.	.	.	1	2	4	2	2	1	.
	„ 17,	28·6	.	23	.	.	.	.	.	.	.	.	.	3	5	4	.	5	.	1
	„ 24,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	1	1	4	1	2	.	.
	Mar. 3,	32·3	3·7	26	.	.	.	.	2	.	.	.	1	1	3	3	2	5	.	2
	„ 10,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	2	.	3	.	3	.	1
	„ 17,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	3	1	2	2	.	.
	„ 24,	27·4	1·2	22	.	.	.	.	.	.	.	.	1	.	2	5	1	5	.	2
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Feb. 3,	18·4	.	9	.	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.
	„ 10,	25·2	.	17	.	.	.	.	.	.	.	.	.	.	2	2	2	.	1	.
	„ 17,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	5	.	.
	„ 24,	25·2	.	17	.	.	.	.	.	.	.	.	.	1	3	.	.	7	.	.
	Mar. 3,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.
	„ 10,	26·7	.	18	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	.
	„ 17,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	4	1	1	3	.	.
	„ 24,	26·7	.	18	.	.	.	.	.	.	.	.	.	2	4	1	2	3	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	Feb. 3,	18·8	1·6	12	.	.	.	.	.	.	.	1	.	.	3	.	.	1	.	.
	„ 10,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1
	„ 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 24,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	2	1	4
	Mar. 3,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	2	1	.	2	3	.
	„ 10,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.
	„ 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	17·3	1·6	11	.	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025.	Feb. 3,	30·1	2·0	15	.	.	.	.	.	1	.	.	.	1	3	.	2	3	.	.
	„ 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
	„ 17,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1
	„ 24,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Mar. 3,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
	„ 10,	18·0	.	9	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
	„ 17,	16·0	2·0	8	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	1
	„ 24,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Feb. 3,	28·7	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 10,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
	„ 17,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.
	„ 24,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.
	Mar. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 24,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.
Belfast. Pop. in 1906 (Est.) 358,680.	Feb. 3,	20·2	0·9	139	.	.	1	.	1	.	.	2	2	10	16	7	5	26	3	3
	„ 10,	21·2	1·3	146	.	.	.	.	2	.	.	6	1	8	23	6	4	23	1	3
	„ 17,	26·0	1·9	179	.	1	.	.	6	2	1	.	3	19	22	7	5	22	6	5
	„ 24,	25·3	2·2	174	.	.	1	.	7	3	.	2	2	17	23	7	6	24	4	3
	Mar. 3,	24·1	2·2	166	.	.	1	.	9	2	.	2	1	13	33	6	5	34	2	5
	„ 10,	22·5	1·9	155	.	.	1	.	5	.	1	6	.	16	15	10	1	33	6	2
	„ 17,	27·8	2·8	191	.	.	1	.	9	1	1	6	1	28	26	5	6	36	1	4
	„ 24,	22·1	1·7	152	.	.	.	.	5	2	.	3	2	10	17	6	4	24	.	3
Cork. Pop. (in 1901) 76,122.	Feb. 3,	15·1	.	22	.	.	.	.	.	.	.	.	.	1	4	3	1	.	.	.
	„ 10,	21·9	2·1	32	.	.	.	1	.	1	.	1	.	.	8	1	1	3	1	2
	„ 17,	21·2	.	31	.	.	.	.	.	.	.	.	.	.	4	.	1	7	.	3
	„ 24,	23·3	.	34	.	.	.	.	.	.	.	.	.	2	8	.	2	4	2	4
	Mar. 3,	23·3	1·4	34	.	.	.	.	1	.	.	.	1	4	10	.	1	4	.	.
	„ 10,	24·0	.	35	.	.	.	.	.	.	.	.	.	1	7	1	2	3	.	4
	„ 17,	16·4	.	24	.	.	.	.	.	.	.	.	.	3	1	2	1	8	.	2
	„ 24,	26·0	0·7	38	.	.	.	.	.	.	.	.	1	1	5	4	1	8	.	4
Londonderry. Pop. in 1906 (Est.) 42,067.	Feb. 3,	17·4	5·0	14	.	.	.	.	1	.	.	.	3	1	.	.	.	4	.	1
	„ 10,	26·0	7·4	21	.	.	.	.	5	1	.	.	.	.	2	2	2	4	.	1
	„ 17,	18·6	.	15	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	2
	„ 24,	24·8	2·5	20	.	.	.	.	1	.	.	.	1	1	2	2	1	3	.	3
	Mar. 3,	16·1	2·5	13	.	.	.	.	2	.	.	.	.	.	1	.	.	6	.	.
	„ 10,	23·6	3·7	19	.	.	.	.	2	.	.	.	1	1	5	1	1	1	.	1
	„ 17,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	3	1	.	.	6	.	.
	„ 24,	9·9	1·2	8	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	1
Limerick. Pop. (in 1901) 38,151.	Feb. 3,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	3	1	1	4	.	2
	„ 10,	23·2	1·4	17	.	.	.	.	.	1	.	.	.	1	1	1	1	6	.	3
	„ 17,	28·7	.	21	.	.	.	.	.	.	.	.	.	1	3	1	.	8	.	5
	„ 24,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	2
	Mar. 3,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	3
	„ 10,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	4
	„ 17,	15·0	1·4	11	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.	.
	„ 24,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	1
Waterford. Pop. (in 1901) 26,769.	Feb. 3,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 10,	23·4	.	12	.	.	.	.	.	.	.	.	.	1	2	3	1	1	.	1
	„ 17,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	.	1	.	.	3	2	1
	„ 24,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.
	Mar. 3,	35·1	.	18	.	.	.	.	.	.	.	.	.	3	3	3	.	3	.	1
	„ 10,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	5	1	.	1	.	.
	„ 17,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	2
	„ 24,	31·2	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	2

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th March, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Puerperal* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,734	6	28·3	.	8	1	.	4	3	.	.	.	.	.	.	.	.	.	.	4	.	.	2	.	.	3	.
Do. 2 ,,	47,959	29	25·0	3·3	23	5	5	10	3	.	.	.	.	2	1	.	.	.	3	3	.	.	7	.	.	2	1
Do. 3 ,,	47,214	29	23·2	3·3	21	8	1	7	5	.	.	.	.	1	.	.	.	2	1	1	.	2	5	.	.	5	.
Do. 4 ,,	40,911	45	26·8	1·3	21	6	3	8	4	.	.	.	.	.	.	.	1	.	2	2	.	1	2	.	1	8	.
Do. 5 ,,	17,387	10	18·0	3·0	6	.	.	4	2	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	2	.
Do 6 ,,	48,122	26	11·9	.	11	4	.	3	4	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	3	.
Do 7 ,,	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	4	20·6	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,,	19,569	19	18·7	.	7	2	1	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 10 ,,	28,064	7	31·7	2·3	14	3	2	4	5	.	.	.	.	1	.	.	.	.	.	4	.	.	2	.	1	2	1
Do. 11 ,,	34,802	18	15·0	.	10	2	.	4	4	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	2	.
Do. 12 ,,	33,588	16	32·6	4·7	21	4	3	7	7	.	.	.	.	.	1	.	2	.	1	1	1	1	3	.	.	6	1
Do. 13 ,,	15,006	12	27·8	.	8	1	1	4	2	.	.	.	.	.	.	.	.	.	.	1	2	.	2	.	.	3	.
Do. 14 ,,	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	221	22·7	1·8	152	37	16	57	42	.	.	.	.	5	2	.	3	2	10	17	6	4	24	.	2	38	3
City of Cork.																											
CORK URBAN No. 1 DISTRICT,	12,867	9	28·4	.	7	.	1	4	2	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	4	.
Do. 2 ,,	10,701	6	24·4	.	5	.	2	2	1	.	.	.	.	.	.	.	.	.	.	2	2	.	1	.	.	1	.
Do. 3 ,,	9,978	10	10·5	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 4 ,,	8,666	3	48·1	6·0	8	2	1	4	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	4	.
Do. 5 ,,	6,592	4	23·7	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.
Do. 6 ,,	10,702	4	19·5	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
Do. 7 ,,	16,616	5	28·2	.	9	3	.	3	3	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	1	3
Total,	76,122	41	26·0	0·7	38	6	4	18	10	.	.	.	.	.	.	.	.	1	1	5	4	1	8	.	.	11	4

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905–6—Week ending																									
	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered,	207	193	210	209	204	234	205	199	200	205	199	194	158	189	224	193	196	236	231	189	246	214	246	229	229	221
DEATHS registered.	109	116	122	130	153	130	141	150	138	140	148	126	146	124	147	133	135	160	139	146	179	174	166	155	191	152
Annual Death-rate per 1,000 of estimated Population.	15·8	16·9	17·7	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18.3	21·2	18·0	21·4	19·3	19·6	23·3	20 2	21·2	26·0	25·3	24·1	22·5	27·8	22·1
AGES — Under 1 year,	23	31	28	25	35	30	36	38	28	27	21	23	31	26	34	21	30	31	24	29	31	43	26	31	32	37
AGES — 1–5 years,	9	3	12	14	19	14	17	15	19	11	13	15	18	19	16	15	16	22	11	11	14	20	17	22	23	16
AGES — 5–60 years,	62	58	48	62	63	55	53	60	65	64	72	58	69	56	61	60	62	71	61	71	87	74	85	59	84	57
AGES — 60 years and upwards,	16	24	34	29	36	31	35	37	26	38	37	30	28	23	36	37	27	36	43	35	47	37	38	43	52	42
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.
Scarlet Fever,	.	.	.	1	3	1	.	1	1	1	.	2	3	.	.	.	2	1	1	.	.	1	1	1	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	1	1	.	.	.	.	.	1	1	3	1	.	1	2	1	3	1	2	6	7	9	5	9	5
Diphtheria,	.	1	.	.	2	.	1	1	.	1	.	.	1	.	1	1	.	.	.	.	2	8	2	.	1	2
*Pyrexia** (origin uncertain),	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1	1	.
Enteric Fever,	6	.	5	1	.	2	3	3	3	4	3	1	2	2	2	3	1	2	2	6	.	2	2	6	6	3
Diarrhœal Diseases,	3	5	4	2	1	3	3	1	2	.	2	.	2	1	3	2	2	3	2	1	3	2	1	.	1	2
Pneumonia,	4	12	6	12	9	18	16	14	18	15	18	14	18	14	15	12	8	11	10	8	19	17	13	16	23	10
Tuberculous Disease, — Phthisis,	10	14	13	17	25	19	22	22	16	26	17	17	21	17	15	17	17	22	16	23	23	23	33	15	26	17
Tuberculous Disease, — Other Forms,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4	3	8	7	6	7	7	6	10	5	6
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	5	7	5	4	5	6	5	1	6	4
Diseases of Respiratory System,	11	15	17	14	21	31	28	31	28	29	34	23	31	23	20	19	12	20	26	23	23	24	34	33	36	24
Violent Deaths,	2	2	3	7	4	4	3	4	2	3	3	2	4	5	6	1	4	1	3	1	6	4	2	6	1	.
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	4	4	3	3	5	3	5	2	4	3

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer malignant disease, and uncertified deaths are not available for the fourteen weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	Mar 24,	2,243	1,433	15·8	.	65	9	16	34	3	6
EDINBURGH, .	341,035	„ 24,	142	111	17·0	.	3	.	.	2	.	2
GLASGOW, . .	835,625	„ 24,	504	293	18·3	.	14	.	1	9	1	8
CALCUTTA, . .	847,796	Feb. 3,	.	729	44·7	143	5	.	1	2	150‡	135*
BOMBAY, .	776,006	„ 20,	424	929	62·2	11	17	.	.	.	87‡	99
MADRAS, . .	509,346	„ 2,	335	531	54·2	27	22	?	?	?	110‡	102
PARIS, . .	2,660,559	Mar. 10,	1,048	1,029	20·0	.	23	.	3†	4	8	16
BRUSSELS (with 8 Faubourgs).	598,467	„ 3,	225	200	17·4	.	2	.	1†	1	.	9
ANTWERP, . .	304,975	„ 3,	156	89	15·2	.	.	.	1†	2	.	9
AMSTERDAM, .	559,575	„ 3,	303	154	14·3	.	10	.	4†	3	2	3
COPENHAGEN, .	426,000	„ 3,	238	105	12·9	.	2	.	.	1	.	3
STOCKHOLM, .	318,398	Feb. 24,	158	96	15·7	.	.	4	.	1	.	2
CHRISTIANIA, .	222,373	Mar. 10,	117	54	12·6	.	.	.	3†	.	2	2
ST. PETERSBURG,	1,429,000	„ 3,	501	823	29·9	1	39	39	21	4	29	94
MOSCOW, . .	1,092,360	Feb. 3,	.	545	26·0	.	5	4	7†	4	4	61
BERLIN, . .	2,049,230	„ 17,	977	623	15·9	.	8	5	4†	12	2	31
HAMBURG, . .	803,000	„ 24,	.	229	14·8	.	1	1	3†	1	.	15
BRESLAU, . .	473,565	Mar. 10,	.	192	21·1	.	1	1	1†	2	.	10
MUNICH, . .	540,000	„ 10,	.	200	19·3	.	2	.	2†	4	.	14
VIENNA (with suburbs).	1,917,639	„ 10,	1,072	636	17·2	.	7	13	16†	4	2	40
BUDA-PESTH, .	859,134	„ 10,	465	292	17·7	.	6	3	1†	2	.	7
PRAGUE and Faubourgs.	455,241	„ 3,	211	193	22·6	.	1	.	.	.	.	15
TRIESTE, . .	194,749	„ 3,	.	.	.	.	.	.	.	.	.	.
ROME, . . .	525,170	Jan. 13,	268	216	21·4	.	5	.	.	.	2	7
VENICE, . .	171,709	Feb. 24,	76	106	32·2	.	.	.	.	1	.	2
NEW YORK, .	4,152,800	„ 24,	1,843	1,656	19·8	.	34	8	77†	4	9	35
PHILADELPHIA,	1,469,126	„ 17,	.	612	21·7	.	14	1	21†	5	37	29
BOSTON, .	595,380	„ 24,	.	261	22·9	.	2	.	6	3	.	.

* Including 57 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 31 deaths from plague in Calcutta, 139 in Bombay, and 12 in Madras.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th March, 1906.

DISTRICTS.	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 1, West,	.	.	.	1	.	.	.	.	.	.	1	.	.	2
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	1	.	.	.	.	.	.	2	.	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	.	2	.	.	2
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
" " 4,	.	.	.	2	.	.	1	.	.	.	.	.	.	3
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	5	.	.	3	.	.	1	5	.	.	14

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th March, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th March.			
	Mar. 3.	Mar. 10.	Mar. 17.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	.	5	11	6	3	.	14
Scarlet Fever,	51	53	49	7	4	.	52*
Typhus,	3	3	4	.	2	.	2
Diphtheria,	30	29	29	8	14	.	23
Enteric Fever,	24	27	24	3	6	.	21
Pneumonia,	28	28	25	7	14	.	18

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 24th March, 1906 :—

"The weather was almost continuously cold during this week, and the wind blew always from some polar point. A dry period held in Dublin from Sunday afternoon till late on Thursday night, but cold rain or sleet and hail fell daily over the eastern half of Great Britain. On Sunday a baric minimum of less than 29·2 inches was central near Stockholm, in which city the barometer read 29·13 inches at 8 a.m.; a V-shaped secondary depression moved eastwards on this day across Wales and the S. of England. In the rear of the latter system cold N.W. winds and hail showers were experienced in Ireland. By Monday morning an Atlantic anticyclone had spread in over Ireland, the barometer being as high as 30·44 inches at Blacksod Point at 8 a.m.; the British secondary depression had travelled southeastwards to Munich (barometer, 29·53 inches). A northerly type of weather was thus established all over Western Europe, and the weather was accordingly cold and harsh. On Tuesday morning the barometer read 30·57 inches at Blacksod Point, and the German depression had reached the Adriatic and Italy. During the next few days no important change took place beyond a gradual deepening of the Mediterranean depression. This led to increasing N.E. winds over the British Isles, a further reduction of temperature, and showers of hail and graupel on Saturday. At Nice, on Friday morning, the barometer was as low as 29·21 inches, whereas it stood at 30·25 inches in the Hebrides. In Dublin the mean atmospheric pressure was 30·223 inches, the barometer ranging from 30·485 inches at 9 p.m. of Monday (wind, N.N.E.) to 29·973 inches at 9 p.m. of Saturday (wind also N.N.E.). The corrected mean temperature was 42·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 41·4°. The screened thermometers rose to 51·0° on Sunday and fell to 33·4° on Tuesday. N.W. to N.E. winds prevailed. Rain fell on 4 days to the amount of ·161 inch, ·087 inch being measured on Thursday. Hail fell on Sunday and Saturday, snow on the latter day."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·231 inches. The highest reading (30·495) was on Monday at 9 p.m., wind N., and the lowest (29·978) on Saturday at 9 p.m., wind N.

The mean temperature for the week was 40·3°, being 2·0° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Sunday, on which day the thermometer registered 50·6°, and was lowest on Tuesday, the mercury having fallen to 30·7°. The mean of the Dry Bulb for the week was 40·2°, and of the Wet Bulb 37·7°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 29·0 hours. The rainfall during the week measured ·185 inch.

At Greenwich the mean temperature for the week was 37·5°, the maximum 48·4°, and the minimum 28·4°; at Glasgow the maximum was 53·7°, the minimum 28·8°, and the mean 41·1°; and at Edinburgh the maximum was 50·1°, the minimum 33·1°, and the mean 39·7°. The rainfall at Greenwich measured 0·32 in.; at Glasgow 0·18 in.; and at Edinburgh 0·30 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, March 18,	30·087	50·6	38·0	44·3	41·8	39·0	·78	·5	8·1	·055	W.S.W.	N.W.
Monday, „ 19,	30·438	44·6	33·2	38·9	38·4	35·5	·76	·3	4·1	—	N.N.W.	N.
Tuesday, „ 20,	30·414	46·8	30·7	38·8	40·4	38·3	·83	·3	0·2	—	N.W.	N.
Wednesday, „ 21,	30·335	46·2	36·6	41·4	41·2	38·4	·79	·3	9·3	—	N.E.	N.
Thursday, „ 22,	30·249	47·6	32·5	40·1	41·3	39·4	·85	·3	5·4	·085	N.E.	Calm.
Friday, „ 23,	30·079	45·5	33·9	39·7	41·9	39·8	·84	·8	1·5	·005	N.E.	N.
Saturday, „ 24,	30·013	42·6	35·2	38·9	36·7	33·8	·76	·8	0·4	·040	N.	N.
Mean, . .	30·231	46·3	34·3	40·3	40·2	37·7	·80	·5	Total 29·0	Total ·185	Prevailing Wind. N.	

Sunday—Bright a.m., cloudy p.m., heavy hail and rain showers 1.30 p.m. to 2.30 p.m.; night clear. *Monday*—Bright to 10.30 a.m., then cloudy; night cloudy. *Tuesday*—Day fine, overcast and cloudy intervals; night clear. *Wednesday*—Day fine, cloudy intervals; night cloudy. *Thursday*—Day fine, cloudy; night cloudy, heavy showers 11.30 p.m. to 2.30 a.m. *Friday*—Day fine, overcast and cloudy intervals; night overcast p.m. cloudy a.m., light sleet 7.30 a.m. *Saturday*—A dull day; night overcast, snow, hail, and sleet showers.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 24th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 18,	45·8	46·0	44·2	51·1	40·1	45·6	7·8	·024
Monday, „ 19,	41·0	44·6	44·7	46·7	35·2	41·0	4·3	—
Tuesday, „ 20,	39·3	43·3	44·8	48·1	33·6	40·9	0·2	—
Wednesday, „ 21,	44·2	43·2	44·9	47·4	41·3	44·4	8·5	—
Thursday, „ 22,	42·1	43·6	44·8	47·5	38·5	43·0	5·8	·127
Friday, „ 23,	43·2	44·0	44·9	45·9	35·6	40·8	2·0	·008
Saturday, „ 24,	39·2	43·3	44·8	45·6	37·1	41·4	0·1	·013
Weekly Mean, .	42·1	44·0	44·7	47·5	37·3	42·4	Total 28·7	Total ·172

DUBLIN: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 374. 12. 1905.—12840.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 31ST MARCH, 1906. [No. 13.

General Register Office, Charlemont House, Dublin, 2nd April, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 26·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Mar. 10.	Week ending Mar. 17.	Week ending Mar. 24.	Week ending Mar. 31.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 10.	Week ending Mar. 17.	Week ending Mar. 24.	Week ending Mar. 31.	Average Rate for 4 weeks.
22 Town Dists.	22·8	22·6	23·8	26·5	23·9	Lisburn, . .	18·2	13·6	27·3	22·7	20·5
Armagh, . .	20·6	20·6	13·7	13·7	17·2	Londonderry,	23·6	18·6	9·9	26·0	19·5
Ballymena, . .	14·4	19·2	28·7	14·4	19·2	Lurgan, . .	26·6	4·4	26·6	13·3	17·7
Belfast, . .	22·5	27·8	22·1	29·2	25·4	Newry, . .	4·2	12·6	25·2	33·6	18·9
Clonmel, . .	20·5	25·6	25·6	30·8	25·6	Newtownards, .	40·1	40·1	45·8	22·9	37·2
Cork, . . .	24·0	16·4	26·0	24·0	22·6	Portadown,	20·7	5·2	10·3	15·5	12·9
Drogheda, . .	32·7	20·4	24·5	24·5	25·5	Queenstown .	19·8	6·6	46·1	19·8	23·1
Dublin Reg. Area,	24·6	23·1	25·6	26·1	24·8	Sligo, . . .	9·6	43·2	19·2	24·0	24·0
Dundalk, . .	16·0	12·0	19·9	23·9	18·0	Tralee, . .	15·9	.	.	15·9	8·0
Galway, . .	23·3	11·7	38·8	31·1	26·2	Waterford, .	19·5	15·6	31·2	23·4	22·4
Kilkenny, . .	14·7	19·7	9·8	14·7	14·7	Wexford, . .	23·3	23·3	18·7	28·0	23·3
Limerick, . .	19·1	15·0	27·3	31·4	23·2						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in thirteen of the districts to 11·4 in Newtownards, the 4 deaths from all causes in that district including one from measles and one from whooping-cough. Among the 201 deaths from all causes in Belfast are 2 from scarlet fever, 21 from whooping-cough, one from diphtheria, one from pyrexia (origin uncertain), one from enteric fever, and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 230—111 boys and 119 girls; and the deaths to 198—102 males and 96 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·2 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 26·1 per 1,000. During the thirteen weeks ending with Saturday last the death-rate averaged 23·9, and was 6·0 below the mean rate for the corresponding portions of the ten years, 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

Of the deaths (198), 2 were from whooping-cough, 3 from diphtheria, 3 from enteric fever, 2 from diarrhœal diseases, and 2 from influenza. In the 3 preceding weeks, deaths from whooping-cough were one, 2, and 0; deaths from diphtheria were 2, 2, and one; deaths from enteric fever were 0, 3, and 0; and deaths from diarrhœal diseases, 3, 3, and 5, respectively.

Lobar pneumonia caused 3 deaths, broncho-pneumonia 2 deaths, and *pneumonia* (not defined) 5 deaths.

Of the 40 deaths from all forms of tuberculous disease, 7 were from tuberculous phthisis, 18 from *phthisis*, 5 from tuberculous meningitis, one from tuberculous peritonitis, 8 from other forms of the disease, and one from *scrofula*. In the 3 preceding weeks, deaths from all forms of the disease numbered 39, 35, and 43, respectively.

There were 4 deaths from cancer (undefined).

The deaths of 3 infants, prematurely born, were registered.

Diseases of the brain and nervous system caused 14 deaths, 7 being those of infants under one year of age from *convulsions*.

Thirty-three deaths were attributed to diseases of the heart and blood vessels.

Bronchitis caused 25 deaths.

Five deaths were caused accidentally, one being caused by a vehicle and one by poison.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 8 children under 5 years of age (including 7 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Sixty-seven of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 10 were under one month old) and 55 were aged 60 years and upwards, including 35 persons aged 70 and upwards, of whom 8 were octogenarians, and 2 (women) were stated to have been aged 90 and 95 years, respectively.

Ninety-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, 32 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·1 per 1,000; the rate in the City was 27·9 (North City Districts, 23·2; South, 32·9), and in the Suburbs, 20·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·6 (1·4 in the North City Districts, and 1·8 in the South) and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000, and include 2 deaths from tuberculous disease and 2 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 26·[illegible] per 1,000, and include one death each from dysentery and *pneumonia* (not defined), 5 deaths from tuberculous disease, and 3 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 31·[illegible] per 1,000. Among them are one from influenza, 2 from tuberculous disease, and 3 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (8) represent an annual rate of 13·2 per 1,000. Of the deaths one was from diphtheria, one from enteric fever, 2 were from tuberculous disease, and one death was caused accidentally.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. [illegible] part of, 26·0; and Finglas and Glasnevin, part of, 7·8. Of the 5 deaths for Coolock and Drumcondra, No. 1, part of, one was from diphtheria, 2 were from *phthisis*, and one was from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (28) represent an annual rate of 38·0 per 1,000. They include one death each from whooping-cough, diphtheria, enteric fever, and *diarrhœa*, one death from lobar pneumonia, one from *pneumonia* (not defined), 3 from tuberculous disease, and 4 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 37·1 per 1,000. One of the deaths was from *phthisis*, 4 were from diseases of the respiratory system, and one was caused accidentally.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 29·8 per 1,000, and include one each from lobar pneumonia and broncho-pneumonia, 4 deaths from tuberculous disease, 6 deaths from diseases of the heart and blood vessels, and 3 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·7 per 1,000. Whooping-cough and lobar pneumonia each caused one death, tuberculous disease caused 10 deaths, and diseases of the respiratory system 5 deaths.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 29·3 per 1,000, and include one death from *pneumonia* (not defined), and 3 deaths from diseases of the heart and blood vessels.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are: Rathmines and Rathgar, 20·4; Pembroke, 18·0; Blackrock, 17·9; and Kingstown, 23·7. The only deaths from any of the principal epidemic diseases tabulated for these districts was one from enteric fever for Rathmines and Rathgar. Among the 13 deaths from all causes for Rathmines and Rathgar one from *pneumonia* (not defined), 4 from tuberculous disease of the lungs, and one from bronchitis; the 9 deaths from all causes for Pembroke include one from *pneumonia* (not defined), 3 from tuberculous disease, and 3 from diseases of the heart and blood vessels; and the 8 deaths from all causes for Kingstown include one from *phthisis* and one from bronchitis.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. awcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive anitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock rban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban istrict; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 31st March, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Mar. 10,	.	—	—	8	.	.	3	.	6	2	11	1	—	—	—	—	—	31
	Mar. 17,	.	—	—	1	2	.	4	.	3	2	16	.	—	—	—	—	—	28
	Mar. 24,	.	—	—	5	.	.	3	.	.	1	5	.	—	—	—	—	—	14
	Mar. 31,	.	—	—	3	.	.	7	.	3	5	3	.	—	—	—	—	—	21
Rathmines and Rathgar Urban District.	Mar 10,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	2
	Mar. 17,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	—	4
	Mar. 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Mar. 31,	.	—	—	.	.	.	.	.	.	2	2	.	—	—	—	—	—	4
Pembroke Urban District.	Mar. 10,	.	.	.	2	.	.	.	.	2	2	.	.	—	3	.	—	—	9
	Mar. 17,	.	.	.	.	.	.	.	.	.	.	.	.	—	1	.	—	—	1
	Mar. 24,	.	.	.	.	.	.	.	.	.	1	.	.	—	5	.	—	—	6
	Mar. 31,	.	.	.	1	.	.	.	.	.	.	1	.	—	.	.	—	—	2
Blackrock Urban District.	Mar. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 31,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
Kingstown Urban District.	Mar. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 17,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	Mar. 24,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	2
	Mar. 31,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	2
City of Belfast.	Mar. 10,	.	—	—	29	.	.	4	.	10	17	8	1	—	—	—	—	—	69
	Mar. 17,	.	—	—	27	1	.	2	1	5	10	6	.	—	—	—	—	—	52
	Mar. 24,	.	—	—	39	.	.	3	2	11	18	9	.	—	—	—	—	—	82
	Mar. 31,	.	—	—	21	.	.	7	1	9	23	6	1	—	—	—	—	—	68

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the)ublin Hospitals during the week ended 31st March, 1906.

From this it appears that:—

Nine cases of measles were admitted to hospital during the week, 2 were discharged, and 1 cases remained under treatment at its close.

Twelve cases of scarlet fever were admitted to hospital, 12 were discharged, and 52* cases emained under treatment at the close of the week.

Two cases of typhus remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 1 was discharged, there was one eath, and 29 patients remained under treatment at the close of the week.

Eight cases of enteric fever were admitted to hospital, one was discharged, there were deaths, and 26 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, were discharged, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 76 large English towns, including London (in which the ite was 18·5), was equal to an average annual death-rate of 17·0 per 1,000 persons living. ie average rate for 8 principal towns of Scotland was 18·9 per 1,000, the rate for Glasgow eing 19·1, and for Edinburgh 16·5.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a)py of his Return of Infectious Diseases notified during the week ended 31st March. From this Return it)pears that of a total of 50 cases notified 27 were scarlet fever, 17 diphtheria, and 4 erysipelas. Among the 302 ses of infectious diseases in hospital at the close of the week were 153 cases of scarlet fever, 56 of phtheria, 59 of measles, 12 of erysipelas, 11 of typhoid fever, and 8 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 31st March, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 31st March, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 31st March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	36·8	26·5	2·2	773	556	121	138	.	2	2	.	26	7	1	4	5	36	79	30	20	85	10	14	188	31	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	378,994	27·5	31·6	26·1	1·4	230	190	40	54	.	.	.	.	2	3	.	3	2	10	24	15	4	27	3	4	87	12	f50·3	26·5	39·4	0·05	f50·6	30·7	40·3	0·19	f57·7	28·7	43·3	0·43
City of Dublin,	293,385	37·1	35·9	27·9	1·6	202	157	32	46	.	.	.	.	2	3	.	2	2	7	18	14	4	25	2	4	81	7	g51·2 / h51·9	33·1 / 28·6	41·8 / 40·6	0·10 / 0·03	g51·0 / h51·3	33·4 / 38·0	42·5 / 41·0	0·16 / 0·15	g59·9 / h58·8	32·0 / 30·0	44·9 / 43·9	0·39 / 0·44
Urban Dists. Rathmines and Rathgar.	33,208	19·4	17·3	20·4	1·6	11	13	3	4	.	.	.	.	.	.	.	1	.	1	4	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	14·0	18·0	.	7	9	1	1	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	29·8	17·9	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	14·8	28·7	.	5	8	4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	4	49·0	33·5	42·0	0·14	48·5	34·5	42·2	0·19	60	32·5	46·4	0·32
Urban Districts.																																							
Belfast,	358,680	24·4	36·1	29·2	3·9	248	201	46	36	.	.	2	.	21	1	1	1	1	18	28	12	10	28	2	5	44	3	51·5	24·0	39·4	0·00	53·5	30·0	42·3	0·21	55·0	21·0	39·3	1·46
Cork,	76,122	33·6	51·4	24·0	1·4	75	35	6	10	.	.	.	.	.	2	.	.	.	1	9	.	1	6	.	.	14	3	50	31	41·4	0·04	51	34	43·2	0·03	59	35	45·7	0·47
Londonderry,	42,067	19·4	43·4	26·0	2·5	35	21	7	4	.	.	.	.	2	.	.	.	.	2	2	.	1	4	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	62·9	31·4	1·4	46	23	10	5	.	.	.	.	.	.	.	.	1	.	3	1	.	3	.	.	15	5	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	31·2	28·4	.	16	12	3	4	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	46·6	31·1	.	12	8	.	5	.	.	.	.	.	.	.	.	.	2	1	.	1	1	1	1	3	2	53	28	41·5	0·00	54	35	44·3	0·02	54	33	45	2·19
Dundalk,	18,076	9·4	31·9	23·9	.	8	6	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	94·0	24·5	.	23	6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	16·8	33·6	4·2	4	8	1	2	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.	.	4	.	52·0	25·3	40·0	0·00	50·0	30·2	40·4	0·08	54·6	28·0	41·6	0·77
Lurgan,	11,782	13·8	35·4	13·3	4·4	8	3	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	52·0	25·3	40·0	0·00	50·0	30·2	40·4	0·08	54·6	28·0	41·6	0·77
Lisburn,	11,461	10·1	13·6	22·7	.	3	5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	52·0	25·3	40·0	0·00	50·0	30·2	40·4	0·08	54·6	28·0	41·6	0·77
Wexford,	11,168	23·2	56·0	28·0	4·7	12	6	1	1	.	.	.	.	.	.	.	.	1	.	1	.	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	28·7	14·4	.	6	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	38·4	24·0	.	8	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	50·8	23·5	40·4	0·14	52·1	32·8	41·5	0·16	55·3	29·8	42·3	1·59
Kilkenny,	10,609	11·5	4·9	14·7	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	51	30	41·9	0·17	51	33	40·7	0·02	58	33	45·1	0·81
Clonmel,	10,167	7·8	41·0	30·8	.	8	6	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,099	13·2	46·5	15·5	.	9	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	52·0	25·3	40·0	0·00	50·0	30·2	40·4	0·08	54·6	28·0	41·6	0·77
Tralee,	9,867	16·6	42·3	15·9	.	8	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	22·9	22·9	11·4	4	4	1	2	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	50	29	40·2	0·02	46	31	40·9	0·03	56	25	40·7	0·70
Queenstown,	7,909	14·4	52·7	19·8	.	8	3	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	50	31	41·4	0·04	51	34	43·2	0·03	58	35	45·7	0·47
Armagh,	7,588	22·2	6·9	13·7	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	52·0	25·3	40·0	0·00	50·0	30·2	40·4	0·08	54·6	28·0	41·6	0·77

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 8 deaths of persons (including one at 62 years), admitted to hospital from localities outside the Area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 31st of March, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Diphtheria,	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	3	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	1	.	.	.	.	1	.	.	.	3	.
Diarrhœal Diseases,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Pneumonia,	.	1	.	.	.	.	.	2	.	2	1	1	1	1	.	1	10	.
Tuberculous Disease. } Phthisis,	1	4	1	.	.	2	.	2	1	1	6	.	4	2	.	.	24	1
Tuberculous Disease. } Other Forms.	1	1	1	2	.	.	1	1	.	3	4	.	.	1	.	.	15	.
Cancer, Malignant Disease,	.	.	1	.	.	.	.	1	1	.	1	.	.	.	.	.	4	.
Other General Diseases	4	3	2	.	.	.	.	2	.	1	1	.	.	.	1	1	15	.
Total,	6	10	5	4	.	3	1	12	2	7	14	1	6	4	1	2	78	1
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	.	3	1	.	.	.	1	1	4	.	1	.	1	.	1	14	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	2	1	4	1	.	.	.	4	4	6	1	3	2	3	2	.	33	.
Diseases of: Respiratory System,	2	3	3	.	.	1	.	4	4	3	5	.	1	.	.	1	27	.
Diseases of: Digestive System,	2	3	.	.	.	1	.	4	1	1	.	.	2	.	.	1	15	4
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of: Urinary System,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	1
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	7	8	10	2	.	2	.	14	10	16	6	4	5	5	2	3	94	5
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	2		1	1	.	.	2	.	1	.	.	2	.	.	2	15	.
E. VIOLENT DEATHS,	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	1	3	2
Deaths from all Causes,	14	20	18	8	1	5	1	28	13	24	20	5	13	9	3	8	190	8
Annual Rate of Mortality from all causes in every 1,000 of the population	25·8	26·6	31·2	18·2	10·8	26·0	7·8	38·0	37·1	29·8	29·7	29·3	20·4	18·0	17·9	23·7	26·1	.
	23·2							32·9					20·1					
	27·9																	
Deaths of Infants under 1 year of age,	4	5	6	3	.	.	.	6	2	3	2	1	3	1	.	4	40	.
Deaths of Persons aged 60 years and upwards,	5	5	4	.	1	1	.	10	5	8	4	3	4	1	2	1	54	1
Number of Uncertified Deaths,	2	2	2	.	.	.	.	.	.	1	.	.	.	.	1	4	12	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	6	4	1	.	1	.	5	4	5	7	.	2	1	1	.	38	8
Workhouse Hospitals,	3	6	1	1	.	2	.	13	4	9	5	3	.	1	.	1	49	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis
week of the ten years, 1

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 13th Week of the 10 years 1896–1905.	In the Week ending Satur 31st March, 1906.					
												Deaths of Persons of the A					
	Mar. 28, 1896.	April 3, 1897.	April 2, 1898.	April 1, 1899.	Mar. 31, 1900.	Mar. 30, 1901.	Mar. 29, 1902.	April 4, 1903.	April 2, 1904.	April 1, 1905.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.		
Mean Temperature.	° 44·9	° 38·5	° 40·1	° 51·9	° 37·3	° 34·0	° 43·5	° 45·1	° 42·1	° 44·8	° 42·2	° 39·4					
ALL CAUSES.	166	258	235	212	244	234	211	204	219	192	217·5	198	10	30	27	17	26
Small-pox, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	27	.	.	.	1	1	.	4	4	3·7	.	.	.	.	.	.
Scarlet Fever, ...	2	4	3	2	.	.	2	2	1	1	1·7	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	5	2	8	15	4	8	2	2	2	4	5·2	2	.	.	.	1	.
Whooping-cough, ...	.	9	5	3	.	11	2	2	11	.	4·3	2	.	.	1	1	.
Diphtheria, ...	1	1	4	2	1	.	.	6	.	1	1·6	3	.	.	1	2	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	1	1	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.
Enteric Fever, ...	.	1	3	2	1	1	2	2	2	1	1·5	3	.	.	.	2	1
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	3	5	5	3	.	1	.	. / 2	. / 2	. / 2	2·3	. / 2	.	. / 1	. / 1	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	2	.	.	.	2	.	3	.	1	·8	3	.	3	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	2	.	.	.	1	.	1 / . / .	. / . / .	1 / . / .	·5	. / . / .	.	. / . / .	. / . / .	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-, Epidemic, Not defined,	11	19	19	11	13	18	14	1 / 3 / . / 7	1 / 9 / 2 / 11	1 / 4 / . / 7	15·1	3 / 2 / . / 5	.	. / . / . / 1	. / 2 / . / .	.	.
Erysipelas, ...	.	1	2	.	.	4	.	.	1	1	·9	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	1	1	1	2	.	.	. / .	1 / .	. / .	·6	. / .	.	. / .	. / .	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	1	1	·2	1	.	1	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	31	24	37	29	30	39	37	1 / 26	10 / 17	14 / 31	32·6	7 / 18	.	. / .	. / .	1 / 2	1
Tuberculous Meningitis, ...	3	10	4	6	7	.	2	4	7	4	4·7	5	.	3	1	1	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	5	10	2	2	7	2	3	. / 2	3 / 1	. / 2	3·9	1 / .	.	. / .	. / .	1 / .	.
Tuberculous Dis. (other), *Scrofula*, ...	2	8	7	5	2	7	4	8 / 1	6 / .	7 / .	5·7	8 / 1	.	3 / .	1 / 1	1	1
Alcoholism, ...	1	.	.	.	.	.	2	.	1	.	·4	1	.	.	.	.	.
Rheumatic Fever, ...	.	2	.	.	.	2	.	1	.	.	·5	.	.	.	.	.	.
Gout, ...	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.
Carcinoma, ... Sarcoma, ... Cancer (undefined),	4	6	5	12	4	12	5	2 / . / 7	1 / . / 2	1 / 1 / 2	6·4	. / . / 4	.	. / .	. / .	.	.
Diabetes Mellitus, ..	.	.	.	.	.	.	.	2	.	1	·3	1	.	.	.	.	.
Premature Birth, ...	2	6	1	1	6	3	4	1	3	3	3·0	3	3	.	.	.	.

* The figures for the years 1896–19
† Formerly des

'HIRTEENTH WEEK ending Saturday, 31st March, 1906, with the deaths from each cause in the corresponding he average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 13th Week of the 10 years 1896–1905.	In the Week ending Saturday, 31st March, 1906.							
													Deaths of Persons of the Ages of						
	Mar. 28, 1896.	April 3, 1897.	April 2, 1898.	April 1, 1899.	Mar. 31, 1900.	Mar. 30, 1901.	Mar. 29, 1902.	April 4, 1903.	April 2, 1904.	April 1, 1905.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 44·9	° 38·5	° 40·1	° 51·9	° 37·3	° 34·0	° 43·5	° 45·1	° 42·1	° 44·8	° 42·2	° 39·4								
ningitis (not tuberc.) ...								4	1	1		3	.	.	2	1	.	.	.	.
anity, G. P. of Insane ...								1	5	.		1	.	.	.	.	.	.	1	.
ilepsy								.	.	3		.	.	.	.	.	.	.	.	.
nvulsions								3	5	5		7	2	5	.	.	.	.	.	.
omotor Ataxy ...								.	.	.		.	.	.	.	.	.	.	.	.
aplegia Dis. of Cord ...								.	2	3		.	.	.	.	.	.	.	.	.
rvous System (other Dis.)	29	32	36	34	53	45	49	1	.	3	39·6	3	.	.	.	.	1	1	1	.
lv. Dis., Endocarditis ...								5	4	3		6	.	.	.	1	.	3	2	.
rebr. Hæm. Thromb. ...								3	1	5		2	.	.	1	.	.	1	.	.
oplexy, Hemiplegia ...								8	9	5		4	.	.	.	.	.	.	4	.
eurysm								.	.	.		1	.	.	.	.	1	.	.	.
mbolism, Thromb. (not erebral)								1	.	.		.	.	.	.	.	.	.	.	.
art and Blood Vessel Dis.								17	11	9		20	.	.	.	.	.	6	10	4
oup (not Spasm. nor Memb.)	1	1	2	2	1	.	1	.	.	.	·8	.	.	.	.	.	.	.	.	.
onchitis	22	34	29	32	39	37	37	26	31	22	30·9	25	.	3	5	.	1	5	8	3
thma, Emphysema ...								1	1	.		1	.	.	.	.	.	.	1	.
eurisy	5	4	2	1	3	2	1	.	.	2	2·7	.	.	.	.	.	.	.	.	.
spiratory Dis. (other) ...								3	2	.		1	.	.	.	.	.	1	.	.
nsillitis, Quinsy ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
nteritis (not Epid.) ...	1	1	1	.	1	2	1	1	.	2	1·4	1	.	1	.	.	.	.	.	.
astro Enteritis								2	.	2		1	.	1	.	.	.	.	.	.
ritonitis (not Puerp.) ...	.	1	.	.	3	1	3	.	.	.	·8	1	.	.	.	1	.	.	.	.
rrhosis of Liver ...	3	1	4	2	2	.	1	.	1	.	2·1	.	.	.	.	.	.	.	.	.
ver Dis. (other) ...								2	3	2		1	.	.	.	.	1	.	.	.
igestive Dis. (other) ...	3	7	4	7	5	5	5	1	13	4	5·4	15	.	3	6	1	.	1	4	.
ephritis, Acute ...								.	1	3		3	.	.	.	.	.	.	.	.
right's Dis., Albuminuria	5	4	8	2	8	7	7	2	3	2	5·3	.	.	.	.	.	1	1	1	.
rinary Sys. (Other Dis.)								.	1	.		.	.	.	.	.	.	.	.	.
enerative Organs Dis. ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
hildbirth (Accid. of) ...	.	1	.	.	.	.	2	2	.	.	·5	1	.	.	.	.	1	.	.	.
ld Age	4	13	17	18	28	8	8	6	8	7	11·7	3	.	.	.	.	.	.	1	2
ther Diseases	19	13	20	14	18	8	14	21	12	11	15·0	18	3	5	5	.	.	.	4	1
ACCIDENT.																				
y Railways	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
y Vehicles and Horses ...	.	.	1	.	.	1	.	1	.	.	·3	1	.	.	.	.	.	.	1	.
n Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
n Building Operations ...	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
n Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
y Burns, Scalds, Explosions	1	.	2	3	1	2	.	2	.	1	1·2	.	.	.	.	.	.	.	.	.
y Drowning	1	.	1	.	.	1	.	1	2	1	·7	.	.	.	.	.	.	.	.	.
y Suffocation in Bed ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
y Poison or Poisonous Vapours	.	.	1	.	1	.	.	.	1	.	·3	1	.	.	.	.	.	1	.	.
ther Deaths by Accidents	1	2	.	1	1	.	1	3	1	.	1·0	3	2	.	.	1	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
uicide	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

e Registration Area as then constituted.
imple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905-6—Week ending																									
	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.
No. of weeks in Annual Series.	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered,	189	191	176	175	223	239	205	177	198	191	238	199	184	245	192	183	220	283	202	188	169	252	214	189	211	230
*Average Births in corresponding week of previous 10 years,**	189	185	203	197	194	189	199	181	190	195	183	160	182	210	206	199	200	221	215	205	217	213	208	219	206	236
DEATHS registered,	158	141	143	133	195	152	158	173	157	168	148	171	139	168	166	154	160	187	151	149	185	183	187	173	193	198
Annual Death-rate per 1,000,	21·7	19·4	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2
*Average Deaths in corresponding week of previous 10 years,**	156	172	175	177	173	178	186	191	197	185	187	189	199	219	214	211	202	212	209	209	221	233	221	212	211	218
AGES, Under 5 years,	44	33	28	33	54	34	43	52	42	49	47	43	27	28	52	39	37	46	35	32	45	46	43	55	43	67
5—20 ,,	17	11	9	5	6	14	10	9	13	10	13	9	7	17	17	11	13	16	8	9	8	14	8	15	15	17
20—40 ,,	23	23	26	18	36	26	31	18	22	31	13	30	21	34	25	18	21	18	21	15	38	39	34	19	29	26
40—60 ,,	36	32	37	34	35	38	32	36	34	35	32	45	41	48	37	45	37	42	42	46	43	34	43	35	40	33
60—80 ,,	29	36	35	34	59	33	35	50	35	37	34	37	37	35	28	34	43	52	39	39	44	49	49	41	55	45
80 years and upwards,	9	6	8	9	5	7	7	8	11	6	9	7	6	6	7	7	9	13	6	8	7	7	10	8	11	10
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	1	.	1	1	1	.	1	.	1	.	.	2	1	.	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	2	.	.	1	3	1	2	2	1	1	2	3	1	1	2	.	.	1	4	1	2	.	2
Diphtheria,	.	.	2	.	.	1	1	.	.	1	1	.	2	2	2	.	1	1	.	.	1	.	2	2	1	3
Pyrexia † (origin uncertain),	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
Enteric Fever,	2	1	4	.	2	2	.	.	2	2	1	4	3	3	.	.	.	1	.	.	1	1	.	3	.	3
Diarrhœal Diseases,	1	4	1	3	4	4	2	3	5	2	1	1	2	1	1	1	3	1	.	1	2	1	3	3	5	2
Pneumonia,	10	9	6	10	18	13	14	15	10	10	8	11	11	12	15	12	16	19	6	11	13	16	18	10	13	10
Tuberculous Disease. Phthisis,	25	17	18	21	24	21	26	20	18	24	9	27	19	21	14	23	21	29	18	23	29	32	30	23	32	25
Tuberculous Disease. Other Forms,	17	13	7	4	9	6	12	7	10	4	15	4	1	12	16	5	6	9	15	10	12	18	9	12	11	15
Cancer, Malignant Disease,	11	7	10	8	7	6	5	10	8	6	11	5	6	7	5	12	6	8	14	6	13	6	6	6	11	4
Diseases of Heart and Blood Vessels,	18	23	29	19	29	21	23	24	25	26	21	26	30	28	21	24	33	31	23	27	21	25	31	29	31	33
Diseases of Respiratory System,	13	17	18	17	42	26	26	34	33	22	16	25	20	26	28	22	18	27	26	27	32	28	28	21	34	27
Violent Deaths,	2	5	8	6	3	2	3	3	3	2	2	4	6	4	3	7	8	5	5	.	4	10	1	2	4	5
Number of Uncertified Deaths,	5	3	5	6	4	9	7	9	4	5	9	8	6	4	5	6	6	11	7	6	8	4	6	7	6	12
Mean Temperature of the Air (Phœnix Park),	48·3	49·6	40·0	41·1	42·7	43·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4
Average Mean Temperature in corresponding week of previous 10 years	51·3	48·6	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2
Rainfall in inches,	·775	·035	·100	·295	1·190	·250	1·485	·320	·645	·128	·035	·285	·770	·860	·855	1·605	·230	·180	·755	·095	·625	·545	·758	·430	·185	·045
Mean Humidity of the Air, complete Saturation, 1·0,	·87	·91	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	.88	·86	·87	·89	·87	·85	·80	·81

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—SHOWING IN FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS OF SOCIAL POSITION OF THE PERSONS WHOSE DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 31st March, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 31ST MARCH, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,850	27·5	198	67	17	26	33	45	10	.	.	.	.	2	3	.	3	2	10	10	25	15	4	7	27	5	95	12
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class,	17,436	15·0	5	.	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
II.	Middle Class,	87,188	22·7	38	9	5	7	4	10	3	.	.	.	.	1	1	.	.	.	2	2	7	4	1	.	1	2	19	1
III.	Artisan Class and Petty Shopkeepers,	110,423	19·8	42	10	5	6	9	10	2	.	.	.	.	.	1	.	.	.	1	2	6	3	1	2	4	.	23	1
IV.	General Service Class,	154,279	36·8	64	31	3	9	10	10	1	.	.	.	.	1	1	.	2	.	4	3	8	5	1	5	8	3	27	10
V.	Inmates of Workhouses,	6,024		49	17	4	3	9	13	3	.	.	.	.	.	.	.	1	2	3	3	4	3	.	.	14	.	22	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	23·7	10	2	1	.	1	5	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	7	.
	6. Clerks and Commercial Assistants,	30,432	20·6	12	4	2	5	1	.	.	.	.	.	.	1	.	.	.	.	1	.	4	2	.	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	28·9	15	3	2	2	2	4	2	.	.	.	.	.	1	.	.	.	1	1	3	1	.	.	1	2	6	1
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	31·7	6	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	4	1
	9. Building and Furnishing Trades,	29,801	22·7	13	4	1	2	4	2	.	.	.	.	.	.	1	.	.	.	1	.	4	.	.	.	.	.	8	.
	10. Clothing Trades,	28,260	11·2	5	.	.	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2	.
	11. Food Supply Trades,	9,242	16·9	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,852	22·3	13	3	4	1	3	2	.	.	.	.	.	.	.	.	.	.	.	2	2	1	1	.	1	.	6	.
	13. Petty Shopkeepers,	7,894	13·2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	27·2	7	2	.	.	2	3	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1	1	1	2	.
	15. Domestic Servants,	36,603	5·7	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	25·4	7	3	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	3	2
	17. Hawkers, Porters, Labourers, &c.,	89,861	26·7	46	24	3	9	5	4	1	.	.	.	.	1	.	.	2	.	3	3	8	5	.	3	4	1	19	8
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates,	6 024	.	49	17	4	3	9	13	3	.	.	.	.	.	.	.	1	2	3	3	4	3	.	.	14	.	22	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in similar Statistics for each of the*

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (part of).																				
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	Feb. 10,	7·4	.	4	.	.	.	.	.	.	.	.	1	.	2	2	.	2	.	1
	„ 17,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	1	3	.	.	1	.	.
	„ 24,	27·6	1·8	15	.	.	.	.	.	.	.	.	.	1	2	.	.	8	1	1
	Mar. 3,	28·9	.	13	.	.	.	.	.	.	.	.	.	3	4	1	.	1	.	.
	„ 10,	27·6	.	15	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 17,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	3	.	1	2	.	2
	„ 24,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	2
	„ 31,	25·8	.	14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 89,146.	Feb. 10,	22·6	1·3	17	.	.	.	1	.	.	.	.	.	1	1	1	2	6	.	1
	„ 17,	29·8	.	22	.	.	.	.	.	.	.	.	.	1	4	.	.	3	.	2
	„ 24,	30·6	2·7	23	.	.	1	.	.	.	.	1	.	2	3	1	2	6	1	1
	Mar. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	.	4	2	.	8	1	.
	„ 10,	25·3	4·0	19	.	.	.	.	1	1	.	.	1	2	4	.	.	3	.	2
	„ 17,	26·6	.	20	.	.	.	.	.	.	.	.	.	2	3	2	.	1	1	2
	„ 24,	30·6	1·3	23	.	.	.	.	.	.	.	.	1	2	5	.	.	8	.	1
	„ 31,	26·6	1·3	20	.	.	.	.	.	.	.	.	1	1	4	1	.	3	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 80,107.	Feb. 10,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	1	1	3	3	.	.
	„ 17,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.
	„ 24,	22·4	1·7	17	.	.	.	.	.	.	.	.	1	1	4	2	1	1	1	.
	Mar. 3,	19·1	.	11	.	.	.	.	.	.	.	.	.	2	4	4	.	.	.	.
	„ 10,	36·4	.	21	.	.	.	.	.	.	.	.	.	2	4	4	.	3	.	1
	„ 17,	36·4	1·7	21	.	.	.	.	.	.	.	.	1	1	4	2	1	3	.	.
	„ 24,	48·5	.	28	.	.	.	.	.	.	.	.	.	.	5	1	.	4	1	.
	„ 31,	31·2	.	18	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	2
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 81,673.	Feb. 10,	32·9	.	20	.	.	.	.	.	.	.	.	.	4	3	2	1	1	1	.
	„ 17,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.
	„ 24,	29·6	.	18	.	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.
	Mar. 3,	32·9	3·3	20	.	.	.	.	2	.	.	.	.	3	2	3	.	2	1	.
	„ 10,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	3	.	.	1	3	.	1
	„ 17,	34·6	3·3	21	.	.	.	.	.	.	.	1	1	.	2	1	.	2	.	1
	„ 24,	24·7	.	15	.	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.
	„ 31,	18·2	3·3	8	.	.	.	.	.	1	.	1	.	.	.	2	.	.	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	Feb. 10,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	3	1	.	5	1	1
	„ 17,	14·9	.	11	.	.	.	.	.	.	.	.	.	1	3	1	.	2	.	1
	„ 24,	25·8	1·4	19	.	.	.	.	.	1	.	.	.	1	4	2	.	5	1	.
	Mar. 3,	29·9	1·4	22	.	.	.	.	.	.	.	1	.	.	7	1	.	4	3	.
	„ 10,	24·5	.	18	.	.	.	.	.	.	.	.	.	2	4	.	.	2	.	.
	„ 17,	21·7	2·7	16	.	.	.	.	1	1	.	.	.	.	3	1	.	4	.	.
	„ 24,	24·5	1·4	18	.	.	.	.	.	.	.	.	1	3	3	.	2	4	.	.
	„ 31,	38·0	5·4	28	.	.	.	.	1	1	.	1	1	2	2	1	1	4	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Feb. 10,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
	„ 17,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	„ 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.
	Mar. 3,	39·9	.	14	.	.	.	.	.	.	.	.	.	1	2	2	1	3	.	.
	„ 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
	„ 17,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	.
	„ 31,	37·1	.	13	.	.	.	.	.	.	.	.	.	.	1	.	1	4	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Feb. 10,	23·6	.	19	.	.	.	.	.	.	.	.	.	1	2	4	2	2	1	.
	„ 17,	28·6	.	23	.	.	.	.	.	.	.	.	.	3	5	4	.	5	.	.
	„ 24,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	1	1	4	1	2	.	.
	Mar. 3,	32·3	8·7	26	.	.	.	.	2	.	.	.	1	1	3	3	2	5	.	.
	„ 10,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	2	.	3	.	3	.	.
	„ 17,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	3	1	2	2	.	.
	„ 24,	27·4	1·2	22	.	.	.	.	.	.	.	.	1	.	2	5	1	5	.	.
	„ 31,	29·8	.	24	.	.	.	.	.	.	.	.	.	2	1	3	.	3	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Feb. 10,	25·2	.	17	.	.	.	.	.	.	.	.	.	.	2	2	2	.	1	.
	„ 17,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	5	.	.
	„ 24,	25·2	.	17	.	.	.	.	.	.	.	.	.	1	3	.	.	7	.	.
	Mar. 3,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.
	„ 10,	26·7	.	18	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	.
	„ 17,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	4	1	1	3	.	.
	„ 24,	26·7	.	18	.	.	.	.	.	.	.	.	.	2	4	1	2	3	.	.
	„ 31,	29·7	1·5	20	.	.	.	.	1	.	.	.	.	1	6	4	1	5	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	Feb. 10,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	„ 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 24,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	2	1	4
	Mar. 3,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	2	1	.	2	3	.
	„ 10,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.
	„ 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	17·3	1·6	11	.	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.
	„ 31,	20·4	1·6	13	.	.	.	.	.	.	.	1	.	1	4	.	.	1	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025.	Feb. 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
	„ 17,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1
	„ 24,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Mar. 3,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
	„ 10,	18·0	.	9	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
	„ 17,	16·0	2·0	8	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
	„ 24,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	„ 31,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Feb. 10,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.
	„ 17,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.
	„ 24,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.
	Mar. 3,	28·7	.	8	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 24,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.
	„ 31,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	4
Belfast. Pop. in 1906 (Est.) 358,680.	Feb. 10,	21·2	1·3	146	.	.	.	.	2	.	.	6	1	8	23	6	4	23	1	3
	„ 17,	26·0	1·9	179	.	1	.	.	6	2	1	.	3	19	22	7	5	22	6	5
	„ 24,	25·3	2·2	174	.	.	1	.	7	3	.	2	2	17	23	7	6	24	4	3
	Mar. 3,	24·1	2·2	166	.	.	1	.	9	2	.	2	1	13	33	6	5	34	2	5
	„ 10,	22·5	1·9	155	.	.	1	.	5	.	1	6	.	16	15	10	1	33	6	2
	„ 17,	27·8	2·8	191	.	.	1	.	9	1	1	6	1	23	26	5	6	36	1	4
	„ 24,	22·1	1·7	152	.	.	.	.	5	2	.	3	2	10	17	6	4	24	.	3
	„ 31,	29·2	3·9	201	.	.	2	.	21	1	1	1	1	18	28	12	10	28	2	3
Cork. Pop. (in 1901) 76,122.	Feb. 10,	21·9	2·1	32	.	.	.	1	.	1	.	1	.	.	8	1	1	3	1	2
	„ 17,	21·2	.	31	.	.	.	.	.	.	.	.	.	.	4	.	1	7	.	3
	„ 24,	23·3	.	34	.	.	.	.	.	.	.	.	.	2	8	.	2	4	2	4
	Mar. 3,	23·3	1·4	34	.	.	.	.	1	.	.	.	1	4	10	.	1	4	.	.
	„ 10,	24·0	.	35	.	.	.	.	.	.	.	.	.	1	7	1	2	3	.	4
	„ 17,	16·4	.	24	.	.	.	.	2	.	.	.	.	3	1	2	1	8	.	2
	„ 24,	26·0	0·7	38	.	.	.	.	.	.	.	.	1	1	5	4	1	8	.	4
	„ 31,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	1	9	.	1	6	.	3
Londonderry. Pop. in 1906 (Est.) 42,067.	Feb. 10,	26·0	7·4	21	.	.	.	.	5	1	.	.	.	.	2	2	2	4	.	1
	„ 17,	18·6	.	15	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	2
	„ 24,	24·8	2·5	20	.	.	.	.	1	.	.	.	1	1	2	2	1	3	.	3
	Mar. 3,	16·1	2·5	13	.	.	.	.	2	.	.	.	.	.	1	.	.	6	.	.
	„ 10,	23·6	3·7	19	.	.	.	.	2	.	.	.	1	1	5	1	1	1	.	1
	„ 17,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	3	1	.	.	6	.	.
	„ 24,	9·9	1·2	8	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	1
	„ 31,	26·0	2·5	21	.	.	.	.	2	.	.	.	.	2	2	.	1	4	1	.
Limerick. Pop. (in 1901) 38,151.	Feb. 10,	23·2	1·4	17	.	.	.	.	.	1	.	.	.	1	1	1	1	6	.	3
	„ 17,	28·7	.	21	.	.	.	.	.	.	.	.	.	1	3	1	.	8	.	5
	„ 24,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	2
	Mar. 3,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	3
	„ 10,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	4
	„ 17,	15·0	1·4	11	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.	.
	„ 24,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	1
	„ 31,	31·4	1·4	23	.	.	.	.	.	.	.	.	1	.	3	1	.	3	.	5
Waterford. Pop. (in 1901) 26,769.	Feb. 10,	23·4	.	12	.	.	.	.	.	.	.	.	.	1	2	3	1	1	.	1
	„ 17,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	.	1	.	.	3	2	1
	„ 24,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.
	Mar. 3,	35·1	.	18	.	.	.	.	.	.	.	.	.	3	3	3	.	3	.	1
	„ 10,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	5	1	.	1	.	.
	„ 17,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	2
	„ 24,	31·2	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	2
	„ 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 31st March, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Annual Rate: Diseases in Cols. 10-18.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,784	20	35·4	10·6	10	3	1	5	1	.	.	.	.	3	.	.	.	.	1	1	.	1	2	.	.	2	.
Do. 2 ,,	47,959	29	31·5	2·2	29	8	4	11	6	.	.	.	.	2	.	.	.	.	4	3	2	.	5	.	1	3	.
Do. 3 ,,	47,214	30	25·4	4·4	23	7	5	6	5	.	.	.	.	3	.	.	.	1	3	2	1	1	3	.	1	3	.
Do. 4 ,,	40,911	30	40·8	8·9	32	12	5	11	4	.	.	.	.	6	.	.	1	.	.	4	2	2	5	1	1	10	2
Do. 5 ,,	17,387	15	36·0	6·0	12	1	3	7	1	.	.	.	.	2	.	.	.	.	.	2	1	.	1	.	.	4	.
Do 6 ,,	48,122	18	34·7	4·3	32	4	5	16	7	.	.	1	.	2	.	1	.	.	5	5	1	2	3	1	1	9	.
Do 7 ,,	1,524	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 ,,	5,060	.	10·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Do. 9 ,,	19,569	22	26·6	2·7	10	3	.	4	3	.	.	1	.	.	.	.	.	.	1	1	2	1	.	.	.	2	.
Do. 10 ,,	28,064	23	38·4	4·5	17	3	2	10	2	.	.	.	.	2	.	.	.	.	2	3	1	2	4	.	.	3	1
Do. 11 ,,	34,802	20	30·0	1·5	20	1	3	10	6	.	.	.	.	1	.	.	.	.	.	5	1	1	3	.	.	5	.
Do. 12 ,,	33,588	29	18·6	1·6	12	3	2	6	1	.	.	.	.	.	1	.	.	.	1	2	1	.	1	.	1	1	.
Do. 13 ,,	15,006	11	6 9	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 14 ,,	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	248	30·0	4·0	201	46	30	89	36	.	.	2	.	21	1	1	1	1	18	28	12	10	28	2	5	44	3
City of Cork.																											
CORK URBAN No. 1 DISTRICT,	12,867	7	20·3	.	5	.	.	5	.	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	1	.
Do. 2 ,,	10,701	14	14·6	4·9	3	1	1	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	1	.
Do. 3 ,,	9,978	13	10 5	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Do. 4 ,,	8,666	8	42·1	6·0	7	2	2	1	2	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	4	.
Do. 5 ,,	6,592	7	23 7	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do. 6 ,,	10,702	15	29·2	.	6	2	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 7 ,,	16,616	11	28·2	.	9	.	1	5	3	.	.	.	.	.	.	.	.	.	.	3	.	.	4	.	.	6	1
Total,	76,122	75	24·0	1·4	35	6	4	15	10	.	.	.	.	.	2	.	.	.	1	9	.	1	6	.	.	14	3

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905-6—Week ending																									
	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.
No of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered,	193	210	209	204	234	205	199	200	205	199	194	158	189	224	193	196	236	231	189	246	214	246	229	229	221	248
DEATHS registered.	116	122	130	153	130	141	150	138	140	148	126	146	124	147	133	135	160	139	146	179	174	166	155	191	152	201
Annual Death-rate per 1,000 of estimated Population.	16·9	17·7	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18.3	21·2	18·0	21·4	19·3	19·6	23·3	20 2	21·2	26·0	25·3	24·1	22·5	27·8	22·1	29·2
AGES — Under 1 year,	31	28	25	35	30	36	38	28	27	21	23	31	26	34	21	30	31	24	29	31	43	26	31	32	37	46
AGES — 1-5 years,	3	12	14	19	14	17	15	19	11	18	15	18	19	16	15	16	22	11	11	14	20	17	22	23	16	30
AGES — 5-60 years,	58	48	62	63	55	53	60	65	64	72	58	69	56	61	60	62	71	61	71	87	74	85	59	84	57	89
AGES — 60 years and upwards,	24	34	29	36	31	35	37	26	38	37	30	28	23	36	37	27	36	43	35	47	37	38	43	52	42	36
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Scarlet Fever,	.	.	1	3	1	.	1	1	1	.	2	3	.	.	.	2	1	1	.	.	1	1	1	1	.	2
Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	1	.	.	.	.	.	1	1	3	1	.	1	2	1	3	1	2	6	7	9	5	9	5	21
Diphtheria,	1	.	.	2	.	1	1	.	1	.	.	1	.	1	1	.	.	.	.	2	3	2	.	1	2	1
*Pyrexia** (origin uncertain),	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1	1	.	1
Enteric Fever,	.	5	1	.	2	3	3	3	4	3	1	2	2	2	3	1	2	2	6	.	2	2	6	6	3	1
Diarrhœal Diseases,	5	4	2	1	3	3	1	2	.	2	.	2	1	3	2	2	3	2	1	3	2	1	.	1	2	1
Pneumonia,	12	6	12	9	18	16	11	18	15	18	14	18	14	15	12	8	11	10	8	19	17	13	16	23	10	18
Tuberculous Disease, Phthisis,	14	13	17	25	19	22	22	16	26	17	17	21	17	15	17	17	22	16	23	22	23	33	15	26	17	28
Tuberculous Disease, Other Forms,	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4	3	8	7	6	7	7	6	10	5	6	12
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	5	7	5	4	5	6	5	1	6	4	10
Diseases of Respiratory System,	15	17	14	21	31	23	31	28	29	34	23	31	23	20	19	12	20	26	23	22	24	34	33	36	24	28
Violent Deaths,	2	3	7	4	4	3	4	9	3	3	2	4	5	6	1	4	1	3	1	6	4	2	6	1	.	2
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	4	4	3	3	5	3	5	2	4	3	3

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer malignant disease, and uncertified deaths are not available for the thirteen weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
			Exclusive of Stillborn.									
LONDON, . .	4,721,217	Mar 31,	2,663	1,674	18·5	.	76	8	15	53	4	7
EDINBURGH, .	341,035	„ 31,	163	108	16·5	.	7	2	1	1	.	2
GLASGOW, . .	835,625	„ 31,	476	306	19·1	.	14	2	3	7	1	5
CALCUTTA, . .	847,796	Feb. 10,	.	702	43·0	141	5	.	.	1	141‡	137*
BOMBAY, .	776,006	„ 27,	401	1,144	76·6	7	23	.	.	.	118‡	84*
MADRAS, . .	509,346	„ 9,	314	495	50·0	22	12	?	?	?	121‡	99
PARIS, . .	2,660,559	Mar. 17,	978	984	19·1	.	25	1	2†	6	5	21
BRUSSELS (with 8 Faubourgs).	598,467	„ 10,	220	163	14·2	.	1	1	.	1	3	7
ANTWERP, . .	304,975	„ 10,	150	100	17·1	.	1	.	.	.	.	7
AMSTERDAM, .	559,575	„ 10,	310	160	14·9	.	7	.	.	2	.	6
COPENHAGEN, .	426,000	„ 10,	239	140	17·1	.	6	.	.	7	.	8
STOCKHOLM, .	318,398	„ 3,	147	85	13·9	.	1	2	.	1	.	1
CHRISTIANIA, .	222,373	„ 17,	118	46	10·7	.	.	1	2†	.	.	.
ST. PETERSBURG,	1,429,000	„ 10,	765	723	26·3	.	25	16	17	10	30	92
MOSCOW, . .	1,092,360	Feb. 10,	.	578	27·6	2	.	5	6†	5	8	66
BERLIN, . .	2,049,230	„ 24,	1,008	603	15·3	.	7	5	6†	12	2	28
HAMBURG, . .	803,000	Mar. 3,	.	225	14·6	.	1	.	1†	4	.	13
BRESLAU, . .	473,565	„ 17,	.	180	19·8	.	.	.	5†	3	.	9
MUNICH, . .	540,000	„ 17,	.	174	16·8	.	2	.	.	1	1	15
VIENNA (with suburbs).	1,917,639	„ 17,	1,080	718	19·5	.	11	9	8†	10	1	35
BUDA-PESTH, .	859,134	„ 17,	479	299	18·1	.	9	6	4†	.	2	8
PRAGUE and Faubourgs.	455,241	„ 10,	237	186	21·2	.	3	.	3†	2	.	14
TRIESTE, . .	194,719	„ 3,	149	104	27·8	.	1	.	1†	1	1	1
ROME, . . .	526,170	Jan. 20,	285	189	18·7	.	3	.	3†	.	1	7
VENICE, . .	171,709	Mar. 3,	.	.	.	.	.	.	.	.	.	.
NEW YORK, .	4,152,860	„ 3,	2,292	1,648	20·7	.	45	6	61†	4	7	37
PHILADELPHIA,	1,469,126	Feb. 24,	.	617	21·8	.	16	2	17†	7	39	30
BOSTON, .	595,380	Mar. 3,	.	242	21·2	.	3	.	5	1	1	.

* Including 83 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
‡ Exclusive of 30 deaths from plague in Calcutta, 229 in Bombay, and 13 in Madras.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 31st March, 1906.

DISTRICTS.	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	1	.	.	.	.	2
" " 1, West,	.	.	.	1	.	.	1	.	1	2	1	.	.	6
" " 2,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 3,	.	.	.	.	.	.	1	.	.	1	1	.	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	2	.	.	.	.	.	.	2
" " 2,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 3,	.	.	.	.	.	.	.	.	1	2	.	.	.	3
" " 4,	.	.	.	.	.	.	3	.	.	.	.	.	.	3
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	3	.	.	7	.	3	5	3	.	.	21

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 31st March, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 31st March.			
	Mar. 10.	Mar. 17.	Mar. 24.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	5	11	14	9	2	.	21
Scarlet Fever,	53	49	52	12	12	.	52*
Typhus,	3	4	2	.	.	.	2
Diphtheria,	29	29	23	8	1	1	29
Enteric Fever,	27	24	21	8	1	2	26
Pneumonia,	28	25	18	7	5	.	20

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 31st March, 1906:—

"The week opened with a spell of extremely cold and severe weather, squally N.E. winds and frequent showers of hail and snow being reported from nearly all parts of the British Isles on Sunday and Monday. All through the week the barometer was highest over the Atlantic to the N.W. or W. of Scotland and Ireland—on Sunday, on the contrary, an atmospheric depression, in which the barometer was as low as 29·33 inches, was central over Northern Germany. Hence the strong N.E. winds of that day. On Monday, depressions were found both in the Baltic and over the Iberian Peninsula, while pressure increased to the northwestward. Much the same distribution of pressure continued on Tuesday; but the wind moderated in Ireland, over which island the anticyclone was spreading, the weather being fine but cold and at last cloudy on Wednesday. The thermometer rose over Ireland on Thursday, touching 51° in Dublin and at Valentia, 50° at Blacksod Point and Roche's Point. The succeeding night was cold, the thermometer falling in Dublin to 34° in the screen and to 27·8° on the ground: in England sharp frost occurred, 25° in the screen being recorded at Bath, 27° at Oxford, 28° at Nottingham, and 30° in London. Both Friday and Saturday were cloudy and dull, but fine and dry days, and the anticyclone was at last central over the United Kingdom. In Dublin the mean atmospheric pressure was 30·187 inches, the barometer falling to 29·903 inches at 9 p.m. of Sunday (wind, N.N.E) and rising to 30·410 inches at 9 p.m. of Saturday (wind, E.S.E.). The corrected mean temperature was 41·8°, the mean dry bulb reading at 9 a.m. and 9 p.m., being 41·4°. The screened thermometers rose to 51·2° on Friday, having fallen to 33·1° on Monday. N.E. and N.W. winds prevailed. The rainfall was ·097 inch on 2 days, ·070 inch being measured on Sunday—the precipitation was almost wholly in the form of hail and snow."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·196 inches. The highest reading (30·427) was on Saturday at 9 p.m., air calm, and the lowest (29·921) on Sunday at 9 p.m., wind N.E.

The mean temperature for the week was 39·4°, being 2·8° below the average for the corresponding period of the 10 years, 1896-1905. Both extremes of temperature—highest 50·3°, lowest 26·5°—were registered on Friday. The mean of the Dry Bulb for the week was 39·7°, and of the Wet Bulb 37·3°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 27·4 hours. The rainfall during the week measured ·045 inch.

At Greenwich the mean temperature for the week was 38·2°, the maximum 52·1°, and the minimum 29·1°; at Glasgow the maximum was 52·8°, the minimum 31·2°, and the mean 41·0°; and at Edinburgh the maximum was 52·5°, the minimum 29·0°, and the mean 39·3°. The rainfall at Greenwich measured 0·14 in., and at Edinburgh 0·09 in. There was no rainfall at Glasgow. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, March 25,	29·934	42·2	32·8	37·5	36·5	34·1	·80	·8	4·6	·030	N.	N.E.
Monday, „ 26,	30·021	40·6	32·4	36·5	35·5	33·0	·79	·2	4·0	·015	E.	N.E.
Tuesday, „ 27,	30·172	43·9	34·9	39·4	38·5	35·8	·79	·3	2·4	—	E.N.E.	N.E.
Wednesday, „ 28,	30·240	48·6	29·9	39·5	42·0	38·6	·74	·4	10·3	—	N.	Calm.
Thursday, „ 29,	30·272	49·8	33·9	41·9	39·8	37·7	·84	·7	5·8	—	N.	Calm.
Friday, „ 30,	30·328	50·3	26·5	38·4	42·9	40·9	·85	·8	0·3	—	W.	N.N.W.
Saturday, „ 31,	30·405	48·1	37·4	42·8	42·5	41·1	·89	·8	0·0	—	Calm.	Calm.
Mean, . .	30·196	46·2	32·5	39·4	39·7	37·3	·81	·6	Total 27·4	Total ·045	Prevailing Wind. N. and N.E	

Sunday—A cloudy day, snow showers; night cloudy. *Monday*—A cloudy day, light snow 9 a.m. to 10 a.m.; night cloudy. *Tuesday*—Day fine but cloudy; night cloudy. *Wednesday*—A fine bright day; night cloudy. *Thursday*—Day fine but cloudy; night clear. *Friday*—Day fine but dull; night overcast. *Saturday*—Day fine but dull; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 31st, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 25,	38·9	42·1	44·8	44·3	34·2	39·3	6·8	·051
Monday, „ 26,	36·5	41·6	44·7	41·6	31·8	36·7	3·5	·020
Tuesday, „ 27,	38·9	41·0	44·7	45·2	35·9	40·6	3·7	—
Wednesday, „ 28,	40·9	41·4	44·3	48·9	34·1	41·5	9·8	—
Thursday, „ 29,	44·9	42·9	44·2	50·8	38·2	44·5	5·8	—
Friday, „ 30,	43·5	42·8	44·2	51·5	34·2	42·9	0·7	—
Saturday, „ 31,	44·2	43·5	44·2	49·1	40·8	45·0	0·2	—
Weekly Mean,	41·1	42·2	44·4	47·3	35·6	41·5	Total 30·5	Total ·071

DUBLIN: Printed for His Majesty's Stationery Office,
By LEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—12898.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] QUARTER ENDING SATURDAY, 31ST MARCH, 1906. [No. 13A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar. Pembroke, Blackrock, and Kingstown, the total area thereof being 13,757 statute acres, and the population estimated to the middle of 1906, 378,994, there were registered during the thirteen weeks ended on Saturday, 31st March, 1906, 2,778 births—1,427 boys and 1,351 girls—being equal to an annual ratio of 1 in 34·1, or 29·3 in every 1,000 of the population.

The number of births registered in the city was 2,346, equivalent to an annual rate of 32·0 in every 1,000 of the population; and in the urban districts named above, 432, equal to an annual rate of 20·2 in every 1,000 of the population.

There were registered in London during the same period 32,670 births—being equal to an annual birth-rate of 27·7 in every 1,000 of the estimated population; in Glasgow there were registered 6,168, being equal to 29·5 per 1,000; and in Edinburgh, 1,883—a number affording an annual birth-rate of 22·1 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,254—1,162 males and 1,092 females—affording an annual ratio of 1 in 42·0, or 23·8 in every 1,000 of the estimated population; omitting the deaths (94) of persons admitted into Public Institutions from localities outside the Area, the rate was 22·8 per 1,000. The annual mortality represented by the deaths registered during the first quarter of the ten years, 1896–1905, in the Dublin Registration Area as then constituted, was 29·8 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 903, representing an annual mortality of 24·0 in every 1,000 of the population; and the number in the South City districts was 880, equivalent to a rate of 24·7 per 1,000. In the urban districts the number of deaths registered was 377, being equal to an annual death-rate of 17·6 in every 1,000.

The number of deaths registered in London during the same period was 19,481—a number equal to an annual rate of mortality of 16·5 in every 1,000 of the inhabitants; in Glasgow the number was 3,935, equal to 18·8 in every 1,000; and in Edinburgh, 1,475, affording an annual death-rate of 17·3 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 77, being 11 below the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 0·8, being 0·1 below the rate for the preceding three months.

The following tabular statement shows the mortality from each of the principal epidemic diseases in the period under notice, and the average number of deaths from the diseases which occurred in the corresponding period of the 10 years, 1896–1905:—

Name of Disease.	No. of Deaths in March Quarter, 1906.	Average No. of Deaths in March Quarters, 1896–1905.
Small-pox,	—	1
Measles,	—	55
Scarlet Fever,	5	19
Typhus,	1	1
Whooping-cough,	19	66
Diphtheria,	15	15
Pyrexia (origin uncertain),	1	1
Enteric Fever,	12	32
Diarrhœal Diseases,	24	27

Small-pox.—There was no record of death from small-pox in the returns furnished by the Registrars, for the period under notice. From Table I. it appears that no person suffering from the disease was admitted to Dublin hospitals for treatment during the quarter.

Measles.—It is satisfactory to report that not one death from measles was registered in the Dublin Registration Area during the March quarter of the year 1906; in each of the 3 preceding quarterly periods deaths from measles were 30, 7, and one, and the average for the corresponding quarterly period in the last 10 years is 55. From Table I. it appears that although there was no mortality from measles, 42 cases were admitted to Dublin hospitals for treatment during the quarterly period.

Scarlet Fever.—Of 5 deaths from scarlet fever, one was of a person admitted to hospital from without the Registration Area; in the 3 quarterly periods preceding deaths from this disease were 5, 3, and 6, respectively, and the average deaths for the corresponding period of the 10 years 1896–1905 from scarlet fever numbered 19. Table I. shows that 109 persons were admitted to Dublin hospitals suffering from scarlet fever, 108 persons were discharged, there were 3 deaths, and 52 persons (exclusive of 13 patients at Beneavin the Convalescent Home of Cork-street Fever Hospital) remained under treatment on the 31st March, 1906.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

† See note (*) page 214.

Typhus.—There was one death from typhus. At the close of the preceding quarterly period 2 cases were under treatment in Dublin hospitals; 6 were admitted during the period under notice; 5 cases were discharged; as stated previously there was one death, and 2 patients remained under treatment at the close of the quarter.

Influenza.—The deaths attributed to influenza rose from 14 in the December quarter of 1905 to 17 in the period under review. In the June and September quarters of 1905, the deaths from influenza were 21 and one respectively; the average number of deaths for the March quarter in the past 10 years is 73.

Whooping-cough.—The 19 deaths from whooping-cough represent a rate of 0·2 per 1,000 of the estimated population of the Dublin Registration Area. In each of the 3 preceding quarters, deaths from whooping-cough were 20, 6, and 14, and the average for the March quarter of the years 1896–1905 is 66.

Diphtheria.—The deaths from diphtheria which number 15 represent an annual rate of 0·2 per 1,000 of the estimated population. The deaths from this disease in the 3 preceding quarters were 8, 6, and 8 respectively. Of the deaths (15), 3 appertained to the Registrar's District of North City No. 1 W., and 4 to the Registrar's District of South City No. 1. In Table I. it may be seen that 85 persons suffering from diphtheria were admitted to Dublin hospitals for treatment, that 11 persons died therein during the quarter, and that at the close of the quarter 29 patients were still under treatment for the disease.

Enteric Fever.—Deaths from enteric fever which were 10 in June quarter of 1905, rose to 19 in September quarter, and again to 23 in December quarter of 1905, declined to 12 in the period now under notice. The 12 deaths represent an annual rate of 0·1 per 1,000 of the population of the area estimated to the middle of the year 1906. The average number of deaths from enteric fever in the corresponding period of the 10 years 1896–1905 is 32. Of the 12 deaths, 4 appertained to the North City, 3 to the South City, 2 to the Urban District of Rathmines and Rathgar, and 3 to Pembroke Urban District.

From Table I. it appears that at the end of December, 1905, there were 23 patients under treatment for enteric fever in Dublin hospitals, that during the March quarter of 1906 there were 59 persons admitted for treatment, that 3 deaths occurred in hospitals, and that on the 31st March there were 26 patients undergoing treatment in hospitals for the disease.

One death was attributed to pyrexia (origin uncertain); this condition was formerly described as simple, continued, or ill-defined fever.

Diarrhœal Diseases.—The deaths returned under the headings in this group were 24 in number, and are equal to an annual rate of 0·3 per 1,000 of the estimated population of the Area. Of the deaths, 3 were attributed to epidemic diarrhœa (infective enteritis) and 21 to *diarrhœa* or dysentery. Of the deaths, 2 were of persons admitted to institutions from places without the Registration Area. Of the total (24 deaths) 18 were of children under the age of 5 years.

Pneumonia.—There were 10 deaths from lobar pneumonia, 82 deaths from bronchopneumonia, and 79 deaths from *pneumonia* (not defined). In the aggregate 171 deaths, equal to a rate of 1·8 per 1,000 of the estimated population of the Area, were registered.

Tuberculosis.—The aggregate number of deaths from all forms of tuberculous disease during the period under review was 470, which number is equal to an annual rate of 5·0 per 1,000 of the estimated population of the Dublin Registration Area. The total (470) includes 120 deaths from tuberculous phthisis, 200 deaths from *phthisis*, 49 deaths from tuberculous meningitis, 7 deaths from tuberculous peritonitis, 4 deaths from *tabes mesenterica*, 88 deaths from other forms of the disease, and 2 deaths from *scrofula*. The rates in the 3 preceding quarterly periods for deaths from all forms of tuberculous disease were 4·5, 3·9, and 4·0 per 1,000. The rates for the pulmonary forms of the disease in each of the above periods were 3·2, 2·5, and 2·8 per 1,000; in the period under review the annual death rate per 1,000 for tuberculous phthisis (*phthisis*) was 3·4 per 1,000 of the estimated population of the Dublin Registration Area.

In the North Dublin City Districts the annual rate was 3·7 per 1,000; in the South Dublin City Districts the rate was 3·3 per 1,000, and in the Suburban Districts it was 2·3 per 1,000 of the respective estimated population of these areas.

Malignant Disease.—The deaths under this head numbered 104, and included 43 deaths from carcinoma, 9 deaths from sarcoma, and 52 deaths from cancer (undefined) or malignant disease.

Premature Birth.—The deaths of 38 infants, prematurely born, were registered.

Diseases of the Brain and Nervous System.—The deaths from diseases in this group numbered 180, including 76 deaths attributed to *convulsions*, 75 of these being deaths of children under 5 years of age.

Diseases of the Heart and Blood Vessels.—Diseases of these structures caused the deaths of 357 persons; amongst them 5 deaths due to aneurysm were registered.

Diseases of the Respiratory System.—There were 310 deaths from bronchitis in a total of 344 deaths from diseases of the respiratory organs.

Accidental Deaths.—Of 52 deaths attributed to accidental causes, 20 were by burns, scalds or explosions, 9 of the latter being deaths of children under 5 years of age, 6 deaths by drowning, and 3 deaths from poisons or poisonous vapours were included in the above total.

Homicide.—Two deaths were homicidal.

Suicide.—Four deaths by suicide were registered.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 31st March, 1906.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Small-pox, . .	.	.	.	.	.
Measles, . . .	7	42	28	.	21
Scarlet Fever, . .	54	109	108	3	52*
Typhus . .	2	6	5	1	2
Diphtheria, . .	38	85	83	11	29
Enteric Fever, . .	23	59	53	3	26
Pneumonia, . .	20	99	89	10	20

In 88 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 88 cases, 48 (or 54·5 per cent.), were deaths of children under 5 years of age: these 48 deaths form 8·5 per cent. of the total number of deaths of children of that age. Of the deaths of 106 infants under one month old registered, there were 17 (or 16·0 per cent.) regarding which the cause was uncertified.

From Table II., on pages 212*b* and 212*c*, it will be seen that, excluding 94 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,160, equal to an annual rate of 22·8 per 1,000 of the estimated population, and that 70 of these deaths, representing an annual rate of 0·7 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 24·3 per 1,000, and for the urban districts 17·6 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 0·8, and in the urban districts 0·4, the rates for the several districts varying from 0·0 in Finglas and Glasnevin (part of), and Blackrock and Kingstown urban districts, to 1·4 in South City, No. 1, the 249 deaths from all causes in that district including 2 from scarlet fever, 2 from whooping-cough, 4 from diphtheria, 2 from enteric fever, and 3 from diarrhœal diseases.

* Exclusive of 13 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.
† See note (*) page 214.

Occupations.—Table III., on pages 212*d* and 213, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 20·0 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 17·2 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 17·1; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 33·0.

Ages.—Of the 2,254 persons whose deaths were registered in the Dublin Registration Area during the quarter, 562 were under 5 years of age, including 356 infants under one year of age, representing a rate of 128·1 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 58·9 in every 1,000 children at that age (according to the Census of 1901); 168 were between the ages of 5 and 20, representing an annual rate of 6·3 per 1,000 persons of that age period; the total number under 20 years being equal to an annual mortality of 20·2 per 1,000 of the population at that age (according to the Census of 1901); 337 or 9·9 per 1,000 persons were between 20 and 40; 525 or 30·6 per 1,000 between 40 and 60; 553 or 91·1 per 1,000 between 60 and 80; 109 or 229·0 per 1,000 were aged 80 and upwards, including 14 persons aged 90 and upwards.

Public Institutions.—Of the 2,254 deaths recorded during the quarter, 962, or 42·7 per cent., occurred in public institutions, viz., 518 in the various hospitals, prisons, and lunatic asylums; 207 in the North Dublin Union Workhouse; 229 in the South Dublin Union Workhouse; and 8 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 40·8°. At Greenwich for the quarter, it was 40·8°; and at Glasgow, 39·4°.

The rainfall at Dublin during the thirteen weeks measured 7·168 inches; at Greenwich, 6·64 inches; at Glasgow, 10·85 inches; and at Edinburgh, 6·08 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 31st March, 1906,** the REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective the Mortality from some of the principal causes; also the Deaths of Infants under 1 year *Deaths in Public Institutions being assigned to the Districts from which the deceased*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1906.*	QUARTER (13 WEEKS) ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		TOTAL DEATHS.	DEATHS.		CAUSED BY				
		FROM ALL CAUSES.	FROM DISEASES IN COLS. 7-15.		Infants under 1 year of Age.	Persons aged 60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
North City.											
NORTH CITY, No. 1, E.,	28,332	19·9	0·8	141	27	38	.	.	.	.	5
" 1, W.	39,146	26·9	1·0	263	39	72	.	.	1	1	1
" 2,	30,107	28·4	0·7	214	39	45	.	.	.	.	.
" 3,	31,673	24·0	1·0	190	42	42	.	.	1	.	2
CLONTARF AND HOWTH, No. 1, part of,	4,806	13·3	0·8	16	2	8	.	.	.	.	.
COOLOCK AND DRUMCONDRA, No. 1, part of,	10,017	20·8	1·2	52	6	21	.	.	.	.	1
FINGLAS AND GLASNEVIN, part of,	6,665	16·2	.	27	3	7	.	.	.	.	.
South City.											
SOUTH CITY, No. 1,	38,384	25·9	1·4	249	36	88	.	.	2	.	2
" 2,	18,286	26·5	0·2	121	21	30	.	.	.	.	.
" 3,	41,940	27·0	1·0	283	47	83	.	.	.	.	6
" 4,	35,138	21·6	0·2	190	27	57	.	.	.	.	1
NEW KILMAINHAM,	8,891	16·6	0·9	37	10	13	.	.	.	.	.
Urban Districts.											
RATHMINES AND RATHGAR,	33,203	16·0	0·5	133	20	44	.	.	.	.	.
PEMBROKE,	26,025	17·7	0·6	115	12	43	.	.	.	.	.
BLACKROCK,	8,759	12·8	.	28	3	13	.	.	.	.	.
KINGSTOWN,	17,622	22·9	.	101	18	40	.	.	.	.	.
Total City, North,	150,746	24·0	0·9	903	158	233	.	.	2	1	9
Total City, South,	142,639	24·7	0·8	880	141	271	.	.	2	.	9
Total City, North & South,	293,385	24·3	0·8	1,783	299	504	.	.	4	1	18
Total Urban Districts,	85,609	17·6	0·4	377	53	140	.	.	.	.	.
Total Registration Area,	378,994	22·8	0·7	2,160	352	644	.	.	4	1	18
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				94	4	18	.	.	1	.	1

* See note (*) on page 215.

number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with of age and of persons aged 60 years and upwards, and the number of Uncertified Deaths; *the were admitted.*

ENDED 31ST MARCH, 1906. DEATHS. CAUSED BY											
Diphtheria.	*Pyrexia* † (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Number of Uncertified Deaths.	REGISTRARS' DISTRICTS, &c.
(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	
											North City.
.	.	.	1	11	25	7	3	18	3	9	NORTH CITY, No. 1, E.
3	.	1	3	27	38	11	9	54	8	15	" 1, W.
.	.	.	5	10	39	21	7	29	7	5	" 2
1	.	2	2	19	22	15	7	24	4	3	" 3.
.	1	.	.	1	2	.	1	.	.	2	CLONTARF AND HOWTH, No. 1, part of.
1	.	1	.	2	9	.	5	6	.	2	COOLOCK AND DRUMCONDRA, No. 1, part of.
.	.	.	.	1	4	1	1	3	.	3	FINGLAS AND GLASNEVIN, part of.
											South City.
4	.	2	3	13	43	15	3	48	6	5	SOUTH CITY, No. 1.
.	.	.	1	6	15	9	8	22	2	4	" 2.
.	.	.	5	26	23	39	15	40	3	11	" 3.
.	.	1	.	17	31	13	11	39	5	1	" 4.
1	.	.	1	2	6	1	2	6	2	9	NEW KILMAINHAM.
											Urban Districts.
1	.	2	1	6	23	3	6	16	6	8	RATHMINES AND RATHGAR.
1	.	3	.	9	15	6	8	12	2	3	PEMBROKE.
.	.	.	.	3	1	1	1	6	2	1	BLACKROCK.
.	.	.	.	10	11	6	4	12	3	7	KINGSTOWN.
5	1	4	11	71	139	55	33	134	22	39	**North.** } **Total City.**
5	.	3	10	64	118	77	39	155	18	30	**South.** } **Total City.**
10	1	7	21	135	257	132	72	289	40	69	**North & South.** } **Total City.**
2	.	5	1	28	50	16	19	46	13	19	**Total Urban Districts.**
12	1	12	22	163	307	148	91	335	53	88	**Total Registration Area.**
3	.	.	2	8	13	2	13	9	5	.	

* See note (*) on page 214. † Formerly described as "Simple Continued Fever."

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL **13 weeks ending Saturday, 31st March, 1906**; the Annual Death-rate represented by some of the Principal Causes of Death; also the number of Uncertified Deaths.

Class.	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, (13 Weeks) Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	ALL PERSONS,	375,350	24·0	2,254	562	168	337	525	553	109
	CLASSES.									
	Deaths in Families of the—									
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	20·0	87	5	.	7	17	38	20
II.	MIDDLE CLASS,	87,188	17·2	374	63	27	65	80	103	36
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	17·1	4 2	115	47	65	114	113	18
IV.	GENERAL SERVICE CLASS,	154,279	33·0	877	311	74	138	193	145	16
V.	INMATES OF WORKHOUSES,	6,024		444	68	20	62	121	154	19
I.	PROFESSIONAL AND INDEPENDENT CLASS.									
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	28·2	55	5	.	1	13	24	12
	2. Merchants and Manufacturers, Higher Class,	1,277	6·3	2	.	.	.	2	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	14·4	30	.	.	6	2	14	8
II.	MIDDLE CLASS.									
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	10·9	21	3	.	3	4	8	3
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	21·1	116	18	10	13	29	34	12
	6. Clerks and Commercial Assistants,	30,432	14·1	107	33	9	29	22	12	2
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	19·2	130	9	8	20	25	49	19
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.									
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	9,874	19·0	47	16	3	6	11	10	1
	9. Building and Furnishing Trades,	29,801	18·8	140	48	17	18	24	30	3
	10. Clothing Trades,	23,260	10·8	63	16	6	10	13	14	4
	11. Food Supply Trades,	9,242	15·1	35	7	2	6	10	8	2
	12. Other Trades and Callings ranking with Trades,	30,352	21·0	159	21	18	22	44	47	7
	13. Petty Shopkeepers,	7,894	14·2	28	7	1	3	12	4	1
IV.	GENERAL SERVICE CLASS.									
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	20·9	70	26	3	6	10	23	2
	15. Domestic Servants,	36,603	8·7	80	10	4	17	25	22	2
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	26·7	96	28	8	14	22	21	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	28·1	631	247	59	101	136	79	9
V.	INMATES OF WORKHOUSES.									
	18. Workhouse Inmates,	6,024	.	444	68	20	62	121	154	19

POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from

ENDING SATURDAY, 31ST MARCH, 1906.

CAUSES OF DEATH.																			CLASS AND ORDER.
Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Total. Cols. 10-18.	Pneumonia.	TUBERCULOUS DISEASE. Phthisis.	TUBERCULOUS DISEASE. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.	Number of Uncertified Deaths.	
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
.	.	5	1	19	15	1	12	24	77	171	320	150	104	76	344	58	954	88	
.	.	.	.	.	.	.	.	1	1	7	2	1	8	.	3	1	64	1	I.
.	.	2	1	4	6	1	1	1	16	25	44	16	31	11	35	12	184	13	II.
.	.	.	.	4	3	.	3	6	16	37	74	43	19	20	67	12	184	17	III.
.	.	3	.	11	6	.	7	6	33	84	118	62	28	44	131	31	346	57	IV.
.	.	.	.	.	.	.	1	10	11	18	82	28	18	1	108	2	176	.	V.
																			I.
.	.	.		.	.	.	.	1	1	5	1	.	4	.	1	1	42	1	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
.	.	.	.	.	.	.	.	.	.	2	1	1	4	.	2	.	20	.	3
																			II.
.	.	.	.	.	.	.	.	.	.	5	3	.	2	.	1	.	10	.	4
.	.	1	.	1	2	1	1	.	6	12	9	5	9	3	13	4	55	6	5
.	.	.	.	3	3	.	.	1	7	3	19	8	7	6	9	2	46	2	6
.	.	1	1	.	1	.	.	.	3	5	13	3	13	2	12	6	73	5	7
																			III.
.	.	.	.	.	1	.	.	1	2	7	2	2	3	6	4	.	21	1	8
.	.	.	.	1	2	.	1	3	7	13	21	14	7	10	24	4	40	8	9
.	.	.	.	1	.	.	.	1	2	4	15	6	3	1	6	1	25	3	10
.	.	.	.	.	.	.	.	.	.	3	2	4	.	.	4	.	22	2	11
.	.	.	.	1	.	.	1	1	3	9	30	15	4	2	25	6	65	3	12
.	.	.	.	1	.	.	1	.	2	1	4	2	2	1	4	1	11	.	13
																			IV.
.	.	.	.	.	2	.	.	.	2	6	1	3	7	5	7	1	38	1	14
.	.	.	.	.	.	.	2	.	2	7	15	2	4	3	7	2	38	2	15
.	.	.	.	2	.	.	1	.	3	14	12	4	4	5	20	5	29	6	16
.	.	3	.	9	4	.	4	6	26	57	90	53	13	31	97	23	241	48	17
.	.	.	.	.	.	.	1	10	11	18	82	28	18	1	108	2	176	.	V. 18

* Formerly described as "Simple Continued Fever."

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 22·3 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Armagh, 13·2 ; Ballymena, 15·8 ; Tralee, 16·2 ; Queenstown, 16·7 ; Portadown, 17·4 ; Londonderry, 18·4 ; Kilkenny, 19·2 ; Cork, 20·2 ; Waterford, 20·3 ; Sligo, 21·0 ; Lurgan, 21·0 ; Newry, 21·9 ; Dundalk, 22·0 ; Clonmel, 22·0 ; Wexford, 22·6 ; Lisburn, 22·7 ; Dublin Registration Area, 22·8 ; Drogheda, 22·9 ; Belfast, 23·2 ; Galway, 23·5 ; Limerick, 23·7, and Newtownards, 40·4.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·3 per 1,000 of the population, the rates varying from 0·0 in four of the districts to 14·5 in Newtownards, the 92 deaths from all causes in that district including 22 from measles, 9 from whooping-cough, and 2 from diarrhœal diseases. The 2,078 deaths, from all causes in Belfast include one from measles, 10 from scarlet fever, one from typhus, 72 from whooping-cough, 13 from diphtheria, 7 from *pyrexia* (origin uncertain), 36 from enteric fever, and 23 from diarrahœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Small-pox.—No death from small-pox was recorded during the period under review.

Measles.—Twenty-two deaths were registered in Newtownards, 10 in Lurgan, 2 in Portadown and one in Belfast.

Scarlet Fever.—There were 10 deaths in Belfast, and one death in each of the Urban Districts of Limerick and of Newry.

Typhus.—In each of the following Urban Districts :—Belfast, Cork, Galway and Sligo—one death from typhus was registered.

Whooping-cough.—In Belfast 72 deaths from whooping-cough were registered, in Londonderry 17, in Dundalk 14, in Newtownards 9, in Kilkenny 2, in Waterford one, and in Cork one.

Diphtheria.—There were 13 deaths in Belfast, 3 in Cork, 2 in Limerick, and one in each of Londonderry, Drogheda, and Sligo.

Enteric Fever.—Of 40 deaths, 36 appertained to Belfast, and one to each of Cork, Limerick, Clonmel and Portadown.

Diarrhœal Diseases.—Of 51 deaths registered, 23 were in Belfast, 7 in Cork and 6 in Londonderry.

Phthisis.—The death-rate from phthisis for the 22 towns in the aggregate, was 3·1 per 1,000 of the population ; for the Dublin Registration Area it was 3·2 per 1,000, for Belfast County Borough 3·1 per 1,000, and for the Urban Districts, collectively, (exclusive of Belfast and Dublin Registration Area) it was 2·9 per 1,000.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, *pyrexia* (origin uncertain), enteric fever, and diarrhœal diseases.

Deaths from some of the principal causes; also the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Registration—Quarter (13 Weeks) ending Saturday, 31st March, 1906. Annual Rate per 1,000 persons represented by Births.	Deaths from All Causes.	Deaths from Diseases in Cols. 10-18.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years and upwards.	Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* † (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
Total of 22 Town Districts,	1,093,959	19·2	29·9	22·3	1·3	8,174	6,101	1,054	1,735	.	35	16	5	134	33	11	52	73	447	837	38	216	961	115	191	1,929	301
Dublin Registration Area,	378,994	27·5	29·3	22·8	0·7	2,778	2,160	352	644	.	.	4	1	18	12	1	12	22	163	307	148	91	335	53	68	868	88
Urban Districts.																											
Belfast,	358,680	24·4	32·4	23·2	1·8	2,902	2,078	415	509	.	1	10	1	72	13	7	36	23	180	274	91	66	321	37	81	502	47
Cork,	76,122	33·6	28·6	20·2	0·7	544	384	56	106	.	.	.	1	1	3	.	1	7	15	74	17	18	52	5	13	152	23
Londonderry,	42,067	19·4	26·9	18·4	2·3	283	194	42	47	.	.	.	.	17	1	.	.	6	11	23	7	7	43	2	3	34	11
Limerick,	38,151	18·1	28·5	23·7	0·5	272	226	33	70	.	.	1	.	.	2	.	1	1	8	28	9	4	60	.	3	90	33
Waterford,	26,769	18·7	24·4	20·3	0·4	163	136	17	50	.	.	.	.	1	.	1	.	1	8	19	11	4	24	6	6	54	11
Galway,	13,426	2·5	28·6	23·5	0·9	96	79	7	31	.	.	.	1	.	.	2	.	.	10	12	3	5	8	1	2	34	10
Dundalk,	13,076	9·4	26·3	22·0	4·3	86	72	17	14	.	.	.	.	14	.	.	.	.	8	7	1	2	8	3	2	3	13
Drogheda,	12,760	8·6	30·7	22·9	0·3	98	73	10	26	.	.	.	.	.	1	.	.	.	14	7	.	2	8	.	.	20	2
Newry,	12,405	17·8	26·1	21·9	1·6	81	68	11	25	.	.	1	.	.	.	.	.	4	1	9	2	2	6	1	2	16	.
Lurgan,	11,782	13·8	31·6	21·0	3·7	93	62	9	11	.	10	.	.	.	.	.	.	1	5	8	4	1	4	1	2	17	5
Lisburn,	11,461	10·1	26·2	22·7	.	75	65	6	22	.	.	.	.	.	.	.	.	.	4	13	4	2	9	.	2	18	4
Wexford,	11,168	23·2	29·4	22·6	0·7	82	63	9	18	.	.	.	.	.	.	.	.	2	1	9	6	2	15	1	1	12	10
Ballymena,	10,886	8·9	32·3	15·8	.	88	43	12	15	.	.	.	.	.	.	.	.	.	2	8	.	2	5	1	.	10	6
Sligo,	10,870	3·7	26·5	21·0	0·7	72	57	8	26	.	.	.	1	.	1	.	.	.	1	5	4	.	5	.	1	23	9
Kilkenny,	10,609	11·5	32·4	19·2	0·8	86	51	10	24	.	.	.	.	.	.	.	.	2	1	2	1	.	7	.	.	18	10
Clonmel,	10,167	7·8	25·6	22·0	1·6	65	56	5	18	.	.	.	.	2	.	.	1	1	5	6	2	3	15	.	.	24	11
Portadown,	10,092	13·2	30·1	17·4	1·2	76	44	5	14	.	2	.	.	.	.	.	1	.	1	6	.	.	7	2	2	.	.
Tralee,	9,867	16·6	28·4	16·2	.	70	40	5	17	.	.	.	.	.	.	.	.	.	4	4	4	.	8	.	.	17	.
Newtownards,	9,110	18·9	23·3	40·4	14·5	53	92	18	25	.	22	.	.	9	.	.	.	2	1	11	1	2	15	1	2	13	7
Queenstown,	7,909	14·4	30·9	16·7	0·5	61	33	4	12	.	.	.	.	.	.	.	.	1	4	4	3	.	3	1	1	1	1
Armagh,	7,588	22·2	26·4	13·2	.	50	25	3	11	.	.	.	.	.	.	.	.	.	.	1	.	3	3	.	.	3	.

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1906; that for each of the other districts is the Population according to the Census of 1901.

† Formerly described as "Simple Continued Fever."

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended 31st MARCH, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1.)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN, No. 1 DISTRICT,	14,734	109	30·1	2·4	111	23	7	50	31	.	.	.	.	5	1	1	.	2	10	17	.	3	18	5	11	32	2
" 2 "	47,959	387	24·2	1·0	290	48	44	116	82	.	.	1	1	8	2	.	.	.	31	32	12	1	61	2	8	62	4
" 3 "	47,214	380	23·5	3·2	277	63	31	105	78	.	.	2	.	15	1	.	6	14	31	33	11	8	44	4	10	56	9
" 4 "	40,911	418	29·3	1·8	300	72	29	123	76	.	1	1	.	6	.	4	6	.	16	35	10	10	42	5	9	104	9
" 5 "	17,887	129	29·9	4·4	130	28	27	52	23	.	.	.	.	16	.	.	2	1	8	13	6	4	19	1	4	37	4
" 6 "	48,122	282	21·4	1·2	257	36	18	133	70	.	.	2	.	3	2	2	5	.	32	40	9	12	36	5	8	69	6
" 7 "	1,524	17	39·4	.	15	3	2	8	2	.	.	.	.	.	.	.	.	.	3	3	.	.	1	1	1	7	.
" 8 "	5,060	37	17·4	0·8	22	8	1	9	4	.	.	.	.	.	.	.	1	.	1	1	2	1	3	2	2	3	.
" 9 "	19,569	177	17·6	1·0	86	15	8	43	20	.	.	2	.	1	1	.	1	.	6	8	15	3	7	.	1	22	1
" 10 "	23,064	220	28·8	4·2	166	44	23	71	28	.	.	1	.	13	1	.	6	3	12	23	7	3	27	2	9	29	4
" 11 "	34,802	286	20·7	0·7	180	40	17	85	38	.	.	.	.	1	1	.	2	2	11	25	9	8	23	5	7	35	3
" 12 "	33,588	320	20·6	1·7	173	27	19	89	58	.	.	.	.	3	4	.	7	.	13	28	6	7	34	4	7	33	5
" 13 "	15,006	139	18·1	0·8	68	8	6	36	18	.	.	1	.	1	.	.	.	1	6	11	3	6	6	.	4	12	.
" 14 "	240	1	.	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Total, . .	349,180	2,902	23·8	1·9	2,078	415	233	921	509	.	1	10	1	72	13	7	36	23	180	274	91	66	321	37	81	502	47
City of Cork.																											
CORK URBAN, No. 1 DISTRICT,	12,867	78	23·9	0·9	77	11	7	36	23	.	.	.	.	1	.	.	.	2	3	12	3	3	8	.	1	45	4
" 2 "	10,701	89	20·6	1·9	55	7	6	30	12	.	.	.	1	.	2	.	1	1	2	11	4	2	5	.	5	14	3
" 3 "	9,978	73	18·2	0·4	33	10	2	16	5	.	.	.	.	.	.	.	.	1	.	9	2	1	5	.	.	7	3
" 4 "	8,666	51	28·1	0·9	61	6	5	35	15	.	.	.	.	.	1	.	.	1	6	14	1	4	4	.	.	34	1
" 5 "	6,592	51	20·6		34	2	1	21	10	.	.	.	.	.	.	.	.	.	1	6	1	3	3	1	1	18	.
" 6 "	10,702	83	15·0	0·4	40	6	4	18	12	.	.	.	.	.	.	.	.	1	1	5	2	3	2	.	2	6	3
" 7 "	16,616	119	20·2	0·2	84	14	7	34	29	.	.	.	.	.	.	.	.	1	2	17	4	2	25	4	4	28	9
Total, . .	76,122	544	20·2	0·7	384	56	32	190	106	.	.	.	1	1	3	.	1	7	15	74	17	18	52	5	13	152	23

* Formerly described as "Simple Continued Fever."

GENERAL REGISTER OFFICE,

ROBERT E. MATHESON,

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & Co. (Limited), 87, 88, and 89, Abbey-street.
380. Wt. P. 374. 4. 06. (12.05).—19060.

OFFICIAL.

VEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

NSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

OL. XLIII.] WEEK ENDING SATURDAY, 7TH APRIL, 1906. [No. 14.

General Register Office, Charlemont House, Dublin, 9th April, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in e Dublin Registration Area and the twenty-one principal provincial Urban Districts Ireland was 21·7 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,093,959.† The deaths registered in each of the st four weeks, and during the whole of that period, in the several Districts, alphaetically arranged, corresponded to the following annual rates per 1,000. In some stances owing to deaths not having been registered within the week in which they curred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Mar. 17.	Week ending Mar. 24.	Week ending Mar. 31.	Week ending April 7.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 17.	Week ending Mar. 24.	Week ending Mar. 31.	Week ending April 7.	Average Rate for 4 weeks.
2 Town Dists.	22·6	23·8	26·5	21·7	23·7	Lisburn,	13·6	27·3	22·7	22·7	21·6
rmagh,	20·6	13·7	13·7	20·6	17·2	Londonderry,	18·6	9·9	26·0	17·4	18·0
allymena,	19·2	28·7	14·4	19·2	20·4	Lurgan,	4·4	26·6	13·3	8·9	13·3
elfast,	27·8	22·1	29·2	24·6	25·9	Newry,	12·6	25·2	33·6	29·4	25·2
lonmel,	25·6	25·6	30·8	20·5	25·6	Newtownards,	40·1	45·8	22·9	34·3	35·8
ork,	16·4	26·0	24·0	13·7	20·0	Portadown,	5·2	10·3	15·5	31·0	15·5
rogheda,	20·4	24·5	24·5	20·4	22·5	Queenstown	6·6	46·1	19·8	13·2	21·4
ublin Reg. Area,	23·1	25·6	26·1	21·1	24·0	Sligo,	43·2	19·2	24·0	33·6	30·0
undalk,	12·0	19·9	23·9	8·0	16·0	Tralee,	.	.	15·9	10·6	6·6
alway,	11·7	38·8	31·1	3·9	21·4	Waterford,	15·6	31·2	23·4	19·5	22·4
ilkenny,	19·7	9·8	14·7	39·3	20·9	Wexford,	23·3	18·7	28·0	14·0	21·0
merick,	15·0	27·3	31·4	31·4	26·3						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last eek * were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in fteen of the districts to 8·4 in Newry, the 7 deaths from all causes in that district cluding one from whooping-cough and one from enteric fever. Among the 169 eaths from all causes in Belfast are one from measles, one from scarlet fever, 12 from hooping-cough, one from diphtheria, 5 from enteric fever, and 2 from diarrhœal seases, and the 2 deaths in Dundalk were both from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 07—96 boys and 111 girls; and the deaths to 159—85 males and 74 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·9 in every 000 of the population; omitting the deaths (numbering 6) of persons admitted

* Exclusive of deaths of persons admitted into Public Institutions from without the respective stricts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

Q

into public institutions from localities outside the Area, the rate was 21·1 per 1,000 During the fourteen weeks ending with Saturday last the death-rate averaged 23·7, an was 6·0 below the mean rate for the corresponding portions of the ten years, 1896–190.

The deaths (159) included one death from measles, 2 deaths from whooping-coug and one death from *diarrhœa*. In each of the 3 preceding weeks, deaths from measle were 0, 0, and 0; deaths from whooping-cough were 2, 0, and 2; and deaths fro diarrhœal diseases, were 3, 5, and 2. Two deaths from influenza were recorded.

There was one death from lobar pneumonia, broncho-pneumonia caused 4 death and *pneumonia* (not defined) caused 3 deaths.

Of 38 deaths from tuberculous disease, 15 were from tuberculous phthisis, 8 fro *phthisis*, 3 from tuberculous meningitis, 2 from tuberculous peritonitis, and 10 fro other forms of the disease. In the 3 preceding weeks, deaths from all forms c tuberculous disease were 35, 43, and 40, respectively.

Two deaths were attributed to carcinoma, and 2 to cancer (undefined).

Of 13 deaths from diseases of the brain and nervous system, 6 were of infants unde one year of age from *convulsions*.

Diseases of the heart and blood vessels accounted for 27 deaths.

There were 22 deaths from bronchitis.

One death was by accidental drowning, and one death by suicide was registered.

In 9 instances the cause of death was "uncertified," there having been no medic attendant during the last illness; these cases include the deaths of 6 children unde one year of age, and the death of one person aged 60 years.

Thirty-seven of the persons whose deaths were registered during the week were under years of age (22 being infants under one year, of whom 5 were under one month old and 47 were aged 60 years and upwards, including 24 persons aged 70 and upwards, c whom 7 were octogenarians.

Sixty-eight of the deaths registered during the week occurred in hospitals and othe public institutions; of this number 19 took place in the North Dublin Union Work house, and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns fo last week, deaths in Public Institutions being assigned to the districts from whic the deceased were admitted, and the annual death-rate for each District calculated o the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·1 per 1,000; the rate i the City was 22·7 (North City Districts, 23·2; South, 22·3), and in the Suburbs, 15·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·6 per 1,00 inhabitants, the rate for the City being 0·5 (0·7 in the North City Districts, and 0·4 in the South and for the Suburbs, 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (18) are equal to an annual ra of 32·1 per 1,000. The deaths include one from broncho-pneumonia, one from *pneumonia* (not defined 6 from tuberculous disease, 2 from bronchitis, and one suicidal death.

No. 1 *North City District, West* (Summer-hill).—The deaths (12) are equal to an annual rate of 16 per 1,000, and include 3 from tuberculous disease and one from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27 per 1,000. *Diarrhœa* caused one death, tuberculous disease caused 2 deaths, and bronchitis 3 deaths.

No. 3 *North City District* (Benburb-street).—The deaths (12) represent an annual rate of 19·8 pe 1,000. There was one death from whooping-cough, also one death from *phthisis*, and there were deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last wee are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. part of, 20·8; and Finglas and Glasnevin, part of, 15·6. There was one death from tuberculous diseas in each of Coolock and Drumcondra, No. 1 (part of), and Finglas and Glasnevin (part of).

No. 1 *South City District* (South Earl-street).—The deaths (20) represent an annual rate of 27·2 pe 1,000, The deaths included one death from measles, one death from broncho-pneumonia, one deat from *pneumonia* (not defined), 9 deaths from tuberculous disease, and 3 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 22·8 pe 1,000. There were 2 deaths from tuberculous disease of the lungs and 3 deaths from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 24·9 pe 1,000, and include one death from broncho-pneumonia, 5 deaths from tuberculous disease, 9 deat from diseases of the heart and blood vessels, and 2 deaths from bronchitis.

No. 4 *South City District* (Grand Canal-street).—The deaths (12) are equivalent to an annual rate 17·8 per 1,000. There was one death from *pneumonia* (not defined), there were 2 deaths from tube culous phthisis, and bronchitis caused one death.

New Kilmainham District.—The one death recorded was equivalent to an annual rate of 5·9 per 1,000

Urban Districts.—The annual death-rates represented by the deaths recorded last week are: Rathmines and Rathgar, 22·0; Pembroke, 6·0; Blackrock, 23·8; and Kingstown, 11·8. The only deat from any of the principal epidemic diseases tabulated for these districts was one from whoopin cough for Rathmines and Rathgar. Of the 14 deaths from all causes for the last-named district o was from influenza, one from broncho-pneumonia, one from tuberculous phthisis, one from tube culous meningitis, and 2 from bronchitis; and the 3 deaths from all causes for Pembroke include from tuberculous disease.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoide when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. awcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive anitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock rban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban istrict; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 7th April, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Mar. 17,	.	—	—	1	2	.	4	.	3	2	16	.	—	—	—	—	—	28
	Mar. 24,	.	—	—	5	.	.	3	.	.	1	5	.	—	—	—	—	—	14
	Mar. 31,	.	—	—	3	.	.	7	.	3	5	3	.	—	—	—	—	—	21
	Apr. 7,	.	—	—	7	1	.	2	.	2	1	5	.	—	—	—	—	—	18
Rathmines and Rathgar Urban District.	Mar. 17,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	—	4
	Mar. 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Mar. 31,	.	—	—	.	.	.	.	.	.	2	2	.	—	—	—	—	—	4
	Apr. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Pembroke Urban District.	Mar. 17,	.	.	.	.	.	.	.	.	.	.	.	.	—	1	.	—	—	1
	Mar. 24,	.	.	.	.	.	.	.	.	.	1	.	.	—	5	.	—	—	6
	Mar. 31,	.	.	.	1	.	.	.	.	.	.	1	.	—	.	.	—	—	2
	Apr. 7,	.	.	.	9	.	.	.	.	.	.	.	.	—	.	.	—	—	9
Blackrock Urban District.	Mar. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 31,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Apr. 7,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	—	2
Kingstown Urban District.	Mar. 17,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	Mar. 24,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	2
	Mar. 31,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	2
	Apr. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Mar. 17,	.	—	—	27	1	.	2	1	5	10	6	.	—	—	—	—	—	52
	Mar. 24,	.	—	—	39	.	.	3	2	11	18	9	.	—	—	—	—	—	82
	Mar. 31,	.	—	—	21	.	.	7	1	9	23	6	1	—	—	—	—	—	68
	Apr. 7,	.	—	—	16	.	.	5	.	13	9	4	.	—	—	—	—	—	47

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 7th April, 1906.

From this it appears that:—

Seven cases of measles were admitted to hospital during the week, 6 were discharged, ere was one death, and 21 cases remained under treatment at its close.

Nine cases of scarlet fever were admitted to hospital, 6 were discharged, and 55* cases mained under treatment at the close of the week.

One case of typhus was admitted to hospital during the week, and 3 cases remained under eatment at its close.

Three cases of diphtheria were admitted to hospital, 7 were discharged, and 25 patients mained under treatment at the close of the week.

Seven cases of enteric fever were admitted to hospital, 2 were discharged, and 31 cases mained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, were discharged, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the te was 16·8), was equal to an average annual death-rate of 17·0 per 1,000 persons living. e average rate for 8 principal towns of Scotland was 19·4 per 1,000, the rate for Glasgow ing 17·9, and for Edinburgh 20·2.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a py of his Return of Infectious Diseases notified during the week ended 7th April. From this Return it pears that of a total of 47 cases notified 28 were scarlet fever, 12 diphtheria, one membranous croup, 4 ysipelas, and 2 typhoid fever. Among the 326 cases of infectious diseases in hospital at the close of the ek were 162 cases of scarlet fever, 55 of diphtheria, 73 of measles, 14 of erysipelas, 10 of typhoid fever, d 9 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 7th April, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 7th April, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrheal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 7th April, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 31st March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	29·6	21·7	1·6	621	456	78	111	.	2	1	.	18	1	.	7	5	34	71	34	13	65	13	14	146	18	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total, d.	378,994	27·5	28·5	21·1	0·6	207	153	22	47	.	1	.	.	2	.	.	.	1	8	22	14	4	22	2	4	62	9	f63·0	27·4	42·9	0·19	f50·3	26·5	39·4	0·05	f50·6	30·7	40·3	0·19
City of Dublin,	293,885	37·1	29·7	22·7	0·5	167	128	17	38	.	1	.	.	1	.	.	.	1	6	21	11	4	19	1	2	57	8	g62·1 / h62·2	34·7 / 26·0	45·8 / 42·9	0·15 / 0·17	g51·2 / h51·9	33·1 / 28·6	41·8 / 40·6	0·10 / 0·08	g51·0 / h51·3	33·4 / 33·0	42·5 / 41·0	0·16 / 0·15
Urban Dists. Rathmines and Rathgar.	33,208	19·4	26·7	22·0	1·6	17	14	2	5	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	20·0	6·0	.	10	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	23·8	.	2	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	32·5	11·8	.	11	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	59	34·5	45·2	0·05	49·0	33·5	42·0	0·14	48·5	34·5	42·2	0·19
Urban Districts.																																							
Belfast,	358,680	24·4	34·9	24·6	3·2	240	169	35	25	.	1	1	.	12	1	.	5	2	19	24	11	4	21	7	6	51	1	54·2	30·2	44·3	0·02	52·5	24·0	39·4	0·00	53·5	30·0	42·3	0·21
Cork,	76,122	33·6	18·5	13·7	.	27	20	2	6	.	.	.	.	.	.	.	.	.	.	5	2	1	1	.	.	7	1	55	37	45·9	0·37	50	31	41·4	0·04	51	34	43·2	0·03
Londonderry,	42,067	19·4	29·7	17·4	2·5	24	14	3	3	.	.	.	.	1	.	.	1	.	.	3	3	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	21·9	31·4	.	16	23	4	3	.	.	.	.	.	.	.	.	.	3	5	3	1	4	.	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	21·4	19·5	.	11	10	1	3	.	.	.	.	.	.	.	.	.	.	3	.	1	2	2	1	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	46·6	8·9	.	12	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	54	30	45·6	0·65	53	28	41·5	0·00	54	35	44·3	0·02
Dundalk,	18,076	9·4	19·9	8·0	8·0	5	2	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	28·6	20·4	.	7	5	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	16·8	29·4	8·4	4	7	1	1	.	.	.	.	1	.	.	1	.	.	3	.	.	.	.	.	.	.	59·7	31·1	47·0	0·09	52·0	25·3	40·0	0·00	50·0	30·2	40·4	0·08
Lurgan,	11,782	13·8	35·4	8·9	.	8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	59·7	31·1	47·0	0·09	52·0	25·3	40·0	0·00	50·0	30·2	40·4	0·08
Lisburn,	11,461	10·1	36·4	22·7	.	8	5	1	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	1	59·7	31·1	47·0	0·09	52·0	25·3	40·0	0·00	50·0	30·2	40·4	0·08
Wexford,	11,168	23·2	9·3	14·0	.	2	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	38·3	19·2	.	8	4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	52·8	33·6	4·8	11	7	1	3	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.	5	1	56·1	28·1	43·6	0·81	50·8	23·5	40·4	0·14	52·1	32·8	41·5	0·16
Kilkenny,	10,609	11·5	29·5	39·3	4·9	6	8	3	3	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	2	.	63	26	44·4	0·63	51	30	41·9	0·17	51	33	40·7	0·02
Clonmel,	10,167	7·8	.	20·5	.	.	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	31·0	31·0	.	6	6	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	59·7	31·1	47·0	0·09	52·0	25·3	40·0	0·00	50·0	30·2	40·4	0·08
Tralee,	9,867	16·6	15·9	10·6	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	45·8	34·3	.	8	6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	61	32	44·2	0·06	50	29	40·2	0·02	46	31	40·9	0·08
Queenstown,	7,909	14·4	38·0	18·2	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	55	37	45·9	0·37	50	31	41·4	0·04	51	34	43·2	0·03
Armagh,	7,588	22·2	20·6	20·6	.	3	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.	59·7	31·1	47·0	0·09	52·0	25·3	40·0	0·00	50·0	30·2	40·4	0·08

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 6 deaths of persons (including one at 70 years), admitted to hospital from localities outside the Area. e Details of the observations to obtain Meteorological Observations at some of the Towns included in this table, the nearest stations, from which Returns are received, have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 7th of April, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Pneumonia,	2	.	.	.	.	.	.	2	.	1	1	.	1	.	1	.	8	.
Tuberculous Disease. Phthisis,	3	1	1	1	.	.	1	7	2	3	2	.	1	.	.	.	21	1
Tuberculous Disease. Other Forms.	3	2	1	.	.	1	.	2	.	2	.	.	1	2	.	.	14	1
Cancer, Malignant Disease,	.	.	1	1	.	.	1	.	.	1	.	.	.	.	.	.	4	.
Other General Diseases	.	.	2	3	1	.	.	.	.	.	1	.	3	1	1	.	13	1
Total,	8	3	6	6	1	1	2	12	2	7	4	.	7	3	2	.	64	3
B. LOCAL DISEASES:																		
Diseases of: Nervous System	2	1	2	1	.	1	.	1	2	1	.	1	1	.	.	.	13	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	4	4	2	.	1	1	.	.	1	9	2	.	2	.	.	1	27	.
Diseases of: Respiratory System,	2	1	3	4	.	.	.	3	3	2	1	.	2	.	1	.	22	1
Diseases of: Digestive System,	.	.	1	1	.	1	.	2	.	.	5	.	.	.	.	1	11	1
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Urinary System,	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
Diseases of: Generative System,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	9	7	10	6	2	3	.	6	6	13	8	1	6	.	1	2	80	3
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	2	.	.	.	.	.	2	.	.	.	.	1	.	1	1	7	.
E. VIOLENT DEATHS,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Deaths from all Causes,	18	12	16	12	3	4	2	20	8	20	12	1	14	3	4	4	153	6
Annual Rate of Mortality from all causes in every 1,000 of the population	33·1	16·0	27·7	19·8	32·5	20·8	15·6	27·2	22·8	24·9	17·8	5·9	22·0	6·0	23·3	11·3	21·1	.
	28·2							22·3					15·2					
	22·7																	
Deaths of Infants under 1 year of age,	3	2	4	2	.	.	.	1	2	2	.	1	2	1	1	1	22	.
Deaths of Persons aged 60 years and upwards,	3	3	6	2	2	2	.	4	2	11	3	.	5	.	2	2	47	1
Number of Uncertified Deaths,	3	2	2	.	.	.	.	1	.	.	.	.	1	.	.	.	9	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	3	4	2	.	1	1	4	.	1	2	.	2	1	.	1	26	5
Workhouse Hospitals,	5	4	4	6	.	.	.	6	1	6	3	.	1	.	.	.	36	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registe week of the ten years, 189

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 14th Week of the 10 years 1896-1905.	In the Week ending Saturd 7th April, 1906. Deaths of Persons of the Ag					
	April 4, 1896.	April 10, 1897.	April 9, 1898.	April 8, 1899.	April 7, 1900.	April 6, 1901.	April 5, 1902.	April 11, 1903.	April 9, 1904.	April 8, 1905.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.		
Mean Temperature.	° 44·1	° 42·4	° 49·0	° 48·6	° 42·6	° 43·1	° 43·5	° 48·0	° 45·9	° 44·2	° 45·1	° 42·9					
ALL CAUSES.	171	241	163	220	194	224	203	174	226	190	200·6	159	5	17	15	13	28
Small-pox, ...	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	25	.	2	3	.	1	3	4	.	3·8	1	.	.	1	.	.
Scarlet Fever, ...	2	3	.	.	.	.	1	1	.	1	·8	.	.	.	.	.	.
Typhus, ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4	3	9	15	2	10	3	3	5	2	5·6	2	.	.	.	.	1
Whooping-cough, ...	1	9	2	5	3	5	.	2	8	1	3·6	2	.	1	.	1	.
Diphtheria, ...	1	2	2	3	.	2	2	2	2	1	1·7	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.
Enteric Fever, ...	1	.	3	4	3	3	1	4	3	1	2·3	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	2	1	2	.	.	2	. / 1	1 / 2	1 / 1	. / 2	1·5	. / 1	.	.	. / 1	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	2	.	.	.	1	1	1	3	2	1·0	3	.	1	2	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	.	.	.	.	1	.	. / . / .	. / . / .	. / . / .	·1	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	16	21	10	22	15	13	1 / 5 / . / 10	1 / 3 / 1 / 5	. / 5 / . / 10	. / 8 / . / 3	14·9	1 / 4 / . / 3	. / . / . / .	. / 2 / . / .	. / 1 / . / .	. / . / . / .	1 / . / . / 2
Erysipelas, ...	1	.	.	.	.	.	2	.	.	.	·3	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	1	1	.	.	1	.	.	. / .	. / .	. / .	·3	. / .	. / .	. / .	. / .	. / .	. / .
Other Infective Conditions,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	19	28	23	30	27	33	7 / 20	2 / 17	11 / 23	9 / 22	27·1	15 / 8	. / .	. / .	. / .	2 / .	7 / 5
Tuberculous Meningitis, ...	4	4	4	4	6	4	5	4	2	3	4·0	3	.	1	1	1	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	2	3	10	5	8	7	1 / .	. / .	2 / 1	3 / 1	4·3	2 / .	. / .	. / .	. / .	. / .	2 / .
Tuberculous Dis. (other), *Scrofula*, ...	2	5	5	4	1	5	7 / 1	6 / .	9 / .	11 / .	5·6	10 / .	. / .	1 / .	1 / .	4 / .	3 / .
Alcoholism, ...	.	.	.	1	.	.	.	1	2	1	·5	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	3	.	.	.	1	.	.	·5	.	.	.	.	.	.
Gout, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.
Carcinoma, ... Sarcoma, ... Cancer (undefined),	7	7	6	9	3	5	1 / . / 7	1 / . / 1	5 / 1 / 5	7 / 1 / 2	6·8	2 / . / 2	. / . / .	. / . / .	. / . / .	. / . / .	1 / . / 1
Diabetes Mellitus, ..	.	.	.	.	.	.	1	3	1	3	·8	3	.	.	.	.	1
Premature Birth, ...	5	2	.	4	3	2	1	2	5	1	2·5	.	.	.	.	.	.

* The figures for the years 1896–1900 a
† Formerly descril

RTEENTH WEEK ending Saturday, 7th April, 1906, with the deaths from each cause in the corresponding average for those weeks:

SES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: April 4, 1896.	April 10, 1897.	April 9, 1898.	April 8, 1899.	April 7, 1900.	April 6, 1901.	April 5, 1902.	April 11, 1903.	April 9, 1904.	April 8, 1905.	Averages in 14th Week of the 10 years 1896-1905.	In the Week ending Saturday, 7th April, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
an Temperature.	° 44·1	° 42·4	° 49·0	° 48·6	° 42·6	° 43·1	° 43·5	° 48·0	° 45·9	° 44·2	° 45·1	Mean Temp. ° 42·9								
gitis (not tuberc.) ...							2	3	1	2		4	.	.	1	3	.	.	.	.
ty, G. P. of Insane ...							1	4	4	1		.	.	.	.	.	.	.	.	.
osy							.	.	1	.		2	.	.	1	.	1	.	.	.
lsions							9	6	4	13		6	3	3	.	.	.	.	.	.
notor Ataxy ...							.	.	1	.		.	.	.	.	.	.	.	.	.
legia Dis. of Cord ...							1	2	3	1		.	.	.	.	.	.	.	.	.
us System (other	29	40	33	35	28	44	1	1	4	2	37·8	1	.	.	1	.	.	.	.	.
Dis., Endocarditis ...							3	2	5	3		4	.	.	.	.	2	1	1	.
r. Hæm. Thromb. ...							1	3	1	2		4	.	.	.	.	1	1	2	.
xy, Hemiplegia ...							7	7	.	4		6	.	.	.	.	.	1	4	1
ysm							.	.	1	1		.	.	.	.	.	.	.	.	.
lism, Thromb. (not							.	.	.	.		.	.	.	.	.	.	.	.	.
bral) and Blood Vessel Dis.							20	12	13	17		13	.	.	.	1	4	2	6	.
(not Spasm. nor	.	3	1	1	.	1	.	1	.	.	·7	.	.	.	.	.	.	.	.	.
nb.)																				
hitis	22	24	23	28	29	36	29	32	29	23	27·5	22	.	2	1	.	.	6	11	2
na, Emphysema ...							.	.	.	.		.	.	.	.	.	.	.	.	.
isy	1	7	2	1	2	1	1	.	.	.	2·7	.	.	.	.	.	.	.	.	.
ratory Dis. (other) ...							3	5	2	2		1	.	.	1	.	.	.	.	.
llitis, Quinsy ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ritis (not Epid.) ...	1	.	2	1	1	1	.	1	.	1	1·2	1	.	.	.	.	.	.	.	1
o *Enteritis*							2	1	.	1		.	.	.	.	.	.	.	.	.
nitis (not Puerp.) ...	1	2	1	1	1	.	.	.	.	.	·6	1	.	.	.	.	.	1	.	.
osis of Liver ...	1	1	2	4	1	2	3	.	1	.	2·1	1	.	.	.	.	.	1	.	.
Dis. (other) ...							1	.	3	2		3	.	.	.	.	.	1	2	.
tive Dis. (other) ...	4	3	2	4	4	4	5	3	16	9	5·4	6	.	1	3	.	.	2	.	.
ritis, Acute ...							3	1	1	1		1	.	.	1	.	.	.	.	.
ht's Dis., Albuminuria	6	6	5	3	5	6	1	1	4	2	4·8	2	.	.	.	.	.	.	2	.
ary Sys. (Other Dis.)							1	.	1	1		1	.	.	.	.	.	.	1	.
rative Organs Dis. ...	2	.	.	1	1	.	.	.	.	.	·4	1	.	.	.	.	.	.	1	.
lbirth (Accid. of) ...	1	1	.	.	2	.	.	.	2	.	·6	1	.	.	.	.	1	.	.	.
Age	12	9	6	13	27	12	9	4	3	5	10·0	2	.	.	.	.	.	.	.	2
r Diseases	18	20	9	7	15	18	17	15	13	8	14·0	12	2	5	.	.	1	2	2	.
ACCIDENT.																				
Railways	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ships, Boats, Docks (ex-	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
sive of Drowning) ...																				
uilding Operations ...	.	.	.	.	.	.	3	.	.	.	·3	.	.	.	.	.	.	.	.	.
onflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	2	1	.	.	1	4	.	1	1	.	1·0	.	.	.	.	.	.	.	.	.
Drowning	.	.	.	1	.	.	.	1	.	.	·2	1	.	.	.	.	.	.	1	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
apours																				
er Deaths by Accidents	1	5	.	6	1	1	.	1	1	2	1·8	.	.	.	.	.	.	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
uicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
cide	.	.	.	1	.	.	1	.	.	.	·2	1	.	.	.	.	.	1	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.
pie Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905–6—Week ending																									
	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.
No. of weeks in Annual Series.	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered,	191	176	175	223	239	205	177	198	191	238	199	184	245	192	183	220	283	202	188	169	252	214	189	211	230	207
*Average Births in corresponding week of previous 10 years,**	185	203	197	194	189	199	181	190	195	183	160	182	210	206	199	200	221	215	205	217	213	208	219	206	236	177
DEATHS registered,	141	143	133	195	152	158	173	157	168	148	171	139	168	166	154	160	187	151	149	185	183	187	173	193	198	159
Annual Death-rate per 1,000,	19·4	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9
*Average Deaths in corresponding week of previous 10 years,**	172	175	177	173	178	186	191	197	185	187	189	199	219	214	211	202	212	209	209	221	233	221	212	211	218	201
AGES, Under 5 years,	33	28	33	54	34	43	52	42	49	47	43	27	28	52	39	37	46	35	32	45	40	43	55	43	67	37
5—20 "	11	9	5	6	14	10	9	13	10	13	9	7	17	17	11	13	16	8	9	8	14	8	15	15	17	13
20—40 "	23	26	18	36	26	31	18	22	31	13	30	21	34	25	18	21	18	21	15	38	39	34	19	29	26	28
40—60 "	32	37	34	35	38	32	36	34	35	32	45	41	48	37	45	37	42	42	46	43	34	43	35	40	33	34
60—80 "	36	35	34	59	33	35	50	35	37	34	37	37	35	28	34	43	52	39	39	44	49	49	41	55	45	40
80 years and upwards,	6	8	9	5	7	7	8	11	6	9	7	6	6	7	7	9	13	6	8	7	7	10	8	11	10	7
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever	.	.	1	.	1	1	1	.	1	.	1	.	.	2	1	.	1	.	.	1	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	2	.	.	1	3	1	2	2	1	1	2	3	1	1	2	.	.	1	4	1	2	.	2	2
Diphtheria,	.	2	.	.	1	1	.	.	1	1	.	2	2	2	.	1	1	.	.	1	.	2	2	1	3	.
Pyrexia † (origin uncertain),	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Enteric Fever,	1	4	.	2	2	.	.	2	2	1	4	3	3	.	.	.	1	.	.	1	1	.	3	.	3	.
Diarrhœal Diseases,	4	1	3	4	4	2	3	5	2	1	1	2	1	1	1	3	1	.	1	2	1	3	3	5	2	1
Pneumonia,	9	6	10	18	13	14	15	10	10	8	11	11	12	15	12	16	19	6	11	13	16	18	10	13	10	8
Tuberculous (Phthisis,	17	18	21	24	21	26	20	18	24	9	27	19	21	14	23	21	29	18	23	29	32	30	28	32	25	28
Disease. Other Forms,	13	7	4	9	6	12	7	10	4	15	4	1	12	16	5	6	9	15	10	12	18	9	12	11	15	15
Cancer, Malignant Disease,	7	10	8	7	6	5	10	8	6	11	5	6	7	5	12	6	8	14	6	13	6	6	6	11	4	4
Diseases of Heart and Blood Vessels,	23	29	19	29	21	23	24	25	26	21	26	30	28	21	24	33	31	23	27	21	25	31	29	31	33	27
Diseases of Respiratory System,	17	13	17	42	26	26	34	33	22	16	25	20	26	28	22	18	27	26	27	32	28	28	21	34	27	23
Violent Deaths,	5	8	6	3	2	3	3	3	2	2	4	6	4	3	7	8	5	5	.	4	10	1	2	4	5	2
Number of Uncertified Deaths,	3	5	6	4	9	7	9	4	5	9	8	6	4	5	6	6	11	7	6	8	4	6	7	6	12	9
Mean Temperature of the Air (Phœnix Park),	49·6	40·0	41·1	42·7	43·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9
Average Mean Temperature in corresponding week of previous 10 years	48·6	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1
Rainfall in inches,	·035	·100	·295	1·190	·250	1·485	·320	·645	·128	·035	·285	·770	·860	·855	1·005	·230	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185
Mean Humidity of the Air, complete Saturation, 1·0,	·91	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th April, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH APRIL, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	22·1	159	37	13	28	34	40	7	.	1	.	.	2	.	.	.	1	4	8	23	15	4	6	23	2	74	9
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	15·0	5	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	2	.
II.	MIDDLE CLASS,	87,188	19·1	32	3	2	5	5	14	3	.	.	.	.	.	.	.	.	.	.	1	3	3	1	.	2	.	22	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	14·2	30	6	4	8	4	6	2	.	.	.	.	1	.	.	.	.	1	2	7	3	1	1	3	.	12	3
IV.	GENERAL SERVICE CLASS,	154,279	29·9	55	18	5	11	12	9	.	.	1	.	.	1	.	.	.	1	3	3	6	6	1	5	9	1	21	6
V.	INMATES OF WORKHOUSES,	6,024		37	10	2	3	11	10	1	.	.	.	.	.	.	.	.	.	.	1	6	3	1	.	8	1	17	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	27·0	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	28·4	12	1	1	.	1	8	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	9	.
	6. Clerks and Commercial Assistants,	30,432	12·0	7	2	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	17·4	9	.	1	2	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	7	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	9. Building and Furnishing Trades,	29,801	12·2	7	2	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	3	.
	10. Clothing Trades,	28,260	15·7	7	3	1	2	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	2	.	3	3
	11. Food Supply Trades,	9,242	11·3	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	13·7	8	.	1	3	1	1	2	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	4	.
	13. Petty Shopkeepers,	7,894	19·8	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	11·7	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	15. Domestic Servants,	36,603	7·1	5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	10·9	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	25·5	44	16	3	8	9	8	.	.	1	.	.	1	.	.	.	1	3	3	5	3	1	5	7	1	16	6
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	37	10	2	3	11	10	1	.	.	.	.	.	.	.	.	.	.	1	6	3	1	.	8	1	17	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,332.	Feb. 17,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	1	2	2	.	2	.	.
	„ 24,	27·6	1·8	15	.	.	.	.	1	.	.	.	.	1	3	.	.	1	.	1
	Mar. 3,	23·9	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1
	„ 10,	27·6	.	15	.	.	.	.	.	.	.	.	.	3	4	1	.	1	.	.
	„ 17,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 24,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	3	.	1	2	.	2
	„ 31,	25·8	.	14	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	2
	April 7,	33·1	.	18	.	.	.	.	.	.	.	.	.	2	3	3	.	2	1	3
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Feb. 17,	29·3	.	22	.	.	.	.	.	.	.	.	.	1	4	.	.	3	.	2
	„ 24,	30·6	2·7	23	.	.	1	.	.	.	.	1	.	2	3	1	2	6	1	1
	Mar. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	.	4	2	.	8	1	.
	„ 10,	25·3	4·0	19	.	.	.	.	1	1	.	.	1	2	4	.	.	3	.	2
	„ 17,	26·6	.	20	.	.	.	.	.	.	.	.	.	2	3	2	.	1	1	2
	„ 24,	30·6	1·3	23	.	.	.	.	.	.	.	.	1	2	5	.	.	8	.	1
	„ 31,	26·6	1·3	20	.	.	.	.	.	.	.	.	1	1	4	1	.	3	.	2
	April 7,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est. 30,107.	Feb. 17,	15·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.
	„ 24,	29·4	1·7	17	.	.	.	.	.	.	.	.	1	1	4	2	1	1	1	.
	Mar. 3,	19·1	.	11	.	.	.	.	.	.	.	.	.	2	4	4	.	.	.	.
	„ 10,	36·4	.	21	.	.	.	.	.	.	.	.	.	2	4	4	.	3	.	1
	„ 17,	36·4	1·7	21	.	.	.	.	.	.	.	.	1	1	4	2	1	3	.	.
	„ 24,	48·5	.	28	.	.	.	.	.	.	.	.	.	.	5	1	.	4	1	.
	„ 31,	31·2	.	18	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	2
	April 7,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	2
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Feb. 17,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.
	„ 24,	29·6	.	18	.	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.
	Mar. 3,	32·9	3·3	20	.	.	.	.	2	.	.	.	.	3	2	5	.	2	1	.
	„ 10,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	3	.	.	1	3	.	1
	„ 17,	34·6	3·3	21	.	.	.	.	.	.	.	1	1	.	2	1	.	2	.	1
	„ 24,	24·7	.	15	.	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.
	„ 31,	13·2	3·3	8	.	.	.	.	.	1	.	1	.	.	.	2	.	.	1	.
	April 7,	19·8	1·6	12	.	.	.	.	1	.	.	.	.	.	1	.	1	4	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	Feb. 17,	14·9	.	11	.	.	.	.	.	.	.	.	.	1	3	1	.	2	.	1
	„ 24,	25·8	1·4	19	.	.	.	.	.	1	.	.	.	1	4	2	.	5	1	.
	Mar. 3,	29·9	1·4	22	.	.	.	.	.	.	.	1	.	.	7	1	.	4	3	.
	„ 10,	24·5	.	18	.	.	.	.	.	.	.	.	.	2	4	.	.	2	.	1
	„ 17,	21·7	2·7	16	.	.	.	.	1	1	.	.	.	.	3	1	.	4	.	.
	„ 24,	24·5	1·4	18	.	.	.	.	.	.	.	.	1	3	3	.	2	4	.	.
	„ 31,	38·0	5·4	28	.	.	.	.	1	1	.	1	1	2	2	1	1	4	.	.
	April 7,	27·2	1·4	20	.	1	.	.	.	.	.	.	.	2	7	2	.	3	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Feb. 17,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	„ 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	2
	Mar. 3,	39·9	.	14	.	.	.	.	.	.	.	.	.	1	2	2	1	3	.	.
	„ 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
	„ 17,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	1
	„ 31,	37·1	.	13	.	.	.	.	.	.	.	.	.	.	1	.	1	4	1	.
	April 7,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Feb. 17,	28·6	.	23	.	.	.	.	.	.	.	.	.	3	5	4	.	5	.	1
	„ 24,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	1	1	4	1	2	.	.
	Mar. 3,	32·3	3·7	26	.	.	.	.	2	.	.	.	1	1	3	3	2	5	.	2
	„ 10,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	2	.	3	.	3	.	1
	„ 17,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	3	1	2	2	.	.
	„ 24,	27·4	1·2	22	.	.	.	.	.	.	.	.	1	.	2	5	1	5	.	2
	„ 31,	29·8	.	24	.	.	.	.	.	.	.	.	.	2	1	3	.	3	.	1
	April 7,	24·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	1	2	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Feb. 17,	19·3	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	5	.	.
	„ 24,	25·2	.	17	.	.	.	.	.	.	.	.	.	1	3	.	.	7	.	.
	Mar. 3,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.
	„ 10,	26·7	.	18	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	.
	„ 17,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	4	1	1	3	.	.
	„ 24,	26·7	.	18	.	.	.	.	.	.	.	.	.	2	4	1	2	3	.	.
	„ 31,	29·7	1·5	20	.	.	.	.	1	.	.	.	.	1	6	4	1	5	.	.
	April 7,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	Feb. 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 24,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	2	1	4
	Mar. 3,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	2	1	.	2	3	.
	„ 10,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.
	„ 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	17·3	1·6	11	.	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.
	„ 31,	20·4	1·6	13	.	.	.	.	.	.	.	1	.	1	4	.	.	1	.	.
	April 7,	22·0	1·6	14	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Feb. 17,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1
	„ 24,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Mar. 3,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	1
	„ 10,	18·0	.	9	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
	„ 17,	16·0	2·0	8	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
	„ 24,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	„ 31,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	April 7,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Feb. 17,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.
	„ 24,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.
	Mar. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 24,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.
	„ 31,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	4
	April 7,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1906 (Est.) 358,680.	Feb. 17,	26·0	1·9	179	.	1	.	.	6	2	1	.	3	19	22	7	5	22	6	5
	„ 24,	25·3	2·2	174	.	.	1	.	7	3	.	2	2	17	23	7	6	24	4	3
	Mar. 3,	24·1	2·2	166	.	.	1	.	9	2	.	2	1	13	33	6	5	34	2	5
	„ 10,	22·5	1·9	155	.	.	1	.	5	.	1	6	.	16	15	10	1	33	6	2
	„ 17,	27·8	2·8	191	.	.	1	.	9	1	1	6	1	23	26	5	6	36	1	4
	„ 24,	22·1	1·7	152	.	.	.	.	5	2	.	3	2	10	17	6	4	24	.	3
	„ 31,	29·2	3·9	201	.	.	2	.	21	1	1	1	1	18	28	12	10	28	2	3
	April 7,	24·6	3·2	169	.	1	1	.	13	1	.	5	2	19	24	11	4	21	7	1
Cork. Pop. (in 1901) 76,122.	Feb. 17,	21·2	.	31	.	.	.	.	.	.	.	.	.	.	4	.	1	7	.	3
	„ 24,	23·3	.	34	.	.	.	.	.	.	.	.	.	2	8	.	2	4	2	4
	Mar. 3,	23·3	1·4	34	.	.	.	.	1	.	.	.	1	4	10	.	1	4	.	.
	„ 10,	24·0	.	35	.	.	.	.	.	.	.	.	.	1	7	1	2	3	.	4
	„ 17,	16·4	.	24	.	.	.	.	.	.	.	.	.	3	1	2	1	8	.	2
	„ 24,	26·0	0·7	38	.	.	.	.	.	.	.	.	1	1	5	4	1	8	.	4
	„ 31,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	1	9	.	1	6	.	3
	April 7,	18·7	.	20	.	.	.	.	.	.	.	.	.	.	5	2	1	1	.	1
Londonderry. Pop. in 1906 (Est.) 42,067.	Feb. 17,	18·6	.	15	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	2
	„ 24,	24·8	2·5	20	.	.	.	.	1	.	.	.	1	1	2	2	1	3	.	3
	Mar. 3,	16·1	2·5	13	.	.	.	.	2	.	.	.	.	.	1	.	.	6	.	.
	„ 10,	23·6	3·7	19	.	.	.	.	2	.	.	.	1	1	5	1	1	1	.	1
	„ 17,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	3	1	.	.	6	.	.
	„ 24,	9·9	1·2	8	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	1
	„ 31,	26·0	2·5	21	.	.	.	.	2	.	.	.	.	2	2	.	1	4	1	.
	April 7,	17·4	2·5	14	.	.	.	.	1	.	.	1	.	.	3	3	.	3	.	.
Limerick. Pop. (in 1901) 38,151.	Feb. 17,	28·7	.	21	.	.	.	.	.	.	.	.	.	1	3	1	.	8	.	5
	„ 24,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	2
	Mar. 3,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	3
	„ 10,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	4
	„ 17,	15·0	1·4	11	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.	.
	„ 24,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	1
	„ 31,	31·4	1·4	23	.	.	.	.	.	.	.	.	1	.	3	1	.	3	.	5
	April 7,	31·4	.	23	.	.	.	.	.	.	.	.	.	3	5	3	1	4	.	1
Waterford. Pop. (in 1901) 26,769.	Feb. 17,	17·5	1·9	9	.	.	.	.	.	.	.	.	1	.	1	.	.	3	2	1
	„ 24,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.
	Mar. 3,	35·1	.	18	.	.	.	.	.	.	.	.	.	3	3	3	.	3	.	1
	„ 10,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	5	1	.	1	.	.
	„ 17,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	2
	„ 24,	31·2	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	2
	„ 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	1
	April 7,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.	1	2	2	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th April, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,734	11	35·4	3·5	10	1	3	4	2	.	.	.	.	1	.	.	.	.	.	1	1	.	1	.	.	3	.
Do. 2 ,, .	47,959	28	23·9	.	22	6	3	9	4	.	.	.	.	.	.	.	.	.	3	1	2	.	5	.	.	3	.
Do. 3 ,, .	47,214	33	25·4	6·6	23	6	5	9	3	.	.	.	.	4	.	.	2	.	1	3	1	1	5	1	1	5	.
Do. 4 ,, .	40,911	42	30·6	2·5	24	6	3	12	3	.	.	.	.	.	.	.	2	.	3	4	1	1	2	1	1	10	.
Do. 5 ,, .	17,387	13	39·0	9·0	13	2	3	6	2	.	.	.	.	3	.	.	.	.	2	3	2	.	.	2	1	4	1
Do 6 ,, .	48,122	20	21·7	3·3	20	6	1	11	2	.	.	.	.	.	.	.	1	2	4	2	1	.	2	1	1	7	.
Do 7 ,, .	1,524	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 ,, .	5,060	1	10·3	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Do. 9 ,, .	19,569	8	24·0	.	9	1	.	7	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	1	5	.
Do. 10 ,, .	28,064	15	22·6	.	10	1	2	5	2	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	1	4	.
Do. 11 ,, .	34,802	27	16·5	1·5	11	3	.	5	3	.	.	.	.	1	.	.	.	.	2	2	1	1	2	.	.	3	.
Do. 12 ,, .	33,588	28	27·9	7·8	18	3	6	7	2	.	.	1	.	3	1	.	.	.	1	4	1	1	1	.	.	5	.
Do. 13 ,, .	15,006	12	24·3	3·5	7	.	1	5	1	.	1	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.
Do. 14 ,, .	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	240	25·2	3·3	169	35	28	81	25	.	1	1	.	12	1	.	5	2	19	24	11	4	21	7	6	51	1
City of Cork.																											
CORK URBAN No. 1 DISTRICT. .	12,867	2	12·2	.	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 ,, . .	10,701	4	9·7	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 3 ,, . .	9,978	4	26·1	.	5	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.
Do. 4 ,, . .	8,666	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 ,, . .	6,592	2	23·7	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
Do. 6 ,, . .	10,702	5	19·5	.	4	.	2	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1
Do. 7 ,, . .	16,616	6	9·4	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Total, ...	76,122	27	13·7	.	20	2	2	10	6	.	.	.	.	.	.	.	.	.	.	5	2	1	1	.	.	7	1

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. **Deaths in Public Institutions of persons** *admitted from without the City are omitted.*

BELFAST.	1905-6—Week ending																									
	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered,	210	209	204	284	205	199	200	205	199	194	158	189	224	198	196	236	231	189	246	214	246	229	229	221	248	240
DEATHS registered.	122	130	153	130	141	150	138	140	148	126	146	124	147	133	135	160	139	146	179	174	166	155	191	152	201	169
Annual Death-rate per 1,000 of estimated Population,	17·7	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18.3	21·2	18·0	21·4	19·3	19·6	23·3	20·2	21·2	26·0	25·3	24·1	22·5	27·8	22·1	29·2	24·6
AGES — Under 1 year,	28	25	35	30	36	38	28	27	21	23	31	26	34	21	30	31	24	29	31	43	26	31	32	37	46	35
AGES — 1-5 years,	12	14	19	14	17	15	19	11	18	15	18	19	16	15	16	22	11	11	14	20	17	22	28	16	30	28
AGES — 5-60 years,	48	62	63	55	53	60	65	64	72	58	69	56	61	60	62	71	61	71	87	74	85	59	84	57	89	81
AGES — 60 years and upwards,	34	29	36	31	35	37	26	38	37	30	28	23	36	37	27	36	43	35	47	37	38	43	52	42	36	25
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Scarlet Fever,	.	1	3	1	.	1	1	1	.	2	3	.	.	.	2	1	1	.	.	1	1	1	1	.	2	1
Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	1	.	.	.	.	.	1	1	3	1	.	1	2	1	3	1	2	6	7	9	5	9	5	21	12
Diphtheria,	.	.	2	.	1	1	.	1	.	.	1	.	1	1	.	.	.	.	2	3	2	.	1	2	1	1
*Pyrexia** (origin uncertain),	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1	1	.	1	.
Enteric Fever,	5	1	.	2	3	3	3	4	3	1	2	2	2	3	1	2	2	6	.	2	2	6	6	3	1	5
Diarrhœal Diseases,	4	2	1	3	3	1	2	.	2	.	2	1	3	2	2	3	2	1	3	2	1	.	1	2	1	2
Pneumonia,	6	12	9	18	16	14	18	15	18	14	18	14	15	12	8	11	10	8	19	17	13	16	23	10	18	19
Tuberculous Disease — Phthisis,	13	17	25	19	22	22	16	26	17	17	21	17	15	17	17	22	16	23	22	23	33	15	26	17	28	24
Tuberculous Disease — Other Forms,	—	—	—	—	—	—	—	—	—	—	—	—	10	4	3	8	7	6	7	7	6	10	5	6	12	11
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	—	3	5	5	7	5	4	5	6	5	1	6	4	10	4
Diseases of Respiratory System,	17	14	21	31	28	31	28	29	34	23	31	23	20	19	12	20	26	23	22	24	34	33	36	24	28	21
Violent Deaths,	3	7	4	4	8	4	9	3	3	2	4	5	6	1	4	1	3	1	6	4	2	6	1	.	2	7
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	—	6	2	4	4	3	3	5	3	5	2	4	3	3	1

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the twelve weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	April 7,	2,594	1,525	16·8	.	63	8	9	42	2	13
EDINBURGH,	341,035	„ 7,	154	132	20·2	.	4	1	.	.	.	2
GLASGOW,	835,625	„ 7,	497	287	17·9	.	8	.	1	8	.	5
CALCUTTA,	910,117	Feb. 17,	.	668	40·9	118	4	.	.	1	139‡	149*
BOMBAY,	776,006	Mar. 6,	402	1,335	89·4	13	33	.	.	1	118‡	110
MADRAS,	509,346	Feb. 16,	319	488	49·8	36	13	?	?	?	97‡	94
PARIS,	2,660,559	Mar. 24,	904	1,036	20·0	.	21	1	6†	6	3	15
BRUSSELS (with 8 Faubourgs).	598,467	„ 17,	274	173	15·0	.	1	.	.	.	3	10
ANTWERP,	304,975	„ 17,	130	112	19·1	.	1	.	1†	1	.	11
AMSTERDAM,	559,575	„ 17,	300	168	15·6	.	5	4	3†	3	.	6
COPENHAGEN,	426,000	„ 17,	260	135	16·5	.	1	1	.	1	.	4
STOCKHOLM,	318,398	„ 10,	161	86	14·1	.	1	1	.	2	.	.
CHRISTIANIA,	222,373	„ 24,	89	48	11·2	.	.	.	2†	.	.	.
ST. PETERSBURG,	1,429,000	„ 17,	794	710	25·9	1	27	22	19	4	25	98
MOSCOW,	1,092,360	Feb. 17,	.	535	25·5	2	.	10	9†	4	9	53
BERLIN,	2,052,827	Mar. 3,	1,013	610	15·5	.	6	3	4†	8	1	31
HAMBURG,	803,000	„ 10,	.	244	15·8	.	2	.	2†	3	.	14
BRESLAU,	473,565	„ 24,	.	178	19·6	.	.	1	5†		1	9
MUNICH,	540,000	„ 24,	.	200	19·3	.	.	2	.	1	.	20
VIENNA (with suburbs).	1,917,639	„ 24,	1,055	742	20·1	.	9	9	9†	3	1	47
BUDA-PESTH,	859,134	„ 24,	469	331	20·1	.	10	3	3†	1	2	4
PRAGUE and Faubourgs.	455,241	„ 17,	190	170	19·4	.	6	.	1†	.	.	12
TRIESTE,	194,749	„ 10,	128	112	30·0	.	1	1	.	2	.	1
ROME,	526,170	Jan. 27,	275	201	19·9	.	4	.	4†	.	2	7
VENICE,	171,709	Mar. 3,	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	„ 10,	2,223	1,634	20·5	.	55	13	62†	5	6	46
PHILADELPHIA,	1,469,126	„ 3,	.	670	23·7	.	16	2	12†	10	43	27
BOSTON,	595,380	„ 10,	.	250	21·9	.	3	2	6	1	4	3

* Including 79 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 32 deaths from plague in Calcutta, 345 in Bombay, and 9 in Madras.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th April, 1906.

DISTRICTS.	Small-pox.	Measles.	Rubella, or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 1, West,	.	.	.	1	1	.	.	.	.	.	.	.	.	2
" " 2,	.	.	.	.	.	.	.	.	2	1	2	.	.	5
" " 3,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	1	.	.	.	.	.	.	2	.	.	3
" " 4,	.	.	.	3	.	.	2	.	.	.	.	.	.	5
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Total,	.	.	.	7	1	.	2	.	2	1	5	.	.	18

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th April, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th April.			
	Mar. 17.	Mar. 24.	Mar. 31.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	11	14	21	7	6	1	21
Scarlet Fever,	49	52	52	9	6	.	55*
Typhus,	4	2	2	1	.	.	3
Diphtheria,	29	23	29	3	7	.	25
Enteric Fever,	24	21	26	7	2	.	31
Pneumonia,	25	18	20	11	8	.	23

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 7th April, 1906 :—

"Save on Wednesday and Thursday, the distribution of pressure over Western Europe was anticyclonic, and the weather was therefore quiet, dry, and cool. On the days named a complex system of relatively low barometer drifted slowly across the British Isles from the Atlantic, causing a heavy rainfall in the West of Ireland (·57 inch at Birr Castle, ·82 inch at Blacksod Point, and ·84 inch at Valentia). On Sunday an anticyclone, in which the barometer stood above 30·4 inches, covered the United Kingdom. The weather was fine and quiet, but cool and dull. At 8 a.m. of Monday the lowest reading of the barometer in the British Isles was 30·43 inches at Valentia, but the centre of the high pressure system had passed eastward and then lay over the North Sea and Denmark (30·63 inches). There was no change till Tuesday evening, when cirrus cloud appeared on the western horizon as seen from Dublin. This was the herald of the approach of a complex atmospheric depression which drifted in from the Atlantic during Wednesday and the following night. At 8 a.m. of Thursday one centre of low pressure was found off the Hebrides, another at the mouth of the Bristol Channel. Both baric minima moved southeastwards and gradually dispersed, having caused a refreshing rainfall in Ireland, the S.W. of England, and the W. and S. of France. England generally, as well as Scotland, escaped the passing break in the weather. The anticyclone soon became re-established and the week closed with springlike brightness and warmth. On Saturday the range of temperature was 26·0°. In Dublin the mean height of the barometer was 30·287 inches, pressure ranging between 30·526 inches at 9 a.m. of Monday (wind, E.N.E.), and 29·761 inches at 9 a.m. of Thursday (wind, N.E.). The corrected mean temperature was 45·8°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 45·3°. The screened thermometers fell to 34·7° on Monday and rose to 62·1° on Saturday. The most common wind was S.E. Rain fell on three days to the amount of ·148 inch, ·110 inch being recorded on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·296 inches. The highest reading (30·532) was on Sunday at 9 p.m., air calm, and the lowest (29·773) on Wednesday at 9 p.m., wind S.E.

The mean temperature for the week was 42·9°, being 2·2° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Saturday, on which day the thermometer registered 63·0°, and was lowest on Monday and Tuesday, the mercury having fallen to 27·4°. The mean of the Dry Bulb for the week was 43·2°, and of the Wet Bulb 40·4°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 41·3 hours. The rainfall during the week measured ·185 inch.

At Greenwich the mean temperature for the week was 45·6°, the maximum 61·6°, and the minimum 30·3°; at Glasgow the maximum was 59·5°, the minimum 28·5°, and the mean 45·7°; and at Edinburgh the maximum was 60·3°, the minimum 32·5°, and the mean 46·5°. The rainfall at Edinburgh measured 0·03 in. There was no rainfall recorded at Greenwich or at Glasgow. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily reading corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and tenths.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 1,	30·505	47·8	34·9	41·4	40·6	37·4	·77	·0	0·0	—	Calm.	Calm.
Monday, „ 2,	30·504	52·5	27·4	40·0	38·2	36·8	·87	·0	2·7	—	E.	Calm.
Tuesday, „ 3,	30·323	48·8	27·4	38·1	39·2	36·6	·82	·1	9·7	—	S.E.	Calm.
Wednesday, „ 4,	29·870	58·8	33·2	46·0	50·1	45·3	·66	·1	5·6	·015	S.E.	S.E.
Thursday, „ 5,	29·964	48·6	43·1	45·9	44·8	43·3	·89	·6	0·0	·130	Calm.	N.
Friday, „ 6,	30·449	53·8	30·3	42·1	40·8	38·4	·81	·3	12·4	—	N.	Calm.
Saturday, „ 7,	30·454	63·0	29·9	46·5	48·9	45·1	·75	·3	10·9	·010	N.W.	Calm.
Mean, . .	30·296	53·3	32·3	42·9	43·2	40·4	·80	·2	Total 41·3	Total ·185	—	

Sunday—Day fine but dull; night clear. *Monday*—A fine day; night clear. *Tuesday*—A fine bright day; night sky clear, ground fog. *Wednesday*—Day fine but cloudy; night overcast, light rain a.m. *Thursday*—Day overcast, light rain a.m., showers p.m.; night clear. *Friday*—A fine bright day; night clear. *Saturday*—A fine day, light clouds; night cloudy, light rain 4 to 5 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 7th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 1,	46·6	44·1	44·3	48·7	38·1	43·4	0·1	—
Monday, „ 2,	44·7	43·2	44·4	53·0	30·1	41·6	3·0	—
Tuesday, „ 3,	46·2	43·0	44·7	49·0	31·2	40·1	9·2	—
Wednesday, „ 4,	51·0	43·8	44·8	57·4	38·3	47·9	6·1	·027
Thursday, „ 5,	46·1	45·0	44·7	50·0	43·8	46·9	—	·121
Friday, „ 6,	48·6	44·6	44·8	53·7	37·7	45·7	10·8	—
Saturday, „ 7,	51·9	44·8	45·0	62·2	35·4	48·8	8·8	·002
Weekly Mean, .	47·9	44·1	44·7	53·4	36·4	44·9	Total 38·0	Total ·150

DUBLIN: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—12994.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 14TH APRIL, 1906. [No. 15.

General Register Office, Charlemont House, Dublin, 17*th April,* 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Mar. 24.	Mar 31.	April 7.	April 14.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 24.	Mar. 31.	April 7.	April 14.	Average Rate for 4 weeks.
22 Town Dists.	23·8	26·5	21·7	22·1	23·5	Lisburn, . .	27·3	22·7	22·7	27·3	25·0
Armagh, . .	13·7	13·7	20·6	20·6	17·2	Londonderry,	9·9	26·0	17·4	17·4	17·7
Ballymena, .	28·7	14·4	19·2	19·2	20·4	Lurgan, . .	26·6	13·3	8·9	8·9	14·4
Belfast, . .	22·1	29·2	24·6	24·1	25·0	Newry, . .	25·2	33·6	29·4	4·2	23·1
Clonmel, . .	25·6	30·8	20·5	5·1	20·5	Newtownards, .	45·8	22·9	34·3	28·6	32·9
Cork, . . .	26·0	24·0	13·7	21·2	21·2	Portadown,	10·3	15·5	31·0	15·5	18·1
Drogheda, . .	24·5	24·5	20·4	24·5	23·5	Queenstown .	46·1	19·8	13·2	26·4	26·4
Dublin Reg. Area,	25·6	26·1	21·1	23·4	24·0	Sligo, . . .	19·2	24·0	33·6	24·0	25·2
Dundalk, . .	19·9	23·9	8·0	8·0	15·0	Tralee, . .	.	15·9	10·6	31·7	14·6
Galway, . .	38·8	31·1	3·9	19·4	23·3	Waterford, .	31·2	23·4	19·5	7·8	20·5
Kilkenny, . .	9·8	14·7	39·3	4·9	17·2	Wexford, . .	18·7	28·0	14·0	18·7	19·9
Limerick, . .	27·3	31·4	31·4	28·7	29·7						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·7 in Newtownards. Among the 166 deaths from all causes in Belfast are 13 from whooping-cough and 4 from enteric fever; the 5 deaths from all causes in Galway include one from typhus; and the 6 deaths in Tralee include one from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 181—84 boys and 97 girls; and the deaths to 174—73 males and 101 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·9 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 23·4 per 1,000. During the fifteen weeks ending with Saturday last the death-rate averaged 23·7, and was 5·9 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The deaths (174) included one death from measles, 3 deaths from whooping-cough,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

one death from enteric fever, and one death from *diarrhœa*. In each of the 3 preceding weeks, deaths from measles were 0, 0, and one; deaths from whooping-cough were 0, 2, and 2; deaths from enteric fever were 0, 3, and 0; and deaths from diarrhœal diseases were 5, 2, and one.

There were 6 deaths from broncho-pneumonia, and 16 deaths from *pneumonia* (not defined).

Of 35 deaths from all forms of tuberculous disease, there were 13 from tuberculous phthisis, 14 from *phthisis*, one from tuberculous meningitis, one from tuberculous peritonitis, and 6 deaths from other forms of the disease. In each of the 3 preceding weeks, the deaths from all forms of tuberculous disease were 43, 40, and 38.

There were 3 deaths from carcinoma, and 6 deaths from cancer (undefined).

The deaths of 3 infants, prematurely born, were registered.

Of 11 deaths from diseases of the brain and nervous system, there were 2 deaths of infants under one year of age from *convulsions*.

Diseases of the heart and blood vessels caused 29 deaths, and bronchitis accounted for the deaths of 28 persons.

Three deaths were returned as being the results of accident; of these, 2 were by burns, one of the latter being that of a child between the ages of one year and 5 years.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under 5 years of age (including one infant under one year old) and the deaths of 3 persons aged 60 years and upwards.

Thirty-four of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 7 were under one month old) and 57 were aged 60 years and upwards, including 24 persons aged 70 and upwards, of whom 9 were octogenarians, and one (a female) was stated to have been aged 98 years.

Seventy-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 28 took place in the North Dublin Union Workhouse, and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·4 per 1,000; the rate in the City was 24·9 (North City Districts, 30·4; South, 19·0), and in the Suburbs, 18·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·9 (0·7 in the North City Districts, and 1·1 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 20·2 per 1,000, and include one death from whooping-cough, one death from broncho-pneumonia, 2 deaths from *pneumonia* (not defined), one death from tuberculous phthisis, 3 deaths from bronchitis, and one death from accidental burns.

No. 1 North City District, West (Summer-hill).—The deaths (22) are equal to an annual rate of 29·3 per 1,000. The deaths include 2 from *pneumonia* (not defined), 6 from tuberculous disease, 3 from bronchitis, and one death from accidental suffocation.

No. 2 North City District (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 36·4 per 1,000. There was one death from enteric fever; broncho-pneumonia caused one death, and *pneumonia* (not defined), 3 deaths; there were 4 deaths from tuberculous disease, 3 deaths from bronchitis, and one death by accidental burning.

No. 3 North City District (Benburb-street).—The deaths (20) represent an annual rate of 32·9 per 1,000. There was one death from *pneumonia* (not defined), tuberculous disease caused 5 deaths, and bronchitis caused 5 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 36·4; and Finglas and Glasnevin, part of, 39·1. One of the deaths for Clontarf and Howth, No. 1, part of, was from *phthisis*, and one was from bronchitis. Of the 7 deaths for Coolock and Drumcondra, No. 1, part of, one was from tuberculous disease, and 3 were from diseases of the heart and blood vessels; and the 5 deaths from all causes for Finglas and Glasnevin, part of, include one death from *pneumonia* (not defined), and one from tuberculous phthisis.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 27·2 per 1,000, and include 2 deaths from *pneumonia* (not defined), 2 deaths from tuberculous phthisis, and 4 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1,000, and include one death from *pneumonia* (not defined), 5 deaths from tuberculous disease, and 3 deaths from bronchitis.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 17·4 per 1,000. There was one death from measles, whooping-cough caused 2 deaths, there were 3 deaths from broncho-pneumonia, 2 from *pneumonia* (not defined), one from tuberculous phthisis, and 2 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (7) are equivalent to an annual rate of 10·4 per 1,000. *Phthisis* and bronchitis each caused one death, and diseases of the heart and blood vessels, 3 deaths.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000. Of the 2 deaths registered one was due to broncho-pneumonia and one was due to tuberculous phthisis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8; Pembroke, 18·0; Blackrock, 23·8; and Kingstown, 14·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from *diarrhœa* for Rathmines and Rathgar. Among the 12 deaths from all causes for this district are one from *pneumonia* (not defined), and 3 from tuberculous disease of the lungs. Of the 9 deaths from all causes for Pembroke one was from *pneumonia* (not defined) and 2 from tuberculous disease; and of the 5 deaths from all causes for Kingstown one was from *phthisis* and one from bronchitis.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 14th April, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Mar. 24,	.	—	—	5	.	.	3	.	.	1	5	.	—	—	—	—	—	14
	Mar. 31,	.	—	—	3	.	.	7	.	3	5	3	.	—	—	—	—	—	21
	Apr. 7,	.	—	—	7	1	.	2	.	2	1	5	.	—	—	—	—	—	18
	Apr. 14,	.	—	—	7	.	.	2	.	3	9	17	.	—	—	—	—	—	38
Rathmines and Rathgar Urban District.	Mar. 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Mar. 31,	.	—	—	.	.	.	.	.	.	2	2	.	—	—	—	—	—	4
	Apr. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Pembroke Urban District.	Mar. 24,	.	.	.	.	.	.	.	.	.	1	.	.	—	5	.	—	—	6
	Mar. 31,	.	.	.	1	.	.	.	.	.	.	1	.	—	.	.	—	—	2
	Apr. 7,	.	.	.	9	.	.	.	.	.	.	.	.	—	.	.	—	—	9
	Apr. 14,	.	.	.	.	.	.	2	.	.	1	.	.	—	.	.	—	—	3
Blackrock Urban District.	Mar. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Mar. 31,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Apr. 7,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	—	2
	Apr. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Mar. 24,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	2
	Mar. 31,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	2
	Apr. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 14,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
City of Belfast.	Mar. 24,	.	—	—	39	.	.	3	2	11	18	9	.	—	—	—	—	—	82
	Mar. 31,	.	—	—	21	.	.	7	1	9	23	6	1	—	—	—	—	—	68
	Apr. 7,	.	—	—	16	.	.	5	.	13	9	4	.	—	—	—	—	—	47
	Apr. 14,	.	—	—	17	.	.	2	1	7	10	6	.	—	—	—	—	—	43

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th April, 1906.

From this it appears that :—

Seven cases of measles were admitted to hospital during the week, 7 were discharged, there was one death, and 20 cases remained under treatment at its close.

Three cases of scarlet fever were admitted to hospital, 10 were discharged, and 48* cases remained under treatment at the close of the week.

One case of typhus was discharged from hospital during the week, and 2 cases remained under treatment at its close.

Four cases of diphtheria were admitted to hospital, 9 were discharged, there was one death, and 19 patients remained under treatment at the close of the week.

One case of enteric fever was admitted to hospital, 6 were discharged, and 26 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 16 cases of pneumonia were admitted to hospital, were discharged, there was one death, and 31 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·4), was equal to an average annual death-rate of 17·1 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 19·1 per 1,000, the rate for Glasgow being 20·9, and for Edinburgh 19·9.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th April. From this Return it appears that of a total of 55 cases notified 35 were scarlet fever, 17 diphtheria, and 3 erysipelas. Among the 357 cases of infectious diseases in hospital at the close of the week were 174 cases of scarlet fever, 81 of diphtheria, 81 of measles, 13 of erysipelas, 10 of typhoid fever, and 13 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 14th April, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 14th April, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 14th April, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th April, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 31st March, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts.	1,098,959	19·2	25·3	22·1	1·3	530	464	75	126	.	1	.	1	17	.	.	6	2	52	78	24	13	75		14	161	15	.	.	° .	° .	° .	° .	° .	° .	° .	° .	° .
Dublin Registration Area: Total, d.	373,994	27·5	24·9	23·4	0·8	181	170	21	53	.	1	.	.	3	.	.	1	1	22	27	8	9	27	3	6	72	7	f63·6	27·9	44·2	0·06	f63·0	27·4	42·9	0·19	f50·3	26·5	39·4	0·05
City of Dublin,	293,385	37·1	27·2	24·9	0·9	153	140	20	40	.	1	.	.	3	.	.	1	.	20	22	7	8	25	3	4	68	5	g63·5 h62·8	31·6 29·0	46·9 44·8	0·03 0·03	g62·1 h62·2	34·7 26·0	45·8 42·9	0·15 0·17	g51·2 h51·9	33·1 28·6	41·8 40·6	0·10 0·08
Urban Dists. Rathmines and Rathgar.	33,203	19·4	12·6	18·8	1·6	8	12	1	5	.	.	.	.	.	.	.	.	1	1	3	.	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Pembroke	26,025	16·4	8·0	18·0	.	4	9	.	3	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Blackrock	8,759	8·1	17·9	28·8	.	3	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Kingstown,	17,622	12·1	38·5	14·8	.	13	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	1	60	34·5	47·1	0·02	59	34·5	45·2	0·05	49·0	33·5	42·0	0·14
Urban Districts.																																							
Belfast,	358,680	24·4	30·8	24·1	2·5	212	166	35	30	.	.	.	.	13	.	.	4	.	19	26	7	3	34	4	6	44	1	64·0	29·5	43·4	0·10	54·2	30·2	44·3	0·03	52·5	24·0	39·4	0·00
Cork,	76,122	33·6	20·5	21·2	.	30	31	4	11	.	.	.	.	.	.	.	.	.	2	9	2	.	3	.	.	15	1	57	35	46·8	0·03	55	37	45·9	0·37	50	31	41·4	0·04
Londonderry,	42,067	19·4	11·2	17·4	1·2	9	14	.	5	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	16·0	28·7	.	11	21	4	2	.	.	.	.	.	.	.	.	.	5	3	.	.	5	.	.	7	3	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	29·2	7·8	.	15	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	23·3	19·4	3·9	6	5	.	1	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	3	.	66	36	51	0·15	54	30	45·6	0·65	53	28	41·5	0·00
Dundalk,	18,076	3·4	16·0	8·0	.	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	12·3	24·5	.	3	6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	12·6	4·2	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	66·7	30·3	46·3	0·12	59·7	31·1	47·0	0·09	52·0	25·3	40·0	0·00
Lurgan,	11,782	13·8	35·4	8·9	.	8	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	66·7	30·3	46·3	0·12	59·7	31·1	47·0	0·09	52·0	25·3	40·0	0·00
Lisburn,	11,461	10·1	27·3	27·3	.	6	6	2	2	.	.	.	.	.	.	.	.	.	2	.	2	.	.	1	1	1	.	66·7	30·3	46·3	0·12	59·7	31·1	47·0	0·09	52·0	25·3	40·0	0·00
Wexford,	11,168	23·2	28·3	18·7	.	5	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	19·2	19·2	.	4	4	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	48·2	24·0	.	9	5	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	2	1	66·2	28·3	46·2	0·14	56·1	28·1	43·6	0·81	50·8	23·5	40·4	0·14
Kilkenny,	10,609	11·5	14·7	4·9	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	65	28	45·1	0·03	63	26	44·4	0·63	51	30	41·9	0·17
Clonmel,	10,167	7·8	10·3	5·1	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	5·2	15·5	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	66·7	30·3	46·3	0·12	59·7	31·1	47·0	0·09	52·0	25·3	40·0	0·00
Tralee,	9,867	16·6	37·0	31·7	5·3	7	6	1	4	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	17·2	28·6	5·7	3	5	2	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.	1	58	33	45·6	0·12	61	32	44·2	0·05	50	29	40·2	0·02
Queenstown,	7,909	14·4	26·4	26·4	.	4	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	57	35	46·8	0·03	55	37	45·9	0·37	50	31	41·4	0·04
Armagh,	7,588	22·2	27·5	20·6	.	4	3	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	66·7	30·3	46·3	0·12	59·7	31·1	47·0	0·09	52·0	25·3	40·0	0·00

a According to the Census of 1901, the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 4 deaths of persons aged 60 years or upwards, admitted to hospital from localities outside the Area.
e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted for Monaghan and Longford; those at Armagh for Lisburn, Lurgan, Newry, and Portadown; those at Markree for Sligo, and those at Roche's Point for Cork and

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Ratngar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 14th of April, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.												Urban Districts of					
	Registration Districts in																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	North City No. 1E.	North City No. 1 W.	North City No 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
A. General Diseases:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Pneumonia,	3	2	4	1	.	.	1	2	1	5	.	1	1	1	.	.	22	.
Tuberculous Disease. Phthisis,	1	5	3	3	1	.	1	2	3	1	1	1	3	1	.	1	27	.
Tuberculous Disease. Other Forms.	.	1	1	2	.	1	.	.	2	.	.	.	.	1	.	.	8	.
Cancer, Malignant Disease,	1	2	1	.	.	2	.	1	.	.	1	.	.	1	.	.	9	.
Other General Diseases	.	2	2	4	.	1	1	1	.	.	.	.	2	.	.	.	13	.
Total,	6	12	12	10	1	4	3	6	6	9	2	2	7	4	.	1	85	.
B. Local Diseases:																		
Diseases of Nervous System	.	.	3	.	.	.	1	2	.	1	.	.	.	1	1	1	10	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	.	4	.	3	.	3	1	4	.	1	3	.	3	2	2	2	28	1
Diseases of Respiratory System,	3	3	3	5	1	.	.	4	3	2	1	.	1	.	.	1	27	2
Diseases of Digestive System,	.	1	1	2	.	.	.	1	.	1	.	.	.	1	.	.	7	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	8	8	10	1	3	2	11	3	5	5	.	4	4	3	4	74	4
C. Other Specified Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Causes Ill-defined and Not Specified,	1	1	.	.	.	.	.	3	.	.	.	.	1	1	1	.	8	.
E. Violent Deaths,	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Deaths from all Causes,	11	22	21	20	2	7	5	20	9	14	7	2	12	9	4	5	170	4
Annual Rate of Mortality from all causes in every 1,000 of the population	20·2	29·3	36·4	32·9	21·7	36·4	39·1	27·2	25·7	17·4	10·4	11·7	18·8	18·0	23·8	14·3	23·4	.
	30·4							19·0					18·3					
	24·9																	
Deaths of Infants under 1 year of age,	2	3	3	4	.	.	.	1	2	4	.	1	1	.	.	.	21	.
Deaths of Persons aged 60 years and upwards,	5	8	2	5	1	3	3	7	1	1	4	.	5	3	3	2	53	4
Number of Uncertified Deaths,	1	.	1	1	.	.	.	2	.	.	.	.	1	.	.	1	7	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	9	8	4	.	1	1	2	.	1	1	.	1	1	.	1	31	2
Workhouse Hospitals,	4	6	7	8	1	1	.	4	2	5	2	.	1	.	.	.	41	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registere
week of the ten years, 1896–

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 15th Week of the 10 years 1896–1905.	In the Week ending Saturday 14th April, 1906. Deaths of Persons of the Ages						
	April 11, 1896.	April 17, 1897.	April 16, 1898.	April 15, 1899.	April 14, 1900.	April 13, 1901.	April 12, 1902.	April 18, 1903.	April 16, 1904.	April 15, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 49·8	° 45·1	° 46·9	° 42·8	° 46·9	° 44·3	° 38·4	° 37·3	° 47·3	° 43·1	° 44·2	Mean Temp. ° 44·2						
ALL CAUSES.	170	189	182	224	230	242	206	186	186	167	198·2	174	7	14	13	13	23	47
Small-pox, ...	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	15	.	.	2	.	3	.	4	4	2·8	1	.	1	.	.	.	.
Scarlet Fever, ...	2	2	2	.	.	2	.	3	.	1	1·2	.	.	.	.	.	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	1	9	15	6	14	1	2	4	2	5·7	.	.	.	.	.	.	.
Whooping-cough, ...	1	14	3	4	1	8	2	1	11	3	4·8	3	.	3	.	.	.	.
Diphtheria, ...	1	2	2	2	2	.	1	.	1	1	1·2	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.
Enteric Fever, ...	1	1	3	4	2	2	2	3	.	1	1·9	1	.	.	.	1	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	4	2	.	.	1	3	.	.	.	.	1·5	.	.	.	.	.	.	.
Diarrhœa, Dysentery,							4	.	.	1		1	.	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	1	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	1	2	.	.	2	1	2	.	1	1·0	2	.	1	1	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	14	12	11	13	17	21	3	2	3	1	13·5	6	2	1	2	.	.	1
Pneumonia, Broncho-Epidemic,							11	12	5	9		16	.	1	2	1	4	4
Pneumonia, Not defined,																		
Erysipelas, ...	1	.	.	.	.	.	1	1	1	.	·4	1	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	.	.	.	.	1	3	.	.	·5	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	1	1	.	1	·3	2	.	.	.	.	.	1
Tuberculous Phthisis,	23	20	32	27	28	36	1	1	9	9	26·5	13	.	.	.	4	5	4
"*Phthisis*," ...							26	31	10	12		14	.	.	.	2	5	7
Tuberculous Meningitis, ...	3	6	8	7	4	1	5	5	4	1	4·4	1	.	1	.	.	.	.
Tuberculous Peritonitis,	3	5	3	7	9	7	1	1	1	1	4·8	1	.	.	.	1	.	.
Tabes Mesenterica, ...							1	3	4	2		.	.	.	.	.	.	.
Tuberculous Dis. (other),	1	6	5	4	5	4	7	6	11	3	5·3	6	.	2	2	1	1	.
Scrofula, ...							.	1	.	.		.	.	.	.	.	.	.
Alcoholism, ...	1	2	.	1	.	1	1	1	1	1	·9	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	1	1	.	.	.	1	1	·4	.	.	.	.	.	.	.
Gout, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Carcinoma, ...	7	3	6	5	4	11	1	3	3	3	6·5	3	.	.	.	.	.	3
Sarcoma, ...							1	1	.	.		.	.	.	.	.	.	.
Cancer (undefined),							4	4	3	6		6	.	.	.	.	1	2
Diabetes Mellitus, ..	.	.	.	.	.	.	1	.	1	.	·2	1	.	.	.	.	1	.
Premature Birth, ...	2	1	1	4	5	5	1	1	7	5	3·2	3	2	1	.	.	.	.

* The figures for the years 1896–1900 ar
† Formerly describe

TEENTH WEEK ending Saturday, 14th April, 1906. with the deaths from each cause in the corresponding average for those weeks.

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: April 11, 1896.	April 17, 1897.	April 16, 1898.	April 15, 1899.	April 14, 1900.	April 13, 1901.	April 12, 1902.	April 18, 1903.	April 16, 1904.	April 15, 1905.	Averages in 15th Week of the 10 years 1896-1905.	In the Week ending Saturday, 14th April, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
an Temperature.	° 49·8	° 45·1	° 46·9	° 42·8	° 46·9	° 44·3	° 38·4	° 37·3	° 47·3	° 43·1	° 44·2	° 44·2								
gitis (not tuberc.) ...							4	6	3	3		3	.	1	.	.	1	1	.	.
ty, G. P. of Insane ...							1	.	1	1		.	.	.	.	.	.	.	.	.
osy							.	.	1	.		.	.	.	.	.	.	.	.	.
lsions							11	5	3	6		2	1	1	.	.	.	.	.	.
notor Ataxy ...							1	.	.	.		.	.	.	.	.	.	.	.	.
legia Dis. of Cord ...							.	2	3	2		3	.	.	.	.	.	2	1	.
us System (other	34	38	33	54	43	46	.	3	1	1	40·2	3	.	.	.	.	.	.	3	.
Dis., Endocarditis ...							5	2	4	6		3	.	.	.	.	.	1	1	1
r. Hæm. Thromb. ...							.	3	4	.		5	.	.	.	.	.	1	4	.
xy, Hemiplegia ...							4	5	5	7		5	.	.	.	.	.	.	4	1
ysm							1	.	.	2		.	.	.	.	.	.	.	.	.
lism, Thromb. (not							.	.	.	.		.	.	.	.	.	.	.	.	.
bral) and Blood Vessel Dis.							8	16	12	12		16	.	.	.	.	.	8	6	2
(not Spasm. nor	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
nb.)																				
hitis	18	25	19	29	35	39	27	17	23	15	21·7	28	1	.	2	.	2	9	12	2
ia, Emphysema ...							.	.	2	1		1	.	.	.	.	.	.	.	1
sy	2	.	2	1	.	1	3	.	.	.	2·3	.	.	.	.	.	.	.	.	.
ratory Dis. (other) ...							.	3	2	6		.	.	.	.	.	.	.	.	.
litis, Quinsy ...	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
itis (not Epid.) ...							.	2	2	2		1	1	.	.	.	.	.	.	.
Enteritis	.	.	.	2	.	.	1	.	.	.	·9	.	.	.	.	.	.	.	.	.
itis (not Puerp.) ...	1	.	2	1	1	2	.	1	.	1	·9	.	.	.	.	.	.	.	.	.
osis of Liver ...							.	2	1	.		2	.	.	.	.	2	.	.	.
Dis. (other) ...	10	2	3	4	.	2	6	1	1	.	3·2	1	.	.	.	.	.	1	.	.
ive Dis. (other) ...	1	1	2	5	2	4	9	1	2	8	3·5	3	.	.	1	.	.	.	2	.
ritis, Acute ...							2	2	2	1		1	.	.	.	1	.	.	.	.
t's Dis., Albuminuria	3	2	4	5	4	2	2	4	5	3	4·7	.	.	.	.	.	.	.	.	.
ry Sys. (Other Dis.)							1	.	1	4		1	.	.	.	.	.	.	1	.
ative Organs Dis. ...	.	2	.	1	.	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
birth (Accid. of) ...	1	.	.	1	2	1	2	.	.	1	·8	.	.	.	.	.	.	.	.	.
ge	12	7	13	9	22	11	7	1	6	5	9·3	6	.	.	.	.	.	.	3	3
Diseases	14	13	12	15	21	13	20	15	10	7	14·3	5	.	.	1	.	1	2	1	.
ACCIDENT.																				
ilways	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
hicles and Horses ...	.	.	.	.	.	.	.	2	2	.	·4	.	.	.	.	.	.	.	.	.
ps, Boats, Docks (ex-																				
ve of Drowning) ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
lding Operations ...	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
flagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rns, Scalds, Explosions	.	1	1	2	2	1	1	1	1	.	1·0	2	.	.	1	1	.	.	.	.
owning	1	1	1	.	1	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
focation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ison or Poisonous	.	.	.	.	.	.	3	.	.	.	·3	.	.	.	.	.	.	.	.	.
ours																				
Deaths by Accidents	3	.	.	1	5	1	2	2	1	2	1·7	1	.	1	.	.	.	.	.	.
ENCE OTHER THAN ACCIDENTAL.																				
ide	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
e	.	.	1	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
tion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

stration Area as then constituted.
' Continued Fever.'

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905–6—Week ending																										
	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.
No. of weeks in Annual Series.	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered,	176	175	223	239	205	177	198	191	238	199	184	245	192	183	220	283	202	188	169	252	214	189	211	230	207	181
*Average Births in corresponding week of previous 10 years,**	203	197	194	189	199	181	190	195	183	160	182	210	206	199	200	221	215	205	217	213	208	219	206	236	177	200
DEATHS registered,	143	133	195	152	158	173	157	168	148	171	139	168	166	154	160	187	151	149	185	183	187	173	193	198	159	174
Annual Death-rate per 1,000,	19·7	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9
*Average Deaths in corresponding week of previous 10 years,**	175	177	173	178	186	191	197	185	187	189	199	219	214	211	202	212	209	209	221	233	221	212	211	218	201	198
AGES, Under 5 years,	28	33	54	34	48	52	42	49	47	48	27	28	52	39	37	46	35	32	45	46	43	55	43	67	37	34
5—20 "	9	5	6	14	10	9	13	10	13	9	7	17	17	11	13	16	8	9	8	14	8	15	15	17	13	13
20—40 "	26	18	36	26	31	18	22	31	13	30	21	34	25	18	21	18	21	15	38	39	34	19	29	26	28	23
40—60 "	37	34	35	38	32	36	34	35	32	45	41	48	37	45	37	42	42	46	43	34	43	35	40	33	34	47
60—80 "	35	34	59	33	35	50	35	37	34	37	37	35	28	34	43	52	39	39	44	49	49	41	55	45	40	47
80 years and upwards,	8	9	5	7	7	8	11	6	9	7	6	6	7	7	9	13	6	8	7	7	10	8	11	10	7	10
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Scarlet Fever	.	1	.	1	1	1	.	1	.	1	.	.	2	1	.	1	.	.	1	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	2	.	.	1	3	1	2	2	1	1	2	3	1	1	2	.	.	1	4	1	2	.	2	2	3
Diphtheria,	2	.	.	1	1	.	.	1	1	.	2	2	2	.	1	1	.	.	1	.	2	2	1	3	.	.
Pyrexia † (origin uncertain),	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Enteric Fever,	4	.	2	2	.	.	2	2	1	4	3	3	.	.	.	1	.	.	1	1	.	3	.	3	.	1
Diarrhœal Diseases,	1	3	4	4	3	3	5	2	1	1	2	1	1	1	3	1	.	1	2	1	3	3	5	2	1	1
Pneumonia,	6	10	18	13	14	15	10	10	8	11	11	12	15	12	16	19	6	11	13	16	18	10	13	10	8	22
Tuberculous Disease. Phthisis,	18	21	24	21	26	20	18	24	9	27	19	21	14	23	21	29	18	23	29	32	30	23	32	25	23	27
Tuberculous Disease. Other Forms,	7	4	9	6	12	7	10	4	15	4	1	12	16	5	6	9	15	10	12	18	9	12	11	15	15	8
Cancer, Malignant Disease,	10	8	7	6	5	10	8	6	11	5	6	7	5	12	6	8	14	6	13	6	6	6	11	4	4	9
Diseases of Heart and Blood Vessels,	29	19	29	21	23	24	25	26	21	26	30	28	21	24	33	31	23	27	21	25	31	29	31	33	27	29
Diseases of Respiratory System,	18	17	42	26	26	34	33	22	16	25	20	26	28	22	18	27	26	27	32	28	28	21	34	27	23	29
Violent Deaths,	8	6	3	2	3	3	3	2	2	4	6	4	3	7	8	5	5	.	4	10	1	2	4	5	2	3
Number of Uncertified Deaths,	5	6	4	9	7	9	4	5	9	8	6	4	5	6	6	11	7	6	8	4	6	7	6	12	9	7
Mean Temperature of the Air (Phœnix Park),	40·0	41·1	42·7	43·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2
Average Mean Temperature in corresponding week of previous 10 years	48·7	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2
Rainfall in inches,	·100	·295	1·190	·250	1·485	·820	·645	·128	·035	·285	·770	·860	·855	1·605	·230	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055
Mean Humidity of the Air, complete Saturation, 1·0.	·88	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·83

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th April, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	24·2	174	34	13	23	47	47	10	.	1	.	.	3	.	.	1	1	6	22	27	8	9	2	29	3	68	7
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	12·0	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
II.	MIDDLE CLASS,	87,188	13·8	23	1	2	3	7	6	4	.	.	.	.	.	.	.	.	.	.	2	3	1	2	.	2	1	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	17·5	37	8	4	4	13	7	1	.	1	.	.	.	.	.	1	1	3	5	7	2	3	.	5	1	11	3
IV.	GENERAL SERVICE CLASS,	154,279	35·8	67	19	6	11	13	15	3	.	.	.	.	3	.	.	.	.	3	9	11	3	.	2	9	1	29	4
V.	INMATES OF WORKHOUSES,	6,024		43	6	.	5	13	17	2	.	.	.	.	.	.	.	.	.	.	6	5	1	4	.	13	.	14	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	11·8	5	.	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	2	.
	6. Clerks and Commercial Assistants,	30,432	8·6	5	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	21·2	11	.	.	1	3	3	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	7	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades,	29,801	22·7	13	4	2	.	3	4	.	.	.	.	.	.	.	.	1	.	1	3	.	1	1	.	2	1	4	1
	10. Clothing Trades,	28,260	17·9	8	2	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	1	.	2	.
	11. Food Supply Trades,	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	18·9	11	1	2	2	4	1	1	.	.	.	.	.	.	.	.	1	1	1	4	.	1	.	2	.	2	2
	13. Petty Shopkeepers,	7,894	19·8	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	2	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	15. Domestic Servants,	36,603	10·0	7	1	.	1	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	6	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	6	.	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	27·9	48	16	5	8	10	9	.	.	.	.	.	3	.	.	.	.	3	8	8	3	.	2	8	1	15	4
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	43	6	.	5	13	17	2	.	.	.	.	.	.	.	.	.	.	6	5	1	4	.	13	.	14	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,332.	Feb. 24,	27·6	1·8	15	.	.	.	.	1	.	.	.	.	1	3	.	.	1	.	1
	Mar. 3,	23·9	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1
	„ 10,	27·6	.	15	.	.	.	.	.	.	.	.	.	3	4	1	.	1	.	.
	„ 17,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 24,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	3	.	1	2	.	2
	„ 31,	25·8	.	14	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	2
	April 7,	33·1	.	18	.	.	.	.	.	.	.	.	.	2	3	3	.	2	1	3
	„ 14,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	3	1	.	1	3	1	1
North City, No. 1 (W.) (*Offices, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Feb. 24,	30·6	2·7	23	.	.	1	.	.	.	.	1	.	2	3	1	2	6	1	1
	Mar. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	.	4	2	.	8	1	.
	„ 10,	25·3	4·0	19	.	.	.	.	1	1	.	.	1	2	4	.	.	3	.	2
	„ 17,	26·6	.	20	.	.	.	.	.	.	.	.	.	2	3	2	.	1	1	2
	„ 24,	30·6	1·3	23	.	.	.	.	.	.	.	.	1	2	5	.	.	8	.	1
	„ 31,	26·6	1·3	20	.	.	.	.	.	.	.	.	1	1	4	1	.	3	.	2
	April 7,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2
	„ 14,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	5	1	2	3	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est. 30,107.	Feb. 24,	29·4	1·7	17	.	.	.	.	.	.	.	.	1	1	4	2	1	1	1	.
	Mar. 3,	19·1	.	11	.	.	.	.	.	.	.	.	.	2	4	4	.	.	.	.
	„ 10,	36·4	.	21	.	.	.	.	.	.	.	.	.	2	4	4	.	3	.	1
	„ 17,	36·4	1·7	21	.	.	.	.	.	.	.	.	1	1	4	2	1	3	.	.
	„ 24,	48·5	.	28	.	.	.	.	.	.	.	.	.	.	5	1	.	4	1	.
	„ 31,	31·2	.	18	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	2
	April 7,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	2
	„ 14,	36·4	1·7	21	.	.	.	.	.	.	.	1	.	4	3	1	1	3	1	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Feb. 24,	29·6	.	18	.	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.
	Mar. 3,	32·9	3·3	20	.	.	.	.	2	.	.	.	.	3	2	3	.	2	1	.
	„ 10,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	3	.	.	1	3	.	1
	„ 17,	34·6	3·3	21	.	.	.	.	.	.	.	1	1	.	2	1	.	2	.	1
	„ 24,	24·7	.	15	.	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.
	„ 31,	13·2	3·3	8	.	.	.	.	.	1	.	1	.	.	.	2	.	.	1	.
	April 7,	19·8	1·6	12	.	.	.	.	1	.	.	.	.	.	1	.	1	4	.	.
	„ 14,	32·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	.	5	.	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	Feb. 24,	25·8	1·4	19	.	.	.	.	.	1	.	.	.	1	4	2	.	5	1	.
	Mar. 3,	29·9	1·4	22	.	.	.	.	.	.	.	1	.	.	7	1	.	4	3	.
	„ 10,	24·5	.	18	.	.	.	.	.	.	.	.	.	2	4	.	.	2	.	1
	„ 17,	21·7	2·7	16	.	.	.	.	1	1	.	.	.	.	3	1	.	4	.	.
	„ 24,	24·5	1·4	18	.	.	.	.	.	.	.	.	1	3	3	.	2	4	.	.
	„ 31,	38·0	5·4	28	.	.	.	.	1	1	.	1	1	2	2	1	1	4	.	.
	April 7,	27·2	1·4	20	.	1	.	.	.	.	.	.	.	2	7	2	.	3	.	1
	„ 14,	27·2	.	20	.	.	.	.	.	.	.	.	.	2	2	.	1	4	.	2
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Feb. 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	2
	Mar. 3,	39·9	.	14	.	.	.	.	.	.	.	.	.	1	2	2	1	3	.	.
	„ 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
	„ 17,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	1
	„ 31,	37·1	.	13	.	.	.	.	.	.	.	.	.	.	1	.	1	4	1	.
	April 7,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 14,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	3	2	.	3	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Feb. 24,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	1	1	4	1	2	.	.
	Mar. 3,	32·3	3·7	26	.	.	.	.	2	.	.	.	1	1	3	3	2	5	.	2
	„ 10,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	2	.	3	.	3	.	1
	„ 17,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	3	1	2	2	.	.
	„ 24,	27·4	1·2	22	.	.	.	.	.	.	.	.	1	.	2	5	1	5	.	2
	„ 31,	29·8	.	24	.	.	.	.	.	.	.	.	.	2	1	3	.	3	.	1
	April 7,	24·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	1	2	.	.
	„ 14,	17·4	3·7	14	.	1	.	.	2	.	.	.	.	5	1	.	.	2	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Feb. 24,	25·2	.	17	.	.	.	.	.	.	.	.	.	1	3	.	.	7	.	.
	Mar. 3,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.
	„ 10,	26·7	.	18	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	.
	„ 17,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	4	1	1	3	.	.
	„ 24,	26·7	.	18	.	.	.	.	.	.	.	.	.	2	4	1	2	3	.	.
	„ 31,	29·7	1·5	20	.	.	.	.	1	.	.	.	.	1	6	4	1	5	.	.
	April 7,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.
	„ 14,	10·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 88,208.	Feb. 24,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	2	1	4
	Mar. 3,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	2	1	.	2	3	.
	„ 10,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.
	„ 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	17·3	1·6	11	.	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.
	„ 31,	20·4	1·6	13	.	.	.	.	.	.	.	1	.	1	4	.	.	1	.	.
	April 7,	22·0	1·6	14	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	1
	„ 14,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	1	3	.	.	1	.	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025.	Feb. 24,	12·0	.	6	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	Mar. 3,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	1
	„ 10,	18·0	.	9	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
	„ 17,	16·0	2·0	8	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
	„ 24,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	„ 31,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	April 7,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 14,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Feb. 24,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.
	Mar. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 24,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.
	„ 31,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	4
	April 7,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 14,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1
Belfast. Pop. in 1906 (Est.) 358,689.	Feb. 24,	25·3	2·2	174	.	.	1	.	7	3	.	2	2	17	23	7	6	24	4	3
	Mar. 3,	24·1	2·2	166	.	.	1	.	9	2	.	2	1	13	33	6	5	34	2	5
	„ 10,	22·5	1·9	155	.	.	1	.	5	.	1	6	.	16	15	10	1	33	6	2
	„ 17,	27·8	2·8	191	.	.	1	.	9	1	1	6	1	23	26	5	6	36	1	4
	„ 24,	22·1	1·7	152	.	.	.	.	5	2	.	3	2	10	17	6	4	24	.	3
	„ 31,	29·2	3·9	201	.	.	2	.	21	1	1	1	1	18	28	12	10	28	2	3
	April 7,	24·6	3·2	169	.	1	1	.	12	1	.	5	2	19	24	11	4	21	7	1
	„ 14,	24·1	2·5	166	.	.	.	.	13	.	.	4	.	19	26	7	3	34	4	1
Cork. Pop. (in 1901) 76,122.	Feb. 24,	23·3	.	34	.	.	.	.	.	.	.	.	.	2	8	.	2	4	2	4
	Mar. 3,	23·3	1·4	34	.	.	.	.	1	.	.	.	1	4	10	.	1	4	.	.
	„ 10,	24·0	.	35	.	.	.	.	.	.	.	.	.	1	7	1	2	3	.	4
	„ 17,	16·4	.	24	.	.	.	.	.	.	.	.	.	3	1	2	1	8	.	2
	„ 24,	26·0	0·7	38	.	.	.	.	.	.	.	.	1	1	5	4	1	8	.	4
	„ 31,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	1	9	.	1	6	.	3
	April 7,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	5	2	1	1	.	1
	„ 14,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	9	2	.	3	.	1
Londonderry. Pop. in 1906 (Est.) 42,067.	Feb. 24,	24·8	2·5	20	.	.	.	.	1	.	.	.	1	1	2	2	1	3	.	3
	Mar. 3,	16·1	2·5	13	.	.	.	.	2	.	.	.	.	.	1	.	.	6	.	.
	„ 10,	23·6	3·7	19	.	.	.	.	2	.	.	.	1	1	5	1	1	1	.	1
	„ 17,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	3	1	.	.	6	.	.
	„ 24,	9·9	1·2	8	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	1
	„ 31,	26·0	2·5	21	.	.	.	.	2	.	.	.	.	2	2	.	1	4	1	.
	April 7,	17·4	2·5	14	.	.	.	.	1	.	.	1	.	.	3	3	.	3	.	.
	„ 14,	17·4	1·2	14	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1
Limerick. Pop. (in 1901) 38,151.	Feb. 24,	24·6	.	18	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	2
	Mar. 3,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	3
	„ 10,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	4
	„ 17,	15·0	1·4	11	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.	.
	„ 24,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	1
	„ 31,	31·4	1·4	23	.	.	.	.	.	.	.	.	1	.	3	1	.	3	.	5
	April 7,	31·4	.	23	.	.	.	.	.	.	.	.	.	3	5	3	1	4	.	1
	„ 14,	28·7	.	21	.	.	.	.	.	.	.	.	.	5	3	.	.	5	.	3
Waterford. Pop. (in 1901) 26,769.	Feb. 24,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.
	Mar. 3,	35·1	.	18	.	.	.	.	.	.	.	.	.	3	3	3	.	3	.	1
	„ 10,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	5	1	.	1	.	.
	„ 17,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	2
	„ 24,	31·2	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	2
	„ 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	1
	April 7,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.	1	2	2	1
	„ 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th April, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,	14,734	6	42·5	17·7	12	2	4	3	3	.	.	.	.	4	.	.	1	.	.	1	.	.	5	.	.	2	.
Do. 2 ,,	47,959	31	25·0	.	23	3	5	12	3	.	.	.	.	.	.	.	.	.	6	4	1	1	5	.	1	6	.
Do. 3 ,,	47,214	25	22·1	.	20	3	1	10	6	.	.	.	.	.	.	.	.	.	3	6	2	.	.	.	.	5	1
Do. 4 ,,	40,911	42	25·5	.	20	5	1	10	4	.	.	.	.	.	.	.	.	.	1	4	.	1	6	.	1	9	.
Do. 5 ,,	17,387	11	36·0	12·0	12	2	2	2	6	.	.	.	.	4	.	.	.	.	1	1	.	.	2	.	.	2	.
Do 6 ,,	48,122	20	21·7	1·1	20	5	4	8	3	.	.	.	.	1	.	.	.	.	3	3	.	.	3	.	.	8	.
Do 7 ,,	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	.	10·8	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 9 ,,	19,569	10	42·6	2·7	16	4	.	10	2	.	.	.	.	.	.	.	1	.	.	1	4	.	5	1	1	5	.
Do. 10 ,,	28,064	21	24·9	2·8	11	5	1	4	1	.	.	.	.	1	.	.	.	.	2	1	.	1	8	1	1	2	.
Do. 11 ,,	34,802	19	21·0	3·0	14	3	3	7	1	.	.	.	.	2	.	.	.	.	2	2	.	.	1	2	2	1	.
Do. 12 ,,	33,588	16	21·7	4·7	14	3	4	7	.	.	.	.	.	1	.	.	2	.	.	2	.	.	4	.	.	2	.
Do. 13 ,,	15,006	10	10·4	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 14 ,,	240	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	212	24·8	2·5	166	35	26	75	30	.	.	.	.	13	.	.	4	.	19	26	7	3	34	4	6	44	1
City of Cork.																											
CORK URBAN No. 1 DISTRICT.	12,867	6	40·5	.	10	1	1	4	4	.	.	.	.	.	.	.	.	.	2	3	.	.	.	.	.	5	.
Do. 2 ,,	10,701	9	14·6	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.
Do. 3 ,,	9,978	3	15·7	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.
Do. 4 ,,	8,666	3	30·1	.	5	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	4	.
Do. 5 ,,	6,592	1	15·8	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
Do. 6 ,,	10,702	4	14·6	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 7 ,,	16,616	4	15·7	.	5	1	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	1
Total,	76,122	30	21·2	.	31	4	3	13	11	.	.	.	.	.	.	.	.	.	2	9	2	.	3	.	.	15	1

* Formerly described as "Simple Continued Fever."

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905–6—Week ending																									
	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered,	209	204	234	205	199	200	205	199	194	158	189	224	198	196	236	231	189	246	214	246	229	229	221	248	240	212
DEATHS registered,	130	153	130	141	150	138	140	148	126	146	124	147	133	135	160	139	146	179	174	166	155	191	152	201	169	166
Annual Death-rate per 1,000 of estimated Population,	18·9	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18·3	21·2	18·0	21·4	19·3	19·6	23·3	20·2	21·2	26·0	25·8	24·1	22·5	27·8	22·1	29·2	24·6	24·1
AGES — Under 1 year,	25	35	30	36	38	28	27	21	23	31	26	34	21	30	31	24	29	31	43	26	31	32	37	46	35	35
AGES — 1–5 years,	14	19	14	17	15	19	11	18	15	18	19	16	15	16	22	11	11	14	20	17	22	23	16	30	28	26
AGES — 5–60 years,	62	63	55	53	60	65	64	72	58	69	56	61	60	62	71	61	71	87	74	85	59	84	57	89	81	75
AGES — 60 years and upwards,	29	36	31	35	37	26	38	37	30	28	23	36	37	27	36	43	35	47	37	38	43	52	42	36	25	30
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Scarlet Fever,	1	3	1	.	1	1	1	.	2	3	.	.	.	2	1	1	.	.	1	1	1	1	.	2	1	.
Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	1	1	3	1	.	1	2	1	3	1	2	6	7	9	5	9	5	21	12	13
Diphtheria,	.	2	.	1	1	.	1	.	.	1	.	1	1	.	.	.	.	2	3	2	.	1	2	1	1	.
*Pyrexia** (origin uncertain),	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1	1	.	1	.	.
Enteric Fever,	1	.	2	3	3	3	4	3	1	2	2	2	3	1	2	2	6	.	2	2	6	6	3	1	5	4
Diarrhœal Diseases,	2	1	3	3	1	2	.	2	.	2	1	3	2	2	3	2	1	3	2	1	.	1	2	1	2	.
Pneumonia,	12	9	18	16	14	18	15	18	14	18	14	15	12	8	11	10	8	19	17	13	16	23	10	18	19	19
Tuberculous Disease, — Phthisis,	17	25	19	22	22	16	23	17	17	21	17	15	17	17	22	16	23	21	23	33	15	26	17	28	24	26
Tuberculous Disease, — Other Forms,	—	—	—	—	—	—	—	—	—	—	—	10	4	3	8	7	6	7	7	6	10	5	6	12	11	7
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	—	8	5	5	7	5	4	5	6	5	1	6	4	10	4	3
Diseases of Respiratory System,	14	21	31	28	31	28	29	34	23	31	23	20	19	12	20	26	23	22	24	34	33	36	24	28	21	34
Violent Deaths,	7	4	4	3	4	9	3	3	2	4	5	6	1	4	1	3	1	6	4	2	6	1	.	2	7	4
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	—	6	2	4	4	3	3	5	3	5	2	4	3	3	1	1

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the eleven weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	April 14,	2,037	1,578	17·4	.	63	7	17	37	2	14
EDINBURGH,	341,035	„ 14,	143	130	19·9	.	6	.	2	2	.	1
GLASGOW,	835,625	„ 14,	476	335	20·9	.	12	.	5	6	1	7
CALCUTTA,	910,117	Feb. 24,	.	723	44·3	173	4	.	1†	2	133‡	136*
BOMBAY,	776,006	Mar. 13,	366	1,441	96·6	8	38	.	.	3	114‡	124*
MADRAS,	509,346	Feb. 23,	318	516	52·6	20	17	?	?	?	109‡	108
PARIS,	2,660,559	Mar. 31,	1,015	1,068	20·8	1	27	5	6†	4	2	21
BRUSSELS (with 8 Faubourgs).	598,467	„ 24,	248	165	14·3	.	2	2	.	1	1	11
ANTWERP,	304,975	„ 24,	135	82	14·0	.	1	.	1†	.	3	8
AMSTERDAM,	559,575	„ 24,	300	172	16·0	.	8	2	1†	1	1	4
COPENHAGEN,	425,000	„ 24,	233	161	19·8	.	6	.	.	8	.	6
STOCKHOLM,	318,398	„ 17,	149	85	13·9	.	1	4	3†	1	1	.
CHRISTIANIA,	222,373	„ 31,	105	64	14·8	.	1	.	2†	3	.	3
ST. PETERSBURG,	1,424,700	„ 24,	806	803	29·2	1	37	29	21	9	28	89
MOSCOW,	1,092,360	Feb. 24,	.	548	26·2	3	1	10	8†	4	12	35
BERLIN,	2,052,267	Mar. 10,	935	666	16·9	.	12	3	7†	7	1	31
HAMBURG,	803,000	„ 17,	.	234	15·2	.	1	.	2†	2	.	17
BRESLAU,	473,565	„ 31,	.	162	17·8	.	.	.	2†	1	.	13
MUNICH,	540,000	„ 31,	.	215	20·7	.	.	.	3†	3	.	25
VIENNA (with suburbs).	1,917,639	„ 31,	899	702	19·0	.	13	5	10†	10	.	36
BUDA-PESTH,	859,134	„ 31,	412	324	19·7	.	8	6	3†	4	4	7
PRAGUE and Faubourgs.	455,241	„ 24,	221	185	21·1	.	4	1	.	.	1	26
TRIESTE,	194,749	„ 17,	147	98	26·2	.	.	.	.	1	.	2
ROME,	526,170	Feb. 3,	261	251	24·9	.	5	.	1†	.	2	16
VENICE,	171,709	Mar. 3,	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	„ 17,	2,086	1,543	19·4	.	43	15	50†	7	7	38
PHILADELPHIA,	1,469,126	„ 10,	.	634	22·4	.	12	1	16†	7	35	37
BOSTON,	595,380	„ 17,	.	224	19·6	.	4	.	2	.	.	1

* Including 65 deaths from cholera in Calcutta, and 2 in Bombay.
† Including deaths from croup.
‡ Exclusive of 31 deaths from plague in Calcutta, 411 in Bombay, and one in Madras.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th April, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	1	.	.	.	.	2
" " 1, West,	.	4	.	.	.	.	1	1	3	.	.	.	9
" " 2,	.	.	.	.	.	.	2	1	.	.	.	.	3
" " 3,	.	.	.	.	.	.	.	1	4	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	.	.	.	5	7	.	.	.	13
" " 2,	.	.	.	.	1	.	.	.	1	.	.	.	2
" " 3,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 4,	.	1	.	.	.	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	2	.	.	.	2
Total,	.	7	.	.	2	.	3	9	17	.	.	.	38

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th April, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th April.			
	Mar. 24.	Mar. 31.	April 7.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	14	21	21	7	7	1	20
Scarlet Fever,	52	52	55	3	10	.	48*
Typhus,	2	2	3	.	1	.	2
Diphtheria,	23	29	25	4	9	1	19
Enteric Fever,	21	26	31	1	6	.	26
Pneumonia,	18	20	23	16	7	1	31

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 14th April, 1906:—

"In the earlier days of this week, the British Islands were within the sphere of influence of an anticyclone, which showed considerable intensity and much staying power. On Monday morning its central space with the barometer at or above 30·7 inches extended from Ireland (Donaghadee reporting 30·74 inches at 8 a.m.) to the extreme southwest of Norway (Skudesnæs, 30·72 inches). During the two following days, atmospheric pressure decreased intermittently—the daily atmospheric tides being very perceptible. Fair weather was general in this anticyclonic period, bright sunny days and cool N.E. winds alternating with calm, cold, and hazy or foggy nights. Thursday was bright and warm. Clouds gathered in the evening and thunder was reported as heard in the vicinity of Dublin. A refreshing shower fell in the evening. Soft drizzle and rain fell for some hours after noon on the following day, Good Friday; but in the evening the sky cleared and the night was cold and starlight. On Saturday the central space of an extensive anticyclone extended over the South of Ireland where the barometer had risen above 30·6 inches. In Dublin the mean atmospheric pressure for the week was 30·402 inches, the barometer rising to 30·700 inches at 9 a.m. of Monday (wind, E.N.E.) and falling to 30·004 inches at 9 p.m. of Thursday (wind, S.E.). The corrected mean temperature was 46·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·3°. The screened thermometers rose to 63·5° on Thursday and fell to 34·6° on Saturday. N.E. and W. winds prevailed. Rain fell on 2 days to the amount of ·030 inch, ·007 inch being recorded on Thursday and ·023 inch on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·412 inches. The highest reading (30·711) was on Sunday at 9 p.m., air calm, and the lowest (30·011) on Thursday at 9 p.m., air calm.

The mean temperature for the week was 44·2°, being equal to the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Thursday, on which day the thermometer registered 63·6°, and was lowest on Tuesday, the mercury having fallen to 27·9°. The mean of the Dry Bulb for the week was 44·4°, and of the Wet Bulb 41·9°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 59·8 hours. The rainfall during the week measured ·055 inch.

At Greenwich the mean temperature for the week was 51·5°, the maximum 73·2°, and the minimum 35·6°; at Glasgow the maximum was 69·2°, the minimum 30·0°, and the mean 48·2°; and at Edinburgh the maximum was 65·8°, the minimum 34·7°, and the mean 48·1°. The rainfall at Greenwich measured 0·03 in. There was no rainfall recorded at Glasgow or at Edinburgh. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.					
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, April 8,	30·664	52·8	45·9	49·4	48·4	46·7	·89	·5	0·6	—	N.	Calm.
Monday, „ 9,	30·655	49·1	30·9	40·0	41·9	38·3	·73	·1	12·0	—	E.	Calm.
Tuesday, „ 10,	30·440	52·2	27·9	40·1	42·6	41·1	·90	·5	11·6	—	Calm.	Calm.
Wednesday, „ 11,	30·268	57·6	29·9	43·8	44·4	42·7	·88	·6	9·8	—	Calm.	Calm.
Thursday, „ 12,	30·053	63·6	31·9	47·8	48·0	45·4	·83	·4	9·6	—	Calm.	Calm.
Friday, „ 13,	30·206	55·0	37·4	46·2	44·7	41·5	·78	·7	3·5	·055	W.	W.
Saturday, „ 14,	30·600	54·7	28·9	41·8	40·5	37·7	·79	·6	12·7	—	W.	Calm.
Mean, . .	30·412	55·0	33·3	44·2	44·4	41·9	·83	·5	Total 59·8	Total ·055	—	

Sunday—Day fine but cloudy; night cloudy. *Monday*—A fine bright day; night clear. *Tuesday*—A fine bright day; night clear. *Wednesday*—A fine day, light clouds; night clear. *Thursday*—A fine day, light clouds; night clear. *Friday*—Fine a.m., showery p.m.; night clear. *Saturday*—A fine bright day; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 14th, 1906.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperatures in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 8,	50·9	46·5	45·0	53·0	46·6	49·8	0·6	—
Monday, „ 9,	47·2	46·4	45·1	48·8	36·4	42·6	10·0	—
Tuesday, „ 10,	47·0	45·9	45·3	51·8	34·0	42·9	8·3	—
Wednesday, „ 11,	48·6	45·4	45·4	56·5	36·2	46·4	7·7	—
Thursday, „ 12,	53·3	45·9	45·8	62·3	39·8	51·1	8·8	·005
Friday, „ 13,	53·8	47·1	45·8	55·9	40·9	48·4	3·4	·018
Saturday, „ 14,	45·3	45·5	45·9	55·4	34·9	45·2	11·8	—
Weekly Mean,	49·4	46·1	45·5	51·8	38·4	46·6	Total 50·6	Total ·023

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—13048.

OFFICIAL.

EEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

NSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

'WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

OL. XLIII.] WEEK ENDING SATURDAY, 21ST APRIL, 1906. [No. 16.

General Register Office, Charlemont House, Dublin, 23rd April, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in e Dublin Registration Area and the twenty-one principal provincial Urban Districts Ireland was 23·3 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,093,959.† The deaths registered in each of the ast four weeks, and during the whole of that period, in the several Districts, alphaetically arranged, corresponded to the following annual rates per 1,000. In some stances owing to deaths not having been registered within the week in which they ccurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Mar. 31.	April 7.	April 14.	April 21.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 31.	April 7.	April 14.	April 21.	Average Rate for 4 weeks.
2 Town Dists.	26·5	21·7	22·1	23·3	23·4	Lisburn, . .	22·7	22·7	27·3	9·1	20·5
rmagh, . .	13·7	20·6	20·6	27·5	20·6	Londonderry,	26·0	17·4	17·4	11·2	18·0
allymena, .	14·4	19·2	19·2	28·7	20·4	Lurgan, . .	13·3	8·9	8·9	31·0	15·5
elfast, . .	29·2	24·6	24·1	24·9	25·7	Newry, . .	33·6	29·4	4·2	25·2	23·1
lonmel, . .	30·8	20·5	5·1	30·8	21·8	Newtownards, .	22·9	34·3	28·6	28·6	28·6
ork, . . .	24·0	13·7	21·2	18·5	19·4	Portadown,	15·5	31·0	15·5	20·7	20·7
rogheda, . .	24·5	20·4	24·5	12·3	20·4	Queenstown .	19·8	13·2	26·4	33·0	23·1
ublin Reg. Area,	26·1	21·1	23·4	28·1	24·7	Sligo, . . .	24·0	33·6	24·0	4·8	21·6
undalk, . .	23·9	8·0	8·0	27·9	17·0	Tralee, . .	15·9	10·6	31·7	.	14·6
alway, . .	31·1	3·9	19·4	27·2	20·4	Waterford, .	23·4	19·5	7·8	7·8	14·6
ilkenny, . .	14·7	39·3	4·9	.	14·7	Wexford, . .	28·0	14·0	18·7	4·7	16·4
imerick, . .	31·4	31·4	28·7	13·7	26·3						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in ourteen of the districts to 10·3 in Clonmel, the 6 deaths from all causes in that district ncluding one from whooping-cough and one from enteric fever. Among the 171 deaths rom all causes in Belfast are 21 from whooping-cough, 2 from enteric fever, and one rom diarrhœa; and the 7 deaths from all causes in Lurgan include one from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 202—104 boys and 98 girls; and the deaths to 215—112 males and 103 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 29·6 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted nto public institutions from localities outside the Area, the rate was 28·1 per 1,000. During the sixteen weeks ending with Saturday last the death-rate averaged 24·1, and was 5·3 below the mean rate for the corresponding portions of the ten years, 1896-1905.

The deaths (215) included 3 deaths from measles, 2 deaths from enteric fever, and one death from dysentery. In each of the 3 preceding weeks, deaths from measles were 0,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

one, and one; deaths from enteric fever were 3, 0, and one; and deaths from diarrhœal diseases were 2, one, and one. Three deaths were directly attributed to influenza.

There were 3 deaths from lobar pneumonia, 7 deaths from broncho-pneumonia, and 16 deaths from *pneumonia* (not defined).

The total deaths from all forms of tuberculous disease registered during the week was 29. This figure includes 9 deaths from tuberculous phthisis, 9 deaths from *phthisis*, 5 deaths from tuberculous meningitis, 4 deaths from tuberculous peritonitis, and 2 deaths from other forms of the disease. In the 3 preceding weeks, the total deaths from all forms of tuberculous disease were 40, 38, and 35 deaths, respectively.

There were 2 deaths from carcinoma, 2 deaths from sarcoma, and 9 deaths from cancer (undefined).

Two deaths of prematurely born infants were registered.

There were 5 deaths of children under 5 years of age from *convulsions*.

Forty-five deaths were classified to diseases of the heart and blood vessels, and 36 deaths were caused by bronchitis.

Four deaths were attributed to accidental causes.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including one infant under one year old) and the deaths of 3 persons aged 60 years and upwards.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 6 were under one month old) and 79 were aged 60 years and upwards, including 37 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a man) was stated to have been aged 91 years.

Ninety-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 27 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 28·1 per 1,000; the rate in the City was 29·9 (North City Districts, 29·1; South, 30·7), and in the Suburbs, 21·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·9 (0·7 in the North City Districts, and 1·1 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000. There were 6 deaths from tuberculous disease and 2 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. The deaths included one from enteric fever, one from influenza, one from broncho-pneumonia, 2 from *pneumonia* (undefined), one from tuberculous phthisis, and 6 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·9 per 1,000, and include one death from influenza, one death from broncho-pneumonia, one death from *pneumonia* (not defined), one death from tuberculous peritonitis, 3 deaths from diseases of the respiratory system, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 28·0 per 1,000. Lobar-pneumonia and broncho-pneumonia each caused one death, *pneumonia* (not defined) caused 2 deaths, tuberculous disease caused one death, there were 3 deaths from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 41·6; and Finglas and Glasnevin, part of, 15·6. Of the 2 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from dysentery; the 8 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include 2 from *pneumonia* (not defined) and one from pleurisy; and the 2 deaths from all causes for Finglas and Glasnevin, part of, include one from broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 28·5 per 1,000, and included one death from enteric fever, 3 deaths from *pneumonia* (not defined), 4 deaths from tuberculous disease, and 4 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 20·0 per 1,000. There was one death from measles; and bronchitis caused one death.

No. 3 South City District (Peter-street).—The deaths (29) are equal to an annual rate of 36·1 per 1,000. The deaths included one from measles, one from influenza, one from lobar-pneumonia, one from broncho-pneumonia, 2 from *pneumonia* (not defined), 2 from tuberculous phthisis, and 6 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (24) are equivalent to an annual rate of 35·6 per 1,000. *Pneumonia* (not defined), caused 3 deaths, tuberculous disease caused 4 deaths, and diseases of the respiratory system caused 8 deaths.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000, and include 2 from tuberculous disease.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8; Pembroke, 26·0; Blackrock, 6·0; and Kingstown, 29·6. The only death from any of the principal epidemic diseases tabulated for these districts was one from measles for Rathmines and Rathgar. Among the 12 deaths from all causes for the last-named district are one from broncho-pneumonia, 2 from tuberculous disease, and 4 from diseases of the heart and blood vessels; the 13 deaths from all causes for Pembroke include 2 from tuberculous disease and 4 from bronchitis; and of the 10 deaths for Kingstown one was from lobar-pneumonia, one from broncho-pneumonia, one from *pneumonia* (not defined), 6 deaths from diseases of the heart and blood vessels, and one death caused accidentally.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. awcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive anitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock rban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban istrict; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 21st April, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Mar. 31,	.	—	—	3	.	.	7	.	3	5	3	.	—	—	—	—	—	21
	Apr. 7,	.	—	—	7	1	.	2	.	2	1	5	.	—	—	—	—	—	18
	Apr. 14,	.	—	—	7	.	.	2	.	3	9	17	.	—	—	—	—	—	38
	Apr. 21,	.	—	—	4	.	.	4	.	3	3	8	.	—	—	—	—	—	22
Rathmines and Rathgar Urban District.	Mar. 31,	.	—	—	.	.	.	.	.	.	2	2	.	—	—	—	—	—	4
	Apr. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 21,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	2
Pembroke Urban District.	Mar. 31,	.	.	.	1	.	.	.	.	.	.	1	.	—	.	.	—	—	2
	Apr. 7,	.	.	.	9	.	.	.	.	.	.	.	.	—	.	.	—	—	9
	Apr. 14,	.	.	.	.	.	.	2	.	.	1	.	.	—	.	.	—	—	3
	Apr. 21,	.	.	.	.	.	.	.	.	.	2	.	.	—	3	.	—	—	5
Blackrock Urban District.	Mar. 31,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Apr. 7,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	—	2
	Apr. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Mar. 31,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	2
	Apr. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 14,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Apr. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Mar. 31,	.	—	—	21	.	.	7	1	9	23	6	1	—	—	—	—	—	68
	Apr. 7,	.	—	—	16	.	.	5	.	13	9	4	.	—	—	—	—	—	47
	Apr. 14,	.	—	—	17	.	.	2	1	7	10	6	.	—	—	—	—	—	43
	Apr. 21,	.	—	—	5	.	.	2	.	5	6	4	.	—	—	—	—	—	22

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st April, 1906.

From this it appears that :—

Three cases of measles were admitted to hospital during the week, one was discharged, there was one death, and 21 cases remained under treatment at its close.

Four cases of scarlet fever were admitted to hospital, 12 were discharged, and 40* cases remained under treatment at the close of the week.

Two cases of typhus remained under treatment in hospital at the close of the week.

Seven cases of diphtheria were admitted to hospital, 7 were discharged, and 19 patients remained under treatment at the close of the week.

Two cases of enteric fever were admitted to hospital, 6 were discharged, and 22 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 19 cases of pneumonia were admitted to hospital, 13 were discharged, there were 3 deaths, and 34 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 19·2), was equal to an average annual death-rate of 17·3 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 17·6 per 1,000, the rate for Glasgow being 18·5, and for Edinburgh 17·9.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st April. From this Return it appears that of a total of 48 cases notified 25 were scarlet fever, 9 diphtheria, one membranous croup, 10 erysipelas, and 3 typhoid fever. Among the 364 cases of infectious diseases in hospital at the close of the week were 174 cases of scarlet fever, 54 of diphtheria, 87 of measles, 16 of erysipelas, 13 of whooping-cough, and 11 of typhoid fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 21st April, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 21st April, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 21st April, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th April, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th April, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	29·9	23·3	1·8	628	489	82	154	.	4	.	.	22	1	.	5	6	42	51	22	19	100	8	17	161	18	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total, d.	378,994	27·5	27·8	28·1	0·8	202	204	25	78	.	3	.	.	.		.	2	1	26	16	9	11	41	4	9	88	6	f61·0	25·9	44·3	0·13	f63·6	27·9	44·2	0·06	f63·0	27·4	42·9	0·19
City of Dublin,	298,385	37·1	30·9	29·9	0·9	174	168	21	57	.	2	.	.	.	.	.	2	1	22	14	7	8	36	2	8	83	6	g62·7 h62·4	32·0 27·2	46·5 44·5	0·18 0·12	g63·5 h62·8	34·6 29·0	46·9 44·8	0·03 0·03	g62·1 h62·2	24·7 26·0	45·8 42·9	0·15 0·17
Urban Dists. Rathmines and Rathgar.	33,203	19·4	9·4	18·8	1·6	6	12	2	6	.	1	.	.	.	.	.	.	.	1	1	1	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	26·0	26·0	.	13	13	2	6	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	6·0	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	20·7	29·6	.	7	10	.	9	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	1	.	62·5	33·5	47·7	0·23	60	34·5	47·1	0·02	59	34·5	45·2	0·05
Urban Districts.																																							
Belfast,	358,680	24·4	33·7	24·9	3·5	232	171	39	42	.	.	.	.	21	.	.	2	1	15	18	8	2	36	3	4	44	3	57·0	27·5	45·0	0·35	64·0	29·5	43·4	0·10	54·2	30·2	44·3	0·02
Cork,	76,122	33·6	28·8	18·5	1·4	42	27	5	7	.	.	.	.	.	.	.	.	2	.	1	3	1	8	.	1	9	2	56	34	45·2	0·03	57	35	46·8	0·03	55	37	45·9	0·37
Londonderry,	42,067	19·4	48·3	11·2	.	39	9	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	15·0	13·7	1·4	11	10	3	3	.	.	.	.	.	1	.	.	.	1	1	.	.	3	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	23·4	7·3	.	12	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	28·3	27·2	.	6	7	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	6	1	63	28	45	0·27	66	36	51	0·15	54	30	45·6	0·65
Dundalk,	18,075	9·4	51·8	27·9	.	13	7	1	3	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	12·3	12·3	.	3	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	8·4	25·2	4·2	2	6	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	3	.	60·1	27·0	44·5	0·53	66·7	30·3	46·3	0·12	59·7	31·1	47·0	0·09
Lurgan,	11,782	13·8	22·1	31·0	4·4	5	7	.	2	.	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	2	.	60·1	27·0	44·5	0·53	66·7	30·3	46·3	0·12	59·7	31·1	47·0	0·09
Lisburn,	11,461	10·1	27·3	9·1	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	60·1	27·0	44·5	0·53	66·7	30·3	46·3	0·12	59·7	31·1	47·0	0·09
Wexford,	11,168	23·2	18·7	4·7	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	23·9	28·7	4·8	5	6	1	2	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	14·4	4·8	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	59·4	22·5	44·0	0·65	66·2	28·3	46·2	0·14	56·1	28·1	43·6	0·81
Kilkenny,	10,609	11·5	19·7	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60	29	45·3	0·06	65	28	45·1	0·03	63	26	44·4	0·63
Clonmel,	10,167	7·8	56·4	30·8	10·3	11	6	2	.	.	.	.	.	1	.	.	1	.	.	1	.	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	46·5	20·7	.	9	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	60·1	27·0	44·5	0·53	66·7	30·3	46·3	0·12	59·7	31·1	47·0	0·09
Tralee,	9,867	16·6	21·1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·6	28·6	28·6	.	5	5	.	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.	61	34	45·2	0·44	58	33	45·6	0·12	61	32	44·2	0·06
Queenstown,	7,909	14·4	33·0	33·0	.	5	5	.	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	1	56	34	45·2	0·03	57	35	46·8	0·03	55	37	45·9	0·37
Armagh,	7,588	22·2	34·4	27·5	.	5	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	60·1	27·0	44·5	0·53	66·7	30·3	46·3	0·12	59·7	31·1	47·0	0·09

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 11 deaths of persons, including one at 77 years, admitted to hospital from localities outside the Area. e [illegible] Queenstown. f Observations at Ordnance Survey Office, Phœnix Park. g Observations by Sir John Moore taken at Fitzwilliam Square. h Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 21st of April, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	3	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Diarrhœal Diseases,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Pneumonia,	.	3	2	4	.	2	1	3	.	4	3	.	1	.	.	3	26	.
Tuberculous Disease. Phthisis,	4	1	.	.	.	.	.	3	.	2	3	1	1	1	.	.	16	2
Tuberculous Disease. Other Forms.	2	.	1	1	.	.	.	1	.	.	1	1	1	1	.	.	9	2
Cancer, Malignant Disease,	.	.	1	.	.	1	.	2	1	3	.	.	1	1	1	.	11	2
Other General Diseases	.	1	4	.	.	.	.	.	.	3	2	1	.	.	.	.	11	.
Total,	6	6	8	5	1	3	1	10	2	13	9	3	5	3	1	3	79	6
B. LOCAL DISEASES:																		
Diseases of Nervous System	1	1	1	3	.	.	.	1	1	.	1	.	1	.	.	.	10	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	3	3	4	4	.	1	.	4	1	7	4	.	4	3	.	6	44	1
Diseases of Respiratory System,	2	6	3	3	.	1	1	4	1	7	8	.	1	4	.	.	41	2
Diseases of Digestive System,	2	3	2	.	.	1	.	.	1	1	2	.	.	.	.	.	12	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	1
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diseases of Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	13	10	10	.	3	1	9	4	16	15	.	6	9	.	6	110	5
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	2	1	.	1	1	2	.	2	1	.	.	.	.	1	.	.	11	.
E. VIOLENT DEATHS,	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	1	4	.
Deaths from all Causes,	16	20	19	17	2	8	2	21	7	29	24	3	12	13	1	10	204	11
Annual Rate of Mortality from all causes in every 1,000 of the population	29·4	26·6	32·9	28·0	21·7	41·6	15·6	28·5	20·0	36·1	35·6	17·6	18·8	26·0	6·0	29·6	28·1	.
	29·1							30·7					21·9					
	29·9																	
Deaths of Infants under 1 year of age,	1	3	7	1	.	1	1	1	.	3	3	.	2	2	.	.	25	.
Deaths of Persons aged 60 years and upwards,	6	5	2	5	2	5	1	8	3	12	8	.	6	6	.	9	78	1
Number of Uncertified Deaths,	3	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	6	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	4	5	4	1	1	1	6	2	6	7	1	1	1	1	1	46	8
Workhouse Hospitals,	2	4	4	6	.	1	.	4	3	9	7	1	.	1	.	.	42	3

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regi[illegible]red week of the ten years, 1[illegible]

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 16th Week of the 10 years 1896-1905.	In the Week ending Satu[illegible]ay 21st April, 1906. Deaths of Persons of the [illegible]es [illegible]					
	April 18, 1896.	April 24, 1897.	April 23, 1898.	April 22, 1899.	April 21, 1900.	April 20, 1901.	April 19, 1902.	April 25, 1903.	April 23, 1904.	April 22, 1905.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 60.	60 and under 80.
Mean Temperature.	° 47·7	° 45·6	° 48·6	° 42·7	° 50·2	° 46·8	° 45·9	° 40·0	° 46·0	° 44·0	° 45·8	° 44·3						
ALL CAUSES.	138	232	156	202	204	241	174	189	178	179	189·3	215	6	19	20	15	2[illegible]	70
Small-pox, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	19	.	.	2	.	2	1	3	4	3·1	3	.	.	2	1	.	.
Scarlet Fever, ...	4	1	5	1	.	2	2	2	.	.	1·7	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	8	7	4	7	2	3	.	3	3·7	3	.	.	.	.	.	2
Whooping-cough, ...	1	14	2	3	2	9	1	1	5	4	4·2	.	.	.	.	.	.	.
Diphtheria, ...	.	1	1	2	2	.	1	2	1	1	1·1	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	2	2	2	3	4	.	1	.	.	1·5	2	.	.	.	1	1	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	.	4	3	2	3	4	. / 4	. / .	. / 1	1 / 2	2·4	. / 1	.	.	.	.	.	1
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	2	1	.	3	.	1	1	.	·8	2	.	1	1	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	1	2	.	.	1	.	.	. / . / .	. / . / .	. / . / .	·4	. / . / .	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	6	19	12	21	21	15	. / 6 / . / 4	. / 1 / . / 4	1 / 7 / 12	1 / 6 / 3	13·9	3 / 7 / . / 16	.	. / 4 / . / 1	. / . / . / 3	.	1 / 1 / 2 / 3	1 / 2 / . / 4
Erysipelas, ...	.	1	.	.	2	1	.	.	.	.	·4	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	1	1	.	1	.	. / .	. / .	. / 1	·4	1 / .	.	.	.	1	.	.
Other Infective Conditions,	.	.	.	.	.	.	1	1	1	.	·3	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	25	25	23	24	27	34	4 / 21	1 / 26	8 / 18	7 / 24	26·7	9 / 9	.	.	1	2 / 1	3 / 7	1
Tuberculous Meningitis, ...	3	3	7	5	7	3	4	6	3	3	4·4	5	.	.	1	4	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	2	7	2	6	7	6	1 / 2	1 / .	. / .	. / .	3·4	4 / .	.	.	2	2	.	.
Tuberculous Dis. (other), *Scrofula*, ...	4	8	.	5	3	5	8 / .	8 / .	8 / .	8 / .	5·7	2 / .	.	.	1	.	.	.
Alcoholism, ...	.	.	.	2	.	1	.	2	.	.	·5	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.
Gout, ...	1	.	.	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.
Carcinoma, ... Sarcoma, ... Cancer (undefined),	1	10	5	7	4	3	2 / . / 4	3 / . / 6	3 / . / 4	1 / 2 / 1	5·6	2 / 2 / 9	.	.	.	.	. / 1	2 / 1 / 1
Diabetes Mellitus, ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.
Premature Birth, ...	1	4	4	4	6	5	3	4	3	3	3·7	2	2	.	.	.	.	.

* The figures for the years 1896-190[illegible] re[illegible]
† Formerly desc[illegible]ed.

IXTEENTH WEEK ending Saturday, 21st April, 1906, with the deaths from each cause in the corresponding he average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: April 18, 1896.	April 24, 1897.	April 23, 1898.	April 22, 1899.	April 21, 1900.	April 20, 1901.	April 19, 1902.	April 25, 1903.	April 23, 1904.	April 22, 1905.	Averages in 16th Week of the 10 years 1896-1905.	In the Week ending Saturday, 21st April, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 47·7	° 45·6	° 48·6	° 42·7	° 50·2	° 46·8	° 45·9	° 40·0	° 46·0	° 44·0	° 45·8	Mean Temp. ° 44·3								
ningitis (not tuberc.) ...							4	5	2	3		3	1	.	1	1	.	.	.	.
anity, G. P. of Insane ...							2	1	2	1		1	.	.	.	.	.	1	.	.
llepsy							.	1	1	.		.	.	.	.	.	.	.	.	.
vulsions							7	3	4	8		5	.	3	2	.	.	.	.	.
bomotor Ataxy ...							.	.	.	1		.	.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...							.	3	1	1		1	.	.	.	.	1	.	.	.
rvous System (other lis.)	26	35	35	36	40	44	5	2	4	2	38·1	.	.	.	.	.	.	.	.	.
lv. Dis., Endocarditis ...							5	2	4	1		7	.	.	.	1	1	2	3	.
rebr. Hæm. Thromb. ...							1	1	4	2		9	.	.	.	.	.	2	7	.
oplexy, Hemiplegia ...							4	6	1	1		9	.	.	.	.	.	5	4	.
eurysm							2	.	.	1		1	.	.	.	.	1	.	.	.
ibolism, Thromb. (not erebral)							.	.	.	.		.	.	.	.	.	.	.	.	.
art and Blood Vessel Dis.							15	19	15	18		19	.	.	.	.	4	4	7	4
oup (not Spasm. nor Memb.)	.	2	1	2	.	1	.	1	.	.	·7	.	.	.	.	.	.	.	.	.
onchitis	13	32	19	33	26	31	18	28	24	22	24·6	36	.	6	2	.	.	7	20	1
thma, Emphysema ...							1	2	1	.		1	.	.	.	.	1	.	.	.
urisy	5	4	.	1	.	2	.	1	.	.	2·5	2	.	.	.	.	1	1	.	.
spiratory Dis. (other) ...							4	2	2	.		4	.	.	.	.	1	.	3	.
nsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
teritis (not Epid.) ...	.	.	.	1	2	1	.	1	2	1	1·0	1	.	.	1	.	.	.	.	.
stro. Enteritis							1	.	1	.		2	.	1	1	.	.	.	.	.
ritonitis (not Puerp.) ...	.	.	.	1	.	2	.	.	1	.	·4	1	.	.	.	1	.	.	.	.
rrhosis of Liver ...	.	4	.	1	1	2	1	.	1	3	1·6	2	.	.	.	.	.	.	2	.
ver Dis. (other) ...							.	.	1	2		2	.	.	.	.	.	1	1	.
gestive Dis. (other) ...	3	5	2	7	2	7	4	6	6	8	5·0	5	.	1	.	.	.	3	1	.
phritis, Acute ...							2	2	2	1		1	.	.	.	.	1	.	.	.
ight's Dis., Albuminuria	4	8	5	1	3	14	2	3	2	5	5·8	2	.	.	.	.	.	1	1	.
inary Sys. (Other Dis.)							2	.	.	2		.	.	.	.	.	.	.	.	.
nerative Organs Dis. ...	.	.	.	.	.	2	2	.	1	.	·5	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of) ...	1	.	.	2	.	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
d Age	14	8	11	12	13	11	2	8	3	5	8·7	6	.	.	.	.	.	.	2	4
her Diseases	12	9	5	7	19	15	16	13	8	9	11·3	9	2	2	2	.	.	1	2	.
ACCIDENT.																				
Railways	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	1	.	.	.	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	1	2	.	1	.	2	.	.	.	1	·7	.	.	.	.	.	.	.	.	.
Drowning	1	1	.	.	.	1	1	1	.	1	·6	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
her Deaths by Accidents	3	1	1	1	2	3	.	2	2	1	1·6	4	1	.	.	.	2	.	1	.
IOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
icide	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
nple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905-6—Week ending																									
	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.
No. of weeks in Annual Series.	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered,	175	223	239	205	177	198	191	238	199	184	245	192	183	220	283	202	188	169	252	214	189	211	230	207	181	202
*Average Births in corresponding week of previous 10 years,**	197	194	189	199	181	190	195	183	160	182	210	206	199	200	221	215	205	217	213	208	219	206	236	177	200	216
DEATHS registered,	133	195	152	158	173	157	168	148	171	139	168	166	154	160	187	151	149	185	183	187	173	193	198	159	174	215
Annual Death-rate per 1,000,	18·3	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6
*Average Deaths in corresponding week of previous 10 years,**	177	173	178	186	191	197	185	187	189	199	219	214	211	202	212	209	209	221	233	221	212	211	218	201	198	189
AGES,— Under 5 years,	33	54	34	43	52	42	49	47	43	27	28	52	39	37	46	35	32	45	46	43	55	43	67	37	34	45
5—20 ,,	5	6	14	10	9	13	10	13	9	7	17	17	11	13	16	8	9	8	14	8	15	15	17	13	13	15
20—40 ,,	18	36	26	31	18	22	31	13	30	21	34	25	18	21	18	21	15	38	39	34	19	29	26	28	23	27
40—60 ,,	34	35	38	32	36	34	35	32	45	41	48	37	45	37	42	42	46	43	34	43	35	40	33	34	47	49
60—80 ,,	34	59	38	35	50	35	37	34	37	37	35	28	34	43	52	39	39	44	49	49	41	55	45	40	47	70
80 years and upwards,	9	5	7	7	8	11	6	9	7	6	6	7	7	9	13	6	8	7	7	10	8	11	10	7	10	9
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3
Scarlet Fever	1	.	1	1	1	.	1	.	1	.	.	2	1	.	1	.	.	1	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	2	.	.	1	3	1	2	2	1	1	2	3	1	1	2	.	.	1	4	1	2	.	2	2	3	.
Diphtheria,	.	.	1	1	.	.	1	1	.	2	2	2	.	1	1	.	.	1	.	2	2	1	3	.	.	.
Pyrexia † (origin uncertain),	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Enteric Fever,	.	2	2	.	.	2	2	1	4	3	3	.	.	.	1	.	.	1	1	.	3	.	3	.	1	2
Diarrhœal Diseases,	3	4	4	2	3	5	2	1	1	2	1	1	1	3	1	.	1	2	1	3	3	5	2	1	1	1
Pneumonia,	10	18	13	14	15	10	10	8	11	11	12	15	12	16	19	6	11	13	16	18	10	13	10	8	22	26
Tuberculous Disease. Phthisis,	21	24	21	26	20	18	24	9	27	19	21	14	23	21	29	18	23	29	32	30	23	32	25	23	27	18
Tuberculous Disease. Other Forms,	4	9	6	12	7	10	4	15	4	1	12	16	5	6	9	15	10	12	18	9	12	11	15	15	8	11
Cancer, Malignant Disease,	8	7	6	5	10	8	6	11	5	6	7	5	12	6	8	14	6	13	6	6	6	11	4	4	9	13
Diseases of Heart and Blood Vessels,	19	29	21	23	24	25	26	21	26	30	28	21	24	33	31	23	27	21	25	31	29	31	33	27	29	45
Diseases of Respiratory System,	17	42	26	26	34	33	22	16	25	20	26	28	22	18	27	26	27	32	28	28	21	34	27	23	29	43
Violent Deaths,	6	3	2	3	3	3	2	2	4	6	4	3	7	8	5	5	.	4	10	1	2	4	5	2	3	4
Number of Uncertified Deaths,	6	4	9	7	9	4	5	9	8	6	4	5	6	6	11	7	6	8	4	6	7	6	12	9	7	
Mean Temperature of the Air (Phœnix Park),	41·1	42·7	43·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3
Average Mean Temperature in corresponding week of previous 10 years,	46·6	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8
Rainfall in inches,	·295	1·190	·250	1·485	·320	·645	·128	·035	·285	·770	·860	·855	1·605	·280	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130
Mean Humidity of the Air, complete Saturation, 1·0	·86	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·83	·81

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—SHOWING IN FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS of SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st April, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 21st April, 1906. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	29·9	215	45	15	27	49	70	9	.	3	.	.	.	.	.	2	1	6	26	18	11	13	5	43	4	39	6
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	23·9	8	.	.	1	.	6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	4	.
II.	MIDDLE CLASS,	87,188	20·3	34	2	3	2	11	13	3	.	1	.	.	.	.	.	.	.	1	4	.	3	5	.	1	.	20	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	24·1	51	8	6	6	12	19	.	.	.	.	.	.	.	.	.	.	.	9	8	3	3	.	8	.	25	3
IV.	GENERAL SERVICE CLASS,	154,279	39·7	77	30	5	10	17	13	2	.	2	.	.	.	.	.	1	1	4	11	9	5	4	4	14	3	23	2
V.	INMATES OF WORKHOUSES,	6,024		45	5	1	8	9	19	3	.	.	.	.	.	.	.	1	.	1	1	6	.	1	1	18	.	17	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	33·4	5	.	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	18·7	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	14·2	6	1	1	.	3	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.
	6. Clerks and Commercial Assistants,	30,432	10·3	6	.	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	38·6	20	1	1	1	5	9	3	.	.	.	.	.	.	.	.	.	.	4	.	2	3	.	.	.	11	1
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades,	29,801	22·7	13	3	1	1	4	4	.	.	.	.	.	.	.	.	.	.	.	5	.	1	1	.	2	.	4	.
	10. Clothing Trades,	23,260	17·9	8	.	1	3	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	4	.
	11. Food Supply Trades,	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	41·2	24	3	3	1	4	13	.	.	.	.	.	.	.	.	.	.	.	2	2	2	.	.	6	.	12	3
	13. Petty Shopkeepers,	7,894	13·2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	1	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	3	.
	15. Domestic Servants,	36,603	5·7	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	1	1	1	.	1	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	36·2	10	5	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	1	.	5	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	33·1	57	24	4	5	14	8	2	.	2	.	.	.	.	.	1	.	3	9	8	5	1	3	11	2	15	1
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	45	5	1	8	9	19	3	.	.	.	.	.	.	.	1	.	1	1	6	.	1	1	18	.	17	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of).	COLS. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	Mar. 3,	23·9	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1
	„ 10,	27·6	.	15	.	.	.	.	.	.	.	.	.	3	4	1	.	1	.	.
	„ 17,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 24,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	3	.	1	2	.	2
	„ 31,	25·8	.	14	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	2
	April 7,	33·1	.	18	.	.	.	.	.	.	.	.	.	2	3	3	.	2	1	3
	„ 14,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	3	1	.	1	3	1	1
	„ 21,	22·4	.	16	.	.	.	.	.	.	.	.	.	.	4	2	.	2	.	3
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Mar. 3,	33·3	.	25	.	.	.	.	.	.	.	.	.	.	4	2	.	8	1	.
	„ 10,	25·3	4·0	19	.	.	.	.	1	1	.	.	1	2	4	.	.	3	.	2
	„ 17,	26·6	.	20	.	.	.	.	.	.	.	.	.	2	3	2	.	1	1	2
	„ 24,	30·6	1·3	23	.	.	.	.	.	.	.	.	1	2	5	.	.	8	.	1
	„ 31,	26·6	1·3	20	.	.	.	.	.	.	.	.	1	1	4	1	.	3	.	2
	April 7,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2
	„ 14,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	5	1	2	3	1	.
	„ 21,	26·6	1·3	20	.	.	.	.	.	.	.	1	.	3	1	.	.	6	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Mar. 3,	19·1	.	11	.	.	.	.	.	.	.	.	.	2	4	4	.	.	.	.
	„ 10,	36·4	.	21	.	.	.	.	.	.	.	.	.	2	4	4	.	3	.	1
	„ 17,	36·4	1·7	21	.	.	.	.	.	.	.	.	1	1	4	2	1	3	.	.
	„ 24,	48·5	.	28	.	.	.	.	.	.	.	.	.	.	5	1	.	4	1	.
	„ 31,	31·2	.	18	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	2
	April 7,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	2
	„ 14,	36·4	1·7	21	.	.	.	.	.	.	.	1	.	4	3	1	1	3	1	1
	„ 21,	32·9	.	19	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,673.	Mar. 3,	32·9	3·3	20	.	.	.	.	2	.	.	.	.	3	2	3	.	2	1	.
	„ 10,	29·6	1·6	18	.	.	.	.	.	.	.	.	1	3	.	.	1	3	.	1
	„ 17,	34·6	3·3	21	.	.	.	.	.	.	.	1	1	.	2	1	.	2	.	1
	„ 24,	24·7	.	15	.	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.
	„ 31,	18·2	3·3	8	.	.	.	.	.	1	.	1	.	.	.	2	.	.	1	.
	April 7,	19·8	1·6	12	.	.	.	.	1	.	.	.	.	.	1	.	1	4	.	.
	„ 14,	32·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	.	5	.	1
	„ 21,	28·0	.	17	.	.	.	.	.	.	.	.	.	4	.	1	.	3	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	Mar. 3,	29·9	1·4	22	.	.	.	.	.	.	.	1	.	.	7	1	.	4	3	.
	„ 10,	24·5	.	18	.	.	.	.	.	.	.	.	.	2	4	.	.	2	.	1
	„ 17,	21·7	2·7	16	.	.	.	.	1	1	.	.	.	.	3	1	.	4	.	.
	„ 24,	24·5	1·4	18	.	.	.	.	.	.	.	.	1	3	3	.	2	4	.	.
	„ 31,	38·0	5·4	28	.	.	.	.	1	1	.	1	1	2	2	1	1	4	.	.
	April 7,	27·2	1·4	20	.	1	.	.	.	.	.	.	.	2	7	2	.	5	.	1
	„ 14,	27·2	.	20	.	.	.	.	.	.	.	.	.	2	2	.	1	4	.	2
	„ 21,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	3	3	1	2	4	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Mar. 3,	39·9	.	14	.	.	.	.	.	.	.	.	.	1	2	2	1	3	.	.
	„ 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
	„ 17,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	1
	„ 31,	37·1	.	18	.	.	.	.	.	.	.	.	.	.	1	.	1	4	1	.
	April 7,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 14,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	3	2	.	3	.	.
	„ 21,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Mar. 3,	32·3	3·7	26	.	.	.	.	2	.	.	.	1	1	3	3	2	5	.	.
	„ 10,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	2	.	3	.	3	.	.
	„ 17,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	3	1	2	2	.	.
	„ 24,	27·4	1·2	22	.	.	.	.	.	.	.	.	1	.	2	5	1	5	.	.
	„ 31,	29·8	.	24	.	.	.	.	.	.	.	.	.	2	1	3	.	3	.	.
	April 7,	24·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	1	2	.	.
	„ 14,	17·4	3·7	14	.	1	.	.	2	.	.	.	.	5	1	.	.	2	.	.
	„ 21,	36·1	1·2	29	.	1	.	.	.	.	.	.	.	4	2	.	3	7	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Mar. 3,	14·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.
	„ 10,	26·7	.	18	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	.
	„ 17,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	4	1	1	3	.	.
	„ 24,	26·7	.	18	.	.	.	.	.	.	.	.	.	2	4	1	2	3	.	.
	„ 31,	29·7	1·5	20	.	.	.	.	1	.	.	.	.	1	6	4	1	5	.	.
	April 7,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.
	„ 14,	10·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.
	„ 21,	35·6	.	24	.	.	.	.	.	.	.	.	.	3	3	1	.	8	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted*; also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,208.	Mar. 3,	18·8	.	12	.	.	.	.	.	.	.	.	.	2	2	1	.	2	3	.
	„ 10,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.
	„ 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	17·3	1·6	11	.	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.
	„ 31,	20·4	1·6	13	.	.	.	.	.	.	.	1	.	1	4	.	.	1	.	.
	April 7,	22·0	1·6	14	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	.
	„ 14,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	1	3	.	.	1	.	1
	„ 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	1	1	1	1	1	1	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025.	Mar. 3,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	1
	„ 10,	18·0	.	9	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
	„ 17,	16·0	2·0	8	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
	„ 24,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	„ 31,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	April 7,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 14,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.
	„ 21,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Mar. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 24,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.
	„ 31,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	4
	April 7,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 14,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	„ 21,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.
Belfast. Pop. in 1906 (Est.) 358,680.	Mar. 3,	24·1	2·2	166	.	.	1	.	9	2	.	2	1	13	33	6	5	34	2	5
	„ 10,	22·5	1·9	155	.	.	1	.	5	.	1	6	.	16	15	10	1	33	6	2
	„ 17,	27·8	2·8	191	.	.	1	.	9	1	1	6	1	23	26	5	6	36	1	4
	„ 24,	22·1	1·7	152	.	.	.	.	5	2	.	3	2	10	17	6	4	24	.	3
	„ 31,	29·2	3·9	201	.	.	2	.	21	1	1	1	1	18	28	12	10	28	2	3
	April 7,	24·6	3·2	169	.	1	1	.	12	1	.	5	2	19	24	11	4	21	7	1
	„ 14,	24·1	2·5	166	.	.	.	.	13	.	.	4	.	19	26	7	3	34	4	1
	„ 21,	24·9	3·5	171	.	.	.	.	21	.	.	2	1	15	18	8	2	36	3	3
Cork. Pop. (in 1901) 76,122.	Mar. 3,	23·3	1·4	34	.	.	.	.	1	.	.	.	1	4	10	.	1	4	.	.
	„ 10,	24·0	.	35	.	.	.	.	.	.	.	.	.	1	7	1	2	3	.	4
	„ 17,	16·4	.	24	.	.	.	.	.	.	.	.	.	3	1	2	1	8	.	2
	„ 24,	26·0	0·7	38	.	.	.	.	.	.	.	.	1	1	5	4	1	8	.	4
	„ 31,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	1	9	.	1	6	.	3
	April 7,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	5	2	1	1	.	1
	„ 14,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	9	2	.	3	.	1
	„ 21,	18·5	1·4	27	.	.	.	.	.	.	.	.	2	.	1	3	1	8	.	2
Londonderry. Pop. in 1906 (Est.) 42,067.	Mar. 3,	16·1	2·5	13	.	.	.	.	2	.	.	.	.	.	1	.	.	6	.	.
	„ 10,	23·6	8·7	19	.	.	.	.	2	.	.	.	1	1	5	1	1	1	.	1
	„ 17,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	3	1	.	.	6	.	.
	„ 24,	9·9	1·2	8	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	1
	„ 31,	26·0	2·5	21	.	.	.	.	2	.	.	.	.	2	2	.	1	4	1	.
	April 7,	17·4	2·5	14	.	.	.	.	1	.	.	1	.	.	3	3	.	3	.	.
	„ 14,	17·4	1·2	14	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1
	„ 21,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
Limerick. Pop. (in 1901) 38,151.	Mar. 3,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	3
	„ 10,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	4
	„ 17,	15·0	1·4	11	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.	.
	„ 24,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	1
	„ 31,	31·4	1·4	23	.	.	.	.	.	.	.	.	1	.	3	1	.	3	.	5
	April 7,	31·4	.	23	.	.	.	.	.	.	.	.	.	3	5	3	1	4	.	1
	„ 14,	28·7	.	21	.	.	.	.	.	.	.	.	.	5	3	.	.	5	.	3
	„ 21,	13·7	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	.	3	.	2
Waterford. Pop. (in 1901) 26,769.	Mar. 3,	35·1	.	18	.	.	.	.	.	.	.	.	.	3	3	3	.	3	.	1
	„ 10,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	5	1	.	1	.	.
	„ 17,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	2
	„ 24,	31·2	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	2
	„ 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	1
	April 7,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.	1	2	2	1
	„ 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 21,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st April, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyæmia (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,784	8	31·9	7·1	9	1	1	4	3	.	.	.	.	2	.	.	.	.	1	1	.	.	2	1	1	5	.
Do. 2 ,,	47,959	35	21·7	4·3	20	8	3	4	5	.	.	.	.	4	.	.	.	.	1	4	.	.	2	1	1	4	.
Do. 3 ,,	47,214	17	24·3	7·7	22	6	4	7	5	.	.	.	.	6	.	.	1	.	2	2	2	.	6	.	.	5	1
Do. 4 ,,	40,911	24	25·5	3·8	20	8	3	3	6	.	.	.	.	3	.	.	.	.	1	1	.	2	3	.	.	6	.
Do. 5 ,,	17,387	7	45·0	6·0	15	5	.	9	1	.	.	.	.	2	.	.	.	.	1	3	.	.	4	.	.	7	1
Do 6 ,,	48,122	23	31·4	.	29	7	1	14	7	.	.	.	.	.	.	.	.	.	5	3	1	.	5	1	2	9	1
Do 7 ,,	1,524	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 8 ,,	5,060	8	30·9	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.
Do. 9 ,,	19,569	14	24·0	.	9	2	2	1	4	.	.	.	.	.	.	.	.	.	.	.	2	.	3	.	.	1	.
Do. 10 ,,	23,064	19	18·1	2·3	8	.	2	4	2	.	.	.	.	.	.	.	1	.	2	.	.	.	2	.	.	1	.
Do. 11 ,,	34,802	29	25·5	1·5	17	1	4	5	7	.	.	.	.	1	.	.	.	.	1	.	1	.	4	.	.	1	.
Do. 12 ,,	33,588	37	20·2	4·7	13	.	4	9	.	.	.	.	.	2	.	.	.	1	.	3	2	.	2	.	.	3	.
Do. 13 ,,	15,006	11	13·9	3·5	4	1	.	2	1	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.
Do. 14 ,,	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	232	25·5	3·6	171	39	24	66	42	.	.	.	.	21	.	.	2	1	15	18	8	2	36	3	4	44	3
City of Cork.																											
CORK URBAN No. 1 DISTRICT.	12,867	9	16·2	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.
Do. 2 ,,	10,701	8	29·2	9·7	6	1	.	3	2	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	.
Do. 3 ,,	9,978	9	20·9	.	4	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.
Do. 4 ,,	8,666	4	48·1	.	8	3	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	5	2
Do. 5 ,,	6,592	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 ,,	10,702	3	4·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 7 ,,	16,616	7	12·6	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	1	.
Total	76,192	42	18·5	1·4	27	5	2	13	7	.	.	.	.	.	.	.	.	2	.	1	3	1	8	.	1	9	2

Belfast.	1905–6—Week ending																									
	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.
No. of weeks in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Births registered,	204	234	205	199	200	205	199	194	158	189	224	193	196	236	231	189	246	214	246	229	220	221	248	240	212	232
Deaths registered,	153	130	141	150	138	140	148	126	146	124	147	133	135	160	139	146	179	174	166	155	191	152	201	169	166	171
Annual Death-rate per 1,000 of estimated Population,	22·2	18·9	20·5	21·8	20·1	20·4	21·5	18·3	21·2	18·0	21·4	19·3	19·6	23·3	20·2	21·2	26·0	25·3	24·1	22·5	27·8	22·1	29·2	24·6	24·1	24·9
Ages — Under 1 year,	35	30	36	38	28	27	21	23	31	26	34	21	30	31	24	29	31	43	26	31	32	37	46	35	35	39
Ages — 1–5 years,	19	14	17	15	19	11	18	15	18	19	16	15	16	22	11	11	14	20	17	22	23	16	30	28	26	24
Ages — 5–60 years,	63	55	53	60	65	64	72	58	69	56	61	60	62	71	61	71	87	74	85	59	84	57	89	81	75	66
Ages — 60 years and upwards,	36	31	35	37	26	38	37	30	28	23	36	37	27	36	43	35	47	37	38	43	52	42	36	25	30	42
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
Scarlet Fever,	3	1	.	1	1	1	.	2	3	.	.	.	2	1	1	.	.	1	1	1	1	.	2	1	.	.
Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	1	1	3	1	.	1	2	1	3	1	2	6	7	9	5	9	5	21	12	13	21
Diphtheria,	2	.	1	1	.	1	.	.	1	.	1	1	.	.	.	.	2	3	2	.	1	2	1	1	.	.
*Pyrexia** (origin uncertain),	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1	1	.	1	.	.	.
Enteric Fever,	.	2	3	3	3	4	3	1	2	2	2	3	1	2	2	6	.	2	2	6	6	3	1	3	4	2
Diarrhœal Diseases,	1	3	3	1	2	.	2	.	2	1	3	2	2	3	2	1	3	2	1	.	1	2	1	2	.	1
Pneumonia,	9	18	16	14	18	15	18	14	18	14	15	12	8	11	10	8	19	17	18	16	23	10	18	19	19	15
Tuberculous Disease — Phthisis,	25	19	22	22	16	26	17	17	21	17	15	17	17	22	16	23	22	23	33	15	26	17	28	24	26	18
Tuberculous Disease — Other Forms,	—	—	—	—	—	—	—	—	—	—	10	4	3	8	7	6	7	7	6	10	5	6	12	11	7	8
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	—	3	5	5	7	5	4	5	6	5	1	6	4	10	4	3	2
Diseases of Respiratory System,	21	31	28	31	28	29	34	23	31	23	20	19	12	20	26	23	22	24	34	33	36	24	28	21	34	36
Violent Deaths,	4	4	3	4	9	3	3	2	4	5	6	1	4	1	3	1	6	4	2	6	1	.	2	7	4	3
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	—	6	2	4	4	3	3	5	3	5	2	4	3	3	1	1	3

* Formerly described as "Simple Continued Fever."

Note.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the ten weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	April 21,	2,359	1,742	19·2	.	85	19	13	37	2	18
EDINBURGH, .	341,035	„ 21,	178	117	17·9	.	3	1	1	1	.	3
GLASGOW, . .	835,625	„ 21,	557	296*a*	18·5	.	8	.	4	10	1	5
CALCUTTA, . .	910,117	Mar. 3,	.	761	46·6	189	13	.	.	1	135‡	115*
BOMBAY, .	776,006	„ 20,	454	1,601	107·3	18	47	.	1†	4	103‡	123*
MADRAS, . .	509,346	„ 2,	334	502	51·2	50	27	?	?	?	96‡	95
PARIS, . .	2,660,559	April 7,	1,008	1,117	21·7	.	30	5	8†	3	3	18
BRUSSELS (with 8 Faubourgs).	598,467	Mar. 31,	240	165	14·3	.	1	.	1†	5	1	6
ANTWERP, . .	304,975	„ 31,	137	96	16·4	.	2	.	1†	.	.	10
AMSTERDAM, .	559,575	„ 31,	293	185	17·2	.	6	1	3†	5	1	7
COPENHAGEN, .	425,000	„ 31,	195	148	18·2	.	4	.	.	8	.	1
STOCKHOLM, .	318,398	„ 24,	132	87	14·2	.	2	1	.	2	.	3
CHRISTIANIA, .	222,373	April 7,	138	53	12·4	.	.	.	3†	.	.	1
ST. PETERSBURG,	1,424,700	Mar. 31,	759	810	29·5	2	38	21	14	5	33	77
MOSCOW, . .	1,092,360	„ 3,	.	570	27·2	3	4	5	6†	4	5	42
BERLIN, . .	2,057,387	„ 17,	934	641	16·2	.	16	4	6†	4	.	26
HAMBURG, . .	803,050	„ 24,	.	235	15·2	.	7	.	2†	5	.	15
BRESLAU, . .	473,565	April 7,	.	192	21·1	.	1	.	2†	.	.	12
MUNICH, . .	540,000	„ 7,	.	189	18·2	.	2	.	1†	.	.	19
VIENNA (with suburbs).	1,937,869	„ 7,	961	763	20·6	.	17	8	10†	8	2	55
BUDA-PESTH, .	859,134	„ 7,	465	296	18·0	.	7	6	2	2	.	11
PRAGUE and Faubourgs.	455,241	Mar. 31,	213	187	21·4	.	4	.	1†	2	2	10
TRIESTE, . .	194,749	„ 24,	134	112	30·0	.	.	.	1†	.	.	1
ROME, . . .	526,170	Feb. 10,	302	241	23·9	.	7	.	3	.	2	15
VENICE, . .	171,709	Mar. 3,	.	.	.	.	.	.	.	.	.	.
NEW YORK, .	4,152,860	„ 24,	2,129	1,555	19·5	.	47	8	.	2	5	39
PHILADELPHIA,	1,469,126	„ 17,	.	591	20·9	.	19	3	19†	4	26	34
BOSTON, .	595,380	„ 24,	.	268	23·5	.	5	.	3	3	.	.

a Including 2 deaths from cerebro-spinal fever.
* Including 50 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
‡ Exclusive of 59 deaths from plague in Calcutta, 572 in Bombay, and 5 in Madras.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st April, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	2	.	.	.	.	.	.	.	.	.	.	2
" " 1, West,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 2,	.	.	.	.	.	.	1	1	.	.	.	.	2
" " 3,	.	1	.	.	2	.	1	1	2	.	.	.	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	1	.	.	.	6	.	.	.	7
" " 2,	.	.	.	.	.	.	1	.	.	.	.	.	1
" " 3,	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 4,	.	1	.	.	.	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	4	.	.	4	.	3	3	8	.	.	.	22

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st April, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st April.			
	Mar. 31.	April 7.	April 14.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	21	21	20	3	1	1	21
Scarlet Fever,	52	55	48	4	12	.	40*
Typhus,	2	3	2	.	.	.	2
Diphtheria,	29	25	19	7	7	.	19
Enteric Fever,	26	31	26	2	6	.	22
Pneumonia,	20	23	31	19	13	3	34

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 21st April, 1906:—

"The early days of the week were fine, bright, and springlike. Towards the middle of the period the weather became severe and colder. Showers of hail fell on both Tuesday and Wednesday, and during the night of the latter, temperature fell to 32·0° in the screen and to 27·8° on the grass. The end of the week was milder but squally and cloudy. On Easterday an extensive anticyclone lay over Western Europe, having as centre a narrow band of high pressure extending over the South of Ireland and across Southern England to Holland. Roche's Point reported 30·64 inches, Oxford and Valencia 30·63 inches, and Bath 30·62 inches. The anticyclone gradually diminished during the following days, but baric pressure remained high over the West Coast of Ireland. By Wednesday conditions assumed a north-easterly type, and temperature declined. Sharp frost occurred at night in Central Ireland and the North of Scotland, Birr Castle recording a minimum of 25°, Nairn and Sumburgh Head of 27°, Stornoway of 26°, and Wick of 24°. On Friday, with a high-pressure area over the Bay of Biscay and a low-pressure system lying to the North of Scotland, the wind became westerly, causing a decided rise of temperature. By Saturday gradients had become steeper, and the westerly breeze blew strongly at times. In Dublin the mean atmospheric pressure for the week was 30·048 inches, the barometer reading 30·596 inches at 9 a.m. of Sunday (wind, W.S.W.) and falling to 29·744 inches at 9 a.m. of Saturday (wind, W.S.W.). The corrected mean temperature was 46·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·4°. The screened thermometers rose to 62·7° on Monday and fell to 32·0° on Thursday. W. winds prevailed. Rain fell on 4 days to the amount of ·178 inch, ·064 inch being measured on Monday and ·052 inch on Tuesday. Hail fell on Tuesday and Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·056 inches. The highest reading (30·608) was on Sunday at 9 a.m., wind W., and the lowest (29·746) on Saturday at 9 a.m., wind S.W.

The mean temperature for the week was 44·3°, being 1·5 under the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Monday, on which day the thermometer registered 61·0°, and was lowest on Thursday, the mercury having fallen to 25·9°. The mean of the Dry Bulb for the week was 45·6°, and of the Wet Bulb 42·9°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 46·7 hours. The rainfall during the week measured ·130 inch.

At Greenwich the mean temperature for the week was 45·7°, the maximum 66·0°, and the minimum 28·1°; at Glasgow the maximum was 55·2°, the minimum 23·8°, and the mean 43·1°; and at Edinburgh the maximum was 55·9°, the minimum 28·5°, and the mean 43·1°. The rainfall at Greenwich measured 0·05 in.; at Glasgow 0·84 in.; and at Edinburgh 0·73 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 15,	30·552	56·1	30·1	43·1	47·3	44·6	·82	·2	11·7	—	W.	W.
Monday, „ 16,	30·207	61·0	44·9	53·0	49·3	47·2	·86	·6	8·5	·070	W.	S.W.
Tuesday, „ 17,	29·985	50·8	32·4	41·6	40·7	38·7	·85	·6	6·7	·025	W.	N.E.
Wednesday, „ 18,	29·993	43·9	30·8	37·4	38·4	36·4	·83	·5	5·6	·005	N.	Calm.
Thursday, „ 19,	29·939	49·8	25·9	37·9	42·5	38·8	·74	·5	8·8	—	W.	S.W.
Friday, „ 20,	29·919	58·8	41·3	50·1	51·2	48·8	·70	·6	1·4	·005	W.	W.S.W.
Saturday, „ 21,	29·799	53·1	40·9	47·0	47·0	45·6	·90	·6	4·0	·025	S.W.	W.
									Total 46·7	Total ·130	Prevailing wind. W.	
Mean,	30·056	53·4	35·2	44·3	45·6	42·9	·81	·5				

Sunday—A fine bright day; night cloudy. *Monday*—A fine day, bright, cloudy intervals; night overcast, light rain 8 p.m. to 10.30 p.m. *Tuesday*—A cloudy day, showery p.m.; night cloudy. *Wednesday*—A cloudy day, hail showers p.m.; night clear. *Thursday*—A fine day; night overcast. *Friday*—Overcast a.m., cloudy, light shower p.m.; night overcast. *Saturday*—Day cloudy and showery; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 21st, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 15,	48·7	46·0	46·0	57·6	36·1	46·9	11·2	—
Monday, „ 16,	52·2	47·5	46·0	62·6	46·6	54·6	9·6	·055
Tuesday, „ 17,	46·2	48·5	46·1	50·2	37·1	43·7	7·2	·029
Wednesday, „ 18,	42·7	47·0	46·3	46·2	33·8	40·0	4·1	·021
Thursday, „ 19,	40·2	45·5	46·6	47·7	31·7	39·7	8·3	·001
Friday, „ 20,	52·6	46·2	46·5	59·4	42·9	51·2	1·6	·002
Saturday, „ 21,	53·9	47·9	46·6	55·9	42·4	49·2	4·8	·018
							Total 46·8	Total ·126
Weekly Mean,	48·1	46·9	46·3	54·2	38·7	46·5		

DUBLIN: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—13089.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 28TH APRIL, 1906. [No. 17.

General Register Office, Charlemont House, Dublin, 30*th April,* 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending April 7.	Week ending April 14.	Week ending April 21.	Week ending April 28.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 7.	Week ending April 14.	Week ending April 21.	Week ending April 28.	Average Rate for 4 weeks.
22 Town Dists.	21·7	22·1	23·3	22·9	22·5	Lisburn, . .	22·7	27·3	9·1	63·7	30·7
Armagh, . .	20·6	20·6	27·5	34·4	25·8	Londonderry,	17·4	17·4	11·2	18·6	16·2
Ballymena, .	19·2	19·2	28·7	4·8	18·0	Lurgan, . .	8·9	8·9	31·0	17·7	16·6
Belfast, . .	24·6	24·1	24·9	22·1	23·9	Newry, . .	29·4	4·2	25·2	29·4	22·1
Clonmel, . .	20·5	5·1	30·8	41·0	24·3	Newtownards, .	34·3	28·6	28·6	22·9	28·6
Cork, . . .	13·7	21·2	18·5	26·0	19·9	Portadown,	31·0	15·5	20·7	10·3	19·4
Drogheda, . .	20·4	24·5	12·3	8·2	16·4	Queenstown .	13·2	26·4	33·0	13·2	21·5
Dublin Reg. Area,	21·1	23·4	28·1	22·4	23·7	Sligo, . . .	33·6	24·0	4·8	24·0	21·6
Dundalk, . .	8·0	8·0	27·9	23·9	17·0	Tralee, . .	10·6	31·7	.	21·1	15·9
Galway, . .	3·9	19·4	27·2	23·3	18·5	Waterford, .	19·5	7·8	7·8	21·4	14·1
Kilkenny, . .	39·3	4·9	.	63·9	27·0	Wexford, . .	14·0	18·7	4·7	18·7	14·0
Limerick, . .	31·4	28·7	13·7	20·5	23·6						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in fourteen of the districts to 6·6 in Queenstown. Among the 152 deaths from all causes in Belfast are 18 from whooping-cough and 2 from diarrhœal diseases; the 15 deaths from all causes in Londonderry include 3 from measles; and among the 6 deaths from all causes in Galway is one from typhus.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 199—99 boys and 100 girls; and the deaths to 174—89 males and 85 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·9 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 22·4 per 1,000. During the seventeen weeks ending with Saturday last the death-rate averaged 24·1, and was 5·1 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The deaths (174) included one death from measles, 2 deaths from whooping-cough, 2 deaths from diphtheria, one death from enteric fever, and 4 deaths from diarrhœal

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

diseases. In each of the 3 weeks preceding deaths from measles were one, one, and 3 deaths from whooping-cough were 2, 3, and 0; deaths from diphtheria were 0, 0, an 0; deaths from enteric fever were 0, one, and 2; and deaths from diarrhœal disease were one, one, and one. One death was due to varicella, and one death was directl attributed to influenza.

There were 3 deaths from lobar pneumonia, 2 deaths from broncho-pneumonia, an 12 deaths from *pneumonia* (not defined).

Of 32 deaths from all forms of tuberculous disease, 11 were from tuberculous phthisis 11 from *phthisis*, 2 from tuberculous meningitis, 7 from other forms of the disease, an one from *scrofula*. In each of the 3 preceding weeks, deaths from all forms of tubercu lous disease were 38, 35, and 29.

Six deaths were due to carcinoma, and 4 to cancer (undefined).

The death of one infant was due to prematurity.

The deaths (9) from diseases of the brain and nervous system included those of 3 infants under one year of age from *convulsions*.

There were 27 deaths from diseases of the heart and blood vessels, and 21 death from bronchitis.

There was one death by accident, and one death by suicide was registered.

In 5 instances the cause of death was "uncertified," there having been no medica attendant during the last illness; these cases include the death of one infant under on year of age and the death of one person aged 69 years.

Thirty-seven of the persons whose deaths were registered during the week were unde 5 years of age (26 being infants under one year, of whom 6 were under one month old and 51 were aged 60 years and upwards, including 23 persons aged 70 and upwards, o whom 9 were octogenarians, and 2 (females) were stated to have been aged 92 and 9 years, respectively.

Seventy-seven of the deaths registered during the week occurred in hospitals and othe public institutions; of this number 18 took place in the North Dublin Union Work house and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns fo last week, deaths in Public Institutions being assigned to the districts from whic the deceased were admitted, and the annual death-rate for each District calculated o the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·4 per 1,000; the rate i the City was 24·7 (North City Districts, 23·5; South, 26·0), and in the Suburbs, 14·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,00 inhabitants, the rate for the City being 1·4 (1·4 in the North City Districts, and 1·5 in the South and for the Suburbs, 1·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rat of 20·2 per 1,000. The deaths include one from epidemic diarrhœa, 2 from *pneumonia* (not defined 2 from tuberculous disease, and one death from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 22 per 1,000, and include one death from diphtheria, one death from broncho-pneumonia, one deat from *pneumonia* (not defined), 2 deaths from tuberculous disease of the lungs, and 4 deaths fro bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32 per 1,000. There was one death from dysentery, there was one death from *pneumonia* (not defined there were 3 deaths from tuberculous disease of the lungs, there was one death from bronchitis, an one death was caused by an accidental fall.

No. 3 *North City District* (Benburb-street).—The deaths (14) represent an annual rate of 23·0 pe 1,000. The deaths include one from enteric fever, 2 from *pneumonia* (not defined), 4 from tuberculou disease, and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last wee are:—Coolock and Drumcondra, No. 1, part of, 15·6 per 1,000 inhabitants; Clontarf and Howth, No. part of, 0·0; and Finglas and Glasnevin, part of, 31·3. One of the 3 deaths for Coolock and Drumcondr No. 1, part of, was from lobar pneumonia, and one was from *pneumonia* (not defined); and of the deaths recorded for Finglas and Glasnevin, part of, one was from *phthisis*, and one was fro bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 25·8 pe 1,000. There was one death from whooping-cough, also one death from varicella; *diarrhœa* cause one death, broncho-pneumonia and *pneumonia* (not defined), each caused one death, there were deaths from tuberculous disease, 2 deaths from bronchitis, and one death by suicide.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 31·4 pe 1,000. Of the deaths 5 were due to tuberculous disease and 2 to bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (26) are equal to an annual rate of 32·3 pe 1,000. The deaths include one from diphtheria, one from lobar pneumonia, 4 from tuberculou disease, and 6 deaths from diseases of the respiratory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (12) are equivalent to an annual rate 17·8 per 1,000. There was one death from measles, one death from *pneumonia* (not defined), one deat from *phthisis*, and there were 2 deaths from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000. The deat include one from lobar-pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:— Rathmines and Rathgar, 14·1; Pembroke, 10·0; Blackrock, 11·9; and Kingstown, 23·7. The deat from the principal epidemic diseases recorded for these districts were one from whooping-coug for Rathmines and Rathgar, and one from *diarrhœa* for Pembroke. Among the 9 deaths from a causes for Rathmines and Rathgar are 2 deaths from tuberculous disease and 2 from bronchitis; an the 8 deaths from all causes for Kingstown include one from *pneumonia* (not defined), one fro tuberculous disease, and 3 from diseases of the heart and blood vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoide when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 28th April, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Apr. 7,	.	—	—	7	1	.	2	.	2	1	5	.	—	—	—	—	—	18
	Apr. 14,	.	—	—	7	.	.	2	.	3	9	17	.	—	—	—	—	—	38
	Apr. 21,	.	—	—	4	.	.	4	.	3	3	8	.	—	—	—	—	—	22
	Apr. 28,	.	—	—	7	.	.	3	.	.	6	3	.	—	—	—	—	—	19
Rathmines and Rathgar Urban District.	Apr. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 21,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	2
	Apr. 28,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	3
Pembroke Urban District.	Apr. 7,	.	.	.	9	.	.	.	.	.	.	.	.	—	.	.	—	—	9
	Apr. 14,	.	.	.	.	.	.	2	.	.	1	.	.	—	.	.	—	—	3
	Apr. 21,	.	.	.	.	.	.	.	.	.	2	.	.	—	3	.	—	—	5
	Apr. 28,	.	.	.	.	.	.	.	.	.	.	.	.	—	6	.	—	—	6
Blackrock Urban District.	Apr. 7,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	—	2
	Apr. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Apr. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 14,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Apr. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Apr. 7,	.	—	—	16	.	.	5	.	13	9	4	.	—	—	—	—	—	47
	Apr. 14,	.	—	—	17	.	.	2	1	7	10	6	.	—	—	—	—	—	43
	Apr. 21,	.	—	—	5	.	.	2	.	5	6	4	.	—	—	—	—	—	22
	Apr. 28,	.	—	—	18	.	.	3	.	7	6	3	1	—	—	—	—	—	38

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 28th April, 1906.

From this it appears that :—

Five cases of measles were admitted to hospital during the week, 3 were discharged, 1 23 cases remained under treatment at its close.

Five cases of scarlet fever were admitted to hospital, 7 were discharged, and 38* cases ained under treatment at the close of the week.

Two cases of typhus were discharged from hospital during the week, and not one case ained under treatment at its close.

Six cases of diphtheria were admitted to hospital, 6 were discharged, there were 2 ths, and 17 patients remained under treatment at the close of the week.

even cases of enteric fever were admitted to hospital, 5 were discharged, there was death, and 23 cases remained under treatment in hospital at the close of the week.

n addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, ere discharged, there was one death, and 40 cases remained under treatment at the of the week.

ENGLAND AND SCOTLAND.

he mortality last week in 76 large English towns, including London (in which the was 17·3), was equal to an average annual death-rate of 16·7 per 1,000 persons living, average rate for 8 principal towns of Scotland was 18·4 per 1,000, the rate for Glasgow g 18·9, and for Edinburgh 18·8.

INFECTIOUS DISEASE IN EDINBURGH.

have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a of his Return of Infectious Diseases notified during the week ended 28th April. From this Return it ars that of a total of 53 cases notified 25 were scarlet fever, 20 diphtheria, one membranous croup, 6 pelas, and 1 typhoid fever. Among the 364 cases of infectious diseases in hospital at the close of the were 171 cases of scarlet fever, 61 of diphtheria, 72 of measles, 15 of erysipelas, 20 of whooping-h, and 10 of typhoid fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 28th April, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Registration—Week ending Saturday, 28th April, 1906. Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 28th April, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st April, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th April, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	31·9	22·9	1·8	669	481	71	136	.	4	.	1	20	2	.	1	10	42	65	30	20	75	7	12	151	22	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total, d.	378,994	27·5	27·4	22·4	1·4	199	163	25	51	.	1	.	.	2	2	.	1	4	15	21	10	8	23	2	2	66	5	f58·5	32·0	41·9	0·81	f61·0	25·9	44·8	0·13	f63·6	27·9	44·2	0·06
City of Dublin,	293,385	37·1	29·1	24·7	1·4	164	139	21	42	.	1	.	.	1	2	.	1	3	14	20	7	6	21	2	2	62	5	g55·8 h54·9	35·7 33·0	44·2 42·9	0·79 0·72	g62·7 h62·4	32·0 27·2	46·5 44·5	0·18 0·12	g63·5 h62·8	34·6 29·0	46·9 44·8	0·08 0·03
Urban Dists. Rathmines and Rathgar.	33,203	19·4	15·7	14·1	1·6	10	9	2	4	.	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	28·0	10·0	2·0	14	5	.	2	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	29·8	11·9	.	5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	17·8	23·7	.	6	8	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	54·0	36·0	44·1	0·81	62·5	33·5	47·7	0·23	60	34·5	47·1	0·02
Urban Districts.																																							
Belfast,	358,680	24·4	41·0	22·1	2·9	282	152	30	31	.	.	.	.	18	.	.	.	2	16	19	12	4	27	4	5	33	5	53·5	35·8	43·8	0·88	57·0	27·5	45·0	0·35	64·0	29·5	43·4	0·10
Cork,	76,122	33·6	27·4	26·0	0·7	40	38	6	10	.	.	.	.	.	.	.	.	1	3	7	3	5	6	.	.	12	2	55	38	45·5	0·23	56	34	45·2	0·03	57	35	46·8	0·03
Londonderry,	42,067	19·4	22·3	18·6	3·7	18	15	3	5	.	3	.	.	.	.	.	.	.	1	.	1	.	2	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	24·6	20·5	.	18	15	.	6	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	27·3	21·4	.	14	11	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	38·8	23·3	3·9	10	6	1	2	.	.	.	1	.	.	.	.	.	.	3	.	2	.	.	.	4	1	53	36	45	0·32	63	28	45	0·27	66	36	51	0·15
Dundalk,	13,076	9·4	19·9	28·9	.	5	6	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	4·1	8·2	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	29·4	29·4	.	7	7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	53·1	33·0	42·	0·87	60·1	27·0	44·5	0·53	66·7	30·3	46·3	0·12
Lurgan,	11,782	13·8	22·1	17·7	.	5	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	53·1	33·0	42·6	0·87	60·1	27·0	44·5	0·53	66·7	30·3	46·3	0·12
Lisburn,	11,461	10·1	18·2	63·7	.	4	14	1	4	.	.	.	.	.	.	.	.	.	3	3	1	.	1	.	1	4	.	53·1	33·0	42·6	0·87	60·1	27·0	44·5	0·53	66·7	30·3	46·3	0·12
Wexford,	11,168	23·2	46·7	18·7	4·7	10	4	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	28·7	4·8	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	33·6	24·0	.	7	5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	51·2	34·3	43·4	1·28	59·4	22·5	44·0	0·65	66·2	28·3	46·2	0·14
Kilkenny,	10,609	11·5	73·7	68·9	.	15	13	1	4	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	5	2	52	32	44·3	0·47	60	29	45·3	0·06	65	28	45·1	0·03
Clonmel,	10,167	7·8	.	41·0	5·1	.	8	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	20·7	10·3	.	4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	53·1	33·0	42·6	0·87	60·1	27·0	44·5	0·53	66·7	30·3	46·3	0·12
Tralee,	9,867	16·6	42·3	21·1	.	8	4	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	11·4	22·9	.	2	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	52	36	41·8	0·62	61	34	45·2	0·44	58	33	45·6	0·12
Queenstown,	7,909	14·4	46·1	13·2	6·6	7	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	55	38	45·5	0·23	56	34	45·2	0·03	57	35	46·8	0·03
Armagh,	7,588	22·2	48·1	34·4	.	7	5	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	53·1	33·0	42·6	0·87	60·1	27·0	44·5	0·53	66·7	30·3	46·3	0·12

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Populations are estimated to the Middle of 1905.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 28th of April, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.											URBAN DISTRICTS OF						
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of).	KINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
Diphtheria,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	4	.
Pneumonia,	2	2	1	2	.	2	.	2	.	1	1	1	.	.	.	1	15	2
Tuberculous Disease. Phthisis,	1	2	3	2	.	.	1	4	3	3	1	.	1	.	.	.	21	1
Tuberculous Disease. Other Forms.	1	.	.	2	.	.	.	1	2	1	.	.	1	1	.	1	10	.
Cancer, Malignant Disease,	2	1	.	.	.	1	.	.	.	1	1	.	1	1	.	.	8	2
Other General Diseases	1	.	1	1	.	.	1	4	1	1	.	.	1	.	1	2	14	1
Total,	8	6	6	8	.	3	2	13	6	8	4	1	5	3	1	4	78	6
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	2	1	1	.	.	.	.	.	2	1	1	.	1	.	.	9	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	2	3	2	1	.	.	1	1	2	6	1	1	1	1	.	3	25	2
Diseases of: Respiratory System,	1	4	2	1	.	.	1	2	2	6	2	.	2	.	.	.	23	.
Diseases of: Digestive System,	.	.	1	2	.	.	.	.	.	3	1	.	.	.	1	.	8	2
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Urinary System,	.	.	.	1	.	.	.	.	1	1	2	.	1	.	.	1	7	1
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	9	6	6	.	.	2	3	5	13	7	2	4	2	1	4	72	5
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	2	6	.	.	.	.	2	.	.	1	.	.	.	.	.	11	.
E. VIOLENT DEATHS,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Deaths from all Causes,	11	17	19	14	.	3	4	19	11	26	12	3	9	5	2	8	163	11
Annual Rate of Mortality from all causes in every 1,000 of the population	20·2	22·6	32·9	23·0	.	15·6	31·3	25·8	31·4	32·3	17·8	17·6	14·1	10·0	11·9	23·7	22·4	.
	23·5							26·0					14·6					
	24·7																	
Deaths of Infants under 1 year of age,	2	3	2	.	.	.	.	7	2	4	1	.	2	.	1	1	25	1
Deaths of Persons aged 60 years and upwards,	3	2	7	4	.	1	1	2	5	9	7	1	4	2	.	3	51	.
Number of Uncertified Deaths,	1	1	1	1	.	.	.	.	.	1	.	.	.	.	.	.	5	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	4	3	.	.	.	2	2	6	2	1	1	1	.	.	27	10
Workhouse Hospitals,	2	5	5	3	.	.	2	3	7	6	3	1	1	1	.	.	39	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registe
week of the ten years, 189

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 17th Week of the 10 years 1896–1905.	In the Week ending Saturd 28th April, 1906. Deaths of Persons of the Ag						
	April 25, 1896.	May 1, 1897.	April 30, 1898.	April 29, 1899.	April 28, 1900.	April 27, 1901.	April 26, 1902.	May 2, 1903.	April 30, 1904.	April 29, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 50·3	° 48·0	° 47·1	° 50·1	° 47·6	° 49·1	° 49·8	° 47·1	° 48·9	° 46·8	° 48·5	Mean Temp. ° 41·9						
ALL CAUSES.	156	198	170	199	178	202	199	201	158	165	182·6	174	6	20	11	12	32	4
Small-pox, ...	.	.	.	.	.	.	.	3	.	.	·3	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	16	.	.	.	.	2	1	2	2	2·3	1	.	.	1	.	.	.
Scarlet Fever, ...	1	.	1	.	.	2	.	2	.	.	·6	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4	.	5	10	3	10	6	2	2	1	4·3	1	.	.	.	.	.	.
Whooping-cough, ...	3	13	3	8	2	8	3	1	3	1	4·5	2	.	.	2	.	.	.
Diphtheria, ...	.	2	2	1	.	.	.	.	1	.	·6	2	.	.	.	2	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.
Enteric Fever, ...	.	3	2	3	5	1	4	2	1	1	2·2	1	.	.	1	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	.	3	1	.	3	.	. / 1	. / 1	. / 1	. / 3	1·3	1 / 3	.	. / 2	1 / .	.	. / 1	.
Tetanus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	2	.	4	.	1	1	1	1	1	2	1·3	3	.	2	1	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	.	.	.	.	.	.	1 / . / .	. / . / .	. / . / .	·1	. / . / .	.	. / . / .	. / . / .	.	. / . / .	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-, Epidemic, Not defined,	13	15	4	13	9	21	. / 7 / . / 6	2 / 5 / . / 8	. / 5 / . / 12	. / 7 / . / 7	13·4	3 / 2 / . / 12	.	. / 1 / . / .	. / 1 / . / .	.	. / . / 1 / 4	1
Erysipelas, ...	.	.	.	.	.	.	3	1	.	.	·4	1	.	.	.	.	.	1
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	.	.	1	1	1	1 / 1	1 / .	1 / .	·7	. / .	.	. / .	. / .	.	. / .	.
Other Infective Conditions,	.	.	.	.	.	.	.	1	.	.	·1	1	1	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	23	23	30	24	32	32	1 / 19	1 / 22	5 / 14	4 / 17	24·7	11 / 11	.	1 / .	.	1 / 1	8 / 4	1
Tuberculous Meningitis, ...	5	2	4	3	1	3	4	1	4	2	2·9	2	.	1	.	1	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	1	2	3	11	4	3	1 / .	1 / .	. / 1	1 / .	2·3	. / .	.	. / .	. / .	.	. / .	.
Tuberculous Dis. (other), *Scrofula*, ...	3	4	1	.	5	5	3 / .	8 / 2	9 / .	7 / .	4·7	7 / 1	.	3 / .	. / .	1	3 / 1	.
Alcoholism, ...	.	2	.	3	2	2	.	.	.	1	1·0	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	2	.	.	1	.	.	1	.	.	·5	.	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.
Carcinoma, ... Sarcoma, ... Cancer (undefined),	2	4	2	11	10	2	2 / . / 7	2 / 1 / 7	1 / . / 5	4 / . / 1	6·1	6 / . / 4	.	. / . / .	. / . / .	.	. / . / .	1
Diabetes Mellitus, ...	.	.	.	.	.	.	1	.	1	.	·2	2	.	.	.	.	.	.
Premature Birth, ...	2	7	2	4	2	3	4	3	4	1	3·2	1	1	.	.	.	.	.

* The figures for the years 1896–190 are
† Formerly des be

:VENTEENTH WEEK ending Saturday, 28th April, 1906, with the deaths from each cause in the corresponding .e average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: April 25, 1896.	May 1, 1897.	April 30, 1898.	April 29, 1899.	April 28, 1900.	April 27, 1901.	April 26, 1902.	May 2, 1903.	April 30, 1904.	April 29, 1905.	Averages in 17th Week of the 10 years 1896-1905.	In the Week ending Saturday, 28th April, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
lean Temperature.	° 50·3	° 48·0	° 47·1	° 50·1	° 47·6	° 49·1	° 49·8	° 47·1	° 48·9	° 46·8	° 48·5	Mean Temp. ° 41·9								
ngitis (not tuberc.) ...							5	6	3	4		.	.	.	.	.	.	.	.	.
ity, G. P. of Insane ...							3	2	.	1		.	.	.	.	.	.	.	.	.
epsy							.	.	.	2		.	.	.	.	.	.	.	.	.
ulsions							12	7	3	8		4	.	3	.	1	.	.	.	.
motor Ataxy ...							.	.	1	.		.	.	.	.	.	.	.	.	.
plegia Dis. of Cord ...							1	2	3	1		.	.	.	.	.	.	.	.	.
ous System (other .)	35	35	43	33	29	42	4	1	.	1	38·4	5	.	.	.	1	2	1	1	
. Dis., Endocarditis ...							3	4	4	10		5	.	.	.	1	.	2	2	.
br. Hæm. Thromb. ...							2	2	3	3		1	.	.	.	.	.	.	1	.
lexy, *Hemiplegia* ...							2	4	3	7		5	.	.	.	.	.	2	2	1
irysm							.	1	1	.		.	.	.	.	.	.	.	.	.
olism, Thromb. (not ebral)							1	1	.	1		.	.	.	.	.	.	.	.	.
t and Blood Vessel Dis.							14	11	7	13		16	.	.	.	.	3	5	5	3
p (not Spasm. nor mb.)	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
chitis	20	20	20	25	26	18	24	27	23	18	22·1	21	.	1	3	.	.	6	11	.
ma, Emphysema ...							1	.	1	.		1	.	.	.	.	.	.	1	.
risy	.	2	.	2	5	1	1	2	.	.	2·0	1	.	.	.	.	.	1	.	.
iratory Dis. (other) ...							1	1	3	.		.	.	.	.	.	.	.	.	.
illitis, Quinsy ...	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
ritis (not Epid.) ...	.	1	.	.	2	.	.	1	.	.	·9	3	.	1	.	1	.	.	.	1
o *Enteritis*							1	1	.	3		1	1	.	.	.	.	.	.	.
nitis (not Puerp.) ...	1	1	.	1	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
osis of Liver ...	1	1	2	1	1	3	1	3	3	.	1·9	.	.	.	.	.	.	.	.	.
r Dis. (other) ...							1	1	.	1		.	.	.	.	.	.	.	.	.
stive Dis. (other) ...	1	3	3	3	4	3	8	11	2	3	4·1	6	1	1	.	.	.	3	.	1
ritis, Acute ...							1	1	.	.		2	.	.	.	.	1	.	1	.
at's Dis., Albuminuria	5	4	2	8	7	7	4	3	7	3	6·0	5	.	.	.	.	1	1	2	1
ary Sys. (Other Dis.)							4	3	.	1		1	.	.	.	.	1	.	.	.
rative Organs Dis. ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
lbirth (Accid. of) ...	.	.	.	2	1	1	1	.	1	.	·6	.	.	.	.	.	.	.	.	.
Age	8	10	22	11	7	11	8	7	1	4	8·9	5	.	.	.	.	.	.	2	3
r Diseases	19	14	10	15	11	16	15	12	12	13	13·7	12	2	4	1	1	.	1	3	.
ACCIDENT.																				
ailways	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ehicles and Horses ...	.	1	.	.	.	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exive of Drowning) ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ilding Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
nflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rns, Scalds, Explosions	.	1	1	3	.	1	.	.	1	.	·7	.	.	.	.	.	.	.	.	.
rowning	2	1	.	1	.	1	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
ffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
oison or Poisonous ours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Deaths by Accidents	4	6	1	2	4	2	3	2	.	3	2·7	1	.	.	.	1	.	.	.	.
ENCE OTHER THAN ACCIDENTAL.																				
cide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
le	.	.	1	1	.	.	1	.	.	.	·3	1	.	.	.	1	.	.	.	.
ition	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

istration Area as then constituted.
e Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1905-6—Week ending Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.	April 28.
No. of weeks in Annual Series.	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Births registered,	223	239	205	177	198	191	238	199	184	245	192	183	220	283	202	188	169	252	214	189	211	230	207	181	202	199
*Average Births in corresponding week of previous 10 years,**	194	189	199	181	190	195	183	160	182	210	206	199	200	221	215	205	217	213	208	219	206	236	177	200	216	204
Deaths registered,	195	152	158	173	157	168	148	171	139	168	166	154	160	187	151	149	185	183	187	173	193	198	159	174	215	174
Annual Death-rate per 1,000,	26·8	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9
*Average Deaths in corresponding week of previous 10 years,**	173	178	186	191	197	185	187	189	199	219	214	211	202	212	209	209	221	233	221	212	211	218	201	198	189	183
Ages,— Under 5 years,	54	34	43	52	42	49	47	43	27	28	52	39	37	46	35	32	45	40	43	55	43	67	37	34	45	37
5—20 ,,	6	14	10	9	13	10	13	9	7	17	17	11	13	16	8	9	8	14	8	15	15	17	13	13	15	12
20—40 ,,	36	26	31	18	22	31	13	30	21	34	25	18	21	18	21	15	38	39	34	19	29	26	28	23	27	32
40—60 ,,	35	38	32	36	34	35	32	45	41	48	37	45	37	42	42	46	43	34	43	35	40	33	34	47	49	42
60—80 ,,	59	39	35	50	35	37	34	37	37	35	28	34	43	52	39	39	44	49	49	41	55	45	40	47	70	40
80 years and upwards,	5	7	7	8	11	6	9	7	6	6	7	7	9	13	6	8	7	7	10	8	11	10	7	10	9	11
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	1
Scarlet Fever	.	1	1	1	.	1	.	1	.	.	2	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	3	1	2	2	1	1	2	3	1	1	2	.	.	1	4	1	2	.	2	2	3	.	2
Diphtheria,	.	1	1	.	.	1	1	.	2	2	2	.	1	1	.	.	1	.	2	2	1	3	.	.	.	2
Pyrexia † (origin uncertain),	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Enteric Fever,	2	2	.	.	2	2	1	4	3	3	.	.	.	1	.	.	1	1	.	3	.	3	.	1	2	1
Diarrhœal Diseases,	4	4	2	3	5	2	1	1	2	1	1	1	3	1	.	1	2	1	3	3	5	2	1	1	1	4
Pneumonia,	18	13	14	15	10	10	8	11	11	12	15	12	16	19	6	11	18	16	18	10	13	10	8	22	26	17
Tuberculous Disease. Phthisis,	24	21	26	20	18	24	9	27	19	21	14	23	21	29	18	23	29	32	30	23	32	25	23	27	18	22
Tuberculous Disease. Other Forms,	9	6	12	7	10	4	15	4	1	13	16	5	6	9	15	10	12	18	9	12	11	15	15	8	11	10
Cancer, Malignant Disease,	7	6	5	10	8	6	11	5	6	7	5	12	6	8	14	6	13	6	6	6	11	4	4	9	13	10
Diseases of Heart and Blood Vessels,	29	21	23	24	25	26	21	26	30	28	21	24	33	31	23	27	21	25	31	29	31	33	27	29	45	27
Diseases of Respiratory System,	42	26	26	34	33	22	16	25	20	26	28	23	18	27	26	27	32	28	28	21	34	27	23	29	43	23
Violent Deaths,	3	2	3	3	3	2	2	4	6	4	3	7	8	5	5	.	4	10	1	2	4	5	2	3	4	2
Number of Uncertified Deaths,	4	9	7	9	4	5	9	8	6	4	5	6	6	11	7	6	8	4	6	7	6	12	9	7	6	5
Mean Temperature of the Air (Phœnix Park),	42·7	43·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9
Average Mean Temperature in corresponding week of previous 10 years	47·0	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5
Rainfall in inches,	1·190	·250	1·485	·820	·645	·128	·035	·285	·770	·860	·855	1·605	·230	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130	·810
Mean Humidity of the Air, complete Saturation, 1·0,	·95	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·88	·81	·88

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH APRIL 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	24·2	174	37	12	32	42	40	11	.	1	.	.	2	2	.	1	4	10	17	22	10	10	4	23	2	76	5
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class,	17,436	17·9	6	.	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5	.
II.	Middle Class,	87,188	20·3	34	5	3	4	9	11	2	.	.	.	.	1	1	.	.	.	2	5	2	2	3	1	3	.	16	.
III.	Artisan Class and Petty Shopkeepers,	110,423	17·5	37	5	4	7	7	13	1	.	.	.	.	.	.	.	.	.	.	2	8	2	.	1	11	2	16	2
IV.	General Service Class,	154,279	31·6	57	21	5	9	18	3	1	.	1	.	.	1	1	.	1	2	6	8	9	4	3	1	4	.	22	3
V.	Inmates of Workhouses,	6,024		40	6	.	12	7	12	3	.	.	.	.	.	.	.	.	2	2	2	8	2	3	1	5	.	17	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	18·7	3	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	27·0	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	9·5	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	6. Clerks and Commercial Assistants,	30,432	18·8	11	2	2	2	5	.	.	.	.	.	.	1	1	.	.	.	2	2	1	1	1	.	1	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	28·9	15	3	1	1	2	7	1	.	.	.	.	.	.	.	.	.	.	2	1	1	2	1	2	.	6	.
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	2	.
	9. Building and Furnishing Trades,	29,801	14·0	8	2	1	2	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	3	.
	10. Clothing Trades,	23,260	11·2	5	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3	.
	11. Food Supply Trades,	9,242	22·6	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	18·9	11	.	2	3	2	3	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	1	6	2
	13. Petty Shopkeepers,	7,894	26·4	4	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	3·9	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	15. Domestic Servants,	36,603	10·0	7	2	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	14·5	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	26·1	45	19	4	6	14	2	.	.	1	.	.	1	1	.	1	2	6	6	8	4	1	1	4	.	15	2
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates.	6,024	.	40	6	.	12	7	12	3	.	.	.	.	.	.	.	.	2	2	2	8	2	3	1	5	.	17	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all causes.	From diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	Mar. 10,	27·6	.	15	.	.	.	.	.	.	.	.	.	3	4	1	.	1	.	.
	„ 17,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 24,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	3	.	1	2	.	2
	„ 31,	25·8	.	14	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	2
	April 7,	33·1	.	18	.	.	.	.	.	.	.	.	.	2	3	3	.	2	1	3
	„ 14,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	3	1	.	1	3	1	1
	„ 21,	29·4	.	16	.	.	.	.	.	.	.	.	.	.	4	2	.	2	.	3
	„ 28,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	2	1	1	2	1	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Mar. 10,	25·3	4·0	19	.	.	.	.	1	1	.	.	1	2	4	.	.	3	.	2
	„ 17,	26·6	.	20	.	.	.	.	.	.	.	.	.	2	3	2	.	1	1	2
	„ 24,	30·6	1·3	23	.	.	.	.	.	.	.	.	1	2	5	.	.	8	.	1
	„ 31,	26·6	1·3	20	.	.	.	.	.	.	.	.	1	1	4	1	.	3	.	2
	April 7,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2
	„ 14,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	5	1	2	3	1	.
	„ 21,	26·6	1·3	20	.	.	.	.	.	.	.	1	.	3	1	.	.	6	.	1
	„ 28,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	2	2	.	1	4	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Mar. 10,	36·4	.	21	.	.	.	.	.	.	.	.	.	2	4	4	.	3	.	1
	„ 17,	36·4	1·7	21	.	.	.	.	.	.	.	.	1	1	4	2	1	3	.	.
	„ 24,	48·5	.	28	.	.	.	.	.	.	.	.	.	.	5	1	.	4	1	.
	„ 31,	31·2	.	18	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	2
	April 7,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	2
	„ 14,	36·4	1·7	21	.	.	.	.	.	.	.	1	.	4	3	1	1	3	1	1
	„ 21,	32·9	.	19	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	1
	„ 28,	32·9	1·7	19	.	.	.	.	.	.	.	.	1	1	3	.	.	2	1	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Mar. 10,	29·6	1·6	18	.	.	.	.	.	.	.	.	1		.	.	1	3	.	1
	„ 17,	34·6	3·3	21	.	.	.	.	.	.	.	1	1	.	2	1	.	2	.	1
	„ 24,	24·7	.	15	.	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.
	„ 31,	13·2	3·3	8	.	.	.	.	.	1	.	1	.	.	.	2	.	.	1	.
	April 7,	19·8	1·6	12	.	.	.	.	1	.	.	.	.	.	1	.	1	4	.	.
	„ 14,	32·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	.	5	.	1
	„ 21,	28·0	.	17	.	.	.	.	.	.	.	.	.	4	.	1	.	3	1	.
	„ 28,	23·0	1·6	14	.	.	.	.	.	.	.	1	.	2	2	2	.	1	.	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	Mar. 10,	24·5	.	18	.	.	.	.	.	.	.	.	.	2	4	.	.	2	.	1
	„ 17,	21·7	2·7	16	.	.	.	.	1	1	.	.	.	.	3	1	.	4	.	.
	„ 24,	24·5	1·4	18	.	.	.	.	.	.	.	.	1	3	3	.	2	4	.	.
	„ 31,	38·0	5·4	28	.	.	.	.	1	1	.	1	1	2	2	1	1	4	.	.
	April 7,	27·2	1·4	20	.	1	.	.	.	.	.	.	.	2	7	2	.	3	.	1
	„ 14,	27·2	.	20	.	.	.	.	.	.	.	.	.	2	2	.	1	4	.	2
	„ 21,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	3	3	1	2	4	.	1
	„ 28,	25·8	2·7	19	.	.	.	.	1	.	.	.	1	2	4	1	.	2	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Mar. 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.
	„ 17,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	1
	„ 31,	37·1	.	13	.	.	.	.	.	.	.	.	.	.	1	.	1	4	1	.
	April 7,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 14,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	3	2	.	3	.	.
	„ 21,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	„ 28,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	3	2	.	2	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Mar. 10,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	2	.	3	.	3	.	1
	„ 17,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	3	1	2	2	.	.
	„ 24,	27·4	1·2	22	.	.	.	.	.	.	.	.	1		2	5	1	5	.	2
	„ 31,	29·8	.	24	.	.	.	.	.	.	.	.	.	2	1	3	.	3	.	1
	April 7,	24·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	1	2	.	.
	„ 14,	17·4	3·7	14	.	1	.	.	2	.	.	.	.	5	1	.	.	2	.	.
	„ 21,	36·1	1·2	29	.	1	.	.	.	.	.	.	.	4	2	.	3	7	.	.
	„ 28,	32·3	1·2	26	.	.	.	.	.	1	.	.	.	1	3	1	1	6	.	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,138.	Mar. 10,	26·7	.	18	.	.	.	.	.	.	.	.	.	.	3	.	.	6	.	.
	„ 17,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	4	1	1	3	.	.
	„ 24,	26·7	.	18	.	.	.	.	.	.	.	.	.	2	4	1	2	3	.	.
	„ 31,	29·7	1·5	20	.	.	.	.	1	.	.	.	.	1	6	4	1	5	.	.
	April 7,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.
	„ 14,	10·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.
	„ 21,	35·6	.	24	.	.	.	.	.	.	.	.	.	3	3	1	.	8	.	.
	„ 28,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	1	1	.	1	2	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia*[*] (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,208.	Mar. 10,	17·8	.	11	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.
	„ 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	17·3	1·6	11	.	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.
	„ 31,	20·4	1·6	13	.	.	.	.	.	.	.	1	.	1	4	.	.	1	.	.
	April 7,	22·0	1·6	14	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	1
	„ 14,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	1	3	.	.	1	.	1
	„ 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	1	1	1	1	1	1	.
	„ 28,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025.	Mar. 10,	18·0	.	9	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
	„ 17,	16·0	2·0	8	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
	„ 24,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	„ 31,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	April 7,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 14,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.
	„ 21,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	.
	„ 28,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Mar. 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 24,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.
	„ 31,	28·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	4
	April 7,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 14,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	„ 21,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.
	„ 28,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
Belfast. Pop. in 1906 (Est.) 358,680.	Mar. 10,	22·5	1·9	155	.	.	1	.	5	.	1	6	.	16	15	10	1	33	6	2
	„ 17,	27·8	2·8	191	.	.	1	.	9	1	1	6	1	23	26	5	6	36	1	4
	„ 24,	22·1	1·7	152	.	.	.	.	5	2	.	3	2	10	17	6	4	24	.	3
	„ 31,	29·2	3·9	201	.	.	2	.	21	1	1	1	1	18	28	12	10	28	2	3
	April 7,	24·6	3·2	169	.	1	1	.	13	1	.	5	2	19	24	11	4	21	7	1
	„ 14,	24·1	2·5	166	.	.	.	.	18	.	.	4	.	19	26	7	8	34	4	1
	„ 21,	24·9	3·5	171	.	.	.	.	21	.	.	2	1	15	18	8	2	36	3	3
	„ 28,	22·1	2·9	153	.	.	.	.	18	.	.	.	2	16	19	12	4	27	4	5
Cork. Pop. (in 1901) 76,122.	Mar. 10,	24·0	.	35	.	.	.	.	.	.	.	.	.	1	7	1	2	3	.	4
	„ 17,	16·4	.	24	.	.	.	.	.	.	.	.	.	3	1	2	1	8	.	2
	„ 24,	26·0	0·7	38	.	.	.	.	.	.	.	.	1	1	5	4	1	8	.	4
	„ 31,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	1	9	.	1	6	.	3
	April 7,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	5	2	1	1	.	1
	„ 14,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	9	2	.	3	.	1
	„ 21,	18·5	1·4	27	.	.	.	.	.	.	.	.	2	.	1	3	1	8	.	2
	„ 28,	26·0	0·7	38	.	.	.	.	.	.	.	.	1	3	7	3	5	6	.	2
Londonderry. Pop. in 1906 (Est.) 42,067.	Mar. 10,	23·6	3·7	19	.	.	.	.	2	.	.	.	1	1	5	1	1	1	.	1
	„ 17,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	3	1	.	.	6	.	.
	„ 24,	9·9	1·2	8	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	1
	„ 31,	26·0	2·5	21	.	.	.	.	2	.	.	.	.	2	2	.	1	4	1	.
	April 7,	17·4	2·5	14	.	.	.	.	1	.	.	1	.	.	3	3	.	3	.	.
	„ 14,	17·4	1·2	14	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1
	„ 21,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 28,	18·6	3·7	15	.	3	.	.	.	.	.	.	.	1	.	1	.	2	1	1
Limerick. Pop. (in 1901) 38,151.	Mar. 10,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	4
	„ 17,	15·0	1·4	11	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.	.
	„ 24,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	1
	„ 31,	31·4	1·4	23	.	.	.	.	.	.	.	.	1	.	3	1	.	3	.	5
	April 7,	31·4	.	23	.	.	.	.	.	.	.	.	.	3	5	3	1	4	.	1
	„ 14,	28·7	.	21	.	.	.	.	.	.	.	.	.	5	3	.	.	5	.	3
	„ 21,	13·7	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	.	3	.	2
	„ 28,	20·5	.	15	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	1
Waterford. Pop. (in 1901) 26,769.	Mar. 10,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	5	1	.	1	.	.
	„ 17,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	2
	„ 24,	31·2	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	2
	„ 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	1
	April 7,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.	1	2	2	1
	„ 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 21,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 28,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	2

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th April, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Malignant Disease. Cancer.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,784	12	38·9	3·5	11	2	1	6	2	.	.	.	.	1	.	.	.	.	.	1	.	1	.	1	1	2	1
Do. 2 ,, .	47,959	32	14·1	1·1	13	2	3	6	2	.	.	.	.	1	.	.	.	.	1	3	2	.	3	.	.	3	1
Do. 3 ,, .	47,214	35	22·1	3·3	20	4	4	9	3	.	.	.	.	2	.	.	.	1	.	4	3	2	3	1	1	5	.
Do. 4 ,, .	40,911	38	19·1	1·3	15	1	3	6	5	.	.	.	.	1	.	.	.	.	2	.	1	.	3	.	.	7	.
Do. 5 ,, .	17,387	10	30·0	9·0	10	4	3	2	1	.	.	.	.	3	.	.	.	.	1	1	.	.	1	.	.	2	.
Do 6 ,, .	48,122	21	22·8	2·2	21	5	2	9	5	.	.	.	.	2	.	.	.	.	1	1	2	.	4	1	1	7	1
Do 7 ,, .	1,524	1	—	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	3	20·6	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Do. 9 ,, .	19,569	25	24·0	.	9	1	1	5	2	.	.	.	.	.	.	.	.	.	2	.	3	.	4	.	.	2	.
Do. 10 ,, .	23,064	31	36·2	9·0	16	4	4	6	2	.	.	.	.	3	.	.	.	1	1	1	1	.	2	.	.	1	1
Do. 11 ,, .	34,802	30	16·5	1·5	11	1	1	5	4	.	.	.	.	1	.	.	.	.	2	2	.	1	1	1	2	1	.
Do. 12 ,, .	33,588	24	23·3	4·7	15	4	1	7	3	.	.	.	.	3	.	.	.	.	6	1	.	.	4	.	.	3	.
Do. 13 ,, .	15,006	19	27·8	3·5	8	2	1	3	2	.	.	.	.	1	.	.	.	.	.	2	.	.	2	.	.	.	1
Do. 14 ,, .	240	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	282	22·7	3·0	152	30	24	67	31	.	.	.	.	18	.	.	.	2	16	19	12	4	27	4	5	33	5
City of Cork.																											
CORK URBAN No. 1 DISTRICT. .	12,867	7	20·3	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	1	.
Do. 2 ,, . .	10,701	11	34·1	4·9	7	1	2	3	1	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	2	1
Do. 3 ,, . .	9,978	3	15·7	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.
Do. 4 ,, . .	8,666	3	42·1	.	7	2	.	4	1	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	4	.
Do. 5 ,, . .	6,592	2	39·6	.	5	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	3	.
Do. 6 ,, . .	10,702	5	24·4	.	5	1	.	3	1	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	1
Do. 7 ,, . .	16,616	9	18·8	.	6	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.
Total, ...	76,122	40	26·0	0·7	38	6	5	17	10	.	.	.	.	.	.	.	.	1	3	7	3	5	6	.	.	12	2

* Formerly described as "Simple Continued Fever."

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905-6—Week ending																									
	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered,	234	205	199	200	205	199	194	158	189	224	193	196	236	231	189	246	214	246	229	229	221	248	240	212	230	282
DEATHS registered,	130	141	150	138	140	148	126	146	124	147	133	135	160	139	146	179	174	166	155	191	152	201	169	166	171	152
Annual Death-rate per 1,000 of estimated Population,	18·9	20·5	21·8	20·1	20·4	21·5	18·3	21·2	18·0	21·4	19·3	19·6	23·3	20·2	21·2	26·0	25·3	24·1	22·5	27·8	22·1	29·2	24·6	24·1	24·9	22·1
AGES — Under 1 year,	30	36	38	28	27	21	23	31	26	34	21	30	31	24	29	31	43	26	31	32	37	46	35	35	39	30
AGES — 1-5 years,	14	17	15	19	11	18	15	18	19	16	15	16	22	11	11	14	20	17	22	23	16	30	28	26	24	24
AGES — 5-60 years,	55	53	60	65	64	72	58	69	56	61	60	62	71	61	71	87	74	85	59	84	57	89	81	75	66	67
AGES — 60 years and upwards,	31	35	37	26	38	37	30	28	23	36	37	27	36	43	35	47	37	38	43	52	42	36	25	30	42	31
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Scarlet Fever,	1	.	1	1	1	.	2	3	.	.	.	2	1	1	.	.	1	1	1	1	.	2	1	.	.	.
Typhus,	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	1	1	3	1	.	1	2	1	3	1	2	6	7	9	5	9	5	21	12	13	21	18
Diphtheria,	.	1	1	.	1	.	.	1	.	1	1	.	.	.	.	2	3	2	.	1	2	1	1	.	.	.
*Pyrexia** (origin uncertain),	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1	1	.	1	.	.	.	.
Enteric Fever,	2	3	3	3	4	3	1	2	2	2	3	1	2	2	6	.	2	2	6	6	3	1	5	4	2	.
Diarrhœal Diseases,	3	3	1	2	.	2	.	2	1	3	2	2	3	2	1	3	2	1	.	1	2	1	2	.	1	2
Pneumonia,	18	16	14	18	15	18	14	18	14	15	12	8	11	10	8	19	17	13	16	23	10	18	19	19	15	16
Tuberculous Disease — Phthisis,	19	22	22	16	26	17	17	21	17	15	17	17	22	16	23	22	23	33	15	26	17	28	24	26	18	19
Tuberculous Disease — Other Forms,	—	—	—	—	—	—	—	—	—	10	4	3	8	7	6	7	7	6	10	5	6	12	11	7	8	12
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	—	8	5	5	7	5	4	5	6	5	1	6	4	10	4	3	2	4
Diseases of Respiratory System,	31	28	31	28	29	34	23	31	23	20	19	12	20	26	23	22	24	34	33	36	24	28	21	34	36	27
Violent Deaths,	4	3	4	9	3	3	2	4	5	6	1	4	1	3	1	6	4	2	6	1	.	2	7	4	3	4
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	—	6	2	4	4	3	3	5	3	5	2	4	3	3	1	1	3	5

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the nine weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	April 28,	2,717	1,562	17·3	.	73	6	14	43	4	14
EDINBURGH,	341,035	„ 28,	138	123	18·8	.	4	3	.	2	.	2
GLASGOW,	835,625	„ 28,	543	303	18·9	.	12	.	3	13	.	5
CALCUTTA,	910,117	Mar. 10,	.	702	43·0	102	8	.	2	1	147‡	97*
BOMBAY,	776,006	„ 27,	435	1,845	123·6	22	51	.	.	3	117‡	116*
MADRAS,	509,346	„ 9,	258	503	51·3	48	27	?	?	?	98‡	93
PARIS,	2,750,000	April 14,	.	.	.	.	.	.	.	.	.	.
BRUSSELS (with 8 Faubourgs).	602,885	„ 7,	226	179	15·4	.	.	.	4†	2	1	5
ANTWERP,	304,975	„ 7,	120	92	15·7	2	2	.	1†	1	2	3
AMSTERDAM,	560,249	„ 7,	301	184	17·1	.	5	1	3†	1	1	8
COPENHAGEN,	425,000	„ 7,	187	144	17·7	.	5	.	1†	3	1	6
STOCKHOLM,	318,398	Mar. 31,	154	93	15·2	.	.	1	3†	4	.	1
CHRISTIANIA,	222,373	April 14,	117	39	9·1	.	.	.	.	.	.	1
ST. PETERSBURG,	1,424,700	„ 7,	851	736	26·8	2	39	29	12	10	21	95
MOSCOW,	1,092,360	Mar. 10,	.	672	32·1	.	1	8	16†	3	12	66
BERLIN,	2,057,043	„ 24,	923	599	15·2	.	11	3	6†	12	1	18
HAMBURG,	803,050	„ 31,	.	207	13·4	.	3	.	3†	2	.	13
BRESLAU,	474,080	April 14,	.	230	25·3	.	.	1	4†	1	.	12
MUNICH,	540,000	„ 14,	.	191	18·4	.	3	.	1†	2	.	13
VIENNA (with suburbs).	1,937,869	„ 14,	937	884	23·7	.	24	7	9†	10	3	60
BUDA-PESTH,	859,134	„ 14,	441	350	21·2	.	13	7	5†	1	.	9
PRAGUE and Faubourgs.	455,241	„ 7,	217	208	23·8	.	4	.	1†	.	.	18
TRIESTE,	194,749	Mar. 31,	126	112	30·0	.	.	.	3†	1	.	1
ROME,	526,170	Feb. 17,	307	267	26·5	.	2	.	1	.	5	5
VENICE,	171,709	Mar. 3,	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	„ 31,	1,935	1,658	21·2	.	62	11	52†	4	9	48
PHILADELPHIA,	1,469,126	„ 24,	.	586	20·7	.	18	.	7	3	27	25
BOSTON,	595,380	„ 31,	.	222	19·4	.	3	4	4	1	1	2

* Including 44 deaths from cholera in Calcutta, and 10 in Bombay.
† Including deaths from croup.
‡ Exclusive of 83 deaths from plague in Calcutta, 802 in Bombay, and 4 in Madras.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th April, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 1, West,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	4	.	.	.	.	.	2	.	.	.	.	6
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	.	.	.	2	2	.	.	.	5
" " 2,	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 3,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 4,	.	1	.	.	1	.	.	.	1	.	.	.	3
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	7	.	.	3	.	.	6	3	.	.	.	19

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th April, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th April.			
	April 7.	April 14.	April 21.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	21	20	21	5	3	.	23
Scarlet Fever,	55	48	40	5	7	.	38*
Typhus,	3	2	2	.	2	.	.
Diphtheria,	25	19	19	6	6	2	17
Enteric Fever,	31	26	22	7	5	1	23
Pneumonia,	23	31	34	12	5	1	40

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 28th April, 1906:—

"The weather was unsettled and very changeable throughout this week, and though fine and bright for periods, the sky was generally cloudy and there were frequent showers of rain, hail, or sleet. On Sunday an area of high pressure was situated over the Bay of Biscay while the barometer was low over Scandinavia and Lapland. Gradients over the United Kingdom were steep and the sea was rough on our Western coasts. On this and on the two days following there were heavy showers of both rain and hail. The distribution of pressure had become more irregular but the general character remained unchanged. A rather deep disturbance developed during Tuesday night over the English Channel, and on Thursday morning extended in a north to south direction, as a narrow trough, across the British Isles. To the west gradients were steep for Northerly winds, while over Scandinavia and the North Sea winds were Southeasterly to Southerly. On Friday the barometric readings were high over the Bay of Biscay and Scandinavia, and a disturbance had appeared off the N.W. of Scotland, while pressure was low also over Southern France and Germany. At 9 a.m. of Saturday the barometer read 29·397 inches. Heavy showers of rain, hail, and sleet fell at times during the day, but the intervals were fine and bright, and the sunshine amounted to 8¾ hours. The evening was fine and the night clear and cold. In Dublin the mean atmospheric pressure was 29·858 inches, the range being from 30·235 inches at 9 a.m. of Monday (wind, W.) to 29·353 inches at 2 p.m. of Saturday (wind, W.). The corrected mean temperature was 44·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·9°. The screened thermometers rose to 55·8° on Friday, having fallen to 35·7° on Monday. W. winds prevailed. Rain fell on 7 days to the amount of ·785 inch, ·447 inch being measured on Tuesday. Hail fell on 5 days, namely, Sunday, Monday, Tuesday, Thursday, and Saturday. Sleet also fell on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·861 inches. The highest reading (30·232) was on Monday at 9 a.m., wind W.S.W., and the lowest (29·394) on Saturday at 9 a.m., wind W.

The mean temperature for the week was 41·9°, being 6·6° under the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Friday, on which day the thermometer registered 53·5°, and was lowest on Monday, the mercury having fallen to 32·0°. The mean of the Dry Bulb for the week was 42·3°, and of the Wet Bulb 40·0°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 45·2 hours. The rainfall during the week measured ·810 inch.

At Greenwich the mean temperature for the week was 42·0°, the maximum 56·7°, and the minimum 29·2°; at Glasgow the maximum was 53·2°, the minimum 29·0°, and the mean 41·1°; and at Edinburgh the maximum was 50·3°, the minimum 31·7°, and the mean 40·5°. The rainfall at Greenwich measured 0·43 in.; at Glasgow 0·32 in.; and at Edinburgh 0·06 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 22,	30·050	52·8	36·7	44·8	43·1	40·6	·78	·7	11·9	·010	W.	N.W.
Monday, „ 23,	30·226	43·4	32·0	37·7	40·4	38·7	·88	·7	4·9	·145	W.S.W.	N.W.
Tuesday, „ 24,	29·907	49·1	35·9	42·5	45·3	43·8	·89	·8	0·8	·375	W.	W.
Wednesday, „ 25,	29·991	45·9	36·9	41·4	39·9	37·8	·85	·8	7·7	·060	N.N.E.	W.
Thursday, „ 26,	29·781	48·5	36·7	42·6	43·5	40·5	·79	·6	8·3	·005	N.N.W.	N.
Friday, „ 27,	29·667	53·5	35·0	44·3	45·4	43·1	·84	·6	1·4	·100	S.W.	W.
Saturday, „ 28,	29·403	45·9	33·8	39·9	38·2	35·7	·80	·7	10·2	·085	W.	W.
Mean, . .	29·861	48·4	35·3	41·9	42·3	40·0	·83	·7	Total 45·2	Total ·810	Prevailing wind W.	

Sunday—Fine day, showers at intervals; night clear. *Monday*—A cloudy day, showers a.m. and p.m night cloudy and showery at intervals. *Tuesday*—A dull and showery day; night overcast, drizzling ra 8.30 p.m. to 1.30 a.m. *Wednesday*—A fine day, cloudy and showers p.m.; night overcast and shower *Thursday*—A cloudy day, showers p.m.; night clear p.m., cloudy a.m. *Friday*—A dull day, light ra 1.45 to 8.50 p.m.; night overcast, showers p.m. *Saturday*—A cloudy day, showers of hail, snow, and rai night clear p.m., cloudy and showery a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the A Temperatures, Sunshine and Rainfall, recorded at the Normal Climatologic Station, Trinity College, Dublin, in the Week ending Saturday, April 28th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by h for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 22,	48·8	47·3	46·7	54·0	39·1	46·6	10·9	·037
Monday, „ 23,	43·4	46·5	46·7	49·9	35·0	42·5	2·4	·053
Tuesday, „ 24,	47·2	46·0	46·8	50·4	39·0	44·7	0·4	·385
Wednesday, „ 25,	44·1	46·3	46·9	46·7	38·2	42·5	7·1	·031
Thursday, „ 26,	46·7	47·0	46·8	48·5	38·2	43·4	7·2	·007
Friday, „ 27,	47·4	46·2	46·8	55·4	38·4	46·9	2·0	·145
Saturday, „ 28,	42·6	47·0	46·9	47·7	36·2	42·0	8·7	·047
Weekly Mean, .	45·7	46·6	46·8	50·4	37·7	44·1	Total 38·7	Total ·705

DUBLIN: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3, 1906.—13166.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 5TH MAY, 1906. [No. 18.

General Register Office, Charlemont House, Dublin, 7th May, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 24·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending April 14.	Week ending April 21.	Week ending April 28.	Week ending May 5.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 14.	Week ending April 21.	Week ending April 28.	Week ending May 5.	Average Rate for 4 weeks.
22 Town Dists.	22·1	23·3	22·9	24·0	23·1	Lisburn,	27·3	9·1	63·7	22·7	30·7
Armagh,	20·6	27·5	34·4	13·7	24·0	Londonderry,	17·4	11·2	18·6	19·8	16·8
Ballymena,	19·2	28·7	4·8	14·4	16·8	Lurgan,	8·9	31·0	17·7	26·6	21·1
Belfast,	24·1	24·9	22·1	26·0	24·3	Newry,	4·2	25·2	29·4	33·6	23·1
Clonmel,	5·1	30·8	41·0	25·6	25·6	Newtownards,	28·6	28·6	22·9	34·3	28·6
Cork,	21·2	18·5	26·0	21·2	21·7	Portadown,	15·5	20·7	10·3	10·3	14·2
Drogheda,	24·5	12·3	8·2	12·3	14·3	Queenstown	26·4	33·0	13·2	13·2	21·5
Dublin Reg. Area,	23·4	28·1	22·4	25·9	24·9	Sligo,	24·0	4·8	24·0	9·6	15·6
Dundalk,	8·0	27·9	23·9	12·0	18·0	Tralee,	31·7	.	21·1	26·4	19·8
Galway,	19·4	27·2	23·3	19·4	22·3	Waterford,	7·8	7·8	21·4	17·5	13·6
Kilkenny,	4·9	.	63·9	4·9	18·4	Wexford,	18·7	4·7	18·7	18·7	15·2
Limerick,	28·7	13·7	20·5	26·0	22·2						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·2 in Portadown, the 2 deaths from all causes in that district including one from measles. Among the 179 deaths from all causes in Belfast are one from scarlet fever, 20 from whooping-cough, one from pyrexia (origin uncertain) and one from diarrhœa; the 16 deaths in Londonderry include one from measles and one from diarrhœa; and among the 3 deaths in Ballymena is one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 250—114 boys and 136 girls; and the deaths to 191—89 males and 102 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 26·3 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 25·9 per 1,000. During the eighteen weeks ending with Saturday last the death-rate averaged 24·2, and was 4·8 below the mean rate for the corresponding portions of the ten years, 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths include one from whooping-cough, and one from enteric fever. In eac f the 3 weeks preceding, deaths from whooping-cough were 3, 0, and 2; and deat from enteric fever were one, 2, and one. There were 2 deaths directly attributed influenza.

There were 2 deaths from lobar pneumonia, 11 deaths from broncho-pneumonia, a 8 deaths from *pneumonia* (not defined).

The total deaths from all forms of tuberculous disease numbered 51, and include deaths from tuberculous phthisis, 22 deaths from *phthisis*, 3 deaths from tuberculo meningitis, 2 deaths from tuberculous peritonitis, and 10 deaths from other forms of t disease. In each of the 3 weeks preceding, deaths from all forms of tuberculous disea were 35, 29, and 32.

There were 4 deaths from carcinoma, and 2 deaths from cancer (undefined).

The deaths of 2 infants, prematurely born, were registered.

Of 11 deaths from diseases of the brain and nervous system, 4 were of infan under one year of age from *convulsions*.

There were 22 deaths from diseases of the heart and blood vessels, and 33 deat from bronchitis.

Three deaths were due to accidental circumstances.

In 5 instances the cause of death was "uncertified," there having been no medic attendant during the last illness; these cases include the deaths of 2 infants under o year of age.

Thirty of the persons whose deaths were registered during the week were unc 5 years of age (20 being infants under one year, of whom 4 were under one month ol and 59 were aged 60 years and upwards, including 19 persons aged 70 and upwards, whom 3 were octogenarians, and one (a female) was stated to have been aged 92 yea

Ninety-two of the deaths registered during the week occurred in hospitals and oth public institutions; of this number 28 took place in the North Dublin Union Wor house and 17 in the South Dublin Union Workhouse, and one in the Rathdown Uni Workhouse.

The following are the principal features of the Dublin District Returns last week, deaths in Public Institutions being assigned to the districts from wh the deceased were admitted, and the annual death-rate for each District calculated the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·9 per 1,000; the rate the City was 28·3 (North City Districts, 30·4; South, 26·0), and in the Suburbs, 17·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·3 per 1, inhabitants, the rate for the City being 0·2 (0·3 in the North City Districts, and 0·0 in the Sou and for the Suburbs, 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual r of 27·6 per 1,000, and include one death from lobar pneumonia, 2 deaths from *pneumonia* (not defin 5 deaths from tuberculous disease, and 2 deaths from diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (25) are equal to an annual rate of per 1,000. The deaths include 2 from *pneumonia* (not defined), one from influenza, 8 from tubercul disease, and 4 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (22) are equivalent to an annual rate of per 1,000. There was one death from broncho-pneumonia, there were 2 deaths from *pneumonia* defined), 3 deaths from tuberculous disease, 6 deaths from diseases of the respiratory system, one death from accidental violence.

No. 3 *North City District* (Benburb-street).—The deaths (22) represent an annual rate of 36·2 1,000. Whooping-cough caused one death, broncho-pneumonia caused one death, there were 7 dea from tuberculous disease, and 3 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last w are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, N part of, 10·4; and Finglas and Glasnevin, part of, 7·8. There was one death from tuberculous phth for Finglas and Glasnevin (part of).

No. 1 *South City District* (South Earl-street).—The deaths (14) represent an annual rate of 19·0 1,000. They include one from broncho-pneumonia, 4 from tuberculous disease, one from bronch and one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 34·2 1,000. Amongst the deaths are two from tuberculous disease of the lungs and 3 from bronchitis

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 24·9 1,000. There were 3 deaths from broncho-pneumonia, 2 deaths from *pneumonia* (not defined), 3 dea from tuberculous phthisis, and 4 deaths from bronchitis.

No. 4 *South City District* (Grand Canal-street).—The deaths (22) are equivalent to an annual rat 32·6 per 1,000, and include one death from broncho-pneumonia, 5 deaths from tuberculous disea deaths from bronchitis, and one death by accident.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000. Of th deaths registered 2 were caused by tuberculous disease.

Urban Districts.—The annual death-rates represented by the deaths recorded last week ar Rathmines and Rathgar, 17·3; Pembroke, 22·0; Blackrock, 6·0; and Kingstown, 17·8. The only de from any of the principal epidemic diseases tabulated for these districts was one from ent fever for Pembroke. The 11 deaths from all causes for Rathmines and Rathgar include one f lobar-pneumonia, one from broncho-pneumonia, 2 from *phthisis*, and 2 from bronchitis; the 11 dea from all causes for Pembroke include 2 from broncho-pneumonia, 4 from tuberculous disease, one from bronchitis; and the 6 deaths from all causes for Kingstown include one from bronc pneumonia and 2 from *phthisis*.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoi when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 5th May, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Apr. 14,	.	—	—	7	.	.	2	.	3	9	17	.	—	—	—	—	—	38
	Apr. 21,	.	—	—	4	.	.	4	.	3	3	8	.	—	—	—	—	—	22
	Apr. 28,	.	—	—	7	.	.	3	.	.	6	3	.	—	—	—	—	—	19
	May 5,	.	—	—	4	.	.	6	.	1	1	4	.	—	—	—	—	—	16
Rathmines and Rathgar Urban District.	Apr. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 21,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	2
	Apr. 28,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	3
	May 5,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	3
Pembroke Urban District.	Apr. 14,	.	.	.	.	.	.	2	.	.	1	.	.	—	.	.	—	—	3
	Apr. 21,	.	.	.	.	.	.	.	.	.	2	.	.	—	3	.	—	—	5
	Apr. 28,	.	.	.	.	.	.	.	.	.	.	.	.	—	6	.	—	—	6
	May 5,	.	2	.	1	.	.	.	.	1	.	.	.	—	4	.	—	—	8
Blackrock Urban District.	Apr. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Apr. 14,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Apr. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Apr. 14,	.	—	—	17	.	.	2	1	7	10	6	.	—	—	—	—	—	43
	Apr. 21,	.	—	—	5	.	.	2	.	5	6	4	.	—	—	—	—	—	22
	Apr. 28,	.	—	—	18	.	.	3	.	7	6	3	1	—	—	—	—	—	38
	May 5,	.	—	—	17	.	.	3	.	11	7	4	.	—	—	—	—	—	42

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 5th May, 1906.

From this it appears that:—

Five cases of measles were admitted to hospital during the week, 8 were discharged, d 20 cases remained under treatment at its close.

Five cases of scarlet fever were admitted to hospital, 6 were discharged, and 37* cases mained under treatment at the close of the week.

Eleven cases of diphtheria were admitted to hospital, 4 were discharged, and 24 tients remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, 4 were discharged, there was e death, and 23 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, were discharged, there were 3 deaths, and 36 cases remained under treatment at the d of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the e was 16·0), was equal to an average annual death-rate of 16·3 per 1,000 persons living, e average rate for 8 principal towns of Scotland was 18·0 per 1,000, the rate for Glasgow ng 19·4, and for Edinburgh 16·4.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a y of his Return of Infectious Diseases notified during the week ended 5th May. From this Return it ears that of a total of 29 cases notified 11 were scarlet fever, 8 diphtheria, 7 erysipelas, and 2 typhoid er. Among the 327 cases of infectious diseases in hospital at the close of the week were 148 cases of let fever, 66 of measles, 53 of diphtheria, 19 of whooping-cough, 14 of erysipelas, and 8 of typhoid er.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 5th May, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 5th May, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia. b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 5th May, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th April, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st April, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(36)	(37)	(38)	(39)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts,	1,098,959	19·2	34·5	24·0	1·4	724	504	69	139	.	2	1	.	22	.	2	1	2	46	84	34	12	85	7	12	177	18	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total, d.	378,994	27·5	34·4	25·9	0·3	250	188	20	59	.	.	.	.	1	.	.	1	.	21	35	14	5	36	3	6	89	5	f58·7	32·7	44·3	0·65	f58·5	32·0	41·9	0·81	f61·0	25·9	44·8	0·13
City of Dublin,	293,385	37·1	38·9	28·3	0·2	219	159	19	47	.	.	.	.	1	.	.	.	.	16	28	13	4	32	3	6	76	4	g59·1 h57·8	34·6 33·0	46·5 45·0	0·92 0·76	g55·8 h54·9	35·7 33·0	44·2 42·9	0·79 0·72	g62·7 h62·4	32·0 27·2	46·5 44·5	0·18 0·12
Urban Dists. Rathmines and Rathgar.	33,208	19·4	17·3	17·3	.	11	11	1	6	.	.	.	.	.	.	.	.	.	2	2	.	1	3	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	22·0	22·0	2·0	11	11	.	4	.	.	.	.	.	.	.	1	.	2	3	1	.	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·9	6·0	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	17·8	17·8	.	6	6	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	4	.	61	35·5	46·4	0·69	54·0	36·0	44·1	0·81	62·5	38·5	47·7	0·23
Urban Districts.																																								
Belfast,	358,680	24·4	34·6	26·0	3·3	288	179	29	45	.	.	1	.	20	.	1	.	1	16	29	10	4	30	4	5	50	2	55·0	33·0	43·2	1·73	53·5	35·8	43·8	0·88	57·0	27·5	45·0	0·35
Cork,	76,122	33·6	23·3	21·2	.	34	31	5	5	.	.	.	.	.	.	.	.	.	2	7	2	.	2	.	.	15	2	55	35	46·2	1·24	55	38	45·5	0·23	56	34	45·2	0·03
Londonderry,	42,067	19·4	31·0	19·8	2·5	25	16	6	2	.	1	.	.	.	.	.	.	1	2	.	2	.	2	.	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	67·0	26·0	.	49	19	3	5	.	.	.	.	.	.	.	.	.	1	2	1	.	6	.	1	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	21·4	17·5	.	11	9	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	46·6	19·4	3·9	12	5	.	4	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	2	1	53	34	45·5	1·41	53	36	45	0·32	63	28	45	0·27
Dundalk,	13,076	9·4	35·9	12·0	.	9	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	8·2	12·3	.	2	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	25·2	33·6	.	6	8	.	3	.	.	.	.	.	.	.	.	.	.	8	.	1	.	.	.	3	.	54·6	33·0	44·7	1·54	53·1	33·0	42·6	0·87	60·1	27·0	44·5	0·53
Lurgan,	11,782	13·8	26·6	26·6	.	6	6	.	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	54·6	33·0	44·7	1·54	53·1	33·0	42·6	0·87	60·1	27·0	44·5	0·53
Lisburn,	11,461	10·1	40·9	22·7	.	9	5	.	1	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	54·6	33·0	44·7	1·54	53·1	33·0	42·6	0·87	60·1	27·0	44·5	0·53
Wexford,	11,168	23·2	28·0	18·7	.	6	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	38·3	14·4	4·8	8	3	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	43·2	9·6	.	9	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	56·5	34·0	49·5	0·99	51·2	34·3	43·4	1·28	59·4	22·5	41·0	0·65
Kilkenny,	10,609	11·5	24·6	4·9	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	57	32	46·9	0·90	52	32	44·3	0·47	60	29	45·3	0·06
Clonmel,	10,167	7·8	56·4	25·6	.	11	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	36·2	10·8	5·2	7	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	54·6	33·0	44·7	1·54	53·1	33·0	42·6	0·87	60·1	27·0	44·5	0·53
Tralee,	9,867	16·6	15·9	26·4	.	3	5	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	97·3	34·3	.	17	6	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	54	33	43·3	1·09	52	36	41·8	0·62	61	34	45·2	0·44
Queenstown,	7,909	14·4	33·0	13·2	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	55	35	46·2	1·24	55	38	45·5	0·23	56	34	45·2	0·03
Armagh,	7,588	22·2	13·7	13·7	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	54·6	33·0	44·7	1·54	53·1	33·0	42·6	0·87	60·1	27·0	44·5	0·53

e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest available [illegible] and the Cities of Belfast and Londonderry the Population given is that estimated to the middle of 1906. b Formerly in several cases; thus the readings at Donaghadee have been adopted for Bangor, those at [illegible] for [illegible]

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 5th of May 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and, of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																		
	CITY OF DUBLIN.																		
	REGISTRATION DISTRICTS IN													URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.								Dublin Sth. Superintendent Reg.'s District.										
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Glontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.	Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
A. GENERAL DISEASES:																			
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia,	3	2	3	1	.	.	.	1	.	5	1	.	2	2	.	1	21	.
Tuberculous Disease. } Phthisis,	3	4	1	6	.	.	1	3	2	3	4	1	2	3	.	2	35	1
Tuberculous Disease. } Other Forms.	2	4	2	1	.	1	.	1	.	.	1	1	.	1	.	.	14	1
Cancer, Malignant Disease,	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	5	1
Other General Diseases	.	3	4	2	.	.	.	1	1	.	1	.	.	.	.	.	12	.
Total,	9	15	10	11	.	1	1	6	3	8	8	2	5	7	.	3	89	3
B. LOCAL DISEASES:																			
Diseases of Nervous System	.	2	.	3	.	.	.	1	1	3	.	.	1	.	.	.	11	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	1	.	3	4	.	.	.	3	2	2	2	.	2	2	.	1	22	.
Diseases of Respiratory System,	2	4	6	3	.	1	.	1	3	4	8	.	3	1	.	.	36	.
Diseases of Digestive System,	2	2	.	1	.	.	.	1	1	2	1	.	.	.	.	2	12	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	2	.	.	1	.	.	.	.	1	1	1	.	1	1	.	8	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	10	9	11	1	1	.	6	7	12	12	1	6	4	1	3	89	.
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	2	.	.	.	.	1	2	.	1	.	.	.	.	.	7	.
E. VIOLENT DEATHS,	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	3	.
Deaths from all Causes,	15	25	22	22	1	2	1	14	12	20	22	3	11	11	1	6	188	3
Annual Rate of Mortality from all causes in every 1,000 of the population	27·6	33·3	38·1	36·2	10·8	10·4	7·8	19·0	34·2	24·9	32·6	17·6	17·8	22·0	6·0	17·8	25·9	.
	30·4							26·0					17·7					
	28·3																	
Deaths of Infants under 1 year of age,	1	2	4	1	.	.	.	5	2	2	2	.	1	.	.	.	20	.
Deaths of Persons aged 60 years and upwards,	5	6	10	6	1	.	.	3	4	4	3	.	6	4	.	2	39	.
Number of Uncertified Deaths,	.	2	.	1	.	.	.	.	.	.	.	1	1	.	.	.	5	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	4	2	5	.	.	.	2	2	7	6	1	3	5	.	3	44	2
Workhouse Hospitals,	2	7	11	8	.	.	.	7	3	1	4	.	1	.	.	1	45	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regist week of the ten years, 18

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years 1896–1905.	In the Week ending Saturday 5th May, 1906. Deaths of Persons of the A						
	May 2, 1896.	May 8, 1897.	May 7, 1898.	May 6, 1899.	May 5, 1900.	May 4, 1901.	May 3, 1902.	May 9, 1903.	May 7, 1904.	May 6, 1905.		ALL AGES.	0 to 5.					
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	60 and under 80.
Mean Temperature.	° 47·3	° 46·8	° 47·9	° 45·3	° 48·6	° 46·3	° 46·9	° 47·0	° 46·7	° 46·4	° 46·9	° 41·3						
ALL CAUSES.	159	226	164	166	204	183	191	192	178	164	182·7	191	4	16	10	16	39	55
Small-pox,	.	.	.	.	.	.	.	4	.	.	·4	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	8	.	.	.	.	3	.	4	3	1·8	.	.	.	.	.	.	.
Scarlet Fever,	6	4	1	.	.	.	.	2	.	.	1·3	.	.	.	.	.	.	.
Typhus,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	5	4	8	3	5	2	3	1	2	3·4	2	.	.	.	.	.	.
Whooping-cough,	2	16	3	4	4	9	3	4	11	1	5·7	1	.	.	.	1	.	.
Diphtheria,	.	2	1	1	.	1	2	1	.	.	·8	.	.	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	2	3	2	6	2	1	3	2	3	2·5	1	.	.	.	1	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	3	3	1	1	1	2	. / 1	. / 1	. / 1	. / 1	1·5	. / .	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	3	1	.	.	.	2	1	1	2	1·1	2	1	1	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	1	.	.	. / . / .	. / . / .	. / . / .	·1	. / . / .	.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar	6	18	14	16	10	11	1	1	1	.	13·0	2	.	.	.	.	.	2
Pneumonia, Broncho-							2	2	8	4		11	.	2	4	.	.	3
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.	.
Pneumonia, Not defined,							10	10	8	8		8	.	.	.	2	1	.
Erysipelas,	.	.	1	.	.	1	1	1	1	1	·6	1	.	.	.	.	.	1
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	.	1	2	.	.	. / .	. / .	1 / .	·4	1 / .	.	.	.	.	1	.
Other Infective Conditions,	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.
Tuberculous Phthisis,	28	31	21	18	29	29	4	3	5	7	25·5	14	.	.	.	2	4	2
"*Phthisis*,"							21	24	17	18		22	.	.	.	2	1	3
Tuberculous Meningitis,	2	7	5	4	2	3	3	3	2	2	3·3	3	.	.	1	1	1	.
Tuberculous Peritonitis,	3	5	1	6	6	4	1	1	3	3	3·6	2	.	.	.	1	1	.
Tabes Mesenterica,							3	.	.	.		.	.	.	.	.	.	.
Tuberculous Dis. (other),	6	5	2	7	4	6	3	6	7	6	5·2	10	.	2	.	3	5	.
Scrofula,							.	.	.	.		.	.	.	.	.	.	.
Alcoholism,	1	.	.	1	1	.	1	2	.	2	·8	.	.	.	.	.	.	.
Rheumatic Fever,	2	2	2	.	1	1	1	.	1	.	1·0	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.
Carcinoma,	4	7	6	7	4	8	.	1	1	5	6·1	4	.	.	.	.	.	.
Sarcoma,							1	.	.	.		.	.	.	.	.	.	2
Cancer (undefined),							6	5	3	3		2	.	.	.	.	.	.
Diabetes Mellitus,	.	.	.	.	.	.	2	.	1	.	·3	.	.	.	.	.	.	.
Premature Birth,	1	2	8	1	2	3	3	4	5	2	3·1	2	2	.	.	.	.	.

* The figures for the years 1896–19 are
† Formerly des bed

ITEENTH WEEK ending Saturday, 5th May, 1906, with the deaths from each cause in the corresponding average for those weeks.*

SES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years 1896–1905.	In the Week ending Saturday, 5th May, 1906. Deaths of Persons of the Ages of							
	May 2, 1896.	May 8, 1897.	May 7, 1898.	May 6, 1899.	May 5, 1900.	May 4, 1901.	May 3, 1902.	May 9, 1903.	May 7, 1904.	May 6, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
an Temperature.	° 47·3	° 46·8	° 47·9	° 45·3	° 48·6	° 46·3	° 46·9	° 47·0	° 46·7	° 46·4	° 46·9	Mean Temp. ° 44·3							
ritis (not tuberc.) ...							9	2	3	1		3	.	1	.	1	1	.	.
y, G. P. of Insane ...							.	1	3	2		2	.	.	.	1	.	1	.
sy ...							1	2	.	.		.	.	.	.	.	.	.	.
sions ...							6	8	7	3		4	1	3	.	.	.	.	.
otor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.
egia Dis. of Cord ...							.	2	1	1		2	.	.	.	.	1	1	.
is System (other							6	4	.	3		.	.	.	.	.	.	.	.
	38	34	26	25	57	36					39·3								
Dis., Endocarditis ...							2	6	5	5		4	.	.	.	1	2	1	.
, Hæm. Thromb. ...							4	2	1	2		.	.	.	.	.	.	.	.
cy, Hemiplegia ...							6	5	9	2		5	.	.	.	2	1	2	.
ysm ...							1	1	.	.		2	.	.	.	.	1	1	.
ism, Thromb. (not							.	.	.	1		.	.	.	.	.	.	.	.
ral)																			
and Blood Vessel Dis.							14	15	16	15		11	.	.	.	2	1	6	2
(not Spasm. nor	.	1	.	.	.	2	1	2	.	.	·6	.	.	.	.	.	.	.	.
b.)																			
itis ...	11	22	27	24	19	25	14	16	15	16	18·9	33	.	2	1	.	2	11	17
a, Emphysema ...							2	3	.	.		1	.	.	.	.	1	.	.
sy ...	2	3	.	.	.	2	.	.	1	.	2·1	.	.	.	.	.	.	.	.
atory Dis. (other) ...							2	1	1	4		2	.	.	.	.	.	1	1
itis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
tis (not Epid.) ...							.	.	2	.		.	.	.	.	.	.	.	.
Enteritis ...	.	3	.	.	1	.	2	1	.	1	1·0	.	.	.	.	.	.	.	.
itis (not Puerp.) ...	.	3	.	1	1	.	.	1	2	.	·8	1	.	.	.	1	.	.	.
sis of Liver ...							.	1	.	2		4	.	.	.	.	1	2	1
Dis. (other) ...	3	3	2	3	1	5	3	3	2	1	2·9	2	.	.	.	.	.	.	2
ive Dis. (other) ...	6	2	4	1	5	6	9	5	3	4	4·5	5	.	2	.	1	2	.	.
itis, Acute ...							3	1	.	.		4	.	.	2	.	1	.	1
's Dis., Albuminuria	6	2	3	6	6	6	1	4	5	2	4·8	2	.	.	.	.	1	.	1
y Sys. (Other Dis.)							.	.	2	1		2	.	.	.	.	1	.	1
ative Organs Dis. ...	.	.	2	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.
irth (Accid. of) ...	.	.	.	.	.	.	.	1	.	2	·3	.	.	.	.	.	.	.	.
ne ...	6	10	9	11	16	5	8	3	5	3	7·6	5	.	.	.	.	.	4	1
Diseases ...	13	20	16	12	16	9	13	15	7	17	13·8	6	.	3	1	.	.	2	.
ACCIDENT.																			
ilways ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.
icles and Horses ...	.	.	.	1	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.
s, Boats, Docks (ex-																			
ve of Drowning) ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.
ilding Operations ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
flagrations ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.
ns, Scalds, Explosions	.	1	1	.	3	.	2	1	1	.	·9	1	.	.	.	1	.	.	.
owning ...	2	1	.	1	.	.	1	.	.	.	·5	.	.	.	.	.	.	.	.
focation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
oison or Poisonous	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ours																			
Deaths by Accidents	4	.	.	3	2	1	2	1	2	.	1·5	2	.	.	1	.	.	1	.
ENCE OTHER THAN ACCIDENTAL.																			
ide ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
e ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.
ion ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

stration Area as then constituted.
Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905-6—Week ending																									
	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.
No. of weeks in Annual Series.	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered,	289	205	177	198	191	238	199	184	245	192	188	220	283	202	188	169	252	214	189	211	230	207	181	202	199	250
*Average Births in corresponding week of previous 10 years,**	189	199	181	190	195	183	160	182	210	206	199	200	221	215	205	217	213	208	219	206	236	177	200	216	204	244
DEATHS registered,	152	158	173	157	168	148	171	139	168	166	154	160	187	151	149	185	183	187	178	193	198	159	174	215	174	191
Annual Death-rate per 1,000,	20·9	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3
*Average Deaths in corresponding week of previous 10 years,**	178	186	191	197	185	187	189	199	219	214	211	202	212	209	209	221	233	221	212	211	218	201	198	183	18	183
AGES,— Under 5 years,	34	43	52	42	49	47	43	27	28	52	39	37	46	35	32	45	40	43	55	43	67	37	34	45	37	30
5—20 "	14	10	9	13	10	13	9	7	17	17	11	13	16	8	9	8	14	8	15	15	17	18	13	15	12	16
20—40 "	26	31	18	22	31	13	30	21	34	25	18	21	18	21	15	38	39	34	19	29	26	28	23	27	32	39
40—60 "	38	32	36	34	35	32	45	41	48	37	45	37	42	42	46	43	34	43	35	40	33	34	47	49	42	47
60—80 "	33	35	50	35	37	34	37	37	35	28	34	43	52	39	39	44	49	49	41	55	45	40	47	70	40	55
80 years and upwards,	7	7	8	11	6	9	7	6	6	7	7	9	13	6	8	7	7	10	8	11	10	7	10	9	11	4
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	1	.
Scarlet Fever	1	1	1	.	1	.	1	.	.	2	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	3	1	2	2	1	1	2	3	1	1	2	.	.	1	4	1	2	.	2	2	3	.	2	1
Diphtheria,	1	1	.	.	1	1	.	2	2	2	.	1	1	.	.	1	.	2	2	1	3	.	.	.	2	.
Pyrexia † (origin uncertain),	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Enteric Fever,	2	.	.	2	2	1	4	3	3	.	.	.	1	.	.	1	1	.	3	.	3	.	1	2	1	1
Diarrhœal Diseases,	4	2	3	5	2	1	1	2	1	1	1	3	1	.	1	2	1	3	3	5	2	1	1	1	4	
Pneumonia,	13	14	15	10	10	8	11	11	12	15	12	16	19	6	11	13	16	18	10	13	10	8	22	26	17	21
Tuberculous Phthisis,	21	26	20	18	24	9	27	19	21	14	23	21	29	18	23	29	32	30	23	32	25	23	27	18	22	36
Disease. Other Forms,	6	12	7	10	4	15	4	1	12	16	5	6	9	15	10	12	18	9	12	11	15	15	8	11	10	15
Cancer, Malignant Disease,	6	5	10	8	6	11	5	6	7	5	12	6	8	14	6	13	6	6	6	11	4	4	9	13	10	6
Diseases of Heart and Blood Vessels,	21	23	24	25	26	21	26	30	28	21	24	33	31	23	27	21	25	31	29	31	33	27	29	45	27	22
Diseases of Respiratory System,	26	26	34	33	22	16	25	20	26	28	22	18	27	26	27	32	28	28	21	34	27	23	29	43	23	36
Violent Deaths,	2	3	3	3	2	2	4	6	4	3	7	8	5	5	.	4	10	1	2	4	5	2	3	4	2	3
Number of Uncertified Deaths,	9	7	9	4	5	9	8	6	4	5	6	6	11	7	6	8	4	6	7	6	12	9	7	6	5	5
Mean Temperature of the Air (Phœnix Park),	43·0	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3
Average Mean Temperature in corresponding week of previous 10 years	46·2	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9
Rainfall in inches,	·250	1·485	·820	·645	1·18	·035	·285	·770	·860	·855	1·605	·280	·180	·755	·095	·625	·545	·758	·430	·185	045	·185	·055	·130	·810	·650
Mean Humidity of the Air, complete Saturation, 1·0,	·92	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	·88	86	·87	·89	·87	·85	·80	·81	·80	·88	·81	·88	·85

in the Dublin Registration Area during the Week ending Saturday, 5th May, 1906: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH MAY, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,850	26·5	191	30	16	39	47	55	4	.	.	.	.	1	.	.	1	.	2	21	36	15	6	4	36	3	68	5
	CLASSES. Deaths in Families of the—																												
I.	Professional and Independent Class,	17,436	12·0	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.
II.	Middle Class,	37,188	15·0	25	1	2	8	4	9	1	.	.	.	.	.	.	.	.	.	.	4	5	2	.	.	4	.	10	.
III.	Artisan Class and Petty Shopkeepers,	110,423	24·6	52	13	4	9	17	8	1	.	.	.	.	1	.	.	.	.	1	7	7	5	1	2	9	.	20	3
IV.	General Service Class,	54,279	35·8	64	10	7	14	13	19	1	.	.	.	.	.	.	.	1	.	1	6	15	4	3	2	13	3	17	2
V.	Inmates of Workhouses,	6,024		46	6	2	7	11	19	1	.	.	.	.	.	.	.	.	.	.	4	9	3	1	.	9	.	20	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	9·5	4	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants,	30,432	18·8	11	.	1	4	3	2	1	.	.	.	.	.	.	.	.	.	.	2	5	.	.	.	2	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	19·3	10	1	.	3	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	6	.
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	2	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	1	.
	9. Building and Furnishing Trades,	29,801	17·5	10	.	1	1	6	2	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	2	.	4	.
	10. Clothing Trades,	23,260	40·4	18	6	1	2	7	2	.	.	.	.	.	1	.	.	.	.	1	1	2	2	1	1	3	.	7	1
	11. Food Supply Trades,	9,242	22·6	4	1	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	18·9	11	4	1	2	2	2	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	6	.
	13. Petty Shopkeepers,	7,894	26·4	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	1	2
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	7·8	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	15. Domestic Servants,	36,603	11·4	8	.	1	3	3	1	.	.	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	10·9	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	29·6	51	9	6	10	10	15	1	.	.	.	.	.	.	.	1	.	1	4	11	3	2	2	12	3	13	2
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates,	6,024	.	46	6	2	7	11	19	1	.	.	.	.	.	.	.	.	.	.	4	9	3	1	.	9	.	20	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia*[*] (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of).	Cols. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,832.	Mar. 17,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 24,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	3	.	1	2	.	2
	„ 31,	25·8	.	14	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	2
	April 7,	33·1	.	18	.	.	.	.	.	.	.	.	.	2	3	3	.	2	1	3
	„ 14,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	3	1	.	1	3	1	1
	„ 21,	29·4	.	16	.	.	.	.	.	.	.	.	.	.	4	2	.	2	.	3
	„ 28,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	2	1	1	2	1	.	1
	May 5,	27·6	.	15	.	.	.	.	.	.	.	.	.	3	3	2	1	2	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est. 32,146.	Mar. 17,	26·6	.	20	.	.	.	.	.	.	.	.	.	2	3	2	.	1	1	2
	„ 24,	30·6	1·3	23	.	.	.	.	.	.	.	.	1	2	5	.	.	3	.	1
	„ 31,	26·6	1·3	20	.	.	.	.	.	.	.	.	1	1	4	1	.	3	.	2
	April 7,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2
	„ 14,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	5	1	2	3	1	.
	„ 21,	26·6	1·3	20	.	.	.	.	.	.	.	1	.	3	1	.	.	6	.	1
	„ 28,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	2	2	.	1	4	.	1
	May 5,	33·3	.	25	.	.	.	.	.	.	.	.	.	2	4	4	2	4	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Mar. 17,	36·4	1·7	21	.	.	.	.	.	.	.	.	1	1	4	2	1	3	.	.
	„ 24,	48·5	.	28	.	.	.	.	.	.	.	.	.	.	5	1	.	4	1	.
	„ 31,	31·2	.	18	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	2
	April 7,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	2
	„ 14,	36·4	1·7	21	.	.	.	.	.	.	.	1	.	4	3	1	1	3	1	1
	„ 21,	32·9	.	19	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	1
	„ 28,	32·9	1·7	19	.	.	.	.	.	.	.	.	.	1	3	.	.	2	1	1
	May 5,	38·1	.	22	.	.	.	.	.	.	.	.	.	3	1	2	.	6	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Mar. 17,	34·6	3·3	21	.	.	.	.	.	.	.	1	1	.	2	1	.		.	1
	„ 24,	24·7	.	15	.	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.
	„ 31,	13·2	3·3	8	.	.	.	.	.	1	.	1	.	.	.	2	.	.	1	.
	April 7,	19·8	1·6	12	.	.	.	.	1	.	.	.	.	.	1	.	1	4	.	.
	„ 14,	32·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	.	5	.	1
	„ 21,	28·0	.	17	.	.	.	.	.	.	.	.	.	4	.	1	.	3	1	.
	„ 28,	23·0	1·6	14	.	.	.	.	.	.	.	1	.	2	2	2	.	1	.	1
	May 5,	36·2	1·6	22	.	.	.	.	1	.	.	.	.	1	6	1	.	3	.	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	Mar. 17,	21·7	2·7	16	.	.	.	.	1	1	.	.	.	.	3	1	.	4	.	.
	„ 24,	24·5	1·4	18	.	.	.	.	.	.	.	.	1	3	3	.	2	4	.	.
	„ 31,	38·0	5·4	28	.	.	.	.	1	1	.	1	1	2	2	1	1	4	.	.
	April 7,	27·2	1·4	20	.	1	.	.	.	.	.	.	.	2	7	2	.	3	.	1
	„ 14,	27·2	.	20	.	.	.	.	.	.	.	.	.	2	2	.	1	4	.	2
	„ 21,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	3	3	1	2	4	.	1
	„ 28,	25·8	2·7	19	.	.	.	.	1	.	.	.	1	2	4	1	.	2	1	.
	May 5,	19·0	.	14	.	.	.	.	.	.	.	.	.	1	3	1	.	1	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Mar. 17,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	1
	„ 31,	37·1	.	13	.	.	.	.	.	.	.	.	.	.	1	.	1	4	1	.
	April 7,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 14,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	3	2	.	3	.	.
	„ 21,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	„ 28,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	3	2	.	2	.	.
	May 5,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est. 41,940.	Mar. 17,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	3	1	2	2	.	.
	„ 24,	27·4	1·2	22	.	.	.	.	.	.	.	.	1	.	2	5	1	5	.	2
	„ 31,	29·8	.	24	.	.	.	.	.	.	.	.	.	2	1	3	.	3	.	1
	April 7,	24·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	1	2	.	.
	„ 14,	17·4	3·7	14	.	1	.	.	2	.	.	.	.	5	1	.	.	2	.	.
	„ 21,	36·1	1·2	29	.	1	.	.	.	.	.	.	.	4	2	.	3	7	.	.
	„ 28,	32·3	1·2	26	.	.	.	.	.	1	.	.	.	1	3	1	1	6	.	1
	May 5,	24·9	.	20	.	.	.	.	.	.	.	.	.	5	3	.	.	4	.	.
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1906 (Est.) 35,188.	Mar. 17,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	4	1	1	3	.	.
	„ 24,	26·7	.	18	.	.	.	.	.	.	.	.	.	2	4	1	2	3	.	.
	„ 31,	29·7	1·5	20	.	.	.	.	1	.	.	.	.	1	6	4	1	5	.	.
	April 7,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.
	„ 14,	10·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.
	„ 21,	35·6	.	24	.	.	.	.	.	.	.	.	.	3	3	1	.	3	.	.
	„ 28,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	1	1	.	1	2	.	.
	May 5,	32·6	.	22	.	.	.	.	.	.	.	.	.	1	4	1	1	3	1	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,208.	Mar. 17,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	17·8	1·6	11	.	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.
	„ 31,	20·4	1·6	13	.	.	.	.	.	.	.	1	.	1	4	.	.	1	.	.
	April 7,	22·0	1·6	14	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	1
	„ 14,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	1	8	.	.	1	.	1
	„ 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	1	1	1	1	1	1	.
	„ 28,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.
	May 5,	17·8	.	11	.	.	.	.	.	.	.	.	.	2	2	.	1	3	.	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Mar. 17,	16·0	2·0	8	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
	„ 24,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	„ 31,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	April 7,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 14,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.
	„ 21,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	.
	„ 28,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.
	May 5,	22·0	2·0	11	.	.	.	.	.	.	.	1	.	2	3	1	.	1	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Mar. 17,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 24,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.
	„ 31,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	4
	April 7,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 14,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	„ 21,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.
	„ 28,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	May 5,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
Belfast. Pop. in 1906 (Est.) 358,680.	Mar. 17,	27·8	2·8	191	.	.	1	.	9	1	1	6	1	23	26	5	6	36	1	4
	„ 24,	22·1	1·7	152	.	.	.	.	5	2	.	3	2	10	17	6	4	24	.	3
	„ 31,	29·2	3·9	201	.	.	2	.	21	1	1	1	1	18	28	12	10	28	2	3
	April 7,	24·6	3·2	169	.	1	1	.	12	1	.	5	2	19	24	11	4	21	7	1
	„ 14,	24·1	2·5	166	.	.	.	.	13	.	.	4	.	19	26	7	3	34	4	1
	„ 21,	24·9	3·5	171	.	.	.	.	21	.	.	2	1	15	18	8	2	36	3	3
	„ 28,	22·1	2·9	152	.	.	.	.	18	.	.	.	2	16	19	12	4	27	4	5
	May 5,	26·0	3·3	179	.	.	1	.	20	.	1	.	1	16	29	10	4	30	4	2
Cork. Pop. (in 1901) 76,122.	Mar. 17,	16·4	.	24	.	.	.	.	.	.	.	.	.	3	1	2	1	8	.	2
	„ 24,	20·0	0·7	38	.	.	.	.	.	.	.	.	1	1	5	4	1	8	.	4
	„ 31,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	1	9	.	1	6	.	3
	April 7,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	5	2	1	1	.	1
	„ 14,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	9	2	.	3	.	1
	„ 21,	18·5	1·4	27	.	.	.	.	.	.	.	.	2	.	1	3	1	3	.	2
	„ 28,	26·0	0·7	33	.	.	.	.	.	.	.	.	1	3	7	3	5	6	.	2
	May 5,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	7	2	.	2	.	2
Londonderry. Pop. in 1906 (Est.) 42,067.	Mar. 17,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	3	1	.	.	6	.	.
	„ 24,	9·9	1·2	8	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	1
	„ 31,	26·0	2·5	21	.	.	.	.	2	.	.	.	.	2	2	.	1	4	1	.
	April 7,	17·4	2·5	14	.	.	.	.	1	.	.	1	.	.	3	3	.	3	.	.
	„ 14,	17·4	1·2	14	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1
	„ 21,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 28,	18·6	3·7	15	.	3	.	.	.	.	.	.	.	1	.	1	.	2	1	1
	May 5,	19·8	2·5	16	.	1	.	.	.	.	.	.	1	2	.	2	.	2	.	2
Limerick. Pop. (in 1901) 38,151.	Mar. 17,	15·0	1·4	11	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.	.
	„ 24,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	1
	„ 31,	31·4	1·4	23	.	.	.	.	.	.	.	.	1	.	3	1	.	3	.	5
	April 7,	31·4	.	23	.	.	.	.	.	.	.	.	.	3	5	3	1	4	.	1
	„ 14,	28·7	.	21	.	.	.	.	.	.	.	.	.	5	3	.	.	5	.	3
	„ 21,	18·7	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	.	3	.	2
	„ 28,	20·5	.	15	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	1
	May 5,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	2	1	.	6	.	1
Waterford. Pop. (in 1901) 26,769.	Mar. 17,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	2
	„ 24,	31·2	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	2
	„ 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	1
	April 7,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.	1	2	2	1
	„ 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 21,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 28,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	2
	May 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th May, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,	14,734	15	35·4	7·1	10	1	2	5	2	.	.	.	.	2	.	.	.	.	.	2	1	.	3	.	.	4	.
Do. 2 ,,	47,959	28	25·0	4·3	23	3	4	11	5	.	.	.	.	4	.	.	.	.	1	1	.	.	5	2	2	7	1
Do. 3 ,,	47,214	33	30·9	7·7	28	4	5	10	9	.	.	.	.	7	.	.	.	.	5	2	1	.	5	.	.	6	1
Do. 4 ,,	40,911	38	24·2	1·3	19	2	1	10	6	.	.	.	.	.	.	1	.	.	2	2	1	.	3	1	1	7	.
Do. 5 ,,	17,387	11	36·0	3·0	12	5	1	3	3	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.	1	8	.
Do. 6 ,,	48,122	20	26·0	3·3	24	1	2	15	6	.	.	1	.	2	.	.	.	.	2	6	.	.	3	.	.	8	.
Do. 7 ,,	1,524	1	—	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3	.
Do. 8 ,,	5,060	4	41·2	10·3	4	1	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.
Do. 9 ,,	19,569	15	37·3	2·7	14	4	2	7	1	.	.	.	.	1	.	.	.	.	1	1	4	1	1	.	.	2	.
Do. 10 ,,	28,064	16	24·9	2·3	11	2	.	7	2	.	.	.	.	1	.	.	.	.	1	3	1	2	2	.	.	.	.
Do. 11 ,,	34,802	15	21·0	3·0	14	3	2	5	4	.	.	.	.	2	.	.	.	.	2	2	1	.	2	1	1	1	.
Do. 12 ,,	33,588	34	18·6	.	12	3	.	6	3	.	.	.	.	.	.	.	.	.	2	4	.	1	4	.	.	1	.
Do. 13 ,,	15,006	8	17·4	.	5	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Do. 14 ,,	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	238	26·7	3·4	179	29	20	85	45	.	.	1	.	20	.	1	.	1	16	29	10	4	30	4	5	50	2
City of Cork.																											
CORK URBAN No. 1 DISTRICT.	12,867	4	12·2	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 2 ,,	10,701	2	24·4	.	5	1	.	3	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	2	1
Do. 3 ,,	9,978	2	26·1	.	5	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	1
Do. 4 ,,	8,666	3	36·1	.	6	2	.	3	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	4	.
Do. 5 ,,	6,592	7	7·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 ,,	10,702	6	29·2	.	6	2	.	4	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	1	.
Do. 7 ,,	16,616	10	15·7	.	5	.	.	5	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	2	.
Total,	76,122	34	21·2	.	31	5	.	21	5	.	.	.	.	.	.	.	.	.	2	7	2	.	2	.	.	15	2

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905-6—Week ending																									
	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14	Apr. 21.	Apr. 28.	May 5.
No. of weeks in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered,	205	199	200	205	199	194	158	189	224	193	196	236	231	189	246	214	246	229	229	221	248	240	212	232	282	238
DEATHS registered.	141	150	138	140	148	126	146	124	147	133	135	160	139	146	179	174	166	155	191	152	20[illegible]	169	166	171	152	179
Annual Death-rate per 1,000 of estimated Population,	20·5	21·8	20·1	20·4	21·5	18·3	21·2	18·0	21·4	19·3	19·6	23·3	20·2	21·2	26·0	25·3	24·1	22·5	27·8	22·1	29·2	24·6	24·1	24·9	22·1	26·0
AGES — Under 1 year,	36	38	28	27	21	23	31	26	34	21	30	31	24	29	31	43	26	31	32	37	46	35	35	39	30	29
AGES — 1-5 years,	17	15	19	11	18	15	18	19	16	15	16	22	11	11	14	20	17	22	23	16	3[illegible]	28	26	24	24	20
AGES — 5-60 years,	53	60	65	64	72	58	69	56	61	60	62	71	61	71	87	74	85	59	84	57	89	81	75	66	67	85
AGES — 60 years and upwards,	35	37	26	38	37	30	28	23	36	37	27	36	43	35	47	37	38	43	52	42	36	25	30	42	31	45
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
Scarlet Fever,	.	1	1	1	.	2	3	.	.	.	2	1	1	.	.	1	1	1	1	.	2	1	.	.	.	1
Typhus,	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	1	3	1	.	1	2	1	3	1	2	6	7	9	5	9	5	21	12	13	21	18	20
Diphtheria,	1	1	.	1	.	.	1	.	1	1	.	.	.	.	2	3	2	.	1	2	1	1	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1	1	.	1	.	.	.	.	1
Enteric Fever,	3	3	3	4	3	1	2	2	2	3	1	2	2	6	.	2	2	6	6	3	1	5	4	2	.	.
Diarrhœal Diseases,	3	1	2	.	2	.	2	1	3	2	2	3	2	1	3	2	1	.	1	2	1	2	.	1	2	1
Pneumonia,	16	14	18	15	18	14	13	14	15	12	8	11	10	8	19	17	13	16	23	10	18	19	19	15	16	16
Tuberculous Disease, Phthisis,	22	22	16	26	17	17	21	17	15	17	17	22	16	23	21	23	33	15	26	17	28	24	26	18	19	29
Tuberculous Disease, Other Forms,	—	—	—	—	—	—	—	—	10	4	3	8	7	6	7	7	6	10	5	6	12	11	7	8	12	10
Cancer, Malignant Disease,	—	—	—	—	—	—	—	—	3	5	5	7	5	4	5	6	5	1	6	4	10	4	3	2	4	4
Diseases of Respiratory System	23	31	28	29	34	23	31	23	20	19	12	20	26	23	22	24	34	33	36	24	28	21	34	36	27	30
Violent Deaths,	3	4	9	3	3	2	4	5	6	1	4	1	3	1	6	4	2	6	1	.	2	7	4	3	4	4
Number of Uncertified Deaths,	—	—	—	—	—	—	—	—	6	2	4	4	3	3	5	3	5	2	4	3	3	1	1	3	5	2

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the eight weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	May 5,	2,547	1,446	16·0	.	61	17	9	38	.	12
EDINBURGH,	341,035	„ 5,	170	107	16·4	.	5	2	1	4	1	2
GLASGOW,	835,625	„ 5,	547	311	19·4	.	12	.	6	10	2	4
CALCUTTA,	910,117	Mar. 17,	.	725	44·4	140	6	.	.	1	101‡	92*
BOMBAY,	776,006	April 3,	431	1,860	124·6	16	73	.	.	1	105‡	120*
MADRAS,	509,346	„ 16,	366	476	48·5	39	24	?	?	?	94	72
PARIS,	2,750,000	„ 14,	.	.	.	.	.	.	.	.	.	.
BRUSSELS (with 8 Faubourgs).	602,885	„ 14,	246	207	17·6	.	9	.	.	3	2	16
ANTWERP,	304,975	„ 14,	121	116	19·8	.	4	.	1†	1	1	10
AMSTERDAM,	560,249	„ 14,	311	144	13·4	.	4	2	.	2	.	10
COPENHAGEN,	425,000	„ 14,	183	144	17·7	.	6	1	.	1	.	3
STOCKHOLM,	318,398	„ 7,	154	106	17·3	.	.	.	.	.	.	3
CHRISTIANIA,	222,373	„ 21,	132	74	17·3	.	.	.	1†	.	.	2
ST. PETERSBURG,	1,424,700	„ 14,	553	763	27·7	.	32	22	21	6	18	77
MOSCOW,	1,092,360	Mar. 17,	.	593	28·3	.	8	6	10†	4	11	65
BERLIN,	2,055,759	„ 31,	877	611	15·5	.	11	6	4†	7	.	27
HAMBURG,	803,050	April 7,	.	227	14·7	.	4	1	3†	2	1	11
BRESLAU,	474,080	„ 21,	.	218	24·0	.	.	.	5†	.	1	14
MUNICH,	540,000	„ 21,	.	201	19·4	.	1	1	.	5	.	19
VIENNA (with suburbs).	1,937,869	„ 21,	1,037	842	22·6	.	19	9	11†	8	.	58
BUDA-PESTH,	859,134	„ 21,	433	307	18·6	.	10	7	3†	1	.	11
PRAGUE and Faubourgs.	455,241	„ 14,	189	182	20·8	.	3	1	1†	1	.	8
TRIESTE,	196,637	„ 7,	124	101	26·8	.	1	.	1†	1	2	1
ROME,	526,170	Feb. 24,	286	210	20·8	.	6	.	.	.	2	7
VENICE,	171,709	Mar. 3,	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	April 7,	2,049	1,579	19·8	.	72	8	39†	4	6	50
PHILADELPHIA,	1,469,126	Mar. 31,	.	625	22·2	.	10	8	12†	.	33	22
BOSTON,	595,380	April 7,	.	247	21·6	.	1	.	2	.	1	1

* Including 32 deaths from cholera in Calcutta, and 13 in Bombay.
† Including deaths from croup.
‡ Exclusive of 134 deaths from plague in Calcutta, and 821 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th May, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	.	.	.	1	.	.	.	.	.	1
" " 2,	.	.	.	.	.	.	.	1	1	.	.	.	2
" " 3,	.	1	.	.	4	.	.	.	.	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	2	.	.	1	.	.	.	2	.	.	.	5
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	4	.	.	6	.	1	1	4	.	.	.	16

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th May, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th May.			
	April 14.	April 21.	April 28.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox.	.	.	.	.	.	.	.
Measles,	20	21	23	5	8	.	20
Scarlet Fever.	48	40	38	5	6	.	37*
Typhus,	2	2	.	.	.	.	.
Diphtheria,	19	19	17	11	4	.	24
Enteric Fever,	26	22	23	5	4	1	23
Pneumonia,	31	34	40	11	12	3	36

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 5th May, 1906:—

"Very changeable, unsettled weather was experienced during this week. At first it was very cold, but some recovery of temperature took place on Wednesday with the coming of a southwesterly air-current. In the course of Sunday a deep atmospheric depression passed southwards down the east coast of Ireland, causing heavy hailstorms in many districts. At 8 a.m. of the day named the centre of the system lay near Malin Head, at which place the barometer read only 28·97 inches. In Dublin the wind was westerly till 3.15 p.m., when it shifted to E. and N.E., with a terrific downpour of hail and rain—the hail lay in places till next morning, and the rainfall amounted to six-tenths of an inch in the City (·590 inch in Trinity College, ·608 inch at Fitzwilliam Square). On Monday, after a very cold night, there was a renewal of hail showers, but the weather improved on Tuesday, a new depression appearing off the west coast of Ireland and equalising atmospheric pressure—under such conditions the weather always clears. The disturbance in the West spread eastwards, causing a strong S.S.E. breeze on Wednesday morning and rain. On Thursday the weather was chiefly fine and mild. At 8 a.m. of Friday a V-shaped depression was found with its minimum (just under 29·6 inches) over the N. of Scotland. This day was fine in Ireland owing to the advance of another depression from the Atlantic, which ultimately brought with it clouds, rain and warmth to Ireland on Saturday. In Dublin the mean height of the barometer was 29·613 inches, pressure ranging from 29·105 inches at 3.15 p.m. of Sunday (wind, N.W.) to 30·056 inches at 9 p.m. of Friday (wind, S.W.). The corrected mean temperature was 46·5°, and this was also the value of the mean dry bulb readings at 9 a.m. and 9 p.m. The screened thermometers fell to 31·6° on Sunday and rose to 59·1° on Thursday. The rainfall was ·920 inch on 6 days, ·608 inch being measured on Sunday. The prevalent winds were at first N.N.W., afterwards S.W. Hail fell on Sunday and Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·622 inches. The highest reading (30·067) was on Friday at 9 p.m., air calm, and the lowest (29·149) on Sunday at 9 a.m., wind S.W.

The mean temperature for the week was 44·3°, being 2·6° under the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Wednesday, on which day the thermometer registered 58·7°, and was lowest on Sunday, the mercury having fallen to 32·7°. The mean of the Dry Bulb for the week was 45·3°, and of the Wet Bulb 43·1°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 30·2 hours. The rainfall during the week measured ·650 inch.

At Greenwich the mean temperature for the week was 46·6°, the maximum 63·2°, and the minimum 30·8°; at Glasgow the maximum was 55·3°, the minimum 28·2°, and the mean 42·4°; and at Edinburgh the maximum was 54·8°, the minimum 31·7°, and the mean 42·6°. The rainfall at Greenwich measured 0·26 in.; at Glasgow 0·57 in.; and at Edinburgh 0·15 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 29,	29·278	47·7	32·7	40·2	41·0	39·7	·90	·6	3·8	·295	S.W.	N.
Monday, „ 30,	29·669	47·7	33·7	40·7	41·5	39·8	·87	·5	6·3	·095	N.W.	N.W.
Tuesday, May 1,	29·678	49·7	34·2	42·0	40·0	37·9	·84	·5	7·0	·150	W.N.W.	Calm.
Wednesday, „ 2,	29·437	58·7	34·6	46·7	47·6	45·2	·84	·4	0·8	·035	S.E.	S.W.
Thursday, „ 3,	29·500	57·8	37·4	47·6	50·2	47·0	·79	·3	6·3	·020	S.S.W.	S.S.W.
Friday, „ 4,	29·965	53·7	39·8	46·8	43·7	41·5	·85	·4	6·0	·015	W.	Calm.
Saturday, „ 5,	29·824	57·5	35·3	46·4	53·0	50·9	·86	·3	0·0	·040	S.	S.W.
Mean, . .	29·622	53·3	35·4	44·3	45·3	43·1	·85	·4	Total 30·2	Total ·650	Prevailing wind. S.	

Sunday—A cloudy day, heavy showers a.m. and p.m.; night cloudy. *Monday*—A cloudy day, light showers a.m. and p.m.; night cloudy and showery p.m., clear a.m. *Tuesday*—A fine but cloudy day; night cloudy p.m., overcast and light rain 1.40 to 7.0 a.m. *Wednesday*—A dull day; night cloudy p.m., overcast and light rain 3.15 to 4.20 a.m. *Thursday*—A fine but cloudy day; night overcast, light rain 10.45 p.m. to 12.0 midnight. *Friday*—A fine but cloudy day; night cloudy, light rain 7.30 a.m. to 9.0 a.m. *Saturday*—A dull day, light rain 9.0 a.m. to 1.0 p.m., showery p.m.; night overcast and showery.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 5th, 1906.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 29,	44·3	46·0	47·0	49·8	34·4	42·1	4·2	·590
Monday, „ 30,	43·3	45·0	46·9	48·2	35·1	41·7	4·2	·085
Tuesday, May 1,	43·4	45·0	46·8	50·6	36·1	43·4	3·9	·138
Wednesday, „ 2,	47·0	45·5	46·7	58·1	37·1	47·6	0·7	·053
Thursday, „ 3,	52·0	46·4	46·5	58·0	43·0	50·5	5·2	·007
Friday, „ 4,	47·8	48·0	46·5	54·2	45·4	49·8	4·6	·001
Saturday, „ 5,	52·0	48·0	46·9	57·6	43·8	50·7	0·1	·030
Weekly Mean, .	47·1	46·3	46·8	53·8	39·3	46·5	Total 22·9	Total ·904

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—13267.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 12TH MAY, 1906. [No. 19.

General Register Office, Charlemont House,
Dublin, 14th May, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending April 21.	Week ending April 28.	Week ending May 5.	Week ending May 12.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 21.	Week ending April 28.	Week ending May 5.	Week ending May 12.	Average Rate for 4 weeks.
22 Town Dists.	23·3	22·9	24·0	22·4	23·2	Lisburn, . .	9·1	63·7	22·7	13·6	27·3
Armagh, . .	27·5	34·4	13·7	6·9	20·6	Londonderry,	11·2	18·6	19·8	23·6	18·3
Ballymena, .	28·7	4·8	14·4	4·8	13·2	Lurgan, . .	31·0	17·7	26·6	17·7	23·2
Belfast, . .	24·9	22·1	26·0	23·4	24·1	Newry, . .	25·2	29·4	33·6	16·8	26·2
Clonmel, . .	30·8	41·0	25·6	20·5	29·5	Newtownards, .	28·6	22·9	34·3	45·8	32·9
Cork, . . .	18·5	26·0	21·2	24·0	22·4	Portadown,	20·7	10·3	10·3	5·2	11·6
Drogheda, . .	12·3	8·2	12·3	20·4	13·3	Queenstown .	33·0	13·2	13·2	13·2	18·2
Dublin Reg. Area.	28·1	22·4	25·9	21·7	24·5	Sligo, . . .	4·8	24·0	9·6	33·6	18·0
Dundalk, . .	27·9	23·9	12·0	8·0	18·0	Tralee, . .	.	21·1	26·4	26·4	18·5
Galway, . .	27·2	23·3	19·4	38·8	27·2	Waterford, .	7·8	21·4	17·5	15·6	15·6
Kilkenny, . .	.	63·9	4·9	14·7	20·9	Wexford, . .	4·7	18·7	18·7	23·3	16·4
Limerick, . .	13·7	20·5	26·0	32·8	23·2						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·8 in Sligo. Among the 161 deaths from all causes in Belfast are 12 from whooping-cough and one from enteric fever, and the 19 deaths in Londonderry include one from whooping-cough and one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 285—153 boys and 132 girls, and the deaths to 165—78 males and 87 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 22·7 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 21·7 per 1,000. During the nineteen weeks ending with Saturday last the death-rate averaged 24·1, and was 4·6 below the mean rate for the corresponding portions of the ten years, 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths (165) included one from measles, one from whooping-cough, 3 from enteric fever, and 3 deaths from diarrhœal diseases. In each of the 3 weeks preceding, deaths from measles were 3, one, and 0; deaths from whooping-cough were 0, 2, and one; deaths from enteric fever were 2, one, and one; and deaths from diarrhœal diseases were one, 4, and 0. Two deaths from influenza were registered.

Lobar pneumonia caused one death, broncho-pneumonia 7 deaths, and *pneumonia* (not defined) 10 deaths.

The deaths from all forms of tuberculous disease numbered 28. This figure includes 3 deaths from tuberculous phthisis, 15 deaths from *phthisis*, one death from tuberculous meningitis, and 9 deaths from other forms of the disease. In each of the 3 preceding weeks the deaths registered from all forms of the disease were 29, 32, and 51.

There were 2 deaths from carcinoma, and 3 deaths from cancer (undefined).

There were 4 deaths from diabetes, and 2 infants, prematurely born, succumbed.

The deaths of 9 persons from diseases of the brain and nervous system include those of 3 infants under one year of age from *convulsions*.

There were 22 deaths attributed to diseases of the heart and blood vessels, and bronchitis was accountable for 27 of the deaths registered.

There was one accidental death.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 9 were under one month old) and 57 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 4 were octogenarians, and 2 (a man and a woman) were stated to have been aged 92 and 97 years, respectively.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·7 per 1,000; the rate in the City was 22·4 (North City Districts, 21·4; South, 23·4), and in the Suburbs, 19·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·1 per 1,000 inhabitants, the rate for the City being 1·2 (1·7 in the North City Districts, and 0·7 in the South) and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·7 per 1,000, and include one from enteric fever, 2 from broncho-pneumonia, 2 from *phthisis*, and 2 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 21·3 per 1,000. *Diarrhœa* caused 2 deaths, *pneumonia* (undefined) caused 2 deaths, *phthisis* caused 2 deaths, and bronchitis 4 deaths.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·8 per 1,000. The deaths include one from *pneumonia* (not defined), 2 from *phthisis*, and 5 deaths from diseases of the heart and blood vessels.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 29·3 per 1,000. Amongst the deaths registered are one from enteric fever, one from influenza, 2 from broncho-pneumonia, 2 from *pneumonia* (not defined), 3 from tuberculous disease of the lungs, and 3 deaths from bronchitis,

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 41·6 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0. The 8 deaths from all causes for Coolock and Drumcondra, No. 1 (part of) include one from enteric fever and 2 from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 19·0 per 1,000, and include one death from *diarrhœa*, one death from *pneumonia* (not defined), 3 deaths from tuberculous disease, and 6 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·8 per 1,000. *Pneumonia* (not defined) caused one death, tuberculous disease 2 deaths, and bronchitis 2 deaths.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 27·4 per 1,000. The deaths included one from measles, one from influenza, one from *pneumonia* (not defined), 4 from tuberculous disease, and 4 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. There were 2 deaths from broncho-pneumonia, 4 deaths from tuberculous disease, 4 deaths from diseases of the respiratory system, and one accidental death.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000. Of 3 deaths one was due to cancer (undefined) and one was due to pernicious anæmia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·3; Pembroke, 18·0; Blackrock, 41·7; and Kingstown, 14·8. The only death from any of the principal epidemic diseases recorded for these districts was one from whooping-cough for Blackrock. The 11 deaths from all causes for Rathmines and Rathgar include one from *pneumonia* (not defined), one death from tuberculous meningitis, and 3 from diseases of the heart and blood vessels. The 9 deaths from all causes for Pembroke include 2 from bronchitis. Amongst the 7 deaths from all causes for Blackrock are one from lobar-pneumonia and one from tuberculous disease; and the 5 deaths from all causes for Kingstown include one from broncho-pneumonia and one from *pneumonia* (not defined).

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 12th May, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Apr. 21,	.	—	—	4	.	.	4	.	3	3	8	.	—	—	—	—	—	22
	Apr. 28,	.	—	—	7	.	.	3	.	.	6	3	.	—	—	—	—	—	19
	May 5,	.	—	—	4	.	.	6	.	1	1	4	.	—	—	—	—	—	16
	May 12,	.	—	—	4	.	.	7	.	1	5	13	.	—	—	—	—	—	30
Rathmines and Rathgar Urban District.	Apr. 21,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	2
	Apr. 28,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	3
	May 5,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	3
	May 12,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	3
Pembroke Urban District.	Apr. 21,	.	.	.	.	.	.	.	.	.	2	.	.	—	3	.	—	—	5
	Apr. 28,	.	.	.	.	.	.	.	.	.	.	.	.	—	6	.	—	—	6
	May 5,	.	2	.	1	.	.	.	.	1	.	.	.	—	4	.	—	—	8
	May 12,	.	1	.	1	.	.	1	.	.	1	.	.	—	1	.	—	—	5
Blackrock Urban District.	Apr. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Apr. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Apr. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Apr. 21,	.	—	—	5	.	.	2	.	5	6	4	.	—	—	—	—	—	22
	Apr. 28,	.	—	—	18	.	.	3	.	7	6	3	1	—	—	—	—	—	38
	May 5,	.	—	—	17	.	.	3	.	11	7	4	.	—	—	—	—	—	42
	May 12,	.	—	—	13	.	.	2	.	4	4	7	.	—	—	—	—	—	30

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 12th May, 1906.

From this it appears that :—

Fifteen cases of measles were admitted to hospital during the week, 10 were discharged, d 25 cases remained under treatment at its close.

Ten cases of scarlet fever were admitted to hospital, 11 were discharged, and 36* cases nained under treatment at the close of the week.

Twelve cases of diphtheria were admitted to hospital, 3 were discharged, and 33 ients remained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital, 2 were discharged, there was e death, and 24 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, were discharged, there was one death, and 28 cases remained under treatment at the l of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the e was 15·6), was equal to an average annual death-rate of 15·5 per 1,000 persons living, average rate for 8 principal towns of Scotland was 18·8 per 1,000, the rate for Glasgow ng 19·9, and for Edinburgh 18·1.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a of his Return of Infectious Diseases notified during the week ended 12th May. From this Return it ars that of a total of 36 cases notified 23 were scarlet fever, 6 erysipelas, 5 diphtheria, one membranous p, and one typhoid fever. Among the 324 cases of infectious diseases in hospital at the close of the were 145 cases of scarlet fever, 79 of measles, 43 of diphtheria, 16 of whooping-cough, 13 of erysipelas, 8 of typhoid fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 12th May, 1906, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Urban Dists.	Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 12th May, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyæria b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 12th May, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th May, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th April, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
	Total of 22 Town Districts,	1,093,959	19·2	35·9	22·4	1·2	753	470	81	151	.	1	.	.	14	1	.	4	6	36	57	24	14	87	5	11	157	20	.	.	.	.	.	.	.	.	.	.	.	.
	Dublin Registration Area:—Total, d.	878,994	27·5	39·2	21·7	1·1	285	158	26	57	.	1	.	.	1	.	.	3	3	18	17	10	5	31	1	3	67	3	f65·0	30·4	50·2	0·46	f58·7	32·7	44·3	0·65	f53·5	32·0	41·9	0·81
	City of Dublin,	298,385	37·1	41·8	22·4	1·2	235	126	24	37	.	1	.	.	.	.	.	3	3	14	17	8	4	28	1	2	58	3	g63·0 h63·9	35·0 32·0	52·4 51·0	0·46 0·70	g59·1 h57·8	34·6 33·0	46·5 45·0	0·92 0·76	g55·8 h54·9	35·7 33·0	44·2 42·9	0·79 0·72
Urban Dists.	Rathmines and Rathgar.	33,208	19·4	33·0	17·3	.	21	11	1	6	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
	Pembroke	26,025	16·4	34·1	18·0	.	17	9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
	Blackrock	8,759	8·1	11·9	41·7	6·0	2	7	1	3	.	.	.	.	1	.	.	.	.	1	.	1	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
	Kingstown,	17,622	12·1	29·6	14·8	.	10	5	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	66	36·5	50·4	0·27	61	35·5	46·4	0·69	54·0	36·0	44·1	0·81
	Urban Districts.																																							
	Belfast,	358,680	24·4	35·8	23·4	1·9	246	161	33	41	.	.	.	.	12	.	.	1	.	10	21	8	3	27	2	6	43	2	64·1	35·0	48·1	0·59	55·0	33·0	48·2	1·73	53·5	35·8	43·8	0·88
	Cork,	76,122	33·6	32·9	14·0	0·7	48	35	6	15	.	.	.	.	.	.	.	.	1	1	5	.	2	10	1	1	12	2	60	38	49·9	0·34	55	35	46·2	1·24	55	38	45·5	0·23
	Londonderry,	42,067	19·4	39·7	23·6	2·5	32	19	.	5	.	.	.	.	1	1	.	.	.	1	1	2	3	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	Limerick,	38,151	18·1	26·0	32·8	1·4	19	24	5	5	.	.	.	.	.	.	.	.	1	2	5	1	.	2	.	.	9	4	.	.	.	.	.	.	.	.	.	.	.	.
	Waterford,	26,769	18·7	28·4	15·6	.	12	8	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.
	Galway,	18,426	2·5	27·2	38·8	.	7	10	1	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	4	4	60	43	53	0·62	58	34	45·5	1·41	58	36	45	0·32
	Dundalk,	13,076	3·4	27·9	4·0	.	7	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Drogheda,	12,760	8·6	40·9	20·4	.	10	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
	Newry,	12,405	17·8	25·2	16·8	.	6	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	64·0	33·2	50·2	0·38	54·6	33·0	44·7	1·54	53·1	33·0	42·6	0·87
	Lurgan,	11,782	13·8	44·8	17·7	.	10	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	64·0	33·2	50·2	0·38	54·6	33·0	44·7	1·54	53·1	33·0	42·6	0·87
	Lisburn,	11,461	10·1	40·9	18·6	.	9	3	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	64·0	33·2	50·2	0·38	54·6	33·0	44·7	1·54	53·1	33·0	42·6	0·87
	Wexford,	11,168	23·2	32·7	28·3	.	7	5	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
	Ballymena,	10,886	8·9	67·1	4·8	.	14	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Sligo,	10,870	8·7	9·6	33·6	4·8	2	7	1	2	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	.	1	3	63·8	30·8	49·9	0·18	56·5	34·0	49·5	0·99	51·2	34·3	43·4	1·28
	Kilkenny,	10,609	11·5	29·5	14·7	.	6	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	61	32	43·5	0·22	57	32	40·9	0·90	52	32	44·3	0·47
	Clonmel,	10,167	7·8	10·8	29·5	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
	Portadown,	10,092	13·2	46·5	5·2	.	9	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·0	33·2	50·2	0·38	54·6	33·0	44·7	1·54	53·1	33·0	42·6	0·87
	Tralee,	9,867	16·6	16·4	26·4	.	5	5	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	Newtownards,	9,110	18·9	34·3	45·8	.	6	8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	1	.	60	39	47·7	0·44	54	33	43·3	1·09	52	36	41·8	0·62
	Queenstown,	7,909	14·4	33·0	13·2	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	60	38	49·9	0·34	55	35	46·2	1·24	55	38	45·5	0·23
	Armagh,	7,588	22·2	41·2	6·9	.	6	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	64·0	33·2	50·2	0·38	54·6	33·0	44·7	1·54	53·1	33·0	42·6	0·87

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 7 deaths of persons (including one under 1 year old), admitted to hospital from localities outside the Area. e [illegible] in several cases, thus the readings at Donaghadee have been adopted [illegible] the readings at the nearest stations from which Returns are received have been adopted. Oneglaven. f Observations at Ordnance Survey Office, Phœnix Park. g Observations at Sir John Moore taken at Fitzwilliam Square. h Observations by Sir [illegible]

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 12th of May, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	3	.
Diarrhœal Diseases,	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Pneumonia,	2	2	1	4	.	.	.	1	1	1	2	.	1	.	1	2	18	.
Tuberculous Disease. Phthisis,	2	2	2	3	.	.	.	.	.	5	3	.	.	.	.	.	17	1
Tuberculous Disease. Other Forms.	.	.	.	.	.	.	.	3	2	2	1	.	1	.	1	.	10	.
Cancer, Malignant Disease,	.	.	1	.	.	2	.	.	.	.	.	1	1	.	.	.	5	.
Other General Diseases	.	1	.	2	.	2	.	2	.	1	3	1	1	1	1	.	15	3
Total,	5	7	4	10	.	5	.	7	3	10	9	2	4	1	4	2	73	4
B. LOCAL DISEASES:																		
Diseases of Nervous System	.	2	1	1	.	.	.	.	.	4	.	.	.	1	.	.	9	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	.	2	5	1	.	1	.	1	2	2	1	.	3	1	1	2	22	.
Diseases of Respiratory System,	2	4	1	3	.	2	.	6	2	4	4	.	.	2	1	.	31	.
Diseases of Digestive System,	.	1	.	.	.	.	.	.	.	.	1	.	1	1	1	1	6	1
Diseases of Lymphatic System, &c.,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Urinary System,	.	.	.	1	.	.	.	.	.	1	.	.	2	3	.	.	7	1
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Total,	2	9	7	7	.	3	.	7	4	11	6	1	7	8	3	3	78	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	1	1	.	.	.	.	1	1	1	.	.	.	.	.	6	1
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Deaths from all Causes,	8	16	13	18	.	8	.	14	8	22	17	3	11	9	7	5	158	7
Annual Rate of Mortality from all causes in every 1,000 of the population	14·7	21·3	20·8	29·6	.	41·6	.	19·0	22·8	27·4	25·2	17·6	17·3	18·0	41·7	14·8	21·7	.
	21·4							23·4					19·5					
	22·4																	
Deaths of Infants under 1 year of age,	1	4	.	5	.	.	.	5	1	3	4	1	1	.	1	.	26	1
Deaths of Persons aged 60 years and upwards,	3	4	7	5	.	5	.	2	3	5	3	.	6	8	3	3	57	.
Number of Uncertified Deaths,	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	5	1	7	.	3	.	3	.	4	4	1	3	3	2	.	38	6
Workhouse Hospitals,	1	3	4	6	.	.	.	6	2	5	1	.	.	1	.	.	29	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis
week of the ten years, 1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 19th Week of the 10 years 1896–1905.	In the Week ending Satur 12th May, 1906. Deaths of Persons of the A					
	May 9, 1896.	May 15, 1897.	May 14, 1898.	May 13, 1899.	May 12, 1900.	May 11, 1901.	May 10, 1902.	May 16, 1903.	May 14, 1904.	May 13, 1905.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.		
Mean Temperature.	49·0°	46·6°	48·3°	45·8°	48·7°	46·3°	43·3°	48·1°	49·7°	49·9°	47·6°	50·2°					
ALL CAUSES.	147	190	151	179	179	189	173	175	173	181	173·7	165	9	18	9	10	23
Small-pox, ...	.	.	.	.	.	.	.	4	.	.	·4	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	6	.	.	.	1	6	5	2	4	2·4	1	.	1	.	.	.
Scarlet Fever, ...	3	3	1	2	.	2	.	1	1	.	1·3	.	.	.	.	.	.
Typhus, ...	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	2	3	9	5	5	2	7	2	2	4·0	2	.	.	.	.	.
Whooping-cough, ...	.	6	3	2	1	7	.	3	10	.	3·2	1	.	.	1	.	.
Diphtheria, ...	1	1	1	1	.	1	2	.	1	1	·9	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.
Pyrexia† (origin uncertain),	1	.	.	.	.	1	.	.	1	.	·3	.	.	.	.	.	.
Enteric Fever, ...	5	2	2	2	1	1	2	1	2	1	1·9	3	.	.	.	.	2
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	2	1	.	.	3	3	.	.	.	.	1·6	.	.	.	.	.	.
Diarrhœa, Dysentery,							2	2	.	3		3	.	2	1	.	.
Tetanus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	6	.	1	2	2	2	1	1	1·5	2	1	.	1	.	.
Puerperal Septicæmia,	.	.	.	.	.	.	.	1	2	.	·3	.	.	.	.	.	.
Puerperal Pyæmia,								.	.	.		.	.	.	.	.	.
Puerperal Fever, ...								.	.	.		1	.	.	.	.	1
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	11	10	9	7	14	13	.	2	1	1	10·9	1	.	.	.	.	.
Pneumonia, Broncho-							.	7	1	6		7	.	2	1	1	.
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.
Pneumonia, Not defined,							9	4	6	8		10	.	1	.	1	1
Erysipelas, ...	1	.	.	.	.	1	.	.	1	2	·5	1	.	.	.	.	.
Septicæmia (not Puerperal)	.	.	.	.	.	1	1	.	.	.	·4	.	.	.	.	.	.
Pyæmia (not Puerperal),							.	1	.	1		1	.	.	.	.	1
Other Infective Conditions,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.
Tuberculous Phthisis,	19	20	19	21	32	25	3	4	6	6	22·1	3	.	.	.	1	2
"*Phthisis*," ...							20	20	13	13		15	.	.	.	1	6
Tuberculous Meningitis, ...	3	9	6	4	11	7	3	.	3	4	5·0	1	.	.	.	1	.
Tuberculous Peritonitis,	2	6	2	2	8	8	2	1	2	.	3·5	.	.	.	.	.	.
Tabes Mesenterica, ...							.	.	1	1		.	.	.	.	.	.
Tuberculous Dis. (other),	7	7	2	6	7	3	4	3	7	8	5·5	9	.	2	2	2	1
Scrofula, ...							.	1	.	.		.	.	.	.	.	.
Alcoholism, ...	1	1	.	.	1	.	.	1	1	1	·6	1	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma, ...	5	3	4	9	6	4	.	3	5	2	6·8	2	.	.	.	.	.
Sarcoma, ...							.	.	1	.		.	.	.	.	.	.
Cancer (undefined),							8	6	6	6		3	.	.	.	.	2
Diabetes Mellitus, ...	.	.	.	.	.	.	.	.	.	2	·2	4	.	.	.	.	.
Premature Birth, ...	3	3	6	5	1	4	9	4	5	2	4·2	2	2	.	.	.	.

* The figures for the years 1896–190
† Formerly des

NINETEENTH WEEK ending Saturday, 12th May, 1906, with the deaths from each cause in the corresponding the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: May 9, 1896.	May 15, 1897.	May 14, 1898.	May 13, 1899.	May 12, 1900.	May 11, 1901.	May 10, 1902.	May 16, 1903.	May 14, 1904.	May 13, 1905.	Averages in 19th Week of the 10 years 1896-1905.	In the Week ending Saturday, 12th May, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 49·0	° 46·6	° 48·8	° 45·8	° 48·7	° 46·3	° 43·3	° 48·1	° 49·7	° 49·9	° 47·6	° 50·2								
eningitis (not tuberc.) ...							4	1	2	3		1	.	.	1	.	.	.	.	.
sanity, G. P. of Insane ...							1	4	.	.		1	.	.	.	.	.	.	1	.
pilepsy							1	.	3	1		1	.	.	.	.	.	1	.	.
nvulsions							7	9	8	2		3	1	2	.	.	.	.	.	.
comotor Ataxy ...							.	.	1	1		.	.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...							.	1	.	4		1	.	.	.	.	.	1	.	.
rvous System (other Dis.)	35	42	37	35	31	36	5	1	1	4	36·7	2	.	.	.	1	.	.	1	.
lv. Dis., Endocarditis ...							5	5	4	8		5	.	.	.	1	1	2	1	.
rebr. Hæm. Thromb. ...							3	1	1	2		1	.	.	.	.	.	.	.	1
oplexy, *Hemiplegia* ...							3	5	5	3		5	.	.	.	.	.	1	4	.
eurysm							.	.	.	.		.	.	.	.	.	.	.	.	.
nbolism, Thromb. (not erebral)							.	.	.	.		.	.	.	.	.	.	.	.	.
art and Blood Vessel Dis.							8	11	7	16		11	.	.	.	.	.	2	9	.
oup (not Spasm. nor Memb.)	.	1	1	.	3	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
onchitis	9	15	16	27	13	21	18	21	20	22	18·2	27	2	5	1	.	.	4	14	1
thma, Emphysema ...	4	4	.	2	4	5	.	1	.	1	2·6	1	.	.	.	.	.	1	.	.
eurisy							.	.	.	.		2	.	.	.	.	.	2	.	.
spiratory Dis. (other) ...							2	.	1	2		1	.	.	.	.	.	.	.	1
nsillitis, Quinsy ...	1	1	1	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
teritis (not Epid.) ...	1	.	.	.	2	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
stro *Enteritis*							.	1	.	.		.	.	.	.	.	.	.	.	.
itonitis (not Puerp.) ...	.	1	1	2	1	1	.	.	.	.	·6	1	.	.	.	1	.	.	.	.
rhosis of Liver ...	5	2	3	4	.	3	1	.	1	4	3·3	.	.	.	.	.	.	.	.	.
er Dis. (other) ...							2	3	3	2		1	.	.	.	.	.	.	.	1
gestive Dis. (other) ...	2	2	2	8	5	1	3	7	5	6	4·1	5	1	.	.	.	3	1	.	.
phritis, Acute ...							4	2	1	2		1	.	.	.	.	1	.	.	.
ght's Dis., Albuminuria	5	7	5	5	5	6	1	2	2	3	5·4	6	.	.	.	.	.	3	3	.
inary Sys. (Other Dis.)							.	3	1	.		1	.	.	.	.	.	.	1	.
nerative Organs Dis. ...	.	.	1	.	.	.	.	.	1	1	·3	1	.	.	.	.	.	.	1	.
ildbirth (Accid. of) ...	.	.	1	.	.	.	2	.	.	.	·3	.	.	.	.	.	.	.	.	.
Age	5	9	9	7	13	15	6	5	10	5	8·4	3	.	.	.	.	.	.	1	2
ner Diseases	11	16	5	12	5	10	16	6	12	10	10·3	10	2	3	1	.	2	2	.	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	4	.	1	1	.	1	.	1	.	·8	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	.	1	.	3	1	1	.	.	1	2	·9	.	.	.	.	.	.	.	.	.
Drowning	.	3	2	.	1	1	2	.	.	1	1·0	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous apours	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ner Deaths by Accidents	.	2	1	1	1	.	1	.	.	1	·7	1	.	.	.	.	1	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
nicide	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
cide	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
cution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.
ple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1905-6—Week ending																										
	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.
No. of weeks in Annual Series.	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Births registered,	205	177	198	191	238	199	184	245	192	183	220	283	202	188	169	252	214	189	211	230	207	181	202	199	250	285
*Average Births in corresponding week of previous 10 years,**	199	181	190	195	183	160	182	210	206	199	200	221	215	205	217	213	208	219	206	236	177	200	216	204	244	227
Deaths registered,	158	173	157	168	148	171	139	168	166	154	160	187	151	149	185	183	187	173	193	198	159	174	215	174	191	165
Annual Death-rate per 1,000,	21·7	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7
*Average Deaths in corresponding week of previous 10 years,**	186	191	197	185	187	189	199	219	214	211	202	212	209	209	221	233	221	212	211	218	201	198	183	18	183	174
Ages, Under 5 years,	48	52	42	49	47	48	27	28	52	39	37	46	35	32	43	46	43	55	43	67	37	34	45	37	30	36
5—20 ,,	10	9	13	10	18	9	7	17	17	11	13	16	8	9	8	14	8	15	15	17	13	13	15	12	16	10
20—40 ,,	31	18	22	31	13	30	21	34	25	18	21	18	21	15	38	39	34	19	22	26	28	23	27	32	39	23
40—60 ,,	32	36	34	35	32	45	41	48	37	45	37	42	42	46	43	34	43	35	40	33	34	47	49	42	47	39
60—80 ,,	35	50	35	37	34	37	37	35	28	34	43	52	39	39	44	49	49	41	53	45	40	47	70	40	55	51
80 years and upwards,	7	8	11	6	9	7	6	6	7	7	9	13	6	8	7	7	10	8	11	10	7	10	9	11	4	6
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	1	.	1
Scarlet Fever	1	1	.	1	.	1	.	.	2	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	3	1	2	2	1	1	2	3	1	1	2	.	.	1	4	1	2	.	2	2	3	.	2	1	1
Diphtheria,	1	.	.	1	1	.	2	2	2	.	1	1	.	.	1	.	2	2	1	3	.	.	.	2	.	.
Pyrexia † (origin uncertain),	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	2	2	1	4	3	3	.	.	.	1	.	.	1	1	.	3	.	3	.	1	2	1	1	3
Diarrhœal Diseases,	2	3	5	2	1	1	2	1	1	1	3	1	.	1	2	1	3	3	5	2	1	1	1	4	.	3
Pneumonia,	14	15	10	10	8	11	11	12	15	12	16	19	6	11	13	16	18	10	13	10	8	22	26	17	21	18
Tuberculous Phthisis,	26	20	18	24	9	27	19	21	14	23	21	29	18	23	29	32	30	23	32	25	23	27	18	22	36	18
Disease. Other Forms,	12	7	10	4	15	4	1	12	16	5	6	9	15	10	12	18	9	12	11	15	15	8	11	10	15	10
Cancer, Malignant Disease,	5	10	8	6	11	5	6	7	5	12	6	8	14	6	13	6	6	6	11	4	4	9	13	10	6	5
Diseases of Heart and Blood Vessels,	28	24	25	26	21	26	30	28	21	24	33	31	23	27	21	25	31	29	31	33	27	29	45	27	22	22
Diseases of Respiratory System,	26	34	33	22	16	25	20	26	28	22	18	27	26	27	32	28	28	21	34	27	23	29	43	23	36	31
Violent Deaths,	3	3	3	2	2	4	6	4	3	7	8	5	5	.	4	10	1	2	4	5	2	3	4	2	3	1
Number of Uncertified Deaths,	7	9	4	5	9	8	6	4	5	6	6	11	7	6	8	4	6	7	6	12	9	7	6	5	5	3
Mean Temperature of the Air (Phœnix Park),	38·0	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2
Average Mean Temperature in corresponding week of previous 10 years	44·5	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6
Rainfall in inches,	1·485	·820	·645	·128	·035	·285	·770	·860	·855	1·605	·230	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130	·810	·650	·455
Mean Humidity of the Air, saturation, 1·0	·88	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·88	·81	·83	·85	·83

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

in the Dublin Registration Area of Ages, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH MAY, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia)	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	875,850	22·9	165	36	10	23	39	51	6	.	1	.	.	1	.	.	3	3	8	18	18	10	5	3	31	1	71	3
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class,	17,486	23·9	8	.	.	2	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	6	.
II.	Middle Class,	87,188	19·1	32	5	2	6	7	9	3	.	.	.	.	1	.	.	1	.	2	5	3	.	1	.	3	.	18	.
III.	Artisan Class and Petty Shopkeepers,	110,428	16·5	35	8	4	6	7	9	1	.	.	.	.	.	.	.	.	.	.	6	5	5	.	2	2	1	14	1
IV.	General Service Class,	154,279	29·3	60	18	3	8	17	13	1	.	1	.	.	.	.	.	2	3	6	6	7	3	3	1	11	.	23	2
V.	Inmates of Workhouses,	6,024		30	5	1	1	7	16	.	.	.	.	.	.	.	.	.	.	.	1	3	2	1	.	13	.	10	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	53·5	8	.	.	2	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	6	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	23·7	10	2	1	2	1	4	.	.	.	.	.	1	.	.	.	.	1	2	.	.	.	.	1	.	6	.
	6. Clerks and Commercial Assistants,	30,432	18·7	8	2	1	1	3	.	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	23·2	12	1	.	2	2	5	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	7	.
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
	9. Building and Furnishing Trades,	29,801	21·0	12	3	3	1	4	1	.	.	.	.	.	.	.	.	.	.	.	2	1	4	.	.	.	.	5	.
	10. Clothing Trades,	23,260	15·7	7	.	1	1	1	3	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	3	.
	11. Food Supply Trades,	9,242	11·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,852	17·2	10	2	.	3	1	4	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	1	1	3	.
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	11·7	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.
	15. Domestic Servants,	36,603	12·8	9	2	.	4	1	2	.	.	.	.	.	.	.	.	1	2	3	.	2	.	.	.	1	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	25·4	7	.	1	.	3	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	4	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	24·8	41	16	2	4	13	5	1	.	1	.	.	.	.	.	1	1	3	4	5	2	2	1	9	.	15	2
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates,	6,024	.	30	5	1	1	7	16	.	.	.	.	.	.	.	.	.	.	.	1	3	2	1	.	13	.	10	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents o RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (part of).																				
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	Mar. 24,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	3	.	1	2	.	2
	„ 31,	25·8	.	14	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	2
	April 7,	33·1	.	18	.	.	.	.	.	.	.	.	.	2	3	3	.	2	1	3
	„ 14,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	3	1	.	1	3	1	1
	„ 21,	22·4	.	16	.	.	.	.	.	.	.	.	.	.	4	2	.	2	.	3
	„ 28,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	2	1	1	2	1	.	1
	May 5,	27·6	.	15	.	.	.	.	.	.	.	.	.	3	3	2	1	2	.	.
	„ 12,	14·7	1·8	8	.	.	.	.	.	.	.	1	.	2	2	.	.	2	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 32,146.	Mar. 24,	30·6	1·3	23	.	.	.	.	.	.	.	.	1	2	5	.	.	8	.	1
	„ 31,	26·6	1·3	20	.	.	.	.	.	.	.	.	1	1	4	1	.	3	.	2
	April 7,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2
	„ 14,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	5	1	2	3	1	.
	„ 21,	26·6	1·3	20	.	.	.	.	.	.	.	1	.	3	1	.	.	6	.	1
	„ 28,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	2	2	.	1	4	.	1
	May 5,	33·3	.	25	.	.	.	.	.	.	.	.	.	2	4	4	2	4	.	2
	„ 12,	21·3	2·7	16	.	.	.	.	.	.	.	.	2	2	2	.	.	4	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Mar. 24,	48·5	.	28	.	.	.	.	.	.	.	.	.	.	5	1	.	4	1	.
	„ 31,	31·2	.	18	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	2
	April 7,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	2
	„ 14,	36·4	1·7	21	.	.	.	.	.	.	.	1	.	4	3	1	1	3	1	1
	„ 21,	32·9	.	19	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	1
	„ 28,	32·9	1·7	19	.	.	.	.	.	.	.	.	1	1	3	.	.	2	1	1
	May 5,	38·1	.	22	.	.	.	.	.	.	.	.	.	3	1	2	.	6	1	.
	„ 12,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Mar. 24,	24·7	.	15	.	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.
	„ 31,	13·2	3·3	8	.	.	.	.	.	1	.	1	.	.	.	2	.	.	1	.
	April 7,	19·8	1·6	12	.	.	.	.	1	.	.	.	.	.	1	.	1	4	.	.
	„ 14,	32·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	.	5	.	1
	„ 21,	28·0	.	17	.	.	.	.	.	.	.	.	.	4	.	1	.	3	1	.
	„ 28,	23·0	1·6	14	.	.	.	.	.	.	.	1	.	2	2	2	.	1	.	1
	May 5,	36·2	1·6	22	.	.	.	.	1	.	.	.	.	1	6	1	.	3	.	1
	„ 12,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	4	3	.	.	3	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	Mar. 24,	24·5	1·4	18	.	.	.	.	.	.	.	.	1	3	3	.	2	4	.	.
	„ 31,	38·0	5·4	28	.	.	.	.	1	1	.	1	1	2	2	1	1	4	.	.
	April 7,	27·2	1·4	20	.	1	.	.	.	.	.	.	.	2	7	2	.	3	.	1
	„ 14,	27·2	.	20	.	.	.	.	.	.	.	.	.	2	2	.	1	4	.	2
	„ 21,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	3	3	1	2	4	.	1
	„ 28,	25·8	2·7	19	.	.	.	.	1	.	.	.	1	2	4	1	.	2	1	.
	May 5,	19·0	.	14	.	.	.	.	.	.	.	.	.	1	3	1	.	1	1	.
	„ 12,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	3	.	3	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Mar. 24,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	1
	„ 31,	37·1	.	13	.	.	.	.	.	.	.	.	.	.	1	.	1	4	1	.
	April 7,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 14,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	3	2	.	3	.	.
	„ 21,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	„ 28,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	3	2	.	2	.	.
	May 5,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 12,	22·8	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	2	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Mar 24,	27·4	1·2	22	.	.	.	.	.	.	.	.	1	.	2	5	1	5	.	2
	„ 31,	29·8	.	24	.	.	.	.	.	.	.	.	.	2	1	3	.	3	.	1
	April 7,	24·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	1	2	.	.
	„ 14,	17·4	3·7	14	.	1	.	.	2	.	.	.	.	5	1	.	.	2	.	.
	„ 21,	36·1	1·2	29	.	1	.	.	.	.	.	.	.	4	2	.	3	7	.	.
	„ 28,	32·3	1·2	26	.	.	.	.	.	1	.	.	.	1	3	1	1	6	.	1
	May 5,	24·9	.	20	.	.	.	.	.	.	.	.	.	5	3	.	.	4	.	.
	„ 12,	27·4	1·2	22	.	1	.	.	.	.	.	.	.	1	5	2	.	4	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Mar. 24,	26·7	.	18	.	.	.	.	.	.	.	.	.	2	4	1	2	3	.	.
	„ 31,	29·7	1·5	20	.	.	.	.	1	.	.	.	.	1	6	4	1	5	.	.
	April 7,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.
	„ 14,	10·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.
	„ 21,	35·6	.	24	.	.	.	.	.	.	.	.	.	3	3	1	.	8	.	.
	„ 28,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	1	1	.	1	2	.	.
	May 5,	32·6	.	22	.	.	.	.	.	.	.	.	.	1	4	1	1	8	1	.
	„ 12,	25·2	.	17	.	.	.	.	.	.	.	.	.	2	3	1	.	4	1	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,208.	Mar. 24,	17·3	1·6	11	.	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.
	„ 31,	20·4	1·6	13	.	.	.	.	.	.	.	1	.	1	4	.	.	1	.	.
	April 7,	22·0	1·6	14	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	1
	„ 14,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	1	3	.	.	1	.	1
	„ 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	1	1	1	1	1	1	.
	„ 28,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.
	May 5,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	2	.	1	3	.	1
	„ 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Mar. 24,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	„ 31,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	April 7,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 14,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.
	„ 21,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	.
	„ 28,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.
	May 5,	22·0	2·0	11	.	.	.	.	.	.	.	1	.	2	3	1	.	1	.	.
	„ 12,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Mar. 24,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.
	„ 31,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	4
	April 7,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 14,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	„ 21,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.
	„ 28,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	May 5,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Belfast. Pop. in 1906 (Est.) 358,680.	Mar. 24,	22·1	1·7	152	.	.	.	.	5	2	.	3	2	10	17	6	4	24	.	3
	„ 31,	29·2	3·9	201	.	.	2	.	21	1	1	1	1	18	28	12	10	28	2	3
	April 7,	24·6	3·2	169	.	1	1	.	13	1	.	5	2	19	24	11	4	21	7	1
	„ 14,	24·1	2·5	166	.	.	.	.	13	.	.	4	.	19	26	7	3	34	4	1
	„ 21,	24·9	3·5	171	.	.	.	.	21	.	.	2	1	15	18	8	2	36	3	3
	„ 28,	22·1	2·9	152	.	.	.	.	18	.	.	.	2	16	19	12	4	27	4	5
	May 5,	26·0	3·3	179	.	.	1	.	20	.	1	.	1	16	29	10	4	30	4	2
	„ 12,	23·4	1·9	161	.	.	.	.	12	.	.	1	.	10	21	8	3	27	2	2
Cork. Pop. (in 1901) 76,122.	Mar. 24,	26·0	0·7	38	.	.	.	.	.	.	.	.	1	1	5	4	1	8	.	4
	„ 31,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	1	9	.	1	6	.	3
	April 7,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	5	2	1	1	.	1
	„ 14,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	9	2	.	3	.	1
	„ 21,	18·5	1·4	27	.	.	.	.	.	.	.	.	2	.	1	3	1	8	.	2
	„ 28,	26·0	0·7	33	.	.	.	.	.	.	.	.	1	3	7	3	5	6	.	2
	May 5,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	7	2	.	2	.	2
	„ 12,	24·0	0·7	35	.	.	.	.	.	.	.	.	1	1	5	.	2	10	1	2
Londonderry. Pop. in 1906 (Est.) 42,067.	Mar. 24,	9·9	1·2	8	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	1
	„ 31,	26·0	2·5	21	.	.	.	.	2	.	.	.	.	2	2	.	1	4	1	.
	April 7,	17·4	2·5	14	.	.	.	.	1	.	.	1	.	.	3	3	.	3	.	.
	„ 14,	17·4	1·2	14	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1
	„ 21,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 28,	18·6	3·7	15	.	3	.	.	.	.	.	.	.	1	.	1	.	2	1	1
	May 5,	19·8	2·5	16	.	1	.	.	.	.	.	.	1	2	.	2	.	2	.	2
	„ 12,	23·6	2·5	19	.	.	.	.	1	1	.	.	.	1	1	2	3	4	.	.
Limerick. Pop. (in 1901) 38,151.	Mar. 24,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.	1
	„ 31,	31·4	1·4	23	.	.	.	.	.	.	.	.	1	.	3	1	.	3	.	5
	April 7,	31·4	.	23	.	.	.	.	.	.	.	.	.	3	5	3	1	4	.	1
	„ 14,	28·7	.	21	.	.	.	.	.	.	.	.	.	5	3	.	.	5	.	3
	„ 21,	13·7	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	.	3	.	2
	„ 28,	20·5	.	15	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	1
	May 5,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	2	1	.	6	.	1
	„ 12,	32·8	1·4	24	.	.	.	.	.	.	.	.	1	2	5	1	.	2	.	4
Waterford. Pop. (in 1901) 26,769.	Mar. 24,	31·2	.	16	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	2
	„ 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	1
	April 7,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.	1	2	2	1
	„ 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 21,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 28,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	2
	May 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1
	„ 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th May, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,	14,734	6	14·2	3·5	4	2	.	2	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	2	.
Do. 2 ,,	47,959	29	20·7	2·2	19	3	2	8	6	.	.	.	.	2	.	.	.	.	1	2	1	.	2	.	.	4	.
Do. 3 ,,	47,214	32	28·7	4·4	26	8	3	10	5	.	.	.	.	3	.	.	1	.	2	3	.	1	3	1	2	6	1
Do. 4 ,,	40,911	39	33·1	1·3	26	7	2	11	6	.	.	.	.	1	.	.	.	.	2	1	1	1	4	.	1	7	1
Do. 5 ,,	17,887	4	24·0	..	8	2	1	3	2	.	.	.	.	.	.	.	.	.	1	2	2	.	2	.	1	4	.
Do. 6 ,,	48,122	26	23·8	.	22	4	1	10	7	.	.	.	.	.	.	.	.	.	1	4	1	.	3	.	1	7	.
Do. 7 ,,	1,524	1	—	.	2	.	..	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 8 ,,	5,060	2	20·6	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 9 ,,	19,569	12	16·0	.	6	.	.	5	1	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	2	.
Do. 10 ,,	28,064	26	36·2	4·5	16	2	2	6	6	.	.	.	.	2	.	.	.	.	2	1	1	.	4	.	.	2	.
Do. 11 ,,	34,802	28	19·5	4·5	18	3	5	3	2	.	.	.	.	3	.	.	.	.	.	2	1	.	2	.	.	4	.
Do. 12 ,,	33,588	26	20·2	.	13	3	3	4	3	.	.	.	.	.	.	.	.	.	.	1	.	.	4	1	1	3	.
Do. 13 ,,	15,006	15	13·9	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	.
Do. 14 ,,	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	246	24·0	1·9	161	35	19	66	41	.	.	.	.	12	.	.	1	.	10	21	8	3	27	2	6	43	2
City of Cork.																											
CORK URBAN No. 1 DISTRICT,	12,867	7	16·2	.	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.
Do. 2 ,,	10,701	11	9·7	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 3 ,,	9,978	11	20·9	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
Do. 4 ,,	8,666	4	36·1	6·0	6	1	1	2	2	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	4	.
Do. 5 ,,	6,592	.	31·6	.	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	1	.
Do. 6 ,,	10,702	8	24·4	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 7 ,,	16,616	7	31·4	.	10	3	2	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	3	1	1	3	1
Total,	76,122	48	24·0	0·7	35	6	3	11	15	.	.	.	.	.	.	.	.	1	1	5	.	2	10	1	1	12	2

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905–6—Week ending																										
	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24	Mar. 31.	Apr. 7.	Apr. 14	Apr. 21.	Apr. 28.	May 5.	May 12.
No. of weeks in Annual Series,	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered,	199	200	205	199	194	158	189	224	198	196	236	231	189	246	214	246	229	220	221	248	240	212	232	282	238	246
DEATHS registered.	150	138	140	148	136	146	124	147	138	135	160	139	146	179	174	166	155	191	152	201	169	166	171	152	179	161
Annual Death-rate per 1,000 of estimated Population,	21·8	20·1	20·4	21·5	18·3	21·2	18·0	21·4	19·8	19·6	23·3	20·2	21·2	26·0	25·3	24·1	22·5	27·8	22·1	29·2	24·6	24·1	24·9	22·1	26·0	23·4
AGES — Under 1 year,	38	28	27	21	23	31	26	34	21	30	31	24	29	31	43	26	31	32	37	46	35	33	39	30	29	35
AGES — 1–5 years,	15	19	11	18	15	18	19	16	15	16	22	11	11	14	20	17	22	23	16	30	28	26	24	24	20	19
AGES — 5–60 years,	60	65	64	72	58	69	56	61	60	62	71	61	71	87	74	85	59	84	57	89	81	75	66	67	85	66
AGES — 60 years and upwards,	37	26	38	37	30	28	23	36	37	27	36	43	35	47	37	38	43	52	42	36	25	30	42	31	45	41
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.
Scarlet Fever,	1	1	1	.	2	3	.	.	.	2	1	1	.	.	1	1	1	1	.	2	1	.	.	.	1	.
Typhus,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	1	3	1	.	1	2	1	3	1	2	6	7	9	5	9	5	21	12	13	21	18	20	12
Diphtheria,	1	.	1	.	.	1	.	1	1	.	.	.	.	2	3	2	.	1	2	1	1	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1	1	.	1	.	.	.	.	1	.
Enteric Fever,	3	3	4	3	1	2	2	2	3	1	2	2	6	.	2	2	6	6	3	1	5	4	2	.	.	1
Diarrhœal Diseases,	1	2	.	2	.	2	1	3	2	2	3	2	1	3	2	1	.	1	2	1	2	.	1	2	1	.
Pneumonia,	14	18	15	18	14	18	14	15	12	8	11	10	8	19	17	13	16	23	10	18	19	19	15	16	16	10
Tuberculous Disease, — Phthisis,	22	16	26	17	17	21	17	15	17	17	22	16	23	2[illegible]	23	33	15	26	17	28	24	26	18	19	29	21
Tuberculous Disease, — Other Forms,	—	—	—	—	—	—	—	10	4	3	8	7	6	7	7	6	10	5	6	12	11	7	8	12	10	8
Cancer, Malignant Disease,	—	—	—	—	—	—	—	3	5	5	7	5	4	5	6	5	1	6	4	10	4	3	2	4	4	3
Diseases of Respiratory System,	31	28	29	34	23	31	23	20	19	12	20	26	23	2[illegible]	24	34	33	36	24	28	21	34	36	27	30	27
Violent Deaths,	4	9	3	3	2	4	5	6	1	4	1	3	1	6	4	2	6	1	.	2	7	4	3	4	4	2
Number of Uncertified Deaths,	—	—	—	—	—	—	—	6	2	4	4	3	3	5	3	5	2	4	3	3	1	1	3	5	2	2

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the seven weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	May 12,	2,497	1,417	15·6	.	75	11	10	26	5	16
EDINBURGH,	341,035	„ 12,	174	118	18·1	.	8	2	2	2	.	1
GLASGOW,	835,625	„ 12,	479	318	19·9	.	9	.	3	12	1	9
CALCUTTA,	910,117	Mar. 24,	.	977	59·9	276	10	.	.	.	137‡	115*
BOMBAY,	776,006	April 10,	420	1,842	123·4	23	69	.	.	.	106‡	156*
MADRAS,	509,316	Mar. 23,	307	502	51·2	40	25	?	?	?	101‡	103
PARIS,	2,750,000	April 11,	.	.	.	.	.	.	.	.	.	.
BRUSSELS (with 8 Faubourgs).	612,401	„ 21,	213	196	16·7	.	4	.	.	1	2	12
ANTWERP,	304,975	„ 21,	129	94	16·1	.	3	.	.	.	.	11
AMSTERDAM,	560,249	„ 21,	270	172	16·0	.	4	1	3†	2	1	6
COPENHAGEN,	425,000	„ 21,	252	160	19·6	.	6	.	3†	4	.	9
STOCKHOLM,	324,488	„ 14,	154	103	16·5	.	.	1	1†	3	.	1
CHRISTIANIA,	222,373	„ 28,	100	54	12·6	.	.	1	.	.	.	.
ST. PETERSBURG,	1,424,700	„ 21,	997	807	29·4	1	29	9	20	7	19	100
MOSCOW,	1,092,360	Mar. 24,	.	595	28·4	1	5	10	5†	3	9	68
BERLIN,	2,051,932	April 7,	919	612	15·6	.	16	6	7†	3	.	23
HAMBURG,	803,050	„ 14,	.	267	17·3	.	1	.	1†	10	.	10
BRESLAU,	474,080	„ 28,	.	200	22·0	.	.	.	2†	.	.	23
MUNICH,	540,000	„ 28,	.	183	17·6	.	3	.	1†	1	.	24
VIENNA (with suburbs).	1,937,869	„ 28,	961	774	20·8	.	23	6	10†	6	2	43
BUDA-PESTH,	859,134	„ 28,	399	318	21·1	.	7	8	6†	4	.	21
PRAGUE and Faubourgs.	455,241	„ 21,	201	187	21·4	.	3	.	.	.	2	13
TRIESTE,	196,637	„ 14,	109	138	36·6	.	2	.	1†	.	1	.
ROME,	523,170	Mar. 3,	290	216	21·4	.	9	.	3	.	.	9
VENICE,	171,709	„ 3,	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	April 14,	2,092	1,620	20·3	.	47	20	35†	6	11	37
PHILADELPHIA,	1,469,126	„ 7,	.	625	22·2	.	7	2	10†	6	31	20
BOSTON,	595,380	„ 14,	.	234	20·5	.	2	.	5	1	.	3

* Including 37 deaths from cholera in Calcutta, and 35 in Bombay.
† Including deaths from croup.
‡ Exclusive of 176 deaths from plague in Calcutta, 782 in Bombay, and one in Madras.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th May, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 2,	.	.	.	.	.	.	1	1	3	.	.	.	5
" " 3,	.	1	.	.	.	.	.	3	2	.	.	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	1	.	.	1	6	.	.	.	9
" " 2,	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 3,	.	1	.	.	5	.	.	.	1	.	.	.	7
" " 4,	.	.	.	.	1	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	4	.	.	7	.	1	5	13	.	.	.	30

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th May, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th May.			
	April 21.	April 28.	May 5.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week
Small-pox,	.	.	.	.	.	.	.
Measles,	21	23	20	15	10	.	25
Scarlet Fever,	40	38	37	10	11	.	36*
Typhus,	2	.	.	.	.	.	.
Diphtheria,	19	17	24	12	3	.	33
Enteric Fever,	22	23	23	4	2	1	24
Pneumonia,	34	40	36	11	18	1	28

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 12th May, 1906:—

"During the first two days of this week S.W. winds and summerlike warmth prevailed in Dublin. The barometer at that time was relatively low to the northward—under 29·6 inches over the N.W. of Scotland on Sunday, about two-tenths of an inch higher in the same region on Monday. The thermometer in Dublin rose to 67·1° on Sunday, to 68·0° on Monday. Tuesday ushered in a change—a shallow atmospheric depression gradually developed over the Irish Sea, causing a light N.E. wind, clouds, rain and a fall of temperature in Ireland. On the other hand, the thermometer rose on Tuesday to 75° at Oxford and in London, but in the evening electrical disturbances broke out over England in connection with the depression which had formed earlier in the day over the Irish Sea and which drifted slowly eastward, reaching the North Sea on Wednesday morning. During the thunderstorm only some showers fell in parts of London, but at Upton, Slough, as much as 1·96 inches of rain was measured and extremely heavy rains fell also at Buxton and at Hyde, in Cheshire. A remarkable fall of temperature accompanied the N. winds of the same depression—at Birr Castle a minimum of 30° in the screen was recorded in the course of Wednesday night, and even in Dublin the minimum was 35° in the screen and 31·5° on the ground. On Thursday night 28° was registered at Nairn, 30° at Stornoway, and 32° at Aberdeen. Friday was dull and rainy in Ireland, owing to a large atmospheric depression over the Atlantic, but with its retreat southwestwards brilliant weather followed on Saturday when the wind, instead of veering, backed to E. or E.N.E. In Dublin the mean height of the barometer was 29·871 inches, pressure ranging from 30·074 inches at 9 a.m. of Tuesday (wind, W.S.W.) to 29·459 inches at 9 a.m of Friday (wind, S.S.E.). The corrected mean temperature was 52·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 51·7°. On Monday the screened thermometers rose to 68·0°, on Thursday they fell to 35·0°. The wind was variable—at first, S.W., then N.N.W., and finally S.S.E. Rain fell on 4 days, the measurement being ·459 inch, of which ·180 inch was recorded on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·884 inches. The highest reading (30·084) was on Monday at 9 p.m., air calm, and the lowest (29·467) on Friday at 9 a.m., wind S.E.

The mean temperature for the week was 50·2°, being 2·6° over the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Sunday, on which day the thermometer registered 65·0°, and was lowest on Thursday, the mercury having fallen to 30·4°. The mean of the Dry Bulb for the week was 50·2°, and of the Wet Bulb 47·7°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 43·8 hours. The rainfall during the week measured ·455 inch.

At Greenwich the mean temperature for the week was 54·2°, the maximum 76·2°, and the minimum 42·0°; at Glasgow the maximum was 65·8°, the minimum 35·2°, and the mean 49·9°; and at Edinburgh the maximum was 61·0°, the minimum 35·6°, and the mean 49·0°. The rainfall at Greenwich measured 0·05 in.; at Glasgow 0·71 in.; and at Edinburgh 0·96 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 6,	29·875	65·0	53·7	59·4	57·4	54·6	·83	·2	2·7	·005	S.S.W.	S.W.
Monday, „ 7,	30·057	64·8	47·6	56·2	53·9	50·8	·81	·2	13·2	—	S.W.	Calm.
Tuesday, „ 8,	30·052	59·6	47·0	53·3	51·9	50·2	·89	·7	0·7	·080	W.	N.N.W.
Wednesday, „ 9,	29·985	50·8	40·6	45·7	43·5	40·0	·75	·2	6·7	—	N.W.	N.
Thursday, „ 10,	29·776	52·8	30·4	41·6	45·3	41·8	·76	·3	9·4	·280	N.	Calm.
Friday, „ 11,	29·526	52·1	42·6	47·4	48·9	47·5	·91	·3	0·1	·090	S.E.	S.E.
Saturday, „ 12,	29·918	58·0	36·9	47·5	50·6	48·9	·89	·4	11·0	—	Calm.	Calm.
Mean, . .	29·884	57·6	42·7	50·2	50·2	47·7	·83	·3	Total 43·8	Total ·455	Variable.	

Sunday—Day dull and showery a.m., fine and cloudy p.m.; night clear p.m., cloudy a.m. *Monday*—A fine bright day; night clear. *Tuesday*—Day dull a.m., cloudy p.m., light rain 1.30 p.m. to 8.40 p.m.; night overcast. *Wednesday*—A fine but cloudy day; night clear. *Thursday*—Day bright a.m., cloudy p.m.; night overcast, light and heavy showers 1.15 a.m. to 8.30 a.m. *Friday*—A dull day, light rain 4.30 to 8.35 p.m.; night cloudy from 10 p.m. *Saturday*—A fine day, cloudy intervals; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 12th, 1906.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 6,	61·4	49·3	46·9	67·1	53·9	60·5	2·8	·007
Monday, „ 7,	57·5	50·6	47·0	66·8	50·1	58·5	11·9	—
Tuesday, „ 8,	55·5	52·8	47·3	58·7	49·2	51·0	0·5	·111
Wednesday, „ 9,	47·7	52·0	47·9	51·7	42·7	47·2	6·7	—
Thursday, „ 10,	46·9	50·0	48·1	50·8	34·6	42·7	10·0	·272
Friday, „ 11,	49·3	50·3	48·3	52·4	43·0	47·7	—	·181
Saturday, „ 12,	53·6	50·0	48·6	56·8	45·2	51·0	7·8	—
Weekly Mean, .	53·1	50·7	47·7	57·8	45·5	51·7	Total 39·7	Total ·571

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—13323.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 19TH MAY, 1906. [No. 20.

General Register Office, Charlemont House,
Dublin, 21*st May,* 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending April 28.	May 5.	May 12.	May 19.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 28.	May 5.	May 12.	May 19.	Average Rate for 4 weeks.
22 Town Dists.	22·9	24·0	22·4	21·4	22·7	Lisburn, . .	63·7	22·7	13·6	36·4	34·1
Armagh, . .	34·4	13·7	6·9	34·4	22·4	Londonderry,	18·6	19·8	23·6	24·8	21·7
Ballymena, .	4·8	14·4	4·8	19·2	10·8	Lurgan, . .	17·7	26·6	17·7	17·7	19·9
Belfast, . .	22·1	26·0	23·4	20·4	23·0	Newry, . .	29·4	33·6	16·8	8·4	22·1
Clonmel, . .	41·0	25·6	20·5	20·5	26·9	Newtownards, .	22·9	34·3	45·8	11·4	28·6
Cork, . . .	26·0	21·2	24·0	24·7	24·0	Portadown,	10·3	10·3	5·2	10·3	9·0
Drogheda, . .	8·2	12·3	20·4	8·2	12·3	Queenstown .	13·2	13·2	13·2	19·8	14·9
Dublin Reg. Area,	22·4	25·9	21·7	21·6	22·9	Sligo, . . .	24·0	9·6	33·6	33·6	25·2
Dundalk, . .	23·9	12·0	8·0	12·0	14·0	Tralee, . .	21·1	26·4	26·4	21·1	23·7
Galway, . .	23·3	19·4	38·8	15·5	24·2	Waterford, .	21·4	17·5	15·6	31·2	21·4
Kilkenny, . .	63·9	4·9	14·7	39·3	30·7	Wexford, . .	18·7	18·7	23·3	28·0	22·2
Limerick, . .	20·5	26·0	32·8	16·4	23·9						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·1 in Clonmel, the 4 deaths from all causes in that district including one from enteric fever. Among the 140 deaths from all causes in Belfast are 13 from whooping-cough, one from diphtheria, one from enteric fever, and one from diarrhœa; the 20 deaths from all causes in Londonderry include 2 from measles; and among the 3 deaths in Dundalk is one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 202—99 boys and 103 girls; and the deaths to 169—86 males and 83 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·3 in every 1,000 of the population; omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, the rate was 21·6 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutiions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

During the twenty weeks ending with Saturday last the death-rate averaged 24·1, and was 4·4 below the mean rate for the corresponding portions of the ten years, 1896–1905.

Of the deaths (169) 2 were from diphtheria and one was from *diarrhœa*. In the 3 preceding weeks, deaths from diphtheria were 2, 0, and 0; and deaths from diarrhœal diseases were 4, 0, and 3.

Lobar pneumonia caused one death, broncho-pneumonia 2 deaths, and *pneumonia* (not defined) 10 deaths.

There were 32 deaths from all forms of tuberculous disease, including 4 deaths from tuberculous phthisis, 12 deaths from *phthisis*, 4 deaths from tuberculous meningitis, 10 deaths from other forms of the disease, and 2 from *scrofula*. In each of the 3 preceding weeks the deaths from all forms of tuberculous disease numbered 32, 51, and 28.

Carcinoma caused 6 deaths and cancer (undefined) 9 deaths.

Diabetes caused 2 deaths, and the deaths of 7 infants, prematurely born, were registered.

There were 14 deaths from diseases of the brain and nervous system, including 6 deaths from *convulsions*, 5 of the latter being those of infants under one year of age.

Diseases of the heart and blood vessels caused 28 deaths, and bronchitis caused 13 deaths.

There were 4 accidental deaths, including one (that of a child aged one year and 9 months) by burns, and one by drowning.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the death of one person aged 65 years.

Forty-one of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 12 were under one month old) and 41 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 8 were octogenarians, and 3 (one male and 2 females) were stated to have been aged 90, 92, and 96 years, respectively.

Eighty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·6 per 1,000; the rate in the City was 21·3 (North City Districts, 19·7; South, 23·0), and in the Suburbs, 22·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·3 per 1,000 inhabitants, the rate for the City being 0·4 (0·7 in the North City Districts, and 0·0 in the South) and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·9 per 1,000, and include one death from *pneumonia* (not defined), and 3 deaths from tuberculous disease.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·6 per 1,000. The deaths included one from broncho-pneumonia, 2 from *pneumonia* (not defined), 3 deaths from *phthisis*, one from tuberculous meningitis, and one death from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·8 per 1,000. Among the deaths were one from *diarrhœa*, 3 from tuberculous disease, and one from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 21·4 per 1,000. There was one death from lobar pneumonia, tuberculous disease caused 3 deaths, and there was one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 23·5. Among the 3 deaths for Finglas and Glasnevin, part of are, one from diphtheria, and one from *pneumonia* (not defined).

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 20·4 per 1,000, and include one death from *pneumonia* (not defined), and 5 deaths from tuberculous disease.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. There was one death from *pneumonia* (not defined), also one death from *phthisis*; diseases of the heart and blood vessels caused 2 deaths, and bronchitis one death.

No. 3 South City District (Peter-street).—The deaths (21) are equal to an annual rate of 26·1 per 1,000. Tuberculous disease caused 4 deaths, and there were 3 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·7 per 1,000. Broncho-pneumonia and *pneumonia* (not defined) each caused one death; there were 3 deaths from diseases of the respiratory system, and one death by accidental drowning was registered.

New Kilmainham District.—The only death recorded is equal to an annual rate of 5·9 per 1,000, and was due to meningitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 26·7; Pembroke, 20·0; Blackrock, 6·0; and Kingstown, 26·6. There was no death from any of the principal epidemic diseases recorded for these districts. Of the deaths in Rathmines and Rathgar Urban District 2 were due to *pneumonia* (not defined), and 5 were due to tuberculous disease; amongst the deaths in Pembroke Urban District one was caused by *pneumonia* (not defined), one by tuberculous meningitis, and 2 deaths by bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 19th May, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Apr. 28,	.	—	—	7	.	.	3	.	.	6	3	.	—	—	—	—	—	19
	May 5,	.	—	—	4	.	.	6	.	1	1	4	.	—	—	—	—	—	16
	May 12,	.	—	—	4	.	.	7	.	1	5	13	.	—	—	—	—	—	30
	May 19,	.	—	—	6	.	.	11	.	2	9	14	.	—	—	—	—	—	42
Rathmines and Rathgar Urban District.	Apr. 28,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	3
	May 5,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	3
	May 12,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	3
	May 19,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2
Pembroke Urban District.	Apr. 28,	.	.	.	.	.	.	.	.	.	.	.	.	—	6	.	—	—	6
	May 5,	.	2	.	1	.	.	.	.	1	.	.	.	—	4	.	—	—	8
	May 12,	.	1	.	1	.	.	1	.	.	1	.	.	—	1	.	—	—	5
	May 19,	.	.	2	.	.	.	2	.	1	1	1	.	—	3	.	—	—	10
Blackrock Urban District.	Apr. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Apr. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 5.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 19,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
City of Belfast.	Apr. 28,	.	—	—	18	.	.	3	.	7	6	3	1	—	—	—	—	—	38
	May 5,	.	—	—	17	.	.	3	.	11	7	4	.	—	—	—	—	—	42
	May 12,	.	—	—	13	.	.	2	.	4	4	7	.	—	—	—	—	—	30
	May 19,	.	—	—	9	.	.	1	2	4	5	4	.	—	—	—	—	—	25

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th May, 1906.

From this it appears that:—

Six cases of measles were admitted to hospital during the week, 3 were discharged, and 28 cases remained under treatment at its close.

Nine cases of scarlet fever were admitted to hospital, 6 were discharged, and 39* cases remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 7 were discharged, and 34 patients remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, one was discharged, and 28 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 21 cases of pneumonia were admitted to hospital, 14 were discharged, there were 2 deaths, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·0), was equal to an average annual death-rate of 14·5 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 17·6 per 1,000, the rate for Glasgow being 19·0, and for Edinburgh 17·9.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th May. From this Return it appears that of a total of 25 cases notified 12 were scarlet fever, 5 erysipelas, 5 diphtheria, 2 typhoid fever, and one puerperal fever. Among the 315 cases of infectious diseases in hospital at the close of the week were 136 cases of scarlet fever, 86 of measles, 34 of diphtheria, 14 of whooping-cough, 13 of erysipelas, and 8 of typhoid fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 19th May, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 19th May, 1906. Numbers Registered. Births.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertifie Deaths.	Meteorology. e Week ending 19th May, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th May, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th May, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	28·9	21·4	1·1	607	449	85	113	.	2	.	.	13	3	.	2	3	30	61	37	19	48	7	18	142	23	°	°	°		°	°	°		°	°	°	
Dublin Registration Area:— Total, d.	378,994	27·5	27·8	21·6	0·3	202	157	25	40	.	.	.	.	.	1	.	.	1	13	15	15	9	15	3	6	73	7	f51·8	36·4	46·8	0·64	f65·0	30·4	50·2	0·46	f58·7	32·7	44·3	0·65
City of Dublin,	293,385	37·1	30·4	21·3	0·4	171	120	18	26	.	.	.	.	.	1	.	.	1	10	13	11	8	12	2	3	61	5	g63·3 h62·6	39·0 37·0	49·1 47·6	0·52 0·58	g68·0 h65·9	35·0 32·0	52·4 51·0	0·46 0·70	g59·1 h57·8	34·6 33·0	46·5 45·0	0·92 0·76
Urban Dists. Rathmines and Rathgar.	33,203	19·4	15·7	26·7	.	10	17	4	2	.	.	.	.	.	.	.	.	.	2	2	3	.	.	.	1	7	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	24·0	20·0	.	12	10	2	6	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	29·8	6·0	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	11·8	26·6	.	4	9	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	1	1	57·0	40·0	47·5	0·49	63	36·5	50·4	0·27	61	35·5	46·4	0·69
Urban Districts.																																							
Belfast,	358,680	24·4	31·5	20·4	2·3	217	140	35	24	.	.	.	.	13	1	.	1	1	9	23	11	3	17	4	8	28	.	59·0	41·0	48·8	0·09	64·1	35·0	48·1	0·59	55·0	33·0	43·2	1·73
Cork,	76,122	33·6	43·8	24·7	.	64	36	4	12	.	.	.	.	.	.	.	.	.	2	7	3	1	3	.	1	14	1	64	40	49·6	0·03	60	38	49·9	0·34	55	35	46·2	1·24
Londonderry,	42,067	19·4	8·7	24·8	2·5	7	20	4	4	.	2	.	.	.	.	.	.	.	2	3	.	.	3	.	1	8	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	21·9	16·4	.	16	12	3	6	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	27·3	31·2	.	14	16	3	4	.	.	.	.	.	.	.	.	.	.	.	4	1	1	.	2	5	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	27·2	15·5	.	7	4	1	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	2	66	39	50	0·33	60	43	53	0·62	53	34	45·5	1·41
Dundalk,	13,076	3·4	19·9	12·0	4·0	5	3	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	61·3	8·2	.	15	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	21·0	8·4	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	59·9	36·2	46·7	0·73	64·0	33·2	50·2	0·38	54·6	33·0	44·7	1·54
Lurgan,	11,782	13·8	26·6	17·7	.	6	4	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	2	1	59·9	36·2	46·7	0·73	64·0	33·2	50·2	0·38	54·6	33·0	44·7	1·54
Lisburn,	11,461	10·1	22·7	36·4	.	5	8	2	3	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	1	59·9	36·2	46·7	0·73	64·0	33·2	50·2	0·38	54·6	33·0	44·7	1·54
Wexford,	11,168	23·2	14·0	28·0	.	3	6	1	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	23·9	19·2	4·8	5	4	1	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	19·2	38·6	.	4	7	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	56·8	37·3	46·6	0·77	63·8	30·8	49·9	0·18	56·5	34·0	49·5	0·99
Kilkenny,	10,609	11·5	29·5	39·3	.	6	8	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.	68	39	50·1	0·16	61	32	43·5	0·22	57	32	46·9	0·90
Clonmel,	10,167	7·8	10·3	20·5	5·1	2	4	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,099	13·2	20·7	10·3	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	59·9	36·2	46·7	0·73	64·0	33·2	50·2	0·38	54·6	33·0	44·7	1·54
Tralee,	9,867	16·6	26·4	21·1	.	5	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	40·1	11·4	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	53	39	46·1	1·05	60	39	47·7	0·44	54	33	43·3	1·09
Queenstown,	7,909	14·4	26·4	19·8	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	64	40	49·6	0·03	60	38	49·9	0·34	55	35	46·2	1·24
Armagh,	7,588	22·2	27·5	34·4	.	4	5	.	3	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.	59·9	36·2	46·7	0·73	64·0	33·2	50·2	0·38	54·6	33·0	44·7	1·54

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 12 deaths of persons (including one at 62 years), admitted to hospital from localities outside the Area, in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at [illegible] for [illegible] and [illegible] of Observations at Ordnance Survey Office, Phœnix Park. g Observations by Sir John Moore taken at Fitzwilliam Square. h Observations by Mr. E. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 19th of May, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLASNEVIN & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Pneumonia,	1	3	.	1	.	.	1	1	1	.	2	.	2	1	.	.	13	.
Tuberculous Phthisis,	3	3	2	2	.	.	.	2	1	1	.	.	2	.	.	.	15	1
Tuberculous Other Forms.	1	1	1	1	.	.	.	3	.	3	1	.	3	1	.	.	15	1
Cancer, Malignant Disease,	.	.	2	.	.	1	.	.	1	3	1	.	.	1	.	.	9	6
Other General Diseases	2	1	1	2	.	2	.	3	.	3	2	.	1	.	.	1	18	.
Total,	6	8	7	6	.	3	2	9	3	10	6	.	8	3	.	1	72	9
B. LOCAL DISEASES:																		
Diseases of Nervous System	.	3	.	1	.	.	.	1	.	2	2	1	2	1	1	.	14	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	1	3	1	1	.	1	1	3	2	3	2	.	3	3	.	4	28	.
Diseases of Respiratory System,	.	1	1	.	1	.	.	2	1	3	3	.	.	2	.	1	15	.
Diseases of Digestive System,	.	1	1	2	.	.	.	.	.	.	1	.	1	.	.	.	6	2
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	1	.	.	.	.	.	2	1	.	.	1	.	.	5	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	1	8	4	5	1	1	1	6	3	10	9	1	7	7	1	5	70	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	1	1	.	.	.	.	.	1	4	.	2	.	.	2	12	.
E. VIOLENT DEATHS,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	3	1
Deaths from all Causes,	7	17	12	13	1	4	3	15	6	21	20	1	17	10	1	9	157	12
Annual Rate of Mortality from all causes in every 1,000 of the population	12·9	22·6	20·8	21·4	10·8	20·8	23·5	20·4	17·1	26·1	29·7	5·9	26·7	20·0	6·0	26·6	21·6	.
	19·7							23·0					22·5					
	21·3																	
Deaths of Infants under 1 year of age,	1	2	2	2	.	2	.	5	.	2	2	.	4	2	.	1	25	.
Deaths of Persons aged 60 years and upwards,	.	4	1	2	.	1	.	1	1	10	6	.	2	6	1	5	40	1
Number of Uncertified Deaths,	1	1	.	.	.	.	.	.	.	.	3	.	1	.	.	1	7	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	5	4	3	.	1	.	2	3	4	6	.	6	1	1	1	41	11
Workhouse Hospitals,	1	5	4	5	.	1	1	2	2	5	3	.	1	2	.	.	32	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in week of the ten years, 1896–1905

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 20th Week of the 10 years 1896–1905.	In the Week ending Saturday 19th May, 1906. Deaths of Persons of the Ages						
	May 16, 1896.	May 22, 1897.	May 21, 1898.	May 20, 1899.	May 19, 1900.	May 18, 1901.	May 17, 1902.	May 23, 1903.	May 21, 1904.	May 20, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	55·2°	50·3°	48·0°	49·9°	47·0°	48·2°	47·2°	50·2°	49·3°	50·1°	49·5°	Mean Temp. 46·8°						
ALL CAUSES.	153	183	161	180	168	187	186	173	173	149	171·3	169	12	13	16	15	28	44
Small-pox, ...	.	.	.	.	.	.	.	4	.	.	·4	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	5	.	2	2	.	3	1	2	2	1·7	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	1	.	.	1	1	1	.	·5	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	3	11	3	1	3	1	2	2	2·9	.	.	.	.	.	.	.
Whooping-cough, ...	1	6	1	3	1	8	3	1	5	1	3·0	.	.	.	.	.	.	.
Diphtheria, ...	1	2	2	1	1	.	3	.	1	.	1·1	2	.	.	1	1	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.
Enteric Fever, ...	.	1	4	.	2	1	2	2	3	.	1·5	.	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	2	.	3	.	2	1	1 .	. 2	1 2	1 2	1·7	. 1	.	. 1	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.
Venereal Disease, ...	.	1	.	.	1	2	.	1	1	3	·9	2	.	2	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	.	.	.	2	1	. . .	. . .	. . .	. . .	·3	. . .	.	. . .	. . .	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	9	13	8	14	13	15	1 6 . 5	1 3 . 7	. 9 . 6	2 3 . 3	11·8	1 2 . 10	.	. . . .	. 1 . 2	1	. . 2 4	. 1 . .
Erysipelas, ...	.	.	1	.	.	1	.	.	1	.	·3	2	.	.	.	.	1	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	2	1	1	1	.	1	. .	. .	. .	. .	·6	. .	.	. .	. .	.	. .	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
Tuberculous Phthisis, "*Phthisis*," ...	14	25	25	31	30	30	3 27	4 20	4 19	3 15	25·0	4 12	.	.	.	2	3 5	1 3
Tuberculous Meningitis, ...	6	5	7	5	6	4	3	6	4	4	5·0	4	.	1	2	1	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	4	7	2	2	4	5	1 1	2 .	1 .	1 .	3·0	. .	.	. .	. .	.	. .	.
Tuberculous Dis. (other), *Scrofula*, ...	2	8	4	2	4	5	9 .	2 .	3 .	5 .	4·4	10 2	.	2 .	4 2	2	2 .	.
Alcoholism, ...	1	.	.	1	.	.	1	1	1	1	·6	1	.	.	.	.	.	1
Rheumatic Fever, ...	1	.	1	2	1	.	.	.	.	.	·5	.	.	.	.	.	.	.
Gout, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma, ... Sarcoma, ... Cancer (undefined),	7	5	5	8	7	5	. . 4	2 1 3	6 1 4	2 1 3	6·4	6 . 9	.	.	.	.	1 .	3 . 7
Diabetes Mellitus, ...	.	.	.	.	.	.	2	.	.	.	·2	2	.	.	.	.	2	.
Premature Birth, ...	2	4	4	3	1	4	2	7	2	2	3·1	7	7	.	.	.	.	.

* The figures for the years 1896–1900 a
† Formerly describ

TWENTIETH WEEK ending Saturday, 19th May, 1906, with the deaths from each cause in the corresponding the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: May 16, 1896.	May 22, 1897.	May 21, 1898.	May 20, 1899.	May 19, 1900.	May 18, 1901.	May 17, 1902.	May 23, 1903.	May 21, 1904.	May 20, 1905.	Averages in 20th Week of the 10 years 1896–1905.	In the Week ending Saturday, 19th May, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 55·2	° 50·3	° 48·0	° 49·9	° 47·0	° 48·2	° 47·2	° 50·2	° 49·3	° 50·1	° 49·5	Mean Temp. ° 46·8								
ningitis (not tuberc.) ...							6	1	3	3		3	.	.	.	1	.	1	1	.
sanity, G. P. of Insane ...							.	1	1	1		1	.	.	.	.	.	.	1	.
pilepsy ...							.	.	2	.		.	.	.	.	.	.	.	.	.
nvulsions ...							5	6	5	13		6	1	4	.	1	.	.	.	.
comotor Ataxy ...							.	1	.	.		.	.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...							1	2	1	2		2	.	.	.	.	.	1	1	.
rvous System (other Dis.)	34	31	35	27	33	39	4	2	2	3	35·9	2	.	.	.	1	.	1	.	.
lv. Dis., Endocarditis ...							4	5	1	5		6	.	.	.	1	.	3	1	1
rebr. Hæm. Thromb. ...							2	3	2	1		2	.	.	.	.	.	1	1	.
oplexy, *Hemiplegia* ...							4	3	6	1		1	.	.	.	.	.	1	.	.
eurysm ...							.	1	1	1		1	.	.	.	.	1	.	.	.
ibolism, Thromb. (not erebral)							.	1	.	.		.	.	.	.	.	.	.	.	.
art and Blood Vessel Dis.							16	13	14	11		18	.	.	.	.	3	4	5	6
oup (not Spasm. nor Memb.)	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
onchitis ...	15	22	13	21	11	22	16	20	19	14	17·3	13	.	2	.	1	1	2	7	.
hma, Emphysema ...							.	3	.	.		.	.	.	.	.	.	.	.	.
urisy ...	4	1	1	1	.	.	.	1	.	2	1·9	.	.	.	.	.	.	.	.	.
spiratory Dis. (other) ...							2	1	2	1		2	.	.	1	.	.	1	.	.
nsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
teritis (not Epid.) ...		2	1	.	.	.	2	.	1	.	·9	.	.	.	.	.	.	.	.	.
stro Enteritis	.						.	.	2	1		1	.	.	1	.	.	.	.	.
itonitis (not Puerp.) ...	.	1	2	.	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
rhosis of Liver ...	3	1	4	3	4	3	.	2	1	2	3·2	2	.	.	.	.	.	1	1	.
er Dis. (other) ...							2	3	.	4		1	.	.	.	.	.	1	.	.
estive Dis. (other) ...	3	5	1	8	2	8	6	3	5	5	4·6	4	.	.	.	.	2	2	.	.
phritis, Acute ...							3	.	1	3		.	.	.	.	.	.	.	.	.
ght's Dis., Albuminuria	4	3	5	3	2	5	4	1	5	2	4·4	3	.	.	.	.	.	3	.	.
nary Sys. (Other Dis.)							1	1	1	.		2	.	.	.	2	.	.	.	.
nerative Organs Dis. ...	.	1	.	.	1	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
ldbirth (Accid. of) ...	.	.	.	.	.	1	1	.	.	.	·2	2	.	.	.	.	2	.	.	.
Age	12	11	13	11	14	9	7	8	8	7	10·0	6	.	.	.	.	.	.	3	3
ner Diseases	15	16	9	14	14	7	13	11	7	6	11·2	8	3	1	1	1	.	1	1	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	.	.	.	1	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning) ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	3	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	1	.	1	2	.	1	.	1	.	1	·7	1	.	.	1	.	.	.	.	.
Drowning	.	1	1	2	1	2	.	.	.	.	·7	1	.	.	.	.	.	1	.	.
Suffocation in Bed ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Poison or Poisonous apours	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.
er Deaths by Accidents	6	2	2	1	2	1	2	2	3	2	2·3	2	1	.	.	.	.	1	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
icide	.	1	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
ide	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.
cution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.
ple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1905-6—Week ending																									
	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.
No. of weeks in Annual Series.	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Births registered,	177	198	191	238	199	184	245	192	183	220	285	202	188	169	252	214	189	211	230	207	181	202	199	250	285	202
*Average Births in corresponding week of previous 10 years,**	181	190	195	183	160	182	210	206	199	200	221	215	205	217	213	208	219	206	236	177	200	216	204	244	227	209
Deaths registered,	173	157	168	148	171	139	168	166	154	160	187	151	149	185	183	187	173	193	198	159	174	215	174	191	165	169
Annual Death-rate per 1,000,	23·8	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3
*Average Deaths in corresponding week of previous 10 years,**	191	197	185	187	189	199	219	214	211	202	212	209	209	221	233	221	212	211	218	201	198	189	183	183	174	171
Ages, Under 5 years,	52	42	49	47	43	27	28	52	39	37	46	35	32	45	40	43	55	43	67	37	34	45	37	30	36	41
5—20 "	9	13	10	13	9	7	17	17	11	13	16	8	9	8	14	8	15	15	17	13	13	15	12	16	10	15
20—40 "	18	22	31	13	30	21	34	25	18	21	18	21	15	38	39	34	19	29	26	28	23	27	32	39	23	28
40—60 "	36	34	35	32	45	41	48	37	45	37	42	42	46	43	34	43	35	40	33	34	47	49	42	47	39	44
60—80 "	50	35	37	34	37	37	35	28	34	43	52	39	39	44	49	49	41	55	45	40	47	70	40	55	51	30
80 years and upwards,	8	11	6	9	7	6	6	7	7	9	13	6	8	7	7	10	8	11	10	7	10	9	11	4	6	11
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	1	.	1	.
Scarlet Fever	1	.	1	.	1	.	.	2	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	3	1	2	2	1	1	2	3	1	1	2	.	.	1	4	1	2	.	2	2	3	.	2	1	1	.
Diphtheria,	.	.	1	1	.	2	2	2	.	1	1	.	.	1	.	2	2	1	3	.	.	.	2	.	.	2
Pyrexia † (origin uncertain),	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	2	2	1	4	3	3	.	.	.	1	.	.	1	1	.	3	.	3	.	1	2	1	1	3	.
Diarrhœal Diseases,	3	5	2	1	1	2	1	1	1	3	1	.	1	2	1	3	3	5	2	1	1	1	4	.	3	1
Pneumonia,	15	10	10	8	11	11	12	15	12	16	19	6	11	18	16	18	10	13	10	8	22	26	17	21	18	13
Tuberculous Phthisis,	20	18	24	9	27	19	21	14	23	21	29	18	23	29	32	30	23	32	25	23	27	18	22	36	18	16
Disease. Other Forms,	7	10	4	15	4	1	12	16	5	6	9	15	10	12	18	9	12	11	15	15	8	11	10	15	10	16
Cancer, Malignant Disease,	10	8	6	11	5	6	7	5	12	6	8	14	6	13	6	6	6	11	4	4	9	13	10	6	5	15
Diseases of Heart and Blood Vessels,	24	25	26	21	26	30	28	21	24	33	31	23	27	21	25	31	29	31	33	27	29	45	27	22	22	28
Diseases of Respiratory System,	34	33	22	16	25	20	26	28	22	18	27	26	27	32	28	28	21	34	27	23	29	43	23	36	31	15
Violent Deaths,	3	3	2	2	4	6	4	3	7	8	5	5	.	4	10	1	2	4	5	2	3	4	2	3	1	4
Number of Uncertified Deaths,	9	4	5	9	8	6	4	5	6	6	11	7	6	8	4	6	7	6	12	9	7	6	5	5	3	7
Mean Temperature of the Air (Phœnix Park),	40·0	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8
Average Mean Temperature in corresponding week of previous 10 years	42·3	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5
Rainfall in inches,	·320	·645	·128	·035	·285	·770	·860	·855	1·605	·230	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130	·810	·650	·455	·640
Mean Humidity of the Air, complete Saturation, 1·0.	·88	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·88	·81	·83	·85	·88	·83

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

Table showing in Five General Classes and Eighteen Groups the Occupations of Social Position of the Persons Returned in the Dublin Registration Area during the Week ending Saturday, 19th May, 1906: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH MAY, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,850	23·5	169	41	15	28	44	30	11	.	.	.	.	.	2	.	.	1	3	13	16	16	15	6	15	4	81	7
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	15·0	5	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.
II.	MIDDLE CLASS,	87,188	20·3	34	5	4	3	11	6	5	.	.	.	.	.	2	.	.	.	2	3	3	3	5	3	.	.	15	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,428	18·7	29	9	2	4	8	5	1	.	.	.	.	.	.	.	.	1	1	1	1	4	1	.	3	1	17	3
IV.	GENERAL SERVICE CLASS,	154,279	32·9	68	21	9	13	12	11	2	.	.	.	.	.	.	.	.	.	.	6	6	7	5	3	6	2	33	3
V.	INMATES OF WORKHOUSES,	6,024		33	6	.	8	12	5	2	.	.	.	.	.	.	.	.	.	.	3	6	2	2	.	6	1	13	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,860	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	37·9	16	2	1	2	5	3	3	.	.	.	.	.	2	.	.	.	2	2	3	.	1	1	.	.	7	1
	6. Clerks and Commercial Assistants,	30,432	6·9	4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.
	7. Miscellaneous—including all Households in Second Class Localities not included in above,	27,028	27·0	14	.	3	1	5	3	2	.	.	.	.	.	.	.	.	.	.	1	.	2	4	.	.	.	7	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	5·3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades,	29,801	22·7	13	4	2	2	3	1	1	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	.	1	7	2
	10. Clothing Trades,	23,260	6·7	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	11. Food Supply Trades,	9,242	5·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	18·7	8	2	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	5	1
	13. Petty Shopkeepers,	7,894	19·3	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.
	15. Domestic Servants,	36,603	11·4	8	2	.	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	29·0	8	2	2	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	5	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	27·3	47	15	7	10	5	8	2	.	.	.	.	.	.	.	.	.	.	5	5	4	3	3	4	2	21	2
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	33	6	.	8	12	5	2	.	.	.	.	.	.	.	.	.	.	3	6	2	2	.	6	1	13	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of). Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	Mar. 31,	25·8	.	14	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	2
	April 7,	33·1	.	18	.	.	.	.	.	.	.	.	.	2	3	3	.	2	1	3
	„ 14,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	3	1	.	1	3	1	1
	„ 21,	29·4	.	16	.	.	.	.	.	.	.	.	.	.	4	2	.	2	.	3
	„ 28,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	2	1	1	2	1	.	1
	May 5,	27·6	.	15	.	.	.	.	.	.	.	.	.	3	3	3	1	2	.	.
	„ 12,	14·7	1·8	8	.	.	.	.	.	.	.	1	.	2	2	.	.	2	.	.
	„ 19,	13·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Mar. 31,	26·6	1·3	20	.	.	.	.	.	.	.	.	1	1	4	1	.	3	.	2
	April 7,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2
	„ 14,	29·8	.	22	.	.	.	.	.	.	.	.	.	2	5	1	2	3	1	.
	„ 21,	26·6	1·3	20	.	.	.	.	.	.	.	1	.	3	1	.	.	6	.	1
	„ 28,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	2	2	.	1	4	.	1
	May 5,	33·3	.	25	.	.	.	.	.	.	.	.	.	2	4	4	2	4	.	2
	„ 12,	21·3	2·7	16	.	.	.	.	.	.	.	.	2	2	2	.	.	4	.	.
	„ 19,	22·6	.	17	.	.	.	.	.	.	.	.	.	3	3	1	.	1	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Mar. 31,	31·2	.	18	.	.	.	.	.	.	.	.	.	.	1	1	1	3	.	2
	April 7,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	2
	„ 14,	36·4	1·7	21	.	.	.	.	.	.	.	1	.	4	3	1	1	3	1	1
	„ 21,	32·9	.	19	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	1
	„ 28,	32·9	1·7	19	.	.	.	.	.	.	.	.	1	1	3	.	.	2	1	1
	May 5,	38·1	.	22	.	.	.	.	.	.	.	.	.	3	1	2	.	6	1	.
	„ 12,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	1
	„ 19,	20·8	1·7	12	.	.	.	.	.	.	.	.	1	.	2	1	2	1	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,673.	Mar. 31,	13·2	3·3	8	.	.	.	.	.	1	.	1	.	.	.	2	.	.	1	.
	April 7,	19·8	1·6	12	.	.	.	.	1	.	.	.	.	.	1	.	1	4	.	.
	„ 14,	32·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	.	5	.	1
	„ 21,	28·0	.	17	.	.	.	.	.	.	.	.	.	4	.	1	.	3	1	.
	„ 28,	23·0	1·6	14	.	.	.	.	.	.	.	1	.	2	2	2	.	1	.	1
	May 5,	36·2	1·6	22	.	.	.	.	1	.	.	.	.	1	6	1	.	3	.	1
	„ 12,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	4	3	.	.	3	.	.
	„ 19,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	Mar. 31,	38·0	5·4	28	.	.	.	.	1	1	.	1	1	2	2	1	1	4	.	.
	April 7,	27·2	1·4	20	.	1	.	.	.	.	.	.	.	2	7	2	.	3	.	1
	„ 14,	27·2	.	20	.	.	.	.	.	.	.	.	.	2	2	.	1	4	.	3
	„ 21,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	3	3	1	2	4	.	1
	„ 28,	25·8	2·7	19	.	.	.	.	1	.	.	.	1	2	4	1	.	2	1	.
	May 5,	19·0	.	14	.	.	.	.	.	.	.	.	.	1	3	1	.	1	1	.
	„ 12,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	3	.	3	.	.
	„ 19,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	2	3	.	2	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Mar. 31,	37·1	.	13	.	.	.	.	.	.	.	.	.	.	1	.	1	4	1	.
	April 7,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 14,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	3	2	.	3	.	.
	„ 21,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	„ 28,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	3	2	.	2	.	.
	May 5,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 12,	22·8	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	2	.	1
	„ 19,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Mar. 31,	29·8	.	24	.	.	.	.	.	.	.	.	.	2	1	3	.	3	.	1
	April 7,	24·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	1	2	.	.
	„ 14,	17·4	3·7	14	.	1	.	.	2	.	.	.	.	5	1	.	.	2	.	.
	„ 21,	36·1	1·2	29	.	1	.	.	.	.	.	.	.	4	2	.	3	7	.	.
	„ 28,	32·3	1·2	26	.	.	.	.	.	1	.	.	.	1	3	1	1	6	.	1
	May 5,	24·9	.	20	.	.	.	.	.	.	.	.	.	5	3	.	.	4	.	.
	„ 12,	27·4	1·2	22	.	1	.	.	.	.	.	.	.	1	5	2	.	4	.	1
	„ 19,	26·1	.	21	.	.	.	.	.	.	.	.	.	.	1	3	3	3	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,138.	Mar. 31,	29·7	1·5	20	.	.	.	.	1	.	.	.	.	1	6	4	1	5	.	.
	April 7,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.
	„ 14,	10·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.
	„ 21,	35·6	.	24	.	.	.	.	.	.	.	.	.	3	3	1	.	8	.	.
	„ 28,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	1	1	.	1	2	.	.
	May 5,	32·6	.	22	.	.	.	.	.	.	.	.	.	1	4	1	1	8	1	.
	„ 12,	25·2	.	17	.	.	.	.	.	.	.	.	.	2	3	1	.	4	1	.
	„ 19,	29·7	.	20	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	3

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,208.	Mar. 31,	20·4	1·6	13	.	.	.	.	.	.	.	1	.	1	4	.	.	1	.	.
	April 7,	22·0	1·6	14	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	1
	„ 14,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	1	3	.	.	1	.	1
	„ 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	1	1	1	1	1	1	.
	„ 28,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.
	May 5,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	2	.	1	3	.	1
	„ 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	„ 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	2	2	3	.	.	.	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Mar. 31,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	April 7,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 14,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.
	„ 21,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	.
	„ 28,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.
	May 5,	22·0	2·0	11	.	.	.	.	.	.	.	1	.	2	3	1	.	1	.	.
	„ 12,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 19,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Mar. 31,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	4
	April 7,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 14,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	„ 21,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.
	„ 28,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	May 5,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 19,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Belfast. Pop. in 1906 (Est.) 358,680.	Mar. 31,	29·2	3·9	201	.	.	2	.	21	1	1	1	1	18	23	12	10	28	2	3
	April 7,	24·6	3·2	169	.	1	1	.	13	1	.	5	2	19	24	11	4	21	7	1
	„ 14,	24·1	2·5	166	.	.	.	.	13	.	.	4	.	19	26	7	3	34	4	1
	„ 21,	24·9	3·5	171	.	.	.	.	21	.	.	2	1	15	18	8	2	36	3	3
	„ 28,	22·1	2·9	152	.	.	.	.	18	.	.	.	2	16	19	12	4	27	4	5
	May 5,	26·0	3·3	179	.	.	1	.	20	.	1	.	1	16	29	10	4	30	4	2
	„ 12,	23·4	1·9	161	.	.	.	.	12	.	.	1	.	10	21	8	3	27	2	2
	„ 19,	20·4	2·3	140	.	.	.	.	13	1	.	1	1	9	23	11	3	17	4	.
Cork. Pop. (in 1901) 76,122.	Mar. 31,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	1	9	.	1	6	.	3
	April 7,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	5	2	1	1	.	1
	„ 14,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	9	2	.	3	.	1
	„ 21,	13·5	1·4	27	.	.	.	.	.	.	.	.	2	.	1	3	1	8	.	2
	„ 28,	26·0	0·7	33	.	.	.	.	.	.	.	.	1	3	7	3	5	6	.	2
	May 5,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	7	2	.	2	.	2
	„ 12,	24·0	0·7	35	.	.	.	.	.	.	.	.	1	1	5	.	2	10	1	2
	„ 19,	24·7	.	36	.	.	.	.	.	.	.	.	.	2	7	3	1	3	.	1
Londonderry. Pop. in 1906 (Est.) 42,067.	Mar. 31,	26·0	2·5	21	.	.	.	.	2	.	.	.	.	2	2	.	1	4	1	.
	April 7,	17·4	2·5	14	.	.	.	.	1	.	.	1	.	.	3	3	.	3	.	.
	„ 14,	17·4	1·2	14	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1
	„ 21,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 28,	18·6	3·7	15	.	3	.	.	.	.	.	.	.	1	.	1	.	2	1	1
	May 5,	19·8	2·5	16	.	1	.	.	.	.	.	.	1	2	.	2	.	2	.	2
	„ 12,	23·6	2·5	19	.	.	.	.	1	1	.	.	.	1	1	2	3	4	.	.
	„ 19,	24·8	2·5	20	.	2	.	.	.	.	.	.	.	2	3	.	.	3	.	.
Limerick. Pop. (in 1901) 38,151.	Mar. 31,	31·4	1·4	23	.	.	.	.	.	.	.	.	1	.	3	1	.	3	.	5
	April 7,	31·4	.	23	.	.	.	.	.	.	.	.	.	3	5	3	1	4	.	1
	„ 14,	28·7	.	21	.	.	.	.	.	.	.	.	.	5	3	.	.	5	.	3
	„ 21,	13·7	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	.	3	.	2
	„ 28,	20·5	.	15	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	1
	May 5,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	2	1	.	6	.	1
	„ 12,	32·8	1·4	24	.	.	.	.	.	.	.	.	1	2	5	1	.	2	.	4
	„ 19,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	3
Waterford. Pop. (in 1901) 26,769.	Mar. 31,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	1
	April 7,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.	1	2	2	1
	„ 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 21,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 28,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	2
	May 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1
	„ 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1
	„ 19,	31·2	.	16	.	.	.	.	.	.	.	.	.	.	.	4	1	1	.	3

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th May, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,734	7	21·2	3·5	6	1	1	4	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	2	2	1	.
Do. 2 ,,	47,959	27	21·7	1·1	20	8	1	10	6	.	.	.	.	1	.	.	.	.	.	4	.	.	1	1	2	3	.
Do. 3 ,,	47,214	25	21·0	4·4	19	7	6	4	2	.	.	.	.	4	.	.	.	.	3	.	2	.	4	.	.	2	.
Do. 4 ,,	40,911	24	22·9	1·3	18	4	1	7	6	.	.	.	.	1	.	.	.	.	.	3	1	1	6	.	1	7	.
Do. 5 ,,	17,387	13	33·0	6·0	11	4	2	4	1	.	.	.	.	2	.	.	.	.	2	2	.	.	1	.	.	3	.
Do 6 ,,	48,122	24	18·4	.	17	1	.	12	4	.	.	.	.	.	.	.	.	.	1	4	2	.	2	.	.	4	.
Do 7 ,,	1,524	2	—	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	3	30·9	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
Do. 9 ,,	19,569	12	26·6	.	10	2	1	5	2	.	.	.	.	.	.	.	.	.	2	2	2	1	.	.	.	1	.
Do. 10 ,,	28,064	16	11·3	2·3	5	1	.	4	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	.	.
Do. 11 ,,	34,802	32	13·5	.	9	3	1	3	2	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1	.
Do. 12 ,,	33,588	24	20·2	6·2	13	4	3	5	1	.	.	.	.	3	.	.	1	.	.	1	1	.	2	1	2	1	.
Do. 13 ,,	15,006	8	27·8	6·9	8	5	1	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 14 ,,	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	217	20·9	2·4	140	35	17	64	24	.	.	.	.	13	1	.	1	1	9	23	11	3	17	4	8	28	.
City of Cork.																											
CORK URBAN No. 1 DISTRICT,	12,867	13	20·3	.	5	1	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 2 ,,	10,701	7	43·9	.	9	1	3	4	1	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	1	2	1
Do. 3 ,,	9,978	8	10·5	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.
Do. 4 ,,	8,666	8	24·1	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	3	.
Do. 5 ,,	6,592	7	55·4	.	7	.	.	3	4	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	5	.
Do. 6 ,,	10,702	10	9·7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 ,,	16,616	11	22·0	.	7	1	1	2	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.
Total,	76,122	64	24·7	.	36	4	4	16	12	.	.	.	.	.	.	.	.	.	2	7	3	1	3	.	1	14	1

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905–6—Week ending																									
	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.
No. of weeks in Annual Series,	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered,	200	205	199	194	158	189	224	193	196	236	231	189	246	214	246	229	229	221	248	240	212	233	282	238	246	217
DEATHS registered,	138	140	148	126	146	124	147	133	135	160	139	146	179	174	166	155	191	152	201	169	166	171	152	179	161	140
Annual Death-rate per 1,000 of estimated Population,	20·1	20·4	21·5	18·3	21·2	18·0	21·4	19·3	19·6	23·3	20·2	21·2	26·0	25·3	24·1	22·5	27·8	22·1	29·2	24·6	24·1	24·9	22·1	26·0	23·4	20·4
AGES — Under 1 year,	28	27	21	23	31	26	34	21	30	31	24	29	31	43	26	31	32	37	46	35	35	39	30	29	35	35
AGES — 1–5 years,	19	11	18	15	18	19	16	15	16	22	11	11	14	20	17	22	23	16	30	28	26	24	24	20	19	17
AGES — 5–60 years,	65	64	72	58	69	56	61	60	62	71	61	71	87	74	85	59	84	57	89	81	75	66	67	85	66	64	64
AGES — 60 years and upwards,	26	38	37	30	28	23	36	37	27	36	43	35	47	37	38	43	52	42	36	25	30	42	31	45	41	24
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
Scarlet Fever,	1	1	.	2	3	.	.	.	2	1	1	.	.	1	1	1	1	.	2	1	.	.	.	1	.	.
Typhus,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	1	3	1	.	1	2	1	3	1	2	6	7	9	5	9	5	21	12	13	21	18	20	12	13
Diphtheria,	.	1	.	.	1	.	1	1	.	.	.	.	2	3	2	.	1	2	1	1	.	.	.	.	.	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.
Enteric Fever,	3	4	3	1	2	2	2	3	1	2	2	6	.	2	2	6	6	3	1	5	4	2	.	.	1	1
Diarrhœal Diseases,	2	.	2	.	2	1	3	2	2	3	2	1	3	2	1	.	1	2	1	2	.	1	2	1	.	1
Pneumonia,	18	15	18	14	18	14	15	12	8	11	10	8	19	17	13	16	23	10	18	19	19	15	16	16	10	9
Tuberculous Disease — Phthisis,	16	26	17	17	21	17	15	17	17	22	16	23	22	23	33	15	26	17	28	24	26	18	19	29	21	23
Tuberculous Disease — Other Forms,	—	—	—	—	—	—	10	4	3	8	7	6	7	7	6	10	5	6	12	11	7	8	12	10	8	11
Cancer, Malignant Disease,	—	—	—	—	—	—	3	5	5	7	5	4	5	6	5	1	6	4	10	4	3	2	4	4	3	3
Diseases of Respiratory System,	28	29	34	23	31	23	20	19	12	20	26	23	22	24	34	33	36	24	28	21	34	36	27	30	27	17
Violent Deaths,	9	3	3	2	4	5	6	1	4	1	3	1	6	4	2	6	1	.	2	7	4	3	4	4	2	4
Number of Uncertified Deaths,	—	—	—	—	—	—	6	2	4	4	3	3	5	3	5	2	4	3	3	1	1	3	5	2	2	.

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the six weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	May 19,	2,480	1,270	14·0	.	43	10	11	38	3	16
EDINBURGH, .	341,035	„ 19,	157	117	17·9	.	5	1	.	2	.	1
GLASGOW, . .	835,625	„ 19,	513	305*a*	19·0	.	8	.	2	10	.	12
CALCUTTA, . .	910,117	Mar. 31,	.	959	58·8	224	9	.	1	1	137‡	105*
BOMBAY, .	776,006	April 17,	414	1,868	125·2	14	49	.	.	.	117‡	103*
MADRAS, . .	509,346	Mar. 30,	298	463	47·7	33	29	?	?	?	113	77
PARIS, . .	2,750,000	April 14,	.	.	.	.	.	.	.	.	.	.
BRUSSELS (with 8 Faubourgs).	612,401	„ 28,	197	181	15·4	.	4	.	.	1	2	5
ANTWERP, . .	304,975	„ 28,	137	110	18·8	1	3	.	.	3	1	5
AMSTERDAM, .	560,249	„ 28,	289	163	15·2	.	3	2	.	2	.	13
COPENHAGEN, .	425,000	„ 28,	57	136	16·7	.	4	.	.	5	1	8
STOCKHOLM, .	324,488	„ 21,	136	91	14·6	.	.	.	1†	3	.	3
CHRISTIANIA, .	222,373	May 5,	98	48	11·2	.	.	.	1†	.	.	1
ST. PETERSBURG,	1,424,700	April 28,	696	842	30·6	.	37	23	27	8	22	114
MOSCOW, . .	1,092,360	Mar. 31,	.	552	26·3	3	3	5	11†	2	9	71
BERLIN, . .	2,050,943	April 14,	982	651	16·6	.	12	5	5†	7	1	38
HAMBURG, . .	803,050	„ 21,	.	240	15·5	.	8	1	1†	4	1	8
BRESLAU, . .	474,080	May 5,	.	222	24·4	.	.	.	1†	1	.	13
MUNICH, . .	540,000	„ 5,	.	192	18·5	.	.	.	.	.	.	21
VIENNA (with suburbs).	1,937,869	„ 5,	916	777	20·8	.	24	3	17†	4	.	53
BUDA-PESTH, .	859,134	„ 5,	371	331	20·1	.	5	10	.	4	.	9
PRAGUE and Faubourgs.	460,849	April 28,	202	222	25·1	.	4	.	.	3	2	15
TRIESTE, . .	196,637	„ 21,	136	126	33·4	.	.	.	1†	2	.	1
ROME, . . .	523,170	Mar. 10,	262	191	18·9	.	6	.	.	.	2	9
VENICE, . .	171,709	„ 3,	.	.	.	.	.	.	.	.	.	.
NEW YORK, .	4,152,860	April 21,	1,924	1,579	19·8	.	46	18	58†	1	7	42
PHILADELPHIA,	1,469,126	„ 14,	.	588	20·8	.	16	.	15†	8	24	26
BOSTON, .	595,380	„ 21,	.	246	21·6	.	3	2	2	3	1	3

a. Including one death from cerebro-spinal fever.
* Including 31 deaths from cholera in Calcutta, and 26 in Bombay.
† Including deaths from croup.
‡ Exclusive of 232 deaths from plague in Calcutta, and 875 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th May, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	1	1	1	.	.	.	3
" " 1, West,	.	2	.	.	1	.	1	.	.	.	.	.	4
" " 2,	.	.	.	.	1	.	.	2	2	.	.	.	5
" " 3,	.	.	.	.	1	.	.	3	4	.	.	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	2	.	.	2	.	.	3	3	.	.	.	10
" " 2,	.	2	.	.	1	.	.	.	1	.	.	.	4
" " 3,	.	.	.	.	2	.	.	.	2	.	.	.	4
" " 4,	.	.	.	.	3	.	.	.	1	.	.	.	4
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	6	.	.	11	.	2	9	14	.	.	.	42

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th May, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th May.			
	April 28.	May 5.	May 12.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	23	20	25	6	3	.	28
Scarlet Fever,	38	37	36	9	6	.	39*
Typhus,	.	.	.	.	.	.	.
Diphtheria,	17	24	33	8	7	.	34
Enteric Fever,	23	23	24	5	1	.	28
Pneumonia,	40	36	28	21	14	2	33

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 19th May, 1906:—

"Only on Sunday was there seasonable warmth—the thermometer rising to 63·3° in the screen in Dublin, to 69° at Liverpool, 73° in London and 74° at Bath. Owing to the advance northwards and northeastwards of an atmospheric depression from the Iberian Peninsula freshening N.E. and N. winds soon set in over the British Isles, thunder and lightning occurring over the south and east of England. Monday was cool and hazy but fine. On Tuesday morning areas of low barometric pressure were observed off the N. of Scotland and over Germany and Central Europe generally. These systems afterwards coalesced and by 8 a.m. of Wednesday a well-marked baric minimum (in which the barometer stood below 29·3 inches) was shown over the extreme S. of Norway and the Skager Rack. Gradients for northerly (between N.W. and N.E.) winds were steep over Great Britain and Ireland, and the weather became inclement in the extreme, frequent showers of cold rain or sleet and hail being borne on the squally polar winds of the Norwegian depression. The system moved slowly southwestwards and at 8 a.m. of Thursday lay off the east coast of Scotland and the northeast of England. The day named was very severe in and near Dublin, in which city the screened thermometer ranged during the day from a minimum of 39° to a maximum of 49°. Friday proved fine as the barometer rose in the east but fell in the west, so equalising atmospheric pressure. Saturday was dull, and at 5 p.m. a steady rainfall began in Dublin, lasting through the evening. At 7 p.m. of Friday a sun-pillar was seen to W.N.W. in this City. The mean height of the barometer was 29·840 inches, the range being from 30·126 inches at 9 a.m. of Monday (wind, N.N.E.) to 29·594 inches at 9 a.m. of Friday (wind again N.N.E.). The corrected mean temperature was 49·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 48·7°. On Sunday the screened thermometers rose to 63·3°, on Thursday they fell to 39·0°. The prevalent winds were N.N.E. and N.N.W. Rain fell in measurable quantity on three days, the total measurement being ·522 inch, of which ·500 inch was registered on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·845 inches. The highest reading (30·144) was on Sunday at 9 p.m., wind S.E., and the lowest (29·617) on Friday at 9 a.m., air calm.

The mean temperature for the week was 46·8°, being 2·7° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Sunday, on which day the thermometer registered 61·8°, and was lowest on Tuesday, the mercury having fallen to 36·4°. The mean of the Dry Bulb for the week was 46·7°, and of the Wet Bulb 44·2°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 47·3 hours. The rainfall during the week measured ·640 inch.

At Greenwich the mean temperature for the week was 50·7°, the maximum 75·0°, and the minimum 31·6°; at Glasgow the maximum was 65·2°, the minimum 37·8°, and the mean 48·2°; and at Edinburgh the maximum was 54·8°, the minimum 36·9°, and the mean 44·6°. The rainfall at Greenwich measured 0·17 in.; at Glasgow 0·87 in.; and at Edinburgh 1·70 inches. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 13,	30·128	61·8	42·9	52·4	53·5	50·5	·80	·3	3·8	—	S.E.	S.E.
Monday, „ 14,	30·117	54·8	41·2	48·0	47·6	45·4	·86	·4	12·8	—	N.	Calm.
Tuesday, „ 15,	29·802	55·8	36·4	46·1	46·9	43·8	·79	·6	6·8	—	W.	W.
Wednesday, „ 16,	29·735	50·9	40·4	45·7	44·5	41·0	·75	·5	7·4	—	N.	N.
Thursday, „ 17,	29·660	47·3	36·9	42·1	42·2	39·7	·82	·7	9·5	·020	N.	N.W.
Friday, „ 18,	29·675	51·6	37·2	44·4	45·1	43·1	·86	·7	7·0	—	Calm.	Calm.
Saturday, „ 19,	29·799	53·1	44·9	49·0	47·3	46·1	·92	·8	0·0	·620	N.E.	Calm.
Mean, . .	29·845	53·6	40·0	46·8	46·7	44·2	·83	·6	Total 47·3	Total ·640	Prevailing wind. N.	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A fine day; night clear from 10 p.m. *Tuesday*—A fine but cloudy day; night overcast. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A cloudy day, light showers; night overcast. *Friday*—A fine day; night overcast. *Saturday*—Day overcast, rain from 4 p.m.; night overcast and wet.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 19th, 1906.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 13,	55·9	51·8	48·4	62·0	48·2	55·1	4·1	—
Monday, „ 14,	50·3	52·7	48·9	55·9	42·9	49·4	8·6	—
Tuesday, „ 15,	51·0	51·8	49·0	57·5	39·7	48·6	7·3	—
Wednesday, „ 16,	49·0	51·2	49·1	51·2	42·1	46·7	5·5	·001
Thursday, „ 17,	45·2	49·6	49·4	49·1	38·5	43·8	7·4	·011
Friday, „ 18,	46·6	49·0	49·2	52·7	40·2	46·5	8·5	—
Saturday, „ 19,	49·0	50·7	49·2	54·2	44·9	49·6	—	·486
Weekly Mean, .	49·6	51·0	49·0	54·7	42·4	48·5	Total 41·4	Total ·498

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—13423.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 26TH MAY, 1906. [No. 21.

General Register Office, Charlemont House, Dublin, 28th May, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks.
	May 5.	May 12.	May 19.	May 26.			May 5.	May 12.	May 19.	May 26.	
22 Town Dists.	24·0	22·4	21·4	21·0	22·2	Lisburn, . .	22·7	13·6	36·4	9·1	20·5
Armagh, . .	13·7	6·9	34·4	20·6	18·9	Londonderry,	19·8	23·6	24·8	21·1	22·3
Ballymena, .	14·4	4·8	19·2	33·5	18·0	Lurgan, . .	26·6	17·7	17·7	4·4	16·6
Belfast, . .	26·0	23·4	20·4	22·0	22·9	Newry, . .	33·6	16·8	8·4	12·6	17·9
Clonmel, . .	25·6	20·5	20·5	15·4	20·5	Newtownards, .	34·3	45·8	11·4	11·4	25·7
Cork, . . .	21·2	24·0	24·7	24·0	23·5	Portadown,	10·3	5·2	10·3	36·2	15·5
Drogheda, . .	12·3	20·4	8·2	28·6	17·4	Queenstown .	13·2	13·2	19·8	6·6	13·2
Dublin Reg. Area,	25·9	21·7	21·6	22·4	22·9	Sligo, . . .	9·6	33·6	33·6	9·6	21·6
Dundalk, . .	12·0	8·0	12·0	19·9	13·0	Tralee, . .	26·4	26·4	21·1	10·6	21·1
Galway, . .	19·4	38·8	15·5	11·7	21·4	Waterford, .	17·5	15·6	31·2	23·4	21·9
Kilkenny, . .	4·9	14·7	39·3	14·7	18·4	Wexford, . .	18·7	23·3	28·0	23·3	23·3
Limerick, . .	26·0	32·8	16·4	9·6	21·2						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in fifteen of the districts to 4·9 in Kilkenny. Among the 151 deaths from all causes in Belfast are 8 from whooping-cough, one from diphtheria, and 5 from diarrhœal diseases; the 35 deaths from all causes in Cork include 2 from diphtheria; among the 17 deaths from all causes in Londonderry are one from measles and one from diarrhœa; and the 7 deaths in Ballymena include one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 195—106 boys and 89 girls; and the deaths to 173—91 males and 82 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·8 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 22·4 per 1,000. During the twenty-one weeks ending with Saturday last the death-rate averaged 24·1, and was 4·1 below the mean rate for the corresponding portions of the ten years, 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutiions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

Among the 173 deaths registered are 3 from whooping-cough and 3 from diarrhœal diseases. The deaths from whooping-cough in the 3 preceding weeks numbered one, one, and 0; and the deaths from diarrhœal diseases, 0, 3, and one, respectively.

There were 2 deaths from lobar pneumonia, 3 deaths from broncho-pneumonia, and 8 deaths from *pneumonia* (not defined).

The number of deaths from all forms of tuberculous disease was 29, and included 9 deaths from tuberculous phthisis, 13 deaths from *phthisis*, one death from tuberculous peritonitis, one death from *tabes mesenterica*, and 5 deaths from other forms of the disease. In the 3 preceding weeks, deaths from all forms of tuberculous disease were 51, 28, and 32, respectively.

Carcinoma caused 3 deaths and cancer (undefined) 5 deaths.

There were 2 deaths from diabetes, and the deaths of 2 prematurely born infants were registered.

Diseases of the brain and nervous system caused 18 deaths, including those of 7 children under 5 years of age from *convulsions*, 6 of the latter being infants under one year of age.

Thirty deaths were attributed to diseases of the heart and blood vessels, and 23 to bronchitis.

There were 5 accidental deaths, including 2 caused by burns and 2 by drowning.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 6 children under 5 years of age, including 5 infants under one year old.

Forty-two of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 8 were under one month old) and 52 were aged 60 years and upwards, including 29 persons aged 70 and upwards, of whom 10 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Eighty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 26 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·4 per 1,000; the rate in the City was 22·9 (North City Districts, 26·6; South, 19·0), and in the Suburbs, 20·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·9 (1·7 in the North City Districts, and 0·0 in the South) and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000. Included in the deaths are one from whooping-cough, one from *pneumonia* (not defined), one from tuberculous disease, 2 from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (24) are equal to an annual rate of 32·0 per 1,000. Among the deaths there one was from whooping-cough, one from *diarrhœa*, one from lobar pneumonia, one from broncho-pneumonia, 5 were from tuberculous disease, and 3 deaths were from diseases of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000, and include one death from *diarrhœa*, one death from *phthisis*, and 4 deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 23·0 per 1,000. There were 2 deaths from *pneumonia* (not defined), 3 deaths from tuberculous disease of the lungs, 2 deaths from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 36·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 31·3. Among the 7 deaths recorded for Coolock and Drumcondra, No. 1 (part of), are 2 from tuberculous disease and one from bronchitis; and of the 4 deaths for Finglas and Glasnevin (part of) there was one death each from dysentery and lobar pneumonia.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 19·0 per 1,000. The deaths include 2 from *pneumonia* (not defined), one from tuberculous phthisis, 4 from diseases of the respiratory system, and 2 accidental deaths.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000, and include 2 deaths from *phthisis* and 3 deaths from bronchitis.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·9 per 1,000. There was one death from each of broncho-pneumonia and *pneumonia* (not defined); tuberculous disease caused 3 deaths and diseases of the respiratory system caused 3 deaths.

No. 4 South City District (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·3 per 1,000. The deaths include one from broncho-pneumonia, 2 from tuberculous phthisis, and one from bronchitis.

New Kilmainham District.—The one death registered is equal to an annual rate of 5·9 per 1,000 and was due to tuberculous phthisis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·1; Pembroke, 24·0; Blackrock, 23·8; and Kingstown, 26·6. The only death from any of the principal epidemic diseases recorded for these districts was one from whooping-cough for Blackrock. The 9 deaths from all causes in the Urban District of Rathmines and Rathgar include 2 deaths from tuberculous disease of the lungs, and one death from bronchitis. Among the 12 deaths for Pembroke Urban District there was one death from *phthisis*, and there were 2 deaths from bronchitis; and the 9 deaths from all causes for Kingstown Urban District included 2 from *pneumonia* (not defined) and 2 from *phthisis*.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 26th May, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	May 5,	.	—	—	4	.	.	6	.	1	1	4	.	—	—	—	—	—	16
	May 12,	.	—	—	4	.	.	7	.	1	5	13	.	—	—	—	—	—	30
	May 19,	.	—	—	6	.	.	11	.	2	9	14	.	—	—	—	—	—	42
	May 26,	.	—	—	4	.	.	5	.	4	2	14	.	—	—	—	—	—	29
Rathmines and Rathgar Urban District.	May 5,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	3
	May 12,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	3
	May 19,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2
	May 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Pembroke Urban District.	May 5,	.	2	.	1	.	.	.	.	1	.	.	.	—	4	.	—	—	8
	May 12,	.	1	.	1	.	.	1	.	.	1	.	.	—	1	.	—	—	5
	May 19,	.	.	2	.	.	.	2	.	1	1	1	.	—	3	.	—	—	10
	May 26,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
Blackrock Urban District.	May 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
Kingstown Urban District.	May 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 19,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	May 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	May 5,	.	—	—	17	.	.	3	.	11	7	4	.	—	—	—	—	—	42
	May 12,	.	—	—	13	.	.	2	.	4	4	7	.	—	—	—	—	—	30
	May 19,	.	—	—	9	.	.	1	2	4	5	4	.	—	—	—	—	—	25
	May 26,	.	—	—	14	.	.	1	.	4	7	5	.	—	—	—	—	—	31

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 26th May, 1906.

From this it appears that :—

Three cases of measles were admitted to hospital during the week, 11 were discharged, and 0 cases remained under treatment at its close.

Twelve cases of scarlet fever were admitted to hospital, 5 were discharged, and 46* cases emained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 7 were discharged, and 32 atients remained under treatment at the close of the week.

One case of enteric fever was admitted to hospital, 6 were discharged, and 23 cases emained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 15 cases of pneumonia were admitted to hospital, were discharged, there were 3 deaths, and 39 cases remained under treatment at the id of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the te was 12·8), was equal to an average annual death-rate of 14·2 per 1,000 persons living, e average rate for 8 principal towns of Scotland was 17·3 per 1,000, the rate for Glasgow ing 19·0, and for Edinburgh 17·0.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a py of his Return of Infectious Diseases notified during the week ended 26th May. From this Return it pears that of a total of 33 cases notified 17 were scarlet fever, 8 diphtheria, 5 erysipelas, and 3 typhoid ver. Among the 314 cases of infectious diseases in hospital at the close of the week were 128 cases scarlet fever, 100 of measles, 27 of diphtheria, 18 of whooping-cough, 10 of erysipelas, and 10 of typhoid ver.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS** and **DEATHS** registered during the Week ending Saturday, 26th May, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyæmia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertifie Deaths.	Week ending 26th May, 1906. Air Temperature. Absolute Highest.	Week ending 26th May, 1906. Air Temperature. Absolute Lowest.	Week ending 26th May, 1906. Air Temperature. Mean.	Week ending 26th May, 1906. Rainfall in Inches.	Week ending 19th May, 1906. Air Temperature. Absolute Highest.	Week ending 19th May, 1906. Air Temperature. Absolute Lowest.	Week ending 19th May, 1906. Air Temperature. Mean.	Week ending 19th May, 1906. Rainfall in Inches.	Week ending 12th May, 1906. Air Temperature. Absolute Highest.	Week ending 12th May, 1906. Air Temperature. Absolute Lowest.	Week ending 12th May, 1906. Air Temperature. Mean.	Week ending 12th May, 1906. Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	29·5	21·0	1·8	618	441	63	120	.	1	.	.	11	4	.	.	11	31	68	22	14	61	11	20	166	17	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	878,994	27·5	26·8	22·4	0·8	195	163	24	52	.	.	.	.	3	.	.	.	3	13	22	4	7	26	4	5	76	7	f58·0	33·9	47·3	0·81	f61·8	36·4	46·8	0·64	f65·0	30·4	50·2	0·46
City of Dublin,	293,385	37·1	29·0	22·9	0·9	163	129	18	40	.	.	.	.	2	.	.	.	3	11	17	4	6	23	4	5	67	3	g59·4 h59·6	42·1 38·2	49·6 47·2	0·89 0·86	g63·3 h62·6	39·0 37·0	49·1 47·6	0·52 0·58	g68·0 h65·9	35·0 32·0	52·4 51·0	0·46 0·70
Urban Dists. Rathmines and Rathgar.	33,203	19·4	22·0	14·1	.	14	9	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	20·0	24·0	.	10	12	2	8	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	23·8	23·8	6·0	4	4	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	11·8	26·6	.	4	9	2	2	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	1	2	62	42·5	49·0	0·74	57·0	40·0	47·5	0·49	66	36·5	50·4	0·27
Urban Districts.																																							
Belfast,	358,680	24·4	39·7	22·0	2·0	273	151	21	29	.	.	.	.	8	1	.	.	5	14	33	9	3	16	6	9	39	4	58·5	40·2	48·7	1·08	59·0	41·0	48·8	0·09	64·1	35·0	48·1	0·39
Cork,	76,122	33·6	22·6	24·0	1·4	38	35	4	12	.	.	.	.	.	2	.	.	.	2	3	2	.	4	.	1	19	2	57	44	50·4	1·38	64	40	49·6	0·03	60	38	49·9	0·34
Londonderry,	49,067	19·4	27·3	21·1	2·5	22	17	5	4	.	1	.	.	.	.	.	.	1	.	2	2	2	1	.	1	6	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	8·2	9·6	.	6	7	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	23·4	23·4	.	12	12	1	5	.	.	.	.	.	.	.	.	.	.	2	2	.	3	.	1	6	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	38·8	11·7	.	10	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1	59	43	51	1·53	66	39	50	0·33	60	43	53	0·62
Dundalk,	18,076	3·4	12·0	19·9	.	3	5	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	16·3	28·6	.	4	7	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	21·0	12·6	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	58·0	36·6	48·3	0·88	59·9	36·2	46·7	0·73	64·0	33·2	50·2	0·38
Lurgan,	11,782	13·8	13·3	4·4	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	58·0	36·6	48·3	0·88	59·9	36·2	46·7	0·73	64·0	33·2	50·2	0·38
Lisburn,	11,461	10·1	27·3	9·1	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	58·0	36·6	48·3	0·88	59·9	36·2	46·7	0·73	64·0	33·2	50·2	0·38
Wexford,	11,168	23·2	37·4	28·3	4·7	8	5	.	1	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	28·7	33·5	4·8	6	7	1	3	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	19·2	9·6	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	61·0	31·9	48·3	0·77	56·8	37·3	46·6	0·77	63·8	30·8	49·9	0·18
Kilkenny,	10,609	11·5	4·9	14·7	4·9	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.	64	37	49·3	1·26	68	39	50·1	0·16	61	32	43·5	0·22
Clonmel,	10,167	7·8	5·1	15·4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	36·2	36·2	.	7	7	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	58·0	36·6	48·3	0·88	59·9	36·2	46·7	0·73	64·0	33·2	50·2	0·38
Tralee,	9,867	16·6	31·7	10·6	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	51·5	11·4	.	9	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	59	41	47·8	0·75	58	39	46·1	1·05	60	39	47·7	0·44
Queenstown,	7,909	14·4	19·8	6·6	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57	44	50·4	1·88	64	40	49·6	0·03	60	38	49·9	0·34
Armagh,	7,588	22·2	6·9	20·6	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	58·0	36·6	48·3	0·88	59·9	36·2	46·7	0·73	64·0	33·2	50·2	0·38

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 26th of May, 1906, with the number of uncertified deaths: also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Pneumonia,	1	2	.	2	.	.	1	2	.	3	1	.	.	.	.	2	13	.
Tuberculous Disease. Phthisis,	.	4	1	3	.	1	.	1	2	2	2	1	2	1	.	2	22	.
Tuberculous Disease. Other Forms.	1	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	4	3
Cancer, Malignant Disease,	1	.	1	2	.	.	.	1	.	1	.	.	.	1	.	.	7	1
Other General Diseases	1	1	1	1	.	1	1	.	1	.	.	.	.	4	.	.	11	1
Total,	5	10	4	8	.	3	3	4	3	6	3	1	2	6	1	4	63	5
B. LOCAL DISEASES:																		
Diseases of Nervous System	2	4	1	.	.	1	.	.	2	.	.	.	3	.	.	4	17	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Diseases of Heart and Blood Vessels,	2	4	3	3	.	2	.	2	2	3	4	.	1	2	1	1	30	.
Diseases of Respiratory System,	2	3	4	2	.	1	.	4	3	3	1	.	1	2	.	.	26	.
Diseases of Digestive System,	.	1	1	.	.	.	1	1	.	2	2	.	1	.	1	.	10	2
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	2	.	.	.	.	.	.	.	1	.	.	1	.	1	.	5	1
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	14	9	5	.	4	1	7	7	9	8	.	7	5	3	5	90	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	2	.	1	.	.	.	.	1	.	1	.	.	.	1	.	.	6	.
E. VIOLENT DEATHS,	1	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	4	1
Deaths from all Causes,	14	24	14	14	.	7	4	14	10	16	11	1	9	12	4	9	163	10
Annual Rate of Mortality from all causes in every 1,000 of the population	25·8	32·0	24·2	23·0	.	36·4	31·3	19·0	23·5	19·9	16·3	5·9	14·1	24·0	23·8	26·6	22·4	.
	26·6							19·0					20·7					
	22·9																	
Deaths of Infants under 1 year of age,	4	4	3	2	.	.	1	2	1	.	1	.	2	2	.	2	24	1
Deaths of Persons aged 60 years and upwards,	3	7	7	5	.	3	2	6	3	3	1	.	1	8	1	2	52	.
Number of Uncertified Deaths,	1	1	.	.	.	.	.	.	.	.	1	.	2	.	.	2	7	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	5	2	5	.	2	1	2	4	6	2	.	3	3	.	1	38	8
Workhouse Hospitals,	5	8	6	4	.	1	.	3	3	4	2	.	.	2	.	.	38	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regist week of the ten years, 18

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 21st Week of the 10 years 1896–1905.	In the Week ending Satur 26th May, 1906. Deaths of Persons of the A					
	May 23, 1896.	May 29, 1897.	May 28, 1898.	May 27, 1899.	May 26, 1900.	May 25, 1901.	May 24, 1902.	May 30, 1903.	May 28, 1904.	May 27, 1905.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.		
Mean Temperature.	° 53·2	° 49·0	° 51·7	° 48·5	° 51·2	° 51·2	° 49·7	° 53·3	° 50·5	° 50·5	° 50·9	° 47·3					
ALL CAUSES.	159	190	155	178	176	178	149	170	163	143	166·1	173	8	17	17	13	29
Small-pox,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	5	1	1	.	.	2	.	.	1	1·0	.	.	.	.	.	.
Scarlet Fever,	1	3	1	.	.	.	2	2	2	.	1·1	.	.	.	.	.	.
Typhus,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	2	1	3	2	3	.	1	2	.	1·5	.	.	.	.	.	.
Whooping-cough,	3	2	3	1	3	5	.	2	4	1	2·4	3	.	1	1	1	.
Diphtheria,	.	.	4	.	.	.	.	.	.	1	·5	.	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.
Enteric Fever,	2	1	3	4	2	.	1	1	1	1	1·6	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	1	4	2	1	.	3	.	1	.	.	1·7	.	.	.	.	.	.
Diarrhœa, Dysentery,							2	2	1	.		3	.	2	.	.	.
Tetanus,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	2	1	1	.	.	1	3	·8	1	1	.	.	.	.
Puerperal Septicæmia,	.	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.	.
Puerperal Fever,							1	.	.	.		.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	11	12	10	16	14	15	1	1	2	.	11·8	2	.	.	.	1	.
Pneumonia, Broncho-							3	2	4	4		3	.	1	1	.	.
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.
Pneumonia, Not defined,							4	7	7	5		8	.	2	1	.	2
Erysipelas,	.	1	.	1	.	2	.	.	.	.	·4	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	.	.	.	1	1	.	1	.	1	·5	.	.	.	.	.	.
Pyæmia (not Puerperal),							.	.	1	.		1	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	26	32	25	27	32	25	2	4	8	13	28·0	9	.	.	.	2	3
"*Phthisis*,"							23	25	18	20		13	.	.	.	1	8
Tuberculous Meningitis,	8	9	10	10	8	2	2	5	6	1	6·1	.	.	.	.	.	.
Tuberculous Peritonitis,	2	8	4	3	4	4	.	4	3	1	3·6	1	.	.	1	.	.
Tabes Mesenterica,							.	1	2	0		1	.	1	.	.	.
Tuberculous Dis. (other),	4	4	4	4	11	5	2	4	8	5	5·2	5	.	.	2	1	.
Scrofula,							.	.	.	1		.	.	.	.	.	.
Alcoholism,	.	1	1	2	1	.	.	.	.	1	·6	.	.	.	.	.	.
Rheumatic Fever,	1	1	.	.	.	.	.	.	2	.	·4	.	.	.	.	.	.
Gout,	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.
Carcinoma,	8	5	7	6	6	8	1	2	1	2	7·1	3	.	.	.	.	1
Sarcoma,							.	.	.	.		.	.	.	.	.	.
Cancer (undefined),							6	11	5	3		5	.	.	.	.	.
Diabetes Mellitus,	.	.	.	.	.	.	.	1	.	.	·1	2	.	.	.	.	.
Premature Birth,	1	3	3	2	1	5	2	3	5	7	3·2	2	2	.	.	.	.

* The figures for the years 1896–190 re
† Formerly desc be

TWENTY-FIRST WEEK ending Saturday, 26th May, 1906, with the deaths from each cause in the corresponding
the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: May 23, 1896.	May 29, 1897.	May 28, 1898.	May 27, 1899.	May 26, 1900.	May 25, 1901.	May 24, 1902.	May 30, 1903.	May 28, 1904.	May 27, 1905.	Averages in 21st Week of the 10 years 1896-1905.	In the Week ending Saturday, 26th May, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 53·2	° 49·0	° 51·7	° 48·5	° 51·2	° 51·2	° 49·7	° 53·3	° 50·5	° 50·5	° 50·9	Mean Temp. ° 47·3								
Meningitis (not tuberc.)							8	4	7	4		6	.	1	3	1	1	.	.	.
Insanity, G. P. of Insane							4	2	2	.		1	.	.	.	.	1	.	.	.
Epilepsy							1	1	.	.		.	.	.	.	.	.	.	.	.
Convulsions							9	7	5	3		7	1	5	1	.	.	.	.	.
Locomotor Ataxy							.	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord							.	.	1	2		2	.	.	.	.	1	.	1	.
Nervous System (other Dis.)	30	30	27	31	31	36	4	1	.	5	33·9	2	.	.	.	.	.	2	.	.
Valv. Dis., Endocarditis							4	3	2	3		8	.	.	1	1	1	2	3	.
Cerebr. Hæm. Thromb.							.	1	.	2		3	.	.	.	.	.	2	.	1
Apoplexy, *Hemiplegia*							2	5	6	4		6	.	.	.	.	1	2	3	.
Aneurysm							.	.	.	.		1	.	.	.	.	.	1	.	.
Embolism, Thromb. (not cerebral)							.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessel Dis.							9	15	13	15		12	.	.	.	.	.	3	7	2
Croup (not Spasm. nor Memb.)	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Bronchitis	16	18	16	23	15	19	14	11	14	9	15·5	23	.	1	2	1	2	2	12	3
Asthma, Emphysema							.	1	.	.		.	.	.	.	.	.	.	.	.
Pleurisy	3	2	1	1	.	1	.	2	.	.	1·8	1	.	.	.	.	1	.	.	.
Respiratory Dis. (other)							1	3	2	1		2	.	.	1	.	.	.	.	1
Tonsillitis, Quinsy	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)							.	1	1	.		1	.	1	.	.	.	.	.	.
Gastro Enteritis	.	1	1	1	.	1	.	.	.	2	·8	.	.	.	.	.	.	.	.	.
Peritonitis (not Puerp.)	.	.	.	2	1	1	.	.	.	1	·5	2	.	.	.	1	.	1	.	.
Cirrhosis of Liver							2	1	1	.		.	.	.	.	.	.	.	.	.
Liver Dis. (other)	1	2	1	2	5	2	3	2	.	.	2·2	.	.	.	.	.	.	.	.	.
Digestive Dis. (other)	6	6	1	6	5	7	3	6	6	3	4·9	9	.	2	.	.	1	3	2	1
Nephritis, Acute							4	1	.	.		1	.	.	.	.	.	.	1	.
Bright's Dis., Albuminuria	5	6	2	4	3	4	3	1	5	.	4·1	3	.	.	.	.	3	.	.	.
Urinary Sys. (Other Dis.)							.	2	.	1		2	.	.	.	.	1	.	1	.
Generative Organs Dis.	1	1	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of)	1	.	.	.	.	.	1	.	.	1	·3	1	.	.	.	.	1	.	.	.
Old Age	6	12	13	11	11	12	4	3	4	2	7·8	1	.	.	.	.	.	.	1	.
Other Diseases	10	12	8	9	17	11	13	7	8	9	10·4	11	4	.	2	1	1	1	1	1
ACCIDENT.																				
By Railways	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	1	.	.	1	.	.	1	2	.	3	·8	1	.	.	.	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	.	.	.	.	.	.	1	1	1	·5	2	.	.	1	1	.	.	.	.
By Drowning	2	1	.	.	1	.	.	4	.	1	·9	2	.	.	.	1	1	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Deaths by Accidents	1	2	2	3	.	2	3	1	1	.	1·5	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Suicide	.	1	1	1	.	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

e Registration Area as then constituted.
imple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905-6—Week ending																									
	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.
No. of weeks in Annual Series.	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered,	198	191	238	199	184	245	192	183	220	283	202	188	169	252	214	189	211	230	207	181	202	199	250	285	202	195
*Average Births in corresponding week of previous 10 years,**	190	195	183	160	182	210	206	199	200	221	215	205	217	213	208	219	206	236	177	200	216	204	244	227	209	191
DEATHS registered,	157	168	148	171	189	168	166	154	160	187	151	149	185	183	187	173	193	198	159	174	215	174	191	165	169	173
Annual Death-rate per 1,000,	21·6	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8
*Average Deaths in corresponding week of previous 10 years,**	197	185	187	189	199	219	214	211	202	212	209	209	221	233	221	212	211	218	201	198	189	183	183	174	171	166
AGES, Under 5 years,	42	49	47	43	27	28	52	39	37	46	35	32	45	46	43	55	43	67	37	34	45	37	30	36	41	42
5—20 "	13	10	13	9	7	17	17	11	13	16	8	9	8	14	8	15	15	17	13	13	15	12	16	10	15	13
20—40 "	22	31	13	30	21	34	25	18	21	18	21	15	38	39	34	19	29	26	28	23	27	32	39	23	28	29
40—60 "	34	35	32	45	41	48	37	45	37	42	42	46	43	34	43	35	40	33	34	47	49	42	47	39	44	37
60—80 "	35	37	34	37	37	35	28	34	43	52	39	39	44	49	49	41	55	45	40	47	70	40	55	51	30	41
80 years and upwards,	11	6	9	7	6	6	7	7	9	13	6	8	7	7	10	8	11	10	7	10	9	11	4	6	11	11
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	1	.	1	.	.
Scarlet Fever	.	1	.	1	.	.	2	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	2	2	1	1	2	3	1	1	2	.	.	1	4	1	2	.	2	2	3	.	2	1	1	.	3
Diphtheria,	.	1	1	.	2	2	2	.	1	1	.	.	1	.	2	2	1	3	.	.	.	2	.	.	2	.
Pyrexia † (origin uncertain),	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	2	1	4	3	3	.	.	.	1	.	.	1	1	.	3	.	3	.	1	2	1	1	3	.	.
Diarrhœal Diseases,	5	2	1	1	2	1	1	1	3	1	.	1	2	1	3	3	5	2	1	1	1	4	.	3	1	3
Pneumonia,	10	10	8	11	11	12	15	12	16	19	6	11	13	16	18	10	13	10	8	22	26	17	21	18	13	13
Tuberculous Disease. Phthisis,	18	24	9	27	19	21	14	23	21	29	18	23	29	32	30	23	32	25	23	27	18	22	36	18	16	22
Tuberculous Disease. Other Forms,	10	4	15	4	1	12	16	5	6	9	15	10	12	18	9	12	11	15	15	8	11	10	15	10	16	7
Cancer, Malignant Disease,	8	6	11	5	6	7	5	12	6	8	14	6	13	6	8	6	11	4	4	9	13	10	6	5	15	8
Diseases of Heart and Blood Vessels,	25	26	21	26	30	28	21	24	33	31	23	27	21	25	31	29	31	33	27	29	45	27	22	22	28	30
Diseases of Respiratory System,	33	22	16	25	20	26	28	22	18	27	26	27	32	28	28	21	34	27	23	29	43	23	36	31	15	26
Violent Deaths,	3	2	2	4	6	4	3	7	8	5	5	.	4	10	1	2	4	5	2	3	4	2	3	1	4	5
Number of Uncertified Deaths,	4	5	9	8	6	4	5	6	6	11	7	6	8	4	6	7	6	12	9	7	6	5	5	3	7	7
Mean Temperature of the Air (Phœnix Park),	44·1	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3
Average Mean Temperature in corresponding week of previous 10 years.	42·4	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9
Rainfall in inches,	·645	·128	·035	·285	·770	·860	·855	1·605	·230	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130	·810	·650	·455	·640	·810
Mean Humidity of the Air, complete Saturation, 1·0.	·85	·85	·89	·85	·88	·91	·88	·87	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·83	·81	·83	·85	·88	·83	·89

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—SHOWING IN FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th May, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 26th May, 1906. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	24·0	173	42	13	29	37	41	11	.	.	.	.	3	.	.	.	3	6	13	22	7	8	7	26	5	79	7
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	15·0	5	.	.	1	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	3	.
II.	MIDDLE CLASS,	87,188	15·5	26	6	2	2	6	8	2	.	.	.	.	.	.	.	.	1	1	.	3	2	3	.	1	1	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	18·4	39	5	4	8	11	10	1	.	.	.	.	.	.	.	.	1	1	2	7	.	2	1	6	1	19	1
IV.	GENERAL SERVICE CLASS,	154,279	33·5	63	25	7	10	14	6	1	.	.	.	.	3	.	.	.	1	4	7	7	4	1	6	6	3	25	6
V.	INMATES OF WORKHOUSES,	6,024		40	6	.	8	6	14	6	.	.	.	.	.	.	.	.	.	.	3	5	1	1	.	13	.	17	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,860	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	27·0	4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	11·8	5	1	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	.
	6. Clerks and Commercial Assistants,	30,432	15·4	9	1	.	1	4	3	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.	1	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	15·4	8	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	6	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	5·3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades,	29,801	24·5	14	4	2	3	3	2	.	.	.	.	.	.	.	.	.	1	1	1	3	.	1	1	1	.	6	1
	10. Clothing Trades,	23,260	13·5	6	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	3	.
	11. Food Supply Trades,	9,242	11.3	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	25·8	15	.	1	2	7	4	1	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2	.	9	.
	13. Petty Shopkeepers,	7,894	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4	.
	15. Domestic Servants,	36,603	8·5	6	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	29·0	8	2	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	3	.	2	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	25·0	43	19	7	6	8	2	1	.	.	.	.	3	.	.	.	1	4	6	4	3	.	6	2	3	15	6
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	40	6	.	8	6	14	6	.	.	.	.	.	.	.	.	.	.	3	5	1	1	.	13	.	17	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	April 7,	33·1	.	18	.	.	.	.	.	.	.	.	.	2	3	3	.	2	1	3
	„ 14,	20·2	1·3	11	.	.	.	.	1	.	.	.	.	3	1	.	1	3	1	1
	„ 21,	29·4	.	16	.	.	.	.	.	.	.	.	.	.	4	2	.	2	.	3
	„ 28,	20·2	1·3	11	.	.	.	.	.	.	.	.	1	2	1	1	2	1	.	1
	May 5,	27·6	.	15	.	.	.	.	.	.	.	.	.	3	3	2	1	2	.	.
	„ 12,	14·7	1·3	8	.	.	.	.	.	.	.	1	.	2	2	.	.	2	.	.
	„ 19,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	1
	„ 26,	25·8	1·3	14	.	.	.	.	1	.	.	.	.	1	.	1	1	2	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	April 7,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	2
	„ 14,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	5	1	2	3	1	.
	„ 21,	26·6	1·3	20	.	.	.	.	.	.	.	1	.	3	1	.	.	6	.	1
	„ 28,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	2	2	.	1	4	.	1
	May 5,	33·3	.	25	.	.	.	.	.	.	.	.	.	2	4	4	2	4	.	2
	„ 12,	21·3	2·7	16	.	.	.	.	.	.	.	.	2	2	2	.	.	4	.	.
	„ 19,	22·6	.	17	.	.	.	.	.	.	.	.	.	3	3	1	.	1	.	1
	„ 26,	32·0	2·7	24	.	.	.	.	1	.	.	.	1	2	4	1	.	3	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	April 7,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	2
	„ 14,	36·4	1·7	21	.	.	.	.	.	.	.	1	.	4	3	1	1	3	1	1
	„ 21,	32·9	.	19	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	1
	„ 28,	32·9	1·7	19	.	.	.	.	.	.	.	.	1	1	3	.	.	2	1	1
	May 5,	38·1	.	22	.	.	.	.	.	.	.	.	.	3	1	2	.	6	1	.
	„ 12,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	1
	„ 19,	20·8	1·7	12	.	.	.	.	.	.	.	.	1	.	2	1	2	1	.	.
	„ 26,	24·2	1·7	14	.	.	.	.	.	.	.	.	1	.	1	.	1	4	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	April 7,	19·8	1·6	12	.	.	.	.	1	.	.	.	.	.	1	.	1	4	.	.
	„ 14,	32·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	.	5	.	1
	„ 21,	28·0	.	17	.	.	.	.	.	.	.	.	.	4	.	1	.	3	1	.
	„ 28,	23·0	1·6	14	.	.	.	.	.	.	.	1	.	2	2	2	.	1	.	1
	May 5,	36·2	1·6	22	.	.	.	.	1	.	.	.	.	1	6	1	.	3	.	1
	„ 12,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	4	3	.	.	3	.	.
	„ 19,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
	„ 26,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	3	.	2	2	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	April 7,	27·2	1·4	20	.	1	.	.	.	.	.	.	.	2	7	2	.	3	.	1
	„ 14,	27·2	.	20	.	.	.	.	.	.	.	.	.	2	2	.	1	4	.	2
	„ 21,	28·5	1·4	21	.	.	.	.	.	.	1	.	.	3	3	1	2	4	.	1
	„ 28,	25·8	2·7	19	.	.	.	.	1	.	.	.	1	2	4	1	.	2	1	.
	May 5,	19·0	.	14	.	.	.	.	.	.	.	.	.	1	3	1	.	1	1	.
	„ 12,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	3	.	6	.	.
	„ 19,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	2	3	.	2	.	.
	„ 26,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.	1	4	2	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	April 7,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 14,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	3	2	.	3	.	.
	„ 21,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	„ 28,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	3	2	.	2	.	.
	May 5,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 12,	22·8	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	2	.	1
	„ 19,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	„ 26,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	April 7,	24·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	1	2	.	.
	„ 14,	17·4	3·7	14	.	1	.	.	2	.	.	.	.	5	1	.	.	2	.	.
	„ 21,	36·1	1·2	29	.	1	.	.	.	.	.	.	.	4	2	.	3	7	.	.
	„ 28,	32·3	1·2	26	.	.	.	.	.	1	.	.	.	1	3	1	1	6	.	1
	May 5,	24·9	.	20	.	.	.	.	.	.	.	.	.	5	3	.	.	4	.	.
	„ 12,	27·4	1·2	22	.	1	.	.	.	.	.	.	.	1	5	2	.	4	.	1
	„ 19,	26·1	.	21	.	.	.	.	.	.	.	.	.	.	1	3	3	5	.	.
	„ 26,	19·9	.	16	.	.	.	.	.	.	.	.	.	2	2	1	1	3	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,138.	April 7,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.
	„ 14,	10·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.
	„ 21,	35·6	.	24	.	.	.	.	.	.	.	.	.	3	3	1	.	8	.	.
	„ 28,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	1	1	.	1	2	.	.
	May 5,	32·6	.	22	.	.	.	.	.	.	.	.	.	4	1	1	3	8	1	.
	„ 12,	25·2	.	17	.	.	.	.	.	.	.	.	.	2	3	1	.	4	1	.
	„ 19,	29·7	.	20	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	3
	„ 26,	16·3	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,408.	April 7,	22·0	1·6	14	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	1
	„ 14,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	1	3	.	.	1	.	1
	„ 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	1	1	1	1	1	1	.
	„ 28,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.
	May 5,	17·8	.	11	.	.	.	.	.	.	.	.	.	2	2	.	1	3	.	1
	„ 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	„ 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	2	2	3	.	.	.	1
	„ 26,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	April 7,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 14,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.
	„ 21,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	.
	„ 28,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
	May 5,	22·0	2·0	11	.	.	.	.	.	.	.	.	1	2	3	1	.	1	.	.
	„ 12,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 19,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.
	„ 26,	24·0	.	12	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	April 7,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 14,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	„ 21,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.
	„ 28,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	May 5,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 19,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
	„ 26,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	2
Belfast. Pop. in 1906 (Est.) 358,680.	April 7,	24·6	3·2	169	.	1	1	.	12	1	.	5	2	19	24	11	4	21	7	1
	„ 14,	24·1	2·5	166	.	.	.	.	13	.	.	4	.	19	26	7	3	34	4	1
	„ 21,	24·9	3·5	171	.	.	.	.	21	.	.	2	1	15	18	8	2	36	3	3
	„ 28,	22·1	2·9	152	.	.	.	.	18	.	.	.	2	16	19	12	4	27	4	5
	May 5,	26·0	3·3	179	.	.	1	.	20	.	1	.	1	16	29	10	4	30	4	2
	„ 12,	23·4	1·9	161	.	.	.	.	12	.	.	1	.	10	21	8	3	27	2	2
	„ 19,	20·4	2·3	140	.	.	.	.	13	1	.	1	1	9	23	11	3	17	4	.
	„ 26,	22·0	2·0	151	.	.	.	.	8	1	.	.	5	14	33	9	3	16	6	4
Cork. Pop. (in 1901) 76,122.	April 7,	13·7	.	20	.	.	.	.	.	.	.	.	.	.	5	2	1	1	.	1
	„ 14,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	9	2	.	3	.	1
	„ 21,	18·5	1·4	27	.	.	.	.	.	.	.	.	2	.	1	3	1	8	.	2
	„ 28,	26·0	0·7	33	.	.	.	.	.	.	.	.	1	3	7	3	5	6	.	2
	May 5,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	7	2	.	2	.	2
	„ 12,	24·0	0·7	35	.	.	.	.	.	.	.	.	1	1	5	.	2	10	1	2
	„ 19,	24·7	.	36	.	.	.	.	.	.	.	.	.	2	7	3	1	3	.	1
	„ 26,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	2	3	2	.	4	.	2
Londonderry. Pop. in 1906 (Est.) 42,067.	April 7,	17·4	2·5	14	.	.	.	.	1	.	.	1	.	.	3	3	.	3	.	.
	„ 14,	17·4	1·2	14	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1
	„ 21,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 28,	18·6	3·7	15	.	3	.	.	.	.	.	.	.	1	.	1	.	2	1	1
	May 5,	19·8	2·5	16	.	1	.	.	.	.	.	.	1	2	.	2	.	2	.	2
	„ 12,	23·6	2·5	19	.	.	.	.	1	1	.	.	.	1	1	2	3	4	.	.
	„ 19,	24·8	2·5	20	.	2	.	.	.	.	.	.	.	2	3	.	.	3	.	.
	„ 26,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	.	2	2	2	1	.	1
Limerick. Pop. (in 1901) 38,151.	April 7,	31·4	.	23	.	.	.	.	.	.	.	.	.	3	5	3	1	4	.	1
	„ 14,	28·7	.	21	.	.	.	.	.	.	.	.	.	5	3	.	.	5	.	3
	„ 21,	13·7	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	.	3	.	2
	„ 28,	20·5	.	15	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	1
	May 5,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	2	1	.	6	.	1
	„ 12,	32·8	1·4	24	.	.	.	.	.	.	.	.	1	2	5	1	.	2	.	4
	„ 19,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	3
	„ 26,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.
Waterford. Pop. (in 1901) 26,769.	April 7,	19·5	.	10	.	.	.	.	.	.	.	.	.	.	3	.	1	2	2	1
	„ 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 21,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 28,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	2
	May 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1
	„ 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1
	„ 19,	31·2	.	16	.	.	.	.	.	.	.	.	.	.	.	4	1	1	.	3
	„ 26,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	2	2	.	3	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th May, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,784	5	21·2	3·5	6	1	1	4	.	.	.	.	.	1	.	.	.	.	1	2	.	.	1	.	.	3	1
Do. 2 „ .	47,959	36	19·6	.	18	3	.	12	3	.	.	.	.	.	.	.	.	.	2	5	2	.	1	1	.	7	1
Do. 3 „ .	47,214	36	19·9	5·5	18	4	2	10	2	.	.	.	.	2	.	.	.	3	2	7	.	.	.	2	3	2	.
Do. 4 „ .	40,911	44	22·9	2·5	18	4	3	10	1	.	.	.	.	1	.	.	.	1	2	3	.	.	2	.	.	7	1
Do. 5 „ .	17,387	14	36·0	.	12	2	.	7	3	.	.	.	.	.	.	.	.	.	1	1	.	2	1	1	1	5	1
Do 6 „ .	48,122	31	21·7	1·1	20	1	2	7	10	.	.	.	.	1	.	.	.	.	2	5	.	1	3	.	1	5	.
Do 7 „ .	1,524	.	—	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 8 „ .	5,060	2	30·9	10 3	3	.	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.
Do. 9 „ .	19,569	17	24·0	.	9	1	1	7	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	2	.
Do. 10 „ .	28,064	17	22·6	2·3	10	2	1	5	2	.	.	.	.	1	.	.	.	.	1	2	2	.	2	.	1	1	.
Do. 11 „ .	34,802	20	24·0	3·0	16	3	2	8	3	.	.	.	.	1	.	.	.	1	2	1	1	.	2	.	.	2	.
Do. 12 „ .	33,588	42	21·7	1·6	14	.	4	7	3	.	.	.	.	1	.	.	.	.	.	3	1	.	2	1	2	4	.
Do. 13 „ .	15,006	9	20·8	.	6	.	.	5	1	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	1	.
Do. 14 „ .	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	273	22·5	2·1	151	21	17	84	29	.	.	.	.	8	1	.	.	5	14	33	9	3	16	6	9	39	4
City of Cork.																											
CORK URBAN No. 1 DISTRICT. .	12,867	2	32·4	.	8	1	1	2	4	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	3	.
Do. 2 „ . .	10,701	6	29·2	9·7	6	.	2	4	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.	4	.
Do. 3 „ . .	9,978	9	15·7	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 4 „ . .	8,666	3	48·1	.	8	1	.	4	3	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	6	2
Do. 5 „ . .	6,592	3	31·6	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
Do. 6 „ . .	10,702	4	9·7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 „ . .	16,616	6	12·6	.	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	4	.
Tota	76,122	33	24·0	1·4	35	4	3	16	12	.	.	.	.	.	2	.	.	.	2	3	2	.	4	.	1	19	2

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905–6—Week ending																									
	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered,	205	199	194	158	189	224	198	196	236	231	189	246	214	246	229	229	221	248	240	212	232	282	238	246	217	273
DEATHS registered,	140	148	126	146	124	147	133	135	160	139	146	179	174	166	155	191	152	201	169	166	171	152	179	161	140	151
Annual Death-rate per 1,000 of estimated Population,	20·4	21·5	18·3	21·2	18·0	21·4	19·3	19·6	23·3	20·2	21·2	26·0	25·3	24·1	22·5	27·8	22·1	29·2	24·6	24·1	24·9	22·1	26·0	23·4	20·4	22·0
AGES — Under 1 year,	27	21	23	31	26	34	21	30	31	24	29	31	43	26	31	32	37	46	35	35	39	30	29	35	35	21
AGES — 1–5 years,	11	18	15	18	19	16	15	16	22	11	11	14	20	17	22	28	16	30	28	26	24	24	20	19	17	17
AGES — 5–60 years,	64	72	58	69	56	61	60	62	71	61	71	87	74	85	59	84	57	89	81	75	66	67	85	66	64	84
AGES — 60 years and upwards,	38	37	30	28	23	36	37	27	36	43	35	47	37	38	43	52	42	36	25	30	42	31	43	41	24	29
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Scarlet Fever,	1	.	2	3	.	.	.	2	1	1	.	.	1	1	1	1	.	2	1	.	.	.	1	.	.	.
Typhus,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	1	3	1	.	1	2	1	3	1	2	6	7	9	5	9	5	21	12	13	21	18	20	12	13	8
Diphtheria,	1	.	.	1	.	1	1	.	.	.	.	2	3	2	.	1	2	1	1	.	.	.	.	.	1	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.
Enteric Fever,	4	3	1	2	2	2	3	1	2	2	6	.	2	2	6	6	3	1	3	4	2	.	.	1	1	.
Diarrhœal Diseases,	.	2	.	2	1	3	2	2	3	2	1	3	2	1	.	1	2	1	2	.	1	2	1	.	1	5
Pneumonia,	15	18	14	18	14	15	12	8	11	10	8	19	17	13	16	23	10	18	19	19	15	16	16	10	9	14
Tuberculous Disease, Phthisis,	26	17	17	21	17	15	17	17	22	16	23	22	23	33	15	26	17	28	24	26	18	19	29	21	23	33
Tuberculous Disease, Other Forms,	—	—	—	—	—	10	4	3	8	7	6	7	7	6	10	5	6	12	11	7	8	12	10	8	11	9
Cancer, Malignant Disease,	—	—	—	—	—	3	5	5	7	5	4	5	6	5	1	6	4	10	4	3	2	4	4	3	3	3
Diseases of Respiratory System,	29	34	23	31	23	20	19	12	20	26	23	22	24	34	33	36	24	28	21	34	36	27	30	27	17	16
Violent Deaths,	3	3	2	4	5	6	1	4	1	3	1	6	4	2	6	1	.	2	7	4	3	4	4	2	4	6
Number of Uncertified Deaths,	—	—	—	—	—	6	2	4	4	3	3	5	3	5	2	4	3	3	1	1	3	5	2	2	.	4

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the five weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	May 26,	2,518	1,156	12·8	.	41	15	13	32	8	10
EDINBURGH,	341,035	„ 26,	154	111	17·0	.	2	4	.	2	.	3
GLASGOW,	835,625	„ 26,	450	304*a*	19·0	.	9	.	1	8	.	7
CALCUTTA,	910,117	April 7,	.	909	55·7	137	5	.	.	4	118‡	101*
BOMBAY,	776,006	„ 24,	396	2,150	144·1	18	66	.	.	1	133‡	177*
MADRAS,	509,346	„ 6,	318	487	49·7	46	23	?	?	?	91	91*
PARIS,	2,750,000	—	.	.	.	.	.	.	.	.	.	.
BRUSSELS (with 8 Faubourgs).	612,401	May 5,	221	176	14·9	.	2	1	2†	4	2	3
ANTWERP,	304,975	„ 5,	139	84	14·4	.	9	.	.	.	.	5
AMSTERDAM,	560,249	„ 5,	289	154	14·3	.	6	1	1†	.	.	10
COPENHAGEN,	425,000	„ 5,	211	130	16·0	.	3	.	.	6	.	5
STOCKHOLM,	324,488	April 28,	140	82	13·1	.	.	.	.	2	.	4
CHRISTIANIA,	222,373	May 12,	136	57	13·3	.	.	.	4†	.	.	2
ST. PETERSBURG,	1,424,700	„ 5,	754	824	30·0	5	34	22	16	14	18	97
MOSCOW,	1,092,360	April 7,	.	596	28·4	4	4	8	7†	4	6	64
BERLIN,	2,053,181	„ 21,	909	648	16·5	.	15	9	3†	8	1	45
HAMBURG,	803,050	„ 28,	.	236	15·3	.	2	.	3†	1	.	23
BRESLAU,	475,217	May 12,	.	190	20·8	.	.	1	1†	2	2	16
MUNICH,	540,000	„ 12,	.	202	19·5	.	5	.	1†	.	.	22
VIENNA (with suburbs).	1,937,869	„ 12,	950	829	22·2	.	34	14	7†	3	1	51
BUDA-PESTH,	859,134	„ 12,	430	385	23·4	.	8	4	4†	2	2	18
PRAGUE and Faubourgs.	460,849	„ 5,	202	201	22·7	.	4	1	.	2	.	18
TRIESTE,	196,637	April 28,	110	117	31·0	.	1	.	.	1	.	6
ROME,	526,170	Mar. 17,	246	203	20·1	.	7	.	1	.	1	10
VENICE,	171,709	—	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	April 28,	1,936	1,523	19·1	1	39	13	40†	5	9	42
PHILADELPHIA,	1,469,126	„ 21,	.	568	20·1	.	6	2	5†	6	20	16
BOSTON,	595,380	„ 28,	.	225	19·7	.	2	1	5	3	.	2

a. Including 2 deaths from cerebro-spinal fever.
* Including 43 deaths from cholera in Calcutta, 40 in Bombay, and one in Madras.
† Including deaths from croup.
‡ Exclusive of 301 deaths from plague in Calcutta, and 1084 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th May, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	2	.	4	.	.	.	6
" " 1, West,	.	.	.	.	.	.	2	.	1	.	.	.	3
" " 2,	.	1	.	.	.	.	.	1	2	.	.	.	4
" " 3,	.	.	.	.	1	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	2	.	.	.	.	.	1	5	.	.	.	8
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	1	.	.	3	.	.	.	1	.	.	.	5
" " 4,	.	.	.	.	1	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	4	.	.	5	.	4	2	14	.	.	.	29

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th May, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th May.			
	May 5.	May 12.	May 19.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	20	25	28	3	11	.	20
Scarlet Fever,	37	36	39	12	5	.	46*
Typhus,	.	.	.	.	.	.	.
Diphtheria,	24	33	34	5	7	.	32
Enteric Fever,	23	24	28	1	6	.	23
Pneumonia,	36	28	33	15	6	3	39

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 26th May, 1906:—

"The weather was changeable, cold, and dull during the greater part of this period, but conditions improved on Friday. On Sunday a large and rather deep atmospheric depression was central near Berlin, where the barometer was as low as 29·39 inches. At the same time an anticyclone lay over the Hebrides, pressure being 30·10 inches at Stornoway. As a result cold N.E. winds prevailed, there was much cloud and gloom, and rain fell heavily in England and in many Continental districts. A tendency to equalisation of atmospheric pressure brought finer weather on Monday. By Tuesday morning a new disturbance had appeared off the S.W. of Ireland and St. George's Channel. Its movements were slow, but it gradually spread eastward and northward over the British Isles, causing clouds, gloom, fresh S.E. winds, and in Ireland and Scotland heavy falls of rain, thunderstorms occurring at stations on the English Channel on Wednesday, at Harrogate and Spurn Head on Thursday afternoon, and at Aberdeen early on Friday morning. The disturbance finally passed away to the northwestward, but on Friday night secondary depressions began to cross England from S.W., with the result that rain fell freely on Saturday over the South and East of that country. In Dublin the mean height of the barometer was 29·803 inches, pressure ranging from 30·001 inches at 9 a.m. of Monday (wind, N.E.) to 29·536 inches at 9 a.m. of Thursday (wind, S.E.). The corrected mean temperature was 49·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 49·9°. On Monday the screened thermometers fell to 42·1°, on Saturday they rose to 59·4°. The prevailing wind was E. Rain fell on 5 days, the measurement being ·892 inch, of which ·410 inch was recorded on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·819 inches. The highest reading (30·005) was on Sunday at 9 p.m., wind N.E., and the lowest (29·540) on Thursday at 9 a.m., wind N.

The mean temperature for the week was 47·3°, being 3·6° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Thursday, on which day the thermometer registered 58·0°, and was lowest on Monday, the mercury having fallen to 36·9°. The mean of the Dry Bulb for the week was 48·8°, and of the Wet Bulb 47·1°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 12·7 hours. The rainfall during the week measured ·810 inch.

At Greenwich the mean temperature for the week was 51·8°, the maximum 71·0°, and the minimum 42·3°; at Glasgow the maximum was 62·8°, the minimum 31·8°, and the mean 46·7°; and at Edinburgh the maximum was 58·5°, the minimum 37·8°, and the mean 44·9°. The rainfall at Greenwich measured 1·08 inches; at Glasgow 1·11 inches; and at Edinburgh 1·17 inches. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1 0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 20,	29·937	47·0	42·4	44·7	44·5	43·6	·93	·7	0·0	·010	N.E.	N.E.
Monday, „ 21,	29·971	49·7	36·9	43·3	44·5	41·9	·83	·5	7·3	—	N.E.	Calm.
Tuesday, „ 22,	29·828	49·8	41·2	45·5	47·0	44·8	·85	·8	3·8	·205	N.E.	N.E.
Wednesday, „ 23	29·630	52·1	43·7	47·9	50·6	49·5	·93	·1	0·0	·295	N.E.	N.N.E.
Thursday, „ 24,	29·635	58·0	47·2	52·6	50·3	49·1	·93	·7	1·0	·040	N.	S.W.
Friday, „ 25,	29·853	53·2	41·9	47·6	50·4	48·3	·86	·6	0·5	·100	S.W.	S.W.
Saturday, „ 26.	29·816	56·8	41·9	49·4	54·1	52·6	·90	·7	0·1	·160	S.S.W.	Calm.
Mean, . .	29·819	52·4	42·2	47·3	48·8	47·1	·89	·6	Total 12·7	Total ·810	Prevailing wind. N.E.	

Sunday—Day overcast, light rain a.m.; night cloudy. *Monday*—Day fine but cloudy; night cloudy. *Tuesday*—Cloudy a.m., overcast and light rain from 4 p.m.; night overcast and wet. *Wednesday*—Day overcast, showery p.m.; night overcast, showery. *Thursday*—Overcast a.m., cloudy and showery p.m.; night cloudy and showery. *Friday*—Cloudy a.m., overcast and showery p.m.; night cloudy and showery. *Saturday*—A dull day, heavy showers p.m.; night overcast, showery.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 26th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 20,	45·2	50·2	49·2	48·6	43·5	46·1	—	·001
Monday, „ 21,	48·1	49·6	49·2	44·5	41·8	43·2	9·9	—
Tuesday, „ 22,	49·7	51·0	49·3	50·5	43·6	47·1	3·9	·228
Wednesday, „ 23,	50·6	50·7	49·3	53·6	44·5	49·1	1·0	·351
Thursday, „ 24,	52·6	51·0	49·3	58·8	48·8	53·8	1·0	·018
Friday, „ 25,	52·3	51·0	49·4	54·8	44·6	49·7	0·5	·039
Saturday, „ 26,	54·1	51·1	49·6	56·2	44·8	50·5	0·2	·120
Weekly Mean, .	50·4	50·7	49·3	52·4	44·5	48·5	Total 16·5	Total ·787

DUBLIN: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—13507.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 2ND JUNE, 1906. [No. 22.

General Register Office, Charlemont House,
Dublin, 5th June, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending May 12.	Week ending May 19.	Week ending May 26.	Week ending June 2.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 12.	Week ending May 19.	Week ending May 26.	Week ending June 2.	Average Rate for 4 weeks.
22 Town Dists.	22·4	21·4	21·0	20·3	21·3	Lisburn, . .	13·6	36·4	9·1	18·2	19·3
Armagh, . .	6·9	34·4	20·6	20·6	20·6	Londonderry,	23·6	24·8	21·1	13·6	20·8
Ballymena, .	4·8	19·2	33·5	28·7	21·5	Lurgan, . .	17·7	17·7	4·4	22·1	15·5
Belfast, . .	23·4	20·4	22·0	21·3	21·9	Newry, . .	16·8	8·4	12·6	29·4	16·8
Clonmel, . .	20·5	20·5	15·4	20·5	19·2	Newtownards, .	45·8	11·4	11·4	22·9	22·9
Cork, . . .	24·0	24·7	24·0	16·4	22·3	Portadown,	5·2	10·3	36·2	15·5	16·8
Drogheda, . .	20·4	8·2	28·6	8·2	16·4	Queenstown .	13·2	19·8	6·6	19·8	14·9
Dublin Reg. Area,	21·7	21·6	22·4	20·2	21·5	Sligo, . . .	33·6	33·6	9·6	19·2	24·0
Dundalk, . .	8·0	12·0	19·9	12·0	13·0	Tralee, . .	26·4	21·1	10·6	5·3	15·9
Galway, . .	38·8	15·5	11·7	23·3	22·3	Waterford, .	15·6	31·2	23·4	13·6	21·0
Kilkenny, . .	14·7	39·3	14·7	29·5	24·5	Wexford, . .	23·3	28·0	23·3	37·4	28·0
Limerick, . .	32·8	16·4	9·6	23·2	20·5						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in seventeen of the districts to 5·7 in Newtownards. Among the 150 deaths from all causes in Belfast are one from measles, 15 from whooping-cough, one from pyrexia (origin uncertain), and one from diarrhœa; and the 11 deaths from all causes in Londonderry include 2 from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 223—121 boys and 102 girls; and the deaths to 154—79 males and 75 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·2 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 20·2 per 1,000. During the twenty-two weeks ending with Saturday last the death-rate averaged 23·9, and was 4·0 below the mean rate for the corresponding portions of the ten years, 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutiions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths (154) included 2 from measles, 3 from whooping-cough, and 2 from diarrhœal diseases. In each of the 3 preceding weeks deaths from measles were one, 0, and 0; deaths from whooping-cough were one, 0, and 3; and deaths from diarrhœal diseases were 3, one, and 3. Three deaths from influenza and one death from epidemic cerebro spinal meningitis were registered.

Broncho-pneumonia caused 3 deaths, and 7 deaths were caused by *pneumonia* (not defined).

Of 28 deaths from all forms of tuberculous disease 8 were from tuberculous phthisis, and 12 were from *phthisis*; tuberculous meningitis caused 3 deaths, tuberculous peritonitis caused one death, and there were 4 deaths from other forms of the disease. In each of the 3 weeks preceding, deaths from all forms of tuberculous disease were 28, 32, and 29.

The deaths (10) from malignant disease include 4 deaths from carcinoma and 6 deaths from cancer (undefined).

There were 3 deaths of infants, prematurely born.

The 17 deaths from diseases of the brain and nervous system include the deaths of 6 persons from meningitis and the deaths of 6 infants under one year of age from *convulsions*.

Diseases of the heart and blood vessels accounted for 15 deaths.

There were 13 deaths from bronchitis.

There were 2 deaths registered from accidental causes.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 children under one year of age and the deaths of 3 persons aged 60 years and upwards.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 11 were under one month old) and 39 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 3 were octogenarians, and 2 (males) were stated to have been aged 90 and 92 years, respectively.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·2 per 1,000; the rate in the City was 21·9 (North City Districts, 19·0; South, 24·9), and in the Suburbs, 14·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 0·7 (0·3 in the North City Districts, and 1·1 in the South) and for the Suburbs, 1·8 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·9 per 1,000, and include one death from whooping-cough, one death from influenza, and one death from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. Of the 19 deaths 6 were due to tuberculous disease.

No. 2 North City District (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 13·9 per 1,000. Amongst the deaths were 2 from broncho-pneumonia, one from *phthisis*, one from bronchitis, and one death caused by an accidental fall was registered.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 18·1 per 1,000. The deaths include one from *pneumonia* (not defined), 6 from tuberculous disease, and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 31·3. Among the 4 deaths from all causes for Coolock and Drumcondra, No. 1 (part of), are 2 from bronchitis; and of the 4 deaths for Finglas and Glasnevin (part of) one was from *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 27·2 per 1,000. Measles, whooping-cough, and influenza, each caused one death; there were 4 deaths from *pneumonia* (not defined), 2 deaths from *phthisis*, and 3 from diseases of the respiratory organs.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1,000. The deaths included one from tuberculous meningitis one from bronchitis, and one by accidental suffocation.

No. 3 South City District (Peter-street).—The deaths (28) are equal to an annual rate of 34·8 per 1,000. Measles caused one death, there was one death from influenza, also one death from epidemic cerebro spinal meningitis, one death from broncho-pneumonia, one death from *pneumonia* (not defined); tuberculous disease of the lungs caused 4 deaths, and bronchitis caused 3 deaths.

No. 4 South City District (Grand Canal-street).—The deaths (6) are equivalent to an annual rate of 8·9 per 1,000. Of the 6 deaths registered 4 were due to tuberculous disease.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 29·3 per 1,000. Amongst the deaths were 2 from diseases of the digestive organs.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·1; Pembroke, 10·0; Blackrock, 17·9; and Kingstown, 20·7. The deaths from the principal epidemic diseases recorded for these districts include one from whooping-cough for Blackrock, one from *diarrhœa* for Pembroke, and one from *diarrhœa* for Kingstown. Among the 9 deaths from all causes for Rathmines and Rathgar are one from tuberculous phthisis and 2 from bronchitis; the 5 deaths from all causes for Pembroke include one death from tuberculous meningitis; and the 7 deaths from all causes for Kingstown include one from *pneumonia* (not defined), one from *phthisis*, and 3 from diseases of the heart and blood vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 2nd June, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	May 12,	.	—	—	4	.	.	7	.	1	5	13	.	—	—	—	—	—	30
	May 19,	.	—	—	6	.	.	11	.	2	9	14	.	—	—	—	—	—	42
	May 26,	.	—	—	4	.	.	5	.	4	2	14	.	—	—	—	—	—	29
	June 2,	.	—	—	4	.	.	11	.	2	9	7	.	—	—	—	—	—	33
Rathmines and Rathgar Urban District.	May 12,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	3
	May 19,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2
	May 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 2,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	4
Pembroke Urban District.	May 12,	.	1	.	1	.	.	1	.	.	1	.	.	—	1	.	—	—	5
	May 19,	.	.	2	.	.	.	2	.	1	1	1	.	—	3	.	—	—	10
	May 26,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
	June 2,	.	.	.	1	.	.	.	.	.	.	1	.	—	.	.	—	—	2
Blackrock Urban District.	May 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	June 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	May 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 19,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	May 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	May 12,	.	—	—	13	.	.	2	.	4	4	7	.	—	—	—	—	—	30
	May 19,	.	—	—	9	.	.	1	2	4	5	4	.	—	—	—	—	—	25
	May 26,	.	—	—	14	.	.	1	.	4	7	5	.	—	—	—	—	—	31
	June 2,	.	—	—	17	.	.	2	.	6	8	2	1	—	—	—	—	—	36

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd June, 1906.

From this it appears that :—

Six cases of measles were admitted to hospital during the week, 14 were discharged, there was one death, and 11 cases remained under treatment at its close.

Eleven cases of scarlet fever were admitted to hospital, 5 were discharged, and 52* cases remained under treatment at the close of the week.

Nine cases of diphtheria were admitted to hospital, 11 were discharged, and 30 patients remained under treatment at the close of the week.

Twelve cases of enteric fever were admitted to hospital, 5 were discharged, and 30 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 3 were discharged, there were 2 deaths, and 35 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·7), was equal to an average annual death-rate of 13·8 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 17·5 per 1,000, the rate for Glasgow being 18·2, and for Edinburgh 17·6.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd June. From this Return it appears that of a total of 42 cases notified 27 were scarlet fever, 7 diphtheria, 4 erysipelas, and 3 typhoid fever. Among the 320 cases of infectious diseases in hospital at the close of the week were 121 cases of scarlet fever, 98 of measles, 29 of diphtheria, 24 of whooping-cough, 13 of typhoid fever, and 11 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 2nd June, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-13.	Registration—Week ending Saturday, 2nd June, 1906. Numbers Registered. Births.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e. Week ending 2nd June, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th May, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th May, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	32·6	20·3	1·4	683	425	85	105	.	5	.	.	18	.	1	.	5	33	56	24	14	51	7	14	112	28	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total, d.	878,994	27·5	30·7	20·2	1·0	223	147	33	36	.	2	.	.	3	.	.	.	2	10	20	8	5	15	2	4	58	11	f66·8	44·4	55·7	0·45	f58·0	33·9	47·3	0·81	f61·8	36·4	46·8	0·64
City of Dublin,	293,885	37·1	34·8	21·9	0·7	196	123	29	26	.	2	.	.	2	.	.	.	.	9	18	7	5	13	2	4	53	11	g68·9 h67·9	46·1 45·0	57·0 56·3	0·43 0·35	g59·4 h59·6	42·1 38·2	49·6 47·2	0·80 0·56	g63·3 h62·6	39·0 37·0	49·1 47·6	0·52 0·58
Urban Dists. Rathmines and Rathgar.	33,203	19·4	20·4	14·1	.	13	9	1	4	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	16·0	10·0	2·0	8	5	2	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·9	17·9	6·0	3	3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	8·9	20·7	3·0	3	7	1	4	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	63	46	59·3	0·61	62	42·5	49·0	0·74	57·0	40·0	47·5	0·49
Urban Districts.																																							
Belfast,	358,680	24·4	34·7	21·8	2·6	239	150	33	30	.	1	.	.	15	.	1	.	1	15	16	11	1	17	1	6	30	2	66·1	45·1	54·6	0·51	58·5	40·2	48·7	1·98	59·0	41·0	48·8	0·09
Cork,	76,122	33·6	21·9	16·4	.	32	24	1	9	.	.	.	.	.	.	.	.	.	.	6	1	2	4	2	3	10	.	60	47	53·0	0·66	57	44	50·4	1·38	64	40	49·6	0·03
Londonderry,	42,067	19·4	35·9	18·6	2·5	29	11	2	3	.	2	.	.	.	.	.	.	.	1	1	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	61·5	28·2	.	45	17	3	5	.	.	.	.	.	.	.	.	.	2	1	.	.	4	.	.	2	6	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	21·4	18·6	.	11	7	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	23·3	23·3	.	6	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.	62	47	54·3	1·19	59	43	51	1·53	66	39	50	0·33
Dundalk,	18,076	9·4	23·9	12·0	.	6	8	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	16·8	8·2	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	25·2	29·4	.	6	7	.	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	3	.	64·5	42·7	54·5	0·66	58·0	36·6	48·3	0·88	59·9	36·2	46·7	0·73
Lurgan,	11,782	13·8	22·1	22·1	.	5	5	1	1	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	1	64·5	42·7	54·5	0·66	58·0	36·6	48·3	0·88	59·9	36·2	46·7	0·73
Lisburn,	11,461	10·1	36·4	18·2	.	8	4	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	64·5	42·7	54·5	0·66	58·0	36·6	48·3	0·88	59·9	36·2	46·7	0·73
Wexford,	11,168	23·2	37·4	37·4	4·7	8	8	1	3	.	.	.	.	.	.	.	.	1	.	2	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	28·7	28·7	.	6	6	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	38·4	19·2	.	8	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	67·5	45·4	50·4	0·92	61·0	31·9	48·3	0·77	56·8	37·3	46·6	0·77
Kilkenny,	10,609	11·5	44·2	29·5	.	9	6	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	1	65	45	53·3	0·33	64	37	49·3	1·26	68	39	50·1	0·16
Clonmel,	10,167	7·8	76·9	20·5	.	15	4	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,099	13·2	25·8	15·5	.	5	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	64·5	42·7	54·5	0·66	58·0	36·6	48·3	0·88	59·9	36·2	46·7	0·73
Tralee,	9,867	16·6	21·1	5·3	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	.	22·9	5·7	.	4	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	62	44	52·8	0·33	59	41	47·8	0·75	53	39	46·1	1·05
Queenstown,	7,909	14·4	65·9	19·8	.	10	3	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	60	47	53·0	0·66	57	44	50·4	1·38	64	40	49·6	0·03
Armagh,	7,588	22·2	27·5	20·6	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	64·5	42·7	54·5	0·66	58·0	36·6	48·3	0·88	59·9	36·2	46·7	0·73

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 7 deaths of persons (including 3 at 60 years or upwards), admitted to hospital from localities outside the Area. in several cases; thus the readings at Donaghadee have been adopted [illegible] stations from which Returns are received have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Ratngar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 2nd of June, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUM. CONREA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.
Pneumonia,	.	.	2	1	.	.	.	4	.	2	.	.	.	.	.	1	10	.
Tuberculous Disease. { Phthisis,	.	4	1	4	.	.	1	2	.	4	2	.	1	.	.	1	20	.
Tuberculous Disease. { Other Forms.	.	2	.	2	.	.	.	.	1	.	2	.	.	1	.	.	8	.
Cancer, Malignant Disease,	.	1	.	1	.	.	1	.	.	2	.	.	.	.	.	.	5	5
Other General Diseases	2	1	1	.	.	.	.	2	.	6	.	1	1	1	1	.	16	1
Total,	3	8	4	8	.	.	2	10	1	15	4	1	2	3	2	3	66	6
B. LOCAL DISEASES:																		
Diseases of { Nervous System	1	4	1	2	.	.	1	3	1	1	1	1	1	.	.	.	17	.
Diseases of { Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of { Heart and Blood Vessels,	1	1	1	.	.	.	.	2	1	2	1	.	2	.	1	3	15	.
Diseases of { Respiratory System,	1	1	1	1	.	2	.	3	1	3	.	.	2	.	.	.	15	.
Diseases of { Digestive System,	.	2	.	.	1	2	.	.	1	4	.	2	.	2	.	.	14	1
Diseases of { Lymphatic System, &c.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	3	.
Diseases of { Urinary System,	.	1	.	.	1	.	1	1	1	2	.	.	.	.	.	.	7	.
Diseases of { Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	9	3	3	2	4	2	9	6	12	2	3	6	2	1	4	71	1
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	2	.	.	.	.	.	1	1	1	.	1	1	.	.	.	8	.
E. VIOLENT DEATHS,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Deaths from all Causes,	7	19	8	11	2	4	4	20	9	28	6	5	9	5	3	7	147	7
Annual Rate of Mortality from all causes in every 1,000 of the population	12·9	25·3	13·9	18·1	21·7	20·8	31·3	27·2	25·7	34·8	8·9	29·3	14·1	10·0	17·9	20·7	20·2	.
	19·0							24·9					14·6					
	21·9																	
Deaths of { Infants under 1 year of age,	2	5	2	3	.	.	1	3	4	6	1	2	1	2	.	1	33	.
Deaths of { Persons aged 60 years and upwards,	2	2	1	2	.	3	.	5	2	7	.	2	4	1	1	4	36	3
Number of Uncertified Deaths,	1	3	1	.	.	.	.	1	1	3	1	.	.	.	.	.	11	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	.	4	2	.	1	1	4	1	6	1	1	3	.	1	.	26	7
Workhouse Hospitals,	.	5	2	5	.	1	.	5	2	10	1	.	1	.	.	.	32	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register week of the ten years, 1896

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 22nd Week of the 10 years 1896-1905.	In the Week ending Saturda 2nd June, 1906. Deaths of Persons of the Age						
	May 30, 1896.	June 5, 1897.	June 4, 1898.	June 3, 1899.	June 2, 1900.	June 1, 1901.	May 31, 1902.	June 6, 1903.	June 4, 1904.	June 3, 1905.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.			
Mean Temperature.	° 53·2	° 54·8	° 50·7	° 53·4	° 52·3	° 54·8	° 50·0	° 53·3	° 56·2	° 56·4	° 53·5	° 55·7						
ALL CAUSES.	160	169	132	148	157	164	165	177	130	145	156·7	154	11	22	14	11	27	30
Small-pox,	.	.	.	.	.	.	.	3	.	.	·3	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	3	.	1	.	.	2	2	5	3	1·6	2	.	.	2	.	.	.
Scarlet Fever,	1	2	1	1	1	.	1	.	.	1	·8	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	5	2	1	5	.	2	1	2	2	2	2·2	3	.	.	1	.	1	.
Whooping-cough,	.	3	5	2	.	2	1	1	9	3	2·6	3	.	.	3	.	.	.
Diphtheria,	.	.	.	.	.	1	2	.	1	.	·4	.	.	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.
Enteric Fever, *	5	.	2	.	1	1	1	3	2	.	1·5	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	3	2	2	1	1	.	. / 1	. / 1	. / .	. / 1	1·2	. / 2	.	1	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	3	2	1	2	1	.	1	.	2	1·2	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	2	. / 1 / 1	. / . / .	2 / . / .	. / . / .	·6	1 / . / .	.	.	.	.	1	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-, Epidemic, Not defined,	13	10	6	11	6	12	1 / 2 / . / 8	2 / 7 / . / 10	1 / 1 / . / 8	1 / 5 / 1 / 9	11·4	. / 3 / . / 7	.	1	1	.	1 / 1	.
Erysipelas,	.	.	1	.	1	.	1	2	1	.	·6	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	.	.	.	.	. / .	1 / 1	. / .	. / 1	·3	1 / .	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	22	25	21	19	13	33	2 / 25	2 / 14	7 / 16	4 / 19	22·2	8 / 12	.	.	.	4	5 / 5	.
Tuberculous Meningitis,	2	7	5	3	5	.	3	4	1	1	3·1	3	.	2	1	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	3	2	2	6	7	6	. / .	. / .	. / 1	. / .	2·7	1 / .	.	.	.	.	1	.
Tuberculous Dis. (other), *Scrofula*,	5	4	1	9	3	3	4 / .	4 / .	4 / .	7 / .	4·4	4 / .	.	2	1	.	.	.
Alcoholism,	.	.	1	1	2	2	1	.	.	.	·7	1	.	.	.	.	1	.
Rheumatic Fever,	.	.	.	.	1	.	.	.	.	.	·1	2	.	.	.	1	1	.
Gout,	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.
Carcinoma, Sarcoma, Cancer (undefined),	6	8	13	4	6	5	. / . / 6	3 / 1 / 4	2 / . / 4	2 / 1 / 4	6·9	4 / . / 6	.	.	.	.	1	.
Diabetes Mellitus,	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	1	.	.
Premature Birth,	2	3	4	2	1	5	6	6	2	2	3·3	3	3	.	.	.	.	.

* The figures for the years 1896-190
† Formerly descr

TWENTY-SECOND WEEK ending Saturday, 2nd June, 1906, with the deaths from each cause in the corresponding the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: May 30, 1896.	June 5, 1897.	June 4, 1898.	June 3, 1899.	June 2, 1900.	June 1, 1901.	May 31, 1902.	June 6, 1903.	June 4, 1904.	June 3, 1905.	Averages in 22nd Week of the 10 years 1896–1905.	In the Week ending Saturday, 2nd June, 1906. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 53·2	° 54·8	° 50·7	° 53·4	° 52·3	° 54·8	° 50·0	° 53·3	° 56·2	° 56·4	° 53·5	Mean Temp. ° 55·7								
eningitis (not tuberc.) ...							2	.	2	3		6	.	3	1	.	1	1	.	.
sanity, G. P. of Insane ...							1	1	.	1		.	.	.	.	.	.	.	.	.
pilepsy ...							.	1	3	.		1	.	.	.	1	.	.	.	.
nvulsions ...							11	5	3	4		6	2	4	.	.	.	.	.	.
oomotor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...							.	.	2	3		1	.	.	.	.	.	1	.	.
ervous System (other Dis.)	43	37	15	25	36	28	5	4	2	2	32·8	3	.	.	.	.	.	.	2	1
alv. Dis., Endocarditis ...							3	3	2	2		3	.	.	.	.	.	1	2	.
erebr. Hæm. Thromb. ...							.	2	2	1		3	.	.	.	.	.	.	3	.
oplexy, Hemiplegia ...							2	1	2	2		.	.	.	.	.	.	.	.	.
eurysm ...							.	1	.	.		1	.	.	.	.	1	.	.	.
mbolism, Thromb. (not cerebral)							.	.	.	.		1	.	.	.	.	.	1	.	.
eart and Blood Vessel Dis.							16	24	15	11		7	.	.	.	1	.	1	5	.
oup (not Spasm. nor Memb.)	1	4	1	1	.	.	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
ronchitis ...	12	19	8	11	14	15	14	21	14	9	13·7	13	.	3	1	.	2	5	2	
thma, Emphysema ...	4	.	1	.	3	1	1	2	.	.	2·4	.	.	.	.	.	.	.	.	.
eurisy ...							1	.	1	.		1	.	.	.	.	1	.	.	.
espiratory Dis. (other) ...							5	1	.	4		1	.	.	.	1	.	.	.	.
nsillitis, Quinsy ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
nteritis (not Epid.) ...	2	1	1	.	.	2	1	1	.	1	1·4	.	.	.	.	.	.	.	.	.
astro *Enteritis* ...							.	3	1	1		2	.	2	.	.	.	.	.	.
ritonitis (not Puerp.) ...	.	1	.	.	.	2	1	.	.	1	·5	1	1	.	.	.	.	.	.	.
rrhosis of Liver ...	1	.	3	3	1	.	.	3	.	.	1·9	1	.	.	.	.	.	1	.	.
ver Dis. (other) ...							2	2	3	1		2	1	.	.	.	1	.	.	.
gestive Dis. (other) ...	6	4	.	4	9	5	2	6	9	3	4·8	9	.	4	.	.	1	3	1	.
phritis, Acute ...	2	3	5	4	7	9	1	2	.	1	5·0	3	.	.	.	.	1	2	.	.
ight's Dis., Albuminuria							2	3	5	5		2	.	.	.	.	1	1	.	.
inary Sys. (Other Dis.)							.	.	1	.		2	.	.	.	.	1	.	1	.
nerative Organs Dis. ...	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of) ...	.	.	.	1	1	2	.	1	.	1	·6	.	.	.	.	.	.	.	.	.
d *Age* ...	5	8	11	10	9	7	6	2	5	1	6·4	1	.	.	.	.	.	.	.	1
her Diseases ...	12	13	12	14	20	13	13	10	6	12	12·5	13	4	.	1	.	2	2	4	.
ACCIDENT.																				
Railways ...	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	1	.	1	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	.	1	1	2	.	1	2	1	1	.	·9	.	.	.	.	.	.	.	.	.
Drowning ...	.	1	2	2	.	.	1	1	.	3	1·0	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
her Deaths by Accidents	2	2	1	3	4	1	1	2	.	3	1·9	2	.	.	2	.	.	.	.	.
IOLENCE OTHER THAN ACCIDENTAL.																				
omicide ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
icide ...	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ecution ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
nple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1905-6—Week ending																										
	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.
No. of weeks in Annual Series.	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Births registered,	191	238	199	184	245	192	183	220	283	202	188	169	252	214	189	211	230	207	181	202	199	250	285	202	195	223
*Average Births in corresponding week of previous 10 years,**	195	183	160	182	210	206	199	200	221	215	205	217	213	208	219	206	236	177	200	216	204	244	227	209	191	217
Deaths registered,	168	148	171	139	168	166	154	160	187	151	149	185	183	187	173	193	198	159	174	215	174	191	165	169	173	154
Annual Death-rate per 1,000,	23·1	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2
*Average Deaths in corresponding week of previous 10 years,**	185	187	189	199	219	214	211	202	212	209	209	221	233	221	212	211	218	201	198	189	183	183	174	171	166	157
Ages, Under 5 years,	49	47	43	27	28	52	39	37	46	35	32	45	46	43	55	43	67	37	34	45	37	30	36	41	42	47
5—20 ,,	10	13	9	7	17	17	11	13	16	8	9	8	14	8	15	15	17	13	13	15	12	16	10	15	13	11
20—40 ,,	31	13	30	21	34	25	18	21	18	21	15	38	39	34	19	29	26	28	23	27	32	39	23	28	29	27
40—60 ,,	35	32	45	41	48	37	45	37	42	42	46	43	34	43	35	40	33	34	47	49	42	47	39	44	37	30
60—80 ,,	37	34	37	37	35	28	34	43	52	39	39	44	49	49	41	53	45	40	47	70	40	55	51	30	41	34
80 years and upwards,	6	9	7	6	6	7	7	9	13	6	8	7	7	10	8	11	10	7	10	9	11	4	6	11	11	5
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	1	.	1	.	.	2
Scarlet Fever	1	.	1	.	.	2	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	2	2	1	1	2	3	1	1	2	.	.	1	4	1	2	.	2	2	3	.	2	1	1	.	3	3
Diphtheria,	1	1	.	2	2	2	.	1	1	.	.	1	.	2	2	1	3	.	.	.	2	.	.	2	.	.
Pyrexia † (origin uncertain),	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	1	4	3	3	.	.	.	1	.	.	1	1	.	3	.	3	.	1	2	1	1	3	.	.	.
Diarrhœal Diseases,	2	1	1	2	1	1	1	3	1	.	1	2	1	3	3	5	2	1	1	1	4	.	3	1	3	2
Pneumonia,	10	8	11	11	12	15	12	16	19	6	11	13	16	18	10	13	10	8	22	26	17	21	18	13	13	10
Tuberculous Phthisis,	24	9	27	19	21	14	23	21	29	18	23	29	32	30	23	32	25	23	27	18	22	36	18	16	22	20
Disease. Other Forms,	4	15	4	1	12	16	5	6	9	15	10	12	18	9	12	11	15	15	8	11	10	15	10	16	7	8
Cancer, Malignant Disease,	6	11	5	6	7	5	12	6	8	14	6	13	6	6	6	11	4	4	9	13	10	6	5	15	8	10
Diseases of Heart and Blood Vessels,	26	21	26	30	28	21	24	33	31	23	27	21	25	31	29	31	33	27	29	45	27	22	22	28	30	15
Diseases of Respiratory System,	22	16	25	20	26	28	22	18	27	26	27	32	28	28	21	34	27	23	29	43	23	36	31	15	26	15
Violent Deaths,	2	2	4	6	4	3	7	8	5	5	.	4	10	1	2	4	5	2	3	4	2	3	1	4	5	2
Number of Uncertified Deaths,	5	9	8	6	4	5	6	6	11	7	6	8	4	6	7	6	12	9	7	6	5	5	3	7	7	11
Mean Temperature of the Air (Phœnix Park),	46·6	43·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7
Average Mean Temperature in corresponding week of previous 10 years	43·0	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5
Rainfall in inches,	·128	·085	·285	·770	·860	·855	1·605	·230	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130	·810	·650	·455	·640	·810	·450
Mean Humidity of the Air, complete Saturation, 1·0	·85	·89	·85	·88	·91	·88	·87	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·83	·81	·83	·85	·88	·83	·89	·84

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd June, 1906: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND JUNE, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	21·4	154	47	11	27	80	34	5	.	2	.	.	3	.	.	.	2	7	10	20	8	10	6	15	2	76	11
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	12·0	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS,	87,188	13·2	22	4	1	3	7	6	1	.	.	.	.	1	.	.	.	.	1	2	1	1	3	.	1	.	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	18·4	39	11	3	10	3	11	1	.	1	.	.	1	.	.	.	.	2	3	6	1	1	1	4	1	20	4
IV.	GENERAL SERVICE CLASS,	154,279	28·9	57	26	6	9	7	9	.	.	1	.	.	1	.	.	.	2	4	2	8	2	2	5	3	1	30	7
V.	INMATES OF WORKHOUSES,	6,024		32	5	1	5	12	8	1	.	.	.	.	.	.	.	.	.	.	2	5	4	3	.	7	.	11	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	9·5	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	6. Clerks and Commercial Assistants,	30,432	10·3	6	2	1	1	1	1	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	17·4	9	.	.	1	4	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	1	.	4	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	1	1
	9. Building and Furnishing Trades,	29,801	15·7	9	3	.	.	1	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	5	2
	10. Clothing Trades,	28,260	20·2	9	2	1	2	.	4	.	.	1	.	.	1	.	.	.	.	2	.	1	.	.	.	2	.	4	.
	11. Food Supply Trades,	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	24·1	14	3	2	6	.	3	.	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	9	1
	13. Petty Shopkeepers,	7,894	18·2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
	15. Domestic Servants,	36,603	7·1	5	2	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	6	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	4	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	23·8	41	19	4	4	6	8	.	.	1	.	.	1	.	.	.	2	4	2	8	.	2	5	3	1	16	7
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	32	5	1	5	12	8	1	.	.	.	.	.	.	.	.	.	.	2	5	4	3	.	7	.	11	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (part of).																				
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,332.	April 14,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	3	1	.	1	3	1	1
	" 21,	22·4	.	16	.	.	.	.	.	.	.	.	.	.	4	2	.	2	.	3
	" 28,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	2	1	1	2	1	.	1
	May 5,	27·6	.	15	.	.	.	.	.	.	.	.	.	3	3	2	1	2	.	.
	" 12,	14·7	1·8	8	.	.	.	.	.	.	.	1	.	2	2	.	.	2	.	.
	" 19,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	1
	" 26,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	1	.	1	1	2	1	1
	June 2,	12·9	1·8	7	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est. 89,146.	April 14,	29·8	.	22	.	.	.	.	.	.	.	.	.	2	5	1	2	3	1	.
	" 21,	26·6	1·3	20	.	.	.	.	.	.	.	1	.	3	1	.	.	6	.	1
	" 28,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	2	2	.	1	4	.	1
	May 5,	33·3	.	25	.	.	.	.	.	.	.	.	.	2	4	4	2	4	.	2
	" 12,	21·3	2·7	16	.	.	.	.	.	.	.	.	2	2	2	.	.	4	.	.
	" 19,	22·6	.	17	.	.	.	.	.	.	.	.	.	3	3	1	.	1	.	1
	" 26,	32·0	2·7	21	.	.	.	.	1	.	.	.	1	2	4	1	.	3	.	1
	June 2,	25·3	.	19	.	.	.	.	.	.	.	.	.	.	4	2	1	1	.	3
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 80,107.	April 14,	36·4	1·7	21	.	.	.	.	.	.	.	1	.	4	3	1	1	3	1	1
	" 21,	32·9	.	19	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	1
	" 28,	32·9	1·7	19	.	.	.	.	.	.	.	.	1	1	3	.	.	2	1	1
	May 5,	58·1	.	22	.	.	.	.	.	.	.	.	.	3	1	2	.	6	1	.
	" 12,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	1
	" 19,	20·8	1·7	12	.	.	.	.	.	.	.	.	1	.	2	1	2	1	.	.
	" 26,	24·2	1·7	14	.	.	.	.	.	.	.	.	1	.	1	.	1	4	.	.
	June 2,	13·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	April 14,	32·9	.	20	.	.	.	.	.	.	.	.	.	1	3	2	.	5	.	1
	" 21,	28·0	.	17	.	.	.	.	.	.	.	.	.	4	.	1	.	3	1	.
	" 28,	23·0	1·6	14	.	.	.	.	.	.	.	1	.	2	2	2	.	1	.	1
	May 5,	36·2	1·6	22	.	.	.	.	1	.	.	.	.	1	6	1	.	3	.	1
	" 12,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	4	3	.	.	3	.	.
	" 19,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
	" 26,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	3	.	2	2	1	.
	June 2,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	4	2	1	1	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	April 14,	27·2	.	20	.	.	.	.	.	.	.	.	.	2	2	.	1	4	.	2
	" 21,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	3	3	1	2	4	.	1
	" 28,	25·8	2·7	19	.	.	.	.	1	.	.	.	1	2	4	1	.	2	1	.
	May 5,	19·0	.	14	.	.	.	.	.	.	.	.	.	1	3	1	.	1	1	.
	" 12,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	3	.	5	.	.
	" 19,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	2	3	.	2	.	.
	" 26,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.	1	4	2	.
	June 2,	27·2	2·7	20	.	1	.	.	1	.	.	.	.	4	2	.	.	3	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	April 14,	25·7	.	9	.	.	.	.	.	.	.	.	.	1	3	2	.	3	.	.
	" 21,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	" 28,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	3	2	.	2	.	.
	May 5,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	" 12,	22·8	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	2	.	1
	" 19,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	" 26,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	June 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	April 14,	17·4	3·7	14	.	1	.	.	2	.	.	.	.	5	1	.	.	2	.	.
	" 21,	36·1	1·2	29	.	1	.	.	.	.	.	.	.	4	2	.	3	7	.	.
	" 28,	32·3	1·2	26	.	.	.	.	.	1	.	.	.	1	3	1	1	6	.	1
	May 5,	24·9	.	20	.	.	.	.	.	.	.	.	.	5	3	.	.	4	.	.
	" 12,	27·4	1·2	22	.	1	.	.	.	.	.	.	.	1	5	2	.	4	.	1
	" 19,	26·1	.	21	.	.	.	.	.	.	.	.	.	.	1	3	3	3	.	.
	" 26,	19·9	.	16	.	.	.	.	.	.	.	.	.	2	2	1	1	3	.	.
	June 2,	34·8	1·2	28	.	1	.	.	.	.	.	.	.	2	4	.	2	3	.	3
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	April 14,	10·4	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.
	" 21,	35·6	.	24	.	.	.	.	.	.	.	.	.	3	3	1	.	3	.	.
	" 28,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	1	1	.	1	2	.	.
	May 5,	32·6	.	22	.	.	.	.	.	.	.	.	.	1	4	1	1	3	1	.
	" 12,	25·2	.	17	.	.	.	.	.	.	.	.	.	2	3	1	.	4	1	.
	" 19,	29·7	.	20	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	3
	" 26,	16·3	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1
	June 2,	8·9	.	6	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 35,203.	April 14,	18·8	1·6	12	.	.	.	.	.	.	.	.	1	1	3	.	.	1	.	1
	„ 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	1	1	1	1	1	1	.
	„ 28,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.
	May 5,	17·8	.	11	.	.	.	.	.	.	.	.	.	2	2	.	1	3	.	1
	„ 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	„ 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	2	2	3	.	.	.	1
	„ 26,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2
	June 2,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	April 14,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.
	„ 21,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	.
	„ 28,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.
	May 5,	22·0	2·0	11	.	.	.	.	.	.	.	1	.	2	3	1	.	1	.	.
	„ 12,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 19,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.
	„ 26,	24·0	.	12	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.
	June 2,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	April 14,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1
	„ 21,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.
	„ 28,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	May 5,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 19,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
	„ 26,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	2
	June 2,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
Belfast. Pop. in 1906 (Est.) 358,680.	April 14,	24·1	2·5	166	.	.	.	.	13	.	.	4	.	19	26	7	3	34	4	1
	„ 21,	24·9	3·5	171	.	.	.	.	21	.	.	2	1	15	18	8	2	36	5	3
	„ 28,	22·1	2·9	152	.	.	.	.	18	.	.	.	2	16	19	12	4	27	4	5
	May 5,	26·0	3·3	179	.	1	.	.	20	.	1	.	1	16	29	10	4	30	4	2
	„ 12,	23·4	1·9	161	.	.	.	.	12	.	.	1	.	10	21	8	3	27	2	2
	„ 19,	20·4	2·3	140	.	.	.	.	13	1	.	1	1	9	23	11	3	17	4	.
	„ 26,	22·0	2·0	151	.	.	.	.	8	1	.	.	5	14	23	9	3	16	6	4
	June 2,	21·8	2·6	150	.	1	.	.	15	.	1	.	1	15	16	11	1	17	1	2
Cork. Pop. (in 1901) 76,122.	April 14,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	9	2	.	3	.	1
	„ 21,	18·5	1·4	27	.	.	.	.	.	.	.	.	2	.	1	3	1	8	.	2
	„ 28,	26·0	0·7	33	.	.	.	.	.	.	.	.	1	3	7	3	5	6	.	2
	May 5,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	7	2	.	2	.	2
	„ 12,	24·0	0·7	35	.	.	.	.	.	.	.	.	1	1	5	.	2	10	1	2
	„ 19,	24·7	.	36	.	.	.	.	.	.	.	.	.	2	7	3	1	3	.	1
	„ 26,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	2	3	2	.	4	.	2
	June 2,	16·4	.	24	.	.	.	.	.	.	.	.	.	.	6	1	2	4	2	.
Londonderry. Pop. in 1906 (Est.) 42,067.	April 14,	17·4	1·2	14	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1
	„ 21,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 28,	18·6	3·7	15	.	3	.	.	.	.	.	.	.	1	.	1	.	2	1	1
	May 5,	19·8	2·5	16	.	1	.	.	.	.	.	.	1	2	.	2	.	2	.	2
	„ 12,	23·6	2·5	19	.	.	.	.	1	1	.	.	.	1	1	2	3	4	.	.
	„ 19,	24·8	2·5	20	.	2	.	.	.	.	.	.	.	2	3	.	.	3	.	.
	„ 26,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	.	2	2	2	1	.	1
	June 2,	13·6	2·5	11	.	2	.	.	.	.	.	.	.	1	1	.	.	1	1	.
Limerick. Pop. (in 1901) 38,151.	April 14,	28·7	.	21	.	.	.	.	.	.	.	.	.	5	3	.	.	5	.	3
	„ 21,	13·7	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	.	3	.	2
	„ 28,	20·5	.	15	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	1
	May 5,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	2	1	.	6	.	1
	„ 12,	32·8	1·4	24	.	.	.	.	.	.	.	.	1	2	5	1	.	2	.	4
	„ 19,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	3
	„ 26,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.
	June 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	.	4	.	6
Waterford. Pop. (in 1901) 26,769.	April 14,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 21,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	„ 28,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	2
	May 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1
	„ 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1
	„ 19,	31·2	.	16	.	.	.	.	.	.	.	.	.	.	.	4	1	1	.	3
	„ 26,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	2	2	.	3	.	.
	June 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	1	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd June, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyæmia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,734	7	17·7	3·5	5	2	.	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 2 ,, .	47,959	27	25·0	2·2	23	4	3	11	5	.	.	.	.	2	.	.	.	.	2	2	1	.	5	.	2	1	.
Do. 3 ,, .	47,214	37	21·0	1·1	19	2	1	11	5	.	.	.	.	1	.	.	.	.	3	3	1	.	1	1	1	4	.
Do. 4 ,, .	40,911	30	29·3	5·1	23	5	5	11	2	.	.	.	.	4	.	.	.	.	1	1	1	.	1	.	1	7	1
Do. 5 ,, .	17,887	18	30·0	.	10	5	1	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	5	1
Do 6 ,, .	48,122	18	18·4	2·2	17	5	2	8	2	.	.	.	.	2	.	.	.	.	1	2	.	1	2	.	1	8	.
Do 7 ,, .	1,524	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,, .	19,569	11	32·0	5·3	12	.	2	7	3	.	1	.	.	1	.	.	.	.	1	1	5	.	.	.	1	1	.
Do. 10 ,, .	28,064	28	31·7	2·3	14	3	2	5	4	.	.	.	.	1	.	.	.	.	2	3	1	.	2	.	.	3	.
Do. 11 ,, .	34,802	16	24·0	4·5	16	5	4	4	3	.	.	.	.	3	.	.	.	.	4	2	1	.	3	.	.	2	.
Do. 12 ,, .	33,588	32	14·0	3·1	9	2	3	1	3	.	.	.	.	1	.	.	.	1	1	.	.	.	1	.	.	3	.
Do. 13 ,, .	15,006	9	6·9	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 14 ,, .	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	239	22·4	2·7	150	33	28	64	30	.	1	.	.	15	.	1	.	1	15	16	11	1	17	1	6	30	2
City of Cork.																											
CORK URBAN No. 1 DISTRICT. .	12,867	4	8·1	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 ,, . .	10,701	6	24·4	.	5	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.
Do. 3 ,, . .	9,978	2	31·4	.	6	1	.	5	.	.	.	.	.	.	.	.	.	.	.	3	.	.	2	1	1	3	.
Do. 4 ,, . .	8,666	9	18·1	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	3	.
Do. 5 ,, . .	6,592	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 ,, . .	10,702	6	4·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 ,, . .	16,616	2	22·0	.	7	.	.	3	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	3	.
Total, ...	76,122	32	16·4	.	24	1	1	13	9	.	.	.	.	.	.	.	.	.	.	6	1	2	4	2	3	10	.

* Formerly described as "Simple Continued Fever."

Table IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

Belfast.	1905-6—Week ending																									
	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Births registered,	199	194	158	189	224	198	196	236	231	189	246	214	246	229	220	221	248	240	212	232	282	238	246	217	273	239
Deaths registered.	148	126	146	124	147	133	135	160	139	146	179	174	166	155	191	152	201	169	166	171	152	179	161	140	151	150
Annual Death-rate per 1,000 of estimated Population.	21·5	18·3	21·2	18·0	21·4	19·3	19·6	23·3	20·2	21·2	26·0	25·3	24·1	22·5	27·8	22·1	29·2	24·6	24·1	24·9	22·1	26·0	23·4	20·4	22·0	21·8
Ages: Under 1 year,	21	23	31	26	34	21	30	31	24	29	31	43	26	31	32	37	46	35	35	39	30	29	35	35	21	33
Ages: 1–5 years,	18	15	18	19	16	15	16	22	11	11	14	20	17	22	23	16	30	28	26	24	24	20	19	17	17	23
Ages: 5–60 years,	72	58	69	56	61	60	62	71	61	71	87	74	85	59	84	57	89	81	75	66	67	85	66	61	84	64
Ages: 60 years and upwards,	37	30	28	23	36	37	27	36	43	35	47	37	38	43	52	42	36	25	30	42	31	45	41	24	29	30
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Scarlet Fever,	.	2	3	.	.	.	2	1	1	.	.	1	1	1	1	.	2	1	.	.	.	1	.	.	.	.
Typhus,	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	3	1	.	1	2	1	3	1	2	6	7	9	5	9	5	21	12	13	21	18	20	12	13	8	15
Diphtheria,	.	.	1	.	1	1	.	.	.	.	2	3	2	.	1	2	1	1	.	.	.	.	.	1	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	1	2	.	.	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	1
Enteric Fever,	3	1	2	2	2	3	1	2	2	6	.	2	2	6	6	3	1	3	4	2	.	.	1	1	.	.
Diarrhœal Diseases,	2	.	2	1	3	2	2	3	2	1	3	2	1	.	1	2	1	2	.	1	2	1	.	1	5	1
Pneumonia,	18	14	18	14	15	12	8	11	10	8	19	17	13	16	23	10	18	19	19	15	16	16	10	9	14	15
Tuberculous Disease, Phthisis,	17	17	21	17	15	17	17	22	16	23	21	23	33	15	26	17	28	24	26	18	19	29	21	23	33	16
Tuberculous Disease, Other Forms,	—	—	—	—	10	4	3	8	7	6	7	7	6	10	5	6	12	11	7	8	12	10	8	11	9	11
Cancer, Malignant Disease,	—	—	—	—	3	5	5	7	5	4	5	6	5	1	6	4	10	4	3	2	4	4	3	3	3	1
Diseases of Respiratory System,	34	23	31	23	20	19	12	20	26	23	21	24	34	33	36	24	28	21	34	36	27	30	27	17	16	17
Violent Deaths,	3	2	4	5	6	1	4	1	3	1	6	4	2	6	1	.	2	7	4	3	4	4	2	4	6	1
Number of Uncertified Deaths,	—	—	—	—	6	2	4	4	3	3	5	3	5	2	4	3	3	1	1	3	5	2	2	.	4	2

* Formerly described as "Simple Continued Fever."

Note.—The figures for other forms of uberculous disease, cancer, malignant disease, and uncertified deaths are not available for the four weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	June 2,	2,384	1,239	13·7	.	50	12	10	35	1	21
EDINBURGH, .	341,035	„ 2,	154	115	17·6	.	4	.	.	.	1	3
GLASGOW, . .	835,625	„ 2,	531	292*a*	18·2	.	6	1	4	13	.	8
CALCUTTA, . .	910,117	April 14,	.	931	57·1	206	7	.	1	1	105‡	96*
BOMBAY, .	776,006	May 1,	361	2,180	146·1	9	69	.	.	1	117‡	184*
MADRAS, . .	509,346	April 13,	290	423	43·1	30	32	?	?	?	77	71
PARIS, . .	2,750,000	May 19,	985	923	17·9	.	18	1	3	7	10	29
BRUSSELS (with 8 Faubourgs).	612,401	„ 12,	244	196	16·6	.	2	.	1†	9	.	12
ANTWERP, . .	304,975	„ 12,	136	87	14·9	.	5	1	2†	1	2	8
AMSTERDAM, .	560,249	„ 12,	285	157	14·6	.	4	1	1†	.	2	8
COPENHAGEN, .	425,000	„ 12,	189	144	17·7	.	4	.	1†	3	.	9
STOCKHOLM, .	324,488	„ 5,	169	90	14·4	.	1	3	1†	2	.	7
CHRISTIANIA, .	222,373	„ 19,	89	63	14·7	.	.	.	2†	4	.	.
ST. PETERSBURG,	1,424,700	„ 12,	736	758	27·5	4	34	10	9	5	23	108
MOSCOW, . .	1,092,360	April 14,	.	596	28·4	1	5	8	6†	6	11	72
BERLIN, . .	2,052,873	„ 28,	913	598	15·2	.	8	4	3†	5	1	43
HAMBURG, . .	803,050	May 5,	.	213	13·8	.	1	.	.	4	1	14
BRESLAU, . .	475,217	„ 19,	.	194	21·3	.	2	.	1†	.	.	25
MUNICH, . .	540,000	„ 19,	.	213	20·5	.	3	.	.	2	.	24
VIENNA (with suburbs).	1,937,869	„ 19,	970	803	21·5	.	35	4	12†	3	2	52
BUDA-PESTH, .	859,134	„ 19,	411	344	20·9	.	10	6	.	3	2	17
PRAGUE and Faubourgs.	460,849	„ 12,	209	198	22·3	.	4	3	.	.	.	14
TRIESTE, . .	196,637	„ 5,	112	113	30·0	.	1	.	1†	1	.	2
ROME, . . .	526,170	Mar. 24,	291	215	21·3	.	5	.	2	2	2	5
VENICE, . .	171,709	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, .	4,152,860	May 5,	2,009	1,521	19·8	.	39	21	49†	9	7	39
PHILADELPHIA,	1,469,126	April 28,	.	587	20·7	.	8	2	19†	6	27	34
BOSTON, .	595,380	May 5,	.	226	19·8	.	6	1	2	1	2	3

a. Including 3 deaths from cerebro-spinal fever.
* Including 48 deaths from cholera in Calcutta, and 44 in Bombay.
† Including deaths from croup.
‡ Exclusive of 260 deaths from plague in Calcutta, and 1069 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd June, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	1	.	.	1	.	.	.	.	.	.	.	2
" " 1, West,	.	.	.	.	2	.	2	.	.	.	.	.	4
" " 2,	.	2	.	.	1	.	.	.	2	.	.	.	5
" " 3,	.	.	.	.	3	.	.	1	1	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	1	.	.	6	4	.	.	.	11
" " 2,	.	1	.	.	1	.	.	2	.	.	.	.	4
" " 3,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	4	.	.	11	.	2	9	7	.	.	.	33

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd June, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd June.			
	May 12.	May 19.	May 26.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	25	28	20	6	14	1	11
Scarlet Fever,	36	39	46	11	5	.	52*
Typhus,	.	.	.	.	.	.	.
Diphtheria,	33	34	32	9	11	.	30
Enteric Fever,	24	28	23	12	5	.	30
Pneumonia,	28	33	39	11	13	2	35

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 2nd June, 1906:—

"Dull, muggy, rainy weather was very prevalent at the beginning of the week in connection with a large but shallow atmospheric depression which covered the British Isles and North Sea on Sunday. A high pressure system spread northwards from France on Monday and the weather improved, becoming finer and warmer, save on the shores of the English and St. George's Channel, where much fog prevailed. On this day the thermometer rose to 73° at Yarmouth and Lowestoft, 72° in London, and at Skegness, 71° at Margate, 70° at Clacton-on-Sea, Bath, and Oxford, and 69° in Dublin. By Wednesday morning the southern anticyclone had spread over England and Ireland, but Scotland was still affected by a shallow depression lying over Scandinavia. While the English and Irish east coast stations enjoyed fine weather and warmth, the presence of fog was persistent along the Welsh coast and in the English Channel—the explanation of this phenomenon probably was that the vapour of a warm S.W. wind was condensed by the spring coldness of the sea in the Channels. On Wednesday afternoon the barometer gave way quickly, as a new depression approached Scotland from W.N.W. This system brought squalls and showers of cold rain and hail, especially on Friday forenoon when a secondary depression formed over the Irish Sea. Thunder and lightning accompanied the showers all over England on Friday. As these disturbances travelled eastwards a very brisk recovery of pressure took place, so that at 9 p.m. of Saturday (wind, N.W.) the barometer rose to 30·218 inches in Dublin from a minimum 29·442 inches recorded at 9 a.m. of Friday (wind also N.W.). The mean pressure for the week was 29·866 inches. The corrected mean temperature was 57·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 55·3°. On Monday the screened thermometers rose to 68·9°, on Friday they fell to 46·1°. The dominant winds were at first W.S.W., then N.W. Rain fell on five days to the amount of ·430 inch, ·226 inch being recorded on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·888 inches. The highest reading (30·237) was on Saturday at 9 p.m., wind W., and the lowest (29·452) on Friday at 9 a.m., wind W.

The mean temperature for the week was 55·7°, being 2·2° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Monday, on which day the thermometer registered 66·8°, and was lowest on Friday, the mercury having fallen to 44·4°. The mean of the Dry Bulb for the week was 53·9°, and of the Wet Bulb 51·3°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 28·2 hours. The rainfall during the week measured ·450 inch.

At Greenwich the mean temperature for the week was 57·2°, the maximum 74·8°, and the minimum 44·2°; at Glasgow the maximum was 70·6°, the minimum 43·3°, and the mean 54·8°; and at Edinburgh the maximum was 66·3°, the minimum 43·0°, and the mean 52·2°. The rainfall at Greenwich measured 0·19 inch; at Glasgow 1·55 inches; and at Edinburgh 0·65 inch. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 27,	29·791	63·6	53·9	58·8	57·0	55·4	·90	·8	0·6	·145	S.W.	S.W.
Monday, „ 28,	29·909	66·8	52·9	59·9	57·5	55·5	·88	·5	1·3	·140	S.W.	S.W.
Tuesday, „ 29,	30·008	61·3	53·4	57·4	55·0	52·2	·83	·6	2·5	·005	S.W.	W.S.W.
Wednesday, „ 30,	29·951	62·1	50·4	56·3	55·7	53·4	·85	·6	3·4	·010	S.W.	S.W.
Thursday, „ 31,	29·690	59·3	46·6	52·9	50·5	46·7	·77	·7	6·4	·080	W.	W.S.W.
Friday, June 1,	29·688	56·8	44·4	50·6	49·9	46·9	·87	·6	7·8	·070	W.	N.W.
Saturday, „ 2,	30·179	60·4	47·7	54·1	52·0	48·9	·81	·2	6·2	—	W.N.W.	W.
Mean, . .	29·888	61·5	49·9	55·7	53·9	51·3	·84	·6	Total 28·2	Total ·450	Prevailing wind. S.W.	

Sunday—Cloudy a.m. overcast p.m., light rain 11 a.m. to 6.30 p.m.; night overcast. *Monday*—Overcast a.m., cloudy p.m., showers; night cloudy, showery p.m. *Tuesday*—A cloudy day, light showers 1 p.m.; night cloudy. *Wednesday*—A cloudy day; night showers 8 p.m. to 9.30 p.m. *Thursday*—A cloudy day, showery p.m.; night cloudy, showery a.m. *Friday*—A cloudy day, heavy showers a.m.; night overcast. *Saturday*—Day fine but cloudy; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 2nd, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 27,	61·7	53·0	49·9	65·1	52·2	58·7	0·6	·207
Monday, „ 28,	61·0	54·0	49·9	69·4	51·3	61·9	2·7	·015
Tuesday, „ 29,	57·4	55·1	50·1	63·4	54·1	58·8	4·5	—
Wednesday, „ 30,	57·0	55·3	50·5	63·2	51·6	57·4	5·1	·050
Thursday, „ 31,	54·0	55·7	50·8	59·3	47·9	53·6	7·5	·051
Friday, June 1,	50·1	54·7	51·0	58·6	45·7	52·2	} 18·4 {	·065
Saturday, „ 2,	54·6	54·0	51·2	61·0	49·0	55·0		—
Weekly Mean, .	56·5	54·5	50·5	62·9	50·7	56·8	Total 38·8	Total ·338

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3, 1906.—13565.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 9TH JUNE, 1906. [No. 23.

General Register Office, Charlemont House, Dublin, 11th June, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending May 19.	May 26.	June 2.	June 9.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 19.	May 26.	June 2.	June 9.	Average Rate for 4 weeks.
22 Town Dists.	**21·4**	**21·0**	**20·3**	**18·0**	**20·2**	Lisburn, . .	36·4	9·1	18·2	9·1	18·2
Armagh, . .	34·4	20·6	20·6	27·5	25·8	Londonderry,	24·8	21·1	13·6	27·3	21·7
Ballymena, .	19·2	33·5	28·7	4·8	21·5	Lurgan, . .	17·7	4·4	22·1	13·3	14·4
Belfast, . .	20·4	22·0	21·8	19·8	21·0	Newry, . .	8·4	12·6	29·4	4·2	13·7
Clonmel, .	20·5	15·4	20·5	5·1	15·4	Newtownards, .	11·4	11·4	22·9	22·9	17·2
Cork, . . .	24·7	24·0	16·4	18·5	20·9	Portadown,	10·3	36·2	15·5	15·5	19·4
Drogheda, .	8·2	28·6	8·2	12·3	14·3	Queenstown .	19·8	6·6	19·8	6·6	13·2
Dublin Reg. Area,	21·6	22·4	20·2	18·4	20·6	Sligo, . . .	33·6	9·6	19·2	9·6	18·0
Dundalk, . .	12·0	19·9	12·0	8·0	13·0	Tralee, . .	21·1	10·6	5·3	10·6	11·9
Galway, . .	15·5	11·7	23·3	46·6	24·3	Waterford, .	31·2	23·4	13·6	13·6	20·4
Kilkenny, . .	39·3	14·7	29·5	.	20·9	Wexford, . .	28·0	23·3	37·4	18·7	26·8
Limerick, . .	16·4	9·6	23·2	9·6	14·7						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in eighteen of the districts to 3·9 in Galway, the 12 deaths from all causes in that district including one from typhus. Among the 136 deaths from all causes in Belfast are 2 from measles, 16 from whooping-cough, one from diphtheria, 2 from enteric fever, and 5 from diarrhœal diseases; and the 22 deaths in Londonderry include 3 from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 167—87 boys and 80 girls; and the deaths to 142—67 males and 75 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 19·5 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted

* Exclusive of deaths of persons admitted into Public Institutiions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10–18 of Table II.

into public institutions from localities outside the Area, the rate was 18·4 per 1,000. During the twenty-three weeks ending with Saturday last the death-rate averaged 23·7, and was 3·9 below the mean rate for the corresponding portions of the ten years, 1896–1905.

Included in the 142 deaths registered was one death from whooping-cough and one death from dysentery. In each of the 3 weeks preceding, deaths registered from whooping-cough were 0, 3, and 3; and deaths from diarrhœal diseases were one, 3, and 2. There were 2 deaths from influenza.

Broncho-pneumonia and *pneumonia* (not defined) each caused 3 deaths.

The deaths from all forms of tuberculous disease were 30 in number, and included 6 from tuberculous phthisis, 11 from *phthisis*, 4 from tuberculous meningitis, one from tuberculous peritonitis, one from *tabes mesenterica*, and 7 deaths from other forms of the disease. The deaths from all forms of tuberculous disease in each of the 3 weeks preceding were 32, 29, and 28.

The deaths from malignant disease included 3 from carcinoma, one from sarcoma, and 2 from cancer (undefined).

The deaths of 7 infants, prematurely born, were registered.

Of 22 deaths from diseases of the brain and nervous system 7 were assigned to meningitis, and 7 deaths of infants under one year of age, were attributed to *convulsions*.

Diseases of the heart and blood vessels caused the deaths of 29 persons, and 9 deaths were due to bronchitis.

Of 3 deaths from accidental violence one was by drowning, and 2 were due to falls.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases were all of infants under one year of age.

Thirty-eight of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 17 were under one month old) and 31 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 2 were octogenarians, and one (a woman) was stated to have been aged 92 years.

Sixty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·4 per 1,000; the rate in the City was 20·3 (North City Districts, 18·3; South, 22·3), and in the Suburbs, 12·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·3 per 1,000 inhabitants, the rate for the City being 0·4 (0·3 in the North City Districts, and 0·4 in the South) and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·7 per 1,000. *Phthisis* caused one death, and diseases of the respiratory system 2 deaths.

No. 1 North City District, West (Summer-hill).—The deaths (13) are equal to an annual rate of 17·3 per 1,000, and include 2 deaths from broncho-pneumonia, one from *phthisis*, and 2 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Among them are 5 deaths from tuberculous disease of the lungs and one death caused accidentally.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 18·1 per 1,000. They include one death from *pneumonia* (not defined), 3 deaths from tuberculous disease, one death from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8,; and Finglas and Glasnevin, part of, 15·6. The 4 deaths from all causes for Coolock and Drumcondra, No. 1 (part of), include one from dysentery and one from *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 20·4 per 1,000, and include one death from *pneumonia* (not defined), 4 deaths from tuberculous disease, 5 deaths from diseases of the heart and blood vessels, and one death from bronchitis.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 20·0 per 1,000. Tuberculous disease caused 2 deaths.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 27·4 per 1,000. Of the deaths one was due to whooping-cough, 5 to tuberculous disease, 5 to diseases of the heart and blood vessels, and 3 deaths were due to bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000, and include one death from broncho-pneumonia, one death from *pneumonia* (not defined), and 6 deaths from tuberculous disease.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000. There was one death from influenza.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·0; Pembroke, 10·0; Blackrock, 11·9; and Kingstown, 17·8. There were no deaths from any of the principal epidemic diseases tabulated for these districts. The 7 deaths from all causes for Rathmines and Rathgar include 2 from tuberculous disease, 3 from diseases of the heart and blood vessels, and one from bronchitis; and the 6 deaths from all causes for Kingstown include 4 from diseases of the heart and blood vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 9th June, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	May 19,	.	—	—	6	.	.	11	.	2	9	14	.	—	—	—	—	—	42
	May 26,	.	—	—	4	.	.	5	.	4	2	14	.	—	—	—	—	—	29
	June 2,	.	—	—	4	.	.	11	.	2	9	7	.	—	—	—	—	—	33
	June 9,	.	—	—	3	.	.	3	.	1	5	10	.	—	—	—	—	—	22
Rathmines and Rathgar Urban District.	May 19,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2
	May 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 2,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	4
	June 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Pembroke Urban District.	May 19,	.	.	2	.	.	.	2	.	1	1	1	.	—	3	.	—	—	10
	May 26,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
	June 2,	.	.	.	1	.	.	.	.	.	.	1	.	—	.	.	—	—	2
	June 9,	.	.	.	3	.	.	.	.	1	1	.	.	—	1	.	—	—	6
Blackrock Urban District.	May 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	May 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	June 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	May 19,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	May 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	May 19,	.	—	—	9	.	.	1	2	4	5	4	.	—	—	—	—	—	25
	May 26,	.	—	—	14	.	.	1	.	4	7	5	.	—	—	—	—	—	31
	June 2,	.	—	—	17	.	.	2	.	6	8	2	1	—	—	—	—	—	36
	June 9,	.	—	—	15	.	.	5	3	6	7	7	.	—	—	—	—	—	43

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 9th June, 1906.

From this it appears that :—

Eleven cases of measles were admitted to hospital during the week, 5 were discharged, and cases remained under treatment at its close.

Nine cases of scarlet fever were admitted to hospital, 19 were discharged, and 42* cases nained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 11 were discharged, and 24 tients remained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital, 7 were discharged, and 27 cases nained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, were discharged, there were 2 deaths, and 30 cases remained under treatment at the l of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the e was 12·7), was equal to an average annual death-rate of 12·9 per 1,000 persons living, average rate for 8 principal towns of Scotland was 15·6 per 1,000, the rate for Glasgow ng 17·5, and for Edinburgh 13·9.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a 7 of his Return of Infectious Diseases notified during the week ended 9th June. From this Return it ears that of a total of 32 cases notified 14 were scarlet fever, 12 diphtheria, 5 erysipelas, and 1 typhoid r. Among the 322 cases of infectious diseases in hospital at the close of the week were 127 cases arlet fever, 93 of measles, 32 of diphtheria, 19 of whooping-cough, 12 of typhoid fever, and 11 of ipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 9th June, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 9th June, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 9th June, 1906. Air Temperature. Absolute Highest.	Week ending 9th June, 1906. Air Temperature. Absolute Lowest.	Week ending 9th June, 1906. Air Temperature. Mean.	Week ending 9th June, 1906. Rainfall in Inches.	Week ending 2nd June, 1906. Air Temperature. Absolute Highest.	Week ending 2nd June, 1906. Air Temperature. Absolute Lowest.	Week ending 2nd June, 1906. Air Temperature. Mean.	Week ending 2nd June, 1906. Rainfall in Inches.	Week ending 26th May, 1906. Air Temperature. Absolute Highest.	Week ending 26th May, 1906. Air Temperature. Absolute Lowest.	Week ending 26th May, 1906. Air Temperature. Mean.	Week ending 26th May, 1906. Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	27·8	18·0	1·5	573	378	70	100	.	5	.	1	17	1	.	2	6	22	58	21	13	45	5	13	111	16	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total, d.	378,994	27·5	23·0	18·4	0·8	167	134	27	29	.	.	.	.	1	.	.	.	1	6	17	13	6	10	2	7	52	3	f69·7	41·2	56·1	0·01	f66·8	44·4	55·7	0·45	f58·0	36·9	47·8	0·81
City of Dublin,	293,385	37·1	26·5	20·3	0·4	149	114	24	20	.	.	.	.	1	.	.	.	1	6	16	11	4	9	2	7	50	2	g70·1 / h67·9	47·8 / 40·0	59·2 / 56·4	0·00 / 0·00	g68·9 / h67·9	46·1 / 45·0	57·0 / 56·3	0·43 / 0·35	g59·4 / h59·6	42·1 / 38·2	49·6 / 47·2	0·89 / 0·86
Urban Dists. Rathmines and Rathgar.	33,203	19·4	9·4	11·0	.	6	7	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	16·0	10·0	.	8	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	6·0	11·9	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	8·9	17·8	.	3	6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66	44	56·5	0·01	66	46	55·6	0·61	62	42·5	49·0	0·74
Urban Districts.																																							
Belfast,	358,680	24·4	33·1	19·8	3·8	228	186	28	38	.	2	.	.	16	1	.	2	5	15	21	5	5	15	2	2	30	2	72·0	41·0	58·2	0·01	66·1	45·1	54·6	0·51	58·5	40·2	48·7	1·98
Cork,	76,122	33·6	25·3	18·5	.	37	27	3	10	.	.	.	.	.	.	.	.	.	.	7	1	1	1	.	2	11	1	69	46	55·0	0·02	60	47	53·0	0·66	57	44	50·4	1·88
Londonderry,	42,067	19·4	28·5	27·3	3·7	23	22	3	4	.	3	.	.	.	.	.	.	.	.	3	.	.	7	1	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	16·4	9·6	.	12	7	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	19·5	13·6	.	10	7	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	42·7	46·6	8·9	11	12	2	6	.	.	.	1	.	.	.	.	.	.	1	.	1	2	.	.	2	4	72	47	59·8	0·00	62	47	54·3	1·19	59	48	51	1·53
Dundalk,	13,076	3·4	59·8	8·0	.	15	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	12·3	12·3	.	8	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	46·2	4·2	.	11	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	73·0	40·2	59·3	0·00	64·5	42·7	54·5	0·66	58·0	36·6	48·3	0·88
Lurgan,	11,782	13·8	22·1	13·3	.	5	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	73·0	40·2	59·3	0·00	64·5	42·7	54·5	0·66	58·0	36·6	48·3	0·88
Lisburn,	11,461	10·1	22·7	9·1	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	73·0	40·2	59·3	0·00	64·5	42·7	54·5	0·66	58·0	36·6	48·3	0·88
Wexford,	11,168	23·2	28·0	18·7	.	6	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	33·5	4·8	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	9·6	9·6	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	70·3	43·5	58·0	0·07	67·5	45·4	50·4	0·92	61·0	31·9	48·3	0·77
Kilkenny,	10,609	11·5	9·8	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	76	41	58·3	0·00	65	45	53·3	0·33	64	37	49·3	1·26
Clonmel,	10,167	7·8	5·1	5·1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,099	13·2	62·0	15·5	.	12	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	73·0	40·2	59·3	0·00	64·5	42·7	54·5	0·66	58·0	36·6	48·3	0·88
Tralee,	9,867	16·6	26·4	10·6	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	22·9	22·9	.	4	4	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	66	44	52·3	0·00	62	44	52·8	0·33	59	41	47·8	0·75
Queenstown,	7,909	14·4	13·2	6·6	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	69	46	55·0	0·02	60	47	53·0	0·66	57	44	50·4	1·88
Armagh,	7,588	22·2	34·4	27·5	.	5	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.	73·0	40·2	59·3	0·00	64·5	42·7	54·5	0·66	58·0	36·6	48·3	0·88

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 8 deaths of persons (including one under 1 year old and 2 at 60 years or upwards), admitted to hospital from localities outside the Area. in several cases, [illegible] Deaths included in this Table, the readings at the nearest stations from which Returns are received have been adopted [illegible] Queenstown. f Observations at Ordnance Survey Office, Phœnix Park. g Observations by Sir John Moore taken at Fitzwilliam Square. h Observations by Mr. [illegible]

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 9th of June, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLASNEVIN & HOWTH No. 1 (part of).	GOODLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Pneumonia,	.	2	.	1	.	.	.	1	.	.	2	.	.	.	.	.	6	.
Tuberculous Disease. Phthisis,	1	1	5	1	.	1	.	3	1	.	3	.	1	.	.	.	17	.
Tuberculous Disease. Other Forms.	.	.	.	2	.	.	.	1	1	4	3	.	1	.	1	.	13	.
Cancer, Malignant Disease,	.	.	.	1	.	2	.	.	.	1	.	.	.	2	.	.	6	.
Other General Diseases	1	.	2	.	1	.	1	.	2	3	1	1	.	.	1	.	13	1
Total,	2	3	7	5	1	4	1	5	4	9	9	1	2	2	2	.	57	1
B. LOCAL DISEASES:																		
Diseases of Nervous System	4	2	.	1	.	.	1	3	2	1	2	1	1	1	.	.	19	3
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	.	3	2	.	.	.	.	5	.	5	2	.	3	2	.	4	26	3
Diseases of Respiratory System,	2	2	.	1	.	.	.	1	.	3	.	.	1	.	.	.	10	.
Diseases of Digestive System,	.	1	1	1	.	.	.	.	.	1	.	1	.	.	.	1	6	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	1	1	.	.	.	1	.	1	1	.	.	.	.	.	6	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	9	4	4	.	.	1	10	2	11	5	2	5	3	.	5	67	6
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	2	1	.	.	.	.	1	2	.	.	.	.	.	1	8	.
E. VIOLENT DEATHS,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1
Deaths from all Causes,	8	13	14	11	1	4	2	15	7	22	14	3	7	5	2	6	134	8
Annual Rate of Mortality from all causes in every 1,000 of the population	14·7	17·3	24·2	18·1	10·8	20·8	15·6	20·4	20·0	27·4	20·8	17·6	11·0	10·0	11·9	17·8	18·4	.
	18·3							22·3					12·2					
	20·3																	
Deaths of Infants under 1 year of age,	3	2	4	1	1	.	.	.	2	7	4	.	2	.	1	.	27	1
Deaths of Persons aged 60 years and upwards,	2	3	2	3	.	.	1	5	.	3	.	1	1	3	1	4	29	2
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	2	3	6	1	3	.	1	1	3	2	.	.	1	.	.	25	8
Workhouse Hospitals,	.	2	6	3	.	.	.	7	2	4	1	1	1	.	.	.	27	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registe
week of the ten years, 189

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 23rd Week of the 10 years 1896-1905.	In the Week ending Saturd 9th June, 1906. Deaths of Persons of the Ag						
	June 6, 1896.	June 12, 1897.	June 11, 1898.	June 10, 1899.	June 9, 1900.	June 8, 1901.	June 7, 1902.	June 13, 1903.	June 11, 1904.	June 10, 1905.		ALL AGES.	0 to 5.					
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 55·3	° 58·0	° 55·0	° 58·8	° 56·6	° 53·1	° 53·5	° 52·9	° 53·1	° 50·8	° 54·7	° 56·1						
ALL CAUSES.	133	150	168	169	161	152	156	172	143	148	155·2	142	17	11	10	11	20	4
Small-pox, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles (Morbilli), ...	.	2	.	.	.	1	3	.	1	3	1·0	.	.	.	.	.	.	
Scarlet Fever, ...	2	4	.	2	.	1	1	1	1	.	1·2	.	.	.	.	.	.	
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	1	.	4	6	3	2	3	2	1	2	2·4	2	.	.	.	.	1	1
Whooping-cough, ...	1	4	2	3	5	5	2	5	1	2	3·0	1	.	.	.	1	.	
Diphtheria, ...	.	1	.	1	2	.	1	.	.	.	·5	.	.	.	.	.	.	
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	
Pyrexia† (origin uncertain),	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	
Enteric Fever, ...	.	2	1	1	2	.	.	2	1	.	1·2	.	.	.	.	.	.	
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epidemic Diarrhœa (Infective Enteritis)	2	1	1	1	2	2	.	.	.	.	1·0	.	.	.	.	.	.	
Diarrhœa, Dysentery,							1	.	.	.		1	.	.	.	.	.	
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease, ...	.	.	.	.	.	.	2	1	.	2	·5	.	.	.	.	.	.	
Puerperal Septicæmia,	.	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	
Puerperal Pyæmia,							.	1	.	.		.	.	.	.	.	.	
Puerperal Fever, ...							1	1	.	.		.	.	.	.	.	.	
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pneumonia, Lobar,	10	8	9	12	10	10	.	.	.	.	9·9	.	.	.	.	.	.	
Pneumonia, Broncho-							4	3	1	3		3	.	1	1	1	.	
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.	
Pneumonia, Not defined,							3	11	12	3		3	.	.	.	.	.	
Erysipelas, ...	.	.	.	1	.	.	.	2	.	1	·4	.	.	.	.	.	.	
Septicæmia (not Puerperal)	1	.	1	1	.	.	.	1	.	.	·4	.	.	.	.	.	.	
Pyæmia (not Puerperal),							.	.	.	.		.	.	.	.	.	.	
Other Infective Conditions,	.	.	.	.	.	.	.	.	2	1	·3	1	.	.	.	.	.	
Tuberculous Phthisis,	16	18	24	36	28	30	3	5	8	6	25·7	6	.	.	.	.	3	
"*Phthisis*," ...							37	15	22	9		11	.	.	3	.	4	
Tuberculous Meningitis, ...	3	3	7	1	3	1	1	6	2	3	3·0	4	.	.	1	3	.	
Tuberculous Peritonitis,	6	2	3	3	3	4	1	3	4	1	3·5	1	.	.	.	1	.	
Tabes Mesenterica, ...							.	1	3	1		1	.	.	1	.	.	
Tuberculous Dis. (other),	.	3	4	3	7	5	3	2	5	10	4·3	7	.	2	.	.	5	
Scrofula, ...							.	1	.	.		.	.	.	.	.	.	
Alcoholism, ...	1	.	.	1	1	1	.	1	1	.	·6	1	.	.	.	.	.	
Rheumatic Fever, ...	.	.	.	.	2	.	1	.	.	.	·3	1	.	.	.	.	.	
Gout, ...	1	.	1	.	.	1	1	.	.	.	·4	.	.	.	.	.	.	
Carcinoma, ...	5	4	5	5	6	4	2	3	2	7	6·5	3	.	.	.	.	.	1
Sarcoma, ...							.	1	.	2		1	.	.	.	.	.	
Cancer (undefined),							5	2	7	5		2	.	.	.	.	.	1
Diabetes Mellitus, ...	.	.	.	.	.	.	.	1	.	1	·2	1	.	.	.	.	.	1
Premature Birth, ...	1	8	2	3	5	.	5	4	5	4	3·7	7	7	.	.	.	.	

* The figures for the years 1896-1900 e
† Formerly descri

e TWENTY-THIRD WEEK ending Saturday, 9th June, 1906, with the deaths from each cause in the corresponding
ıd the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: June 6, 1896.	June 12, 1897.	June 11, 1898.	June 10, 1899.	June 9, 1900.	June 8, 1901.	June 7, 1902.	June 13, 1903.	June 11, 1904.	June 10, 1905.	Averages in 23rd Week of the 10 years 1896–1905.	In the Week ending Saturday, 9th June, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 55·3	° 58·0	° 55·0	° 58·8	° 56·6	° 53·1	° 53·5	° 52·9	° 53·1	° 50·8	° 54·7	° Mean Temp. 56·1								
Meningitis (not tuberc.) ...							3	3	3	2		7	1	1	1	3	1	.	.	.
Insanity, G. P. of Insane ...							1	3	.	.		3	.	.	.	.	1	.	2	.
Epilepsy ...							.	.	.	.		1	.	.	.	.	1	.	.	.
Convulsions ...							9	6	3	6		7	3	4	.	.	.	.	.	.
Locomotor Ataxy ...							.	.	1	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord ...							.	4	.	1		1	.	.	.	.	.	1	.	.
Nervous System (other Dis.)	27	32	37	33	27	28	4	2	1	5	31·8	3	.	.	.	.	.	1	2	.
Valv. Dis., Endocarditis ...							3	13	5	4		8	.	.	.	.	.	6	2	.
Cerebr. Hæm. Thromb. ...							3	2	1	2		4	.	.	.	.	.	3	1	.
Apoplexy, Hemiplegia ...							1	2	5	1		1	.	.	.	.	.	.	1	.
Aneurysm ...							.	.	.	1		1	.	.	.	.	1	.	.	.
Embolism, Thromb. (not cerebral)							.	.	1	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessel Dis.							5	7	9	12		15	1	.	.	.	.	7	6	1
Croup (not Spasm. nor Memb.)	.	.	3	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Bronchitis ...	11	10	18	10	9	20	17	13	14	12	13·4	9	1	1	2	.	.	1	4	.
Asthma, Emphysema ...							.	.	.	.		.	.	.	.	.	.	.	.	.
Pleurisy ...	2	.	.	1	4	1	.	1	.	.	1·5	1	.	.	.	.	.	.	1	.
Respiratory Dis. (other) ...							1	2	2	1		.	.	.	.	.	.	.	.	.
Tonsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.) ...							.	.	.	1		.	.	.	.	.	.	.	.	.
Gastro Enteritis ...	.	1	.	.	2	1	.	1	1	.	·7	.	.	.	.	.	.	.	.	.
Peritonitis (not Puerp.) ...	1	2	.	1	.	2	1	3	.	2	1·2	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver ...							.	.	.	2		3	.	.	.	.	.	3	.	.
Liver Dis. (other) ...	2	6	1	.	4	1	2	2	1	1	2·2	.	.	.	.	.	.	.	.	.
Digestive Dis. (other) ...	7	4	2	3	4	5	4	3	3	8	4·3	3	.	1	1	.	.	.	1	.
Nephritis, Acute ...							1	2	3	2		1	.	.	.	.	1	.	.	.
Bright's Dis., Albuminuria	3	6	2	5	4	5	1	3	2	1	4·1	5	.	.	.	.	1	2	2	.
Urinary Sys. (Other Dis.)							.	.	.	1		.	.	.	.	.	.	.	.	.
Generative Organs Dis. ...	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Childbirth (Accid. of) ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age ...	9	5	14	17	6	7	4	4	1	4	7·1	3	.	.	.	.	.	.	2	1
Other Diseases ...	11	15	23	11	18	11	10	14	5	8	12·6	6	4	1	.	1	.	.	.	.
ACCIDENT.																				
By Railways ...	1	.	.	.	.	.	2	.	.	.	·3	.	.	.	.	.	.	.	.	.
By Vehicles and Horses ...	1	2	1	1	.	.	.	.	.	1	·6	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
In Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	1	1	.	.	2	.	1	1	1	1	·8	.	.	.	.	.	.	.	.	.
By Drowning ...	.	3	.	.	1	.	.	1	.	1	·6	1	.	.	.	.	1	.	.	.
By Suffocation in Bed ...	.	.	.	2	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accidents	4	3	.	2	1	.	3	4	.	1	1·8	2	.	.	.	1	.	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide ...	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Suicide ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

he Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905–6—Week ending																									
	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.
No. of weeks in Annual Series.	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered,	238	199	184	245	192	183	220	288	202	188	169	252	214	189	211	230	207	181	202	199	250	285	202	195	228	167
*Average Births in corresponding week of previous 10 years,**	183	160	182	210	206	199	200	221	215	205	217	213	208	219	206	236	177	200	216	204	244	227	209	191	217	229
DEATHS registered,	148	171	139	168	166	154	160	187	151	149	185	183	187	178	193	198	159	174	215	174	191	165	169	173	154	142
Annual Death-rate per 1,000,	20·4	23·5	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·2	23·8	21·2	19·5
*Average Deaths in corresponding week of previous 10 years,**	187	189	199	219	214	211	202	212	209	209	221	233	221	212	211	218	201	198	189	183	183	174	171	166	157	155
AGES, Under 5 years,	47	43	27	28	52	39	37	46	35	32	45	40	43	55	43	67	37	34	45	37	30	36	41	42	47	38
5—20 ,,	18	9	7	17	17	11	18	16	8	9	8	14	8	15	15	17	13	13	15	12	16	10	15	13	11	11
20—40 ,,	13	30	21	34	25	18	21	18	21	15	38	39	34	19	29	26	28	23	27	32	39	23	28	29	27	20
40—60 ,,	32	45	41	48	37	45	37	42	42	46	43	34	43	35	40	33	34	47	49	42	47	39	44	37	30	42
60—80 ,,	34	37	37	35	28	34	43	52	39	39	44	49	49	41	55	45	40	47	70	40	55	51	30	41	34	28
80 years and upwards,	9	7	6	6	7	7	9	13	6	8	7	7	10	8	11	10	7	10	9	11	4	6	11	11	5	3
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	1	.	1	.	.	2	.
Scarlet Fever	.	1	.	.	2	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	2	1	1	2	3	1	1	2	.	.	1	4	1	2	.	2	2	3	.	2	1	1	.	3	3	1
Diphtheria,	1	.	2	2	2	.	1	1	.	.	1	.	2	2	1	3	.	.	.	2	.	.	2	.	.	.
Pyrexia † (origin uncertain),	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	4	3	3	.	.	.	1	.	.	1	1	.	3	.	3	.	1	2	1	1	3	.	.	.	.
Diarrhœal Diseases,	1	1	2	1	1	1	3	1	.	1	2	1	3	3	5	2	1	1	1	4	.	3	1	3	2	1
Pneumonia,	8	11	11	12	15	12	16	19	6	11	13	16	18	10	13	10	8	22	26	17	21	18	13	13	10	6
Tuberculous Disease. Phthisis,	9	27	19	21	14	23	21	29	13	23	29	32	30	23	32	25	23	27	18	22	36	18	16	22	20	17
Tuberculous Disease. Other Forms,	15	4	1	12	16	5	6	9	15	10	12	18	9	12	11	15	15	8	11	10	15	10	16	7	8	13
Cancer, Malignant Disease,	11	5	6	7	5	12	6	8	14	6	13	6	6	6	11	4	4	9	13	10	6	5	15	8	10	6
Diseases of Heart and Blood Vessels,	21	26	30	28	21	24	33	31	23	27	21	25	31	29	31	33	27	29	45	27	22	22	28	30	15	29
Diseases of Respiratory System,	16	25	20	26	28	22	18	27	26	27	32	28	28	21	34	27	23	29	43	23	36	31	15	26	15	10
Violent Deaths,	2	4	6	4	3	7	8	5	5	.	4	10	1	2	4	5	2	3	4	2	3	1	4	5	2	3
Number of Uncertified Deaths,	9	8	6	4	5	6	6	11	7	6	8	4	6	7	6	12	9	7	6	5	5	3	7	7	11	3
Mean Temperature of the Air (Phœnix Park),	48·0	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1
Average Mean Temperature in corresponding week of previous 10 years	41·9	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7
Rainfall in inches,	·035	·285	·770	·860	·355	1·605	·230	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130	·810	·650	·455	·640	·810	·450	·005
Mean Humidity of the Air, complete Saturation, 1·0,	·89	·85	·88	·91	·88	·87	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·83	·81	·83	·85	·88	·83	·89	·84	·79

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

... in the Five General Classes and Eighteen Groups the Occupations or Social Position of the Persons whose Deaths were registered in the Dublin Registration Area during the Week ending Saturday, 9th June, 1906: the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH JUNE, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(18)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,850	19·7	142	38	11	20	42	28	3	.	.	.	.	1	.	.	.	1	2	6	17	13	6	7	10	3	78	3
	CLASSES.																												
	Deaths in Families of the—																												
I.	Professional and Independent Class,	17,436	17·9	6	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
II.	Middle Class,	87,188	16·1	27	3	2	3	8	8	3	.	.	.	.	.	.	.	.	.	.	2	2	2	3	.	.	.	18	.
III.	Artisan Class and Petty Shopkeepers,	110,423	15·1	32	9	4	6	11	2	.	.	.	.	.	.	.	.	.	.	.	3	4	3	1	1	4	1	15	1
IV.	General Service Class,	154,279	25·0	50	20	4	9	10	7	.	.	.	.	.	.	.	.	.	1	1	1	5	7	2	5	4	2	23	2
V.	Inmates of Workhouses,	6,024		27	6	1	1	10	9	.	.	.	.	.	1	.	.	.	.	1	.	6	1	.	1	.	2	.	16	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	18·9	8	1	.	.	2	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	6	.
	6. Clerks and Commercial Assistants,	30,432	10·3	6	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	21·2	11	2	.	.	4	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	9	.
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	31·7	6	1	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1	.
	9. Building and Furnishing Trades,	29,801	14·0	8	2	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	5	1
	10. Clothing Trades,	23,260	9·0	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	11. Food Supply Trades,	9,242	5·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	18·9	11	4	2	1	3	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	3	1	4	.
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	3·9	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	15. Domestic Servants,	36,603	7·1	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	25·4	7	2	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	5	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	21·5	87	17	4	6	7	3	.	.	.	.	.	.	.	.	.	.	.	1	4	4	.	5	3	2	18	2
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates,	6,024	.	27	6	1	1	10	9	.	.	.	.	.	1	.	.	.	.	1	.	6	1	.	1	2	.	16	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents o RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of th the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths i* similar Statistics for each of th

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of).	Cols. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	April 21,	22·4	.	16	.	.	.	.	.	.	.	.	.	.	4	2	.	2	.	3
	„ 28,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	2	1	1	2	1	.	1
	May 5,	27·6	.	15	.	.	.	.	.	.	.	.	.	3	5	2	1	2	.	.
	„ 12,	14·7	1·8	8	.	.	.	.	.	.	.	1	.	2	2	.	.	2	.	.
	„ 19,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	1
	„ 26,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	1	.	1	1	2	1	1
	June 2,	12·9	1·8	7	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1
	„ 9,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	April 21,	26·6	1·3	20	.	.	.	.	.	.	.	1	.	3	1	.	.	6	.	1
	„ 28,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	2	2	.	1	4	.	1
	May 5,	33·3	.	25	.	.	.	.	.	.	.	.	.	2	4	4	2	4	.	2
	„ 12,	21·3	2·7	16	.	.	.	.	.	.	.	.	2	2	2	.	.	4	.	.
	„ 19,	22·6	.	17	.	.	.	.	.	.	.	.	.	3	3	1	.	1	.	1
	„ 26,	32·0	2·7	24	.	.	.	.	1	.	.	.	1	2	4	1	.	3	.	1
	June 2,	25·3	.	19	.	.	.	.	.	.	.	.	.	.	4	2	1	1	.	3
	„ 9,	17·8	.	13	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	April 21,	32·9	.	19	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	1
	„ 28,	32·9	1·7	19	.	.	.	.	.	.	.	.	1	1	3	.	.	2	1	1
	May 5,	38·1	.	22	.	.	.	.	.	.	.	.	.	3	1	2	.	6	1	.
	„ 12,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	1
	„ 19,	20·8	1·7	12	.	.	.	.	.	.	.	.	1	.	2	1	2	1	.	.
	„ 26,	24·2	1·7	14	.	.	.	.	.	.	.	.	1	.	1	.	1	4	.	.
	June 2,	13·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1
	„ 9,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	5	.	.	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	April 21,	28·0	.	17	.	.	.	.	.	.	.	.	.	4	.	1	.	3	1	.
	„ 28,	28·0	1·6	14	.	.	.	.	.	.	.	1	.	2	2	2	.	1	.	1
	May 5,	36·2	1·6	22	.	.	.	.	1	.	.	.	.	1	6	1	.	3	.	1
	„ 12,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	4	3	.	.	3	.	.
	„ 19,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
	„ 26,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	3	.	2	2	1	.
	June 2,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	4	2	1	1	.	.
	„ 9,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	1	2	1	1	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	April 21,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	3	3	1	2	4	.	1
	„ 28,	25·8	2·7	19	.	.	.	.	1	.	.	.	1	2	4	1	.	2	1	.
	May 5,	19·0	.	14	.	.	.	.	.	.	.	.	.	1	3	1	.	1	1	.
	„ 12,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	3	.	6	.	.
	„ 19,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	2	3	.	2	.	.
	„ 26,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.	1	4	2	.
	June 2,	27·2	2·7	20	.	1	.	.	1	.	.	.	.	4	2	.	.	3	.	1
	„ 9,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	April 21,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	„ 28,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	3	2	.	2	.	.
	May 5,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 12,	22·8	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	2	.	1
	„ 19,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	„ 26,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	June 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
	„ 9,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	April 21,	36·1	1·2	29	.	1	.	.	.	.	.	.	.	4	2	.	3	7	.	.
	„ 28,	32·3	1·2	26	.	.	.	.	.	1	.	.	.	1	3	1	1	6	.	1
	May 5,	24·9	.	20	.	.	.	.	.	.	.	.	.	5	3	.	.	4	.	.
	„ 12,	27·4	1·2	22	.	1	.	.	.	.	.	.	.	1	5	2	.	4	.	1
	„ 19,	26·1	.	21	.	.	.	.	.	.	.	.	.	.	1	3	3	3	.	.
	„ 26,	19·9	.	16	.	.	.	.	.	.	.	.	.	2	2	1	1	3	.	.
	June 2,	34·8	1·2	28	.	1	.	.	.	.	.	.	.	2	4	.	2	3	.	3
	„ 9,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	.	.	4	1	3	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	April 21,	35·6	.	24	.	.	.	.	.	.	.	.	.	3	3	1	.	8	.	.
	„ 28,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	1	1	.	1	2	.	.
	May 5,	32·6	.	22	.	.	.	.	.	.	.	.	.	1	4	1	1	3	1	.
	„ 12,	25·2	.	17	.	.	.	.	.	.	.	.	.	2	3	1	.	4	1	.
	„ 19,	29·7	.	20	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	3
	„ 26,	16·3	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1
	June 2,	8·9	.	6	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1
	„ 9,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	3	3	.	.	.	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,208.	April 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	1	1	1	1	1	1	.
	,, 28,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.
	May 5,	17·8	.	11	.	.	.	.	.	.	.	.	.	2	2	.	1	3	.	1
	,, 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	,, 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	3	2	3	.	.	.	1
	,, 26,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2
	June 2,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	,, 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	April 21,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	.
	,, 28,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.
	May 5,	22·0	2·0	11	.	.	.	.	.	.	.	1	.	2	3	1	.	1	.	.
	,, 12,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	,, 19,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.
	,, 26,	24·0	.	12	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.
	June 2,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	,, 9,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	April 21,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.
	,, 28,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	May 5,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	,, 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	,, 19,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
	,, 26,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	2
	June 2,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
	,, 9,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1906 (Est.) 358,680.	April 21,	24·9	3·5	171	.	.	.	.	21	.	.	2	1	15	18	3	2	36	3	3
	,, 28,	22·1	2·9	153	.	.	.	.	18	.	.	.	2	16	19	12	4	27	4	5
	May 5,	26·0	3·3	179	.	.	1	.	20	.	1	.	1	16	29	10	4	30	4	2
	,, 12,	23·4	1·9	161	.	.	.	.	12	.	.	1	.	10	21	8	3	27	2	2
	,, 19,	20·4	2·3	140	.	.	.	.	13	1	.	1	1	9	23	11	3	17	4	.
	,, 26,	22·0	2·0	151	.	.	.	.	8	1	.	.	5	14	33	9	3	16	6	4
	June 2,	21·8	2·6	150	.	1	.	.	15	.	1	.	1	15	16	11	1	17	1	2
	,, 9,	19·8	3·3	136	.	2	.	.	16	1	.	2	5	15	21	5	5	15	2	2
Cork. Pop. (in 1901) 76,122.	April 21,	18·5	1·4	27	.	.	.	.	.	.	.	.	2	.	1	3	1	8	.	2
	,, 28,	26·0	0·7	33	.	.	.	.	.	.	.	.	1	3	7	3	5	6	.	2
	May 5,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	7	2	.	2	.	2
	,, 12,	24·0	0·7	35	.	.	.	.	.	.	.	.	1	1	5	.	2	10	1	2
	,, 19,	24·7	.	36	.	.	.	.	.	.	.	.	.	2	7	3	1	3	.	1
	,, 26,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	2	3	2	.	4	.	2
	June 2,	16·4	.	24	.	.	.	.	.	.	.	.	.	.	6	1	2	4	2	.
	,, 9,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	7	1	1	1	.	1
Londonderry. Pop. in 1906 (Est.) 42,067.	April 21,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	,, 28,	18·6	3·7	15	.	3	.	.	.	.	.	.	.	1	.	1	.	2	1	1
	May 5,	19·8	2·5	16	.	1	.	.	.	.	.	.	1	2	.	2	.	2	.	2
	,, 12,	23·6	2·5	19	.	.	.	.	1	1	.	.	.	1	1	2	3	4	.	.
	,, 19,	24·8	2·5	20	.	2	.	.	.	.	.	.	.	2	3	.	.	3	.	.
	,, 26,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	.	2	2	2	1	.	1
	June 2,	13·6	2·5	11	.	2	.	.	.	.	.	.	.	1	1	.	.	1	1	.
	,, 9,	27·3	3·7	22	.	3	.	.	.	.	.	.	.	.	3	.	.	7	1	1
Limerick. Pop. (in 1901) 38,151.	April 21,	13·7	1·4	10	.	.	.	.	.	1	.	.	.	1	1	.	.	3	.	2
	,, 28,	20·5	.	15	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	1
	May 5,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	2	1	.	6	.	1
	,, 12,	32·8	1·4	24	.	.	.	.	.	.	.	.	1	2	5	1	.	2	.	4
	,, 19,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	3
	,, 26,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.
	June 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	.	4	.	6
	,, 9,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	1
Waterford. Pop. (in 1901) 26,769.	April 21,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	,, 28,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	2
	May 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1
	,, 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1
	,, 19,	31·2	.	16	.	.	.	.	.	.	.	.	.	.	.	4	1	1	.	3
	,, 26,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	2	2	.	3	.	.
	June 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	1	1
	,, 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th June, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No. 1 DISTRICT,	14,784	6	24·8	10·6	7	.	1	5	1	.	.	.	.	2	1	.	.	.	1	.	.	1	.	.	.	3	.
Do. 2 ,,	47,959	35	18·0	1·1	12	1	2	5	4	.	.	.	.	1	.	.	.	.	2	3	1	.	2	.	.	.	.
Do. 3 ,,	47,214	26	14·4	4·4	13	3	3	4	3	.	1	.	.	2	.	.	1	.	2	2	.	1	1	.	.	2	1
Do. 4 ,,	40,911	31	24·2	2·5	19	4	2	8	5	.	.	.	.	2	.	.	.	.	1	3	1	1	2	.	.	9	.
Do. 5 ,,	17,387	7	33·0	18·0	11	3	4	3	1	.	.	.	.	3	.	.	.	3	2	1	1	.	.	.	.	1	.
Do. 6 ,,	48,122	25	19·5	1·1	18	5	2	4	7	.	.	.	.	1	.	.	.	.	.	4	.	.	4	1	1	5	.
Do. 7 ,,	1,524	1	—	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	1	20·6	10·3	2	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
Do. 9 ,,	19,569	9	21·3	5·3	8	1	1	3	3	.	1	.	.	1	.	.	.	.	1	.	.	.	1	.	.	1	1
Do. 10 ,,	28,064	21	20·3	.	9	2	2	4	1	.	.	.	.	.	.	.	.	.	1	3	.	.	2	.	.	1	.
Do. 11 ,,	34,802	25	31·5	6·0	21	6	2	9	4	.	.	.	.	2	.	.	1	1	3	1	2	2	2	1	1	4	.
Do. 12 ,,	33,588	29	17·1	1·6	11	1	1	5	4	.	.	.	.	1	.	.	.	.	2	1	.	.	1	.	.	3	.
Do. 13 ,,	15,006	12	13·9	3·5	4	1	1	2	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.
Do. 14 ,,	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	228	20·3	3·9	136	28	22	53	33	.	2	.	.	16	1	.	2	5	15	21	5	5	15	2	2	30	2
City of Cork.																											
CORK URBAN No. 1 DISTRICT,	12,867	7	16·2	.	4	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 ,,	10,701	9	4·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 3 ,,	9,978	1	15·7	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 4 ,,	8,666	1	48·1	.	8	1	.	4	3	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1	4	.
Do. 5 ,,	6,592	.	31·6	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	3	.
Do. 6 ,,	10,702	7	9·7	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 ,,	16,616	12	15·7	.	5	2	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1
Total,	76,122	37	18·5	.	27	3	2	12	10	.	.	.	.	.	.	.	.	.	.	7	1	1	1	.	2	11	1

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.***

BELFAST.	1905–6—Week ending																									
	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered,	194	158	189	224	193	196	236	231	189	246	214	246	229	229	221	248	240	212	231	282	238	246	217	278	239	228
DEATHS registered.	136	146	124	147	138	135	160	139	146	179	174	166	155	191	152	201	169	166	171	152	179	161	140	151	150	136
Annual Death-rate per 1,000 of estimated Population.	18·3	21·2	18·0	21·4	19·3	19·6	23·3	20·2	21·2	26·0	25·3	24·1	22·5	27·8	22·1	29·2	24·6	24·1	24·9	22·1	26·0	23·4	20·4	22·0	21·8	19·8
AGES — Under 1 year,	23	31	26	34	21	30	31	24	29	31	43	26	31	32	37	46	35	35	39	30	29	35	35	21	33	28
AGES — 1–5 years,	15	18	19	16	15	16	22	11	11	14	20	17	22	23	16	30	28	26	24	24	20	19	17	17	23	23
AGES — 5–60 years,	58	69	56	61	60	62	71	61	71	87	74	85	59	84	57	89	81	75	66	67	85	66	64	84	64	53
AGES — 60 years and upwards,	30	28	23	36	37	27	36	43	35	47	37	38	43	52	42	36	25	30	42	31	45	41	24	29	30	33
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2
Scarlet Fever,	2	3	.	.	.	2	1	1	.	.	1	1	1	1	.	2	1	.	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	3	1	.	1	2	1	3	1	2	6	7	9	5	9	5	21	12	13	21	18	20	12	13	8	15	16
Diphtheria,	.	1	.	1	1	.	.	.	.	2	3	2	.	1	2	1	1	.	.	.	.	.	1	1	.	1
*Pyrexia** (origin uncertain),	.	.	.	.	1	2	.	.	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	1	.
Enteric Fever,	1	2	2	2	3	1	2	2	6	.	2	2	6	6	3	1	3	4	2	.	.	1	1	.	.	2
Diarrhœal Diseases,	.	2	1	3	2	2	3	2	1	3	2	1	.	1	2	1	2	.	1	2	1	.	1	5	1	5
Pneumonia,	14	18	14	15	12	8	11	10	8	19	17	13	16	23	10	18	19	19	15	16	16	10	9	14	15	15
Tuberculous Disease, Phthisis,	17	21	17	15	17	17	22	16	23	22	23	33	15	26	17	28	24	26	18	19	29	21	28	33	16	21
Tuberculous Disease, Other Forms,	—	—	—	10	4	3	8	7	6	7	7	6	10	5	6	12	11	7	8	12	10	8	11	9	11	5
Cancer, Malignant Disease,	—	—	—	3	5	5	7	5	4	5	6	5	1	6	4	10	4	3	2	4	4	3	3	3	1	5
Diseases of Respiratory System,	23	31	23	20	19	12	20	26	23	22	24	34	33	36	24	28	21	34	36	27	30	27	17	16	17	15
Violent Deaths,	2	4	5	6	1	4	1	3	1	6	4	2	6	1	.	2	7	4	3	4	4	2	4	6	1	2
Number of Uncertified Deaths,	—	—	—	6	2	4	4	3	3	5	3	5	2	4	3	3	1	1	3	5	2	2	.	4	2	2

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the three weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	June 9,	2,145	1,149	12·7	.	58	6	7	24	1	17
EDINBURGH,	341,035	„ 9,	155	91	13·9	.	4	1	1	1	.	2
GLASGOW,	835,625	„ 9,	485	281*a*	17·5	.	10	.	4	12	1	12
CALCUTTA,	910,117	April 21,	.	842	51·6	174	3	.	.	.	96‡	137*
BOMBAY,	776,006	May 8,	397	1,932	129·5	16	51	.	.	.	134‡	120*
MADRAS,	509,346	April 20,	336	452	46·1	42	23	?	?	?	80	77
PARIS,	2,750,000	May 26,	979	904	17·6	.	11	1	6	7	7	13
BRUSSELS (with 8 Faubourgs).	612,401	„ 19,	212	150	12·7	.	.	.	.	1	.	10
ANTWERP,	304,975	„ 19,	136	78	13·3	.	7	.	2†	.	1	9
AMSTERDAM,	560,249	„ 19,	245	150	13·9	.	2	1	1†	4	.	6
COPENHAGEN,	425,000	„ 19,	241	140	17·2	.	2	.	.	2	.	5
STOCKHOLM,	324,488	„ 12,	170	119	19·1	.	2	.	2†	1	.	4
CHRISTIANIA,	222,373	„ 26,	136	61	14·3	.	.	.	.	.	.	.
ST. PETERSBURG,	1,424,700	„ 19,	721	958	34·8	2	53	38	29	4	33	127
MOSCOW,	1,092,360	April 21,	.	677	32·3	1	5	7	13†	7	9	62
BERLIN,	2,055,465	May 12,	936	683	17·3	.	19	2	5†	7	1	57
HAMBURG,	803,050	„ 12,	.	276	17·9	.	7	5	2†	5	.	14
BRESLAU,	475,147	„ 26,	.	200	21·9	.	2	1	2†	.	.	26
MUNICH,	540,000	„ 26,	.	203	19·6	.	3	2	.	3	.	24
VIENNA (with suburbs).	1,937,869	„ 26,	1,001	698	18·7	.	31	6	11†	2	1	51
BUDA-PESTH,	859,134	„ 26,	403	344	20·9	.	8	9	4†	3	.	21
PRAGUE and Faubourgs.	460,849	„ 19,	184	206	23·2	.	3	.	1†	1	1	14
TRIESTE,	196,637	„ 12,	108	89	23·6	.	1	.	2†	.	.	2
ROME,	526,170	Mar. 31,	189	177	17·5	.	2	.	.	1	1	5
VENICE,	171,709	—	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	May 12,	1,967	1,437	18·1	2	32	28	34†	4	10	50
PHILADELPHIA,	1,469,126	„ 5,	.	502	17·8	.	6	2	10†	7	14	17
BOSTON,	595,380	„ 12,	.	226	19·8	.	2	1	1	5	2	2

a. Including one death from cerebro-spinal fever.
* Including 86 deaths from cholera in Calcutta, and 25 in Bombay.
† Including deaths from croup.
‡ Exclusive of 207 deaths from plague in Calcutta, and 862 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th June, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	2	.	.	2	.	.	1	.	.	.	.	5
" " 1, West,	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 2,	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	.	.	.	.	.	1	1	.	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	1	.	.	2	5	.	.	.	8
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	.	.	3	.	.	.	3
" " 4,	.	.	.	.	.	.	.	.	1	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	3	.	.	3	.	1	5	10	.	.	.	22

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th June, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th June.			
	May 19.	May 26.	June 2.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	28	20	11	11	5	.	17
Scarlet Fever,	39	46	52	9	19	.	42*
Typhus,	.	.	.	.	.	.	.
Diphtheria,	34	32	30	5	11	.	24
Enteric Fever,	28	23	30	4	7	.	27
Pneumonia,	33	39	35	11	14	2	30

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 9th June, 1906:—

"This week was characterised by an anticyclonic distribution of atmospheric pressure over North-western Europe, and quiet, fine, summerlike weather. At the beginning of the period, no doubt, a large and deep baric depression lay over the Baltic; and as the high pressure system, which was to play so prominent a part in the week's weather-report, was already advancing over Ireland from the Atlantic, gradients for northerly winds were rather steep. The resulting brisk N. and N.W. winds were accompanied by much cloud and low temperature at first, but the clouds soon dispersed, the wind moderated and drew into N.E. and E., and the weather became beautiful. Many years have passed since as fine a Whitsuntide was enjoyed, especially in Ireland. On Monday exquisite sprays of cirrus and cirro-cumulus cloud sailed slowly across the sky. On Tuesday and Wednesday there was much cirriform cloud, from which a slight electrical shower fell on the afternoon of the latter day. Thursday was cloudy and hazy at first, then sunny, and fine and warm throughout. Friday was brilliant, and some sixteen hours of bright sunshine were enjoyed. On Saturday much cirriform cloud travelled slowly from N.N.W., and in it a solar halo was seen at noon. Subsequently there were several hours of bright sunshine. In Dublin the mean height of the barometer was 30·290 inches. Atmospheric pressure was very uniform throughout the week, the extreme range being only from 30·380 inches at 9 a.m. of Monday (wind, N.E.) to 30·241 inches at 9 p.m. of Friday (wind again N.E.). The corrected mean temperature was 59·2°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 58·8°. The screened thermometers rose to 70·1° on Tuesday, and the minimum (47·8°) was recorded on the same day. The wind was generally E.N.E., light in force. There was no measurable rainfall, a slight shower on Wednesday afternoon yielding only ·001 inch in the gauge. Occasional flashes of lightning were seen to the northward late on Saturday night.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·301 inches. The highest reading (30·393) was on Monday at 9 a.m., wind N.N.E., and the lowest (30·249) on Friday at 9 p.m., air calm.

The mean temperature for the week was 56·1°, being 1·4° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Saturday, on which day the thermometer registered 69·7°, and was lowest on Tuesday, the mercury having fallen to 41·2°. The mean of the Dry Bulb for the week was 57·3°, and of the Wet Bulb 53·6°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 56·1 hours. The rainfall during the week measured ·005 inch.

At Greenwich the mean temperature for the week was 55·6°, the maximum 74·6°, and the minimum 37·6°; at Glasgow the maximum was 75·0°, the minimum 40·0°, and the mean 57·1°; and at Edinburgh the maximum was 72·5°, the minimum 41·8°, and the mean 55·4°. There was no rainfall recorded at Greenwich, Glasgow, or Edinburgh. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1 0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 3,	30·317	65·8	47·2	56·5	50·4	48·8	·89	·4	7·2	—	N.W.	Calm.
Monday, „ 4,	30·383	58·6	42·3	50·5	50·4	48·2	·85	·4	11·9	—	N.N.E.	Calm.
Tuesday, „ 5,	30·320	66·6	41·2	53·9	58·1	51·7	·80	·3	8·3	—	Calm.	Calm.
Wednesday, „ 6	30·275	67·6	45·9	56·8	60·9	56·3	·75	·2	4·5	·005	Calm.	Calm.
Thursday, „ 7,	30·265	67·9	53·2	60·6	59·1	51·0	·67	·4	2·6	—	Calm.	Calm.
Friday, „ 8,	30·258	68·6	43·9	56·8	59·3	51·8	·76	·0	13·6	—	E.	Calm.
Saturday, „ 9,	30·290	69·7	45·4	57·6	63·2	58·5	·80	·1	8·0	—	Calm.	Calm.
Mean,	30·301	66·4	45·6	56·1	57·3	53·6	·79	·3	Total 56·1	Total ·005	—	

Sunday—Overcast a.m., cloudy, fine p.m.; night cloudy. *Monday*—A fine day; night clear. *Tuesday*—Day fine but cloudy; night cloudy. *Wednesday*—Day fine but cloudy; night cloudy, light shower at 3 a.m. *Thursday*—Day fine but cloudy; night cloudy. *Friday*—A fine bright day; night cloudy. *Saturday*—A fine but cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 9th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 3,	51·2	54·0	51·3	64·8	48·1	56·5	7·2	—
Monday, „ 4,	54·6	54·7	51·6	57·7	48·1	52·9	11·5	—
Tuesday, „ 5,	63·0	55·3	51·8	68·5	47·0	57·8	10·2	—
Wednesday, „ 6,	64·0	56·4	51·9	66·2	50·8	58·5	3·8	·001
Thursday, „ 7,	62·0	57·1	52·0	66·1	54·2	60·2	4·2	—
Friday, „ 8,	62·8	57·5	52·3	66·7	49·2	58·0	13·0	—
Saturday, „ 9,	64·6	58·3	52·8	67·0	52·0	59·5	6·9	—
Weekly Mean,	60·3	56·2	52·0	65·3	49·9	57·6	Total 56·8	Total ·001

DUBLIN: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—13679.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 16TH JUNE, 1906. [No. 24

General Register Office, Charlemont House,
Dublin, 18*th June,* 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending May 26.	June 2.	June 9.	June 16.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 26.	June 2.	June 9.	June 16.	Average Rate for 4 weeks.
22 Town Dists.	21·0	20·3	18·0	17·6	19·2	Lisburn, . .	9·1	18·2	9·1	9·1	11·4
Armagh, . .	20·6	20·6	27·5	27·5	24·0	Londonderry,	21·1	13·6	27·3	24·8	21·7
Ballymena, .	33·5	28·7	4·8	14·4	20·3	Lurgan, . .	4·4	22·1	13·3	22·1	15·5
Belfast, . .	22·0	21·8	19·8	19·5	20·8	Newry, . .	12·6	29·4	4·2	12·6	14·7
Clonmel, . .	15·4	20·5	5·1	5·1	11·5	Newtownards, .	11·4	22·9	22·9	22·9	20·0
Cork, . . .	24·0	16·4	18·5	16·4	18·8	Portadown,	36·2	15·5	15·5	10·3	19·4
Drogheda, . .	28·6	8·2	12·3	20·4	17·4	Queenstown .	6·6	19·8	6·6	26·4	14·9
Dublin Reg. Area,	22·4	20·2	18·4	16·4	19·3	Sligo, . . .	9·6	19·2	9·6	.	9·6
Dundalk, . .	19·9	12·0	8·0	16·0	14·0	Tralee, . .	10·6	5·3	10·6	10·6	9·3
Galway, . .	11·7	23·3	46·6	7·8	22·3	Waterford, .	23·4	13·6	13·6	21·4	18·0
Kilkenny, . .	14·7	29·5	.	14·7	14·7	Wexford, . .	23·3	37·4	18·7	9·3	22·2
Limerick, . .	9·6	23·2	9·6	20·5	15·7						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in seventeen of the districts to 6·9 in Armagh, the 4 deaths from all causes in that district including one from measles. Among the 134 deaths from all causes in Belfast are one from measles, 7 from whooping-cough, and 7 from diarrhœal diseases; and the 20 deaths from all causes in Londonderry include 3 from measles and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 250—133 boys and 117 girls; and the deaths to 126—60 males and 66 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 17·3 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

into public institutions from localities outside the Area, the rate was 16·4 per 1,000. During the twenty-four weeks ending with Saturday last the death-rate averaged 23·5, and was 3·9 below the mean rate for the corresponding portions of the ten years, 1896-1905.

The deaths included 2 from whooping-cough, one from enteric fever, and 4 from diarrhœal diseases. In each of the 3 weeks preceding, deaths from whooping-cough were 3, 3, and one; deaths from enteric fever were 0, 0, and 0; and deaths from diarrhœal diseases were 3, 2, and one. In Table XIV. it appears that the weekly mean of the earth temperatures at 4 feet was 53·9°. There was one death from influenza.

Two deaths from broncho-pneumonia and 4 deaths from *pneumonia* (not defined) were registered.

There were 29 deaths from all forms of tuberculous disease, namely:—9 deaths from tuberculous phthisis, 8 deaths from *phthisis*, 2 deaths from tuberculous meningitis, and 10 deaths from other forms of the disease. In each of the 3 preceding weeks the totals of deaths from all forms of tuberculous disease were 29, 28, and 30.

There were 2 deaths from carcinoma and 6 deaths from cancer (undefined).

There were 5 deaths attributed to diseases of the brain and nervous system; of this number one was that of an infant under one year in age from *convulsions.*

Twenty-six deaths were caused by diseases of the heart and blood vessels.

Bronchitis caused 10 deaths.

Of 3 deaths due to violence one was homicidal and 2 were due to accidental causes.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of a person aged 69 years.

Twelve of the persons whose deaths were registered during the week were under 5 years of age (5 being infants under one year, of whom one was under one month old) and 43 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 5 were octogenarians, and one (a man) was stated to have been aged 94 years.

Fifty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·4 per 1,000; the rate in the City was 16·4 (North City Districts, 16·6; South, 16·1), and in the Suburbs, 16·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 1·2 (1·7 in the North City Districts, and 0·7 in the South) and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000, and include one death from influenza, one from whooping-cough, and 4 deaths from tuberculous disease.

No. 1 North City District, West (Summer-hill).—The deaths (12) are equal to an annual rate of 16·0 per 1,000. Of these one was from whooping-cough, 2 were from diarrhœal diseases, one was from broncho-pneumonia, and 2 were from *phthisis.*

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·3 per 1,000. Among them are one death from zymotic enteritis and 3 deaths from diseases of the respiratory system.

No. 3 North City District (Benburb-street).—The deaths (8) represent an annual rate of 13·2 per 1,000. There were 2 deaths from tuberculous disease and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 0·0. The 3 deaths from all causes for Coolock and Drumcondra, No. 1 (part of), include one from *pneumonia* (not defined) and one from tuberculous phthisis.

No. 1 South City District (South Earl-street).—The deaths (10) represent an annual rate of 13·6 per 1,000. Enteric fever, broncho-pneumonia, and *pneumonia* (not defined), each caused one death, and diseases of the heart and blood vessels caused 3 deaths; there was one accidental death.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1,000. There were 4 deaths from tuberculous disease and one from bronchitis; one death was caused homicidally.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 16·2 per 1,000, and include one death from *diarrhœa*, 8 deaths from tuberculous disease, and 2 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·3 per 1,000. Among them are one death from *pneumonia* (not defined), 2 deaths from tuberculous disease of the lungs, and 3 deaths from bronchitis.

New Kilmainham District.—The only death recorded is equal to an annual rate of 5·9 per 1,000, and was caused by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·7; Pembroke, 20·0; Blackrock, 0·0; and Kingstown, 20·7. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Of the 10 deaths from all causes for Rathmines and Rathgar one was from *pneumonia* (not defined) and 3 were from tuberculous disease. Amongst the 10 deaths from all causes for Pembroke there were 4 from diseases of the heart and blood vessels; and the 7 deaths from all causes for Kingstown include 4 deaths from diseases of the heart and blood vessels.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 16th June, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	May 26,	.	—	—	4	.	.	5	.	4	2	14	.	—	—	—	—	—	29
	June 2,	.	—	—	4	.	.	11	.	2	9	7	.	—	—	—	—	—	33
	June 9,	.	—	—	3	.	.	3	.	1	5	10	.	—	—	—	—	—	22
	June 16,	.	—	—	4	.	.	13	.	3	3	2	.	—	—	—	—	—	25
Rathmines and Rathgar Urban District.	May 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 2,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	4
	June 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 16,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	3
Pembroke Urban District.	May 26,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
	June 2,	.	.	.	1	.	.	.	.	.	.	1	.	—	.	.	—	—	2
	June 9,	.	.	.	3	.	.	.	.	1	1	.	.	—	1	.	—	—	6
	June 16,	.	.	.	2	.	.	.	.	.	.	.	.	—	2	.	—	—	4
Blackrock Urban District.	May 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	June 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 16,	.	—	—	.	1	.	.	.	.	.	.	.	—	—	—	—	—	1
Kingstown Urban District.	May 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	May 26,	.	—	—	14	.	.	1	.	4	7	5	.	—	—	—	—	—	31
	June 2,	.	—	—	17	.	.	2	.	6	8	2	1	—	—	—	—	—	36
	June 9,	.	—	—	15	.	.	5	3	6	7	7	.	—	—	—	—	—	43
	June 16.	.	—	—	12	.	.	2	.	5	8	3	.	—	—	—	—	—	30

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 16th June, 1906.

From this it appears that :—

Three cases of measles were admitted to hospital during the week, 4 were discharged, and cases remained under treatment at its close.

Six cases of scarlet fever were admitted to hospital, 5 were discharged, and 43* cases nained under treatment at the close of the week.

One case of typhus was admitted to hospital, and remained under treatment at the close he week.

Twelve cases of diphtheria were admitted to hospital, 6 were discharged, and 30 ients remained under treatment at the close of the week.

Two cases of enteric fever were admitted to hospital, 3 were discharged, and 26 cases nained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, were discharged, and 28 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the was 12·2), was equal to an average annual death-rate of 12·9 per 1,000 persons living, average rate for 8 principal towns of Scotland was 15·8 per 1,000, the rate for Glasgow g 16·9, and for Edinburgh 14·6.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a of his Return of Infectious Diseases notified during the week ended 16th June. From this Return it ears that of a total of 28 cases notified 13 were scarlet fever, 10 diphtheria, 3 erysipelas, and 1 typhoid r. Among the 327 cases of infectious diseases in hospital at the close of the week were 124 cases carlet fever, 93 of measles, 37 of diphtheria, 18 of whooping-cough, 11 of typhoid fever, and 9 of ipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 16th June, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases. In cols. 10-18.	Registration—Week ending Saturday, 16th June, 1906. Numbers Registered. Births. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Deaths. Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 16th June, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th June, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd June, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	31·3	17·6	1·3	656	369	41	100	.	6	.	.	9	.	.	1	12	18	62	27	17	38	8	10	112	14	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total, d.	878,994	27·5	34·4	16·4	1·0	250	119	5	41	.	.	.	.	2	.	.	1	4	6	15	12	6	11	3	4	50	3	f71·8	42·2	55·0	0·23	f69·7	41·2	56·1	0·01	f66·8	44·4	55·7	0·45
City of Dublin,	298,385	37·1	39·5	16·4	1·2	222	92	5	29	.	.	.	.	2	.	.	1	4	5	14	10	4	11	2	3	43	1	g71·9 h71·9	48·9 45·0	58·8 56·8	0·21 0·18	g70·1 h67·9	47·8 40·0	59·2 56·4	0·00 0·00	g68·9 h67·9	46·1 45·0	57·0 56·8	0·43 0·35
Urban Dists. Rathmines and Rathgar.	33,208	19·4	17·8	15·7	.	11	10	.		.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	18·0	20·0	.	9	10	.		.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	17·8	20·7	.	6	7	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	66	51	56·9	0·17	66	44	56·5	0·01	66	46	55·6	0·61
Urban Districts.																																							
Belfast,	358,680	24·4	29·7	19·5	2·2	204	184	21	26	.	1	.	.	7	.	.	.	7	7	22	9	6	15	1	3	33	5	72·0	44·0	56·8	0·05	72·0	41·0	58·2	0·01	66·1	45·1	54·6	0·51
Cork,	76,122	33·6	37·7	16·4	.	55	24	3	5	.	.	.	.	.	.	.	.	.	2	8	2	.	1	.	.	8	.	69	47	57·9	0·06	69	46	55·0	0·02	60	47	53·0	0·66
Londonderry,	42,067	19·4	45·9	24·8	5·0	37	20	2	6	.	3	.	.	.	.	.	.	1	.	4	1	1	3	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	17·8	20·5	.	18	15	1	6	.	.	.	.	.	.	.	.	.	.	8	.	.	2	.	.	12	1	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	11·7	21·4	.	6	11	1	3	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	38·8	7·8	.	10	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	76	46	60·4	0·80	72	47	59·8	0·00	62	47	54·3	1·19
Dundalk,	18,076	9·4	8·0	16·0	.	2	4	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	20·4	20·4	4·1	5	5	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	21·0	12·6	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	72·8	41·3	56·8	0·14	73·0	40·2	59·8	0·00	64·5	42·7	54·5	0·66
Lurgan,	11,782	13·8	8·9	22·1	.	2	5	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	72·8	41·3	56·8	0·14	73·0	40·2	59·8	0·00	64·5	42·7	54·5	0·66
Lisburn,	11,461	10·1	27·3	9·1	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	72·8	41·3	56·8	0·14	73·0	40·2	59·8	0·00	64·5	42·7	54·5	0·66
Wexford,	11,168	23·2	51·4	9·3	.	11	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	28·9	14·4	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	48·0	.	.	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70·5	40·5	55·9	0·04	70·3	43·5	58·0	0·07	67·5	45·4	57·4	0·92
Kilkenny,	10,609	11·5	29·5	14·7	.	6	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	74	46	59·8	0·13	76	41	58·3	0·00	65	45	53·3	0·33
Clonmel,	10,167	7·8	61·5	5·1	.	12	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	20·7	10·3	.	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	72·8	41·8	56·8	0·14	73·0	40·2	59·8	0·00	64·5	42·7	54·5	0·66
Tralee,	9,867	16·6	31·7	10·6	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	28·6	22·9	.	5	4	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	61	45	51·6	0·22	66	44	52·8	0·00	62	44	52·8	0·33
Queenstown,	7,909	14·4	18·2	26·4	.	2	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	69	47	57·9	0·06	69	46	55·0	0·02	60	47	53·0	0·66
Armagh,	7,588	22·2	.	27·5	6·9	.	4	3	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	72·8	41·3	56·8	0·14	73·0	40·2	59·8	0·00	64·5	42·7	54·5	0·66

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 7 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area, in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Armagh, and those at Queenstown have been adopted for Queenstown. f Observations at Ordnance Survey Office, Phœnix Park. g Observations by Sir John Moore taken at Fitzwilliam Square. h Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 16th of June, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
Pneumonia,	.	1	.	.	.	1	.	2	.	.	1	.	1	.	.	.	6	.
Tuberculous Disease. } Phthisis,	2	2	.	1	.	1	.	.	2	4	2	.	1	.	.	.	15	2
Tuberculous Disease. } Other Forms.	2	.	.	1	1	.	.	.	2	4	.	.	2	.	.	.	12	.
Cancer, Malignant Disease,	1	1	1	.	.	.	.	.	.	.	1	.	.	1	.	1	6	2
Other General Diseases	2	1	.	1	.	.	.	.	.	.	1	.	1	1	.	.	7	1
Total,	8	8	2	3	1	2	.	3	4	9	5	.	5	2	.	1	53	5
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	1	.	1	.	.	.	.	.	.	1	.	1	.	.	1	5	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	1	2	1	1	.	1	.	3	2	2	.	.	3	4	.	4	24	2
Diseases of: Respiratory System,	.	.	3	1	.	.	.	.	1	2	3	1	.	.	.	.	11	.
Diseases of: Digestive System,	1	.	3	.	1	.	.	1	.	.	2	.	1	.	.	1	10	.
Diseases of: Lymphatic System, &c.,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of: Urinary System,	1	.	.	1	1	.	.	2	.	.	.	.	.	1	.	.	6	.
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
;; Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	3	7	5	2	1	.	6	3	4	6	1	5	5	.	6	57	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	1	1	.	.	.	.	.	1	.	.	.	.	2	.	.	6	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	3	.
Deaths from all Causes,	12	12	10	8	3	3	.	10	9	13	11	1	10	10	.	7	119	7
Annual Rate of Mortality from all causes in every 1,000 of the population	22·1	16·0	17·3	13·2	32·5	15·6	.	13·6	25·7	16·2	16·3	5·9	15·7	20·0	.	20·7	16·4	.
	16·6							16·1					16·4					
	16·4																	
Deaths of Infants under 1 year of age,	1	1	1	1	.	.	.	.	.	.	1	.	.	.	.	.	5	.
Deaths of Persons aged 60 years and upwards,	3	3	4	2	2	.	.	5	3	2	5	.	3	5	.	4	41	2
Number of Uncertified Deaths,	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	2	.	4	.	.	.	3	2	2	4	.	3	1	.	2	24	4
Workhouse Hospitals,	1	1	5	1	.	.	.	4	6	5	2	.	1	.	.	.	26	3

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regist
week of the ten years, 18

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 24th Week of the 10 years 1896-1905.	In the Week ending Saturd 16th June, 1906. Deaths of Persons of the Ag					
	June 13, 1896.	June 19, 1897.	June 18, 1898.	June 17, 1899.	June 16, 1900.	June 15, 1901.	June 14, 1902.	June 20, 1903.	June 18, 1904.	June 17, 1905.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	59·2°	53·1°	55·3°	58·4°	57·8°	50·7°	48·5°	49·1°	55·3°	55·6°	54·4°	55·0°					
ALL CAUSES.	159	132	147	144	167	148	155	151	169	132	150·4	126	1	4	7	13	22
Small-pox,	.	.	.	.	.	.	.	3	.	.	·3	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	1	.	1	.	.	4	1	2	.	·9	.	.	.	.	.	
Scarlet Fever,	3	2	.	1	1	.	.	1	.	1	·9	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	4	.	5	1	1	1	2	2	1	1·8	1	.	.	.	.	.
Whooping-cough,	4	6	1	4	.	3	3	6	3	2	3·2	2	.	2	.	.	.
Diphtheria,	.	3	.	.	2	.	1	1	.	1	·8	.	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	1	4	1	2	1	1	.	1	.	1·3	1	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	1	1	1	4	1	4	.	.	.	.	1·3	1	.	.	1	.	.
Diarrhœa, Dysentery,							1	.	.	.		3	.	.	.	.	2
Tetanus,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	2	.	.	.	.	.	1	.	3	·7	.	.	.	.	.	.
Puerperal Septicæmia,	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	1
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.	.
Puerperal Fever,							.	.	.	.		.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	13	3	5	13	11	12	.	3	.	.	10·3	.	.	.	.	.	.
Pneumonia, Broncho-							1	7	2	4		2	.	.	1	.	.
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.
Pneumonia, Not defined,							5	4	11	9		4	.	.	.	.	.
Erysipelas,	1	.	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	.	.	1	1	.	.	.	.	.	·3	1	.	.	.	.	.
Pyæmia (not Puerperal),							.	1	.	.		.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	1	1	.	1	·3	.	.	.	.	.	.
Tuberculous Phthisis,	25	17	22	21	28	28	2	3	6	9	23·5	9	.	.	.	2	7
"*Phthisis*,"							24	13	20	17		8	.	.	.	1	2
Tuberculous Meningitis,	2	5	5	5	6	2	2	3	3	2	3·5	2	.	.	1	1	.
Tuberculous Peritonitis,	8	5	5	5	4	2	.	.	1	.	3·2	.	.	.	.	.	.
Tabes Mesenterica,							.	.	1	1		.	.	.	.	.	.
Tuberculous Dis. (other),	2	2	5	2	7	4	4	7	7	1	4·1	10	.	.	1	4	3
Scrofula,							.	.	.	.		.	.	.	.	.	.
Alcoholism,	1	1	1	1	2	.	1	2	.	.	·9	2	.	.	.	.	1
Rheumatic Fever,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	3	5	5	5	8	4	1	1	2	2	5·9	2	.	.	.	.	.
Sarcoma,							.	1	2	.		.	.	.	.	.	.
Cancer (undefined),							7	4	4	5		6	.	.	.	.	1
Diabetes Mellitus,	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	1
Premature Birth,	2	3	6	2	1	3	2	4	3	3	2·9	.	.	.	.	.	.

* The figures for the years 1896-1900
† Formerly descr

TWENTY-FOURTH WEEK ending Saturday, 16th June, 1906, with the deaths from each cause in the corresponding
l the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 24th Week of the 10 years 1896-1905.	In the Week ending Saturday, 16th June, 1906. Deaths of Persons of the Ages of							
	June 13, 1896.	June 19, 1897.	June 18, 1898.	June 17, 1899.	June 16, 1900.	June 15, 1901.	June 14, 1902.	June 20, 1903.	June 18, 1904.	June 17, 1905.		ALL AGES.	0 to 5. Under 1 month.	0 to 5. 1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 59·2	° 53·1	° 55·3	° 58·4	° 57·8	° 50·7	° 48·5	° 49·1	° 56·3	° 55·6	° 54·4	° 55·0								
eningitis (not tuberc.) ...							6	.	3	3		.	.	.	.	.	.	.	.
sanity, G. P. of Insane ...							.	1	1	.		.	.	.	.	.	.	.	.
pilepsy							.	.	1	1		.	.	.	.	.	.	.	.
onvulsions							8	4	6	5		2	1	.	.	1	.	.	.
ocomotor Ataxy ...							1	.	.	.		.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...							1	1	2	1		1	.	.	.	.	.	1	.
ervous System (other Dis.)	34	29	32	33	29	33	1	1	2	2	32·4	2	.	.	.	1	.	.	1
alv. Dis., Endocarditis ...							3	4	7	4		6	.	.	1	1	.	2	2	.
rebr. Hæm. Thromb. ...							1	1	5	2		5	.	.	.	.	1	.	4	.
oplexy, *Hemiplegia* ...							2	4	7	5		4	.	.	.	.	.	1	3	.
eurysm							1	.	.	1		.	.	.	.	.	.	.	.	.
nbolism, Thromb. (not cerebral)							.	.	2	1		.	.	.	.	.	.	.	.	.
art and Blood Vessel Dis.							11	4	13	5		11	.	.	.	1	.	5	4	1
oup (not Spasm. nor Memb.)	2	1	.	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
onchitis	11	9	10	10	17	10	8	21	14	15	12·5	10	.	.	.	.	.	3	5	2
thma, Emphysema ...	4	2	.	2	5	3	.	2	.	.	2·4	.	.	.	.	.	.	.	.	.
eurisy							.	1	.	.		1	.	.	.	1	.	.	.	.
spiratory Dis. (other) ...							2	1	1	1		.	.	.	.	.	.	.	.	.
nsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
teritis (not Epid.) ...	1	.	.	.	.	.	2	.	.	2	·7	1	.	1	.	.	.	.	.	.
stro *Enteritis*							1	.	.	1		.	.	.	.	.	.	.	.	.
itonitis (not Puerp.) ...	1	.	.	.	1	.	.	2	2	3	·9	.	.	.	.	.	.	.	.	.
rhosis of Liver ...	6	2	1	1	3	6	2	.	3	.	2·5	3	.	.	.	.	.	2	1	.
er Dis. (other) ...							.	.	.	1		1	.	.	.	1	.	.	.	.
estive Dis. (other) ...	6	1	2	5	4	4	5	9	4	3	4·3	5	.	1	1	.	1	2	.	.
phritis, Acute ...							2	2	1	1		1	.	.	.	.	.	.	1	.
ght's Dis., Albuminuria	2	3	2	3	.	3	1	2	3	3	3·2	5	.	.	.	.	.	3	2	.
nary Sys. (Other Dis.)							.	2	2	.		.	.	.	.	.	.	.	.	.
nerative Organs Dis. ...	.	1	.	1	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
ldbirth (Accid. of) ...	.	.	.	.	.	1	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Age	8	3	17	5	11	6	8	3	3	2	6·6	3	.	.	.	.	.	.	1	2
er Diseases	13	16	17	12	19	10	14	13	15	6	13·5	6	.	.	1	.	.	4	1	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	.	1	.	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
hips, Boats, Docks (exusive of Drowning) ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	.	.	.	1	.	.	4	.	.	.	·5	.	.	.	.	.	.	.	.	.
Drowning	.	1	2	.	1	.	2	1	1	1	·9	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous apours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
er Deaths by Accidents	2	2	2	.	.	3	3	1	.	.	1·3	2	.	.	.	.	.	1	1	.
LENCE OTHER THAN ACCIDENTAL.																				
icide	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
ide	.	1	.	.	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

gistration Area as then constituted.
ole Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905–6—Week ending																										
	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.
No. of weeks in Annual Series.	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered,	199	184	245	192	183	220	283	202	188	169	252	214	189	211	230	207	181	202	199	250	285	202	195	223	167	250
*Average Births in corresponding week of previous 10 years,**	160	182	210	206	199	200	221	215	205	217	213	208	219	206	236	177	200	216	204	244	227	209	191	217	229	193
DEATHS registered,	171	189	168	166	154	160	187	151	149	185	183	187	178	193	198	159	174	215	174	191	165	169	178	154	142	126
Annual Death-rate per 1,000,	23·5	19·1	28·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3
*Average Deaths in corresponding week of previous 10 years,**	189	199	219	214	211	202	212	209	209	221	233	221	212	211	218	201	198	189	183	183	174	171	166	157	155	150
AGES, Under 5 years,	43	27	28	52	39	37	46	35	32	45	46	43	55	43	67	37	34	45	37	30	36	41	42	47	38	12
5—20 ,,	9	7	17	17	11	13	16	8	9	8	14	8	15	15	17	13	13	15	12	16	10	15	13	11	11	13
20—40 ,,	30	21	34	25	18	21	18	21	15	33	39	34	19	29	26	28	23	27	32	39	23	28	29	27	20	22
40—60 ,,	45	41	48	37	45	37	42	42	46	43	34	43	35	40	38	34	47	49	42	47	39	44	37	30	42	36
60—80 ,,	37	37	35	28	34	43	52	39	39	44	49	49	41	55	45	40	47	70	40	55	51	39	41	24	28	37
80 years and upwards,	7	6	6	7	7	9	13	6	8	7	7	10	8	11	10	7	10	9	11	4	6	11	11	5	3	6
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	1	.	1	.	.	2	.	.
Scarlet Fever	1	.	.	2	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	1	2	3	1	1	2	.	.	1	4	1	2	.	2	2	3	.	2	1	1	.	3	3	1	2
Diphtheria,	.	2	2	2	.	1	1	.	.	1	.	2	2	1	3	.	.	.	2	.	.	2	.	.	.	.
Pyrexia † (origin uncertain),	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	3	8	.	.	.	1	.	.	1	1	.	3	.	3	.	1	2	1	1	3	.	.	.	.	1
Diarrhœal Diseases,	1	2	1	1	1	3	1	.	1	2	1	3	3	5	2	1	1	1	4	.	3	1	3	2	1	4
Pneumonia,	11	11	12	15	12	16	19	6	11	18	16	18	10	13	10	8	22	26	17	21	18	13	13	10	6	6
Tuberculous Disease. Phthisis,	27	19	21	14	23	21	29	18	23	29	32	30	23	32	25	23	27	18	22	36	18	16	22	20	17	17
Tuberculous Disease. Other Forms,	4	1	12	16	5	6	9	15	10	12	18	9	12	11	15	15	8	11	10	15	10	16	7	8	13	12
Cancer, Malignant Disease,	5	6	7	5	12	6	8	14	6	13	6	6	6	11	4	4	9	13	10	6	5	15	8	10	6	8
Diseases of Heart and Blood Vessels,	26	30	28	21	24	33	31	23	27	21	25	31	29	31	38	27	29	45	27	22	22	28	30	15	29	26
Diseases of Respiratory System,	25	20	26	28	22	18	27	26	27	32	28	28	21	34	27	23	29	43	23	36	31	15	26	15	10	11
Violent Deaths,	4	6	4	3	7	8	5	5	.	4	10	1	2	4	5	2	3	4	2	3	1	4	5	2	3	3
Number of Uncertified Deaths,	8	6	4	5	6	6	11	7	6	8	4	6	7	6	12	9	7	6	5	5	3	7	7	11	3	3
Mean Temperature of the Air (Phœnix Park),	46·1	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0
Average Mean Temperature in corresponding week of previous 10 years.	39·1‡	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4
Rainfall in inches,	·285	·770	·860	·855	1·605	·230	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130	·810	·650	·455	·640	·810	·450	·005	·280
Mean Humidity of the Air, complete Saturation, 1·0,	·85	·88	·91	·88	·87	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·88	·81	·83	·85	·83	·83	·89	·84	·79	·85

TABLE VI.—SHOWING IN FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th June, 1906: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 16th June, 1906. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	17·5	126	12	13	22	36	37	6	.	.	.	.	2	.	.	1	4	7	6	17	12	8	2	11	3	60	3
	CLASSES.																												
	Deaths in Families of the—																												
I	Professional and Independent Class,	17,436	23·9	8	.	.	.	2	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	6	.
II.	Middle Class,	87,188	16·1	27	3	2	4	6	10	2	.	.	.	.	.	.	.	1	.	1	2	3	2	2	.	1	.	16	.
III.	Artisan Class and Petty Shopkeepers,	110,423	9·0	19	2	4	3	6	4	.	.	.	.	.	1	.	.	.	.	1	2	2	2	2	.	1	.	9	3
IV.	General Service Class,	154,279	23·4	43	4	4	12	9	13	1	.	.	.	.	1	.	.	.	3	4	1	7	3	1	2	4	3	18	.
V.	Inmates of Workhouses,	6,024		29	3	3	3	13	6	1	.	.	.	.	.	.	.	.	1	1	1	5	5	2	.	4	.	11	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	40·1	6	.	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	18·9	8	.	.	1	4	2	1	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	.	5	.
	6. Clerks and Commercial Assistants,	30,432	13·7	8	1	2	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	17·4	9	1	.	1	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	7	.
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	9. Building and Furnishing Trades,	29,801	7·0	4	1	1	.	1	1	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.	.	1	.
	10. Clothing Trades,	28,260	11·2	5	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	1
	11. Food Supply Trades,	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	12·0	7	.	1	1	3	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	1	.	2	2
	13. Petty Shopkeepers,	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	.	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	3	.
	15. Domestic Servants,	36,603	4·3	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	6	.	1	2	.	3	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	1	1	1	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	16·2	28	4	3	6	6	8	1	.	.	.	.	1	.	.	.	1	2	1	4	2	.	2	3	2	12	.
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates,	6,024	.	29	3	3	3	13	6	1	.	.	.	.	.	.	.	.	1	1	1	5	5	2	.	4	.	11	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of t he

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of). Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	April 28,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	2	1	1	2	1	.	1
	May 5,	27·6	.	15	.	.	.	.	.	.	.	.	.	3	3	2	1	2	.	.
	„ 12,	14·7	1·8	8	.	.	.	.	.	.	.	1	.	2	2	.	.	2	.	.
	„ 19,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	1
	„ 26,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	1	.	1	1	2	1	1
	June 2,	12·9	1·8	7	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1
	„ 9,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	„ 16,	22·1	1·8	12	.	.	.	.	1	.	.	.	.	.	2	2	1	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	April 28,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	2	2	.	1	4	.	1
	May 5,	33·3	.	25	.	.	.	.	.	.	.	.	.	2	4	4	2	4	.	2
	„ 12,	21·3	2·7	16	.	.	.	.	.	.	.	.	2	2	2	.	.	4	.	.
	„ 19,	22·6	.	17	.	.	.	.	.	.	.	.	.	3	3	1	.	1	.	1
	„ 26,	32·0	2·7	24	.	.	.	.	1	.	.	.	1	2	4	1	.	3	.	1
	June 2,	25·3	.	19	.	.	.	.	.	.	.	.	.	.	4	2	1	1	.	3
	„ 9,	17·3	.	13	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	1
	„ 16,	16·0	4·0	12	.	.	.	.	1	.	.	.	2	1	2	.	1	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	April 28,	32·9	1·7	19	.	.	.	.	.	.	.	.	1	1	3	.	.	2	1	1
	May 5,	33·1	.	22	.	.	.	.	.	.	.	.	.	3	1	2	.	6	1	.
	„ 12,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1
	„ 19,	20·8	1·7	12	.	.	.	.	.	.	.	.	1	.	2	1	2	1	.	.
	„ 26,	24·2	1·7	14	.	.	.	.	.	.	.	.	1	.	1	.	1	4	.	.
	June 2,	13·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1
	„ 9,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.
	„ 16,	17·3	1·7	10	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	April 28,	23·0	1·6	14	.	.	.	.	.	.	.	1	.	2	2	2	.	1	.	1
	May 5,	36·2	1·6	22	.	.	.	.	1	.	.	.	.	1	6	1	.	3	.	1
	„ 12,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	4	3	.	.	3	.	.
	„ 19,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
	„ 26,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	3	.	2	2	1	.
	June 2,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	4	2	1	1	.	.
	„ 9,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	1	2	1	1	1	.
	„ 16,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	April 28,	25·8	2·7	19	.	.	.	.	1	.	.	.	1	2	4	1	.	2	1	.
	May 5,	19·0	.	14	.	.	.	.	.	.	.	.	.	1	3	1	.	1	1	.
	„ 12,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	3	.	6	.	.
	„ 19,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	2	3	.	2	.	.
	„ 26,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.	1	4	2	.
	June 2,	27·2	2·7	20	.	1	.	.	1	.	.	.	.	4	2	.	.	3	.	1
	„ 9,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.
	„ 16,	13·6	1·4	10	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	April 28,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	3	2	.	2	.	.
	May 5,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 12,	22·8	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	2	.	1
	„ 19,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	„ 26,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	June 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
	„ 9,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 16,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	2	2	.	1	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	April 28,	32·3	1·2	26	.	.	.	.	.	1	.	.	.	1	3	1	1	6	.	1
	May 5,	24·9	.	20	.	.	.	.	.	.	.	.	.	5	3	.	.	4	.	.
	„ 12,	27·4	1·2	22	.	1	.	.	.	.	.	.	.	1	5	2	.	4	.	1
	„ 19,	26·1	.	21	.	.	.	.	.	.	.	.	.	.	1	3	3	3	.	.
	„ 26,	19·9	.	16	.	.	.	.	.	.	.	.	.	2	2	1	1	3	.	.
	June 2,	34·8	1·2	28	.	1	.	.	.	.	.	.	.	2	4	.	2	3	.	3
	„ 9,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	.	4	1	3	3	.	.
	„ 16,	16·2	1·2	13	.	.	.	.	.	.	.	.	1	.	4	4	.	2	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,138.	April 28,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	1	1	.	1	2	.	.
	May 5,	32·6	.	22	.	.	.	.	.	.	.	.	.	1	4	1	1	8	1	.
	„ 12,	25·2	.	17	.	.	.	.	.	.	.	.	.	2	3	1	.	4	1	.
	„ 19,	29·7	.	20	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	3
	„ 26,	16·3	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1
	June 2,	8·9	.	6	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1
	„ 9,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	3	3	.	.	.	1
	„ 16,	16·3	.	11	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted*; also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,208.	April 28,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.
	May 5,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	2	.	1	3	.	1
	„ 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	„ 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	2	2	3	.	.	.	1
	„ 26,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2
	June 2,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	April 28,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.
	May 5,	22·0	2·0	11	.	.	.	.	.	.	.	1	.	2	3	1	.	1	.	.
	„ 12,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 19,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.
	„ 26,	24·0	.	12	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.
	June 2,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 9,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 16,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	April 28,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	May 5,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 19,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
	„ 26,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	2
	June 2,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
	„ 9,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 16,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Belfast. Pop. in 1906 (Est.) 358,680.	April 28,	22·1	2·9	152	.	.	.	.	18	.	.	.	2	16	19	12	4	27	4	5
	May 5,	26·0	3·3	179	.	.	1	.	20	.	1	.	1	16	29	10	4	30	4	2
	„ 12,	23·4	1·9	161	.	.	.	.	12	.	.	1	.	10	21	8	3	27	2	2
	„ 19,	20·4	2·3	140	.	.	.	.	13	1	.	1	1	9	23	11	3	17	4	.
	„ 26,	22·0	2·0	151	.	.	.	.	8	1	.	.	5	14	33	9	3	16	6	4
	June 2,	21·8	2·6	150	.	1	.	.	15	.	1	.	1	15	16	11	1	17	1	2
	„ 9,	19·8	3·8	136	.	2	.	.	16	1	.	2	5	15	21	5	5	15	2	2
	„ 16,	19·5	2·2	134	.	1	.	.	7	.	.	.	7	7	22	9	6	15	1	5
Cork. Pop. (in 1901) 76,122.	April 28,	26·0	0·7	33	.	.	.	.	.	.	.	.	1	3	7	3	5	6	.	2
	May 5,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	7	2	.	2	.	2
	„ 12,	24·0	0·7	35	.	.	.	.	.	.	.	.	1	1	5	.	2	10	1	2
	„ 19,	24·7	.	36	.	.	.	.	.	.	.	.	.	2	7	3	1	3	.	1
	„ 26,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	2	3	2	.	4	.	2
	June 2,	16·4	.	24	.	.	.	.	.	.	.	.	.	.	6	1	2	4	2	.
	„ 9,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	7	1	1	1	.	1
	„ 16,	16·4	.	24	.	.	.	.	.	.	.	.	.	2	8	2	.	1	.	.
Londonderry. Pop. in 1906 (Est.) 42,067.	April 28,	18·6	3·7	15	.	3	.	.	.	.	.	.	.	1	.	1	.	2	1	1
	May 5,	19·8	2·5	16	.	1	.	.	.	.	.	.	1	2	.	2	.	2	.	2
	„ 12,	23·6	2·5	19	.	.	.	.	1	1	.	.	.	1	1	2	3	4	.	.
	„ 19,	24·8	2·5	20	.	2	.	.	.	.	.	.	.	2	3	.	.	3	.	.
	„ 26,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	.	2	2	2	1	.	1
	June 2,	13·6	2·5	11	.	2	.	.	.	.	.	.	.	1	1	.	.	1	1	.
	„ 9,	27·3	3·7	22	.	3	.	.	.	.	.	.	.	.	3	.	.	7	1	1
	„ 16,	24·8	5·0	20	.	3	.	.	.	.	.	.	1	.	4	1	1	3	2	1
Limerick. Pop. (in 1901) 38,151.	April 28,	20·5	.	15	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	1
	May 5,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	2	1	.	6	.	1
	„ 12,	32·3	1·4	24	.	.	.	.	.	.	.	.	1	2	5	1	.	2	.	4
	„ 19,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	3
	„ 26,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.
	June 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	.	4	.	6
	„ 9,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	1
	„ 16,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	8	.	.	2	.	1
Waterford. Pop. (in 1901) 26,769.	April 28,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	2
	May 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1
	„ 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1
	„ 19,	31·2	.	16	.	.	.	.	.	.	.	.	.	.	.	4	1	1	.	3
	„ 26,	23·4	.	13	.	.	.	.	.	.	.	.	.	.	2	2	.	3	.	.
	June 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	1	1
	„ 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
	„ 6,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th June, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,734	12	31·9	7·1	9	1	1	4	3	.	.	.	.	2	.	.	.	.	.	2	.	.	1	.	.	2	.
Do. 2 ,, .	47,959	28	18·5	.	17	3	2	11	1	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	1	6	1
Do. 3 ,, .	47,214	28	12·1	1·1	11	3	2	4	2	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.	.	3	3
Do. 4 ,, .	40,911	24	24·2	3·8	19	2	2	11	4	.	.	.	.	1	.	.	.	2	2	3	.	1	2	.	.	5	.
Do. 5 , .	17,387	19	9·0	3·0	3	1	1	1	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Do 6 ,, .	48,122	20	14·1	1·1	13	.	2	7	4	.	.	.	.	1	.	.	.	.	1	3	.	2	1	.	.	5	.
Do 7 ,, .	1,524	1	—	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 8 ,, .	5,060	2	30·9	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Do. 9 ,, .	19,569	18	32·0	5·3	12	2	3	5	2	.	.	.	.	1	.	.	.	1	.	.	.	.	2	1	1	1	1
Do. 10 ,, .	28,064	17	29·4	.	18	3	1	7	2	.	.	.	.	.	.	.	.	.	2	1	1	.	3	.	1	1	.
Do. 11 ,, .	34,802	25	22·5	1·5	15	2	1	9	3	.	.	.	.	.	.	.	.	1	.	5	4	1	1	.	.	4	.
Do. 12 ,, .	33,588	16	18·6	1·6	12	2	1	7	2	.	.	.	.	1	.	.	.	.	2	2	1	1	1	.	.	4	.
Do. 13 ,, .	15,006	4	17·4	10·4	5	2	2	.	1	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	1	.
Do. 14 ,, .	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	204	20·0	2·2	134	21	20	67	26	.	1	.	.	7	.	.	.	7	7	22	9	6	15	1	3	33	5
City of Cork.																											
CORK URBAN No. 1 DISTRICT. .	12,867	11	16·2	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3	.
Do. 2 ,, . .	10,701	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 ,, . .	9,978	5	20·9	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Do. 4 ,, . .	8,666	9	36·1	.	6	.	2	3	1	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	4	.
Do. 5 ,, . .	6,592	5	23·7	.	3	2	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 6 ,, . .	10,702	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 ,, . .	16,616	11	22·0	.	7	.	1	3	3	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	1	.
Total, ...	76,122	55	16·4	.	24	3	3	13	5	.	.	.	.	.	.	.	.	.	2	8	2	.	1	.	.	8	.

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1905–6—Week ending																									
	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.
No. of weeks in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered,	158	189	224	193	196	236	231	189	246	214	246	229	229	221	248	240	212	233	282	238	246	217	273	239	228	204
DEATHS registered,	146	124	147	133	135	160	139	146	179	174	166	155	191	152	201	169	166	171	152	179	161	140	151	150	136	134
Annual Death-rate per 1,000 of estimated Population,	21·2	18·0	21·4	19·3	19·6	23·3	20·2	21·2	26·0	25·3	24·1	22·5	27·8	22·1	29·2	24·6	24·1	24·9	22·1	26·0	23·4	20·4	22·0	21·8	19·8	19·5
AGES — Under 1 year,	31	26	34	21	30	31	24	29	31	43	26	31	32	37	46	35	35	39	30	29	35	35	21	33	28	21
AGES — 1–5 years,	18	19	16	15	16	22	11	11	14	20	17	22	23	16	30	28	26	24	24	20	19	17	17	23	22	20
AGES — 5–60 years,	69	56	61	60	62	71	61	71	87	74	85	59	84	57	89	81	75	66	67	85	66	64	84	64	53	67
AGES — 60 years and upwards,	28	23	36	37	27	36	43	35	47	37	38	43	52	42	36	25	30	42	31	45	41	24	29	30	33	26
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	1
Scarlet Fever,	3	.	.	.	2	1	1	.	.	1	1	1	1	.	2	1	.	.	.	1	.	.	.	.	.	.
Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	1	2	1	3	1	2	6	7	9	5	9	5	21	12	13	21	13	20	12	13	8	15	16	7
Diphtheria,	1	.	1	1	.	.	.	.	2	3	2	.	1	2	1	1	.	.	.	.	.	1	1	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	1	2	.	.	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	1	.	.
Enteric Fever,	2	2	2	3	1	2	2	6	.	2	2	6	6	3	1	3	4	2	.	.	1	1	.	.	2	.
Diarrhœal Diseases,	2	1	3	2	2	3	2	1	3	2	1	.	1	2	1	2	.	1	2	1	.	1	5	1	5	7
Pneumonia,	13	14	15	12	8	11	10	8	19	17	13	16	23	10	18	19	19	15	16	16	10	9	14	15	15	7
Tuberculous Disease, — Phthisis,	21	17	15	17	17	22	16	23	22	23	33	15	26	17	28	24	26	18	19	29	21	23	33	16	21	22
Tuberculous Disease, — Other Forms,	—	—	10	4	3	8	7	6	7	7	6	10	5	6	12	11	7	8	12	10	8	11	9	11	5	9
Cancer, Malignant Disease,	—	—	3	5	5	7	5	4	5	6	5	1	6	4	10	4	3	2	4	4	3	3	3	1	5	6
Diseases of Respiratory System,	31	23	20	19	12	20	26	23	22	24	34	33	36	24	28	21	34	36	27	30	27	17	16	17	15	15
Violent Deaths,	4	5	6	1	4	1	3	1	6	4	2	6	1	.	2	7	4	3	4	4	2	4	6	1	2	1
Number of Uncertified Deaths,	—	—	6	2	4	4	3	3	5	3	5	2	4	3	3	1	1	3	5	2	2	.	4	2	2	5

* Formerly described as "Simple Continued Fever."

NOTE.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the two weeks ending with 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	June 16,	2,447	1,108	12·2	.	45	15	10	17	2	15
EDINBURGH,	341,035	„ 16,	164	95	14·6	.	5	1	1	.	.	4
GLASGOW,	835,625	„ 16,	481	271*a*	16·9	.	14	.	4	4	1	9
CALCUTTA,	910,117	April 28,	.	756	46·3	99	2	.	2	2	93‡	178*
BOMBAY,	776,006	May 15,	336	1,649	110·5	8	54	.	.	.	138‡	126*
MADRAS,	509,346	April 27,	242	382	38·9	31	11	?	?	?	93	56
PARIS,	2,750,000	June 2,	1,018	884	17·2	.	13	.	5†	3	4	30
BRUSSELS (with 8 Faubourgs).	612,401	May 26,	229	167	14·2	.	1	2	3†	5	1	8
ANTWERP,	304,975	„ 26,	117	79	13·5	.	8	.	.	1	1	7
AMSTERDAM,	560,249	„ 26,	247	156	14·5	.	3	.	.	6	1	9
COPENHAGEN,	425,000	„ 26,	232	131	16·1	.	3	.	.	3	.	7
STOCKHOLM,	324,488	„ 19,	168	105	16·8	.	1	.	.	4	.	4
CHRISTIANIA,	222,373	June 2,	130	62	14·5	.	.	.	2†	2	.	.
ST. PETERSBURG,	1,424,700	May 26,	804	839	30·6	1	38	40	18	1	36	139
MOSCOW,	1,092,360	April 28,	.	678	32·4	3	6	3	11†	5	5	76
BERLIN,	2,058,992	May 19,	956	666	16·9	.	17	2	7†	4	2	69
HAMBURG,	803,050	„ 19,	.	250	16·2	.	7	1	2†	4	1	21
BRESLAU,	475,147	June 2,	.	188	20·6	.	1	.	3†	2	1	23
MUNICH,	540,000	„ 2,	.	210	20·2	.	2	.	.	2	.	35
VIENNA (with suburbs).	1,937,869	„ 2,	884	677	18·2	.	30	9	5†	1	2	45
BUDA-PESTH,	859,134	„ 2,	391	300	18·2	.	1	7	3†	1	1	13
PRAGUE and Faubourgs.	460,849	May 26,	177	215	24·3	.	3	1	.	2	1	10
TRIESTE,	196,637	„ 19,	107	106	28·1	.	1	.	.	1	.	1
ROME,	530,179	April 7,	243	198	19·5	.	5	.	2	2	6	8
VENICE,	171,709	—	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	May 19,	1,918	1,565	19·7	.	37	28	54†	5	6	49
PHILADELPHIA,	1,469,126	„ 12,	.	492	17·4	.	9	1	9†	13	26	27
BOSTON,	595,380	„ 19,	.	214	18·7	.	1	.	5	3	2	.

a. Including 2 deaths from cerebro-spinal fever.
* Including 126 deaths from cholera in Calcutta, and 18 in Bombay.
† Including deaths from croup.
‡ Exclusive of 167 deaths from plague in Calcutta, and 655 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th June, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	1	.	.	.	.	2	.	.	.	.	.	3
" " 1, West,	.	.	.	.	1	.	.	2	.	.	.	.	3
" " 2,	.	1	.	.	1	.	1	.	.	.	.	.	3
" " 3,	.	1*	.	.	6†	.	.	1	.	.	.	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	3	.	.	.	1	.	.	.	4
" " 2,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 3,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 4,	.	1	.	.	1	.	.	.	.	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	4*	.	.	13†	.	3	3	2	.	.	.	25

* Including one case returned as "Scarlatina and Diphtheria." † Including one case returned as "Diphtheria and Scarlatina."

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th June, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th June.			
	May 26.	June 2.	June 9.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	20	11	17	3	4	.	16
Scarlet Fever,	46	52	42	6	5	.	43*
Typhus,	.	.	.	1	.	.	1
Diphtheria,	32	30	24	12	6	.	30
Enteric Fever,	23	30	27	2	3	.	26
Pneumonia,	39	35	30	11	13	.	28

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 16th June, 1906:—

"Very favourable weather prevailed throughout this period. During the first three days an anticyclone lay directly over Ireland, and baric gradients were slight. The winds, although from polar points, were feeble and the sun had great power. In consequence of these conditions, charming, summer-like weather was enjoyed, and in Dublin the thermometer rose in the shade to 71·8° on Sunday, 69·1° on Monday, and 71·9° on Tuesday—on that day thunderstorms occurred in Lancashire and in the S.W. of Ireland. On Wednesday temperature decreased as the northerly winds freshened owing to the arrival in Scandinavia of an atmospheric depression from the Arctic Circle. This system travelled in a S.S.E. direction and on Friday joined another low-pressure area which had formed in the Mediterranean Basin. The result of these atmospheric movements was to determine a cold northerly to northeasterly air-current all over Northwestern Europe; clouds increased, temperature fell, and there was a considerable rainfall on Friday. At 8 a.m. of that day temperature was very low for the time of year, ranging from 59° at Valentia and 57° at Scilly and Jersey to 49° at Shields and Oxford and 48° at Aberdeen and in the Shetlands. In London the maximum on Thursday was no higher than 55°, whereas it was 71° at Birr Castle, King's County, and 65·8° in Dublin. Saturday broke fair and bright, but rain fell in the afternoon, and the week closed with dull, damp weather. In Dublin the mean height of the barometer was 30·203 inches, the range being from 30·321 inches at 9 a.m. of Sunday (wind, N.N.W.) to 30·051 inches at 9 p.m. of Saturday (wind, N.E.). The corrected mean temperature was 58·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·9°. On Tuesday the screened thermometers rose to 71·9°, on Saturday they fell to 48·9°. The prevalent wind was N.N.E. Rain fell on the last two days to the amount of ·214 inch, ·155 inch being measured on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·211 inches. The highest reading (30·325) was on Monday at 9 a.m., air calm, and the lowest (30·063) on Saturday at 9 p.m., wind N.

The mean temperature for the week was 55·0°, being 0·6° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Sunday, on which day the thermometer registered 71·8°, and was lowest on Wednesday, the mercury having fallen to 42·2°. The mean of the Dry Bulb for the week was 55·2°, and of the Wet Bulb 52·9°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 55·6 hours. The rainfall during the week measured ·230 inch.

At Greenwich the mean temperature for the week was 53·9°, the maximum 72·0°, and the minimum 45·3°; at Glasgow the maximum was 85·2°, the minimum 43·5°, and the mean 60·7°; and at Edinburgh the maximum was 75·1°, the minimum 42·1°, and the mean 56·0°. The rainfall at Greenwich measured 0·30 in.; at Glasgow 0·04 in.; and at Edinburgh 0·36 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 10,	30·321	71·8	52·5	62·2	58·2	55·8	·85	·1	8·0	—	Calm.	Calm.
Monday, „ 11,	30·293	67·9	45·9	56·9	56·1	54·4	·89	·2	8·0	—	Calm.	Calm.
Tuesday, „ 12,	30·223	69·8	44·9	57·4	60·5	56·4	·77	·2	13·7	—	E.	N.
Wednesday, „ 13,	30·208	63·0	42·2	52·6	53·4	50·9	·84	·2	9·3	—	N.W.	Calm.
Thursday, „ 14,	30·174	61·6	43·2	52·4	53·0	51·6	·91	·4	11·6	—	E.	Calm.
Friday, „ 15,	30·139	56·6	45·9	51·3	52·0	49·7	·85	·4	0·3	·155	N.W.	N.E.
Saturday, „ 16,	30·118	58·8	44·9	51·9	53·1	51·2	·87	·2	4·7	·075	N.E.	N.
Mean, . .	30·211	64·2	45·6	55·0	55·2	52·9	·85	·2	Total 55·6	Total ·230	—	

Sunday—Overcast to 10.30 a.m., then fine but cloudy; night cloudy. *Monday*—Day fine but cloudy; night cloudy. *Tuesday*—A fine day, light clouds p.m.; night clear. *Wednesday*—A fine day; night sky clear, ground fog. *Thursday*—A fine day; night sky clear, ground fog. *Friday*—A dull day, showery; night overcast. *Saturday*—A cloudy day, showery p.m.; night overcast and showery.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 16th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him or this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 10,	62·3	58·9	53·0	69·1	55·2	62·2	8·1	—
Monday, „ 11,	57·6	58·9	53·3	66·2	57·0	61·6	8·5	—
Tuesday, „ 12,	66·9	59·1	53·7	71·0	51·2	61·1	12·7	—
Wednesday, „ 13,	57·8	59·1	54·0	63·6	47·7	55·7	10·6	—
Thursday, „ 14,	58·1	58·9	54·2	61·3	50·9	56·1	11·7	—
Friday, „ 15,	56·6	59·0	54·3	57·1	52·1	54·6	0·3	·139
Saturday, „ 16,	55·2	57·3	54·8	58·7	47·7	53·2	5·9	·050
Weekly Mean, .	59·2	58·7	53·9	63·9	51·7	57·8	Total 57·8	Total ·189

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3, 1906.—13776.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 23RD JUNE, 1906. [No. 25.

General Register Office, Charlemont House,
Dublin, 25th June, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending June 2.	Week ending June 9.	Week ending June 16.	Week ending June 23.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 2.	Week ending June 9.	Week ending June 16.	Week ending June 23.	Average Rate for 4 weeks.
22 Town Dists.	20·3	18·0	17·6	18·4	18·6	Lisburn, . .	18·2	9·1	9·1	27·3	15·9
Armagh, . .	20·6	27·5	27·5	13·7	22·3	Londonderry,	13·6	27·3	24·8	18·6	21·1
Ballymena, .	28·7	4·8	14·4	28·7	19·1	Lurgan, . .	22·1	13·3	22·1	8·9	16·6
Belfast, . .	21·8	19·8	19·5	19·0	20·0	Newry, . .	29·4	4·2	12·6	8·4	13·7
Clonmel, . .	20·5	5·1	5·1	25·6	14·1	Newtownards, .	22·9	22·9	22·9	28·6	24·3
Cork, . . .	16·4	18·5	16·4	14·4	16·4	Portadown,	15·5	15·5	10·3	15·5	14·2
Drogheda, . .	8·2	12·3	20·4	16·3	14·3	Queenstown .	19·8	6·6	26·4	26·4	19·8
Dublin Reg. Area,	20·2	18·4	16·4	20·2	18·8	Sligo, . . .	19·2	9·6	.	19·2	12·0
Dundalk, . .	12·0	8·0	16·0	4·0	10·0	Tralee, . .	5·3	10·6	10·6	31·7	14·6
Galway, . .	23·3	46·6	7·8	23·3	25·2	Waterford, .	13·6	13·6	21·4	7·8	14·1
Kilkenny, . .	29·5	.	14·7	9·8	13·5	Wexford, . . .	37·4	18·7	9·3	9·3	18·7
Limerick, . .	23·2	9·6	20·5	10·9	16·1						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in thirteen of the districts to 6·6 in Queenstown. Among the 131 deaths from all causes in Belfast are 14 from whooping-cough and 2 from diarrhœal diseases; the 21 deaths from all causes in Cork include one from whooping-cough; among the 15 deaths in Londonderry are one from measles and one from diarrhœa; the 6 deaths in Galway include one from pyrexia (origin uncertain); the 2 deaths in Lurgan include one from measles; and included in the 6 deaths from all causes in Lisburn is one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 210—103 boys and 107 girls; and the deaths to 149—74 males and 75 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·5 in every 1,000 of the population; omitting the deaths (numbering 2) of persons admitted into public institutions from localities outside the Area, the rate was 20·2 per 1,000. During the twenty-five weeks ending with Saturday last the death-rate averaged 23 4, and was 3·7 below the mean rate for the corresponding portions of the ten years, 1896-1905

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

The deaths (149) included 2 deaths from whooping-cough and one death from diphtheria. In each of the 3 weeks preceding, deaths from whooping-cough were 3, one, and 2; and deaths from diphtheria were 0, 0, and 0. There was no record of death from diarrhœal disease. One death of an infant under one month old was attributed to enteritis, and one death of an infant over one month but under one year was attributed to *gastro-enteritis*. The weekly mean of the daily readings of the earth temperatures at 4 feet was 54·9° (see Table XIV.).

There were 3 deaths from broncho-pneumonia and 10 deaths from *pneumonia* (not defined).

There were 40 deaths from all forms of tuberculous disease (nearly 27 per cent. of all deaths registered during the week). The 40 deaths include 11 from tuberculous phthisis, 18 from *phthisis*, 6 from tuberculous meningitis, 2 from *tabes mesenterica*, and 3 deaths from other forms of the disease. In each of the 3 preceding weeks deaths from all forms of tuberculous disease were 28, 30, and 29.

Of 6 deaths from malignant diseases, one was returned as from sarcoma and 5 from cancer (not defined).

Four infants who were prematurely born died.

Eleven deaths (including one death of an infant under one year of age from *convulsions*) were attributed to diseases of the brain and nervous system; 21 deaths to diseases of the heart and blood vessels; and 17 deaths to bronchitis.

Of 4 deaths classified to accidental causes, one was of a child under 5 years of age by burns.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 12 were under one month old) and 35 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 4 were octogenarians.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse and 25 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·2 per 1,000; the rate in the City was 21·7 (North City Districts, 19·7; South, 23·8), and in the Suburbs, 15·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·4 per 1,000 inhabitants, the rate for the City being 0·5 (0·7 in the North City Districts, and 0·4 in the South) and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 16·6 per 1,000, and include 2 deaths from whooping-cough, 2 deaths from *pneumonia* (undefined), one death from *phthisis*, and one death from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. Broncho-pneumonia and *pneumonia* (undefined), each caused one death, and *phthisis* and bronchitis each caused 2 deaths.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 34·6 per 1,000. There was one death from broncho-pneumonia, also one death from *pneumonia* (undefined); there were 7 deaths from tuberculous disease, and there was one death from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (8) represent an annual rate of 13·2 per 1,000. The 8 deaths included 2 from *pneumonia* (undefined) and one death from tuberculous phthisis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 10·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 24·5 per 1,000. Amongst the deaths there was one from *pneumonia* (undefined), there were 3 from tuberculous disease, and 2 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1,000. There were 2 deaths from tuberculous disease and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (25) are equal to an annual rate of 31·1 per 1,000, and include one death from diphtheria, one death from broncho-pneumonia, 2 deaths from *pneumonia* (undefined), 9 deaths from tuberculous disease, 4 deaths from bronchitis, and one accidental death.

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·8 per 1,000, and include 4 deaths from tuberculous disease, 2 deaths from bronchitis, and one accidental death.

New Kilmainham District.—The only death recorded is equal to an annual rate of 5·9 per 1,000, and was due to bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·3; Pembroke, 13·0; Blackrock, 6·0; and Kingstown, 11·8. There were no deaths from any of the principal epidemic diseases recorded for these districts. The 11 deaths from all causes for Rathmines and Rathgar include 4 from tuberculous disease and one from accident. The 9 deaths from all causes for Pembroke include 1 from *pneumonia* (not defined) and 3 from bronchitis; and the 4 deaths from all causes for Kingstown include one from *phthisis*.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 23rd June, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	June 2,	.	—	—	4	.	.	11	.	2	9	7	.	—	—	—	—	—	33
	June 9,	.	—	—	3	.	.	3	.	1	5	10	.	—	—	—	—	—	22
	June 16,	.	—	—	4	.	.	13	.	3	3	2	.	—	—	—	—	—	25
	June 23,	.	—	—	4	.	.	2	.	6	8	26	.	—	—	—	—	—	46
Rathmines and Rathgar Urban District.	June 2,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	4
	June 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 16,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	3
	June 23,	.	—	—	.	.	.	3	.	.	1	.	.	—	—	—	—	—	4
Pembroke Urban District.	June 2,	.	.	.	1	.	.	.	.	.	.	1	.	—	.	.	—	—	2
	June 9,	.	.	.	3	.	.	.	.	1	1	.	.	—	1	.	—	—	6
	June 16,	.	.	.	2	.	.	.	.	.	.	.	.	—	2	.	—	—	4
	June 23,	.	.	.	1	.	.	.	.	.	1	.	.	—	.	.	—	—	2
Blackrock Urban District.	June 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 16,	.	—	—	.	1	.	.	.	.	.	.	.	—	—	—	—	—	1
	June 23,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
Kingstown Urban District.	June 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	June 2,	.	—	—	17	.	.	2	.	6	8	2	1	—	—	—	—	—	36
	June 9,	.	—	—	15	.	.	5	3	6	7	7	.	—	—	—	—	—	43
	June 16,	.	—	—	12	.	.	2	.	5	8	3	.	—	—	—	—	—	30
	June 23,	.	—	—	10	.	.	2	.	7	2	4	.	—	—	—	—	—	25

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd June, 1906.

From this it appears that:—

Two cases of measles were admitted to hospital during the week, 9 were discharged, and 9 cases remained under treatment at its close.

Four cases of scarlet fever were admitted to hospital, 3 were discharged, and 44* cases remained under treatment at the close of the week.

One case of typhus remained under treatment in hospital at the close of the week.

Seven cases of diphtheria were admitted to hospital, 8 were discharged, there was one death, and 28 patients remained under treatment at the close of the week.

Six cases of enteric fever were admitted to hospital, 4 were discharged, and 28 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 4 were discharged, there were 2 deaths, and 29 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·3), was equal to an average annual death-rate of 13·2 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 16·0 per 1,000, the rate for Glasgow being 17·1, and for Edinburgh 15·6.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd June. From this Return it appears that of a total of 36 cases notified 14 were diphtheria, 12 scarlet fever, 5 erysipelas, and 4 typhoid fever. Among the 323 cases of infectious diseases in hospital at the close of the week were 115 cases of scarlet fever, 93 of measles, 39 of diphtheria, 16 of whooping-cough, 12 of erysipelas, and 11 of typhoid fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 23rd June, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Registration—Week ending Saturday, 23rd June, 1906. Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyæmia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 23rd June, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th June, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th June, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	28·5	18·4	1·3	597	386	66	92	.	2	.	.	17	2	1	.	5	25	73	24	14	43	11	24	132	18	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	378,994	27·5	28·9	20·2	0·4	210	147	27	35	.	.	.	.	2	1	.	.	.	13	29	11	5	17	3	8	62	9	f75·3	46·1	60·1	0·79	f71·8	42·2	55·0	0·23	f69·7	41·2	56·1	0·01
City of Dublin,	298,385	37·1	32·5	21·7	0·5	183	122	23	30	.	.	.	.	2	1	.	.	.	12	25	10	3	14	2	5	54	8	g76·2 h76·9	48·8 48·2	61·8 60·3	0·43 0·84	g71·9 h71·9	48·9 45·0	58·8 56·3	0·21 0·18	g70·1 h67·9	47·8 40·0	59·2 56·4	0·00 0·00
Urban Dists. Rathmines and Rathgar.	38,203	19·4	14·1	17·3	.	9	11	1	2	.	.	.	.	.	.	.	.	.	.	3	1	1	.	1	1	6	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	24·0	18·0	.	12	9	1	3	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	.	6·0	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	17·8	11·8	.	6	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	75	49	60·1	0·52	66	51	56·9	0·17	66	44	56·5	0·01
Urban Districts.																																							
Belfast,	358,680	24·4	32·3	19·0	2·3	222	181	26	16	.	.	.	.	14	.	.	.	2	7	30	7	4	14	5	9	36	.	71·5	45·5	59·3	0·69	72·0	44·0	56·8	0·05	72·0	41·0	58·2	0·01
Cork,	76,122	33·6	21·9	14·4	0·7	32	21	3	8	.	.	.	.	1	.	.	.	.	.	4	1	1	3	1	1	7	1	64	54	59·5	0·79	69	47	57·9	0·06	69	46	55·0	0·02
Londonderry,	42,067	19·4	23·6	18·6	2·5	19	15	.	5	.	1	.	.	.	.	.	.	1	1	3	1	.	1	.	1	6	2	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	24·6	10·9	.	18	8	2	4	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	4	2	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	19·5	7·8	.	10	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	23·3	23·3	3·9	6	6	.	3	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.	.	5	.	69	54	61	1·75	76	46	60·4	0·30	72	47	59·8	0·00
Dundalk,	18,076	3·4	23·9	4·0	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	36·8	16·3	.	9	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	33·6	8·4	.	8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	71·9	46·2	60·2	0·45	72·8	41·3	56·3	0·14	73·0	40·2	59·3	0·00
Lurgan,	11,782	13·8	31·0	8·9	4·4	7	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	71·9	46·2	60·2	0·45	72·8	41·3	56·3	0·14	73·0	40·2	59·3	0·00
Lisburn,	11,461	10·1	9·1	27·3	4·5	2	6	1	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	2	1	71·9	46·2	60·2	0·45	72·8	41·3	56·3	0·14	73·0	40·2	59·3	0·00
Wexford,	11,168	23·2	14·0	9·3	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	23·9	28·7	4·8	5	6	2	3	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	33·6	19·2	.	7	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	71·5	49·8	60·7	1·84	70·5	40·5	55·9	0·04	70·3	43·5	58·0	0·07
Kilkenny,	10,609	11·5	24·6	9·8	.	5	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	74	49	62·3	1·00	74	46	59·3	0·13	76	41	58·3	0·00
Clonmel,	10,167	7·8	20·5	25·6	.	4	5	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	51·7	15·5	.	10	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	71·9	46·2	60·2	0·45	72·8	41·3	56·3	0·14	73·0	40·2	59·3	0·00
Tralee,	9,867	16·6	15·9	31·7	.	3	6	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	22·9	28·6	.	4	5	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	71	49	57·2	0·49	61	45	51·6	0·22	66	44	52·3	0·00
Queenstown,	7,909	14·4	33·0	26·4	6·6	5	4	.	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	64	54	59·5	0·79	69	47	57·9	0·06	69	46	55·0	0·02
Armagh,	7,588	22·2	13·7	13·7	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	71·9	46·2	60·2	0·45	72·8	41·3	56·3	0·14	73·0	40·2	59·3	0·00

According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1905. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 2 deaths of persons admitted to hospital from localities outside the Area.
e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and [illegible] f Observations by Mr. E. W. Moore taken at Fitzwilliam Square. g Observations by Mr. E. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 23rd of June, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																
	CITY OF DUBLIN.											URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.									
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia,	2	2	2	2	.	.	.	1	.	3	.	.	.	1	.	.	13	.
Tuberculous Disease. Phthisis,	1	2	3	1	.	.	.	6	1	8	3	.	3	.	.	1	22	.
Tuberculous Disease. Other Forms.	.	.	4	.	.	1	.	2	1	1	1	.	1	.	.	.	11	.
Cancer, Malignant Disease,	.	.	1	.	.	.	.	.	.	2	.	.	1	1	.	.	5	1
Other General Diseases	.	.	3	1	.	.	.	.	1	1	.	.	2	1	.	.	9	.
Total,	5	4	13	4	.	1	.	9	3	16	4	.	7	3	.	1	70	1
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	3	3	.	.	.	.	3	1	.	1	.	.	.	.	.	11	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	2	2	1	3	.	.	.	3	2	1	3	.	1	2	1	.	21	.
Diseases of: Respiratory System,	1	2	1	.	.	.	.	2	1	4	2	1	.	3	.	.	17	.
Diseases of: Digestive System,	.	4	1	.	.	1	.	.	.	1	1	.	1	1	.	3	13	.
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Urinary System,	.	1	.	1	.	.	.	.	1	1	.	.	1	.	.	.	5	.
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	12	6	4	.	1	.	8	5	7	7	1	3	6	1	3	67	.
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	2	1	.	.	.	.	1	1	1	.	.	.	.	.	.	7	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	3	1
Deaths from all Causes,	9	18	20	8	.	2	.	18	9	25	12	1	11	9	1	4	147	2
Annual Rate of Mortality from all causes in every 1,000 of the population	16·6	24·0	34·6	18·2	.	10·4	.	24·5	25·7	31·1	17·8	5·9	17·3	18·0	6·0	11·8	20·2	.
	19·7							23·8					15·2					
	21·7																	
Deaths of Infants under 1 year of age,	2	4	7	1	.	1	.	3	.	3	2	.	1	1	.	2	27	.
Deaths of Persons aged 60 years and upwards,	2	7	2	2	.	.	.	3	3	7	3	1	2	3	.	.	35	.
Number of Uncertified Deaths,	1	1	2	.	.	.	.	1	.	2	1	.	.	.	.	1	9	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	5	2	3	.	.	.	3	3	2	2	1	5	.	.	1	29	1
Workhouse Hospitals,	3	1	3	2	.	.	.	6	3	11	2	.	1	1	.	.	33	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register
week of the ten years, 1896

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 25th Week of the 10 years 1896–1905.	In the Week ending Saturd 23rd June, 1906. Deaths of Persons of the Age						
	June 20, 1896.	June 26, 1897.	June 25, 1898.	June 24, 1899.	June 23, 1900.	June 22, 1901.	June 21, 1902.	June 27, 1903.	June 25, 1904.	June 24, 1905.		ALL AGES.	0 to 5.					
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 60·5	° 59·9	° 57·1	° 54·6	° 55·8	° 55·6	° 53·5	° 55·0	° 55·4	° 60·4	° 56·8	° 60·1						
ALL CAUSES.	151	146	153	143	122	153	139	170	149	138	146·4	149	12	15	10	13	30	34
Small-pox, ...	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	2	.	1	.	.	5	4	1	2	1·5	.	.	.	.	.	.	.
Scarlet Fever, ...	4	1	.	1	.	1	1	.	.	1	·9	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	.	2	5	2	3	.	1	1	1	1·7	.	.	.	.	.	.	.
Whooping-cough, ...	5	1	5	1	1	3	.	2	.	.	1·8	2	.	1	1	.	.	.
Diphtheria, ...	.	5	2	.	1	1	1	2	3	1	1·6	1	.	.	1	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.	.
Enteric Fever, ...	3	.	.	2	2	2	1	2	.	1	1·3	.	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	6	2	2	.	1	3	.	1	.	.	1·7	.	.	.	.	.	.	.
Diarrhœa, Dysentery,							.	.	.	2		.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	.	.	1	1	1	.	.	2	·6	.	.	.	.	.	.	.
Puerperal Septicæmia,	2	1	.	.	.	1	1	.	.	.	·5	.	.	.	.	.	.	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.	.	.
Puerperal Fever, ...							.	.	.	.		.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Pneumonia, Lobar,	6	10	10	4	11	11	.	1	2	1	8·6	.	.	.	.	.	.	.
Pneumonia, Broncho-							.	4	6	1		3	.	.	.	1	.	.
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.	.
Pneumonia, Not defined,							4	7	5	3		10	.	1	1	.	3	3
Erysipelas, ...	1	.	.	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	2	1	.	.	.	1	.	.	1	1	·6	.	.	.	.	.	.	.
Pyæmia (not Puerperal),							.	.	.	.		.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.
Tuberculous Phthisis,	26	21	19	24	22	22	7	1	4	6	21·9	11	.	.	.	1	5	5
"*Phthisis*," ...							19	14	19	15		18	.	.	.	4	10	2
Tuberculous Meningitis, ...	2	5	8	5	2	2	3	1	7	3	3·8	6	.	3	1	2	.	.
Tuberculous Peritonitis,	2	.	1	4	3	4	1	3	.	.	2·3	.	.	.	.	.	.	.
Tabes Mesenterica, ...							2	2	.	1		2	.	1	.	1	.	.
Tuberculous Dis. (other),	3	1	2	3	3	4	4	5	4	.	3·0	3	.	.	.	1	2	.
Scrofula, ...							.	1	.	.		.	.	.	.	.	.	.
Alcoholism, ...	.	1	.	1	1	.	1	3	.	1	·8	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	.	.	1	1	2	.	·5	.	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma, ...	6	6	7	5	4	8	2	1	4	3	6·5	.	.	.	.	.	.	.
Sarcoma, ...							1	.	2	1		1	.	.	.	.	.	.
Cancer (undefined),							2	2	4	4		5	.	.	.	.	.	4
Diabetes Mellitus, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	3	1	2	2	2	8	5	1	3	2·8	4	4	.	.	.	.	.

* The figures for the years 1896–1900 ar
† Formerly describe

WENTY-FIFTH WEEK ending Saturday, 23rd June, 1906, with the deaths from each cause in the corresponding he average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: June 20, 1896.	June 26, 1897.	June 25, 1898.	June 24, 1899.	June 23, 1900.	June 22, 1901.	June 21, 1902.	June 27, 1903.	June 25, 1904.	June 24, 1905.	Averages in 25th Week of the 10 years 1896–1905.	In the Week ending Saturday, 23rd June, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 60·5	° 59·9	° 57·1	° 54·6	° 55·8	° 55·6	° 53·5	° 55·0	° 55·4	° 60·4	° 56·8	° 60·1								
ingitis (not tuberc.) ...							2	4	3	2		2	.	1	.	1	.	.	.	.
unity, G. P. of Insane ...							.	4	1	.		.	.	.	.	.	.	.	.	.
lepsy							.	.	.	.		1	.	.	.	1	.	.	.	.
vulsions							4	7	5	3		1	.	1	.	.	.	.	.	.
omotor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
aplegia Dis. of Cord ...							.	2	.	1		2	.	.	.	.	2	.	.	.
vous System (other is.)	27	27	30	34	25	38	3	4	3	5	33·7	5	.	.	1	1	.	1	2	.
v. Dis., Endocarditis ...							1	2	9	2		9	.	.	.	.	3	4	2	.
ebr. Hæm. Thromb. ...							1	9	.	.		1	.	.	.	.	.	.	1	.
plexy, Hemiplegia ...							5	3	8	2		.	.	.	.	.	.	.	.	.
urysm							1	.	.	1		.	.	.	.	.	.	.	.	.
bolism, Thromb. (not rebral)							.	.	.	1		.	.	.	.	.	.	.	.	.
rt and Blood Vessel Dis.							14	14	11	19		11	.	.	.	.	1	3	7	.
up (not Spasm. nor emb.)	.	1	1	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
nchitis	13	12	16	7	16	12	4	16	13	12	12·1	17	1	3	3	1	.	4	3	2
ma, Emphysema ...	2	6	.	3	.	.	.	1	.	.	1·9	.	.	.	.	.	.	.	.	.
risy							.	.	.	1		.	.	.	.	.	.	.	.	.
piratory Dis. (other) ...							2	2	2	.		.	.	.	.	.	.	.	.	.
sillitis, Quinsy ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
eritis (not Epid.) ...	.	1	.	.	1	2	1	.	.	2	1·0	1	1	.	.	.	.	.	.	.
tro Enteritis							.	2	1	.		2	.	1	.	.	1	.	.	.
tonitis (not Puerp.) ...	2	.	.	.	.	.	1	1	.	1	·5	.	.	.	.	.	.	.	.	.
hosis of Liver ...	1	1	2	1	1	2	.	.	1	4	1·7	1	.	.	.	.	.	.	1	.
er Dis. (other) ...							3	.	1	.		.	.	.	.	.	.	.	.	.
estive Dis. (other) ...	4	7	8	7	2	4	9	4	3	13	6·1	9	1	1	1	.	2	2	2	.
hritis, Acute ...							3	.	.	.		1	.	.	.	.	.	.	1	.
ght's Dis., Albuminuria	4	2	5	3	5	3	.	1	5	1	3·6	3	.	.	.	.	.	1	2	.
nary Sys. (Other Dis.)							1	1	1	.		1	.	.	.	.	.	.	1	.
erative Organs Dis. ...	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
ldbirth (Accid. of) ...	.	1	1	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Age	8	11	11	11	7	7	8	3	2	.	6·8	2	.	.	.	.	.	.	1	1
er Diseases	13	8	13	11	8	8	8	18	6	9	10·2	9	3	2	.	.	1	3	.	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	.	.	2	.	.	.	.	2	.	·4	.	.	.	.	.	.	.	.	.
hips, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	.	2	1	2	.	.	.	.	.	.	·5	1	.	.	1	.	.	.	.	.
Drowning	.	3	2	.	1	2	1	.	.	1	1·0	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous apours	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
er Deaths by Accidents	4	2	1	3	.	2	2	.	1	2	1·7	3	2	.	.	.	.	.	1	.
OLENCE OTHER THAN ACCIDENTAL.																				
icide	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
cide	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
cution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.
ple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1905-6—Week ending																										
	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.
No. of weeks in Annual Series.	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered,	184	245	192	183	220	285	202	188	169	252	214	189	211	230	207	181	202	199	250	285	202	195	223	167	250	210
*Average Births in corresponding week of previous 10 years,**	182	210	206	199	200	221	215	205	217	213	208	219	206	236	177	200	216	204	244	227	209	191	217	229	193	221
DEATHS registered,	139	168	166	154	160	187	151	149	185	183	187	173	193	198	159	174	215	174	191	165	169	173	154	142	126	149
Annual Death-rate per 1,000,	19·1	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5
*Average Deaths in corresponding week of previous 10 years,**	199	219	214	211	202	212	209	209	221	233	221	212	211	218	201	198	189	183	183	174	171	166	157	155	150	146
AGES, Under 5 years,	27	28	52	39	37	46	35	32	45	40	43	55	43	67	37	34	45	37	30	36	41	42	47	38	12	37
5—20 ,,	7	17	17	11	13	16	8	9	8	14	8	15	15	17	13	13	15	12	16	10	15	13	11	11	13	13
20—40 ,,	21	34	25	18	21	18	21	15	38	39	34	19	29	26	28	23	27	32	39	23	28	29	27	20	22	30
40—60 ,,	41	48	37	45	37	43	42	46	43	34	43	35	40	33	34	47	49	42	47	39	44	37	30	42	36	34
60—80 ,,	37	35	28	34	43	52	39	39	44	49	49	41	55	45	40	47	70	40	55	51	30	41	34	28	37	31
80 years and upwards,	6	6	7	7	9	13	6	8	7	7	10	8	11	10	7	10	9	11	4	6	11	11	5	3	6	4
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	1	.	1	.	.	2	.	.	.
Scarlet Fever	.	.	2	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	2	3	1	1	2	.	.	1	4	1	2	.	2	2	3	.	2	1	1	.	3	3	1	2	2
Diphtheria,	2	2	2	.	1	1	.	.	1	.	2	2	1	3	.	.	.	2	.	.	2	.	.	.	.	1
Pyrexia † (origin uncertain),	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	3	.	.	.	1	.	.	1	1	.	3	.	3	.	1	2	1	1	3	.	.	.	.	1	.
Diarrhœal Diseases,	2	1	1	1	3	1	.	1	2	1	3	3	5	2	1	1	1	4	.	3	1	3	2	1	4	.
Pneumonia,	11	12	15	12	16	19	6	11	13	16	18	10	13	10	8	22	26	17	21	18	13	13	10	6	6	13
Tuberculous Disease. Phthisis,	19	21	14	23	21	29	18	23	29	32	30	28	32	25	23	27	18	22	36	18	16	22	20	17	17	29
Tuberculous Disease. Other Forms,	1	12	16	5	6	9	15	10	12	18	9	12	11	15	15	8	11	10	15	10	16	7	8	13	12	11
Cancer, Malignant Disease,	6	7	5	12	6	8	14	6	13	6	6	6	11	4	4	9	13	10	6	5	15	8	10	6	8	6
Diseases of Heart and Blood Vessels,	30	28	21	24	33	31	23	27	21	25	31	29	31	33	27	29	45	27	22	22	28	30	15	29	26	21
Diseases of Respiratory System,	20	26	28	22	18	27	26	27	32	28	28	21	34	27	23	29	43	23	36	31	15	26	15	10	11	17
Violent Deaths,	6	4	3	7	8	5	5	.	4	10	1	2	4	5	2	3	4	2	3	1	4	5	2	3	3	4
Number of Uncertified Deaths,	6	4	5	6	6	11	7	6	8	4	6	7	6	12	9	7	6	5	5	3	7	7	11	3	3	9
Mean Temperature of the Air (Phœnix Park),	45·7	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1
Average Mean Temperature in corresponding week of previous 10 years	40·9	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8
Rainfall in inches,	·770	·860	·855	1·605	·280	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·180	·810	·650	·455	·640	·810	·450	·005	·280	·790
Mean Humidity of the Air, complete Saturation, 1·0	·88	·91	·88	·87	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·88	·81	·88	·85	·88	·88	·89	·84	·79	·85	·86

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd June, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD JUNE, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	20·7	149	37	13	30	34	31	4	.	.	.	.	2	1	.	.	.	3	13	29	11	6	1	17	4	66	9
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	3·0	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS,	87,188	14·4	24	4	2	5	3	8	2	.	.	.	.	.	.	.	.	.	.	.	3	2	1	.	2	1	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	17·0	36	7	4	7	6	12	.	.	.	.	.	1	1	.	.	.	2	5	8	.	1	1	3	.	16	3
IV.	GENERAL SERVICE CLASS,	154,279	28·6	54	22	6	12	9	4	1	.	.	.	.	1	.	.	.	.	1	4	8	7	2	.	8	2	23	5
V.	INMATES OF WORKHOUSES,	6,024		34	4	1	6	16	7	.	.	.	.	.	.	.	.	.	.	.	3	10	2	2	.	4	1	12	1
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	6·7	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	28·4	12	3	.	3	1	3	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	8	.
	6. Clerks and Commercial Assistants,	30,432	3·4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	17·4	9	1	1	2	1	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	6	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	.
	9. Building and Furnishing Trades,	29,801	22·7	13	3	1	3	2	4	.	.	.	.	.	1	.	.	.	.	1	2	3	.	.	1	1	.	5	2
	10. Clothing Trades,	28,260	11·2	5	1	.	1	2	1	.	.	.	.	.	.	1	.	.	.	1	1	1	.	.	.	1	.	1	.
	11. Food Supply Trades,	9,242	11·3	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades,	30,352	13·7	8	1	2	1	.	4	.	.	.	.	.	.	.	.	.	.	.	2	2	.	1	.	.	.	3	1
	13. Petty Shopkeepers,	7,894	19·8	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	15·5	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
	15. Domestic Servants,	36,603	2·8	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	14·5	4	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	25·5	44	21	3	9	8	2	1	.	.	.	.	1	.	.	.	.	1	3	7	4	2	.	7	2	19	5
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	34	4	1	6	16	7	.	.	.	.	.	.	.	.	.	.	.	3	10	2	2	.	4	1	12	1

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of).	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20).
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,352.	May 5,	27·6	.	15	.	.	.	.	.	.	.	.	.	.	3	3	2	1	2	.	.
	„ 12,	14·7	1·8	8	.	.	.	.	.	.	.	1	.	.	2	2	.	.	2	.	.
	„ 19,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	1
	„ 26,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	.	1	.	1	1	2	1	1
	June 2,	12·9	1·8	7	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	1
	„ 9,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	„ 16,	22·1	1·8	13	.	.	.	.	1	.	.	.	.	.	.	2	2	1	.	.	1
	„ 23,	16·6	3·7	9	.	.	.	.	2	.	.	.	.	.	2	1	.	.	1	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 89,146.	May 5,	33·3	.	25	.	.	.	.	.	.	.	.	.	.	2	4	4	2	4	.	2
	„ 12,	21·3	2·7	16	.	.	.	.	.	.	.	.	2	.	2	2	.	.	4	.	.
	„ 19,	22·6	.	17	.	.	.	.	.	.	.	.	.	.	3	3	1	.	1	.	1
	„ 26,	32·0	2·7	21	.	.	.	.	1	.	.	.	1	.	2	4	1	.	3	.	1
	June 2,	25·3	.	19	.	.	.	.	.	.	.	.	.	.	.	4	2	1	1	.	3
	„ 9,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	1
	„ 16,	16·0	4·0	12	.	.	.	.	1	.	.	.	2	.	1	2	.	1	.	.	.
	„ 23,	24·0	.	18	.	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 80,107.	May 5,	38·1	.	22	.	.	.	.	.	.	.	.	.	.	3	1	2	.	6	1	.
	„ 12,	20·8	.	12	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	1
	„ 19,	20·8	1·7	12	.	.	.	.	.	.	.	.	1	.	.	2	1	2	1	.	.
	„ 26,	24·2	1·7	14	.	.	.	.	.	.	.	.	1	.	.	1	.	1	4	.	.
	June 2,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1
	„ 9,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	.	5	.	.	.	1	.
	„ 16,	17·3	1·7	10	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3	.	.
	„ 23,	34·6	.	20	.	.	.	.	.	.	.	.	.	.	2	3	4	1	1	.	2
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	May 5,	36·2	1·6	22	.	.	.	.	1	.	.	.	.	.	1	6	1	.	3	.	1
	„ 12,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	.	4	3	.	.	3	.	.
	„ 19,	21·4	.	13	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
	„ 26,	28·0	.	14	.	.	.	.	.	.	.	.	.	.	2	3	.	2	2	1	.
	June 2,	18·1	.	11	.	.	.	.	.	.	.	.	.	.	1	4	2	1	1	.	.
	„ 9,	18·1	.	11	.	.	.	.	.	.	.	.	.	.	1	1	2	1	1	1	.
	„ 16,	18·2	.	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 23,	18·2	.	8	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	May 5,	19·0	.	14	.	.	.	.	.	.	.	.	.	.	1	3	1	.	1	1	.
	„ 12,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	.	1	.	3	.	6	.	.
	„ 19,	20·4	.	15	.	.	.	.	.	.	.	.	.	.	1	2	3	.	2	.	.
	„ 26,	19·0	.	14	.	.	.	.	.	.	.	.	.	.	2	1	.	1	4	2	.
	June 2,	27·2	2·7	20	.	1	.	.	1	.	.	.	.	.	4	2	.	.	3	.	1
	„ 9,	20·4	.	15	.	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.
	„ 16,	18·6	1·4	10	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	1	.
	„ 23,	24·5	.	18	.	.	.	.	.	.	.	.	.	.	1	6	2	.	2	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	May 5,	34·2	.	12	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	„ 12,	22·8	.	8	.	.	.	.	.	.	.	.	.	.	1	.	2	.	2	.	1
	„ 19,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	„ 26,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	June 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
	„ 9,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 16,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	2	2	.	1	1	.
	„ 23,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	May 5,	24·9	.	20	.	.	.	.	.	.	.	.	.	.	5	3	.	.	4	.	.
	„ 12,	27·4	1·2	22	.	1	.	.	.	.	.	.	.	.	1	5	2	.	4	.	1
	„ 19,	26·1	.	21	.	.	.	.	.	.	.	.	.	.	.	1	3	3	3	.	.
	„ 26,	19·9	.	16	.	.	.	.	.	.	.	.	.	.	2	2	1	1	3	.	.
	June 2,	34·8	1·2	28	.	1	.	.	.	.	.	.	.	.	2	4	.	2	3	.	3
	„ 9,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	.	.	.	4	1	3	.	.
	„ 16,	16·2	1·2	13	.	.	.	.	.	.	.	.	1	.	.	4	4	.	2	.	.
	„ 23,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	.	3	8	1	2	4	1	2
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,138.	May 5,	32·6	.	22	.	.	.	.	.	.	.	.	.	.	1	4	1	1	8	1	.
	„ 12,	25·2	.	17	.	.	.	.	.	.	.	.	.	.	2	3	1	.	4	1	.
	„ 19,	29·7	.	20	.	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	3
	„ 26,	16·3	.	11	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1
	June 2,	8·9	.	6	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1
	„ 9,	20·8	.	14	.	.	.	.	.	.	.	.	.	.	2	3	3	.	.	.	1
	„ 16,	16·3	.	11	.	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.
	„ 23,	17·8	.	12	.	.	.	.	.	.	.	.	.	.	.	3	1	.	2	1	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	May 5,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	2	.	1	3	.	1
	„ 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	„ 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	2	2	3	.	.	.	1
	„ 26,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2
	June 2,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 23,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	May 5,	22·0	2·0	11	.	.	.	.	.	.	.	1	.	2	3	1	.	1	.	.
	„ 12,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	„ 19,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.
	„ 26,	24·0	.	12	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.
	June 2,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 9,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 16,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
	„ 23,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	May 5,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 19,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
	„ 26,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2
	June 2,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
	„ 9,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 16,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	„ 23,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Belfast. Pop. in 1906 (Est.) 358,680.	May 5,	26·0	3·3	179	.	.	1	.	20	.	1	.	1	16	29	10	4	30	4	2
	„ 12,	23·4	1·9	161	.	.	.	.	12	.	.	1	.	10	21	8	3	27	2	2
	„ 19,	20·4	2·3	140	.	.	.	.	13	1	.	1	1	9	23	11	3	17	4	.
	„ 26,	22·0	2·0	151	.	.	.	.	8	1	.	.	5	14	33	9	3	16	6	4
	June 2,	21·8	2·6	150	.	1	.	.	15	.	1	.	1	15	16	11	1	17	1	2
	„ 9,	19·8	3·8	136	.	2	.	.	16	1	.	2	5	15	21	5	5	15	2	2
	„ 16,	19·5	2·2	134	.	1	.	.	7	.	.	.	7	7	22	9	6	15	1	5
	„ 23,	19·0	2·3	131	.	.	.	.	14	.	.	.	2	7	30	7	4	14	5	.
Cork. Pop. (in 1901) 76,122.	May 5,	21·2	.	31	.	.	.	.	.	.	.	.	.	2	7	2	.	2	.	2
	„ 12,	24·0	0·7	35	.	.	.	.	.	.	.	.	1	1	5	.	2	10	1	2
	„ 19,	24·7	.	36	.	.	.	.	.	.	.	.	.	2	7	3	1	3	.	1
	„ 26,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	2	3	2	.	4	.	2
	June 2,	16·4	.	24	.	.	.	.	.	.	.	.	.	.	6	1	2	4	2	.
	„ 9,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	7	1	1	1	.	1
	„ 16,	16·4	.	24	.	.	.	.	.	.	.	.	.	2	8	2	.	1	.	.
	„ 23,	14·4	0·7	21	.	.	.	.	1	.	.	.	.	.	4	1	1	3	1	1
Londonderry. Pop. in 1906 (Est.) 42,067.	May 5,	19·8	2·5	16	.	1	.	.	.	.	.	.	1	2	.	2	.	2	.	2
	„ 12,	23·6	2·5	19	.	.	.	.	1	1	.	.	.	1	1	2	3	4	.	.
	„ 19,	24·8	2·5	20	.	2	.	.	.	.	.	.	.	2	3	.	.	3	.	.
	„ 26,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	.	2	2	2	1	.	1
	June 2,	13·6	2·5	11	.	2	.	.	.	.	.	.	.	1	1	.	.	1	1	.
	„ 9,	27·3	3·7	22	.	3	.	.	.	.	.	.	.	.	3	.	.	7	1	1
	„ 16,	24·8	5·0	20	.	3	.	.	.	.	.	.	1	.	4	1	1	3	2	1
	„ 23,	18·6	2·5	15	.	1	.	.	.	.	.	.	1	1	3	1	.	1	.	2
Limerick. Pop. (in 1901) 38,151.	May 5,	26·0	.	19	.	.	.	.	.	.	.	.	.	1	2	1	.	6	.	1
	„ 12,	32·8	1·4	24	.	.	.	.	.	.	.	.	1	2	5	1	.	2	.	4
	„ 19,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	3
	„ 26,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.
	June 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	.	4	.	6
	„ 9,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	1
	„ 16,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	8	.	.	2	.	1
	„ 23,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	2
Waterford. Pop. (in 1901) 26,769.	May 5,	17·5	.	9	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1
	„ 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1
	„ 19,	31·2	.	16	.	.	.	.	.	.	.	.	.	.	.	4	1	1	.	3
	„ 26,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	2	2	.	3	.	.
	June 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	1	1
	„ 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
	„ 16,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	1
	„ 23,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd June, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (excl. Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,784	5	38·9	10·6	11	3	1	6	1	.	.	.	.	3	.	.	.	.	.	3	1	.	1	1	1	3	.
Do. 2 ,, .	47,959	38	12·0	1·1	11	2	.	8	1	.	.	.	.	1	.	.	.	.	.	3	1	.	.	1	2	4	.
Do. 3 ,, .	47,214	17	17·7	1·1	16	.	1	15	.	.	.	.	.	1	.	.	.	.	.	9	.	.	1	.	1	3	.
Do. 4 ,, .	40,911	25	29·3	2·5	23	4	6	11	2	.	.	.	.	1	.	.	.	1	1	4	2	1	4	2	3	11	.
Do. 5 ,, .	17,887	6	15·0	3·0	5	2	.	2	1	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.	.	1	.
Do 6 ,, .	48,122	24	21·7	2·2	20	3	3	10	4	.	.	.	.	2	.	.	.	.	2	3	1	1	2	.	.	7	.
Do 7 ,, .	1,524	.	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	.	10·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,, .	19,569	8	13·3	2·7	15	3	.	2	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 10 ,, .	28,064	20	20·3	2·3	19	2	.	6	1	.	.	.	.	1	.	.	.	.	1	3	1	1	.	.	1	3	.
Do. 11 ,, .	34,802	23	21·0	4·5	14	6	1	7	.	.	.	.	.	2	.	.	.	1	1	2	.	.	3	.	.	2	.
Do. 12 ,, .	33,588	41	10·9	.	7	.	3	3	1	.	.	.	.	.	.	.	.	.	2	.	.	.	2	1	1	1	.
Do. 13 ,, .	15,006	15	31·3	3·5	9	1	2	2	4	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.
Do. 14 ,, .	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	222	19·6	2·4	131	26	17	72	16	.	.	.	.	14	.	.	.	2	7	30	7	4	14	5	9	36	.
City of Cork.																											
CORK URBAN No. 1 DISTRICT, .	12,867	6	8·1	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 ,, . .	10,701	5	4·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 ,, . .	9,978	5	15·7	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	2	.
Do. 4 ,, . .	8,666	5	18·1	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.
Do. 5 ,, . .	6,592	1	7·9	7·9	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 ,, . .	10,702	6	19·5	.	4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	1
Do. 7 ,, . .	16,616	4	22·0	.	7	.	3	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	1	.
Total, ...	76,122	32	14·4	0·7	21	3	3	7	8	.	.	.	.	1	.	.	.	.	.	4	1	1	3	1	1	7	1

without the City are omitted.

Belfast.	1905-6—Week ending																									
	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Births registered,	189	224	193	196	236	231	189	246	214	246	229	229	221	248	240	212	232	282	238	246	217	273	239	228	204	222
Deaths registered,	124	147	133	135	160	139	146	179	174	166	155	191	152	201	169	166	171	152	179	161	140	151	150	136	134	131
Annual Death-rate per 1,000 of estimated Population,	18·0	21·4	19·3	19·6	23·3	20·2	21·2	26·0	25·3	24·1	22·5	27·8	22·1	29·2	24·6	24·1	24·9	22·1	26·0	23·4	20·4	22·0	21·8	19·8	19·5	19·0
Ages — Under 1 year,	26	34	21	30	31	24	29	31	43	26	31	32	37	46	35	35	39	30	29	35	35	21	33	28	21	26
Ages — 1-5 years,	19	16	15	16	22	11	11	14	20	17	22	23	16	30	28	26	24	24	20	19	17	17	23	22	20	17
Ages — 5-60 years,	56	61	60	62	71	61	71	87	74	85	59	84	57	89	81	75	66	67	85	66	64	84	64	53	67	72
Ages — 60 years and upwards,	23	36	37	27	36	43	35	47	37	38	43	52	42	36	25	30	42	31	43	41	24	29	30	33	26	16
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	1	.
Scarlet Fever,	.	.	.	2	1	1	.	.	1	1	1	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.
Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	2	1	3	1	2	6	7	9	5	9	5	21	12	13	21	18	20	12	13	8	15	16	7	14
Diphtheria,	.	1	1	.	.	.	.	2	3	2	.	1	2	1	1	.	.	.	.	.	1	1	.	1	.	.
*Pyrexia** (origin uncertain),	.	.	1	2	.	.	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.
Enteric Fever,	2	2	3	1	2	2	6	.	2	2	6	6	3	1	3	4	2	.	.	1	1	.	.	2	.	.
Diarrhœal Diseases,	1	3	2	2	3	2	1	3	2	1	.	1	2	1	2	.	1	2	1	.	1	5	1	5	7	2
Pneumonia,	14	15	12	8	11	10	8	19	17	13	16	23	10	18	19	19	15	16	16	10	9	14	15	15	7	7
Tuberculous Disease, — Phthisis,	17	13	17	17	22	16	23	22	23	33	15	26	17	28	24	26	18	19	29	21	23	33	16	21	22	30
Tuberculous Disease, — Other Forms,	—	10	4	3	8	7	6	7	7	6	10	5	6	12	11	7	8	12	10	8	11	9	11	5	9	7
Cancer, Malignant Disease,	—	3	5	5	7	5	4	5	6	5	1	6	4	10	4	3	2	4	4	3	3	3	1	5	6	4
Diseases of Respiratory System,	23	20	19	12	20	26	23	22	24	34	33	36	24	28	21	34	36	27	30	27	17	16	17	15	15	14
Violent Deaths,	5	6	1	4	1	3	1	6	4	2	6	1	.	2	7	4	3	4	4	2	4	6	1	2	1	5
Number of Uncertified Deaths,	—	6	2	4	4	3	3	5	3	5	2	4	3	3	1	1	3	5	2	2	.	4	2	2	5	.

* Formerly described as "Simple Continued Fever."

Note.—The figures for other forms of tuberculous disease, cancer, malignant disease, and uncertified deaths are not available for the week ending 30th December, 1905.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	June 23,	2,498	1,205	13·3	.	52	13	8	23	8	17
EDINBURGH,	341,035	„ 23,	149	102	15·6	.	5	.	1	1	1	4
GLASGOW,	835,625	„ 23,	514	274*a*	17·1	.	9	1	1	10	3	12
CALCUTTA,	910,117	May 5,	.	758	46·4	131	7	.	.	3	140‡	149*
BOMBAY,	776,006	„ 22,	328	1,362	91·3	5	45	.	.	.	89‡	112*
MADRAS,	509,346	„ 4,	293	342	34·9	16	9	?	?	?	81	50
PARIS,	2,750,000	June 9,	1,101	846	16·5	.	11	.	1†	6	.	24
BRUSSELS (with 8 Faubourgs).	612,401	„ 2,	233	163	13·8	.	2	.	.	3	1	13
ANTWERP,	304,975	„ 2,	125	77	13·2	1	6	.	1†	1	.	6
AMSTERDAM,	560,249	„ 2,	310	141	13·1	.	7	1	.	3	.	10
COPENHAGEN,	425,000	„ 2,	157	132	16·2	.	1	.	1†	3	.	7
STOCKHOLM,	324,488	May 26,	130	87	13·9	.	1	1	2†	2	.	4
CHRISTIANIA,	222,373	June 9,	105	56	13·1	.	.	.	3†	.	.	2
ST. PETERSBURG,	1,424,700	„ 2,	549	711	26·9	2	32	21	29	6	28	119
MOSCOW,	1,092,360	May 5,	.	659	31·5	5	10	11	9†	2	11	86
BERLIN,	2,060,004	„ 26,	936	598	15·1	.	21	4	9†	3	.	57
HAMBURG,	803,050	„ 26,	.	199	12·9	.	4	3	1†	6	.	20
BRESLAU,	475,622	June 9,	.	199	21·8	.	2	.	2†	.	.	23
MUNICH,	540,000	„ 9,	.	186	17·9	.	1	.	.	1	.	24
VIENNA (with suburbs).	1,937,869	„ 9,	858	633	17·0	.	11	6	5†	4	2	33
BUDA-PESTH,	859,134	„ 9,	326	348	21·1	.	8	6	.	1	1	25
PRAGUE and Faubourgs.	460,849	„ 2,	216	184	20·8	.	1	2	.	1	.	7
TRIESTE,	196,637	May 26,	129	86	22·8	.	.	.	.	2	.	4
ROME,	530,179	April 14,	206	207	20·4	.	3	.	1	2	1	6
VENICE,	171,709	—	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	May 26,	1,335	1,490	18·7	.	25	31	46†	7	11	59
PHILADELPHIA,	1,469,126	„ 19,	.	567	20·1	.	4	4	13†	12	31	25
BOSTON,	595,380	„ 26,	.	214	18·7	.	1	2	4	4	2	2

a. Including 8 deaths from cerebro-spinal fever.
* Including 89 deaths from cholera in Calcutta, and 20 in Bombay.
† Including deaths from croup.
‡ Exclusive of 129 deaths from plague in Calcutta, and 511 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd June, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	2	1	.	.	.	.	3
" " 1, West,	.	1	.	.	.	.	.	.	2	.	.	.	3
" " 2,	.	1	.	.	.	.	1	.	3	.	.	.	5
" " 3,	.	.	.	.	.	.	2	1	1	.	.	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	2	.	.	.	.	.	4	17	.	.	.	23
" " 2,	.	.	.	.	.	.	.	1	1	.	.	.	2
" " 3,	.	.	.	.	2	.	.	.	1	.	.	.	3
" " 4,	.	.	.	.	.	.	1	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	1	.	.	.	.	1
Total,	.	4	.	.	2	.	6	8	26	.	.	.	46

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd June, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd June.			
	June 2.	June 9.	June 16.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	11	17	16	2	9	.	9
Scarlet Fever,	52	42	43	4	3	.	44*
Typhus,	.	.	1	.	.	.	1
Diphtheria,	30	24	30	7	8	1	28
Enteric Fever,	30	27	26	6	4	.	28
Pneumonia,	35	30	28	7	4	2	29

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 23rd June, 1906 :—

"At the beginning a shallow atmospheric depression, which had drifted slowly westwards from Germany during the closing days of the previous week, was central off the mouth of the English Channel. Its easterly winds kept temperature low over the United Kingdom—in Dublin the highest reading of the thermometer on Sunday was 58·8°, and during the following night it fell to 48·8° in the screen and to 44·9° on the grass. Rain fell generally except in the east and southeast of England, and thunderstorms occurred in Warwickshire, Lancashire, North Wales, and Connemara (Recess). By Monday morning the depression had almost disappeared to the westward of Ireland, while an area of high pressure was forming over England and France. This system brought warm S.W. winds to Ireland and England—in the latter country the weather remained fine and bright, but in Ireland heavy electrical showers fell at frequent intervals. The anticyclone, with the barometer above 30·4 inches in its central area, remained nearly stationary over Brittany and the English Channel till Thursday, when the system began to disperse. On Saturday a large depression spread in over Ireland from the Atlantic, the barometer in Dublin falling below 30 inches early in the morning for the first time since June 1, and receding to 29·732 inches by 9 p.m. On this day also temperature gave way in Ireland, and rain fell freely in the afternoon. In Dublin the mean height of the barometer was 30·116 inches, pressure ranging between 30·274 inches at 9 a.m. of Thursday (wind, S.S.W.) and 29·732 inches at 9 p.m. of Saturday (wind, S.S.E.). The corrected mean temperature was 61·8°, the mean dry bulb reading at 9 a.m and 9 p.m. being 61·0°. The screened thermometers fell to 48·8° on Monday and rose to 76·2° on Thursday. The dominant wind was S.S.E. Rain fell on 4 days to the amount of ·434 inch, ·169 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·124 inches. The highest reading (30·281) was on Thursday at 9 a.m., wind S.W., and the lowest (29·736) on Saturday at 9 p.m., wind S.

The mean temperature for the week was 60·1°, being 3·3° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Thursday, on which day the thermometer registered 75·3°, and was lowest on Monday, the mercury having fallen to 46·1°. The mean of the Dry Bulb for the week was 59·6°, and of the Wet Bulb 57·3°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 29·6 hours. The rainfall during the week measured ·790 inch.

At Greenwich the mean temperature for the week was 64·1°, the maximum 82·0°, and the minimum 43·1°; at Glasgow the maximum was 72·2°, the minimum 44·5°, and the mean 60·2°; and at Edinburgh the maximum was 69·7°, the minimum 48·4°, and the mean 57·1°. The rainfall at Greenwich measured 0·01 in.; at Glasgow 0·78 in.; and at Edinburgh 1·00 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 17,	30·038	57·1	50·3	53·7	53·1	51·7	·91	·4	0·3	·165	N.E.	Calm.
Monday, „ 18,	30·106	62·2	46·1	54·2	54·8	52·5	·85	·4	12·3	—	S.E.	S.E.
Tuesday, „ 19,	30·233	69·0	47·3	58·2	60·1	55·0	·71	·3	5·7	—	S.W.	S.W.
Wednesday, „ 20,	30·253	71·3	49·4	60·4	64·7	61·9	·84	·4	3·4	·005	S.W.	S.W.
Thursday, „ 21,	30·263	75·3	60·4	67·9	63·3	61·9	·91	·3	2·7	·300	S.W.	W.
Friday, „ 22,	30·145	73·2	58·9	66·1	61·9	60·7	·93	·4	5·0	·175	S.W.	Calm.
Saturday, „ 23,	29·830	64·6	55·3	60·0	59·5	57·5	·88	·6	0·2	·145	N.E.	S.
Mean, . .	30·124	67·5	52·5	60·1	59·6	57·3	·86	·4	Total 29·6	Total ·790	Prevailing wind. S.W.	

Sunday—A cloudy day, showery; night cloudy. *Monday*—A fine but cloudy day; night cloudy. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—A fine but cloudy day, light showers; night cloudy. *Thursday*—Day cloudy and showery; night overcast and showery. *Friday*—Day cloudy and showery; night cloudy. *Saturday*—Day cloudy and showery; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 23rd, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 17,	56·2	57·9	54·8	58·8	47·8	53·3	0·2	·105
Monday, „ 18,	57·0	57·1	54·9	62·7	48·1	55·4	11·4	·003
Tuesday, „ 19,	59·8	57·9	54·8	69·6	52·0	60·8	7·3	—
Wednesday, „ 20,	63·0	58·9	54·9	71·9	55·1	63·0	3·5	·001
Thursday, „ 21,	67·5	60·0	54·9	71·8	61·9	66·9	3·0	·122
Friday, „ 22,	66·0	61·0	55·0	71·7	58·8	65·3	5·4	·079
Saturday, „ 23,	61·8	61·4	55·1	62·7	55·9	59·3	0·0	·109
Weekly Mean, .	61·6	59·2	54·9	67·0	54·2	60·6	Total 30·8	Total ·419

DUBLIN: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—13875.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 30TH JUNE, 1906. [No. 26.

General Register Office, Charlemont House,
Dublin, 2nd July, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,959.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending June 9.	Week ending June 16.	Week ending June 23.	Week ending June 30.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 9.	Week ending June 16.	Week ending June 23.	Week ending June 30.	Average Rate for 4 weeks.
22 Town Dists.	18·0	17·6	18·4	15·4	17·4	Lisburn, . .	9·1	9·1	27·3	9·1	13·7
Armagh, . .	27·5	27·5	13·7	27·5	24·0	Londonderry,	27·3	24·8	18·6	19·8	22·6
Ballymena, .	4·8	14·4	28·7	9·6	14·4	Lurgan, . .	13·3	22·1	8·9	8·9	13·3
Belfast, . .	19·8	19·5	19·0	16·4	18·7	Newry, . .	4·2	12·6	8·4	16·8	10·5
Clonmel, . .	5·1	5·1	25·6	5·1	10·2	Newtownards, .	22·9	22·9	28·6	.	18·6
Cork, . . .	18·5	16·4	14·4	18·5	17·0	Portadown,	15·5	10·3	15·5	10·3	12·9
Drogheda, . .	12·3	20·4	16·3	4·1	13·3	Queenstown .	6·6	26·4	26·4	19·8	19·8
Dublin Reg. Area,	18·4	16·4	20·2	16·4	17·8	Sligo, . . .	9·6	.	19·2	4·8	8·4
Dundalk, . .	8·0	16·0	4·0	8·0	9·0	Tralee, . .	10·6	10·6	31·7	10·6	15·9
Galway, . .	46·6	7·8	23·3	7·8	21·4	Waterford, .	13·6	21·4	7·8	11·7	13·6
Kilkenny, . .	.	14·7	9·8	14·7	9·8	Wexford, . .	18·7	9·3	9·3	18·7	14·0
Limerick, . .	9·6	20·5	10·9	10·9	13·0						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in sixteen of the districts to 7·4 in Londonderry, the 16 deaths from all causes in that district including 6 from measles. Among the 113 deaths from all causes in Belfast are one from scarlet fever, 7 from whooping-cough, 2 from diphtheria, and 4 from diarrhœal diseases; the 6 deaths in Waterford include one from scarlet fever; and the 4 deaths in Armagh include one from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 238—108 boys and 130 girls; and the deaths to 125—62 males and 63 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 17·2 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 16·4 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

During the twenty-six weeks ending with Saturday last the death-rate averaged 23·1, and was 3·7 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The deaths (125) included one from whooping-cough, 2 from enteric fever, and 2 from diarrhœal diseases. In each of the 3 preceding weeks, deaths from whooping-cough were one, 2, and 2; deaths from enteric fever were 0, one, and 0; and deaths from diarrhœal diseases were one, 4, and 0. (From Table XIV. it appears that the mean of the daily earth temperatures for the week was 55·8°.) Three deaths were attributed to influenza. There was one death from tetanus.

There was one death from broncho-pneumonia, and *pneumonia* (not defined) caused 3 deaths.

The deaths from all forms of tuberculous disease numbered 30, as against 30, 29, and 40 in each of the 3 weeks preceding. The deaths registered during the week included 7 deaths from tuberculous phthisis, 14 from *phthisis*, 4 from tuberculous meningitis, one from tuberculous peritonitis, and 4 deaths from other forms of the disease.

There were 5 deaths from carcinoma, and 7 deaths from cancer (undefined).

The death of one infant, prematurely born, was registered.

The deaths (10) from diseases of the brain and nervous system include the deaths of 3 infants under one year of age from *convulsions.*

There were 14 deaths from diseases of the heart and blood vessels, and 3 deaths from bronchitis.

Of 3 deaths caused by accidental violence, one was in building operations, one was by drowning, and one was by suffocation in bed of an infant under one month old.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under one year of age.

Seventeen of the persons whose deaths were registered during the week were under 5 years of age (12 being infants under one year, of whom 3 were under one month old) and 28 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 4 were octogenarians, and 2 (females) were stated to have been aged 92 and 93 years, respectively.

Forty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 6 took place in the North Dublin Union Workhouse and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·4 per 1,000; the rate in the City was 16·4 (North City Districts, 16·9; South, 15·7), and in the Suburbs, 16·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·7 per 1,000 inhabitants, the rate for the City being 0·7 (0·7 in the North City Districts, and 0·7 in the South) and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 16·6 per 1,000, and include one death from influenza and one death from tuberculous disease.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. Tuberculous disease caused 5 deaths and bronchitis caused one death.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·3 per 1,000. Whooping-cough and epidemic enteritis each caused one death.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 16·5 per 1,000. There was one death from influenza, and tuberculous disease caused 3 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 10·4; and Finglas and Glasnevin, part of, 15·6. The 2 deaths from all causes for Coolock and Drumcondra, No. 1 (part of) include one from tuberculous phthisis.

No. 1 South City District (South Earl-street).—The deaths (9) represent an annual rate of 12·2 per 1,000. The deaths include one from enteric fever, 4 from tuberculous disease, and one death from bronchitis.

No. 2 South City District (Castle-street).—The deaths (2) are equal to an annual rate of 5·7 per 1,000. Of the 2 deaths one was caused by *convulsions* and one was due to *apoplexy.*

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 21·1 per 1,000, and include one death from influenza, one death from *pneumonia* (not defined), 5 deaths from tuberculous disease, and one death from accidental suffocation in bed of an infant.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000. There was one death from enteric fever, also one death from tuberculous meningitis, one death from bronchitis, and there were 2 accidental deaths.

New Kilmainham District.—The only death for this district was from *pneumonia* (not defined), and represented an annual rate of 5·9 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·3; Pembroke, 14·0; Blackrock, 6·0; and Kingstown, 23·7. The only death from any of the principal epidemic diseases recorded for these districts was one from *diarrhœa* for Rathmines and Rathgar. Among the 11 deaths from all causes for Rathmines and Rathgar one death was from broncho-pneumonia, and 5 deaths were from tuberculous disease. The 7 deaths from all causes for Pembroke include 2 from *phthisis*; and the 8 deaths from all causes for Kingstown include 3 from *phthisis.*

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases otification) Act, 1889," as set forth in the following Table have been kindly furnished by :—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. wcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive nitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock ban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban trict; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 30th June, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	June 9,	.	—	—	3	.	.	3	.	1	5	10	.	—	—	—	—	—	22
	June 16,	.	—	—	4	.	.	13	.	3	3	2	.	—	—	—	—	—	25
	June 23,	.	—	—	4	.	.	2	.	6	8	26	.	—	—	—	—	—	46
	June 30,	.	—	—	4	2	.	4	.	.	3	12	.	—	—	—	—	—	25
Rathmines and Rathgar Urban District.	June 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 16,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	3
	June 23,	.	—	—	.	.	.	3	.	.	1	.	.	—	—	—	—	—	4
	June 30,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	—	5
Pembroke Urban District.	June 9,	.	.	.	3	.	.	.	.	1	1	.	.	—	1	.	—	—	6
	June 16,	.	.	.	2	.	.	.	.	.	.	.	.	—	2	.	—	—	4
	June 23,	.	.	.	1	.	.	.	.	.	1	.	.	—	.	.	—	—	2
	June 30,	.	.	.	.	.	.	1	.	.	1	.	.	—	1	.	—	—	3
Blackrock Urban District.	June 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 16,	.	—	—	.	1	.	.	.	.	.	.	.	—	—	—	—	—	1
	June 23,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	June 30,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
Kingstown Urban District.	June 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 30,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
City of Belfast.	June 9,	.	—	—	15	.	.	5	3	6	7	7	.	—	—	—	—	—	43
	June 16	.	—	—	12	.	.	2	.	5	8	3	.	—	—	—	—	—	30
	June 23,	.	—	—	10	.	.	2	.	7	2	4	.	—	—	—	—	—	25
	June 30,	.	—	—	7	.	.	5	1	3	4	6	.	—	—	—	—	—	26

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

'able XII. exhibits the number of cases of certain infectious diseases treated in the blin Hospitals during the week ended 30th June, 1906.

'rom this it appears that :—

'wo cases of measles were admitted to hospital during the week, 6 were discharged, and ases remained under treatment at its close.

'ight cases of scarlet fever were admitted to hospital, 17 were discharged, and 35* cases ained under treatment at the close of the week.

)ne case of typhus was admitted to hospital, and 2 remained under treatment at the close he week.

'ine cases of diphtheria were admitted to hospital, 9 were discharged, and 28 patients ained under treatment at the close of the week.

'wo cases of enteric fever were admitted to hospital, 4 were discharged, there was one th, and 25 cases remained under treatment in hospital at the close of the week.

n addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, were discharged, and 27 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

'he mortality last week in 76 large English towns, including London (in which the was 11·7), was equal to an average annual death-rate of 12·4 per 1,000 persons living, average rate for 8 principal towns of Scotland was 14·5 per 1,000, the rate for Glasgow g 14·9, and for Edinburgh 14·8.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a of his Return of Infectious Diseases notified during the week ended 30th June. From this Return it ears that of a total of 29 cases notified 15 were diphtheria, 7 scarlet fever, 4 erysipelas, and 3 typhoid r. Among the 320 cases of infectious diseases in hospital at the close of the week were 104 cases carlet fever, 97 of measles, 42 of diphtheria, one of membranous croup, 17 of whooping-cough, 12 of ipelas, and 10 of typhoid fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 30th June, 1906, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 30th June, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia. b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 30th June, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd June, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th June, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,098,959	19·2	31·9	15·4	1·3	669	324	53	71	.	7	2	.	8	2	.	2	7	14	54	26	18	27	4	6	93	8	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total, d.	878,994	27·5	32·7	16·4	0·7	238	119	12	27	.	.	.	.	1	.	.	2	2	3	21	9	11	5	3	8	42	4	f70·2	37·3	56·6	0·45	f75·3	46·1	60·1	0·79	f71·8	42·2	55·0	0·23
City of Dublin,	298,385	37·1	37·1	16·4	0·7	209	92	12	19	.	.	.	.	1	.	.	2	1	2	18	7	8	4	3	3	38	3	g71·1 h69·9	42·7 37·2	58·1 56·7	0·34 0·46	g76·2 h76·	48·8 48·2	61·8 60·3	0·43 0·84	g71·9 h71·9	48·9 45·0	58·8 56·3	0·21 0·18
Urban Dists. Rathmines and Rathgar.	33,203	19·4	14·1	17·3	1·6	9	11	.	4	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	24·0	14·0	.	12	7	.	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	.	6·0	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	23·7	23·7	.	8	8	.	2	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	1	69	44·5	58·0	0·09	75	49	60·1	0·52	66	51	56·9	0·17
Urban Districts.																																							
Belfast,	358,680	24·4	31·7	16·4	2·0	218	113	24	17	.	.	1	.	7	2	.	.	4	8	24	7	2	18	.	2	23	1	66·0	48·5	57·0	0·62	71·5	45·5	59·8	0·69	72·0	44·0	56·8	0·05
Cork,	76,122	33·6	39·0	18·5	.	57	27	4	7	.	.	.	.	.	.	.	.	.	.	2	4	2	4	1	.	13	1	65	45	56·5	0·45	64	54	59·5	0·79	69	47	57·9	0·06
Londonderry,	42,037	19·4	27·3	19·8	7·4	22	16	5	3	.	6	.	.	.	.	.	.	.	.	.	3	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	49·2	10·9	.	36	8	.	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	15·6	11·7	1·9	8	6	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	19·4	7·8	.	5	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	65	46	56·5	0·50	69	54	61	1·75	76	46	60·4	0·30
Dundalk,	18,076	3·4	23·9	8·0	.	6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	24·5	4·1	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	16·8	16·8	.	4	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	67·8	50·7	55·5	0·31	71·9	46·2	60·2	0·45	72·8	41·3	56·3	0·14
Lurgan,	11,782	13·8	44·3	8·9	.	10	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·8	50·7	55·5	0·31	71·9	46·2	60·2	0·45	72·8	41·3	56·3	0·14
Lisburn,	11,461	10·1	68·2	9·1	.	15	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·8	50·7	55·5	0·31	71·9	46·2	60·2	0·45	72·8	41·3	56·3	0·14
Wexford,	11,168	23·2	18·7	18·7	.	4	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	38·8	9·6	.	8	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	19·2	4·8	4·8	4	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	67·2	39·2	54·2	0·42	71·5	49·8	60·7	1·84	70·5	40·5	55·9	0·04
Kilkenny,	10,609	11·5	4·9	14·7	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	69	37	57	0·50	74	49	62·3	1·00	74	46	59·3	0·13
Clonmel,	10,167	7·8	.	5·1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	25·8	10·3	.	5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	67·8	50·7	55·5	0·31	71·9	46·2	60·2	0·45	72·8	41·3	56·3	0·14
Trallee,	9,867	16·6	42·3	10·6	.	8	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	28·6	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67	41	54·3	1·12	71	49	57·2	0·49	61	45	51·6	0·22
Queenstown,	7,909	14·4	18·2	19·8	.	2	3	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	65	45	56·5	0·45	64	54	59·5	0·79	69	47	57·9	0·06
Armagh,	7,588	22·2	48·1	27·5	6·9	7	4	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	67·8	50·7	55·5	0·31	71·9	46·2	60·2	0·45	72·8	41·3	56·3	0·14

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly

e It having been found impracticable to obtain meteorological observations from some of the [illegible] admitted to hospital from localities outside the Area, [illegible] Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 30th of June, 1906, with the number of uncertified deaths; also the deaths of infants under 1 year of age and of persons aged 60 years and upwards. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Diarrhœal Diseases,	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Pneumonia,	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	3	1
Tuberculous Disease. Phthisis,	.	3	.	2	.	1	.	3	.	4	.	.	3	2	.	3	21	.
Tuberculous Disease. Other Forms.	1	2	.	1	.	.	.	1	.	1	1	.	2	.	.	.	9	.
Cancer, Malignant Disease,	.	1	2	1	2	.	.	1	.	1	.	.	1	1	.	1	11	1
Other General Diseases	2	.	2	1	.	.	.	.	.	1	1	.	.	2	.	1	10	1
Total,	3	6	6	5	2	1	.	6	.	8	3	1	8	5	.	5	59	3
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	2	.	1	.	.	.	1	1	3	1	.	.	.	.	.	10	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Diseases of: Heart and Blood Vessels,	2	.	3	1	.	.	.	.	1	1	3	.	1	.	.	1	13	1
Diseases of: Respiratory System,	.	1	.	1	.	.	.	1	.	.	1	.	.	.	1	.	5	.
Diseases of: Digestive System,	2	4	1	1	.	.	1	.	.	.	2	.	.	.	.	.	11	1
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Urinary System,	.	1	.	1	.	.	1	1	.	2	1	.	2	2	.	1	12	.
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	8	4	5	.	.	2	3	2	7	9	.	3	2	1	2	53	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	4	1
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	3	.
Deaths from all Causes,	9	14	10	10	2	2	2	9	2	17	14	1	11	7	1	8	119	6
Annual Rate of Mortality from all causes in every 1,000 of the population	16·6	18·6	17·3	16·5	21·7	10·4	15·6	12·2	5·7	21·1	20·8	5·9	17·3	14·0	6·0	23·7	16·4	.
	16·9							15·7					16·4					
	16·4																	
Deaths of Infants under 1 year of age,	.	4	2	1	.	.	.	1	1	1	2	.	.	.	.	.	12	.
Deaths of Persons aged 60 years and upwards,	3	1	3	2	.	1	1	1	.	4	3	.	4	2	.	2	27	1
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	4	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	3	4	4	1	.	.	2	.	7	2	.	1	3	.	.	27	6
Workhouse Hospitals,	1	3	1	1	.	.	.	2	.	5	2	.	.	.	.	.	15	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease reg
week of the ten years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 26th Week of the 10 years 1896–1905.	In the Week ending Sat 30th June, 1906. Deaths of Persons of the				
	June 27, 1896.	July 3, 1897.	July 2, 1898.	July 1, 1899.	June 30. 1900.	June 29, 1901.	June 28, 1902.	July 4, 1903.	July 2, 1904.	July 1, 1905.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 61·2	° 60 6	° 56 5	° 59·2	° 55·7	° 56·1	° 60·6	° 59·2	° 54·8	° 60·1	° 58·4	° 56·6				
ALL CAUSES.	171	136	146	154	144	135	149	127	126	116	140·4	125	3	9	5	16
Small-pox, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	2	.	.	.	.	3	3	2	2	1·2	.	.	.	.	.
Scarlet Fever, ...	1	2	2	1	.	1	2	.	2	.	1·1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	2	3	2	1	1	.	.	1	1·3	3	.	.	1	.
Whooping-cough, ...	2	1	1	5	2	3	.	.	1	1	1·6	1	.	1	.	.
Diphtheria, ...	.	4	1	1	.	1	.	.	1	1	·9	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Enteric Fever, ...	.	.	4	1	.	1	4	.	.	1	1·1	2	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	11	3	3	3	1	.	.	.	.	1	2·5	1	.	1	.	.
Diarrhœa, Dysentery,							.	1	1	1		1	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	2	.	.	1	.	1	.	.	.	1	·5	.	.	.	.	.
Puerperal Septicæmia,	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.
Puerperal Fever, ...							.	.	.	.		.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar;	12	6	11	13	13	6	2	.	.	1	10·0	.	.	.	.	.
Pneumonia, Broncho-							3	5	4	2		1	.	.	.	.
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.
Pneumonia, Not defined,							6	4	3	9		3	.	.	.	.
Erysipelas, ...	.	1	.	2	.	2	2	.	1	.	·8	.	.	.	.	.
Septicæmia (not Puerperal)	.	.	.	.	1	1	2	1	.	.	·5	.	.	.	.	.
Pyæmia (not Puerperal),							.	.	.	.		1	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.
Tuberculous Phthisis,	26	15	34	23	21	17	2	4	3	6	19·8	7	.	.	.	2
"*Phthisis*," ...							13	13	11	10		14	.	.	.	4
Tuberculous Meningitis, ...	1	6	7	4	7	4	5	4	2	3	4·3	4	.	1	.	1
Tuberculous Peritonitis,	6	4	4	4	1	6	.	.	.	1	2·9	1	.	.	.	.
Tabes Mesenterica, ...							.	2	.	1		.	.	.	.	.
Tuberculous Dis. (other),	7	1	7	.	4	1	6	3	10	3	4·3	4	.	.	1	2
Scrofula, ...							1	.	.	.		.	.	.	.	.
Alcoholism, ...	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	.	.	.	.	2	.	·3	.	.	.	.	.
Gout, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Carcinoma, ...	4	5	7	5	8	6	1	3	.	2	5·1	5	.	.	.	.
Sarcoma, ...							1	.	.	.		.	.	.	.	.
Cancer (undefined),							1	6	2	3		7	.	.	.	.
Diabetes Mellitus, ..	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Premature Birth, ...	5	4	6	.	2	2	8	2	6	2	3·7	1	1	.	.	.

* The figures for the years 1896-19
† Formerly des

TWENTY-SIXTH WEEK ending Saturday, 30th June, 1906, with the deaths from each cause in the corresponding the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: June 27, 1896.	July 3, 1897.	July 2, 1898.	July 1, 1899.	June 30, 1900.	June 29, 1901.	June 28, 1902.	July 4, 1903.	July 2, 1904.	July 1, 1905.	Averages in 26th Week of the 10 years 1896–1905.	In the Week ending Saturday, 30th June, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 61·2	° 60·6	° 56·5	° 59·2	° 55·7	° 56·1	° 60·6	° 59·2	° 54·8	° 60·1	° 58·4	Mean Temp. ° 56·6								
eningitis (not tuberc.) ...							5	2	6	1		3	.	1	.	2	.	.	.	.
sanity, G. P. of Insane ...							1	1	.	.		.	.	.	.	.	.	.	.	.
pilepsy							1	1	1	4		.	.	.	.	.	.	.	.	.
onvulsions							5	7	3	4		3	1	2	.	.	.	.	.	.
ocomotor Ataxy ...							.	.	.	1		.	.	.	.	.	.	.	.	.
araplegia Dis. of Cord ...							.	3	.	3		1	.	.	.	.	.	.	1	.
ervous System (other Dis.)	37	29	19	37	34	30	1	1	2	4	32·6	3	.	.	.	.	.	.	2	1
alv. Dis., Endocarditis ...							1	6	4	3		3	.	.	.	.	2	.	1	.
erebr. Hæm. Thromb. ...							3	2	1	1		2	.	.	.	.	1	1	.	.
poplexy, Hemiplegia ...							2	5	6	4		5	.	.	.	.	1	1	2	1
neurysm							.	.	.	.		.	.	.	.	.	.	.	.	.
mbolism, Thromb. (not cerebral)							.	.	.	.		1	.	.	.	.	1	.	.	.
eart and Blood Vessel Dis.							15	13	10	7		3	.	.	.	.	1	1	1	.
roup (not Spasm. nor Memb.)	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
ronchitis	13	12	10	10	13	15	12	12	13	5	11·5	3	.	.	.	.	.	2	1	.
sthma, Emphysema ...							.	.	.	.		.	.	.	.	.	.	.	.	.
leurisy	1	5	.	2	3	1	.	1	.	.	2·0	.	.	.	.	.	.	.	.	.
espiratory Dis. (other) ...							2	3	.	2		2	.	1	.	1	.	.	.	.
onsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
nteritis (not Epid.) ...							.	1	1	.		1	.	.	.	1	.	.	.	.
astro Enteritis	1	.	1	.	2	.	.	.	1	.	·7	2	.	.	1	.	.	1	.	.
eritonitis (not Puerp.) ...	2	2	.	1	.	.	.	1	1	.	·7	.	.	.	.	.	.	.	.	.
irrhosis of Liver ...							2	.	2	1		.	.	.	.	.	.	.	.	.
iver Dis. (other) ...	2	3	.	4	2	3	.	.	.	.	1·9	3	.	.	.	.	2	.	.	1
igestive Dis. (other) ...	4	5	1	2	4	4	5	.	4	7	3·6	6	.	2	.	.	.	1	3	.
ephritis, Acute ...							2	1	1	.		5	.	.	.	.	4	.	1	.
right's Dis., Albuminuria	3	2	2	5	5	4	1	1	6	1	3·5	5	.	.	.	.	3	1	1	.
rinary Sys. (Other Dis.)							.	.	1	.		2	.	.	.	.	.	.	2	.
enerative Organs Dis. ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
hildbirth (Accid. of) ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
ld Age	9	4	6	11	3	8	7	4	1	6	5·9	4	.	.	.	.	.	.	1	3
ther Diseases	11	14	13	13	10	14	15	6	7	7	11·0	6	.	.	2	1	2	.	1	.
ACCIDENT.																				
y Railways	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
y Vehicles and Horses ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
n Ships, Boats, Docks (exclusive of Drowning) ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
n Building Operations ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
n Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
y Burns, Scalds, Explosions	.	.	.	.	1	.	1	.	3	1	·6	.	.	.	.	.	.	.	.	.
y Drowning	.	.	.	.	2	.	1	.	.	.	·3	1	.	.	.	.	1	.	.	.
y Suffocation in Bed ...	.	.	.	.	.	.	1	.	.	.	·1	1	1	.	.	.	.	.	.	.
y Poison or Poisonous Vapours	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ther Deaths by Accidents	4	4	2	2	1	2	1	2	.	1	1·9	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
uicide	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1906—Week ending																										
	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.
No. of weeks in Annual Series.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
Births registered,	245	192	183	220	283	202	188	169	252	214	189	211	230	207	181	202	199	250	285	202	195	223	167	250	210	238
*Average Births in corresponding week of previous 10 years,**	210	206	199	200	221	215	205	217	213	208	219	206	236	177	200	216	204	244	227	209	191	217	229	193	221	229
Deaths registered,	168	166	154	160	187	151	149	185	183	187	173	198	198	159	174	215	174	191	165	169	178	154	142	126	149	125
Annual Death-rate per 1,000,	23·1	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2
*Average Deaths in corresponding week of previous 10 years,**	219	214	211	202	212	209	209	221	233	221	212	211	218	201	198	189	183	183	174	171	166	157	155	150	146	140
Ages,— Under 5 years,	28	52	39	37	46	35	32	45	40	43	55	43	67	37	34	45	37	30	36	41	42	47	38	12	37	17
5—20 ,,	17	17	11	13	16	8	9	8	14	8	15	15	17	13	13	15	12	16	10	15	13	11	11	13	13	16
20—40 ,,	34	25	18	21	18	21	15	38	39	34	19	29	26	28	23	27	32	39	23	28	29	27	20	22	30	36
40—60 ,,	48	37	45	37	42	42	46	43	34	43	35	40	33	34	47	49	42	47	39	44	37	30	42	36	34	28
60—80 ,,	35	28	34	43	52	39	39	44	49	49	41	53	45	40	47	70	40	55	51	30	41	34	28	37	31	22
80 years and upwards,	6	7	7	9	13	6	8	7	7	10	8	11	10	7	10	9	11	4	6	11	11	5	3	6	4	6
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.	2	.	.	.	.
Scarlet Fever	.	2	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	2	3	1	1	2	.	1	1	4	1	2	.	2	2	3	.	2	1	1	.	3	3	1	2	2	1
Diphtheria,	2	2	.	1	1	.	.	1	.	2	2	1	3	.	.	.	2	.	.	2	.	.	.	.	1	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	.	.	.	1	.	.	1	1	.	3	.	3	.	1	2	1	1	3	.	.	.	.	1	.	2
Diarrhœal Diseases,	1	1	1	3	1	.	1	2	1	3	3	5	2	1	1	1	4	.	3	1	3	2	1	4	.	2
Pneumonia,	12	15	12	16	19	6	11	13	16	18	10	13	10	8	22	26	17	21	18	13	13	10	6	6	13	4
Tuberculous Disease. {Phthisis,	21	14	23	21	29	18	23	29	32	30	23	32	25	24	27	18	22	36	18	16	22	20	17	17	29	21
Tuberculous Disease. {Other Forms,	12	16	5	6	9	15	10	12	18	9	12	11	15	15	8	11	10	15	10	16	7	8	13	12	11	9
Cancer, Malignant Disease,	7	5	12	6	8	14	6	13	6	6	6	11	4	4	9	13	10	6	5	15	8	10	6	8	6	12
Diseases of Heart and Blood Vessels,	28	21	24	33	31	23	27	21	25	31	29	31	33	27	29	45	27	22	22	28	30	15	29	26	21	14
Diseases of Respiratory System,	26	28	22	18	27	26	27	32	28	28	21	34	27	23	29	43	23	36	31	15	26	15	10	11	17	5
Violent Deaths,	4	3	7	8	5	5	.	4	10	1	2	4	5	2	3	4	2	3	1	4	5	2	3	3	4	3
Number of Uncertified Deaths,	4	5	6	6	11	7	6	8	4	6	7	6	12	9	7	6	5	5	3	7	7	11	3	3	9	4
Mean Temperature of the Air (Phœnix Park),	43·4	41·5	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6
Average Mean Temperature in corresponding week of previous 10 years.	42·6	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4
Rainfall in inches,	·860	·855	1·605	·230	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130	·810	·650	·455	·640	·810	·450	·005	·230	·790	·450
Mean Humidity of the Air, complete Saturation, 1·0.	·91	·88	·87	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·83	·81	·83	·85	·83	·83	·89	·84	·79	·85	·86	·79

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th June, 1906: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 30TH JUNE, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(18)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	17·4	125	17	16	36	28	22	6	.	.	.	.	1	.	.	2	2	5	4	21	9	12	3	5	3	63	4
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	6·0	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
II.	MIDDLE CLASS,	87,188	15·5	26	3	4	5	4	8	2	.	.	.	.	1	.	.	.	.	1	2	2	2	3	.	1	.	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	17·0	36	5	2	12	10	6	1	.	.	.	.	.	.	.	.	.	.	1	6	3	3	2	1	1	19	1
IV.	GENERAL SERVICE CLASS,	154,279	19·8	46	9	7	15	12	2	1	.	.	.	.	.	.	.	2	2	4	1	11	1	3	1	2	2	21	3
V.	INMATES OF WORKHOUSES,	6,024		15	.	2	4	2	6	1	.	.	.	.	.	.	.	.	.	.	.	2	3	3	.	.	.	7	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	9·5	4	2	.	1	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	2	.
	6. Clerks and Commercial Assistants,	30,432	10·3	6	1	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	27·0	14	.	3	2	3	4	2	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.	.	8	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	9. Building and Furnishing Trades,	29,801	22·7	13	3	1	2	5	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	2	1	.	7	1
	10. Clothing Trades,	23,260	13·5	6	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	2	.
	11. Food Supply Trades,	9,242	16·9	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,852	15·5	9	1	1	1	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	6	.
	13. Petty Shopkeepers,	7,894	13·2	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	15·5	4	1	.	1	2	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	2	.
	15. Domestic Servants,	36,603	11·4	8	1	1	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	1	3	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	6	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	16·2	28	6	6	10	5	1	.	.	.	.	.	.	.	.	1	2	3	1	5	1	1	1	2	1	13	2
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	15	.	2	4	2	6	1	.	.	.	.	.	.	.	.	.	.	.	2	3	3	.	.	.	7	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents
RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of t
the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths*
similar Statistics for each of t

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,332.	May 12,	14·7	1·8	8	.	.	.	.	.	.	.	1	.	2	2	.	.	2	.
	„ 19,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.
	„ 26,	15·8	1·8	14	.	.	.	.	1	.	.	.	.	1	.	1	1	2	1
	June 2,	12·9	1·8	7	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	„ 9,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
	„ 16,	22·1	1·8	12	.	.	.	.	1	.	.	.	.	.	2	2	1	.	.
	„ 23,	16·6	3·7	9	.	.	.	.	2	.	.	.	.	2	1	.	.	1	.
	„ 30,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 89,146.	May 12,	21·8	2·7	16	.	.	.	.	.	.	.	.	2	2	2	.	.	4	.
	„ 19,	22·6	.	17	.	.	.	.	.	.	.	.	.	3	3	1	.	1	.
	„ 26,	32·0	2·7	21	.	.	.	.	1	.	.	.	1	2	4	1	.	3	.
	June 2,	25·3	.	19	.	.	.	.	.	.	.	.	.	.	4	2	1	1	.
	„ 9,	17·3	.	13	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.
	„ 16,	16·0	4·0	12	.	.	.	.	1	.	.	.	2	1	2	.	1	.	.
	„ 23,	24·0	.	18	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.
	„ 30,	18·6	.	14	.	.	.	.	.	.	.	.	.	.	3	2	1	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	May 12,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.
	„ 19,	20·8	1·7	12	.	.	.	.	.	.	.	.	1	.	2	1	2	1	.
	„ 26,	24·2	1·7	14	.	.	.	.	.	.	.	.	1	.	1	.	1	4	.
	June 2,	18·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1
	„ 9,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	5	.	.	.	1
	„ 16,	17·3	1·7	10	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.
	„ 23,	34·6	.	20	.	.	.	.	.	.	.	.	.	2	3	4	1	1	.
	„ 30,	17·3	5·5	10	.	.	.	.	1	.	.	.	1	.	.	.	2	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	May 12,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	4	3	.	.	3	.
	„ 19,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1
	„ 26,	28·0	.	14	.	.	.	.	.	.	.	.	.	2	3	.	2	2	1
	June 2,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	4	2	1	1	.
	„ 9,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	1	2	1	1	1
	„ 16,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.
	„ 23,	13·2	.	8	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 30,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	May 12,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	3	.	3	.
	„ 19,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	2	3	.	2	.
	„ 26,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.	1	4	2
	June 2,	27·2	2·7	20	.	1	.	.	1	.	.	.	.	4	2	.	.	3	.
	„ 9,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.
	„ 16,	13·6	1·4	10	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1
	„ 23,	24·5	.	18	.	.	.	.	.	.	.	.	.	1	6	2	.	2	.
	„ 30,	12·2	1·4	9	.	.	.	.	.	.	.	1	.	.	3	1	1	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	May 12,	22·8	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	2	.
	„ 19,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.
	„ 26,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.
	June 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
	„ 9,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	„ 16,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	2	2	.	1	1
	„ 23,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.
	„ 30,	5·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	May 12,	27·4	1·2	22	.	1	.	.	.	.	.	.	.	1	5	2	.	4	.
	„ 19,	26·1	.	21	.	.	.	.	.	.	.	.	.	.	1	3	3	3	.
	„ 26,	19·9	.	16	.	.	.	.	.	.	.	.	.	2	2	1	1	3	.
	June 2,	34·8	1·2	28	.	1	.	.	.	.	.	.	.	2	4	.	2	3	.
	„ 9,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	.	.	4	1	3	.
	„ 16,	16·2	1·2	13	.	.	.	.	.	.	.	.	1	.	4	4	.	2	.
	„ 23,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	3	8	1	2	4	1
	„ 30,	21·1	.	17	.	.	.	.	.	.	.	.	.	1	4	1	1	.	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,138.	May 12,	25·2	.	17	.	.	.	.	.	.	.	.	.	2	3	1	.	4	1
	„ 19,	19·7	.	20	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1
	„ 26,	16·3	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.
	June 2,	8·9	.	6	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.
	„ 9,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	3	3	.	.	.
	„ 16,	16·3	.	11	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.
	„ 23,	17·8	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	2	1
	„ 30,	20·8	1·5	14	.	.	.	.	.	.	1	.	.	.	.	1	.	1	2

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

Districts.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	May 12,	17·3	.	11	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	" 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	2	2	3	.	.	.	1
	" 26,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2
	June 2,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	" 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	" 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	" 23,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	5	1	1	.	1	.
	" 30,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	May 12,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	" 19,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.
	" 26,	24·0	.	12	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.
	June 2,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	" 9,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	" 16,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
	" 23,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.
	" 30,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	May 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	" 19,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
	" 26,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	2
	June 2,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
	" 9,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 16,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	" 23,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	" 30,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	1
Belfast. Pop. in 1906 (Est.) 358,680.	May 12,	23·4	1·9	161	.	.	.	.	12	.	.	1	.	10	21	8	3	27	2	2
	" 19,	20·4	2·3	140	.	.	.	.	13	1	.	1	1	9	23	11	3	17	4	.
	" 26,	22·0	2·0	151	.	.	.	.	8	1	.	.	5	14	23	9	3	16	6	4
	June 2,	21·8	2·6	150	.	1	.	.	15	.	1	.	1	15	16	1	1	17	1	2
	" 9,	19·8	3·8	136	.	2	.	.	16	1	.	2	5	15	21	15	5	15	2	2
	" 16,	19·5	2·2	134	.	1	.	.	7	.	.	.	7	7	22	9	6	15	1	5
	" 23,	19·0	2·3	131	.	.	.	.	14	.	.	.	2	7	30	7	4	14	5	.
	" 30,	16·4	2·0	113	.	.	1	.	7	2	.	.	4	8	24	7	2	13	.	1
Cork. Pop. (in 1901) 76,122.	May 12,	24·0	0·7	35	.	.	.	.	.	.	.	.	1	1	5	.	2	10	1	2
	" 19,	24·7	.	36	.	.	.	.	.	.	.	.	.	2	7	3	1	3	.	1
	" 26,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	2	3	2	.	4	.	2
	June 2,	16·4	.	24	.	.	.	.	.	.	.	.	.	.	6	1	2	4	2	.
	" 9,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	7	1	1	1	.	1
	" 16,	16·4	.	24	.	.	.	.	.	.	.	.	.	2	8	2	.	1	.	.
	" 23,	14·4	0·7	21	.	.	.	.	1	.	.	.	.	.	4	1	1	3	1	1
	" 30,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	2	4	2	4	1	1
Londonderry. Pop. in 1906 (Est.) 42,067.	May 12,	23·6	2·5	19	.	.	.	.	1	1	.	.	.	1	1	2	3	4	.	.
	" 19,	24·8	2·5	20	.	2	.	.	.	.	.	.	.	2	3	.	.	3	.	.
	" 26,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	.	2	2	2	1	.	1
	June 2,	18·6	2·5	11	.	2	.	.	.	.	.	.	.	1	1	.	.	1	1	.
	" 9,	27·3	3·7	22	.	3	.	.	.	.	.	.	.	.	3	.	.	7	1	1
	" 16,	24·8	5·0	20	.	3	.	.	.	.	.	.	.	.	4	1	1	3	2	1
	" 23,	18·6	2·5	15	.	1	.	.	.	.	.	.	1	1	3	1	.	1	.	2
	" 30,	19·8	7·4	16	.	6	.	.	.	.	.	.	.	.	.	3	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	May 12,	32·8	1·4	24	.	.	.	.	.	.	.	.	1	2	5	1	.	2	.	4
	" 19,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	3
	" 26,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.
	June 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	.	4	.	6
	" 9,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	1
	" 16,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	8	.	.	2	.	1
	" 23,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	2
	" 30,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
Waterford. Pop. (in 1901) 26,769.	May 12,	15·6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1
	" 19,	31·2	.	16	.	.	.	.	.	.	.	.	.	.	.	4	1	1	.	3
	" 26,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	2	2	.	3	.	.
	June 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	1	1
	" 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
	" 16,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	1
	" 23,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	" 30,	11·7	1·9	6	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th June, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Malignant Disease. Cancer.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.																											
BELFAST URBAN No 1 DISTRICT,	14,734	12	24·8	10·6	7	.	2	4	1	.	.	1	.	2	.	.	.	.	.	1	1	.	1	.	.	3	.
Do. 2 ,, .	47,959	22	15·2	1·1	14	3	2	7	2	.	.	.	.	1	.	.	.	.	2	3	.	.	2	.	.	1	.
Do. 3 ,, .	47,214	28	15·5	2·2	14	5	.	8	1	.	.	.	.	1	.	.	.	1	.	6	.	.	.	.	.	3	.
Do. 4 ,, .	40,911	36	20·4	.	16	3	3	8	2	.	.	.	.	.	.	.	.	.	3	4	2	.	1	.	.	7	.
Do. 5 ,, .	17,387	9	18·0	.	6	2	2	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	2	.
Do 6 ,, .	48,122	41	17·3	1·1	16	2	1	11	2	.	.	.	.	.	.	.	.	1	2	6	.	2	1	.	.	2	1
Do 7 ,, .	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	6	20·6	10·3	2	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
Do. 9 ,, .	19,569	9	21·3	2·7	8	1	.	5	2	.	.	.	.	1	.	.	.	.	.	.	2	.	2	.	.	1	.
Do. 10 ,, .	28,064	19	18·6	2·3	6	1	1	4	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.
Do. 11 ,, .	34,802	14	15·0	8·0	10	2	2	3	3	.	.	.	.	1	1	.	.	.	.	1	.	.	1	.	.	1	.
Do. 12 ,, .	33,588	31	12·4	1·6	8	3	1	2	2	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	2	.
Do. 13 ,, .	15,006	10	20·8	3·5	6	1	1	2	2	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	1	.	.
Do. 14 ,, .	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	218	16·9	2·1	113	24	15	57	17	.	.	1	.	7	2	.	.	4	8	24	7	2	13	.	2	23	1
City of Cork.																											
CORK URBAN No. 1 DISTRICT, .	12,867	6	12·2	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	.
Do. 2 ,, . .	10,701	10	19·5	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.
Do. 3 ,, . .	9,978	10	26·1	.	5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1
Do. 4 ,, . .	8,666	6	12·0	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 ,, . .	6,592	3	39·3	.	5	.	.	3	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.
Do. 6 ,, . .	10,702	9	14·6	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
Do. 7 ,, . .	16,616	13	15·7	.	5	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.
Total, ...	76,122	57	18·5	.	27	4	2	14	7	.	.	.	.	.	.	.	.	.	.	2	4	2	4	1	.	13	1

* Formerly described as "Simple Continued Fever."

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.
No. of weeks in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered,	224	193	196	236	231	189	246	214	246	229	229	221	248	240	212	232	282	238	246	217	273	239	228	204	222	218
DEATHS registered.	147	133	135	160	139	146	179	174	166	155	191	152	201	169	166	171	152	179	161	140	151	150	136	134	131	113
Annual Death-rate per 1,000 of estimated Population.	21·4	19·3	19·6	23·3	20·2	21·2	26·0	25·3	24·1	22·5	27·8	22·1	29·2	24·6	24·1	24·9	22·1	26·0	23·4	20·4	22·0	21·8	19·8	19·5	19·0	16·4
AGES — Under 1 year,	34	21	30	31	24	29	31	43	26	31	32	37	46	35	35	39	30	29	35	35	21	33	28	21	26	24
AGES — 1–5 years,	16	15	16	22	11	11	14	20	17	22	23	16	30	28	26	24	24	20	19	17	17	23	22	20	17	15
AGES — 5–60 years,	61	60	62	71	61	71	87	74	85	59	84	57	89	81	75	66	67	85	66	64	84	64	53	67	72	57
AGES — 60 years and upwards,	36	37	27	36	43	35	47	37	38	43	52	42	36	25	30	42	31	43	41	24	29	30	33	26	16	17
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	1	.	.
Scarlet Fever,	.	.	2	1	1	.	.	1	1	1	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	1
Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	2	1	3	1	2	6	7	9	5	9	5	21	12	13	21	18	20	12	13	8	15	16	7	14	7
Diphtheria,	1	1	.	.	.	.	2	3	2	.	1	2	1	1	.	.	.	.	.	1	1	.	1	.	.	2
*Pyrexia** (origin uncertain),	.	1	2	.	.	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.
Enteric Fever,	2	3	1	2	2	6	.	2	2	6	6	3	1	5	4	2	.	.	1	1	.	.	2	.	.	.
Diarrhœal Diseases,	3	2	2	3	2	1	3	2	1	.	1	2	1	2	.	1	2	1	.	1	5	1	5	7	2	4
Pneumonia,	15	12	8	11	10	8	19	17	13	16	23	10	18	19	19	15	16	16	10	9	14	15	15	7	7	8
Tuberculous Disease, — Phthisis,	15	17	17	22	16	23	22	23	33	15	26	17	28	24	26	18	19	29	21	23	33	16	21	22	30	24
Tuberculous Disease, — Other Forms,	10	4	3	8	7	6	7	7	6	10	5	6	12	11	7	8	12	10	8	11	9	11	5	9	7	7
Cancer, Malignant Disease,	3	5	5	7	5	4	5	6	5	1	6	4	10	4	3	2	4	4	3	3	3	1	5	6	4	2
Diseases of Respiratory System,	20	19	12	20	26	23	22	24	34	33	36	24	28	21	34	36	27	30	27	17	16	17	15	15	14	13
Violent Deaths,	6	1	4	1	3	1	6	4	2	6	1	.	2	7	4	3	4	4	2	4	6	1	2	1	5	.
Number of Uncertified Deaths,	6	2	4	4	3	3	5	3	5	2	4	3	3	1	1	3	5	2	2	.	4	2	2	5	.	1

* Formerly described as "Simple Continued Fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	June 30,	2,386	1,060	11·7	.	46	5	9	14	9	22
EDINBURGH,	341,035	„ 30,	160	97	14·8	.	3	1	2	1	1	7
GLASGOW,	835,625	„ 30,	512	238*a*	14·9	.	7	2	4	4	1	9
CALCUTTA,	910,117	May 12,	.	492	30·1	57	4	.	.	.	76‡	79*
BOMBAY,	776,006	„ 29,	408	1,135	76·1	5	30	.	.	.	114‡	121*
MADRAS,	509,316	„ 11,	299	388	39·6	11	14	?	?	?	89	80
PARIS,	2,750,000	June 16,	938	840	16·3	.	11	.	.	4	5	17
BRUSSELS (with 8 Faubourgs).	612,401	„ 9,	217	161	13·7	.	1	2	.	.	.	12
ANTWERP,	304,975	„ 9,	139	63	10·8	.	5	.	.	.	1	5
AMSTERDAM,	560,693	„ 9,	291	143	13·3	.	10	.	.	5	2	8
COPENHAGEN,	425,000	„ 9,	267	109	13·4	.	6	.	.	2	.	10
STOCKHOLM,	324,488	„ 2,	140	85	13·6	.	.	.	.	1	.	2
CHRISTIANIA,	222,373	„ 16,	106	65	15·2	.	.	.	6†	1	.	.
ST. PETERSBURG,	1,424,700	„ 9,	788	806	29·3	1	33	25	17	7	33	128
MOSCOW,	1,092,360	May 12,	.	692	33·0	4	10	2	7†	5	14	128
BERLIN,	2,060,699	June 2,	933	608	15·4	.	18	6	5†	8	.	54
HAMBURG,	803,050	„ 2,	.	213	13·8	.	1	3	1†	5	1	10
BRESLAU,	475,622	„ 16,	..	196	21·5	.	8	.	.	1	.	21
MUNICH,	540,000	„ 16,	.	189	18·2	.	2	1	1†	.	.	25
VIENNA (with suburbs).	1,937,869	„ 16,	1,039	665	17·8	.	24	6	3†	2	1	40
BUDA-PESTH,	859,134	„ 16,	429	295	17·9	.	3	5	1†	5	2	16
PRAGUE and Faubourgs.	460,849	„ 9,	185	159	17·9	.	2	1	2†	2	2	10
TRIESTE,	196,637	„ 2,	96	66	17·5	.	1	1	2†	5	.	3
ROME,	530,179	April 21,	229	201*a*	19·8	.	10	..	1	3	.	5
VENICE,	171,700	—	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	June 2,	1,955	1,408	17·7	3	38	18	57†	6	8	61
PHILADELPHIA,	1,469,126	May 26,	.	519	18·4	.	4	3	11†	5	33	35
BOSTON,	595,380	June 2,	.	240	21·0	.	1	1	2	2	.	2

a. Including 8 deaths from cerebro-spinal fever in Glasgow, and 2 in Rome.
* Including 42 deaths from cholera in Calcutta, and 22 in Bombay.
† Including deaths from croup.
‡ Exclusive of 92 deaths from plague in Calcutta, and 317 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th June, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	1	.	.	2	.	.	.	.	.	.	.	3
" " 1, West,	.	1	1	.	.	.	.	1	1	.	.	.	4
" " 2,	.	1	1	.	.	.	.	1	.	.	.	.	3
" " 3,	.	.	.	.	1	.	.	.	1	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	7	.	.	.	7
" " 2,	.	1	.	.	.	.	.	.	2	.	.	.	3
" " 3,	.	.	.	.	1	.	.	.	1	.	.	.	2
" " 4,	.	.	.	.	.	.	.	1	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	4	2	.	4	.	.	3	12	.	.	.	25

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th June, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th June.			
	June 9.	June 16.	June 23.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	17	16	9	2	6	.	5
Scarlet Fever,	42	43	44	8	17	.	35*
Typhus,	.	1	1	1	.	.	2
Diphtheria,	24	30	28	9	9	.	28
Enteric Fever,	27	26	28	2	4	1	25
Pneumonia,	30	28	29	8	10	.	27

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 30th June, 1906:—

"At the beginning of the week, a southwesterly current and warm but changeable, showery weather prevailed—on Monday, indeed, the wind became squally and strong to a moderate gale. At 9 p.m. of Tuesday the wind veered to W.N.W., and a heavy shower fell in connection with the passage eastward across Ireland of a small atmospheric depression, secondary to a larger and deeper disturbance central over the Norwegian Sea. In contrast to Tuesday, which was breezy, warm, and damp, Wednesday was very fine and the air became unusually dry—at 9 a.m the relative humidity was only 65 per cent. Thursday found a very irregular distribution of atmospheric pressure over North-western Europe. A primary depression lay near Bodö, in Norway, where the barometer read 29·32 inches at 8 a.m.—a secondary system was forming over Wales and the Cornwall Peninsula. The latter system subsequently passed eastward and grew deeper as it travelled. At 8 a.m. of Friday it was central over Kent and the Straits of Dover. Accompanying its northerly winds, torrential rains fell in Wales and the southern half of England. From midnight to 8 a.m. of Friday, 1·71 inches of rain fell at Oxford, 2·07 inches in St. James's Park, London, and 2·35 inches in 10 hours at Kew. Save for 2 heavy showers on Thursday afternoon Dublin escaped this storm; but the disturbance was indicated by the existence of opposing air currents, cirrus cloud (in which a halo formed) being seen to travel from S.W., whereas cumulus cloud and the wind came in an under current from N.W. A singular fall of temperature followed the disturbance, the thermometer falling at night to 35° at Wick and 36° at Birr Castle. In Dublin the mean air-pressure was 29·965 inches, the range being from 29·796 inches at 9 p.m. of Tuesday (wind, W.N.W.) to 30·260 inches at 9 p.m. of Friday (wind, N.N.W.). The corrected mean temperature was 58·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·4°. The screened thermometers rose to 71·1° on Monday and fell to 42·7° on Saturday. The winds were at first S.W., then N.N.W. Rain fell on 5 days to the amount of ·337 inch, ·084 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·007 inches. The highest reading (30·277) was on Friday at 9 p.m., air calm, and the lowest (29·809) on Tuesday at 9 p.m., wind S.W.

The mean temperature for the week was 56·6°, being 1·8° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Monday, on which day the thermometer registered 70·2°, and was lowest on Saturday, the mercury having fallen to 37·3°. The mean of the Dry Bulb for the week was 55·5°, and of the Wet Bulb 52·0°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 45·5 hours. The rainfall during the week measured ·450 inch.

At Greenwich the mean temperature for the week was 60·0°, the maximum 78·3°, and the minimum 41·2°; at Glasgow the maximum was 70·4°, the minimum 41·8°, and the mean 55·7°; and at Edinburgh the maximum was 70·7°, the minimum 42·7°, and the mean 54·9°. The rainfall at Greenwich measured 2·46 ins.; at Glasgow 0·41 in.; and at Edinburgh 0·04 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 24,	30·010	69·3	52·9	61·1	57·0	53·4	·78	·6	8·6	·020	W.S.W.	W.
Monday, „ 25,	29·965	70·2	47·9	59·1	61·3	57·4	·78	·6	6·8	·115	S.W.	S.W.
Tuesday, „ 26,	29·818	66·3	54·9	60·6	57·9	57·5	·95	·7	0·3	·135	S.W.	S.W.
Wednesday, „ 27,	29·872	65·0	51·9	58·5	56·2	52·0	·75	·8	11·0	·000	W.S.W.	Calm.
Thursday, „ 28,	29·996	61·3	46·0	57·3	51·9	47·5	·73	·4	4·7	·085	W.N.W.	N.
Friday, „ 29,	30·223	59·8	40·7	50·3	51·1	47·7	·79	·4	4·8	·000	N.	Calm.
Saturday, „ 30,	30·162	61·4	37·3	49·4	52·9	48·8	·75	·3	9·3	·095	W.N.W.	Calm.
Mean, . .	30·007	64·8	47·4	56·6	55·5	52·0	·79	·5	Total 45·5	Total ·450	Prevailing wind. S.W.	

Sunday—A cloudy day, showery a.m. and p.m. at intervals; night cloudy. *Monday*—A fine but cloudy day, light showers p.m.; night overcast and showery. *Tuesday*—Overcast a.m., cloudy p.m., light showers at intervals; night cloudy, light showers. *Wednesday*—A fine but cloudy day; night sky clear. *Thursday*—A cloudy day, light and heavy showers 1.30 to 6.30; night cloudy. *Friday*—A fine but cloudy day; night fine but cloudy. *Saturday*—Fine day, light showers 1 p.m. to 5 p.m.; night cloudy, light showers.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 30th, 1906.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 24,	61·2	60·2	55·5	69·8	56·0	62·9	7·8	·068
Monday, „ 25,	64·3	59·8	55·7	70·7	53·8	62·3	7·6	·050
Tuesday, „ 26,	62·6	60·0	55·7	67·7	55·7	61·7	0·4	·081
Wednesday, „ 27,	60·1	59·8	55·9	65·2	53·5	59·4	11·0	—
Thursday, „ 28,	58·3	59·4	56·0	62·2	49·2	55·7	4·8	·080
Friday, „ 29,	53·0	57·9	56·0	58·7	43·0	50·9	5·2	—
Saturday, „ 30,	54·7	57·1	56·0	63·0	42·0	52·5	9·7	·051
Weekly Mean, .	59·2	59·2	55·8	65·3	50·5	57·9	Total 46·5	Total ·330

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1 3. 1903.—13940.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] QUARTER ENDING SATURDAY, 30TH JUNE, 1906. [No. 26A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,757 statute acres, and the population estimated to the middle of 1906, 378,994, there were registered during the thirteen weeks ended on Saturday, 30th June, 1906, 2,809 births—1,407 boys and 1,402 girls—being equal to an annual ratio of 1 in 33·7, or 29·6 in every 1,000 of the population.

The number of births registered in the city was 2,405, equivalent to an annual rate of 32·8 in every 1,000 of the population; and in the urban districts named above, 404, equal to an annual rate of 18·9 in every 1,000 of the population.

There were registered in London during the same period 31,759 births—being equal to an annual birth-rate of 26·9 in every 1,000 of the estimated population; in Glasgow there were registered 6,585, being equal to 31·5 per 1,000; and in Edinburgh, 2,050—a number affording an annual birth-rate of 24·0 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,116—1,045 males and 1,071 females—affording an annual ratio of 1 in 44·8, or 22·3 in every 1,000 of the estimated population; omitting the deaths (94) of persons admitted into Public Institutions from localities outside the Area, the rate was 21·3 per 1,000. The annual mortality represented by the deaths registered during the second quarter of the ten years, 1896–1905, in the Dublin Registration Area as then constituted, was 23·6 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 853, representing an annual mortality of 22·6 in every 1,000 of the population; and the number in the South City districts was 799, equivalent to a rate of 22·4 per 1,000. In the urban districts the number of deaths registered was 370, being equal to an annual death-rate of 17·3 in every 1,000.

The number of deaths registered in London during the same period was 17,456—a number equal to an annual rate of mortality of 14·8 in every 1,000 of the inhabitants; in Glasgow the number was 3,815, equal to 18·3 in every 1,000; and in Edinburgh, 1,455, affording an annual death-rate of 17·1 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 69, being 8 below the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 0·7, being 0·1 below the rate for the preceding three months.

The following tabular statement shows the mortality from each of the principal epidemic diseases in the period under notice, and the average number of deaths from the diseases which occurred in the corresponding period of the 10 years, 1896–1905:—

Names of Diseases.	No. of Deaths in June Quarter, 1906.	Average No. of Deaths in June Quarters, 1896–1905.
Small-pox,	—	3
Measles,	9	25
Scarlet Fever,	—	13
Typhus,	—	1
Whooping-cough,	21	44
Diphtheria,	5	12
Pyrexia (origin uncertain),	—	1
Enteric Fever,	11	22
Diarrhœal Diseases,	23	21

Small-pox.—There was no record of death from small-pox in the returns furnished by the Registrars, for the period under notice. From Table I. it appears that no person suffering from the disease was admitted to a Dublin hospital for treatment during the quarter.

Measles.—There were 9 deaths from measles registered, equal to a rate of 0·1 per 1,000 of the population. In each of the 3 preceding quarterly periods, deaths from measles were 7, 1, and 0. Of the deaths 8 appertained to the districts of South Dublin City and one to the Urban District of Rathmines. The average number of deaths from measles in the corresponding quarterly period of the 10 years, 1896–1905, is 25. From Table I, page 428, it appears that 75 cases of measles were admitted for treatment into Dublin Hospitals, 87 cases were discharged, there were 4 deaths, and 5 patients remained under treatment at the close of the period.

Scarlet Fever.—Not one death from scarlet fever was registered during the quarter in the Dublin Registration Area, although at the close of the March quarter 52 cases were under treatment in Dublin Hospitals, and 95 cases were admitted during the quarter under review. The average number of deaths from scarlet fever in the corresponding quarter of the 10 preceding years was 13.

Typhus.—No mortality from typhus was reported by the Registrars. In each of the 3 quarterly periods preceding such deaths were 0, 0, and 1. It would appear that 5 cases suffering from typhus were under treatment during the period under notice. Of these 3 were discharged, and 2 remained under treatment on the 30th June.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

† See note (*) page 430.

Influenza.—Although 19 deaths, corresponding to an annual death-rate of 0·2 per 1,000 were recorded as being due to influenza, the mortality is less than half the average (41) for the June quarter of the preceding 10 years; in each of the 3 preceding quarters the deaths attributed to influenza were 1, 14, and 17.

Whooping-cough.—The deaths (21) represent an annual death-rate of 0·2 per 1,000 of the estimated population of the Area. In each of the 3 preceding quarters the deaths recorded were 6, 14, and 19, and the average number of deaths from this disease for the June quarter of the 10 years preceding was 44.

Diphtheria.—Deaths from diphtheria, which were 6, 8 and 15 in the September and December quarters of 1905, and the March quarter of 1906, respectively, declined to 5 in the period under review, which number is equal to an annual rate of 0·1 per 1,000. Of the 5 deaths, 4 took place in Dublin hospitals, in which institutions a total of 127 cases of diphtheria were under treatment during the quarter, 29 of this total being under treatment at the close of the quarter preceding.

Enteric Fever.—The annual death rate represented by deaths from enteric fever in the Dublin Registration Area for the June quarter is 0·1 per 1,000, the deaths, 11 in number, being a decline of one as compared with the number for the March quarter of the year. The deaths from this disease in the September and December quarters of 1905 were 19 and 23 respectively. The average number of deaths from enteric fever in the June quarter of the 10 years, 1896–1905, was 22. Table I., page 428, gives details regarding the cases of enteric fever which were treated in Dublin hospitals.

Diarrhœal Diseases.—Of 23 deaths from diarrhœal diseases 3 were classified as from epidemic diarrhœa (infective enteritis) and 20 as from *diarrhœa*, dysentery, the total representing an annual death rate of 0·2 per 1,000 of the estimated population of the Area. The deaths are slightly above the average (21) but one below the number registered in the preceding quarter. Of the deaths (23) there were 14 of children under 5 years of age.

Pneumonia.—Under the general heading, "pneumonia," 13 deaths from lobar pneumonia, 54 deaths from broncho-pneumonia, and 110 deaths from *pneumonia* (not defined) are included. The total of these, 177, equals an annual death rate of 1·9 per 1,000 of the estimated population of the Dublin Registration Area.

Tuberculosis.—The total deaths reported from all forms of tuberculous disease is 431, corresponding to an annual rate of 4·5 per 1,000 of the estimated population of the Area. The deaths (431) include 119 returned as from tuberculous phthisis, 167 as from *phthisis*, 38 as from tuberculous meningitis, 13 as from tuberculous peritonitis, 4 as from *tabes mesenterica*, 87 from other forms of tuberculous disease, and 3 deaths from *scrofula*. In each of the 3 preceding quarters the annual rates represented by deaths from all forms of tuberculous disease were 3·9, 4·0 and 5·0 per 1,000; and the annual rates represented by the pulmonary forms of the disease for the above periods were 2·5, 2·8 and 3·4 per 1,000, respectively. In the period under notice the annual rate represented by deaths from pulmonary tuberculosis (*phthisis*) was 3·0 per 1,000 of the estimated population. The rate for pulmonary tuberculosis (*phthisis*) in the Districts of North Dublin City was 3·1 per 1,000 of the estimated population; in the Districts of South Dublin City it was 3·4 per 1,000; and in the Suburban Districts it was 1·8 per 1,000.

Malignant Disease.—Of the deaths recorded, 42 were due to carcinoma, 4 to sarcoma, and 66 to cancer (undefined) or to malignant disease.

Premature Birth.—Prematurity caused the deaths of 34 infants.

Diseases of the Brain and Nervous System.—Of the deaths (160) there were 56 returned as from *convulsions*. Of the latter figure 53 were deaths of children under 5 years of age.

Diseases of the Heart and Blood Vessels.—Among the deaths (335) attributed to diseases of the heart and blood vessels, there were included 7 deaths from aneurysm.

Diseases of the Respiratory System.—Of the deaths from diseases of the respiratory system, in number 284, there were 255 deaths from bronchitis.

Accidental Deaths.—Of 36 deaths attributed to accidental causes, 7 were by burns or scalds, 4 of the latter being deaths of children under 5 years of age, and 6 deaths were caused by drowning.

Homicide.—One death was homicidal.

Suicide.—Two deaths by suicide were registered.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 30th June, 1906.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small-pox,	.	.	.	.	.
Measles,	21	75	87	4	5
Scarlet Fever,	52	95	112	.	35*
Typhus	2	3	3	.	2
Diphtheria,	29	98	95	4	28
Enteric Fever,	26	58	55	4	25
Pneumonia,	20	164	137	20	27

In 79 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 79 cases, 42 (or 53·2 per cent.), were deaths of children under 5 years of age: these 42 deaths form 9·3 per cent. of the total number of deaths of children of that age. Of the deaths of 101 infants under one month old registered, there were 18 (or 17·8 per cent.) regarding which the cause was uncertified.

From Table II., on pages 428*b* and 428*c*, it will be seen that, excluding 94 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,022, equal to an annual rate of 21·3 per 1,000 of the estimated population, and that 68 of these deaths, representing an annual rate of 0·7 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 22·5 per 1,000, and for the urban districts 17·3 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 0·8, and in the urban districts 0·6, the rates for the several districts varying from 0·0 in New Kilmainham, to 1·4 in Blackrock urban district, the 31 deaths from all causes in that district including 3 from whooping-cough.

Occupations.—Table III., on pages 428*d* and 429, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 15·1 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 16·8 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 17·1; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 30·2.

* Exclusive of 21 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.
† See note (*) page 430.

Ages.—Of the 2,116 persons whose deaths were registered in the Dublin Registration Area during the quarter, 453 were under 5 years of age, including 296 infants under one year of age, representing a rate of 105·4 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 47·5 in every 1,000 children at that age (according to the Census of 1901); 171 were between the ages of 5 and 20, representing an annual rate of 6·4 per 1,000 persons of that age period; the total number under 20 years being equal to an annual mortality of 17·2 per 1,000 of the population at that age (according to the Census of 1901); 364 or 10·7 per 1,000 persons were between 20 and 40; 509 or 29·7 per 1,000 between 40 and 60; 526 or 86·7 per 1,000 between 60 and 80; 93 or 195·4 per 1,000 were aged 80 and upwards, including 17 persons aged 90 and upwards.

Public Institutions.—Of the 2,116 deaths recorded during the quarter, 951, or 44·9 per cent., occurred in public institutions, viz., 500 in the various hospitals, prisons, and lunatic asylums; 218 in the North Dublin Union Workhouse; 232 in the South Dublin Union Workhouse; and one (that of a person admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 49·6°. At Greenwich for the quarter, it was 52·2°; at Glasgow, 50·3°; and at Edinburgh, 48·8°.

The rainfall at Dublin during the thirteen weeks measured 5·660 inches; at Greenwich, 5·03 inches; at Glasgow, 7·20 inches; and at Edinburgh, 6·85 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 30th June, 1906,** the REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective the Mortality from some of the principal causes; also the Deaths of Infants under 1 year *Deaths in Public Institutions being assigned to the Districts from which the deceased*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1906.*	QUARTER (13 WEEKS) ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS: FROM ALL CAUSES.	FROM DISEASES IN COLS. 7–15.	TOTAL DEATHS.	DEATHS. Infants under 1 year of Age.	Persons aged 60 years and upwards.	CAUSED BY Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
North City.											
NORTH CITY, No. 1, E.,	28,332	20·5	1·1	145	23	40	.	.	.	.	6
" 1, W.	39,146	23·4	0·9	229	39	55	.	.	.	.	2
" 2,	30,107	26·2	1·1	197	41	54	.	.	.	.	1
" 3,	31,673	22·5	0·5	178	24	44	.	.	.	.	2
CLONTARF AND HOWTH, No. 1, part of,	4,806	14·1	0·8	17	1	8	.	.	.	.	.
COOLOCK AND DRUMCONDRA, No. 1, part of,	10,017	23·2	0·8	58	4	24	.	.	.	.	.
FINGLAS AND GLASNEVIN, part of,	6,665	17·4	1·2	29	3	9	.	.	.	.	.
South City.											
SOUTH CITY, No. 1,	38,384	21·8	0·9	209	34	52	.	2	.	.	2
" 2,	18,286	23·4	0·2	107	17	30	.	1	.	.	.
" 3,	41,940	26·0	1·0	273	37	78	.	4	.	.	3
" 4,	35,138	20·7	0·2	182	23	51	.	1	.	.	.
NEW KILMAINHAM,	8,891	12·6	.	28	5	5	.	.	.	.	.
Urban Districts.											
RATHMINES AND RATHGAR,	33,203	17·2	0·6	143	19	49	.	1	.	.	2
PEMBROKE,	26,025	16·6	0·5	108	10	51	.	.	.	.	.
BLACKROCK,	8,759	14·2	1·4	31	4	12	.	.	.	.	3
KINGSTOWN,	17,622	20·0	0·2	88	8	42	.	.	.	.	.
Total City, North,	150,746	22·6	0·9	853	135	234	.	.	.	.	11
Total City, South,	142,639	22·4	0·6	799	116	216	.	8	.	.	5
Total City, North & South,	293,385	22·5	0·8	1,652	251	450	.	8	.	.	16
Total Urban Districts,	85,609	17·3	0·6	370	41	154	.	1	.	.	5
Total Registration Area,	378,994	21·3	0·7	2,022	292	604	.	9	.	.	21
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				94	4	15	.	.	.	.	.

* See note (*) on page 431.

number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with of age and of persons aged 60 years and upwards, and the number of Uncertified Deaths; *the were admitted.*

ENDED 30TH JUNE, 1906.

DEATHS. CAUSED BY											REGISTRARS' DISTRICTS, &c.
Diphtheria.	*Pyrexia* † (origin uncertain)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Number of Uncertified Deaths.	
(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	
											North City.
.	.	1	1	16	20	13	6	18	3	13	NORTH CITY, No 1, E.
1	.	1	5	21	34	13	8	32	1	13	,, 1, W.
.	.	1	6	15	22	10	11	28	6	9	,, 2
.	.	2	.	19	29	13	6	25	4	3	,, 3.
.	.	.	1	.	1	1	2	2	.	.	CLONTARF AND HOWTH, No. 1, part of.
.	.	1	1	5	4	5	9	7	.	.	COOLOCK AND DRUMCONDRA, No. 1, part of.
1	.	.	1	4	5	.	2	2	.	.	FINGLAS AND GLASNEVIN, part of.
											South City.
.	.	3	2	22	36	15	5	33	5	6	SOUTH CITY, No. 1.
.	.	.	.	3	17	11	2	21	2	3	,, 2.
2	.	.	1	25	40	19	15	43	2	7	,, 3.
.	.	1	.	14	26	11	5	34	6	9	,, 4.
.	.	.	.	3	4	2	1	2	.	1	NEW KILMAINHAM.
											Urban Districts.
.	.	.	2	10	21	13	6	13	2	7	RATHMINES AND RATHGAR.
.	.	1	2	5	8	8	10	14	1	1	PEMBROKE.
.	.	.	.	2	.	2	1	3	.	.	BLACKROCK.
.	.	.	1	10	10	1	2	2	3	7	KINGSTOWN.
2	.	6	15	80	115	55	44	114	14	38	**North.** } **Total City.**
2	.	4	3	67	123	58	28	133	15	26	**South.** } **Total City.**
4	.	10	18	147	238	113	72	247	29	64	**North & South.** } **Total City.**
.	.	1	5	27	39	24	19	32	6	15	**Total Urban Districts.**
4	.	11	23	174	277	137	91	279	35	79	**Total Registration Area.**
1	.	.	.	3	9	8	21	5	4	.	

* See note (*) on page 430. † Formerly described as "Simple Continued Fever."

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL **13 weeks ending Saturday, 30th June, 1906**; the Annual Death-rate represented by some of the Principal Causes of Death; also the number of Uncertified Deaths.

Class.	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, (13 Weeks) Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	Cols:	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	ALL PERSONS,	375,350	22·5	2,116	453	171	364	509	526	93
	CLASSES.									
	Deaths in Families of the—									
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	15·1	66	1	3	7	14	26	15
II.	MIDDLE CLASS,	87,188	16·8	366	45	31	53	88	116	33
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	17·1	472	96	49	90	115	112	10
IV.	GENERAL SERVICE CLASS,	154,279	30·2	761	243	74	143	163	124	14
V.	INMATES OF WORKHOUSES,	6,024		451	68	14	71	129	148	21
I.	PROFESSIONAL AND INDEPENDENT CLASS.									
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	23·6	46	1	1	7	10	18	9
	2. Merchants and Manufacturers, Higher Class,	1,277	9·4	3	.	1	.	1	1	.
	3. Persons of Rank and Property, not otherwise described,	8,360	8·1	17	.	1	.	3	7	6
II.	MIDDLE CLASS.									
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	14·5	28	1	1	5	8	12	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	17·8	98	15	6	11	22	33	11
	6. Clerks and Commercial Assistants,	30,432	11·7	89	15	13	20	26	13	2
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	22·3	151	14	11	17	32	58	19
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.									
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	9,874	17·8	44	11	4	12	10	7	.
	9. Buildin and Furnishing Trades,	29,801	18·4	137	34	16	19	37	29	2
	10. Clothing Trades,	23,260	15·6	91	18	7	23	21	21	1
	11. Food Supply Trades,	9,242	5·5	22	4	2	3	4	8	1
	12. Other Trades and Callings ranking with Trades,	30,352	19·4	147	21	18	27	36	40	5
	13. Petty Shopkeepers,	7,894	15·7	31	8	2	6	7	7	1
IV.	GENERAL SERVICE CLASS.									
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	15·5	52	7	4	13	14	12	2
	15. Domestic Servants,	36,603	8·4	77	15	4	23	15	17	3
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	78	20	8	15	19	16	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	24·7	554	201	58	92	115	79	9
V.	INMATES OF WORKHOUSES.									
	18. Workhouse Inmates,	6,024	.	451	68	14	71	129	148	21

Position of the Persons whose Deaths were registered in the Dublin Registration Area during the the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from

ENDING SATURDAY, 30TH JUNE, 1906.

Causes of Death.																			Class and Order.
Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Total. Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.	Number of Uncertified Deaths.	
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
.	9	.	.	21	5	.	11	23	69	177	286	145	112	56	284	39	948	79	
.	.	.	.	.	.	.	.	.	.	5	2	2	7	.	8	1	41	.	I.
.	1	.	.	4	3	.	2	1	11	32	33	25	32	4	21	3	205	2	II.
.	2	.	.	5	1	.	1	3	12	48	66	33	19	12	60	9	213	31	III.
.	6	.	.	11	1	.	7	16	41	65	109	56	30	37	93	23	307	45	IV.
.	.	.	.	1	.	.	1	3	5	27	76	29	24	3	102	3	182	1	V.
																			I.
.	.	.	.	.	.	.	.	.	.	4	2	.	4	.	8	.	28	.	1
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	2
.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	1	12	.	3
																			II.
.	.	.	.	.	.	.	1	.	1	2	2	2	3	.	1	1	16	.	4
.	1	.	.	2	2	.	1	.	6	11	5	3	6	1	5	.	61	1	5
.	.	.	.	2	1	.	.	1	4	8	18	9	4	2	5	2	37	.	6
.	.	.	.	.	.	.	.	.	.	11	8	11	19	1	10	.	91	1	7
																			III.
.	1	.	.	.	.	.	.	.	1	4	7	4	3	3	2	.	20	2	8
.	.	.	.	2	.	.	1	1	4	18	17	12	4	7	13	3	59	10	9
.	1	.	.	3	1	.	.	.	5	5	13	6	4	1	14	.	43	5	10
.	.	.	.	.	.	.	.	.	.	2	2	3	1	1	4	2	7	.	11
.	.	.	.	.	.	.	.	1	1	17	21	7	6	.	20	4	71	12	12
.	.	.	.	.	.	.	.	1	1	2	6	1	1	.	7	.	13	2	13
																			IV.
.	.	.	.	.	.	.	1	.	1	1	5	2	5	.	4	1	33	.	14
.	.	.	.	.	.	.	1	5	6	3	11	8	5	.	7	1	36	1	15
.	.	.	.	.	.	.	.	1	1	8	11	8	5	1	7	1	36	3	16
.	6	.	.	11	1	.	5	10	33	53	82	38	15	36	75	20	202	41	17
.	.	.	.	1	.	.	1	3	5	27	76	29	24	3	102	3	182	1	V. 18

* Formerly described as "Simple Continued Fever."

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 20·5 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Dundalk, 12·8 ; Drogheda, 15·0 ; Portadown, 15·9 ; Lurgan, 16·0 ; Waterford, 16·3 ; Tralee, 16·6 ; Sligo, 17·3 ; Ballymena, 17·6 ; Newry, 17·7 ; Queenstown, 18·2 ; Clonmel, 18·5 ; Wexford, 18·6 ; Kilkenny, 19·2 ; Limerick, 19·5,; Cork, 19·8 ; Londonderry, 19·8 ; Galway, 20·6 ; Lisburn, 21·3 ; Belfast, 21·3 ; Dublin Registration Area, 21·3 ; Armagh, 22·7, and Newtownards, 24·1.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·4 per 1,000 of the population, the rates varying from 0·1 in Waterford to 2·9 in Londonderry, the 208 deaths from all causes in the latter district including 22 from measles, 3 from whooping-cough, one from diphtheria, one from enteric fever, and 4 from diarrhœal diseases. The 1,953 deaths, from all causes in Belfast include 5 from measles, 3 from scarlet fever, 176 from whooping-cough, 6 from diphtheria, 2 from *pyrexia* (origin uncertain), 15 from enteric fever, and 31 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Small-pox.—There was not one death from small-pox registered during the quarter.

Measles.—In Londonderry 22 deaths, in Belfast 5 deaths, in each of Lurgan and Armagh 2 deaths were registered, and in each of Drogheda and Portadown one death was registered.

Scarlet Fever.—Three deaths were registered in Belfast and one in Waterford.

Typhus.—Three deaths were registered in Galway.

Whooping-cough.—In Belfast 176 deaths were registered, in Londonderry 3, in Dundalk 2, and in each of Cork, Newry, Ballymena, and Clonmel one death was registered.

Diphtheria.—Six deaths were registered in Belfast, 2 in Cork, and one in each of Londonderry, Limerick, Dundalk, Lisburn, and Ballymena.

Enteric Fever.—In Belfast 15 deaths, and in Clonmel 2 deaths were registered. In each of Londonderry, Newry, and Tralee one death was registered.

Two deaths from *pyrexia* (origin uncertain) were registered in each of Belfast and Galway.

Diarrhœal Diseases.—Of 57 deaths from diarrhœal diseases 31 belonged to Belfast.

Phthisis.—The death-rate from phthisis for the 22 towns in the aggregate, was 3·0 per 1,000 of the population ; for the Dublin Registration Area it was 2·9 per 1,000, for Belfast County Borough 3·3 per 1,000, and for the Urban Districts, collectively, (exclusive of Belfast and Dublin Registration Area) it was 2·8 per 1,000.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, *pyrexia* (origin uncertain), enteric fever, and diarrhœal diseases.

Deaths from some of the principal causes; also the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by: Births.	Deaths from: All Causes.	Deaths from: Diseases in Cols. 10-18.	Registration—Quarter (13 Weeks) ending Saturday, 30th June, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years and upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia † (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
Total of 22 Town Districts,	1,101,499	19·3	30·2	20·5	1·4	8,328	5,636	919	1,517	.	42	4	3	206	17	4	31	80	425	835	349	200	803	102	185	1,821	235
Dublin Registration Area,	378,994	27·5	29·6	21·3	0·7	2,809	2,022	292	604	.	9	.	.	21	4	.	11	23	174	277	137	91	279	35	67	857	79
Urban Districts.																											
Belfast,	‡366,220	24·9	33·3	21·3	2·6	3,051	1,953	391	389	.	5	3	.	176	6	2	15	31	170	306	115	44	282	43	71	484	28
Cork,	76,122	33·6	27·9	19·8	0·4	531	376	50	117	.	.	.	.	1	2	.	.	4	14	71	26	16	50	5	10	152	16
Londonderry,	42,067	19·4	29·1	19·8	2·9	306	208	35	52	.	22	.	.	3	1	.	1	4	8	21	15	6	30	5	10	46	9
Limerick,	38,151	18·1	28·3	19·5	0·2	270	186	32	50	.	.	.	.	.	1	.	.	1	18	30	7	1	41	.	2	66	25
Waterford,	26,769	18·7	21·8	16·3	0·1	146	109	10	30	.	.	1	.	.	.	.	.	.	2	15	6	4	23	4	5	43	11
Galway,	13,426	2·5	32·2	20·6	1·5	108	69	8	27	.	.	.	3	.	.	2	.	.	2	16	2	5	5	1	.	30	14
Dundalk,	13,076	9·4	26·3	12·8	0·9	86	42	6	12	.	.	.	.	2	1	.	.	.	6	4	8	.	3	.	.	11	3
Drogheda,	12,760	8·6	22·6	15·6	0·3	72	48	8	21	.	1	.	.	.	.	.	.	.	3	3	.	2	11	.	2	11	1
Newry,	12,405	17·8	23·2	17·7	1·0	72	55	4	21	.	.	.	.	1	.	.	1	1	.	10	1	5	2	2	2	16	1
Lurgan,	11,782	13·8	27·2	16·0	0·7	80	47	5	14	.	2	.	.	.	.	.	.	.	2	10	3	3	4	1	2	9	3
Lisburn,	11,461	10·1	31·1	21·3	0·3	89	61	14	17	.	.	.	.	.	1	.	.	.	7	9	3	6	7	1	2	9	3
Wexford,	11,168	23·2	27·6	18·6	1·1	77	52	6	19	.	.	.	.	.	.	.	.	3	.	10	5	4	6	2	.	8	6
Ballymena,	10,886	8·9	32·0	17·6	1·8	87	48	9	20	.	.	.	.	1	1	.	.	3	2	8	2	2	3	.	.	4	2
Sligo,	10,870	3·7	29·4	17·3	1·1	80	47	7	18	.	.	.	.	.	.	.	.	3	2	4	1	.	8	.	1	12	12
Kilkenny,	10,609	11·5	26·0	19·2	0·8	69	51	8	18	.	.	.	.	.	.	.	.	2	2	6	1	.	15	.	1	18	5
Clonmel,	10,167	7·8	24·0	18·5	1·6	61	47	6	12	.	.	.	.	1	.	.	2	1	.	9	1	2	9	1	2	15	10
Portadown,	10,092	13·2	32·9	15·9	0·4	83	40	6	11	.	1	.	.	.	.	.	.	.	2	4	2	4	4	.	2	.	.
Tralee,	9,867	16·6	27·2	16·6	0·4	67	41	4	19	.	.	.	.	.	.	.	1	.	.	5	1	.	4	.	1	10	1
Newtownards,	9,110	18·9	32·9	24·1	0·9	75	55	10	19	.	.	.	.	.	.	.	.	2	2	7	3	2	8	.	2	6	4
Queenstown,	7,909	14·4	29·8	18·2	1·0	59	36	2	12	.	.	.	.	.	.	.	.	2	5	6	7	.	2	1	2	3	1
Armagh,	7,588	22·2	26·4	22·7	1·1	50	43	6	15	.	2	.	.	.	.	.	.	.	4	4	3	3	7	1	1	11	1

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1906; that for each of the other districts is the Population according to the Census of 1901.

† Formerly described as "Simple Continued Fever." ‡ As revised. (See page 436 of Weekly Returns).

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended **30th JUNE, 1906**, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at each of four AGE PERIODS: the Number of Deaths from some of the Principal CAUSES: the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1.)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
City of Belfast.			The estimate of the Population of Belfast now adopted (see Table IV.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.																								
BELFAST URBAN, No. 1 DISTRICT,	14,734	112			107	17	18	58	19	.	.	1	.	21	2	1	1	.	3	18	4	2	15	5	5	34	2
" 2 "	47,959	391			235	44	30	114	47	.	.	.	.	17	.	.	.	.	21	37	12	1	35	6	11	54	4
" 3 "	47,214	372			249	55	37	111	46	.	1	.	.	34	.	.	5	5	23	48	12	5	31	6	9	51	8
" 4 "	40,911	437			260	55	35	118	52	.	.	.	.	15	.	1	2	4	21	33	11	9	39	4	9	99	3
" 5 "	17,887	142			128	39	20	48	21	.	1	.	.	19	.	.	.	3	12	21	9	2	15	3	4	44	4
" 6 "	48,122	293			257	45	23	126	63	.	.	1	.	12	.	.	1	3	25	46	8	7	35	4	8	77	3
" 7 "	1,524	12			14	.	2	9	3	.	.	.	.	.	.	.	.	.	.	5	.	.	2	.	.	5	.
" 8 "	5,060	36			27	3	4	14	6	.	.	.	.	.	1	.	.	3	2	7	2	.	6	.	.	8	.
" 9 "	19,569	163			127	22	13	69	23	.	2	.	.	6	.	.	1	1	8	10	25	3	19	4	5	25	2
" 10 "	23,064	266			188	28	18	67	25	.	.	.	.	11	.	.	1	2	17	21	10	4	24	2	5	19	1
" 11 "	34,802	303			181	41	28	73	39	.	.	.	.	19	1	.	1	4	19	24	13	6	24	5	6	27	.
" 12 "	33,588	380			159	28	34	70	27	.	.	1	.	16	1	.	3	3	16	23	6	3	29	4	7	35	.
" 13 "	15,006	142			71	14	10	29	18	.	1	.	.	6	1	.	.	3	3	13	3	2	8	.	2	6	1
" 14 "	240	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, . .	349,180	3,051			1,958	391	272	901	389	.	5	3	.	176	6	2	15	31	170	306	115	44	282	43	71	484	28
City of Cork.																											
CORK URBAN, No. 1 DISTRICT,	12,867	84	17·7	.	57	4	3	19	31	.	.	.	.	.	.	.	.	.	4	6	3	3	4	.	1	25	.
" 2 "	10,701	95	19·1	1·9	51	4	7	27	13	.	.	.	.	.	2	.	.	3	2	10	2	3	7	.	2	17	3
" 3 "	9,978	72	20·0	.	50	8	5	31	6	.	.	.	.	.	.	.	.	.	.	13	3	2	10	1	1	16	3
" 4 "	8,666	62	30·5	0·5	66	11	5	32	18	.	.	.	.	.	.	.	.	1	4	13	6	3	8	1	2	44	4
" 5 "	6,592	36	23·7	0·6	39	4	1	19	15	.	.	.	.	1	.	.	.	.	1	6	6	2	5	.	2	17	.
" 6 "	10,702	80	14·2	.	38	8	3	18	9	.	.	.	.	.	.	.	.	.	3	8	4	.	2	.	.	6	3
" 7 "	16,616	102	18·1	.	75	11	9	30	25	.	.	.	.	.	.	.	.	.	.	15	2	3	14	3	2	27	3
Total, . .	76,122	531	19·8	0·4	376	50	33	176	117	.	.	.	.	1	2	.	.	4	14	71	26	16	50	5	10	152	16

* Formerly described as "Simple Continued Fever."

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & CO. (Limited), 87, 88, and 89, Abbey-street.

360. W. Wt. P. 1. 7. 06. (3. 06.)—14100.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 7TH JULY, 1906. [No. 27.

General Register Office, Charlemont House, Dublin, 9th July, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending June 16.	Week ending June 23.	Week ending June 30.	Week ending July 7.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 16.	Week ending June 23.	Week ending June 30.	Week ending July 7.	Average Rate for 4 weeks.
22 Town Dists.	17·5	18·3	15·3	15·0	16·5	Lisburn, . .	9·1	27·3	9·1	4·5	12·5
Armagh, . .	27·5	13·7	27·5	13·7	20·6	Londonderry,	24·8	18·6	19·8	8·7	18·0
Ballymena, .	14·4	28·7	9·6	19·2	18·0	Lurgan, . .	22·1	8·9	8·9	17·7	14·4
Belfast,† . .	19·1	18·7	16·1	15·0	17·2	Newry, . .	12·6	8·4	16·8	4·2	10·5
Clonmel, . .	5·1	25·6	5·1	.	9·0	Newtownards, .	22·9	28·6	.	45·8	24·3
Cork, . . .	16·4	14·4	18·5	13·7	15·8	Portadown,	10·3	15·5	10·3	10·3	11·6
Drogheda, . .	20·4	16·3	4·1	16·3	14·3	Queenstown .	26·4	26·4	19·8	13·2	21·4
Dublin Reg. Area,	16·4	20·2	16·4	16·9	17·5	Sligo, . . .	.	19·2	4·8	14·4	9·6
Dundalk, . .	16·0	4·0	8·0	4·0	8·0	Tralee, . .	10·6	31·7	10·6	21·1	18·5
Galway, . .	7·8	23·3	7·8	19·4	14·6	Waterford, .	21·4	7·8	11·7	11·7	13·2
Kilkenny, . .	14·7	9·8	14·7	4·9	11·0	Wexford, . .	9·3	9·3	18·7	32·7	17·5
Limerick, . .	20·5	10·9	10·9	9·6	13·0						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in seventeen of the districts to 3·7 in Londonderry, the 7 deaths from all causes in that district including 3 from measles. Among the 105 deaths from all causes in Belfast are one from measles, 4 from whooping-cough, 2 from diphtheria, and 4 from diarrhœal diseases; the 20 deaths in Cork include one from diphtheria and one from diarrhœa; and the 7 deaths from all causes in Limerick include one from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 189—107 boys and 82 girls; and the deaths to 130—61 males and 69 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 17·9 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See notes (*a*) and (*i*), Table II. ‡ See columns 10–18 of Table II.

into public institutions from localities outside the Area, the rate was 16·9 per 1,000. During the twenty-seven weeks ending with Saturday last the death-rate averaged 22·9, and was 3·6 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The only one of the principal epidemic diseases causing mortality was whooping-cough, 4 deaths from this disease being registered during the week. Deaths from whooping-cough were 2, 2, and one in each of the 3 preceding weeks.

There were 3 deaths from broncho-pneumonia, and one death from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease amounted to 37. This figure includes 8 deaths from tuberculous phthisis, 18 deaths from *phthisis*, 3 deaths from tuberculous meningitis, and 8 deaths from other forms of the disease. In each of the 3 preceding weeks the deaths from all forms of tuberculous disease were 29, 40, and 30.

The deaths from malignant disease included 3 from carcinoma, and 4 from cancer, malignant disease (undefined).

The deaths of 5 infants, prematurely born, were recorded.

Diseases of the brain and nervous system caused 10 deaths, including those of 3 children under 5 years of age from *convulsions*.

Diseases of the heart and blood-vessels accounted for 15 of the total deaths registered, and from bronchitis there were 17 deaths.

Four deaths were attributed to accidental violence.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 persons aged 60 years and upwards.

Thirty-five of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 8 were under one month old) and 28 were aged 60 years and upwards, including 11 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a female) was stated to have been aged 95 years.

Forty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·9 per 1,000; the rate in the City was 17·8 (North City Districts, 18·7; South, 16·8), and in the Suburbs, 14·0.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·6 per 1,000 inhabitants, the rate for the City being 0·7 (1·0 in the North City Districts, and 0·4 in the South) and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 20·2 per 1,000, and include one death from whooping-cough, 3 deaths from tuberculous disease, and 4 deaths from diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·6 per 1,000. The 17 deaths include 2 from whooping-cough, one from broncho-pneumonia, 5 from tuberculous disease, and 5 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000. Included in the deaths registered are one from broncho-pneumonia, 3 from *phthisis*, and 3 deaths from diseases of the respiratory system.

No. 3 North City District (Benburb-street).—The deaths (8) represent an annual rate of 13·2 per 1,000. Of the 8 deaths registered in this district 5 were from tuberculous disease, the latter figure including 2 deaths from tuberculous meningitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 5·2 per 1,000 inhabitants; Finglas and Glasnevin, part of, 15·6; and Clontarf and Howth, No. 1, part of, 0·0. The only death for Coolock and Drumcondra, No. 1 (part of), was due to tuberculous phthisis, and of the 2 deaths from all causes for Finglas and Glasnevin (part of) one was from tuberculous meningitis.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 21·7 per 1,000. Broncho-pneumonia and *pneumonia* (not defined), each caused one death; there were 4 deaths from tuberculous disease and 3 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (3) are equal to an annual rate of 8·6 per 1,000. Of the 3 deaths 2 were from diseases of the circulatory system, and one death was due to laryngitis.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 21·1 per 1,000, and include 7 deaths from tuberculous disease and one death from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (8) are equivalent to an annual rate of 11·9 per 1,000. The deaths included one from whooping-cough and one death from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000. Of the 2 deaths one was due to heart disease.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·4; Pembroke, 14·0; Blackrock, 0·0; and Kingstown, 8·9. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Among the 13 deaths from all causes for Rathmines and Rathgar there were 4 deaths from tuberculous disease. The 7 deaths from all causes for Pembroke include 2 from tuberculous disease and one from bronchitis; and the 3 deaths from all causes for Kingstown include one from tuberculous disease and one from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. awcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive nitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock rban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban istrict; and by the Executive Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 7th July, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	June 16,	.	—	—	4	.	.	13	.	3	3	2	.	—	—	—	—	—	25
	June 23,	.	—	—	4	.	.	2	.	6	8	26	.	—	—	—	—	—	46
	June 30,	.	—	—	4	2	.	4	.	.	3	12	.	—	—	—	—	—	25
	July 7,	.	—	—	4	1	.	3	.	4	5	11	.	—	—	—	—	—	28
Rathmines and Rathgar Urban District.	June 16,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	3
	June 23,	.	—	—	.	.	.	3	.	.	1	.	.	—	—	—	—	—	4
	June 30,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	—	5
	July 7,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	3
Pembroke Urban District.	June 16,	.	.	.	2	.	.	.	.	.	.	.	.	—	2	.	—	—	4
	June 23,	.	.	.	1	.	.	.	.	.	1	.	.	—	.	.	—	—	2
	June 30,	.	.	.	.	.	.	1	.	.	1	.	.	—	1	.	—	—	3
	July 7,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
Blackrock Urban District.	June 16,	.	—	—	.	1	.	.	.	.	.	.	.	—	—	—	—	—	1
	June 23,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	June 30,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	July 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	June 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 30,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	July 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	June 16,	.	—	—	12	.	.	2	.	5	8	3	.	—	—	—	—	—	30
	June 23,	.	—	—	10	.	.	2	.	7	2	4	.	—	—	—	—	—	25
	June 30,	.	—	—	7	.	.	5	1	3	4	6	.	—	—	—	—	—	26
	July 7,	.	—	—	18	.	.	1	.	6	7	5	1	—	—	—	—	—	38

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the blin Hospitals during the week ended 7th July, 1906.

From this it appears that:—

Four cases of measles were admitted to hospital during the week, 2 were discharged, and ases remained under treatment at its close.

Five cases of scarlet fever were admitted to hospital, 7 were discharged, and 33* cases ained under treatment at the close of the week.

Two cases of typhus were admitted to hospital, one was discharged, and 3 remained under atment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 6 were discharged, and 29 patients ained under treatment at the close of the week.

Two cases of enteric fever were admitted to hospital, 3 were discharged, and 24 cases ained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, ere discharged, there was one death, and 26 cases remained under treatment at the end he week.

ENGLAND AND SCOTLAND.

he mortality last week in 76 large English towns, including London (in which the was 12·3), was equal to an average annual death-rate of 12·3 per 1,000 persons living, average rate for 8 principal towns of Scotland was 15·3 per 1,000, the rate for Glasgow g 16·7, and for Edinburgh 13·8.

INFECTIOUS DISEASE IN EDINBURGH.

have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a of his Return of Infectious Diseases notified during the week ended 7th July. From this Return it ars that of a total of 33 cases notified 16 were scarlet fever, 8 diphtheria, 6 erysipelas, and 2 typhoid r. Among the 314 cases of infectious diseases in hospital at the close of the week were 102 cases carlet fever, 93 of measles, 43 of diphtheria, 13 of whooping-cough, 13 of erysipelas, and 12 of typhoid r.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 7th July, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Registration—Week ending Saturday, 7th July, 1906. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 7th July, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th June, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd June, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,101,499	19·3	28·5	15·0	1·0	601	317	56	76	.	4	.	.	8	3	.	1	5	16	49	22	19	36	11	14	98	13	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—TOTAL, d.	378,994	27·5	26·0	16·9	0·6	189	123	19	27	.	.	.	.	4	.	.	.	.	4	25	11	5	21	4	5	41	3	f70·9	40·1	55·8	0·39	f70·2	37·8	56·6	0·45	f75·3	46·1	60·1	0·79
CITY OF DUBLIN,	298,385	37·1	27·5	17·8	0·7	155	100	18	18	.	.	.	.	4	.	.	.	.	4	20	9	5	18	3	4	35	2	g71·2 h71·9	47·4 42·0	58·3 56·2	0·33 0·33	g71·1 h69·9	42·7 37·2	58·1 56·7	0·34 0·46	g76·2 h76·9	48·8 48·2	61·8 60·8	0·43 0·84
Urban Dists. RATHMINES AND RATHGAR.	33,208	19·4	20·4	20·4	.	18	18	1	5	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. PEMBROKE	26,025	16·4	24·0	14·0	.	12	7	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. BLACKROCK	8,759	8·1	6·0	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. KINGSTOWN,	17,622	12·1	23·7	8·9	.	8	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	67·5	48·5	56·7	0·27	69	44·5	58·0	0·09	75	49	60·1	0·52
URBAN DISTRICTS.																																							
BELFAST,	366,220i	24·9	32·0	15·0	1·6	225	105	24	23	.	1	.	.	4	2	.	.	4	8	12	6	9	7	3	5	30	1	66·5	43·0	56·0	0·92	66·0	48·5	57·0	0·62	71·5	45·5	59·8	0·69
CORK,	76,122	33·6	22·6	18·7	1·4	33	20	4	3	.	.	.	.	.	1	.	.	1	1	4	.	.	1	1	2	11	2	65	49	57·2	0·54	65	45	56·5	0·45	64	54	59·5	0·79
LONDONDERRY,	42,067	19·4	28·5	8·7	3·7	23	7	1	1	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	21·9	9·6	1·4	16	7	.	3	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	23·4	11·7	.	12	6	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	31·1	.	.	8	5	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	3	.	70	52	60·5	0·83	65	46	56·5	0·50	69	54	61	1·75
DUNDALK,	18,076	9·4	35·9	4·0	.	9	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	13,760	8·6	49·0	16·8	.	12	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	12·6	4·2	.	8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70·2	45·9	56·8	0·44	67·8	50·7	55·5	0·31	71·9	46·2	60·2	0·45
LURGAN,	11,782	13·8	26·6	17·7	.	6	4	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	70·2	45·9	56·8	0·44	67·8	50·7	55·5	0·31	71·9	46·2	60·2	0·45
LISBURN,	11,461	10·1	27·3	4·5	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	70·2	45·9	56·8	0·44	67·8	50·7	55·5	0·31	71·9	46·2	60·2	0·45
WEXFORD,	11,168	23·2	46·7	32·7	.	10	7	.	2	.	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	33·5	19·2	.	7	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	3·7	38·4	14·4	.	8	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	67·9	41·2	55·8	0·16	67·2	39·2	54·2	0·42	71·5	49·8	60·7	1·84
KILKENNY,	10,609	11·5	9·8	4·9	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69	44	56·4	0·42	69	37	57	0·50	74	49	62·3	1·00
CLONMEL,	10,167	7·8	41·0	.	.	8	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	31·0	10·8	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	70·2	45·9	56·8	0·44	67·8	50·7	55·5	0·31	71·9	46·2	60·2	0·45
TRALEE,	9,867	16·6	21·1	21·1	.	4	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	57·2	45·8	.	10	8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	2	.	65	47	54·3	0·54	67	41	54·3	1·12	71	49	57·2	0·49
QUEENSTOWN,	7,909	14·4	6·6	13·2	.	1	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	65	49	57·2	0·54	65	45	56·5	0·45	64	54	59·5	0·79
ARMAGH,	7,588	22·2	20·6	13·7	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	70·2	45·9	56·8	0·44	67·8	50·7	55·5	0·31	71·9	46·2	60·2	0·45

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 7 deaths of persons (including 2 under 1 year old and one at 61 years), admitted to hospital from localities outside the Area. In several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Ballymena, Newry, and Portadown, those at [illegible] Queenstown. f Observations at Ordnance Survey Office, Phœnix Park. g Observations by Sir John Moore taken at Fitzwilliam Square. h Observations by Mr. E. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 7th of July, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLASNEVIN & HOWTH No. 1 (part of).	GOOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia,	.	1	1	.	.	.	.	2	.	.	.	.	.	.	.	.	4	.
Tuberculous Disease. Phthisis,	2	5	3	3	.	1	.	1	.	5	.	.	4	1	.	.	25	1
Tuberculous Disease. Other Forms.	1	.	.	2	.	.	1	3	.	2	.	.	.	1	.	1	11	.
Cancer, Malignant Disease,	1	2	.	.	.	.	.	1	.	.	1	.	.	.	.	.	5	2
Other General Diseases	.	1	3	.	.	.	.	2	.	2	1	.	1	.	.	.	10	1
Total,	5	11	7	5	.	1	1	9	.	9	3	.	5	2	.	1	59	4
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	.	1	.	.	.	.	.	.	2	1	.	2	2	.	.	8	2
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	.	1	3	1	.	.	.	2	2	1	1	.	1	2	.	.	14	1
Diseases of: Respiratory System,	4	5	3	.	.	.	.	3	1	1	1	.	1	1	.	1	21	.
Diseases of: Digestive System,	1	.	1	.	.	.	.	.	.	1	.	.	2	.	.	.	5	.
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Urinary System,	.	.	.	1	.	.	.	1	.	1	.	.	2	.	.	.	5	.
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	6	8	2	.	.	.	6	3	6	3	1	7	5	.	1	53	3
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	.	1	.	.	.	1	.	1	2	1	1	.	.	.	7	.
E. VIOLENT DEATHS,	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	4	.
Deaths from all Causes,	11	17	15	8	.	1	2	16	3	17	8	2	13	7	.	3	123	7
Annual Rate of Mortality from all causes in every 1,000 of the population	20·2	22·6	26·0	13·2	.	5·2	15·6	21·7	8·6	21·1	11·9	11·7	20·4	14·0	.	8·9	16·9	.
	18·7							16·8					14·0					
	17·8																	
Ages at Death. Under 1 year,	3	2	1	1	.	.	1	4	.	5	1	.	1	.	.	.	19	2
1 and under 5 years,	2	2	4	1	.	.	.	.	1	.	3	.	.	1	.	.	14	.
5 „ 20 „	1	1	.	1		.	1	2	.	2	1	.	1	2	.	1	13	1
20 „ 40 „	1	2	3	1	.	1	.	2	1	5	1	.	1	1	.	.	19	2
40 „ 60 „	2	7	4	3	.	.	.	4	.	4	1	.	5	.	.	1	31	1
60 and upwards,	2	3	3	1	.	.	.	4	1	1	1	2	5	3	.	1	27	1
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	2	1	.	.	.	.	.	1	2	1	.	4	.	.	1	13	4
Workhouse Hospitals,	.	5	5	4	.	.	.	9	.	4	.	.	.	1	.	.	28	3

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regist week of the ten years, 18

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 27th Week of the 10 years 1896–1905.	In the Week ending Satur 7th July, 1906. Deaths of Persons of the A					
	July 4, 1896.	July 10, 1897.	July 9, 1898.	July 8, 1899.	July 7, 1900.	July 6, 1901.	July 5, 1902.	July 11, 1903.	July 9, 1904.	July 8, 1905.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.		
Mean Temperature.	59·2	56·5	57·0	60·6	56·2	58·9	58·9	60·4	57·2	59·1	58·4	55·8					
ALL CAUSES.	172	145	136	156	124	153	149	138	138	140	145·1	130	8	12	14	14	21
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	.	5	.	.	6	.	2	1	1·4	.	.	.	.	.	.
Scarlet Fever,	6	1	2	.	.	.	1	.	.	1	1·1	.	.	.	.	.	.
Typhus,	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	3	1	3	1	6	.	1	1	1	1·9	.	.	.	.	.	.
Whooping-cough,	5	2	3	1	3	2	.	1	3	.	2·0	4	.	3	1	.	.
Diphtheria,	.	2	.	1	.	3	.	.	.	.	·6	.	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	1	2	.	.	·3	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Enteric Fever,	3	1	.	3	2	2	2	.	.	2	1·5	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	18	2	.	3	2	1	1	.	.	3	4·0	.	.	.	.	.	.
Diarrhœa, Dysentery,							1	1	5	3		.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	.	1	.	.	.	1	.	2	·5	.	.	.	.	.	.
Puerperal Septicæmia,							.	1	.	2	·3	.	.	.	.	.	.
Puerperal Pyæmia,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Puerperal Fever,							.	.	.	.		.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,							.	1	.	.	9·1	.	.	.	.	.	.
Pneumonia, Broncho-	10	7	6	11	5	5	3	6	.	1		3	.	.	2	.	.
Pneumonia, Epidemic,							1	.	.	.		.	.	.	.	.	.
Pneumonia, Not defined,							14	8	5	8		1	.	.	.	.	.
Erysipelas,	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	.	1	1	.	3	.	.	2	.	·7	1	.	.	.	.	.
Pyæmia (not Puerperal),							.	.	.	.		.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.
Tuberculous Phthisis,	20	24	18	26	26	19	2	2	6	8	22·8	8	.	.	.	3	4
"*Phthisis*,"							16	24	22	15		18	.	.	.	2	10
Tuberculous Meningitis,	6	4	3	8	3	3	4	1	3	1	3·6	3	.	1	1	1	.
Tuberculous Peritonitis,	6	2	5	2	2	6	2	.	1	1	3·0	.	.	.	.	.	.
Tabes Mesenterica,							2	1	.	.		.	.	.	.	.	.
Tuberculous Dis. (other),	3	4	3	3	6	5	4	3	5	5	4·1	8	.	4	.	4	.
Scrofula,							.	.	.	.		.	.	.	.	.	.
Alcoholism,	.	2	1	.	.	1	.	1	1	.	·6	.	.	.	.	.	.
Rheumatic Fever,	.	.	1	1	1	.	.	.	.	1	·4	1	.	.	.	.	.
Gout,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.
Carcinoma,							.	3	3	4	5·9	3	.	.	.	.	.
Sarcoma,	6	7	6	5	3	7	.	.	.	1		.	.	.	.	.	.
Cancer (undefined),							2	4	5	3		4	.	.	.	.	.
Diabetes Mellitus,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Premature Birth,	1	3	4	5	3	4	3	2	4	1	3·0	5	5	.	.	.	.

* The figures for the years 1896–190
† Formerly desc

WENTY-SEVENTH WEEK ending Saturday, 7th July, 1906, with the deaths from each cause in the corresponding he average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: July 4, 1896.	July 10, 1897.	July 9, 1898.	July 8, 1899.	July 7, 1900.	July 6, 1901.	July 5, 1902.	July 11, 1903.	July 9, 1904.	July 8, 1905.	Averages in 27th Week of the 10 years 1896–1905.	In the Week ending Saturday, 7th July, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 59·2	° 56·5	° 57·0	° 60·6	° 56·2	° 58·9	° 58·9	° 60·4	° 57·2	° 59·1	° 58·4	° 55·8								
ingitis (not tuberc.) ...							4	1	3	4		1	.	.	.	1	.	.	.	.
nity, G. P. of Insane ...							1	.	2	1		.	.	.	.	.	.	.	.	.
lepsy							.	1	.	1		.	.	.	.	.	.	.	.	.
ulsions							5	4	4	4		3	.	1	2	.	.	.	.	.
omotor Ataxy ...							.	.	1	.		.	.	.	.	.	.	.	.	.
iplegia Dis. of Cord ...							2	3	.	3		3	.	.	1	.	.	1	.	1
vous System (other s.)	34	30	32	34	22	33	2	2	2	2	31·5	3	.	.	.	1	.	1	1	.
v. Dis., Endocarditis ...							4	6	7	5		1	.	.	.	.	1	.	.	.
ebr. Hæm. Thromb. ...							.	2	2	1		.	.	.	.	.	.	.	.	.
olexy, *Hemiplegia* ...							3	2	2	.		2	.	.	.	.	1	1	.	.
urysm							.	.	.	1		.	.	.	.	.	.	.	.	.
olism, Thromb. (not rebral)							.	.	.	.		.	.	.	.	.	.	.	.	.
rt and Blood Vessel Dis.							10	10	13	10		12	.	.	.	.	4	2	5	1
p (not Spasm. nor emb.)	.	.	1	.	2	.	.	.	.	.	·3	1	.	.	1	.	.	.	.	.
nchitis	5	4	10	12	8	8	11	6	10	11	8·5	17	.	2	2	1	.	3	6	3
ma, Emphysema ...							.	.	1	1		1	.	.	.	.	.	1	.	.
risy	2	7	1	1	.	2	1	1	.	.	2·2	.	.	.	.	.	.	.	.	.
oratory Dis. (other) ...							1	3	.	1		2	.	.	1	.	.	.	.	1
sillitis, Quinsy ...	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ritis (not Epid.) ...							.	.	1	.		.	.	.	.	.	.	.	.	.
ro *Enteritis*	2	.	1	.	.	1	1	.	1	.	·7	1	.	.	1	.	.	.	.	.
onitis (not Puerp.) ...	.	1	.	1	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
hosis of Liver ...							.	.	2	2		.	.	.	.	.	.	.	.	.
r Dis. (other) ...	.	1	.	.	1	2	1	1	1	2	1·3	1	.	.	.	.	.	1	.	.
stive Dis. (other) ...	8	6	6	2	2	7	1	2	2	4	4·0	3	.	.	1	.	.	2	.	.
hritis, Acute ...							1	3	.	2		2	.	.	.	.	1	.	1	.
ht's Dis., Albuminuria	3	7	3	3	3	6	.	5	1	2	4·2	3	.	.	.	1	.	2	.	.
ary Sys. (Other Dis.)							.	.	1	2		.	.	.	.	.	.	.	.	.
rative Organs Dis. ...	2	.	.	.	.	1	1	.	.	1	·5	.	.	.	.	.	.	.	.	.
dbirth (Accid. of) ...	.	.	.	.	.	1	3	.	.	.	·4	.	.	.	.	.	.	.	.	.
Age	9	7	10	9	10	7	12	2	2	1	6·9	3	.	.	.	.	.	2	1	
r Diseases	18	12	14	10	11	11	12	14	9	12	12·3	8	.	2	1	.	3	2	.	
ACCIDENT.																				
ailways	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ehicles and Horses ...	.	1	.	.	.	2	3	.	.	.	·6	.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exsive of Drowning) ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
uilding Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
onflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions	.	1	2	.	2	.	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
rowning	2	.	.	.	.	2	2	2	.	.	·8	1	.	.	.	.	1	.	.	.
uffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous ours	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
r Deaths by Accidents	1	.	1	2	3	2	2	2	1	.	1·4	3	3	.	.	.	.	.	.	.
LENCE OTHER THAN ACCIDENTAL.																				
cide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
de	.	1	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

istration Area as then constituted.
e Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																									
	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.
No. of weeks in Annual Series.	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered,	192	183	220	283	202	188	169	252	214	189	211	230	207	181	202	199	250	285	202	195	223	167	250	210	238	189
*Average Births in corresponding week of previous 10 years,**	206	199	200	221	215	205	217	213	208	219	206	236	177	200	216	204	244	227	209	191	217	229	193	221	229	202
DEATHS registered,	166	154	160	187	151	149	185	183	187	173	193	198	159	174	215	174	191	165	169	178	154	142	126	149	125	130
Annual Death-rate per 1,000,	22·8	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9
*Average Deaths in corresponding week of previous 10 years,**	214	211	202	212	209	209	221	233	221	212	211	218	201	198	189	183	183	174	171	166	157	155	150	146	140	145
AGES, Under 5 years,	52	39	37	46	35	32	45	40	43	55	43	67	37	34	45	37	30	36	41	42	47	38	12	37	17	35
5—20 ,,	17	11	13	16	8	9	8	14	8	15	15	17	13	13	15	12	16	10	15	13	11	11	13	13	16	14
20—40 ,,	25	18	21	18	21	15	38	39	34	19	29	26	28	23	27	32	39	23	28	29	27	20	22	30	36	21
40—60 ,,	37	45	37	42	42	46	43	34	43	35	40	33	34	47	49	42	47	39	44	37	30	42	36	34	28	32
60—80 ,,	28	34	43	52	39	39	44	49	49	41	55	45	40	47	70	40	55	51	30	41	34	28	37	31	22	21
80 years and upwards,	7	7	9	13	6	8	7	7	10	8	11	10	7	10	9	11	4	6	11	11	5	8	6	4	6	7
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.	2	.	.	.	.	.
Scarlet Fever	2	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	3	1	1	2	.	.	1	4	1	2	.	2	2	3	.	2	1	1	.	3	3	1	2	2	1	4
Diphtheria,	2	.	1	1	.	.	1	.	2	2	1	3	.	.	.	2	.	.	2	.	.	.	.	1	.	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	1	1	.	3	.	3	.	1	2	1	1	3	.	.	.	.	1	.	2	.
Diarrhœal Diseases,	1	1	3	1	.	1	2	1	3	3	5	2	1	1	1	4	.	3	1	3	2	1	4	.	2	.
Pneumonia,	15	12	16	19	6	11	13	16	18	10	13	10	8	22	26	17	21	18	13	13	10	6	6	13	4	4
Tuberculous Disease. Phthisis,	14	23	21	29	18	23	29	32	30	23	32	25	23	27	18	22	36	18	16	22	20	17	17	29	21	26
Tuberculous Disease. Other Forms,	16	5	6	9	15	10	12	18	9	12	11	15	15	8	11	10	15	10	16	7	8	13	12	11	9	11
Cancer, Malignant Disease,	5	12	6	8	14	6	13	6	6	6	11	4	4	9	13	10	6	5	15	8	10	6	8	6	12	7
Diseases of Heart and Blood Vessels,	21	24	33	31	23	27	21	25	31	29	31	33	27	29	45	27	22	22	28	30	15	29	26	21	14	15
Diseases of Respiratory System,	28	22	18	27	26	27	32	28	28	21	34	27	23	29	43	23	36	31	15	26	15	10	11	17	5	21
Violent Deaths,	3	7	8	5	5	.	4	10	1	2	4	5	2	3	4	2	3	1	4	5	2	3	3	4	3	4
Number of Uncertified Deaths,	5	6	6	11	7	6	8	4	6	7	6	12	9	7	6	5	5	3	7	7	11	8	3	9	4	3
Mean Temperature of the Air (Phœnix Park),	41·5	38·5	48·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8
Average Mean Temperature in corresponding week of previous 10 years.	39·8	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4
Rainfall in inches,	·855	1·605	·230	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130	·810	·650	·455	·640	·810	·450	·005	·280	·790	·450	·390
Mean Humidity of the Air, complete Saturation, 1·0,	·88	·87	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·83	·81	·83	·85	·83	·83	·89	·84	·79	·85	·86	·79	·84

in the Dublin Registration Area during the Week ending Saturday, 7th July, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH JULY, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,850	18·1	130	35	14	21	32	21	7	.	.	.	.	4	.	.	.	.	4	4	26	11	7	3	21	4	50	3
	CLASSES. Deaths in Families of the—																												
I	Professional and Independent Class,	17,486	9·0	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
II.	Middle Class,	87,188	12·0	20	1	3	7	6	2	1	.	.	.	.	.	.	.	.	.	.	.	7	2	2	.	2	.	7	.
III.	Artisan Class and Petty Shopkeepers,	110,423	14·6	31	8	4	3	6	9	1	.	.	.	.	2	.	.	.	.	2	2	5	.	2	1	7	.	12	2
IV.	General Service Class,	154,279	24·7	45	18	4	4	13	5	1	.	.	.	.	2	.	.	.	.	2	2	4	3	3	1	8	4	18	1
V.	Inmates of Workhouses,	6,024		31	8	3	7	6	5	2	.	.	.	.	.	.	.	.	.	.	.	10	6	.	1	3	.	11	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	27·0	4	.	1	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	9·5	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	.
	6. Clerks and Commercial Assistants,	30,432	12·0	7	.	1	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	2	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	9·6	5	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	9. Building and Furnishing Trades,	29,801	21·0	12	5	.	3	2	1	1	.	.	.	.	1	.	.	.	.	1	2	2	.	.	.	2	.	5	1
	10. Clothing Trades,	23,260	9·0	4	1	.	.	1	2	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	2	1
	11. Food Supply Trades,	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	17·2	10	1	2	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	3	.	3	.
	13. Petty Shopkeepers,	7,894	19·8	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	31·1	8	6	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	4	.	2	.
	15. Domestic Servants,	36,603	5·7	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	10·9	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	17·4	30	10	2	3	10	5	.	.	.	.	.	2	.	.	.	.	2	2	4	1	1	.	2	4	14	1
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates,	6,024	.	31	8	3	7	6	5	2	.	.	.	.	.	.	.	.	.	.	.	10	6	.	1	3	.	11	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.)	May 19,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	1
	„ 26,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	1	.	1	1	2	1	1
(*Office, Clarence-street, Nth.*)	June 2,	12·9	1·8	7	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1
	„ 9,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	„ 16,	22·1	1·8	12	.	.	.	.	1	.	.	.	.	.	2	2	1	.	.	1
	„ 23,	16·6	3·7	9	.	.	.	.	2	.	.	.	.	2	1	.	.	1	.	1
Pop. in 1906 (Est.) 28,382.	„ 30,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	July 7,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	.	2	1	1	4	1	.
North City, No. 1 (W.)	May 19,	22·6	.	17	.	.	.	.	.	.	.	.	.	3	3	1	.	1	.	1
	„ 26,	32·0	2·7	24	.	.	.	.	1	.	.	.	1	2	4	1	.	3	.	1
	June 2,	25·3	.	19	.	.	.	.	.	.	.	.	.	.	4	2	1	1	.	3
	„ 9,	17·3	.	13	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	1
(*Office, Summer-hill.*)	„ 16,	16·0	4·0	12	.	.	.	.	1	.	.	.	2	1	2	.	1	.	.	.
	„ 23,	24·0	.	18	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	1
	„ 30,	18·6	.	14	.	.	.	.	.	.	.	.	.	.	3	2	1	1	.	.
Pop. in 1906 (Est.) 89,146.	July 7,	22·6	2·7	17	.	.	.	.	2	.	.	.	.	1	5	.	2	5	.	.
North City, No. 2.	May 19,	20·8	1·7	12	.	.	.	.	.	.	.	.	1	.	2	1	2	1	.	.
	„ 26,	24·2	1·7	14	.	.	.	.	.	.	.	.	1	.	1	.	1	4	.	.
	June 2,	13·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1
(*Office, Lisburn-street.*)	„ 9,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	5	.	.	.	1	.
	„ 16,	17·3	1·7	10	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.
	„ 23,	34·6	.	20	.	.	.	.	.	.	.	.	.	2	3	4	1	1	.	2
	„ 30,	17·3	3·5	10	.	.	.	.	1	.	.	.	1	.	.	.	2	.	.	.
Pop. in 1906 (Est.) 80,107.	July 7,	26·0	.	15	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
North City, No. 3.	May 19,	21·4	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
	„ 26,	23·0	.	14	.	.	.	.	.	.	.	.	.	2	3	.	2	2	1	.
	June 2,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	4	2	1	1	.	.
	„ 9,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	1	2	1	1	1	.
(*Office, Benburb-street.*)	„ 16,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 23,	13·2	.	8	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.
	„ 30,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.
Pop. in 1906 (Est.) 81,678.	July 7,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.
South City, No. 1.	May 19,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	2	3	.	2	.	.
	„ 26,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.	1	4	2	.
	June 2,	27·2	2·7	20	.	1	.	.	1	.	.	.	.	4	2	.	.	3	.	1
	„ 9,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.
(*Office, South Earl-street.*)	„ 16,	13·6	1·4	10	.	.	.	.	.	.	1	.	.	2	.	.	.	.	1	.
	„ 23,	24·5	.	18	.	.	.	.	.	.	.	.	.	1	6	2	.	2	.	1
	„ 30,	12·2	1·4	9	.	.	.	.	.	.	1	.	.	.	3	1	1	1	.	.
Pop. in 1906 (Est.) 38,384.	July 7,	21·7	.	16	.	.	.	.	.	.	.	.	.	2	1	3	1	3	.	.
South City, No. 2.	May 19,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	„ 26,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	June 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
	„ 9,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
(*Office, Castle-street.*)	„ 16,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	2	2	.	1	1	.
	„ 23,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 30,	5·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Pop. in 1906 (Est.) 18,286.	July 7,	8·6	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
South City, No. 3.	May 19,	26·1	.	21	.	.	.	.	.	.	.	.	.	.	1	3	3	3	.	.
	„ 26,	19·9	.	16	.	.	.	.	.	.	.	.	.	2	2	1	1	3	.	.
	June 2,	34·8	1·2	28	.	1	.	.	.	.	.	.	.	2	4	.	2	3	.	3
	„ 9,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	.	.	4	1	3	.	.
(*Office, Peter-street.*)	„ 16,	16·2	1·2	13	.	.	.	.	.	.	.	.	1	.	4	4	.	2	.	.
	„ 23,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	3	8	1	2	4	1	2
	„ 30,	21·1	.	17	.	.	.	.	.	.	.	.	.	1	4	1	1	.	1	.
Pop. in 1906 (Est.) 41,940.	July 7,	21·1	.	17	.	.	.	.	.	.	.	.	.	.	5	2	.	1	1	.
South City, No. 4.	May 19,	29·7	.	20	.	.	.	.	.	.	.	.	.	2	.	1	1	3	1	3
	„ 26,	16·3	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1
	June 2,	8·9	.	6	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1
(*Office, Grand Canal-street*)	„ 9,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	3	3	.	.	.	1
	„ 16,	16·3	.	11	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.
	„ 23,	17·8	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	2	1	1
Pop. in 1906 (Est.) 85,138.	„ 30,	20·8	1·5	14	.	.	.	.	.	.	1	.	.	.	.	1	.	1	2	2
	July 7,	11·9	1·5	8	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	May 19,	26·7	.	17	.	.	.	.	.	.	.	.	.	2	2	3	.	.	.	
	„ 26,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2
	June 2,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 23,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.
	„ 30,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	.
	July 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	May 19,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.
	„ 26,	24·0	.	12	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.
	June 2,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 9,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 16,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
	„ 23,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.
	„ 30,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.
	July 7,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	May 19,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
	„ 26,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	2
	June 2,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
	„ 9,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 16,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	„ 23,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 30,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	1
	July 7,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
Belfast. Pop. in 1906 (Est.) 366,220.†	May 19,	19·9	2·3	140	.	.	.	.	13	1	.	1	1	9	23	11	3	17	4	.
	„ 26,	21·5	2·0	151	.	.	.	.	8	1	.	.	5	14	33	9	3	16	6	4
	June 2,	21·4	2·6	150	.	1	.	.	15	.	1	.	1	15	16	1	1	17	1	2
	„ 9,	19·4	3·7	136	.	2	.	.	16	1	.	2	5	15	21	5	5	15	2	2
	„ 16,	19·1	2·1	134	.	1	.	.	7	.	.	.	7	7	22	9	6	15	1	5
	„ 23,	18·7	2·3	131	.	.	.	.	14	.	.	.	2	7	30	7	4	14	5	.
	„ 30,	16·1	2·0	113	.	.	1	.	7	2	.	.	4	8	24	7	2	13	.	1
	July 7,	15·0	1·6	105	.	1	.	.	4	2	.	.	4	8	12	6	9	7	3	1
Cork. Pop. (in 1901) 76,122.	May 19,	24·7	.	36	.	.	.	.	.	.	.	.	.	2	7	3	1	3	.	1
	„ 26,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	2	3	2	.	4	.	2
	June 2,	16·4	.	24	.	.	.	.	.	.	.	.	.	.	6	1	2	4	2	.
	„ 9,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	7	1	1	1	.	1
	„ 16,	16·4	.	24	.	.	.	.	.	.	.	.	.	2	8	2	.	1	.	.
	„ 23,	14·4	0·7	21	.	.	.	.	1	.	.	.	.	.	4	1	1	3	1	1
	„ 30,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	2	4	2	4	1	1
	July 7,	13·7	1·4	20	.	.	.	.	.	1	.	.	1	1	4	.	.	1	1	2
Londonderry. Pop. in 1906 (Est.) 42,067.	May 19,	24·8	2·5	20	.	2	.	.	.	.	.	.	.	2	3	.	.	3	.	.
	„ 26,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	.	2	2	2	1	.	1
	June 2,	13·6	2·5	11	.	2	.	.	.	.	.	.	.	1	1	.	.	1	1	.
	„ 9,	27·3	3·7	22	.	3	.	.	.	.	.	.	.	.	3	.	.	7	1	1
	„ 16,	24·8	5·0	20	.	3	.	.	.	.	.	.	1	.	4	1	1	3	2	1
	„ 23,	18·6	2·5	15	.	1	.	.	.	.	.	.	1	1	3	1	.	1	.	2
	„ 30,	19·8	7·4	16	.	6	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	July 7,	8·7	3·7	7	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Limerick. Pop. (in 1901) 38,151.	May 19,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	3
	„ 26,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.
	June 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	.	4	.	6
	„ 9,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	1
	„ 16,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	8	.	.	2	.	1
	„ 23,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	2
	„ 30,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	July 7,	9·6	1·4	7	.	.	.	.	.	.	.	1	.	.	1	.	1	3	.	1
Waterford. Pop. (in 1901) 26,769.	May 19,	31·2	.	16	.	.	.	.	.	.	.	.	.	.	.	4	1	1	.	3
	„ 26,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	2	2	.	3	.	.
	June 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	1	1
	„ 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
	„ 16,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	1
	„ 23,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	„ 30,	11·7	1·9	6	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.
	July 7,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2

* Formerly described as "Simple Continued Fever."

† See note (*i*) to Table II.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th July, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,784	4	The estimate of the present Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.
Do. 2 ,, .	47,959	27			8	3	.	.	.	3	2	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	2	.
Do. 3 ,, .	47,214	24			12	2	2	3	2	1	2	.	.	.	.	2	.	.	.	.	1	1	.	1	.	.	.	4	1
Do. 4 ,, .	40,911	38			21	5	3	4	2	2	5	.	.	.	.	1	1	.	.	1	.	3	1	.	2	1	1	12	.
Do. 5 ,, .	17,387	9			8	1	1	1	1	2	2	.	1	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
Do 6 ,, .	48,122	21			12	.	1	1	2	2	6	.	.	.	.	.	.	.	.	.	.	5	.	3	1	.	.	4	.
Do 7 ,, .	1,524	.			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 8 ,, .	5,060	2			2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 9 ,, .	19,569	12			5	2	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Do. 10 ,, .	28,064	18			5	3	1	.	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	.
Do. 11 ,, .	34,802	26			15	4	2	1	2	5	1	.	.	.	.	1	.	.	.	1	1	1	3	1	.	2	2	3	.
Do. 12 ,, .	33,588	25			9	4	.	.	2	1	2	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	1	2	.
Do. 13 ,, .	15,006	18			4	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.
Do. 14 ,, .	240	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	225			105	24	12	11	13	22	23	.	1	.	.	4	2	.	.	4	8	12	6	9	7	3	5	30	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT. .	12,867	4	12·2	.	3	.	.	1			2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
Do. 2 ,, . .	10,701	7	.	.	.	.	.	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 ,, . .	9,978	3	5·2	5·2	1	1	.	.			.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 4 ,, . .	8,666	4	18·1	.	3	.	.	3			.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 5 ,, . .	6,592	1	23·7	.	3	.	.	3			.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	2	.
Do. 6 ,, . .	10,702	4	29·2	4·9	6	3	1	2			.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	2
Do. 7 ,, . .	16,616	10	12·6	.	4	.	.	3			1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	3	.
Total, ...	76,122	33	13·7	1·4	20	4	1	12			3	.	.	.	.	.	1	.	.	1	1	4	.	.	1	1	2	11	2

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons** *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																										
	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered,	193	196	236	231	189	246	214	246	229	229	221	248	240	212	232	282	238	246	217	273	289	228	204	222	218	225
DEATHS registered,	133	135	160	139	146	179	174	166	155	191	152	201	169	166	171	152	179	161	140	151	150	136	134	131	113	105
Annual Death-rate per 1,000 of estimated Population.*	18·9	19·2	22·8	19·8	20·8	25·5	24·8	23·6	22·1	27·2	21·6	23·6	24·1	23·6	24·3	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0
AGES: Under 1 year,	21	30	31	24	29	31	43	26	31	32	37	46	35	35	39	30	29	35	35	21	33	23	21	26	24	24
1–5 years,	15	16	22	11	11	14	20	17	22	23	16	30	28	26	24	24	20	19	17	17	23	22	20	17	15	12
5–20 years, 20–40 years, 40–60 years,	60	62	71	61	71	87	74	85	59	84	57	89	81	75	66	67	85	66	64	84	64	53	67	72	57	11 13 22
60 years and upwards,	37	27	36	43	35	47	37	38	43	52	42	36	25	30	42	31	45	41	24	29	30	33	26	16	17	23
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	1	.	.	1
Scarlet Fever,	.	2	1	1	.	.	1	1	1	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.
Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	2	1	3	1	2	6	7	9	5	9	5	21	12	13	21	18	20	12	13	8	15	16	7	14	7	4
Diphtheria,	1	.	.	.	.	2	3	2	.	1	2	1	1	.	.	.	.	.	1	1	.	1	.	.	2	2
Pyrexia† (origin uncertain),	1	2	.	.	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.
Enteric Fever,	3	1	2	2	6	.	2	2	6	6	3	1	5	4	2	.	.	1	1	.	.	2	.	.	.	.
Diarrhœal Diseases,	2	2	3	2	1	3	2	1	.	1	2	1	2	.	1	2	1	.	1	5	1	5	7	2	4	4
Pneumonia,	12	8	11	10	8	19	17	13	16	23	10	18	19	19	15	16	16	10	9	14	15	15	7	7	8	8
Tuberculous Disease: Phthisis,	17	17	22	16	23	22	23	33	15	26	17	28	24	26	18	19	29	21	23	33	16	21	22	30	24	12
Tuberculous Disease: Other Forms,	4	3	8	7	6	7	7	6	10	5	6	12	11	7	8	12	10	8	11	9	11	5	9	7	7	6
Cancer, Malignant Disease,	5	5	7	5	4	5	6	5	1	6	4	10	4	3	2	4	4	3	3	3	1	5	6	4	2	9
Diseases of Respiratory System,	19	12	20	26	23	22	24	34	33	36	24	28	21	34	36	27	30	27	17	16	17	15	15	14	13	7
Violent Deaths,	1	4	1	3	1	6	4	2	6	1	.	2	7	4	3	4	4	2	4	6	1	2	1	5	.	3
Number of Uncertified Deaths,	2	4	4	3	3	5	3	5	2	4	3	3	1	1	3	5	2	2	.	4	2	2	5	.	1	1

* See note (i) to Table II.
† Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	July 7,	2,496	1,113	12·3	.	39	17	12	12	12	31
EDINBURGH, .	341,035	„ 7,	141	90	13·8	.	2	.	.	.	.	1
GLASGOW, . .	835,625	„ 7,	469	268*a*	16·7	.	5	.	4	4	3	8
CALCUTTA, . .	910,117	May 19,	.	441	27·0	44	3	.	.	1	96‡	68*
BOMBAY, .	776,006	June 5,	337	1,047	70·2	7	26	.	.	1	107‡	112*
MADRAS, . .	509,346	„ 18,	304	440	44·9	11	10	?	?	?	102	89
PARIS, . .	2,750,000	„ 23,	1,055	892	17·3	.	10	2	4	5	1	49
BRUSSELS (with 8 Faubourgs).	612,401	„ 16,	203	136	11·5	.	1	1	1	3	.	6
ANTWERP, . .	304,975	„ 16,	118	81	13·9	.	6	1	.	.	1	8
AMSTERDAM, .	560,693	„ 16,	287	137	12·8	.	5	.	1†	1	2	6
COPENHAGEN. .	425,000	„ 16,	217	140	17·2	.	2	.	.	3	.	7
STOCKHOLM, .	324,488	„ 9,	141	81	13·0	.	.	1	2†	2	.	1
CHRISTIANIA, .	222,373	„ 23,	93	65	15·2	.	.	.	2†	2	.	9
ST. PETERSBURG,	1,424,700	„ 16,	671	733	26·8	1	29	28	13	6	34	92
MOSCOW, . .	1,092,360	May 19,	.	711	33·9	4	13	6	7†	4	6	176
BERLIN, .	2,059,378	June 9,	876	618	15·6	.	24	5	1†	11	1	61
HAMBURG, .	803,050	„ 9,	.	245	15·9	.	4	2	4†	6	.	16
BRESLAU, . .	475,622	„ 23,	.	200	21·9	.	4	1	2†	.	1	26
MUNICH, . .	540,000	„ 23,	.	167	16·1	.	1	.	3†	.	.	28
VIENNA (with suburbs).	1,937,869	„ 23,	888	633	17·0	.	25	4	7†	4	1	39
BUDA-PESTH, .	859,134	„ 23,	382	202	15·9	.	3	3	2†	1	.	20
PRAGUE and Faubourgs.	460,849	„ 16,	222	196	22·1	.	2	2	1†	1	3	11
TRIESTE, . .	196,637	„ 9,	131	72	19·1	.	1	.	.	1	2	3
ROME, . . .	530,179	April 28,	205	182	17·9	.	7	.	.	.	1	6
VENICE, . .	171,709	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, .	4,152,860	June 9,	2,086	1,303	16·4	.	31	10	43†	7	9	60
PHILADELPHIA,	1,469,126	„ 2,	.	444	15·7	.	7	1	10†	13	28	23
BOSTON, .	595,380	„ 9,	.	224	19·6	.	1	1	3	4	1	4

a. Including 6 deaths from cerebro-spinal fever.
* Including 37 deaths from cholera in Calcutta, and 16 in Bombay.
† Including deaths from croup.
‡ Exclusive of 42 deaths from plague in Calcutta, and 180 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th July, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	1	.	.	.	.	1	.	1	.	.	.	3
" " 1, West,	.	.	1	.	1	.	.	.	.	.	.	.	2
" " 2,	.	1	.	.	.	.	1	.	3	.	.	.	5
" " 3,	.	.	.	.	.	.	1	2	1	.	.	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	2	.	.	.	.	2
" " 2,	.	1	.	.	.	.	1	.	3	.	.	.	5
" " 3,	.	.	.	.	1	.	.	.	1	.	.	.	2
" " 4,	.	1	.	.	1	.	.	1	1	.	.	.	4
New Kilmainham,	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	4	1	.	3	.	4	5	11	.	.	.	28

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th July, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th July.			
	June 16.	June 23.	June 30.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	16	9	5	4	2	.	7
Scarlet Fever,	43	44	35	5	7	.	33*
Typhus,	1	1	2	2	1	.	3
Diphtheria,	30	28	28	7	6	.	29
Enteric Fever,	26	28	25	2	3	.	24
Pneumonia,	28	29	27	7	7	1	26

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 7th July, 1906:—

"The first week of July may be described as altogether favourable. In Dublin no doubt it opened with a gloomy, wet and (for the season) cold day; but the rain fell gently and thoroughly watered the earth, so proving very beneficial to vegetation. This broken weather was associated with a shallow baric depression which lay over the western half of Ireland and the adjacent portion of the Atlantic at 8 a.m. of Sunday. Monday and Tuesday were cloudy in the mornings, but very fine later. Wednesday was brilliant throughout, sunshine lasting for some 15 hours. On Thursday morning a large but shallow atmospheric depression off the West of Ireland brought clouds, rain, and S.W. winds to this country. By Friday morning the system had travelled northeastwards to Scotland, while a recovery of pressure was in progress in Ireland, where the wind drew for a time into N.W. The track of the depression was marked by another genial rainfall, which was tolerably general in Ireland and Wales. In England the weather remained dry, and the thermometer rose to 77° on Thursday at Bath, Worthing and Oxford, the highest temperatures on Friday being somewhat lower—76° at Nottingham, 74° in London, and 73° at Oxford. Saturday was chiefly fine, but a good deal of cloud prevailed and light showers fell towards evening. In Dublin the mean atmospheric pressure was 30·041 inches, the barometer rising to 30·213 inches at 9 p.m. of Tuesday (wind, E.N.E.) and falling to 29·908 inches at 9 p.m. of Thursday (wind, S.E.). The corrected mean temperature was 58·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 58·1°. The screened thermometers fell to 47·4° on Wednesday and rose to 71·2° on Thursday. Rain fell on three days to the amount of ·383 inch, the greatest fall in 24 hours being ·282 inch on Sunday. Light variable winds prevailed, the most frequent being S.W. and S.E."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·060 inches. The highest reading (30·224) was on Tuesday at 9 p.m., air calm, and the lowest (29·923) on Thursday at 9 p.m., air calm.

The mean temperature for the week was 55·8°, being 2·6° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Thursday, on which day the thermometer registered 70·9°, and was lowest on Wednesday, the mercury having fallen to 40·1°. The mean of the Dry Bulb for the week was 56·1°, and of the Wet Bulb 53·5°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 35·3 hours. The rainfall during the week measured 0·390 inch.

At Greenwich the mean temperature for the week was 61·9°, the maximum 79·1°, and the minimum 45·1°; at Glasgow the maximum was 76·8°, the minimum 42·2°, and the mean 57·5°; and at Edinburgh the maximum was 66·6°, the minimum 44·0°, and the mean 54·8°. The rainfall at Glasgow measured 0·26 in.; and at Edinburgh 0·60 in. There was no rainfall recorded at Greenwich. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 1,	30·062	57·2	45·9	51·5	52·7	51·4	·90	·5	0·0	·305	Calm.	Calm.
Monday, „ 2,	30·097	65·6	51·0	58·3	57·1	53·3	·77	·4	1·8	·000	S.W.	Calm.
Tuesday, „ 3,	30·257	64·8	48·4	56·6	51·7	49·6	·86	·7	5·8	·000	N.W.	Calm.
Wednesday, „ 4,	30·110	65·5	40·1	52·8	56·8	53·5	·81	·0	14·7	·000	E.N.E.	Calm.
Thursday, „ 5,	29·935	70·9	40·9	55·9	59·0	56·7	·85	·6	3·4	·085	S.W.	Calm.
Friday, „ 6,	29·966	65·6	52·1	58·9	53·6	52·5	·92	·6	4·6	·000	W.N.W.	Calm.
Saturday, „ 7,	29·994	69·3	43·9	56·6	61·5	57·5	·78	·5	5·0	·000	S.W.	W.
Mean, . .	30·060	65·6	46·0	55·8	56·1	53·5	·84	·5	Total 35·3	Total ·390	—	

Sunday—Overcast, heavy rain 5 a.m. to 7 p.m.; night cloudy, light, and showery. *Monday*—A fine day but cloudy; night overcast. *Tuesday*—A fine but cloudy day; night sky clear. *Wednesday*—A beautiful day; night sky clear. *Thursday*—A fine but cloudy day, light showers; night overcast. *Friday*—A fine but cloudy day; night sky clear. *Saturday*—A fine but dull day; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 7th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 1,	54·6	57·9	56·0	57·9	50·7	54·3	0·0	·245
Monday, „ 2,	58·1	57·3	55·7	65·0	52·2	58·6	1·6	·001
Tuesday, „ 3,	54·1	57·3	55·7	61·7	48·9	55·3	5·3	—
Wednesday, „ 4,	60·5	57·8	55·8	63·3	45·9	54·6	13·1	—
Thursday, „ 5,	65·1	58·9	55·6	71·3	47·4	59·4	3·5	·087
Friday, „ 6,	57·1	59·8	55·7	64·0	55·7	59·9	5·8	—
Saturday, „ 7,	65·0	59·3	55·9	70·6	49·4	60·0	5·8	·004
Weekly Mean, .	59·2	58·3	55·8	64·8	50·0	57·4	Total 35·1	Total ·337

Dublin: Printed for His Majesty's Stationery Office,
[By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—14020.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 14TH JULY, 1906. [No. 28.

General Register Office, Charlemont House, Dublin, 16*th July,* 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending June 23.	Week ending June 30.	Week ending July 7.	Week ending July 14.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 23.	Week ending June 30.	Week ending July 7.	Week ending July 14.	Average Rate for 4 weeks.
22 Town Dists.	18·3	15·3	15·0	16·9	16·4	Lisburn, . .	27·3	9·1	4·5	13·6	13·6
Armagh, . .	13·7	27·5	13·7	13·7	17·1	Londonderry, .	13·6	19·8	8·7	17·4	16·1
Ballymena, .	28·7	9·6	19·2	9·6	16·8	Lurgan, . .	8·9	8·9	17·7	35·4	17·7
Belfast,† . .	18·7	16·1	15·0	16·9	16·7	Newry, . .	8·4	16·8	4·2	.	7·4
Clonmel, . .	25·6	5·1	.	20·5	12·8	Newtownards, .	28·6	.	45·8	34·3	27·2
Cork, . . .	14·4	18·5	13·7	15·8	15·6	Portadown,	15·5	10·3	10·3	15·5	12·9
Drogheda, . .	16·3	4·1	16·3	12·3	12·3	Queenstown .	26·4	19·8	13·2	13·2	18·1
Dublin Reg. Area,	20·2	16·4	16·9	18·7	18·0	Sligo, . . .	19·2	4·8	14·4	19·2	14·4
Dundalk, . .	4·0	8·0	4·0	8·0	6·0	Tralee, . .	31·7	10·6	21·1	15·9	19·8
Galway, . .	23·3	7·8	19·4	.	12·6	Waterford, .	7·8	11·7	11·7	7·8	9·8
Kilkenny, . .	9·8	14·7	4·9	9·8	9·8	Wexford, . .	9·3	18·7	32·7	23·3	21·0
Limerick, . .	10·9	10·9	9·6	17·8	12·3						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in thirteen of the districts to 5·3 in Tralee, the 3 deaths from all causes in that district including one from diarrhœa. Among the 119 deaths from all causes in Belfast are 9 from whooping-cough, one from enteric fever and 6 from diarrhœal diseases; the 23 deaths from all causes in Cork include one from enteric fever and one from diarrhœa; among the 14 deaths in Londonderry are 3 from measles and one from diarrhœa; the 4 deaths in Waterford include one from pyrexia (origin uncertain); included in the 8 deaths from all causes in Lurgan is one from whooping-cough; and among the 4 deaths in Clonmel is one from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 230—110 boys and 120 girls; and the deaths to 140—66 males and 74 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 19·3 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 18·7 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*) Table II. ‡ See columns 10–18 of Table II.

During the twenty-eight weeks ending with Saturday last the death-rate averaged 22·8, and was 3·5 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The deaths included one from measles, one from typhus, 6 from whooping-cough, one from enteric fever, and 3 deaths from *diarrhœa*. In each of the 3 preceding weeks deaths from measles were 0, 0, and 0; deaths from typhus were 0, 0, and 0; deaths from whooping-cough were 2, one, and 4; deaths from enteric fever were 0, 2, and 0; and deaths from diarrhœal diseases were 0, 2, and 0. One death was directly attributed to influenza. The mean of the daily readings of the earth thermometer at 4 feet, for the week, was 56·2°.

The deaths from pneumonia included one death from lobar pneumonia, 2 deaths from broncho-pneumonia, and 6 deaths from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease, which, in each of the 3 weeks preceding, were 40, 30, and 37, declined in the period under notice to 28. The latter figure comprises 8 deaths from tuberculous phthisis, 13 deaths from *phthisis*, one death from tuberculous meningitis, one death from tuberculous peritonitis, and 5 deaths from other forms of the disease.

There were 2 deaths from carcinoma, and 2 deaths from cancer (undefined).

The deaths of 4 infants, prematurely born, were registered.

There were 12 deaths from diseases of the brain and nervous system; included in this figure were 3 deaths of infants under one year of age and one child aged 3 years from *convulsions*.

Diseases of the heart and blood-vessels accounted for 26 deaths.

The 10 deaths from diseases of the respiratory system include the deaths of 9 persons from bronchitis.

There was one death by accident, and one death by suicide was registered.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of a person aged 91 years.

Thirty-five of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 8 were under one month old) and 34 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 2 (a male and a female) were stated to have been aged 90 and 91 years, respectively.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 27 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·7 per 1,000; the rate in the City was 22·6 (North City Districts, 21·1; South, 24·1), and in the Suburbs, 5·5 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·8 (3·1 in the North City Districts, and 0·4 in the South) and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·7 per 1,000, and include one death from whooping-cough, one death from tuberculous disease, and one death from influenza.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. In the total (19 deaths) there were included 2 deaths from whooping-cough, one death from enteric fever, one death from *diarrhœa*, one death from *pneumonia* (not defined), 6 deaths from tuberculous disease, and 3 deaths from diseases of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000. There was one death from typhus; whooping-cough caused 3 deaths, tuberculous disease caused 6 deaths, and there was one death from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 18·1 per 1,000. There were 2 deaths from *phthisis* and one death from bronchitis included in the total.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 26·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 15·6. The 5 deaths from all causes for Coolock and Drumcondra, No. 1 (part of), include one from lobar pneumonia, one from bronchitis, and one suicidal death.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 29·9 per 1,000. There were 2 deaths from *pneumonia* (not defined), 8 deaths from tuberculous disease, and 2 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. Of the 6 deaths one was due to tuberculous disease.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 28·6 per 1,000. The deaths included one from *diarrhœa*, one from *pneumonia* (not defined), 2 from tuberculous disease, and one death from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·8 per 1,000. Broncho-pneumonia, *pneumonia* (not defined), and *phthisis* each caused one death; there was one death by an accident.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000. One of the 3 deaths registered was due to tuberculous phthisis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 7·9; Pembroke, 4·0; Blackrock, 0·0; and Kingstown, 5·9. The deaths from the principal epidemic diseases tabulated for these districts include one from measles and one from *diarrhœa* for Rathmines and Rathgar. The 5 deaths from all causes for this district include also one from *pneumonia* (not defined).

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases tification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
ir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. vcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive itary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock an District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban rict; and by the Executive Officer of Health for the City of Belfast.

LE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 14th July, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

ITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	June 23,	.	—	—	4	.	.	2	.	6	8	26	.	—	—	—	—	—	46
	June 30,	.	—	—	4	2	.	4	.	.	3	12	.	—	—	—	—	—	25
	July 7,	.	—	—	4	1	.	3	.	4	5	11	.	—	—	—	—	—	28
	July 14,	.	—	—	6	2	.	1	.	2	5	13	.	—	—	—	—	—	29
athmines Rathgar Urban District.	June 23,	.	—	—	.	.	.	3	.	.	1	.	.	—	—	—	—	—	4
	June 30,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	—	5
	July 7,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	3
	July 14,	.	—	—	1	.	.	.	.	1	.	1	.	—	—	—	—	—	3
mbroke Urban istrict.	June 23,	.	.	.	1	.	.	.	.	.	1	.	.	—	.	.	—	—	2
	June 30,	.	.	.	.	.	.	1	.	.	1	.	.	—	1	.	—	—	3
	July 7,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	July 14,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
lackrock Urban istrict.	June 23,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	June 30,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	July 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
ngstown Urban istrict.	June 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	June 30,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	July 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 14,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
ity of elfast.	June 23,	.	—	—	10	.	.	2	.	7	2	4	.	—	—	—	—	—	25
	June 30,	.	—	—	7	.	.	5	1	3	4	6	.	—	—	—	—	—	26
	July 7,	.	—	—	18	.	.	1	.	6	7	5	1	—	—	—	—	—	38
	July 14,	.	—	—	10	.	.	2	.	7	1	2	.	—	—	—	—	—	22

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

able XII. exhibits the number of cases of certain infectious diseases treated in the lin Hospitals during the week ended 14th July, 1906.

om this it appears that:—

ght cases of measles were admitted to hospital during the week, 2 were discharged, and ses remained under treatment at its close.

en cases of scarlet fever were admitted to hospital, 8 were discharged, and 35* cases ined under treatment at the close of the week.

ne case of typhus was admitted to hospital, one died, and 3 remained under treatment e close of the week.

ven cases of diphtheria were discharged from hospital, and 22 patients remained under ment at the close of the week.

ven cases of enteric fever were discharged from hospital, and 17 cases remained under ment in hospital at the close of the week.

addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, ere discharged, and 24 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

e mortality last week in 76 large English towns, including London (in which the was 11·8), was equal to an average annual death-rate of 11·7 per 1,000 persons living, average rate for 8 principal towns of Scotland was 14·3 per 1,000, the rate for Glasgow 15·5, and for Edinburgh 13·2.

INFECTIOUS DISEASE IN EDINBURGH.

have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a of his Return of Infectious Diseases notified during the week ended 14th July. From this Return it rs that of a total of 29 cases notified 13 were scarlet fever, 7 diphtheria, 6 typhoid fever, and 3 elas. Among the 304 cases of infectious diseases in hospital at the close of the week were 99 of measles, 96 of scarlet fever, 38 of diphtheria, 16 of enteric fever, 13 of whooping-cough, and 9 of elas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 14th July, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Registration—Week ending Saturday, 14th July, 1906. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 14th July, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th July, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th June, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	26·8	16·9	1·8	567	358	64	69	.	4	.	1	16	.	1	4	13	17	63	26	7	21	10	15	114	10	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	878,994	27·5	31·6	18·7	1·7	230	136	25	32	.	1	.	1	6	.	.	1	3	8	21	7	3	9	2	4	61	2	f68·9	44·9	57·5	0·24	f70·9	40·1	55·8	0·39	f70·2	37·8	56·6	0·45
City of Dublin,	293,385	37·1	35·4	22·6	1·8	199	127	22	30	.	.	.	1	6	.	.	1	2	7	21	7	3	9	2	4	58	2	g70·1 h67·9	50·0 45·0	59·1 58·1	0·23 0·24	g71·2 h71·9	47·4 42·0	58·3 56·2	0·33 0·33	g71·1 h69·9	42·7 37·2	58·1 56·7	0·34 0·46
Urban Dists. Rathmines and Rathgar.	33,203	19·4	17·3	7·9	3·1	11	5	2	2	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	22·0	4·0	.	11	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	20·7	5·9	.	7	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	69	50	59·1	0·26	67·5	48·5	56·7	0·27	69	44·5	58·0	0·09
Urban Districts.																																							
Belfast,	366,220	24·9	28·1	16·9	2·3	162	119	27	17	.	.	.	.	9	.	.	1	6	7	20	15	2	7	6	6	23	2	66·0	44·0	56·4	0·26	66·5	48·0	56·0	0·92	66·0	48·5	57·0	0·62
Cork,	76,122	33·6	30·1	15·8	1·4	44	23	4	4	.	.	.	.	.	.	.	1	1	.	5	1	.	.	.	2	12	.	69	50	57·6	0·30	65	49	57·2	0·54	65	45	56·5	0·45
Londonderry,	42,067	19·4	18·6	17·4	5·0	15	14	1	1	.	3	.	.	.	.	.	.	1	.	1	.	1	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	17·8	17·8	.	13	13	.	3	.	.	.	.	.	.	.	.	.	1	4	1	.	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	29·2	7·8	1·9	15	4	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	15·5	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68	46	59	0·46	70	52	60·5	0·83	63	46	56·5	0·50
Dundalk,	18,076	3·4	19·9	8·0	.	5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	28·6	12·3	.	7	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	33·6	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·0	41·7	54·7	0·34	70·2	45·9	56·8	0·44	67·8	50·7	55·5	0·31
Lurgan,	11,782	13·8	26·6	35·4	4·4	6	8	1	1	.	.	.	.	1	.	.	.	.	.	1	.	1	1	1	1	2	.	69·0	41·7	54·7	0·34	70·2	45·9	56·8	0·44	67·8	50·7	55·5	0·31
Lisburn,	11,461	10·1	31·8	13·6	.	7	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	69·0	41·7	54·7	0·34	70·2	45·9	56·8	0·44	67·8	50·7	55·5	0·31
Wexford,	11,168	23·2	42·0	23·3	.	9	5	1	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	33·5	9·6	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	19·2	19·2	.	4	4	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3	.	66·8	46·3	55·7	0·44	67·9	41·2	55·8	0·16	67·2	39·2	54·2	0·42
Kilkenny,	10,609	11·5	34·3	9·8	.	7	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	69	40	58	0·39	69	44	56·4	0·42	69	37	57	0·50
Clonmel,	10,167	7·8	.	20·5	5·1	.	4	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	25·8	15·5	5·2	5	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	69·0	41·7	54·7	0·34	70·2	45·9	56·8	0·44	67·8	50·7	55·5	0·31
Tralee,	9,867	16·6	42·3	15·9	5·3	8	3	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	5·7	34·3	.	1	6	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	67	44	54·8	0·24	65	47	54·3	0·34	67	41	54·3	1·12
Queenstown,	7,909	14·4	33·0	13·2	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	69	50	57·6	0·30	65	49	57·2	0·54	65	45	56·5	0·45
Armagh,	7,588	22·2	34·4	13·7	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	69·0	41·7	54·7	0·34	70·2	45·9	56·8	0·44	67·8	50·7	55·5	0·31

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 14th of July, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	3	.
Pneumonia,	.	1	.	.	.	1	1	2	.	1	2	.	1	.	.	.	8	1
Tuberculous Disease. { Phthisis,	.	6	5	2	.	.	.	6	.	.	1	1	.	.	.	.	21	.
Tuberculous Disease. { Other Forms,	1	.	1	.	.	.	.	2	1	2	.	.	.	.	.	.	7	.
Cancer, Malignant Disease,	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	1
Other General Diseases	3	.	1	.	.	.	.	3	.	2	2	.	.	1	.	.	12	.
Total,	6	11	11	2	.	1	.	13	1	8	5	1	3	1	.	.	63	2
B. LOCAL DISEASES:																		
Diseases of { Nervous System	.	.	1	1	.	.	1	1	1	5	1	1	.	.	.	.	12	.
Diseases of { Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of { Heart and Blood Vessels,	1	2	1	4	.	1	1	5	.	3	3	1	1	1	.	2	26	.
Diseases of { Respiratory System,	.	3	1	1	.	1	.	2	.	1	.	.	.	.	.	.	9	1
Diseases of { Digestive System,	.	.	.	1	.	.	.	.	1	3	1	.	.	.	.	.	6	1
Diseases of { Lymphatic System, &c.,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of { Urinary System,	.	2	1	.	.	.	.	1	1	2	1	.	1	.	.	.	9	.
Diseases of { Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	1	7	5	8	.	2	2	9	3	14	6	2	2	1	.	2	64	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	1	.	1	.	1	.	.	2	1	.	.	.	.	.	.	7	.
E. VIOLENT DEATHS,	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	2	.
Deaths from all Causes,	8	19	16	11	.	5	2	22	6	23	12	3	5	2	.	2	136	4
Annual Rate of Mortality from all causes in every 1,000 of the population	14·7	25·3	27·7	18·1	.	26·0	15·6	29·9	17·1	28·6	17·8	17·6	7·9	4·0	.	5·9	18·7	.
	21·1							24·1					5·5					
	22·6																	
Ages at Death. { Under 1 year,	1	2	2	2	.	1	.	2	3	6	2	1	2	1	.	.	25	.
Ages at Death. { 1 and under 5 years,	1	2	4	.	.	.	1	1	.	.	1	.	.	.	.	.	10	.
Ages at Death. { 5 ,, 20 ,,	1	4	.	1	.	.	.	1	.	2	.	.	1	.	.	.	10	.
Ages at Death. { 20 ,, 40 ,,	.	4	6	3	.	2	.	5	.	.	2	1	.	.	.	1	24	.
Ages at Death. { 40 ,, 60 ,,	2	3	3	4	.	1	1	7	3	6	2	1	.	1	.	1	35	2
Ages at Death. { 60 and upwards,	3	4	1	1	.	1	.	6	.	9	5	.	2	.	.	.	32	2
Number of Uncertified Deaths,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	5	2	2	.	2	.	4	.	4	1	.	2	.	.	1	23	3
Workhouse Hospitals,	3	2	5	1	.	1	.	9	3	10	4	.	.	.	.	.	38	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis
week of the ten years, 18

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 28th Week of the 10 years 1896–1905.	In the Week ending Satur 14th July, 1906. Deaths of Persons of the A					
	July 11, 1896.	July 17, 1897.	July 16, 1898.	July 15, 1899.	July 14, 1900.	July 13, 1901.	July 12, 1902.	July 18, 1903.	July 16, 1904.	July 15, 1905.		ALL AGES.	0 to 5.				
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 58·4	° 59·8	° 60·7	° 59·0	° 60·8	° 59·8	° 58·2	° 56·9	° 58·8	° 64·6	° 59·7	° 57·5					
ALL CAUSES.	170	162	124	173	127	157	129	124	146	145	145·7	140	8	17	10	10	24
Small-pox,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	1	.	7	.	.	6	.	10	1	2·5	1	.	1	.	.	.
Scarlet Fever,	1	1	1	.	.	1	.	3	.	.	·7	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	1	.	.	1	1	.	.	1	.	·5	1	.	.	.	.	.
Whooping-cough,	7	3	1	4	4	4	2	1	3	2	3·1	6	.	1	5	.	.
Diphtheria,	.	.	.	3	.	1	1	1	1	.	·7	.	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.
Enteric Fever,	1	4	.	1	2	.	4	.	2	.	1·4	1	.	.	.	1	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	20	2	1	6	1	4	1	.	.	7	5·5	.	.	.	.	.	.
Diarrhœa, Dysentery,							3	1	2	7		3	.	3	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	1	1	2	1	1	2	1	·9	1	.	1	.	.	.
Puerperal Septicæmia,	.	.	1	1	.	.	.	.	.	1	·3	.	.	.	.	.	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.	.
Puerperal Fever,							.	.	.	.		.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.
Pneumonia, Lobar,	5	11	8	7	7	8	.	.	.	3	7·3	1	.	.	.	.	1
Pneumonia, Broncho-Epidemic,							3	1	2	3		2	.	.	.	.	2
Pneumonia, Not defined,							.	.	.	.		.	.	.	.	.	.
							.	2	6	4		6	.	.	1	.	2
Erysipelas,	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.
Septicæmia (not Puerperal)	2	.	1	1	.	.	.	1	.	1	·6	.	.	.	.	.	.
Pyæmia (not Puerperal),							.	.	.	.		.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	1
Tuberculous Phthisis,	20	21	23	33	31	25	1	4	6	2	22·6	8	.	.	1	4	3
"*Phthisis*,"							13	22	15	10		12	.	.	1	3	7	2
Tuberculous Meningitis,	4	5	4	6	5	4	1	1	2	2	3·4	1	.	1	.	.	.
Tuberculous Peritonitis,	7	1	3	7	1	4	3	1	1	.	3·2	1	1	.	.	.	.
Tabes Mesenterica,							.	4	.	.		.	.	.	.	.	.
Tuberculous Dis. (other),	3	7	5	4	1	5	2	6	3	9	4·5	5	.	2	1	2	.
Scrofula,							.	.	.	.		.	.	.	.	.	.
Alcoholism,	.	2	.	1	2	2	.	1	1	1	·10	.	.	.	.	.	.
Rheumatic Fever,	1	.	2	.	.	1	.	2	1	.	·7	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	10	6	5	11	5	4	3	2	2	4	6·3	2	.	.	.	.	1
Sarcoma,							.	.	.	.		.	.	.	.	.	.
Cancer (undefined),							3	1	3	4		2	.	.	.	.	.
Diabetes Mellitus,	.	.	.	.	.	.	.	1	.	2	·3	.	.	.	.	.	.
Premature Birth,	4	3	4	4	2	4	2	3	3	7	3·6	4	4	.	.	.	.

* The figures for the years 1896–1900 a
† Formerly describ

WENTY-EIGHTH WEEK ending Saturday, 14th July, 1906, with the deaths from each cause in the corresponding he average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: July 11, 1896.	July 17, 1897.	July 16, 1898.	July 15, 1899.	July 14, 1900.	July 13, 1901.	July 12, 1902.	July 18, 1903.	July 16, 1904.	July 15, 1905.	Averages in 28th Week of the 10 years 1896–1905.	In the Week ending Saturday, 14th July, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 58·4	° 59·8	° 60·7	° 59·0	° 60·8	° 59·8	° 58·2	° 56·9	° 58·8	° 64·6	° 59·7	Mean Temp. ° 57·5								
ingitis (not tuberc.) ...							3	2	1	2		1	.	.	.	1	.	.	.	.
nity, G. P. of Insane ...							1	2	.	.		.	.	.	.	.	.	.	.	.
lepsy							.	.	2	.		.	.	.	.	.	.	.	.	.
vulsions							3	7	10	7		4	.	3	1	.	.	.	.	.
omotor Ataxy ...							.	.	.	.		1	.	.	.	.	.	1	.	.
aplegia Dis. of Cord ...							.	.	.	.		2	.	.	.	.	.	1	1	.
vous System (other s.)	31	44	30	23	20	35	.	1	.	4	29·7	4	.	.	.	.	.	3	1	.
v. Dis., Endocarditis ...							2	1	5	3		3	.	.	.	.	2	.	1	.
ebr. Hæm. Thromb. ...							1	2	.	1		4	.	.	.	.	.	2	2	.
olexy, Hemiplegia ...							3	3	6	1		7	.	.	.	.	.	4	3	.
urysm							.	.	.	.		.	.	.	.	.	.	.	.	.
oolism, Thromb. (not rebral)							.	1	.	.		1	.	.	.	.	1	.	.	.
rt and Blood Vessel Dis.							12	10	6	12		11	.	.	.	.	.	3	7	1
ip (not Spasm. nor emb.)	1	1	.	1	.	1	1	.	.	1	·6	.	.	.	.	.	.	.	.	.
nchitis	10	12	10	12	11	10	13	7	17	6	10·8	9	.	2	.	1	.	1	5	.
ma, Emphysema ...							.	.	.	.		.	.	.	.	.	.	.	.	.
risy	1	3	3	.	2	2	.	1	.	1	2·2	.	.	.	.	.	.	.	.	.
piratory Dis. (other) ...							4	3	1	1		1	.	.	.	.	.	1	.	.
illitis, Quinsy ...	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	1	.	.	.	.
eritis (not Epid.) ...	.	1	.	2	1	.	.	1	.	3	1·0	.	.	.	.	.	.	.	.	.
ro Enteritis							1	1	.	.		.	.	.	.	.	.	.	.	.
ontitis (not Puerp.) ...	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
hosis of Liver ...							.	.	2	1		2	.	.	.	.	.	2	.	.
r Dis. (other) ...	.	1	1	.	1	5	2	1	2	1	1·7	2	.	.	.	.	1	1	.	.
stive Dis. (other) ...	3	3	1	7	2	2	3	3	1	6	3·1	2	.	.	.	.	.	2	.	.
hritis, Acute ...							4	1	1	3		4	.	.	1	.	1	1	1	.
ht's Dis., Albuminuria	5	4	2	6	3	7	2	1	3	3	4·8	4	.	.	.	.	1	2	1	.
ary Sys. (Other Dis.)							1	.	2	.		1	.	.	.	.	.	.	1	.
rative Organs Dis. ...	2	.	.	.	.	.	1	1	1	.	·5	.	.	.	.	.	.	.	.	.
dbirth (Accid. of) ...	.	.	.	1	.	1	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
Age	3	6	6	9	7	6	4	3	3	.	4·7	2	.	.	.	.	.	.	1	1
r Diseases	20	14	8	10	9	15	10	9	11	11	11·7	11	3	3	.	.	2	1	2	.
ACCIDENT.																				
ailways	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ehicles and Horses ...	.	1	.	.	.	.	.	.	1	.	·2	1	.	.	1	.	.	.	.	.
ips, Boats, Docks (exsive of Drowning) ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
uilding Operations ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
onflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions	2	.	.	1	.	.	2	.	.	2	·7	.	.	.	.	.	.	.	.	.
rowning	3	.	1	.	.	.	1	1	1	2	·9	.	.	.	.	.	.	.	.	.
uffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous pours	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
r Deaths by Accidents	2	2	2	3	4	1	.	1	1	2	1·8	.	.	.	.	.	.	.	.	.
LENCE OTHER THAN ACCIDENTAL.																				
icide	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
de	.	.	.	.	1	.	1	1	1	.	·4	1	.	.	.	.	1	.	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

gistration Area as then constituted.
le Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																										
	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.
No. of weeks in Annual Series.	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered,	183	220	283	202	188	169	252	214	189	211	230	207	181	202	199	250	285	202	195	223	167	250	210	238	189	230
*Average Births in corresponding week of previous 10 years,**	199	200	221	215	205	217	213	208	219	206	236	177	200	216	204	244	227	209	191	217	229	193	221	229	202	193
DEATHS registered,	154	160	187	151	149	185	188	187	173	193	198	159	174	215	174	191	165	169	173	154	142	126	149	125	130	140
Annual Death-rate per 1,000,	21·2	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	28·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3
*Average Deaths in corresponding week of previous 10 years,**	211	202	212	209	209	221	233	221	212	211	218	201	198	189	183	183	174	171	166	157	155	150	146	140	145	146
AGES, Under 5 years,	39	37	46	35	32	45	40	43	55	43	67	37	34	45	37	30	36	41	42	47	38	12	37	17	35	35
5—20 ,,	11	13	16	8	9	8	14	8	15	15	17	13	13	15	12	16	10	15	13	11	11	13	13	16	14	10
20—40 ,,	18	21	18	21	15	38	39	34	19	29	26	28	23	27	32	39	23	28	29	27	20	22	30	36	21	24
40—60 ,,	45	37	42	42	46	43	34	43	35	40	33	34	47	49	42	47	39	44	37	30	42	36	34	28	32	37
60—80 ,,	34	43	52	39	39	44	49	49	41	55	45	40	47	70	40	55	51	30	41	34	28	37	31	22	21	32
80 years and upwards,	7	9	13	6	8	7	7	10	8	11	10	7	10	9	11	4	6	11	11	5	8	6	4	6	7	2
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.	2	.	.	.	.	.	1
Scarlet Fever	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough,	1	1	2	.	.	1	4	1	2	.	2	2	3	.	2	1	1	.	3	3	1	2	2	1	4	6
Diphtheria,	.	1	1	.	.	1	.	2	2	1	3	.	.	.	2	.	.	2	.	.	.	.	1	.	.	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	.	1	1	.	3	.	3	.	1	2	1	1	3	.	.	.	.	1	.	2	.	1
Diarrhœal Diseases,	1	3	1	.	1	2	1	3	3	5	2	1	1	1	4	.	3	1	3	2	1	4	.	2	.	3
Pneumonia,	12	16	19	6	11	13	16	18	10	13	10	8	22	26	17	21	18	13	13	10	6	6	13	4	4	9
Tuberculous Phthisis,	23	21	29	13	23	29	32	30	23	32	25	23	27	18	22	36	18	16	22	20	17	17	29	21	26	21
Disease. Other Forms,	5	6	9	15	10	12	18	9	12	11	15	15	8	11	10	15	10	16	7	8	13	12	11	9	11	7
Cancer, Malignant Disease,	12	6	8	14	6	13	6	6	6	11	4	4	9	13	10	6	5	15	8	10	6	8	6	12	7	4
Diseases of Heart and Blood Vessels,	24	33	31	23	27	21	25	31	29	31	33	27	29	45	27	22	22	28	30	15	29	26	21	14	15	26
Diseases of Respiratory System,	23	18	27	26	27	32	28	28	21	34	27	23	29	43	23	36	31	15	26	15	10	11	17	5	21	10
Violent Deaths,	7	8	5	5	.	4	10	1	2	4	5	2	3	4	2	3	1	4	5	2	3	3	4	3	4	2
Number of Uncertified Deaths,	6	6	11	7	6	8	4	6	7	6	12	9	7	6	5	5	3	7	7	11	3	3	9	4	3	2
Mean Temperature of the Air (Phœnix Park),	38·5	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5
Average Mean Temperature in corresponding week of previous 10 years.	41·8	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7
Rainfall in inches,	1·605	·230	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130	·810	·650	·455	·640	·810	·450	·005	·280	·790	·450	·390	·235
Mean Humidity of the Air, complete Saturation, 1·0,	·87	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·83	·81	·83	·85	·83	·83	·89	·84	·79	·85	·86	·79	·84	·80

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever."

in the Dublin Registration Area during the Week ending Saturday, 14th July, 1906: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH JULY, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	19·4	140	35	10	24	37	32	2	.	1	.	1	6	.	.	1	3	12	9	21	7	4	4	10	2	71	2
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class,	17,486	9·0	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
II.	Middle Class,	87,188	11·4	19	6	1	6	2	4	.	.	.	.	.	1	.	.	.	1	2	2	2	.	.	1	1	1	10	.
III.	Artisan Class and Petty Shopkeepers,	110,423	12·7	27	5	4	4	10	4	.	.	1	.	.	1	.	.	.	.	2	2	3	.	.	.	2	1	17	1
IV.	General Service Class,	154,279	29·6	52	20	5	11	9	6	1	.	.	.	1	4	.	.	1	2	8	4	11	5	.	3	2	.	19	1
V.	Inmates of Workhouses,	6,024		39	4	.	3	15	16	1	.	.	.	.	.	.	.	.	.	.	1	5	2	3	.	5	.	23	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	9·5	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	.
	6. Clerks and Commercial Assistants,	30,432	8·6	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	13·5	7	3	1	1	.	2	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	5	.
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1
	9. Building and Furnishing Trades,	29,801	14·0	8	2	3	.	3	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	6	.
	10. Clothing Trades,	28,260	4·5	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	11. Food Supply Trades,	9,242	5·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	15·5	9	1	.	2	4	2	.	.	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	6	.
	13. Petty Shopkeepers,	7,894	26·4	4	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	15. Domestic Servants,	36,603	2·8	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	14·5	4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	26·7	46	18	4	10	8	5	1	.	.	.	1	4	.	.	.	2	7	4	10	5	.	2	2	.	16	1
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates,	6,024	.	39	4	.	3	15	16	1	.	.	.	.	.	.	.	.	.	.	1	5	2	3	.	5	.	23	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all causes.	From diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,332.	May 26,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	1	.	1	1	2	1	1
	June 2,	12·9	1·8	7	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1
	„ 9,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	„ 16,	22·1	1·8	12	.	.	.	.	1	.	.	.	.	.	2	2	1	.	.	1
	„ 23,	16·6	3·7	9	.	.	.	.	2	.	.	.	.	2	1	.	.	1	.	1
	„ 30,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	July 7,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	.	2	1	1	4	1	.
	„ 14,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 89,146.	May 26,	32·0	2·7	21	.	.	.	.	1	.	.	.	1	2	4	1	.	3	.	1
	June 2,	25·3	.	19	.	.	.	.	.	.	.	.	.	.	4	2	1	1	.	3
	„ 9,	17·8	.	13	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	1
	„ 16,	16·0	4·0	12	.	.	.	.	1	.	.	.	2	1	2	.	1	.	.	.
	„ 23,	24·0	..	18	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	1
	„ 30,	18·6	.	14	.	.	.	.	.	.	.	.	.	.	3	2	1	1	.	.
	July 7,	22·6	2·7	17	.	.	.	.	2	.	.	.	.	1	5	.	2	5	.	.
	„ 14,	25·3	5·3	19	.	.	.	.	2	.	.	1	1	1	6	.	.	3	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 80,107.	May 26,	24·2	1·7	14	.	.	.	.	.	.	.	.	1	.	1	.	1	4	.	.
	June 2,	13·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1
	„ 9,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	5	.	.	.	1	.
	„ 16,	17·3	1·7	10	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.
	„ 23,	34·6	.	20	.	.	.	.	.	.	.	.	.	2	3	4	1	1	.	2
	„ 30,	17·3	5·5	10	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	July 7,	26·0	.	15	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
	„ 14,	27·7	6·9	16	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
					.	.	.	1	3	.	.	.	.	.	5	1	.	1	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	May 26,	28·0	.	14	.	.	.	.	.	.	.	.	.	2	3	.	2	2	1	.
	June 2,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	4	2	1	1	.	.
	„ 9,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	1	2	1	1	1	.
	„ 16,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 23,	13·2	.	8	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.
	„ 30,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.
	July 7,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.
	„ 14,	18·1	.	11	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 88,884.	May 26,	19·0	.	14	.	.	.	.	.	.	.	.	.	2	1	.	1	4	2	.
	June 2,	27·2	2·7	20	.	1	.	.	1	.	.	.	.	4	2	.	.	3	.	1
	„ 9,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.
	„ 16,	13·6	1·4	10	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
	„ 23,	24·5	.	18	.	.	.	.	.	.	1	.	.	1	6	2	.	2	.	1
	„ 30,	12·2	1·4	9	.	.	.	.	.	.	.	.	.	.	3	1	1	1	.	.
	July 7,	21·7	.	16	.	.	.	.	.	.	1	.	.	2	1	3	1	3	.	.
	„ 14,	29·9	.	22	.	.	.	.	.	.	.	.	.	2	6	2	.	2	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	May 26,	28·5	.	10	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.
	June 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
	„ 9,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 16,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	2	2	.	1	1	.
	„ 23,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 30,	5·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	July 7,	8·6	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	„ 14,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	May 26,	19·9	.	16	.	.	.	.	.	.	.	.	.	2	2	1	1	3	.	.
	June 2,	34·8	1·2	28	.	1	.	.	.	.	.	.	.	2	4	.	2	3	.	3
	„ 9,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	.	.	4	1	3	.	.
	„ 16,	16·2	1·2	13	.	.	.	.	.	.	.	.	1	.	4	4	.	2	.	.
	„ 23,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	3	8	1	2	4	1	2
	„ 30,	21·1	.	17	.	.	.	.	.	.	.	.	.	1	4	1	1	.	1	.
	July 7,	21·1	.	17	.	.	.	.	.	.	.	.	.	.	5	2	.	1	1	.
	„ 14,	28·6	1·2	23	.	.	.	.	.	.	.	.	1	1	.	2	2	1	.	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	May 26,	16·3	.	11	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1
	June 2,	8·9	.	6	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1
	„ 9,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	3	3	.	.	.	1
	„ 16,	16·3	.	11	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.
	„ 23,	17·8	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	2	1	1
	„ 30,	20·8	1·5	14	.	.	.	.	.	.	1	.	.	.	.	1	.	1	2	2
	July 7,	11·9	1·5	8	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	1
	„ 14,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 83,203.	May 26,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2
	June 2,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 23,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.
	„ 30,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	.
	July 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	„ 14,	7·9	3·1	5	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,625	May 26,	24·0	.	12	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.
	June 2,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 9,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 16,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
	„ 23,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.
	„ 30,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.
	July 7,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 14,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	May 26,	26·6	.	9	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	2
	June 2,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
	„ 9,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 16,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	„ 23,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 30,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	1
	July 7,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	„ 14,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1906 (Est.) 376,220.	May 26,	21·5	2·0	151	.	.	.	.	8	1	.	.	5	14	33	9	3	16	6	4
	June 2,	21·4	2·6	150	.	1	.	.	15	.	1	.	1	15	16	1	1	17	1	2
	„ 9,	19·4	3·7	136	.	2	.	.	16	1	.	2	5	15	21	15	5	15	2	2
	„ 16,	19·1	2·1	134	.	1	.	.	7	.	.	.	7	7	22	9	6	15	1	5
	„ 23,	18·7	2·3	131	.	.	.	.	14	.	.	.	2	7	30	7	4	14	5	.
	„ 30,	16·1	2·0	113	.	.	1	.	7	2	.	.	4	8	24	7	2	13	.	1
	July 7,	15·0	1·6	105	.	1	.	.	4	2	.	.	4	8	12	6	9	7	3	1
	„ 14,	16·9	2·3	119	.	.	.	.	9	.	.	1	6	7	20	15	2	7	6	2
Cork. Pop. (in 1901) 76,122.	May 26,	24·0	1·4	35	.	.	.	.	.	2	.	.	.	2	3	2	.	4	.	2
	June 2,	16·4	.	24	.	.	.	.	.	.	.	.	.	.	6	1	2	4	2	.
	„ 9,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	7	1	1	1	.	1
	„ 16,	16·4	.	24	.	.	.	.	.	.	.	.	.	2	8	2	.	1	.	.
	„ 23,	14·4	0·7	21	.	.	.	.	1	.	.	.	.	.	4	1	1	3	1	1
	„ 30,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	2	4	2	4	1	1
	July 7,	13·7	1·4	20	.	.	.	.	.	1	.	.	1	1	4	.	.	1	1	2
	„ 14,	15·8	1·4	23	.	.	.	.	.	.	.	1	1	.	5	1	.	.	.	.
Londonderry. Pop. in 1906 (Est.) 42,067.	May 26,	21·1	2·5	17	.	1	.	.	.	.	.	.	.	.	2	2	2	1	.	1
	June 2,	13·6	2·5	11	.	2	.	.	.	.	.	.	.	1	1	.	.	1	1	.
	„ 9,	27·3	3·7	22	.	3	.	.	.	.	.	.	.	.	3	.	.	7	1	1
	„ 16,	24·8	5·0	20	.	3	.	.	.	.	.	.	1	.	4	1	1	3	2	1
	„ 23,	18·6	2·5	15	.	1	.	.	.	.	.	.	1	1	3	1	.	1	.	2
	„ 30,	19·8	7·4	16	.	6	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	July 7,	8·7	3·7	7	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 14,	17·4	5·0	14	.	3	.	.	.	.	.	.	1	.	1	.	1	2	.	1
Limerick. Pop. (in 1901) 38,151.	May 26,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.
	June 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	.	4	.	6
	„ 9,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	1
	„ 16,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	8	.	.	2	.	1
	„ 23,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	2
	„ 30,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	July 7,	9·6	1·4	7	.	.	.	.	.	.	.	1	.	.	1	.	1	3	.	1
	„ 14,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	4	1	.	.	.	1
Waterford. Pop. (in 1901) 26,769.	May 26,	23·4	.	12	.	.	.	.	.	.	.	.	.	.	2	2	.	3	.	.
	June 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	1	1
	„ 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
	„ 16,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	1
	„ 23,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	„ 30,	11·7	1·9	6	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.
	July 7,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2
	„ 14,	7·8	1·9	4	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th July, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,734	8	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		5	.	2	.	2	.	1	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	1	.
Do. 2 ,,	47,959	11			11	1	2	1	.	4	3	.	.	.	.	.	.	.	.	.	2	1	1	1	2	.	.	2	.
Do. 3 ,,	47,214	17			19	5	4	2	6	1	1	.	.	.	.	4	.	.	.	2	2	4	1	.	.	.	.	2	1
Do. 4 ,,	40,911	25			17	5	2	1	3	3	3	.	.	.	.	2	.	.	.	1	1	2	2	1	.	.	.	8	.
Do. 5 ,,	17,387	9			6	1	1	2	1	1	.	.	.	.	.	.	.	.	.	2	.	1	1	.	2	.	.	1	.
Do 6 ,,	48,122	22			15	5	3	1	3	3	.	.	.	.	.	.	.	.	1	.	1	3	1	.	1	1	1	4	.
Do 7 ,,	1,524	.			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 ,,	5,060	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,,	19,569	8			8	2	1	.	3	1	1	.	.	.	.	.	.	.	.	1	1	.	3	.	.	2	2	1	.
Do. 10 ,,	23,064	17			12	2	.	3	5	1	1	.	.	.	.	1	.	.	.	.	.	5	1	.	.	.	.	2	.
Do. 11 ,,	34,802	25			12	4	.	1	2	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	2	2	.	1
Do. 12 ,,	33,588	11			10	1	3	1	2	1	2	.	.	.	.	.	.	.	.	.	.	2	3	.	1	1	1	1	.
Do. 13 ,,	15,006	9			3	1	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 ,,	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	162			119	27	19	14	27	15	17	.	.	.	.	9	.	.	1	6	7	20	15	2	7	6	6	23	2
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	9	12·2	.	3	1	.	2			.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 2 ,, . .	10,701	7	14·6	.	3	.	.	2			1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.
Do. 3 ,, . .	9,978	6	15·7	5·2	3	.	.	3			.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	2	.
Do. 4 ,, . .	8,666	4	36·1	6·0	6	3	.	3			.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.
Do. 5 ,, . .	6,592	3	15·8	.	2	.	.	1			1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 6 ,, . .	10,702	2	.	.	.	.	.	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 ,, . .	16,616	13	18·8	.	6	.	1	3			2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3	.
Total, ...	76,122	44	15·8	1·4	23	4	1	14			4	.	.	.	.	.	.	.	1	1	.	5	1	.	.	.	2	12	.

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered,	196	236	231	189	246	214	246	229	229	221	248	240	212	232	282	238	246	217	273	239	228	204	222	218	225	162
DEATHS registered,	135	160	139	146	179	174	166	155	191	152	201	169	166	171	152	179	161	140	151	150	136	134	131	118	105	119
Annual Death-rate per 1,000 of estimated Population,	19·2	22·8	19·8	20·8	25·5	24·8	23·6	22·1	27·2	21·6	23·6	24·1	23·6	24·3	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9
AGES: Under 1 year,	30	31	24	29	31	43	26	31	32	37	46	35	35	39	30	29	35	35	21	33	23	21	26	24	24	27
AGES: 1–5 years,	16	22	11	11	14	20	17	22	23	16	30	28	26	24	24	20	19	17	17	23	22	20	17	15	12	19
AGES: 5–20 years, 20–40 years, 40–60 years,	62	71	61	71	87	74	85	59	84	57	89	81	75	66	67	85	66	64	84	64	53	67	72	57	11 / 13 / 22	14 / 27 / 15
AGES: 60 years and upwards,	27	36	43	35	47	37	38	43	52	42	36	25	30	42	31	45	41	24	29	30	33	26	16	17	23	17
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.
Scarlet Fever,	2	1	1	.	.	1	1	1	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	3	1	2	6	7	9	5	9	5	21	12	13	21	18	20	12	13	8	15	16	7	14	7	4	9
Diphtheria,	.	.	.	.	2	3	2	.	1	2	1	1	.	.	.	.	.	1	1	.	1	.	.	2	2	.
*Pyrexia** (origin uncertain),	2	.	.	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Enteric Fever,	1	2	2	6	.	2	2	6	6	3	1	5	4	2	.	.	1	1	.	.	2	.	.	.	.	1
Diarrhœal Diseases,	2	3	2	1	3	2	1	.	1	2	1	2	.	1	2	1	.	1	5	1	5	7	2	4	4	6
Pneumonia,	8	11	10	8	19	17	13	16	23	10	18	19	19	15	16	16	10	9	14	15	15	7	7	8	8	7
Tuberculous Disease, Phthisis,	17	22	16	23	22	23	33	15	26	17	18	24	26	18	19	29	21	23	33	16	21	22	30	24	12	20
Tuberculous Disease, Other Forms,	3	8	7	6	7	7	6	10	5	6	12	11	7	8	12	10	8	11	9	11	5	9	7	7	6	15
Cancer, Malignant Disease,	5	7	5	4	5	6	5	1	6	4	10	4	3	2	4	4	3	3	3	1	5	6	4	2	9	2
Diseases of Respiratory System,	12	20	26	23	22	24	34	33	36	24	28	21	34	36	27	30	27	17	16	17	15	15	14	13	7	7
Violent Deaths,	4	1	3	1	6	4	2	6	1	.	2	7	4	3	4	4	2	4	6	1	2	1	5	.	3	6
Number of Uncertified Deaths,	4	4	3	3	5	3	5	2	4	3	3	1	1	3	5	2	2	.	4	2	2	5	.	1	1	2

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	July 14,	2,413	1,072	11·8	.	22	6	9	18	4	35
EDINBURGH,	341,035	„ 14,	152	86	13·2	.	7	1	.	.	.	1
GLASGOW,	835,625	„ 14,	456	248*a*	15·5	.	5	.	2	9	3	14
CALCUTTA,	910,117	May 26,	.	445	27·2	35	2	.	.	.	113‡	51*
BOMBAY,	776,006	June 12,	373	806	54·0	8	28	.	.	.	88‡	91*
MADRAS,	509,346	May 25,	299	386	39·4	4	5	?	?	?	94	73
PARIS,	2,722,731	June 30,	1,018	823	16·0	.	6	1	3†	4	2	34
BRUSSELS (with 8 Faubourgs).	612,401	„ 23,	227	143	12·1	.	2	1	.	.	1	11
ANTWERP,	304,975	„ 23,	121	68	11·6	.	3	.	.	.	1	3
AMSTERDAM,	560,693	„ 23,	298	142	13·2	.	5	.	1†	2	1	10
COPENHAGEN,	425,000	„ 23,	186	107	13·1	.	3	.	.	1	1	10
STOCKHOLM,	324,488	„ 16,	176	78	12·5	.	1	.	.	2	.	3
CHRISTIANIA,	222,373	„ 30,	108	70	16·4	.	.	.	4†	.	.	7
ST. PETERSBURG,	1,424,700	„ 23,	709	713	26·0	2	40	15	12	2	28	112
MOSCOW,	1,092,360	May 26,	.	795	37·9	2	6	8	8†	4	12	271
BERLIN,	2,059,378	June 16,	908	576	14·6	.	30	5	4†	10	2	42
HAMBURG,	803,050	„ 16,	.	251	16·3	.	9	.	2†	5	1	11
BRESLAU,	475,622	„ 30,	.	241	26·4	.	3	.	2†	2	2	38
MUNICH,	540,000	„ 30,	.	184	17·7	.	1	.	1†	2	.	31
VIENNA (with suburbs).	1,937,869	„ 30,	1,052	629	16·9	.	20	4	4†	2	1	71
BUDA-PESTH,	859,134	„ 30,	417	357	21·7	.	6	6	1†	3	.	34
PRAGUE and Faubourgs.	460,849	„ 23,	211	189	21·3	.	.	1	1†	1	3	12
TRIESTE,	196,637	„ 16,	130	75	19·9	.	2	.	1†	.	.	8
ROME,	530,179	May 5,	203	187	18·5	.	8	.	1†	7	1	3
		„ 12,	204	165	16·4	.	7	.	1†	3	1	6
VENICE,	171,709	—	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	June 16,	2,033	1,260	15·8	.	30	10	26†	3	7	88
PHILADELPHIA,	1,469,126	„ 9,	.	496	17·6	.	3	1	7†	9	24	27
BOSTON,	595,380	„ 16,	.	190	16·7	.	1	1	4	3	1	1

a. Including 4 deaths from cerebro-spinal meningitis.
* Including 25 deaths from cholera in Calcutta, and 21 in Bombay.
† Including deaths from croup.
‡ Exclusive of 43 deaths from plague in Calcutta, and 106 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th July, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 2,	.	1	.	.	.	.	1	.	2	.	.	.	4
" " 3,	.	3	1	.	.	.	1	.	.	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	4	10	.	.	.	14
" " 2,	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 3,	.	1	1	.	.	.	.	.	1	.	.	.	3
" " 4,	.	1	.	.	1	.	.	.	.	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	6	2	.	1	.	2	5	13	.	.	.	29

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th July, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th July.			
	June 23.	June 30.	July 7.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	9	5	7	8	2	.	13
Scarlet Fever,	44	35	33	10	8	.	35*
Typhus,	1	2	3	1	.	1	3
Diphtheria,	28	28	29	.	7	.	22
Enteric Fever,	28	25	24	.	7	.	17
Pneumonia,	29	27	26	8	10	.	24

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 14th July, 1906:—

"Prevalent northwesterly winds brought with them cool, cloudy, but for the most part dry weather—only in the course of Thursday night was there a considerable rainfall, so far as Dublin is concerned. An area of high barometric pressure hovered off the S.W. of Ireland throughout the week, and at 8 a.m of Wednesday the barometer stood as high as 30·41 inches at Valentia, Co. Kerry. On the other hand, there was a tendency to the formation of irregular and shallow depressions in the North Sea area and over the Continent. To this distribution of atmospheric pressure the N.W. winds and cool weather of the period were due. On and after Tuesday showers fell frequently in Great Britain, and thunderstorms occurred locally in many parts of England—more particularly in the east, southeast, and south of that country. A private correspondent reports a torrential shower from the N.W. of London at 3.30 p.m. of Thursday, July 12, but the measured rainfall in St. James's Park on that day was only ·02 inch. A V-shaped baric depression came in over Scotland and the North of Ireland on Thursday night, and it caused a general rainfall then or during Friday. Fresh westerly winds blew in Dublin on Saturday, which proved bright, warm, and dry. In Dublin the mean height of the barometer was 30·191 inches, pressure ranging between 30·329 inches at 9 a.m. of Monday (wind, W.) and 29·940 inches at 9 p.m. of Saturday (wind, W.S.W.). The corrected mean temperature was 59·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 58·8°. The screened thermometers rose to 70·1° on Saturday, having fallen to 50·0° on Monday. N.W. winds prevailed. The rainfall was ·232 inch, on 2 days, ·177 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·206 inches. The highest reading (30·343) was on Monday at 9 a.m., wind W.S.W., and the lowest (29·960) on Saturday at 9 p.m., wind S.W.

The mean temperature for the week was 57·5°, being 2·2° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Thursday, on which day the thermometer registered 68·9°, and was lowest on Monday and Thursday, the mercury having fallen to 44·9°. The mean of the Dry Bulb for the week was 57·1°, and of the Wet Bulb 53·7°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 36·7 hours. The rainfall during the week measured 0·235 inch.

At Greenwich the mean temperature for the week was 61·5°, the maximum 77·4°, and the minimum 47·5°; at Glasgow the maximum was 69·2°, the minimum 41·0°, and the mean 56·2°; and at Edinburgh the maximum was 67·7°, the minimum 45·0°, and the mean 56·1°. The rainfall at Greenwich measured 0·01 in.; at Glasgow 0·59 in.; and at Edinburgh 0·39 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, July 8,	30·251	65·4	54·7	60·1	56·4	54·3	·86	·6	7·3	·000	W.N.W.	Calm.
Monday, „ 9,	30·320	64·9	44·9	54·9	57·8	53·3	·74	·6	6·0	·000	W.S.W.	Calm.
Tuesday, „ 10,	30·285	63·8	53·1	58·5	55·7	51·2	·73	·4	4·5	·010	W.N.W.	W.
Wednesday, „ 11,	30·314	62·0	46·4	54·2	53·8	50·9	·82	·4	3·8	·000	N.W.	Calm.
Thursday, „ 12,	30·237	68·9	44·9	56·9	58·0	53·7	·75	·6	8·0	·160	N.W.	Calm.
Friday, „ 13,	30·030	63·7	53·7	58·7	58·2	56·8	·91	·4	0·1	·000	W.	W.
Saturday, „ 14,	30·005	68·7	49·4	59·1	59·9	55·8	·77	·6	7·0	·065	W.S.W.	S.W.
Mean, . .	30·206	65·3	49·6	57·5	57·1	53·7	·80	·5	Total 36·7	Total ·235	—	

Sunday—Fine day but cloudy; night sky clear. *Monday*—A fine but cloudy day; night cloudy. *Tuesday*—A fine but cloudy day, light showers 3 p.m. to 6 p.m.; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A fine day, light clouds; night cloudy. *Friday*—Overcast, light showers a.m., cloudy p.m.; night overcast, light showers midnight to 5.40 a.m. *Saturday*—A fine but cloudy day; night overcast, light rain.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 14th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 8,	59·2	59·9	55·9	66·2	55·9	61·1	6·5	—
Monday, „ 9,	60·0	59·5	56·0	65·9	49·1	57·5	6·6	·001
Tuesday, „ 10,	58·7	59·7	56·1	64·3	54·4	59·4	4·4	—
Wednesday, „ 11,	56·9	59·4	56·4	61·8	48·9	55·4	2·8	—
Thursday, „ 12,	58·9	59·1	56·3	62·1	51·6	56·9	9·0	·170
Friday, „ 13,	60·2	59·9	56·2	64·2	54·4	59·3	0·0	—
Saturday, „ 14,	59·0	58·9	56·2	69·9	51·3	60·6	7·3	·038
Weekly Mean, .	59·0	59·5	56·2	64·9	52·2	58·6	Total 36·6	Total ·209

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—14118.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 21ST JULY, 1906. [No. 29.

General Register Office, Charlemont House, Dublin, 23rd July, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending June 30.	Week ending July 7.	Week ending July 14.	Week ending July 21.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 30.	Week ending July 7.	Week ending July 14.	Week ending July 21.	Average Rate for 4 weeks.
22 Town Dists.	15·3	15·0	16·9	18·0	16·3	Lisburn,	9·1	4·5	13·6	9·1	9·1
Armagh,	27·5	13·7	13·7	20·6	18·9	Londonderry,	19·8	8·7	17·4	26·0	18·0
Ballymena,	9·6	19·2	9·6	14·4	13·2	Lurgan,	8·9	17·7	35·4	8·9	17·7
Belfast†	16·1	15·0	16·9	17·2	16·3	Newry,	16·8	4·2	.	12·6	8·4
Clonmel,	5·1	.	20·5	5·1	7·7	Newtownards,	.	45·8	34·3	40·1	30·0
Cork,	18·5	13·7	15·8	15·8	16·0	Portadown,	10·3	10·3	15·5	20·7	14·2
Drogheda,	4·1	16·3	12·3	16·3	12·3	Queenstown	19·8	13·2	13·2	6·6	13·2
Dublin Reg. Area,	16·4	16·9	18·7	20·9	18·2	Sligo,	4·8	14·4	19·2	19·2	14·4
Dundalk,	8·0	4·0	8·0	8·0	7·0	Tralee,	10·6	21·1	15·9	15·9	15·9
Galway,	7·8	19·4	.	11·7	9·7	Waterford,	11·7	11·7	7·8	29·2	15·1
Kilkenny,	14·7	4·9	9·8	9·8	9·8	Wexford,	18·7	32·7	23·3	4·7	19·8
Limerick,	10·9	9·6	17·8	5·5	11·0						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in fourteen of the districts to 8·7 in Londonderry, the 21 deaths from all causes in that district including 5 from measles, one from whooping-cough, and one from diarrhœa. Among the 121 deaths from all causes in Belfast are 2 from scarlet fever, 3 from whooping-cough, one from enteric fever, and 7 from diarrhœal diseases; of the 23 deaths in Cork one is from whooping-cough; and the 4 deaths in Drogheda include one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 199—103 boys and 96 girls; and the deaths to 156—84 males and 72 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·5 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 20·9 per 1,000. During the twenty-nine weeks ending with Saturday last the death-rate averaged 22·8, and was 3·3 below the mean rate for the corresponding portions of the ten years, 1896–1905.

Included in the 156 deaths registered were 2 deaths from measles, 3 from whooping-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*) Table II. ‡ See columns 10–18 of Table II.

cough, one from diphtheria, one from enteric fever, and 3 from diarrhœal diseases (the mean of the daily readings of the earth thermometer at 4 feet was 56·6° for last week). In each of the 3 preceding weeks deaths from measles were 0, 0, and one; deaths from whooping-cough were one, 4, and 6; deaths from diphtheria were 0, 0, and 0; deaths from enteric fever were 2, 0, and one; and deaths from diarrhœal diseases 2, 0, and 3.

Broncho-pneumonia caused 4 deaths, and *pneumonia* (not defined) caused 8 deaths.

There were 34 deaths from all forms of tuberculous disease, including 8 deaths from tuberculous phthisis, 15 from *phthisis*, 3 deaths from tuberculous meningitis, one from tuberculous peritonitis, one from *tabes mesenterica*, and 6 from other forms of the disease. In the 3 preceding weeks deaths from all forms of the disease numbered 30, 37, and 28, respectively.

Sarcoma caused one death and cancer (undefined) 13 deaths.

The deaths of 6 infants were due to premature birth.

There were 10 deaths from diseases of the brain and nervous system, including 7 deaths from *convulsions*. Of the latter 6 were those of infants under one year of age, and one was that of a child aged one year.

Diseases of the heart and blood vessels caused 27 deaths, and of the 11 deaths from diseases of the respiratory system 9 were from bronchitis.

Two deaths were caused accidentally (including one caused by a tramcar), and there was one death by suicide.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under one year of age and the death of one person aged 74 years.

Thirty-eight of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 8 were under one month old) and 48 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 3 were octogenarians, and 2 (males) were stated to have been aged 90 and 93 years, respectively.

Sixty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse, 11 in the South Dublin Union Workhouse, and 5 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·9 per 1,000; the rate in the City was 20·8 (North City Districts, 22·8; South, 18·6), and in the Suburbs, 21·3 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·6 (1·4 in the North City Districts, and 1·8 in the South) and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000, and include one death each from whooping-cough and *pneumonia* (not defined), 3 deaths from tuberculous disease, and one death from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 28·0 per 1,000. Whooping-cough, *diarrhœa*, and *pneumonia* (not defined), each caused one death; there were 7 deaths from tuberculous disease and 6 deaths from diseases of the heart and blood vessels.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·8 per 1,000. Among them are one death from whooping-cough, one from *pneumonia* (not defined), one from tuberculous phthisis, and one from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 16·5 per 1,000, and include one death from *pneumonia* (not defined), 4 deaths from tuberculous disease, one death from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 36·4; and Finglas and Glasnevin part of, 15·6. The 7 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include 2 from tuberculous disease of the lungs; and the 2 deaths for Finglas and Glasnevin, part of, comprise one death from bronchitis and one death by suicide.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 25·8 per 1,000. Diphtheria, enteric fever, broncho-pneumonia, and *pneumonia* (not defined), each caused one death, tuberculous disease caused 6 deaths, and diseases of the respiratory system 4 deaths.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000, and include one death from broncho-pneumonia, one death from *pneumonia* (not defined), and one death from tuberculous phthisis.

No. 3 South City District (Peter-street).—The deaths (12) are equal to an annual rate of 14·9 per 1,000. One of the deaths was from measles, one from broncho-pneumonia and one from bronchitis; there was one death by accident.

No. 4 South City District (Grand Canal-street).—The deaths (7) are equivalent to an annual rate of 10·4 per 1,000. *Diarrhœa* and tuberculous disease each caused one death, and there were 2 deaths from diseases of the respiratory system.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000. Zymotic enteritis caused one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8; Pembroke, 16·0; Blackrock, 23·8; and Kingstown, 32·5. The only death from any of the principal epidemic diseases tabulated for these districts was one from measles for Rathmines and Rathgar. The 12 deaths from all causes for Rathmines and Rathgar include one from *phthisis*, and 3 from diseases of the heart and blood vessels; the 8 deaths from all causes for Pembroke include one from *pneumonia* (not defined), 3 from *phthisis*, and 4 from diseases of the heart and blood vessels; and the 11 deaths from all causes for Kingstown include one from *pneumonia* (not defined), 4 from tuberculous disease, and 3 from diseases of the heart and blood vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Executive Sanitary Officer for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 21st July, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	June 30,	.	—	—	4	2	.	4	.	.	3	12	.	—	—	—	—	—	25
	July 7,	.	—	—	4	1	.	3	.	4	5	11	.	—	—	—	—	—	28
	July 14,	.	—	—	6	2	.	1	.	2	5	13	.	—	—	—	—	—	29
	July 21,	.	—	—	5	.	.	2	.	1	2	11	.	—	—	—	—	—	21
Rathmines and Rathgar Urban District.	June 30,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	—	5
	July 7,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	3
	July 14,	.	—	—	1	.	.	.	.	1	.	1	.	—	—	—	—	—	3
	July 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Pembroke Urban District.	June 30,	.	.	.	.	.	.	1	.	.	1	.	.	—	1	.	—	—	3
	July 7,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	July 14,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	July 21,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
Blackrock Urban District.	June 30,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	July 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 21.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	June 30,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	July 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 14,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	July 21,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	2
City of Belfast.	June 30,	.	—	—	7	.	.	5	1	3	4	6	.	—	—	—	—	—	26
	July 7,	.	—	—	18	.	.	1	.	6	7	5	1	—	—	—	—	—	38
	July 14,	.	—	—	10	.	.	2	.	7	1	2	.	—	—	—	—	—	22
	July 21,	.	—	—	11	.	.	2	.	3	5	7	.	—	—	—	—	—	28

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st July, 1906.

From this it appears that:—

Five cases of measles were admitted to hospital during the week, 4 were discharged, and 4 cases remained under treatment at its close.

Six cases of scarlet fever were admitted to hospital, 6 were discharged, and 35* cases remained under treatment at the close of the week.

Two cases of typhus were discharged from hospital, and one remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 7 were discharged, there was one death, and 22 patients remained under treatment at the close of the week.

Three cases of enteric fever were admitted to hospital, 2 were discharged, there was one death, and 17 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 15 cases of pneumonia were admitted to hospital, were discharged, there was one death, and 29 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 11·6), was equal to an average annual death-rate of 12·0 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 13·7 per 1,000, the rate for Glasgow being 15·3, and for Edinburgh 10·7.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st July. From this Return it appears that of a total of 40 cases notified 26 were scarlet fever, 7 erysipelas, 4 diphtheria, and 2 typhoid fever. Among the 312 cases of infectious diseases in hospital at the close of the week were 102 cases of scarlet fever, 99 of measles, 33 of diphtheria, 16 of enteric fever, 11 of whooping-cough, and 10 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 21st July, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 21st July, 1906. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 21st July, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th July, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th July, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	30·8	18·0	1·7	651	381	59	105	.	7	2	.	8	2	.	2	14	23	59	28	23	25	9	15	119	8	.	°	°	.	°	°	°	.	°	°	°	.
Dublin Registration Area:—Total, d.	378,994	27·5	27·4	20·9	1·4	199	152	26	47	.	2	.	.	3	1	.	1	3	11	22	11	14	11	3	5	59	5	f71·0	47·4	59·0	0·39	f68·9	44·9	57·5	0·24	f70·9	40·1	55·8	0·39
City of Dublin,	293,385	37·1	30·4	20·8	1·6	171	117	22	30	.	1	.	.	3	1	.	1	3	9	16	9	9	11	3	4	48	4	g72·1 h70·1	49·8 48·0	60·4 59·0	0·26 0·31	g70·1 h67·9	50·0 45·0	59·1 58·1	0·23 0·24	g71·2 h71·9	47·4 42·0	58·3 56·2	0·38 0·33
Urban Dists. Rathmines and Rathgar.	33,203	19·4	15·7	18·8	1·6	10	12	1	7	.	1	.	.	.	.	.	.	.	.	1	.	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	14·0	16·0	.	7	8	.	4	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·9	23·8	.	3	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	23·7	32·5	.	8	11	1	5	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.	4	.	71	50·5	61·3	0·16	69	50	59·1	0·26	67·5	48·5	56·7	0·27
Urban Districts.																																							
Belfast,	366,220	24·9	38·6	17·2	1·9	271	121	21	28	.	.	2	.	3	.	.	1	7	6	21	5	4	9	4	8	33	.	68·5	45·5	57·5	0·51	66·0	44·0	56·4	0·26	66·5	43·0	56·0	0·92
Cork,	76,122	33·6	27·4	15·8	0·7	40	23	2	6	.	.	.	.	1	.	.	.	.	1	2	1	3	3	.	.	11	2	69	52	58·8	0·16	69	50	57·6	0·30	65	49	57·2	0·54
Londonderry,	42,037	19·4	28·5	26·0	8·7	23	21	2	7	.	5	.	.	1	.	.	.	1	.	1	4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	26·0	5·5	1·4	19	4	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	19·5	29·2	1·9	10	15	4	4	.	.	.	.	.	.	.	.	1	3	3	.	.	.	1	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	35·0	11·7	.	9	3	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.	68	46	59	0·69	68	46	59	0·46	70	52	60·5	0·83
Dundalk,	18,076	3·4	4·0	8·0	4·0	1	2	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	8·2	16·3	4·1	2	4	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	12·6	12·6	.	3	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68·0	45·0	56·7	0·42	69·0	41·7	54·7	0·34	70·2	45·9	56·8	0·44
Lurgan,	11,782	13·8	31·0	8·9	.	7	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	68·0	45·0	56·7	0·42	69·0	41·7	54·7	0·34	70·2	45·9	56·8	0·44
Lisburn,	11,461	10·1	18·6	9·1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	68·0	45·0	56·7	0·42	69·0	41·7	54·7	0·34	70·2	45·9	56·8	0·44
Wexford,	11,168	23·2	37·4	4·7	.	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	33·5	14·4	.	7	3	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	38·4	19·2	.	8	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	69·4	44·2	56·6	0·59	66·8	46·3	55·7	0·44	67·9	41·2	55·8	0·16
Kilkenny,	10,609	11·5	63·9	9·8	.	13	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	73	46	60	0·21	69	40	58	0·39	69	44	56·4	0·42
Clonmel,	10,167	7·8	30·8	5·1	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	46·5	20·7	.	9	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	68·0	45·0	56·7	0·42	69·0	41·7	54·7	0·34	70·2	45·9	56·8	0·44
Tralee,	9,867	16·6	21·1	15·9	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	11·4	40·1	.	2	7	1	1	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	68	44	55·9	0·39	67	44	54·8	0·24	65	47	54·3	0·54
Queenstown,	7,909	14·4	.	6·6	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	69	52	58·8	0·16	69	50	57·6	0·30	65	49	57·2	0·54
Armagh,	7,588	22·2	48·1	20·6	.	7	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	68·0	45·0	56·7	0·42	69·0	41·7	54·7	0·34	70·2	45·9	56·8	0·44

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 4 deaths of persons (including one at 65 years), admitted to hospital from localities outside the Area. e [illegible] the readings of the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Ordnance [illegible] Queenstown. f Observations at Ordnance Survey Office, Phoenix Park. g Observations by Sir John Moore taken at Fitzwilliam Square. h Observations by [illegible]

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 21st of July, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin Sth. Superintendent Reg.'s District.									
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and PRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (PART OF).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3	.
Pneumonia,	1	1	1	1	.	.	.	2	2	1	.	.	.	1	.	1	11	1
Tuberculous Disease. { Phthisis,	2	4	1	3	.	2	.	3	1	.	.	.	1	3	.	2	22	1
Tuberculous Disease. { Other Forms.	1	3	.	1	.	.	.	3	.	.	1	.	.	.	.	2	11	.
Cancer, Malignant Disease,	.	.	.	2	.	.	.	2	2	.	1	2	3	.	1	1	14	.
Other General Diseases	1	.	2	.	.	2	.	1	2	2	.	.	1	.	1	1	13	.
Total,	6	10	5	7	.	4	.	13	7	4	3	3	6	4	2	7	81	2
B. LOCAL DISEASES:																		
Diseases of { Nervous System	2	2	1	.	.	.	.	1	.	.	1	.	2	.	1	.	10	.
Diseases of { Organs of Special Sense,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of { Heart and Blood Vessels,	2	6	1	.	1	1	.	.	2	1	.	.	3	4	1	3	25	2
Diseases of { Respiratory System,	1	.	1	1	.	.	1	4	.	1	2	.	.	.	.	.	11	.
Diseases of { Digestive System,	2	.	1	1	.	.	.	.	.	3	1	.	.	.	.	.	8	.
Diseases of { Lymphatic System, &c.,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of { Urinary System,	.	1	1	.	.	1	.	.	.	1	.	.	.	.	.	1	5	.
Diseases of { Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	11	5	2	1	2	1	5	2	6	4	.	6	4	2	4	62	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	2	.	.	1	.	1	1	1	.	.	.	.	.	.	6	.
E. VIOLENT DEATHS,	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	3	.
Deaths from all Causes,	13	21	12	10	1	7	2	19	10	12	7	3	12	8	4	11	152	4
Annual Rate of Mortality from all causes in every 1,000 of the population	23·9	28·0	20·8	16·5	10·8	36·4	15·6	25·8	28·5	14·9	10·4	17·6	8·8	16·0	23·8	32·5	20·9	.
	22·8							18·6					21·3					
	20·8																	
Ages at Death. Under 1 year,	4	4	4	1	.	.	.	2	2	3	1	1	1	.	2	1	26	.
1 and under 5 years,	2	1	1	.	.	.	.	3	1	.	2	1	1	.	.	.	12	.
5 ,, 20 ,,	1	4	.	2	.	2	.	2	1	2	1	.	.	.	.	2	17	.
20 ,, 40 ,,	3	4	1	3	1	.	.	3	1	1	.	.	1	3	.	2	23	2
40 ,, 60 ,,	1	4	4	3	.	1	2	3	2	1	1	.	2	1	1	1	27	1
60 and upwards,	2	4	2	1	.	4	.	6	3	5	2	1	7	4	1	5	47	1
Number of Uncertified Deaths,	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	.	2	.	.	1	5	2	5	1	.	3	2	.	.	26	3
Workhouse Hospitals,	2	7	4	3	1	1	.	4	2	1	1	1	.	.	2	4	33	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register week of the ten years, 1896

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 29th Week of the 10 years 1896-1905.	In the Week ending Saturda 21st July, 1906. Deaths of Persons of the Age						
	July 18, 1896.	July 24, 1897.	July 23, 1898.	July 22, 1899.	July 21, 1900.	July 20, 1901.	July 19, 1902.	July 25, 1903.	July 23, 1904.	July 22, 1905.		ALL AGES.	0 to 5.					
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	59·8	60·1	61·1	61·9	64·3	64·6	58·6	57·4	59·3	61·9	60·9	59·0						
ALL CAUSES.	179	156	152	147	165	138	155	131	131	153	150·7	156	8	18	12	17	25	28
Small-pox, ...	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	3	.	4	.	.	8	1	5	.	2·1	2	.	1	1	.		.
Scarlet Fever, ...	3	2	1	2	1	1	.	1	.	.	1·1	.	.	.	.	.	.	.
Typhus, ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	1	.	.	1	1	.	1	.	·7	.	.	.	.	.	.	.
Whooping-cough, ...	4	4	5	2	5	.	1	3	3	1	2·8	3	.	1	2	.	.	.
Diphtheria, ...	.	3	1	2	2	1	1	.	.	.	1·0	1	.	.	1	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.
Enteric Fever, ...	2	.	1	1	2	2	3	1	2	2	1·6	1	.	.	.	.	.	1
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	25	7	5	10	4	14	1 .	1 .	4 1	10 8	9·0	1 2	. 1	1 .	. 1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	2	.	.	.	.	.	.	1	·3	1	.	.	.	.	1	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	.	.	2	.	.	. . .	. . .	. . .	. . .	·2	. . .	. . .	. . .	. . .	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	5	5	18	18	11	8	. 3 . 6	1 2 . 4	. 3 . 5	. 5 . 3	9·7	. 4 . 8	. . . .	. . . .	. 1 . 1	. . 2	1 . 3	1 . .
Erysipelas, ...	1	1	.	.	1	.	3	1	.	1	·8	1	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	.	1	.	1	1 .	. .	. .	. .	·3	. 1	. .	. .	. .	. .	. 1	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	32	18	21	17	28	22	. 25	1 16	4 10	3 11	20·8	8 15	. .	. .	. .	1 3	5 6	2 3
Tuberculous Meningitis, ...	4	6	4	3	4	.	.	3	3	4	3·1	3	.	.	.	3	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	10	3	4	7	7	5	1 2	. 1	2 1	1 2	4·6	1 1	. .	. 1	. .	1 .	.	.
Tuberculous Dis. (other), *Scrofula*, ...	2	5	4	2	5	1	3 .	7 .	3 1	8 .	4·1	6 .	.	1 .	2 .	2 .	1 .	.
Alcoholism, ...	1	2	1	2	1	1	1	.	.	.	·9	.	.	.	.	.	.	.
Rheumatic Fever, ...	2	.	1	.	2	1	.	.	1	.	·7	1	.	.	.	1	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma, ... Sarcoma, ... Cancer (undefined),	8	8	6	2	6	4	. . 5	4 2 2	. . 2	1 1 4	5·5	. 1 13	. . .	. . .	. 1 .	.	.	.
Diabetes Mellitus, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	5	1	1	3	3	3	3	3	6	2·9	6	5	1	.	.	.	

* The figures for the years 1896–1900
† Formerly descri

VENTY-NINTH WEEK ending Saturday, 21st July, 1906, with the deaths from each cause in the corresponding e average for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday July 18, 1896.	July 24, 1897.	July 23, 1898.	July 22, 1899.	July 21, 1900.	July 20, 1901.	July 19, 1902.	July 25, 1903.	July 23, 1904.	July 22, 1905.	Averages in 29th Week of the 10 years 1896–1905.	In the Week ending Saturday, 21st July, 1906. Deaths of Persons of the Ages of All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 59·8	° 60·1	° 61·1	° 61·9	° 64·3	° 64·6	° 58·6	° 57·4	° 59·3	° 61·9	° 60·9	° 59·0								
ngitis (not tuberc.) ...							1	2	1	1		.	.	.	.	.	.	.	.	.
ity, G. P. of Insane ...							2	1	.	2		.	.	.	.	.	.	.	.	.
epsy							1	1	1	2		.	.	.	.	.	.	.	.	.
ulsions							3	.	8	6		7	1	5	1	.	.	.	.	.
motor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
plegia Dis. of Cord ...							1	2	.	.		1	.	.	.	.	.	.	1	.
ous System (other .)							.	1	.	.		2	.	.	.	.	.	.	2	.
	33	24	39	25	35	31					32·2									
. Dis., Endocarditis ...							2	4	3	4		7	.	.	.	.	2	1	4	.
br. Hæm. Thromb. ...							2	1	5	.		3	.	.	.	.	.	1	2	.
lexy, Hemiplegia ...							6	6	5	5		1	.	.	.	.	.	.	1	.
rysm							.	.	.	.		.	.	.	.	.	.	.	.	.
olism, Thromb. (not ebral)							.	.	1	.		.	.	.	.	.	.	.	.	.
t and Blood Vessel Dis.							15	18	12	10		16	1	.	.	.	1	4	7	3
o (not Spasm. nor mb.)	1	1	1	.	.	.	.	.	.	.	·3	1	.	.	1	.	.	.	.	.
chitis	8	9	10	11	10	6	10	9	8	6	8·7	9	.	2	.	.	.	3	4	.
ma, Emphysema ...							.	.	.	.		.	.	.	.	.	.	.	.	.
risy	1	2	2	1	2	.	1	.	.	2	1·5	.	.	.	.	.	.	.	.	.
iratory Dis. (other) ...							3	.	1	.		1	.	.	.	.	.	1	.	.
illitis, Quinsy ...	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ritis (not Epid.) ...	1	.	.	.	.	1	4	.	1	3	1·3	1	.	.	.	.	.	1	.	.
o *Enteritis*							.	1	1	1		3	.	3	.	.	.	.	.	.
nitis (not Puerp.) ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
osis of Liver ...	.	4	1	.	2	5	1	2	2	.	2·6	.	.	.	.	.	.	.	.	.
r Dis. (other) ...							2	3	2	2		2	.	.	.	.	.	2	.	.
ative Dis. (other) ...	3	2	.	2	3	3	6	2	5	9	3·5	2	.	1	.	.	.	.	1	.
ritis, Acute ...							3	2	.	1		.	.	.	.	.	.	.	.	.
at's Dis., Albuminuria	5	5	3	5	3	3	3	4	2	.	4·4	5	.	.	.	.	.	3	2	.
ary Sys. (Other Dis.)							.	.	2	3		.	.	.	.	.	.	.	.	.
rative Organs Dis. ...	.	.	.	.	.	.	.	.	1	1	·2	1	.	.	.	.	1	.	.	.
lbirth (Accid. of) ...	.	1	.	1	2	.	1	.	1	.	·6	.	.	.	.	.	.	.	.	.
Age	5	9	4	9	7	7	6	3	3	4	5·7	3	.	.	.	.	.	.	3	.
r Diseases	15	22	14	12	14	10	9	8	6	10	12·0	8	.	1	.	3	2	.	2	.
ACCIDENT.																				
ailways	1	1	.	.	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
ehicles and Horses ...	.	.	.	1	.	.	1	1	.	2	·5	1	.	.	.	1	.	.	.	.
ips, Boats, Docks (exsive of Drowning) ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
uilding Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
onflagrations ...	.	.	.	.	.	.	.	.	.	3	·3	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
rowning	.	.	1	.	2	2	.	.	.	1	·6	.	.	.	.	.	.	.	.	.
uffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous ours	1	.	.	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
r Deaths by Accidents	2	1	1	1	2	2	1	2	4	2	1·8	1	.	.	.	.	1	.	.	.
LENCE OTHER THAN ACCIDENTAL.																				
icide	.	.	.	.	.	1	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
de	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	.	1	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

gistration Area as then constituted.
le Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1906—Week ending																										
	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24	Mar. 3.	Mar. 10	Mar. 17.	Mar. 24	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23	June 30.	July 7.	July 14	July 21.
No of weeks in Annual Series.	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Births registered,	220	283	202	188	169	252	214	189	211	230	207	181	202	199	250	285	202	195	223	167	250	210	238	189	230	199
*Average Births in corresponding week of previous 10 years,**	200	221	215	205	217	213	208	219	206	236	177	200	216	204	244	227	209	191	217	229	193	221	229	202	193	199
Deaths registered,	160	187	151	149	185	183	187	173	193	198	189	174	215	174	191	165	169	173	154	142	126	149	125	130	140	156
Annual Death-rate per 1,000,	22·0	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5
*Average Deaths in corresponding week of previous 10 years,**	202	212	209	209	221	233	221	212	211	218	201	198	189	183	183	174	171	166	157	155	150	146	140	145	146	151
Ages, Under 5 years,	37	46	35	32	43	46	43	55	43	67	37	34	45	37	30	36	41	42	47	38	12	37	17	35	35	38
5—20 ,,	13	16	8	9	8	14	8	15	15	17	13	13	15	12	16	10	15	13	11	11	13	13	16	14	10	17
20—40 ,,	21	18	21	15	33	39	34	19	29	26	28	23	27	32	39	23	28	29	27	20	22	30	36	21	24	25
40—60 ,,	37	42	42	46	43	34	43	35	40	33	34	47	49	42	47	39	44	37	30	42	36	34	28	32	37	28
60—80 ,,	43	52	39	39	44	49	49	41	55	45	40	47	70	40	55	51	30	41	34	28	37	31	22	21	32	43
80 years and upwards,	9	13	6	8	7	7	10	8	11	10	7	10	9	11	4	6	11	11	5	3	6	4	6	7	2	5
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.	2	.	.	.	.	.	1	2
Scarlet Fever	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	1	2	.	.	1	4	1	2	.	2	2	3	.	2	1	1	.	3	3	1	2	2	1	4	6	3
Diphtheria,	1	1	.	.	1	.	2	2	1	3	.	.	.	2	.	.	2	.	.	.	.	1	.	.	.	1
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	1	1	.	3	.	3	.	1	2	1	1	3	.	.	.	.	1	.	2	.	1	1
Diarrhœal Diseases,	3	1	.	1	2	1	3	3	5	2	1	1	1	4	.	3	1	3	2	1	4	.	2	.	3	3
Pneumonia,	16	19	6	11	18	16	18	10	13	10	8	22	26	17	21	18	13	13	10	6	6	13	4	4	9	12
Tuberculous Disease. {Phthisis,	21	29	18	23	29	32	30	23	32	25	23	27	18	22	36	18	16	22	20	17	17	29	21	26	21	23
Tuberculous Disease. {Other Forms,	6	9	15	10	12	18	9	12	11	15	15	8	11	10	15	10	16	7	8	13	12	11	9	11	7	11
Cancer, Malignant Disease,	6	8	14	6	13	6	6	6	11	4	4	9	13	10	6	5	15	8	10	6	8	6	12	7	4	14
Diseases of Heart and Blood Vessels,	33	31	23	27	21	25	31	29	31	33	27	29	45	27	22	22	28	30	15	29	26	21	14	15	26	27
Diseases of Respiratory System,	18	27	26	27	32	28	28	21	34	27	23	29	43	23	36	31	15	16	15	10	11	17	5	21	10	11
Violent Deaths,	8	5	5	.	4	10	1	2	4	5	2	3	4	2	3	1	4	5	2	3	3	4	3	4	2	3
Number of Uncertified Deaths,	6	11	7	6	8	4	6	7	6	12	9	7	6	5	5	3	7	7	11	3	3	9	4	3	2	5
Mean Temperature of the Air (Phœnix Park),	43·1	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0
Average Mean Temperature in corresponding week of previous 10 years	41·6	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9
Rainfall in inches,	·230	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130	·310	·650	·455	·640	·810	·450	·005	·230	·790	·450	·390	·235	·385
Mean Humidity of the Air, complete Saturation, 1·0.	·88	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·83	·81	·83	·85	·83	·83	·89	·84	·79	·85	·86	·79	·84	·80	·82

See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever."

TABLE VI.—SHOWING IN FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st July, 1906: the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 21ST JULY, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	21·7	156	33	17	25	28	43	5	.	2	.	.	3	1	.	1	3	10	12	23	11		7	11	3	65	5
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	15·0	5	1	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	3	1
II.	MIDDLE CLASS,	87,188	19·1	32	7	2	4	4	14	1	.	1	.	.	2	.	.	.	.	3	1	4	1	6	.	2	1	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	15·6	33	9	2	7	7	8	.	.	.	.	.	.	.	.	1	1	2	3	8	2	.	2	1	.	15	1
IV.	GENERAL SERVICE CLASS,	154,279	28·0	52	20	11	5	6	8	2	.	1	.	.	1	1	.	.	2	5	4	5	5	3	4	5	2	19	3
V.	INMATES OF WORKHOUSES,	6,024		34	1	2	9	11	10	1	.	.	.	.	.	.	.	.	.	.	4	6	3	5	.	2	.	14	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	1
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS. 4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	18·9	8	3	2	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	1	.	2	.
	6. Clerks and Commercial Assistants,	30,432	17·1	10	2	.	3	3	2	.	.	.	.	.	1	.	.	.	.	1	.	3	.	2	.	.	1	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	25·1	13	2	.	.	1	9	1	.	1	.	.	1	.	.	.	.	2	.	.	.	2	.	1	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS. 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	1	.
	9. Building and Furnishing Trades,	29,801	21·0	12	6	1	2	1	2	.	.	.	.	.	.	.	.	.	.	.	2	3	2	.	1	1	.	3	1
	10. Clothing Trades,	28,260	9·0	4	.	.	2	.	2	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.	.	.	.
	11. Food Supply Trades,	9,242	11·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	15·5	9	.	1	3	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	8	.
	13. Petty Shopkeepers,	7,894	19·3	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS. 14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	7·8	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	15. Domestic Servants,	36,603	5·7	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	7·2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	25·5	44	19	10	3	5	6	1	.	1	.	.	1	1	.	.	1	4	4	4	4	2	4	5	2	15	3
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates,	6,024	.	34	1	2	9	11	10	1	.	.	.	.	.	.	.	.	.	.	4	6	3	5	.	2	.	14	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of).	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	June 2,	12·9	1·8	7	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1
	„ 9,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	„ 16,	22·1	1·8	12	.	.	.	.	1	.	.	.	.	.	2	2	1	.	.	1
	„ 23,	16·6	3·7	9	.	.	.	.	2	.	.	.	.	2	1	.	.	1	.	1
	„ 30,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	July 7,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	.	2	1	1	4	1	.
	„ 14,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.
	„ 21,	23·9	1·8	13	.	.	.	.	1	.	.	.	.	1	2	1	.	1	.	2
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 89,146.	June 2,	25·3	.	19	.	.	.	.	.	.	.	.	.	.	4	2	1	1	.	3
	„ 9,	17·3	.	13	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	1
	„ 16,	16·0	4·0	12	.	.	.	.	1	.	.	.	2	1	2	.	1	.	.	.
	„ 23,	24·0	.	18	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	1
	„ 30,	18·6	.	14	.	.	.	.	.	.	.	.	.	.	3	2	1	1	.	.
	July 7,	22·6	2·7	17	.	.	.	.	2	.	.	.	.	1	5	.	2	5	.	.
	„ 14,	25·3	5·3	19	.	.	.	.	2	.	.	1	1	1	6	.	.	3	.	.
	„ 21,	28·0	2·7	21	.	.	.	.	1	.	.	.	1	1	4	3	.	.	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 80,107.	June 2,	13·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1
	„ 9,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	5	.	.	.	1	.
	„ 16,	17·3	1·7	10	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.
	„ 23,	34·6	.	20	.	.	.	.	.	.	.	.	.	2	3	4	1	1	.	2
	„ 30,	17·3	5·5	10	.	.	.	.	1	.	.	.	1	.	.	.	2	.	.	.
	July 7,	26·0	.	15	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
	„ 14,	27·7	6·9	16	.	.	.	1	3	.	.	.	.	.	5	1	.	1	.	.
	„ 21,	20·8	1·7	12	.	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 81,678.	June 2,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	4	2	1	1	.	.
	„ 9,	18·1	.	11	.	.	.	.	.	.	.	.	.	1	1	2	1	1	1	.
	„ 16,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 23,	13·2	.	8	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.
	„ 30,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.
	July 7,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.
	„ 14,	18·1	.	11	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
	„ 21,	16·5	.	10	.	.	.	.	.	.	.	.	.	1	3	1	2	1	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	June 2,	27·2	2·7	20	.	1	.	.	1	.	.	.	.	4	2	.	.	3	.	1
	„ 9,	20·4	.	15	.	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.
	„ 16,	13·6	1·4	10	.	.	.	.	.	.	1	.	.	2	.	.	.	.	1	.
	„ 23,	24·5	.	18	.	.	.	.	.	.	.	.	.	1	6	2	.	2	.	1
	„ 30,	12·2	1·4	9	.	.	.	.	.	.	1	.	.	.	3	1	1	1	.	.
	July 7,	21·7	.	16	.	.	.	.	.	.	.	.	.	2	1	3	1	3	.	.
	„ 14,	29·9	.	2	.	.	.	.	.	.	.	.	.	2	6	2	.	2	.	.
	„ 21,	25·8	2·7	19	.	.	.	.	.	1	.	1	.	2	3	3	2	4	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	June 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
	„ 9,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 16,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	2	2	.	1	1	.
	„ 23,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 30,	5·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	July 7,	8·6	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	„ 14,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 21,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	June 2,	34·8	1·2	28	.	1	.	.	.	.	.	.	.	2	4	.	2	3	.	3
	„ 9,	27·4	1·2	22	.	.	.	.	1	.	.	.	.	.	.	4	1	3	.	.
	„ 16,	16·2	1·2	13	.	.	.	.	.	.	.	.	1	.	4	4	.	2	.	.
	„ 23,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	3	8	1	2	4	1	2
	„ 30,	21·1	.	17	.	.	.	.	.	.	.	.	.	1	4	1	1	.	1	.
	July 7,	21·1	.	17	.	.	.	.	.	.	.	.	.	.	5	2	.	1	1	.
	„ 14,	28·6	1·2	23	.	.	.	.	.	.	.	.	1	1	.	2	2	1	.	1
	„ 21,	14·9	1·2	12	.	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1906 (Est.) 35,188.	June 2,	8·9	.	6	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1
	„ 9,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	3	3	.	.	.	1
	„ 16,	16·3	.	11	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.
	„ 23,	17·8	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	2	1	1
	„ 30,	20·8	1·5	14	.	.	.	.	.	.	1	.	.	.	.	1	.	1	2	2
	July 7,	11·9	1·5	8	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	1
	„ 14,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.
	„ 21,	10·4	1·5	7	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.	.

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of opulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 83,208.	June 2,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 23,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.
	„ 30,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	.
	July 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	„ 14,	7·9	3·1	5	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	.	1	.	3	.	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	June 2,	10·0	2·0	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 9,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 16,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
	„ 23,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.
	„ 30,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.
	July 7,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 14,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	June 2,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
	„ 9,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 16,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	„ 23,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 30,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	1
	July 7,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	„ 14,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	32·5	.	11	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.
Belfast. Pop. in 1906 (Est.) 336,220.	June 2,	21·4	2·6	150	.	1	.	.	15	.	1	.	1	15	16	1	1	17	1	2
	„ 9,	19·4	3·7	136	.	2	.	.	16	1	.	2	5	15	21	15	5	15	2	2
	„ 16,	19·1	2·1	134	.	1	.	.	7	.	.	.	7	7	22	9	6	15	1	5
	„ 23,	18·7	2·3	131	.	.	.	.	14	.	.	.	2	7	30	7	4	14	5	.
	„ 30,	16·1	2·0	113	.	.	1	.	7	2	.	.	4	8	24	7	2	13	.	1
	July 7,	15·0	1·6	105	.	1	.	.	4	2	.	.	4	8	12	6	9	7	3	1
	„ 14,	16·9	2·3	119	.	.	.	.	9	.	.	1	6	7	20	15	2	7	6	2
	„ 21,	17·2	1·9	121	.	.	2	.	3	.	.	1	7	6	21	5	4	9	4	.
Cork. Pop. (in 1901) 76,122.	June 2,	16·4	.	24	.	.	.	.	.	.	.	.	.	.	6	1	2	4	2	.
	„ 9,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	7	1	1	1	.	1
	„ 16,	16·4	.	24	.	.	.	.	.	.	.	.	.	2	8	2	.	1	.	.
	„ 23,	14·4	0·7	21	.	.	.	.	1	.	.	.	.	.	4	1	1	3	1	1
	„ 30,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	2	4	2	4	1	1
	July 7,	13·7	1·4	20	.	.	.	.	.	1	.	.	1	1	4	.	.	1	1	2
	„ 14,	15·8	1·4	23	.	.	.	.	.	.	.	1	1	.	5	1	.	.	.	.
	„ 21,	15·8	0·7	23	.	.	.	.	1	.	.	.	.	1	2	1	3	3	.	2
Londonderry. Pop. in 1906 (Est.) 42,067.	June 2,	13·6	2·5	11	.	2	.	.	.	.	.	.	.	1	1	.	.	1	1	.
	„ 9,	27·3	3·7	22	.	3	.	.	.	.	.	.	.	.	3	.	.	7	1	1
	„ 16,	24·8	5·0	20	.	3	.	.	.	.	.	.	1	.	4	1	1	3	2	1
	„ 23,	18·6	2·5	15	.	1	.	.	.	.	.	.	1	1	3	1	.	1	.	2
	„ 30,	19·8	7·4	16	.	6	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	July 7,	8·7	3·7	7	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 14,	17·4	5·0	14	.	3	.	.	.	.	.	.	1	.	1	.	1	2	.	1
	„ 21,	26·0	8·7	21	.	5	.	.	1	.	.	.	1	.	1	4	.	1	.	.
Limerick. Pop. (in 1901) 38,151.	June 2,	23·2	.	17	.	.	.	.	.	.	.	.	.	2	1	.	.	4	.	6
	„ 9,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	1
	„ 16,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	8	.	.	2	.	1
	„ 23,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	2
	„ 30,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	July 7,	9·6	1·4	7	.	.	.	.	.	.	.	1	.	.	1	.	1	3	.	1
	„ 14,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	4	1	.	.	.	1
	„ 21,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Waterford. Pop. (in 1901) 26,769.	June 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	1	1
	„ 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
	„ 16,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	1
	„ 23,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	„ 30,	11·7	1·9	6	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.
	July 7,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2
	„ 14,	7·8	1·9	4	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 21,	29·2	1·9	15	.	.	.	.	.	.	.	.	1	3	3	.	.	.	1	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st July, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20	Total No. of Deaths.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms	Malignant Disease. Cancer,	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,734	20	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 ,, .	47,959	32			17	2	.	.	4	5	6	.	.	.	.	1	.	.	.	.	1	2	.	1	2	1	3	7	.
Do. 3 ,, .	47,214	41			17	3	2	1	5	3	3	.	.	.	.	.	.	.	.	1	1	3	2	1	2	2	2	6	.
Do. 4 ,, .	40,911	43			14	1	1	4	3	.	5	.	.	.	.	1	.	.	.	.	.	5	1	1	1	.	1	5	.
Do. 5 ,, .	17,887	15			8	2	3	.	.	3	.	.	.	1	.	.	.	.	.	3	1	1	.	.	1	.	.	1	.
Do 6 ,, .	48,122	26			22	3	1	1	6	7	4	.	.	1	.	1	.	.	1	.	2	4	.	.	1	1	1	6	.
Do 7 ,, .	1,524	1			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	1			3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.
Do. 9 ,, .	19,569	11			5	2	1	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Do. 10 ,, .	28,064	16			5	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Do. 11 ,, .	34,862	25			8	1	1	1	1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.
Do. 12 ,, .	33,588	29			14	3	2	2	1	2	4	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	1	2	.
Do. 13 ,, .	15,006	11			4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 14 ,, .	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	271			121	21	12	10	24	26	28	.	.	2	.	3	.	.	1	7	6	21	5	4	9	4	8	33	.
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	6	16·2	.	4	.	.		3		1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	1
Do. 2 ,, . .	10,701	2	4·9	.	1	.	.		1		.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 3 ,, . .	9,978	3	5 2	.	1	1	.		.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 ,, . .	8,666	6	18·1	.	3	.	.		2		1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.
Do. 5 ,, . .	6,592	.	47·5	.	6	.	.		4		2	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.
Do. 6 ,, . .	10,702	8	4·9	.	1	.	.		1		.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do. 7 ,, . .	16,616	15	22·0	3·1	7	1	.		4		2	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	3	1
Total	76,122	40	15·8	0·7	23	2	.		15		6	.	.	.	.	1	.	.	.	.	1	2	1	3	3	.	.	11	2

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *[illegible] from without the City are omitted.*

BELFAST.	1906—Week ending																										
	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered,	236	231	189	246	214	246	229	223	221	248	240	212	232	282	238	246	217	273	239	228	204	222	218	225	162	271
DEATHS registered,	160	139	146	179	174	166	155	191	152	201	169	166	171	152	179	161	140	151	150	136	134	131	113	105	119	121
Annual Death-rate per 1,000 of estimated Population,	22·8	19·8	20·8	25·5	24·8	23·6	22·1	27·2	21·6	23·6	24·1	23·6	24·3	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2
AGES — Under 1 year,	31	24	29	31	43	26	31	32	37	46	35	35	39	30	29	35	35	21	33	28	21	26	24	24	17	21
1–5 years,	22	11	11	14	20	17	22	23	16	30	28	26	24	24	20	19	17	17	23	22	20	17	15	12	19	12
5–20 years,																								11	14	10
20–40 years,	71	61	71	87	74	85	59	84	57	89	81	75	66	67	85	66	61	84	64	53	67	72	57	18	27	24
40–60 years,																								22	15	26
60 years and upwards,	36	43	35	47	37	38	43	52	42	36	25	30	42	31	45	41	24	29	30	33	26	16	17	23	17	28
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.
Scarlet Fever,	1	1	.	.	1	1	1	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	3	1	2	6	7	9	5	9	5	21	12	13	21	18	20	12	13	8	15	16	7	14	7	4	9	3
Diphtheria,	.	.	.	2	3	2	.	1	2	1	1	.	.	.	.	.	1	1	.	1	.	.	2	2	.	.
*Pyrexia** (origin uncertain),	.	.	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
Enteric Fever,	2	2	6	.	2	2	6	6	3	1	5	4	2	.	.	1	1	.	.	2	.	.	.	.	1	1
Diarrhœal Diseases,	3	2	1	3	2	1	.	1	2	1	2	.	1	2	1	.	1	5	1	5	7	2	4	4	6	7
Pneumonia,	11	10	8	19	17	13	16	23	10	18	19	19	15	16	16	10	9	14	15	15	7	7	8	8	7	6
Tuberculous Disease, Phthisis,	22	16	23	22	23	33	15	26	17	28	24	26	18	19	29	21	28	33	16	21	22	30	24	12	20	21
Tuberculous Disease, Other Forms,	8	7	6	7	7	6	10	5	6	12	11	7	8	12	10	8	11	9	11	5	9	7	7	6	15	5
Cancer, Malignant Disease,	7	5	4	5	6	5	1	6	4	10	4	3	2	4	4	3	3	3	1	5	6	4	2	9	2	4
Diseases of Respiratory System,	20	26	23	22	14	34	33	36	24	28	21	34	36	27	30	27	17	16	17	15	15	14	13	7	7	9
Violent Deaths,	1	3	1	6	4	2	6	1	.	2	7	4	3	4	4	2	4	6	1	2	1	5	.	3	6	4
Number of Uncertified Deaths,	4	3	3	5	3	5	2	4	3	3	1	1	3	5	2	2	.	4	2	2	5	.	1	1	2	.

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	July 21,	2,468	1,051	11·6	.	35	12	10	20	6	56
EDINBURGH,	341,035	„ 21,	133	70	10·7	.	2	.	1	.	.	.
GLASGOW,	835,625	„ 21,	461	245*a*	15·3	.	3	.	3	8	.	6
CALCUTTA,	910,117	June 2,	.	496	30·4	40	4	.	1	1	102‡	78*
BOMBAY,	776,006	„ 19,	371	738	49·5	3	15	.	.	1	70‡	91*
MADRAS,	509,316	„ 1,	283	452	46·1	9	7	?	?	?	85	80
PARIS,	2,722 731	July 7,	1,000	770	15·0	.	8	1	6†	6	3	33
BRUSSELS (with 8 Faubourgs).	612,401	June 30,	177	137	14·6	.	.	1	1†	1	.	13
ANTWERP,	301,975	„ 30,	126	77	13·2	.	2	2	.	1	1	6
AMSTERDAM,	560,693	„ 30,	277	137	12·7	.	9	.	1†	7	1	8
COPENHAGEN,	425,000	„ 30,	218	130	16·0	.	.	.	1†	2	.	7
STOCKHOLM,	324,488	„ 23,	156	93	14·9	.	.	3	.	1	.	5
CHRISTIANIA,	222,373	July 7,	113	43	10·1	.	.	.	1†	1	.	3
ST. PETERSBURG,	1,424,700	June 30,	704	760	27·7	.	33	15	14	5	41	159
MOSCOW,	1,092,360	„ 2,	.	917	43·8	2	13	2	4†	1	10	362
BERLIN,	2,059,623	„ 23,	892	629	15·9	.	32	2	3†	10	2	59
HAMBURG,	803,050	„ 23,	.	212	13·7	.	7	2	3†	6	1	26
BRESLAU,	475,622	July 7,	.	215	23·6	.	.	2	2†	2	.	31
MUNICH,	540,000	„ 7,	.	158	15·2	.	7	1	1†	1	.	21
VIENNA (with suburbs).	1,937,869	„ 7,	847	554	14·9	.	16	2	7†	2	1	45
BUDA-PESTH,	859,134	„ 7,	393	302	18·3	.	3	2	2†	1	.	33
PRAGUE and Faubourgs.	460,849	June 30,	194	203	22·9	.	3	.	1†	2	2	16
TRIESTE,	196,637	„ 23,	124	86	22·8	.	.	1	1†	2	1	2
ROME,	530,179	May 19,	223	171	16·9	.	6	.	1†	2	2	10
VENICE,	171,700	—	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,800	June 23,	1,982	1,228	15·4	.	20	4	16†	4	4	125
PHILADELPHIA,	1,469,126	„ 16,	.	414	14·7	.	4	.	5†	9	16	35
BOSTON,	595,380	„ 23	.	158	13·9	.	1	2	2	2	2	2

a. Including 4 deaths from cerebro-spinal meningitis.
* Including 41 deaths from cholera in Calcutta, and 20 in Bombay.
† Including deaths from croup.
‡ Exclusive of 57 deaths from plague in Calcutta, and 67 in Bombay

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st July, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	2	.	.	.	.	.	.	.	.	.	.	2
" " 2,	.	1	.	.	1	.	1	1	1	.	.	.	5
" " 3,	.	.	.	.	.	.	.	.	3	.	.	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	1	.	.	.	5	.	.	.	6
" " 2,	.	.	.	.	.	.	.	1	1	.	.	.	2
" " 3,	.	1	.	.	.	.	.	.	1	.	.	.	2
" " 4,	.	1	.	.	.	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	5	.	.	2	.	1	2	11	.	.	.	21

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st July, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st July.			
	June 30.	July 7.	July 14.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	5	7	13	5	4	.	14
Scarlet Fever,	35	33	35	6	6	.	35*
Typhus,	2	3	3	.	2	.	1
Diphtheria,	28	29	22	8	7	1	22
Enteric Fever,	25	24	17	3	2	1	17
Pneumonia,	27	26	24	15	9	1	29

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 21st July, 1906:—

"Typical Atlantic weather—windy, changeable, and finally showery—characterised this week. Atmospheric pressure ruled high over the Peninsula, the Bay of Biscay, and France, while numerous depressions and their secondaries crossed Northwestern and Northern Europe in either an easterly or a northeasterly direction. In Dublin the week opened with a moderate westerly gale; and squally winds from points between S.W. and N.W. blew almost without intermission during the first five days of the period, gale force being reached on Wednesday as well as on Sunday. On Tuesday and Wednesday the thermometer rose above 70° in most parts of England, and at Dublin and Edinburgh. The highest temperatures recorded on Tuesday were 77° in London and Nottingham, 76° at Yarmouth, 75° at Skegness, 74° at Bath, Oxford, Birmingham, Spurn Head, and Margate, 73° at Clacton-on-Sea and Lowestoft, 72° in Dublin and at Scarborough. These high 'east-coast' readings in both Ireland and England were remarkable. On Wednesday 72° was again registered in Dublin, while Oxford had 79°, London 80°, and Margate the very unusual reading of 84°. At this time low temperatures and dense fogs were reported from the English and St. George's Channels. By 8 a.m. of Thursday the centre of a large and very deep depression had reached the Shetlands from the Atlantic, the barometer at Sumburgh Head falling to the extremely low level (for the time of year) of 28·88 inches. Twenty-four hours later sleet was falling at Wick and hail was reported from Stornoway. Saturday was dull, damp, warm, and sultry. In Dublin the mean height of the barometer was 29·880 inches, the range being from 30·039 inches at 9 p.m. of Sunday (wind, W.N.W.) to 29·601 inches at 8 p.m. of Wednesday (wind, S.W.). The corrected mean temperature was 60·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 59·6°. The screened thermometers rose to 72·1° on Tuesday and fell to 49·8° on Friday. Rain fell on 3 days to the amount of ·262 inch, ·140 inch being measured on Thursday. Prevailing winds were W.N.W. and W. On Wednesday the thermometer rose to 92° in Paris; on Friday the highest temperature in that city was only 62°."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·895 inches. The highest reading (30·048) was on Sunday at 9 p.m., wind W., and the lowest (29·634) on Wednesday at 9 p.m., wind W.S.W.

The mean temperature for the week was 59·0°, being 1·9° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Saturday, on which day the thermometer registered 71·0°, and was lowest on Thursday, the mercury having fallen to 47·4°. The mean of the Dry Bulb for the week was 58·0°, and of the Wet Bulb 55·1°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 36·7 hours. The rainfall during the week measured 0·385 inch.

At Greenwich the mean temperature for the week was 62·7°, the maximum 86·2°, and the minimum 46·8°; at Glasgow the maximum was 69·0°, the minimum 44·0°, and the mean 55·6°; and at Edinburgh the maximum was 68·2°, the minimum 43·7°, and the mean 55·9°. The rainfall at Greenwich measured 0·19 in.; at Glasgow 0·71 in; and at Edinburgh 0·11 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1 0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 15,	29·990	63·3	54·4	58·9	56·4	52·9	·79	·7	9·3	·000	W.N.W.	W.
Monday, „ 16,	29·925	63·6	52·1	57·9	60·7	58·9	·90	·7	0·1	·010	W.S.W.	W.S.W.
Tuesday, „ 17,	29·962	69·3	58·1	63·7	62·1	59·3	·83	·7	1·2	·000	S.W.	S.W.
Wednesday, „ 18,	29·738	69·8	54·1	62·0	59·6	56·9	·85	·9	3·0	·185	S.W.	W.S.W.
Thursday, „ 19,	29·863	61·1	47·4	54·3	53·0	49·4	·78	·7	9·5	·065	W.	W.
Friday, „ 20,	29·902	64·6	47·7	56·2	54·6	50·9	·77	·0	13·5	·000	W.	Calm.
Saturday, „ 21,	29·885	71·0	48·9	60·0	59·8	57·1	·84	·3	0·1	·125	Calm.	Calm.
Mean, . .	29·895	66·1	51·8	59·0	58·0	55·1	·82	·6	Total 36·7	Total ·385	Prevailing wind. S.W.	

Sunday—Day fine but cloudy; night cloudy. *Monday*—Day overcast, light rain 7.40 p.m. to 11.45 p.m.; night cloudy. *Tuesday*—Day cloudy; night cloudy. *Wednesday*—Overcast and cloudy a.m., light and heavy rain p.m.; night clear. *Thursday*—Fine a.m., cloudy and showery p.m. 6.30 to 7.30; night cloudy. *Friday*—Very fine day, light clouds; night cloudy. *Saturday*—Day overcast and cloudy, heavy shower 6.0 p.m. to 6.30 p.m.; night cloudy and heavy rain at intervals.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 21st, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 15,	58·2	60·2	56·3	61·1	55·4	59·8	9·7	—
Monday, „ 16,	63·0	60·1	56·3	65·1	53·7	59·4	0·1	—
Tuesday, „ 17,	66·8	60·0	56·4	71·6	59·1	65·4	4·7	—
Wednesday, „ 18,	67·8	60·7	56·8	71·6	54·9	63·3	5·2	·059
Thursday, „ 19,	57·7	60·7	56·8	61·9	49·0	55·5	9·9	·091
Friday, „ 20,	57·0	59·7	56·9	65·8	49·2	57·5	12·2	—
Saturday, „ 21,	59·5	59·9	56·9	67·0	53·8	60·4	0·0	·070
Weekly Mean, . .	61·4	60·2	56·6	66·7	53·6	60·2	Total 41·8	Total ·260

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—14204.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 28TH JULY, 1906. [No. 30.

General Register Office, Charlemont House, Dublin, 30th July, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending July 7.	Week ending July 14.	Week ending July 21.	Week ending July 28.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 7.	Week ending July 14.	Week ending July 21.	Week ending July 28.	Average Rate for 4 weeks.
22 Town Dists.	15·0	16·9	18·0	17·3	16·8	Lisburn,	4·5	13·6	9·1	4·5	7·9
Armagh,	13·7	13·7	20·6	13·7	15·4	Londonderry,	8·7	17·4	26·0	13·6	16·4
Ballymena,	19·2	9·6	14·4	23·9	16·8	Lurgan,	17·7	35·4	8·9	26·6	22·1
Belfast,	15·0	16·9	17·2	18·1	16·8	Newry,	4·2	.	12·6	8·4	6·3
Clonmel,	.	20·5	5·1	5·1	7·7	Newtownards,	45·8	34·3	40·1	28·6	37·2
Cork,	13·7	15·8	15·8	10·3	13·9	Portadown,	10·3	15·5	20·7	20·7	16·8
Drogheda,	16·3	12·3	16·3	8·2	13·3	Queenstown	13·2	13·2	6·6	6·6	9·9
Dublin Reg. Area,	16·9	18·7	20·9	20·1	19·1	Sligo,	14·4	19·2	19·2	33·6	21·6
Dundalk,	4·0	8·0	8·0	4·0	6·0	Tralee,	21·1	15·9	15·9	10·6	15·9
Galway,	19·4	.	11·7	3·9	8·8	Waterford,	11·7	7·8	29·2	13·6	15·6
Kilkenny,	4·9	9·8	9·8	.	6·1	Wexford,	32·7	23·3	4·7	28·0	22·2
Limerick,	9·6	17·8	5·5	17·8	12·7						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in sixteen of the districts to 6·2 in Londonderry, the 11 deaths from all causes in that district including 5 from measles. Among the 127 deaths from all causes in Belfast are 2 from measles, one from whooping-cough, one from diphtheria, 2 from enteric fever, and 4 from diarrhœal diseases; and the 15 deaths from all causes in Cork include one from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 223—114 boys and 109 girls; and the deaths to 149—56 males and 93 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·5 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 20·1 per 1,000. During the thirty weeks ending with Saturday last the death-rate averaged 22·7, and was 3·3 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The deaths (149) included 2 from measles, 2 from scarlet fever, 2 from whooping-cough, and 10 deaths from diarrhœal diseases. In each of the 3 preceding weeks, deaths

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*) Table II. ‡ See columns 10–18 of Table II.

from measles were 0, one, and 2; deaths from scarlet fever were 0, 0, and 0; deaths from whooping-cough were 4, 6, and 3; and deaths from diarrhœal diseases were 0, 3, and 3. The weekly mean of the daily readings of the earth temperatures at 4 feet was 57·1° (see Table XIV.). One death from varicella was registered.

The deaths from pneumonia included one death from lobar pneumonia, 7 deaths from broncho-pneumonia, and 5 deaths from *pneumonia* (not defined).

Of 32 deaths from all forms of tuberculous disease 9 were from tuberculous phthisis, 10 were from *phthisis*, 6 were due to tuberculous meningitis, 2 to tuberculous peritonitis, and 5 deaths were from other forms of the disease. In each of the 3 preceding weeks deaths from all forms of tuberculous disease were 37, 28, and 34.

There were 3 deaths from carcinoma, one death from sarcoma, and 5 deaths from cancer (undefined).

The deaths of 2 infants prematurely born were registered.

The deaths (13) from diseases of the brain and nervous system include 5 deaths from meningitis and 2 from *convulsions*. Of the latter one was the death of an infant under one month old, and one was that of a child aged 1½ years.

Nineteen deaths were caused by diseases of the heart or blood vessels.

There were 13 deaths from bronchitis.

Of 4 deaths from accidental causes, one, that of a child aged 2 years, was due to scalds, and 2 deaths were due to drowning.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one month old and the deaths of 2 persons aged 89 and 90 years, respectively.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 7 were under one month old) and 33 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 5 were octogenarians, and one (a man) was stated to have been aged 90 years.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, 11 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·1 per 1,000; the rate in the City was 22·0 (North City Districts, 26·3; South, 17·5), and in the Suburbs, 13·4 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·3 (3·4 in the North City Districts, and 1·1 in the South) and for the Suburbs, 1·8 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 18·4 per 1,000, and include 2 from diarrhœal diseases, 2 from broncho-pneumonia, one death from tuberculous meningitis, and one death from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (24) are equal to an annual rate of 32·0 per 1,000. Scarlet fever and whooping-cough each caused one death, there were 3 deaths from *diarrhœa*, one death from *pneumonia* (not defined), 5 deaths from tuberculous disease, and 2 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 39·8 per 1,000. Among the deaths there was one from scarlet fever, there were 2 from diarrhœal diseases, one death from varicella, one from lobar pneumonia, 2 from *pneumonia* (not defined), 4 from tuberculous disease, and one death from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (9) represent an annual rate of 14·8 per 1,000. The deaths (9) include 2 from *phthisis*, one from bronchitis, and one death of a child, aged 2 years, from scalds.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 20·8 per 1,000 inhabitants; Clontarf and Howth, No. 1 part of, 0·0; and Finglas and Glasnevin part of, 46·9. Of the 6 deaths from all causes for the last named district 5 were from diseases of the heart and blood vessels; and of the 4 deaths for Coolock and Drumcondra, No. 1, part of, one was caused by drowning.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 23·1 per 1,000, and include one death from whooping-cough, 2 deaths from broncho-pneumonia, 4 deaths from tuberculous disease, and 4 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. Amongst the deaths there was one from measles and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·6 per 1,000. The deaths included one from zymotic enteritis, 2 from broncho-pneumonia, 6 from tuberculous disease, and 2 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (8) are equivalent to an annual rate of 11·9 per 1,000. *Phthisis* caused 3 deaths, *pneumonia* (not defined) caused one death; there was one death from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000. Both deaths were caused by diseases of the circulatory system.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·0; Pembroke, 8·0; Blackrock, 23·8; and Kingstown, 20·7. The deaths from the principal epidemic diseases recorded for these districts consist of one from measles for Rathmines and Rathgar, one from epidemic enteritis for Pembroke, and one from *diarrhœa* for Kingstown. Among the 7 deaths from all causes for Rathmines and Rathgar are one from broncho-pneumonia and one from tuberculous disease; the 4 deaths from all causes for Pembroke include one from tuberculous phthisis and one caused by drowning; and of the 7 deaths from all causes for Kingstown one was due to *pneumonia* (not defined), and 3 were due to tuberculous disease.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Executive Sanitary Officer for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 28th July, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	July 7,	.	—	—	4	1	.	3	.	4	5	11	.	—	—	—	—	—	28
	July 14,	.	—	—	6	2	.	1	.	2	5	13	.	—	—	—	—	—	29
	July 21,	.	—	—	5	.	.	2	.	1	2	11	.	—	—	—	—	—	21
	July 28,	.	—	—	2	.	.	2	.	3	5	14	.	—	—	—	—	—	26
Rathmines and Rathgar Urban District.	July 7,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	3
	July 14,	.	—	—	1	.	.	.	.	1	.	1	.	—	—	—	—	—	3
	July 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Pembroke Urban District.	July 7,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	July 14,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	July 21,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
	July 28,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
Blackrock Urban District.	July 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 21.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	July 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 14,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	July 21,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	2
	July 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	July 7,	.	—	—	18	.	.	1	.	6	7	5	1	—	—	—	—	—	38
	July 14,	.	—	—	10	.	.	2	.	7	1	2	.	—	—	—	—	—	22
	July 21,	.	—	—	11	.	.	2	.	3	5	7	.	—	—	—	—	—	28
	July 28,	.	—	—	17	.	.	5	1	6	6	1	.	—	—	—	—	—	36

The Registrar of Tralee No. 1 reports:—Two cases of typhoid or enteric fever have been sent to hospital m the urban district during the week.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 28th July, 1906.

From this it appears that:—

Ten cases of measles were admitted to hospital during the week, 5 were discharged, and cases remained under treatment at its close.

Two cases of scarlet fever were admitted to hospital, 4 were discharged, there were 2 aths, and 31* cases remained under treatment at the close of the week.

One case of typhus remained under treatment in hospital at the close of the week.

Two cases of diphtheria were admitted to hospital, 8 were discharged, and 16 patients ained under treatment at the close of the week.

Three cases of enteric fever were admitted to hospital, 5 were discharged, and 15 cases ained under treatment in hospital at the close of the week.

n addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, were discharged, there were 2 deaths, and 25 cases remained under treatment at the end he week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the was 11·7), was equal to an average annual death-rate of 12·6 per 1,000 persons living, average rate for 8 principal towns of Scotland was 14·3 per 1,000, the rate for Glasgow ng 14·5, and for Edinburgh 14·8.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a of his Return of Infectious Diseases notified during the week ended 28th July. From this Return it ars that of a total of 36 cases notified 14 were scarlet fever, 14 diphtheria, 4 erysipelas, and 3 enteric r. Among the 306 cases of infectious diseases in hospital at the close of the week were 103 of scarlet fever, 93 of measles, 36 of diphtheria, 15 of enteric fever, 12 of whooping-cough, and 7 of pelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 28th July, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 28th July, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Fever b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.e	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 28th July, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st July, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th July, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	29·0	17·3	1·7	613	365	60	86	.	9	2	.	4	1	.	2	17	25	57	32	11	41	4	9	108	19	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total, d.	878,994	27·5	30·7	20·1	2·2	223	146	21	31	.	2	2	.	2	.	.	.	10	13	18	13	8	13	4	5	58	4	f75·8	45·4	60·6	0·22	f71·0	47·4	59·0	0·89	f68·9	44·9	57·5	0·24
																												g76·5	51·1	62·4	0·14	g72·1	49·8	60·4	0·26	g70·1	50·0	59·1	0·23
City of Dublin,	293,885	37·1	34·1	22·0	2·3	192	124	19	25	.	1	2	.	2	.	.	.	8	11	14	1	5	13	3	4	51	4	h76·9	46·0	61·6	0·15	h70·1	48·0	59·0	0·31	h67·9	45·0	58·1	0·24
Urban Dists. Rathmines and Rathgar,	33,203	19·4	20·4	11·0	1·6	13	7	2	3	.	1	.	.	.	.	.	.	.	1	.	1	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke,	26,025	16·4	16·0	8·0	2·0	8	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,	8,759	8·1	6·0	23·8	.	1	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	26·6	20·7	3·0	9	7	.	2	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.	2	.	.	.	.	.	71	50·5	61·3	0·16	69	50	59·1	0·26
Urban Districts.																																							
Belfast,	366,220	24·9	32·0	18·1	1·4	225	127	21	30	.	2	.	.	1	1	.	2	4	6	26	10	4	21	.	3	30	3	71·5	45·5	60·8	0·54	68·5	45·5	57·5	0·31	66·0	44·0	56·4	0·26
Cork,	76,122	33·6	24·0	10·3	1·4	35	15	3	3	.	.	.	.	1	.	.	.	1	2	3	2	.	2	.	1	6	.	67	48	58·5	1·29	69	52	58·8	0·16	69	50	57·6	0·30
Londonderry,	49,037	19·4	32·2	13·6	6·2	26	11	2	2	.	5	.	.	.	.	.	.	.	1	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	20·5	17·8	.	15	13	5	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	27·3	13·6	.	14	7	4	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,426	2·5	11·7	3·9	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	54	62	1·02	68	46	59	0·69	68	46	59	0·46
Dundalk,	18,076	2·4	23·9	4·0	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	16·8	8·2	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	8·4	8·4	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	74·1	46·9	60·2	0·58	68·0	45·0	56·7	0·42	69·0	41·7	54·7	0·34
Lurgan,	11,792	13·8	22·1	26·6	.	5	6	.	2	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	2	.	74·1	46·9	60·2	0·58	68·0	45·0	56·7	0·42	69·0	41·7	54·7	0·34
Lisburn,	11,461	10·1	18·6	4·5	.	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	74·1	46·9	60·2	0·58	68·0	45·0	56·7	0·42	69·0	41·7	54·7	0·34
Wexford,	11,168	23·2	42·0	28·0	.	9	6	.	3	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,686	8·9	28·9	23·2	.	5	5	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	19·2	33·6	4·8	4	7	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	69·5	45·4	58·1	0·55	69·4	44·2	56·6	0·59	66·8	46·3	55·7	0·44
Kilkenny,	10,609	11·5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	76	43	60·1	0·74	73	46	60	0·21	69	40	58	0·39
Clonmel,	10,167	7·8	35·9	5·1	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	25·8	20·7	.	5	4	1	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	74·1	46·9	60·2	0·58	68·0	45·0	56·7	0·42	69·0	41·7	54·7	0·34
Tralee,	9,867	16·6	31·7	10·6	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	28·6	28·6	5·7	5	5	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	72	46	58·0	0·72	68	44	53·9	0·39	67	44	54·8	0·24
Queenstown,	7,909	14·4	30·6	6·6	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67	48	58·5	1·29	69	52	58·8	0·16	69	50	57·6	0·30
Armagh,	7,588	22·2	34·4	18·7	.	5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	74·1	46·9	60·2	0·58	68·0	45·0	56·7	0·42	69·0	41·7	54·7	0·34

[illegible] 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly [illegible] Measles (including German Measles) and Fever (including Scarlet Fever) [illegible] years or upwards), admitted to hospital from localities outside the Area.

It having been found impracticable to obtain Meteorological Observations from [illegible] Lisburn, Lurgan, Newry, and Portadown (Tow[illegible]

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 28th of July, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLOSTERNE & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 3.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2	.
Scarlet Fever,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	2	3	2	.	.	.	.	.	.	1	.	.	.	1	.	1	10	.
Pneumonia,	2	1	3	.	.	.	.	2	.	2	1	.	1	.	.	1	13	.
Tuberculous Disease. Phthisis,	.	2	2	2	.	.	.	2	.	3	3	.	.	1	1	2	18	1
Tuberculous Disease. Other Forms.	1	3	2	.	.	.	.	2	.	3	.	.	1	.	.	1	13	.
Cancer, Malignant Disease,	.	1	1	2	.	.	.	.	1	.	.	.	2	.	.	1	8	1
Other General Diseases	.	3	2	1	.	.	.	.	2	.	1	.	1	1	.	.	11	.
Total,	5	15	13	5	.	.	.	7	4	9	5	.	6	3	1	6	79	2
B. LOCAL DISEASES:																		
Diseases of: Nervous System	2	2	4	.	.	1	.	2	.	.	1	.	.	.	1	.	13	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	.	2	1	1	.	.	5	.	1	3	1	2	1	.	1	1	19	.
Diseases of: Respiratory System,	1	2	1	1	.	.	.	4	1	2	1	.	.	.	.	.	13	.
Diseases of: Digestive System,	.	2	1	.	.	.	.	.	.	1	.	.	.	.	1	.	5	.
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of: Urinary System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	8	7	2	.	1	5	8	2	6	3	2	1	.	3	1	53	1
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	1	3	1	.	2	1	1	.	.	.	.	.	.	.	.	10	.
E. VIOLENT DEATHS,	.	.	.	1	.	1	.	1	.	.	.	.	.	1	.	.	4	.
Deaths from all Causes,	10	24	23	9	.	4	6	17	6	15	8	2	7	4	4	7	146	3
Annual Rate of Mortality from all causes in every 1,000 of the population	18·4	32·0	39·8	14·8	.	20·8	46·9	23·1	17·1	18·8	11·9	11·7	11·0	8·0	23·3	20·7	20·1	.
	26·3							17·5					13·4					
	22·0																	
Ages at Death. Under 1 year,	1	8	3	2	.	1	1	1	.	2	.	.	2	.	.	.	21	.
1 and under 5 years,	3	4	4	1	.	.	.	3	1	1	1	.	1	1	.	2	22	.
5 „ 20 „	1	1	2	.	.	.	.	1	.	3	.	.	1	1	1	.	11	.
20 „ 40 „	2	2	3	3	.	1	1	4	.	3	5	.	.	.	1	1	26	1
40 „ 60 „	2	6	7	1	.	.	1	3	3	4	2	1	.	2	1	2	35	.
60 and upwards,	1	3	4	2	.	2	3	5	2	2	.	1	3	.	1	2	31	2
Number of Uncertified Deaths,	.	1	.	.	.	1	.	1	.	1	.	.	.	.	.	.	4	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	6	3	.	.	1	3	2	3	3	.	1	.	2	1	31	3
Workhouse Hospitals,	2	4	5	4	.	.	.	4	1	3	.	1	1	1	.	1	27	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1896–1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday July 25, 1896.	July 31, 1897.	July 30, 1898.	July 29, 1899.	July 28, 1900.	July 27, 1901.	July 26, 1902.	Aug. 1, 1903.	July 30, 1904.	July 29, 1905.	Averages in 30th Week of the 10 years 1896–1905.	In the Week ending Saturday 28th July, 1906. Deaths of Persons of the Ages: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	° 60·1	° 61·6	° 57·1	° 60·0	° 63·8	° 59·2	° 54·0	° 55·4	° 60·2	° 60·2	° 59·2	Mean Temp. ° 60·6							
ALL CAUSES.	159	152	160	191	129	155	150	141	136	157	153·1	149	7	14	22	11	27	35	2
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	.	.	13	.	.	8	1	4	1	2·7	2	.	.	2	.	.	.	.
Scarlet Fever, ...	1	1	1	3	.	.	1	.	.	.	·7	2	.	.	2	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	.	1	.	3	.	.	.	.	·6	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	1	.	3	.	4	1	.	2	.	1·4	2	.	.	2	.	.	.	.
Diphtheria, ...	.	3	1	.	1	1	1	.	1	.	·8	.	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	1	3	1	.	.	1	1	1	1	·9	.	.	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	43	9	10	19	4	21	.	1	1	7	13·8	4	.	2	2	.	.	.	.
Diarrhœa, Dysentery,							3	3	4	13		6	1	1	3	.	.	1	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	1	2	2	.	.	.	.	1	2	·8	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	.	.	1	.	.	.	.	2	.	·3	.	.	.	.	.	.	.	.
							.	.	.	.		.	.	.	.	.	.	.	.
							.	.	.	.		.	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	1	6	9	9	8	8	.	.	1	1	7·3	1	.	.	.	.	1	.	.
Broncho-							4	3	4	.		7	.	1	3	.	1	1	.
Epidemic,							.	.	.	.		.	.	.	.	.	.	.	.
Not defined,							2	6	8	3		5	.	.	.	.	.	3	.
Erysipelas, ...	.	.	1	.	1	1	.	1	.	.	·4	1	.	.	.	.	.	1	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	.	.	.	1	.	1	.	.	·2	1	.	.	.	.	.	1	.
							.	.	.	.		.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	12	21	21	16	19	26	.	6	2	8	18·9	9	.	1	.	2	1	5	.
							18	17	13	10		10	.	.	.	.	10	.	.
Tuberculous Meningitis, ...	1	3	6	5	2	2	.	3	5	.	2·7	6	.	2	2	2	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	6	6	1	7	3	3	.	2	.	.	3·0	2	.	.	.	2	.	.	.
							2	.	.	.		.	.	.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*, ...	3	5	4	3	1	1	2	3	4	2	2·8	5	.	1	2	.	2	.	.
							.	.	.	.		.	.	.	.	.	.	.	.
Alcoholism, ...	2	1	.	1	.	1	2	.	.	2	·9	2	.	.	.	.	.	2	.
Rheumatic Fever, ...	.	1	.	.	2	.	3	.	.	.	·6	.	.	.	.	.	.	.	.
Gout, ...	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.
Carcinoma, ...	6	9	5	6	7	5	.	3	1	3	6·9	3	.	.	.	.	.	.	.
Sarcoma, ...							.	.	.	2		1	.	.	.	1	.	.	.
Cancer (undefined),							6	5	9	2		5	.	.	.	.	.	5	.
Diabetes Mellitus, ...	.	.	.	.	.	.	1	1	2	.	·4	.	.	.	.	.	.	.	.
Premature Birth, ...	.	5	2	2	1	1	3	10	3	4	3·1	2	2	.	.	.	.	.	.

* The figures for the years 1896–1900 a fo
† Formerly describ a

IRTIETH WEEK ending Saturday, 28th July, 1906, with the deaths from each cause in the corresponding
e average for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: July 25, 1896.	July 31, 1897.	July 30, 1898.	July 29, 1899.	July 28, 1900.	July 27, 1901.	July 26, 1902.	Aug. 1, 1903.	July 30, 1904.	July 29, 1905.	Averages in 30th Week of the 10 years 1896-1905.	In the Week ending Saturday, 28th July, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
ean Temperature.	° 60·1	° 61·6	° 57·1	° 60·0	° 63·8	° 59·2	° 54·0	° 55·4	° 60·2	° 60·2	° 59·2	° 60·6								
ngitis (not tuberc.) ...							4	3	3	5		5	.	.	1	2	1	1	.	.
ity, G. P. of Insane ...							2	1	.	1		2	.	.	.	.	1	1	.	.
psy							.	.	.	.		1	.	.	.	.	1	.	.	.
ilsions							4	9	6	10		2	1	.	1	.	.	.	.	.
notor Ataxy ...							.	.	.	.		1	.	.	.	.	1	.	.	.
plegia Dis. of Cord ...							1	1	.	1		1	.	.	.	.	.	1	.	.
ous System (other)	23	31	34	43	30	35	4	.	3	3	33·8	1	.	.	.	.	.	.	1	.
Dis., Endocarditis ...							2	3	5	5		9	.	.	.	.	4	1	4	.
r. Hæm. Thromb. ...							1	.	1	1		.	.	.	.	.	.	.	.	.
exy, Hemiplegia ...							4	3	2	5		2	.	.	.	.	.	.	2	.
rysm							.	.	1	.		.	.	.	.	.	.	.	.	.
lism, Thromb. (not bral)							.	.	.	.		.	.	.	.	.	.	.	.	.
and Blood Vessel Dis.							11	12	11	14		8	.	.	.	.	.	3	3	2
(not Spasm. nor ab.)	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
hitis	10	9	16	13	15	10	9	6	10	11	10·9	13	.	2	1	.	.	3	7	.
ia, Emphysema ...							.	.	.	.		.	.	.	.	.	.	.	.	.
isy	1	4	1	2	.	1	.	.	.	.	1·3	.	.	.	.	.	.	.	.	.
ratory Dis. (other) ...							2	.	1	1		.	.	.	.	.	.	.	.	.
litis, Quinsy ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
tis (not Epid.) ...							1	1	1	5		1	.	1	.	.	.	.	.	.
Enteritis	3	1	.	2	1	.	.	1	4	3	2·3	.	.	.	.	.	.	.	.	.
itis (not Puerp.) ...	.	.	.	1	2	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
sis of Liver ...							3	.	1	.		1	.	.	.	.	.	1	.	.
Dis. (other) ...	.	1	3	1	2	1	2	.	1	.	1·5	1	.	.	.	.	.	1	.	.
ive Dis. (other) ...	6	2	8	6	2	2	8	6	2	7	4·9	2	1	.	.	.	1	.	.	.
itis, Acute ...							4	4	1	2		.	.	.	.	.	.	.	.	.
's Dis., Albuminuria	4	4	5	3	1	4	3	1	1	1	4·2	2	.	.	.	.	.	1	.	.
ry Sys. (Other Dis.)							1	.	3	.		.	.	.	.	.	.	.	.	.
ative Organs Dis. ...	2	.	1	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
birth (Accid. of) ...	.	.	.	.	.	.	1	.	.	1	·2	1	.	.	.	.	1	.	.	.
ge	8	6	12	10	9	5	10	2	.	5	6·7	6	.	.	.	.	.	.	2	4
Diseases	17	17	11	14	13	12	13	15	6	8	12·6	10	2	3	.	1	1	3	.	.
ACCIDENT.																				
lways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
hicles and Horses ...	2	1	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
s, Boats, Docks (exve of Drowning) ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
ding Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
flagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions	.	.	.	1	.	.	1	.	.	.	·2	1	.	.	1	.	.	.	.	.
wning	1	1	.	.	1	.	1	4	2	1	1·1	2	.	.	.	1	.	.	1	.
ocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ison or Poisonous urs	1	.	.	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Deaths by Accidents	1	1	2	2	2	3	.	1	1	2	1·5	1	.	.	.	.	1	.	.	.
NCE OTHER THAN ACCIDENTAL.																				
de	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ion	.	.	.	1	.	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

tration Area as then constituted.
"Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1906—Week ending																										
	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14	July 21.	July 28.
No. of weeks in Annual Series.	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Births registered,	288	202	188	169	222	214	189	211	230	207	181	202	199	250	285	202	195	223	167	250	210	238	189	230	199	223
*Average Births in corresponding week of previous 10 years,**	221	215	205	217	213	208	219	206	236	177	200	216	204	244	227	209	191	217	229	193	221	229	202	193	199	207
Deaths registered,	187	151	149	185	183	187	173	193	198	159	174	215	174	191	165	169	173	154	142	126	149	125	130	140	156	149
Annual Death-rate per 1,000,	25·7	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5
*Average Deaths in corresponding week of previous 10 years,**	212	209	209	221	233	221	212	211	218	201	198	189	183	183	174	171	166	157	155	150	146	140	145	146	151	153
Ages,— Under 5 years,	46	35	22	45	46	48	55	43	67	37	34	45	37	30	36	41	42	47	38	12	37	17	35	35	38	48
5—20 ,,	16	8	9	8	14	8	15	15	17	18	13	15	12	16	10	15	13	11	11	13	13	16	14	10	17	11
20—40 ,,	18	21	15	38	39	34	19	29	26	28	23	27	32	39	23	28	29	27	20	22	30	36	21	24	25	27
40—60 ,,	42	42	46	43	34	43	35	40	33	34	47	49	42	47	39	44	37	30	42	36	34	28	32	37	28	35
60—80 ,,	52	39	39	41	49	49	41	55	45	40	47	70	40	55	51	30	41	34	28	37	31	22	21	32	42	27
80 years and upwards,	13	6	8	7	7	10	8	11	10	7	10	9	11	4	6	11	11	5	3	6	4	6	7	2	5	6
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	1	1	3	1	.	1	.	.	2	.	.	.	.	.	1	2	2
Scarlet Fever	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Whooping-cough,	2	.	.	1	4	1	2	.	2	2	3	.	2	1	1	.	3	3	1	2	2	1	4	6	3	2
Diphtheria,	1	.	.	1	.	2	2	1	3	.	.	.	2	.	.	2	.	.	.	.	1	.	.	.	1	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	1	1	.	3	.	3	.	1	2	1	1	3	.	.	.	.	1	.	2	.	1	1	.
Diarrhœal Diseases,	1	.	1	2	1	3	3	5	2	1	1	1	4	.	3	1	3	2	1	4	.	2	.	3	3	10
Pneumonia,	19	6	11	13	16	18	10	13	10	8	22	26	17	21	18	13	13	10	6	6	13	4	4	9	12	13
Tuberculous Disease. {Phthisis,	29	18	23	29	32	30	23	32	25	23	27	18	22	36	18	16	22	20	17	17	29	21	26	21	23	19
Tuberculous Disease. {Other Forms,	9	15	10	12	18	9	12	11	15	15	8	11	10	15	10	16	7	8	13	12	11	9	11	7	11	13
Cancer, Malignant Disease,	8	14	6	13	6	6	6	11	4	4	9	13	10	6	5	15	8	10	6	8	6	12	7	4	14	9
Diseases of Heart and Blood Vessels,	31	23	27	21	25	31	29	31	33	27	29	45	27	22	22	28	30	15	29	26	21	14	15	26	27	19
Diseases of Respiratory System,	27	26	27	32	28	28	21	34	27	23	29	43	23	36	31	15	26	15	10	11	17	5	21	10	11	13
Violent Deaths,	5	5	.	4	10	1	2	4	5	2	3	4	2	3	1	4	5	2	3	3	4	3	4	2	3	4
Number of Uncertified Deaths,	11	7	6	8	4	6	7	6	12	9	7	6	5	5	3	7	7	11	3	3	9	4	3	2	5	4
Mean Temperature of the Air (Phœnix Park),	44·3	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·1	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6
Average Mean Temperature in corresponding week of previous 10 years.	39·3	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2
Rainfall in inches,	·180	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130	·810	·650	·455	·640	·810	·450	·005	·230	·790	·450	·390	·285	·285	·220
Mean Humidity of the Air, complete Saturation, 1·0,	·86	·88	·86	·87	·89	·87	·85	·80	·81	·80	·83	·81	·83	·85	·83	·83	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th July, 1906: the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH JULY, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	20·7	149	43	11	27	35	27	6	.	2	2	.	2	.	.	.	10	16	13	19	13	9	2	13	4	60	4
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	12·0	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
II.	MIDDLE CLASS,	37,188	18·2	22	3	2	4	7	5	1	.	.	.	.	.	.	.	.	.	.	4	3	1	3	.	.	.	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	19·4	41	11	5	8	6	9	2	.	.	1	.	1	.	.	.	3	5	1	4	5	2	1	3	.	20	1
IV.	GENERAL SERVICE CLASS,	154,279	26·7	55	25	4	10	9	5	2	.	2	1	.	1	.	.	.	7	11	6	9	4	3	1	4	4	13	3
V.	INMATES OF WORKHOUSES,	6,024		27	4	.	4	10	8	1	.	.	.	.	.	.	.	.	.	.	2	3	3	1	.	5	.	13	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	14·2	6	2	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4	.
	6. Clerks and Commercial Assistants,	30,432	12·0	7	1	2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	15·4	8	.	.	1	4	2	1	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.	3	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades,	29,801	22·7	13	3	4	2	2	2	.	.	.	1	.	1	.	.	.	.	2	.	2	3	1	.	.	.	5	.
	10. Clothing Trades,	23,260	15·7	7	1	1	2	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.	2	.
	11. Food Supply Trades,	9,242	22·6	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	1
	12. Other Trades and Callings ranking with Trades,	30,352	24·1	14	3	.	4	4	3	.	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	1	.	9	.
	13. Petty Shopkeepers,	7,894	19·8	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	3	.	.	1	.	1	.	1	.	.	1	.	.	.	1	3	.	.	.	.	.	.	.	2	1
	15. Domestic Servants,	36,603	8·5	6	2	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	2	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	14·5	4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	23·2	40	18	4	8	5	5	.	.	1	1	.	.	.	.	.	6	8	5	7	4	2	1	2	4	7	.
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	27	4	.	4	10	8	1	.	.	.	.	.	.	.	.	.	.	2	3	3	1	.	5	.	13	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (part of).																				
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	June 9,	14·7	·	8	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·
	„ 16,	22·1	1·8	12	·	·	·	·	1	·	·	·	·	·	2	2	1	·	·	1
	„ 23,	16·6	3·7	9	·	·	·	·	2	·	·	·	·	2	1	·	·	1	·	1
	„ 30,	16·6	·	9	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
	July 7,	20·2	1·8	11	·	·	·	·	1	·	·	·	·	·	2	1	1	4	1	·
	„ 14,	14·7	1·8	8	·	·	·	·	1	·	·	·	·	·	·	1	1	·	·	·
	„ 21,	23·9	1·8	13	·	·	·	·	1	·	·	·	·	1	2	1	·	1	·	2
	„ 28,	18·4	3·7	10	·	·	·	·	·	·	·	·	2	2	·	1	·	1	·	·
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	June 9,	17·3	·	13	·	·	·	·	·	·	·	·	·	2	1	·	·	2	·	1
	„ 16,	16·0	4·0	12	·	·	·	·	1	·	·	·	2	1	2	·	1	·	·	·
	„ 23,	24·0	·	18	·	·	·	·	·	·	·	·	·	2	2	·	·	2	·	1
	„ 30,	18·6	·	14	·	·	·	·	·	·	·	·	·	·	3	2	1	1	·	·
	July 7,	22·6	2·7	17	·	·	·	·	2	·	·	·	·	1	5	·	2	5	·	·
	„ 14,	25·3	5·3	19	·	·	·	·	2	·	·	1	1	1	6	·	·	3	·	·
	„ 21,	28·0	2·7	21	·	·	·	·	1	·	·	·	1	1	4	3	·	·	·	2
	„ 28,	32·0	6·7	24	·	·	1	·	1	·	·	·	3	1	2	3	1	2	·	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 80,107.	June 9,	24·2	·	14	·	·	·	·	·	·	·	·	·	·	5	·	·	·	1	·
	„ 16,	17·3	1·7	10	·	·	·	·	·	·	·	·	1	·	·	·	1	3	·	·
	„ 23,	34·6	·	20	·	·	·	·	·	·	·	·	·	2	3	4	1	1	·	2
	„ 30,	17·3	3·5	10	·	·	·	·	1	·	·	·	1	·	·	·	2	·	·	·
	July 7,	26·0	·	15	·	·	·	·	·	·	·	·	·	1	3	·	·	3	·	·
	„ 14,	27·7	6·9	16	·	·	·	1	3	·	·	·	·	·	5	1	·	1	·	·
	„ 21,	20·8	1·7	12	·	·	·	·	1	·	·	·	·	·	1	·	·	1	·	·
	„ 28,	39·8	5·2	23	·	·	1	·	·	·	·	·	2	3	2	2	1	1	·	·
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	June 9,	18·1	·	11	·	·	·	·	·	·	·	·	·	1	1	2	1	1	1	·
	„ 16,	13·2	·	8	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·
	„ 23,	13·2	·	8	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·
	„ 30,	16·5	·	10	·	·	·	·	·	·	·	·	·	·	2	1	1	1	·	·
	July 7,	13·2	·	8	·	·	·	·	·	·	·	·	·	·	3	2	·	·	·	·
	„ 14,	18·1	·	11	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	1
	„ 21,	16·5	·	10	·	·	·	·	·	·	·	·	·	1	3	1	2	1	1	·
	„ 28,	14·8	·	9	·	·	·	·	·	·	·	·	·	·	2	·	2	1	1	·
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	June 9,	20·4	·	15	·	·	·	·	·	·	·	·	·	1	3	1	·	1	·	·
	„ 16,	13·6	1·4	10	·	·	·	·	·	·	·	1	·	2	·	·	·	·	1	·
	„ 23,	24·5	·	18	·	·	·	·	·	·	·	·	·	1	6	2	·	2	·	1
	„ 30,	12·2	1·4	9	·	·	·	·	·	·	·	1	·	·	3	1	1	1	·	·
	July 7,	21·7	·	16	·	·	·	·	·	·	·	·	·	2	1	3	1	3	·	·
	„ 14,	29·9	·	22	·	·	·	·	·	·	·	·	·	2	6	2	·	2	·	·
	„ 21,	25·8	2·7	19	·	·	·	·	·	1	·	1	·	2	3	3	2	4	·	·
	„ 28,	23·1	1·4	17	·	·	·	·	1	·	·	·	·	2	2	2	·	4	1	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	June 9,	20·0	·	7	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·
	„ 16,	25·7	·	9	·	·	·	·	·	·	·	·	·	·	2	2	·	1	1	·
	„ 23,	25·7	·	9	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·
	„ 30,	5·7	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
	July 7,	8·6	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
	„ 14,	17·1	·	6	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
	„ 21,	28·5	·	10	·	·	·	·	·	·	·	·	·	2	1	·	2	·	·	·
	„ 28,	17·1	2·9	6	·	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	June 9,	27·4	1·2	22	·	·	·	·	1	·	·	·	·	·	·	4	1	3	·	·
	„ 16,	16·2	1·2	13	·	·	·	·	·	·	·	·	1	·	4	4	·	2	·	·
	„ 23,	31·1	1·2	25	·	·	·	·	·	1	·	·	·	3	8	1	2	4	1	2
	„ 30,	21·1	·	17	·	·	·	·	·	·	·	·	·	1	4	1	1	·	1	·
	July 7,	21·1	·	17	·	·	·	·	·	·	·	·	·	·	5	2	·	1	1	·
	„ 14,	28·6	1·2	23	·	·	·	·	·	·	·	·	1	1	·	2	2	1	·	1
	„ 21,	14·9	1·2	12	·	1	·	·	·	·	·	·	·	1	·	·	·	1	1	·
	„ 28,	18·6	1·2	15	·	·	·	·	·	·	·	·	1	2	3	3	·	2	·	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	June 9,	20·8	·	14	·	·	·	·	·	·	·	·	·	2	3	3	·	·	·	1
	„ 16,	16·3	·	11	·	·	·	·	·	·	·	·	·	1	2	·	1	3	·	·
	„ 23,	17·8	·	12	·	·	·	·	·	·	·	·	·	·	3	1	·	2	1	1
	„ 30,	20·8	1·5	14	·	·	·	·	·	·	·	1	·	·	·	1	·	1	2	2
	July 7,	11·9	1·5	8	·	·	·	·	1	·	·	·	·	·	·	·	1	1	·	1
	„ 14,	17·8	·	12	·	·	·	·	·	·	·	·	·	2	1	·	·	·	1	·
	„ 21,	10·4	1·5	7	·	·	·	·	·	·	·	·	1	·	·	1	1	2	·	·
	„ 28,	11·9	·	8	·	·	·	·	·	·	·	·	·	1	3	·	·	1	·	·

* Formerly described as "Simple Continued Fever."

rtain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of opulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ublic Institutions being assigned to the Districts from which the deceased were admitted;* also, rovincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,203.	June 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 23,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.
	„ 30,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	.
	July 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	„ 14,	7·9	3·1	5	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	.	1	.	3	.	.	.
	„ 28,	11·0	1·6	7	.	1	.	.	.	.	.	.	.	1	.	1	2	.	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	June 9,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 16,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	„ 23,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	1
	„ 30,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.
	July 7,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 14,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.
	„ 28,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	June 9,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 16,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	„ 23,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 30,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	1
	July 7,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	„ 14,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	32·5	.	11	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.
	„ 28,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.
Belfast. Pop. in 1906 (Est.) 336,220.	June 9,	19·4	3·7	136	.	2	.	.	16	1	.	2	5	15	21	15	5	15	2	2
	„ 16,	19·1	2·1	134	.	1	.	.	7	.	.	.	7	7	22	9	6	15	1	5
	„ 23,	18·7	2·3	131	.	.	.	.	14	.	.	.	2	7	30	7	4	14	5	.
	„ 30,	16·1	2·0	113	.	.	1	.	7	2	.	.	4	8	24	7	2	13	.	1
	July 7,	15·0	1·6	105	.	1	.	.	4	2	.	.	4	8	12	6	9	7	3	1
	„ 14,	16·9	2·3	119	.	.	.	.	9	.	.	1	6	7	20	15	2	7	6	2
	„ 21,	17·2	1·9	121	.	.	2	.	3	.	.	1	7	6	21	5	4	9	4	.
	„ 28,	18·1	1·4	127	.	2	.	.	1	1	.	2	4	6	26	10	4	21	.	3
Cork. Pop. (in 1901) 76,122.	June 9,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	7	1	1	1	.	1
	„ 16,	16·4	.	24	.	.	.	.	.	.	.	.	.	2	8	2	.	1	.	.
	„ 23,	14·4	0·7	21	.	.	.	.	1	.	.	.	.	.	4	1	1	3	1	1
	„ 30,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	2	4	2	4	1	1
	July 7,	18·7	1·4	20	.	.	.	.	.	1	.	.	1	1	4	.	.	1	1	2
	„ 14,	15·8	1·4	23	.	.	.	.	.	.	.	1	1	.	5	1	.	.	.	.
	„ 21,	15·8	0·7	23	.	.	.	.	1	.	.	.	.	1	2	1	3	3	.	2
	„ 28,	10·3	1·4	15	.	.	.	.	1	.	.	.	1	2	3	2	.	2	.	.
Londonderry. Pop. in 1906 (Est.) 42,067.	June 9,	27·3	3·7	22	.	3	.	.	.	.	.	.	.	.	3	.	.	7	1	1
	„ 16,	24·8	5·0	20	.	3	.	.	.	.	.	.	1	.	4	1	1	3	2	1
	„ 23,	18·6	2·5	15	.	1	.	.	.	.	.	.	1	1	3	1	.	1	.	2
	„ 30,	19·8	7·4	16	.	6	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	July 7,	8·7	3·7	7	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 14,	17·4	5·0	14	.	3	.	.	.	.	.	.	1	.	1	.	1	2	.	1
	„ 21,	26·0	8·7	21	.	5	.	.	1	.	.	.	1	.	1	4	.	1	.	.
	„ 28,	15·6	6·2	11	.	5	.	.	.	.	.	.	.	1	.	.	.	2	.	.
Limerick. Pop. (in 1901) 38,151.	June 9,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	1
	„ 16,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	8	.	.	2	.	1
	„ 23,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	2
	„ 30,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	July 7,	9·6	1·4	7	.	.	.	.	.	.	.	1	.	.	1	.	1	3	.	1
	„ 14,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	4	1	.	.	.	1
	„ 21,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 28,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	2
Waterford. Pop. (in 1901) 26,769.	June 9,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
	„ 16,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	1
	„ 23,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	„ 30,	11·7	1·9	6	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.
	July 7,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2
	„ 14,	7·8	1·9	4	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 21,	29·2	1·9	15	.	.	.	.	.	.	.	.	1	3	3	.	.	.	1	.
	„ 28,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th July, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Puerperal (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,734	8	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the several distribution of the increase through districts not being at present practicable, Death rates are omitted from this table.		6	.	.	.	.	4	2	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	1	5	.
Do. 2 ,,	47,959	40			13	2	1	2	4	2	2	.	.	.	.	.	.	.	1	.	.	2	2	.	3	.	.	1	.
Do. 3 ,,	47,214	24			13	5	.	1	2	3	2	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	2	.
Do. 4 ,,	40,911	37			26	6	.	6	5	4	5	.	.	.	.	.	.	.	.	1	3	5	3	.	3	.	1	5	2
Do. 5 ,,	17,387	10			3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
Do 6 ,,	48,122	42			23	2	3	1	7	4	6	.	.	.	.	1	.	.	.	.	1	6	.	1	4	.	.	7	1
Do 7 ,,	1,524	1			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do. 8 ,,	5,060	.			2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
Do. 9 ,,	19,569	19			5	.	2	.	1	1	1	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.
Do. 10 ,,	28,064	24			9	3	.	.	1	3	2	.	1	.	.	.	.	.	.	.	.	2	.	.	3	.	.	3	.
Do. 11 ,,	34,802	20			9	1	.	.	5	.	3	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	2	.
Do. 12 ,,	33,588	11			10	1	1	1	2	3	2	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	1	3	.
Do. 13 ,,	15,006	9			7	1	.	.	2	1	3	.	.	.	.	.	.	.	1	.	.	2	.	1	.	.	.	.	.
Do. 14 ,,	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	225			127	21	8	13	29	26	30	.	2	.	.	1	1	.	2	4	6	26	10	4	21	.	3	30	3
City of Cork.																													
CORK URBAN No. 1 DISTRICT.	12,867	6	24·3	.	6	2	.	3			1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	3	.
Do. 2 ,,	10,701	5	9·7	.	2	.	1	1			.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Do. 3 ,,	9,978	4	5·2	.	1	.	1	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 4 ,,	8,666	5	13·1	6·0	3	.	1	1			1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	2	.
Do. 5 ,,	6,592	4	15·8	.	2	.	.	1			1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 6 ,,	10,702	8	.	.	.	.	.	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 ,,	16,616	8	3·1	3·1	1	1	.	.			.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
					15	3	3	6			3	.	.	.	.	1	.	.	.	1	2	3	2	.	2	.	1	6	.

TABLE IA.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. [illegible] *without the City are omitted.*

Belfast.	1906—Week ending																									
	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Births registered,	231	189	246	214	246	229	229	221	248	240	212	231	282	238	246	217	273	239	228	204	222	218	225	162	271	225
Deaths registered,	139	146	179	174	166	155	191	152	201	169	166	171	152	179	161	140	151	150	136	134	131	113	105	119	121	127
Annual Death-rate per 1,000 of estimated Population,	19·8	20·8	25·5	24·8	23·6	22·1	27·2	21·6	23·6	24·1	23·6	24·3	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1
Ages: Under 1 year,	24	29	31	43	26	31	32	37	46	35	35	39	30	29	35	35	21	33	28	21	26	24	24	17	21	21
1–5 years,	11	11	14	20	17	22	23	16	30	28	26	24	24	20	19	17	17	23	22	20	17	15	12	19	12	8
5–20 years,																							11	14	10	13
20–40 years,	61	71	87	74	85	59	84	57	89	81	75	66	67	85	66	61	84	64	53	67	72	57	13	27	24	29
40–60 years,																							22	15	26	26
60 years and upwards,	43	35	47	37	38	43	52	42	36	25	30	42	31	45	41	24	29	30	33	26	16	17	23	17	28	30
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2
Scarlet Fever,	1	.	.	1	1	1	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.		2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	2	6	7	9	5	9	5	21	12	13	21	18	20	12	13	8	15	16	7	14	7	4	9	3	1
Diphtheria,	.	.	2	3	2	.	1	2	1	1	.	.	.	.	.	1	1	.	1	.	.	2	2	.		1
*Pyrexia** (origin uncertain),	.	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
Enteric Fever,	2	6	.	2	2	6	6	3	1	5	4	2	.	.	1	1	.	.	2	.	.	.	.	1	1	2
Diarrhœal Diseases,	2	1	3	2	1	.	1	2	1	2	.	1	2	1	.	1	5	1	5	7	2	4	4	6	7	4
Pneumonia,	10	8	19	17	13	16	23	10	18	19	19	15	16	16	10	9	14	15	15	7	7	8	8	7	6	6
Tuberculous Disease, Phthisis,	16	23	21	23	33	15	26	17	28	24	26	18	19	29	21	28	33	16	21	22	30	24	12	20	21	26
Tuberculous Disease, Other Forms,	7	6	7	7	6	10	5	6	12	11	7	8	12	10	8	11	9	11	5	9	7	7	6	15	5	10
Cancer, Malignant Disease,	5	4	5	6	5	1	6	4	10	4	3	2	4	4	3	3	3	1	5	6	4	2	9	2	4	4
Diseases of Respiratory System,	26	23	22	24	34	33	36	24	28	21	34	36	27	33	27	17	16	17	15	15	14	13	7	7	9	21
Violent Deaths,	3	1	6	4	2	6	1	.	2	7	4	3	4	4	2	4	6	1	2	1	5	.	3	6	4	.
Number of Uncertified Deaths,	3	3	5	3	5	2	4	3	3	1	1	3	5	2	2	.	4	2	2	5	.	1	1	2	.	3

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	July 28,	2,352	1,056	11·7	.	30	6	10	10	3	74
EDINBURGH,	341,035	„ 28,	151	97	14·8	.	4	1	.	1	.	4
GLASGOW,	835,625	„ 28,	489	233*a*	14·5	.	2	1	1	7	2	13
CALCUTTA,	910,117	June 9,	.	429	26·3	33	1	.	.	.	83‡	67*
BOMBAY,	776,006	„ 26,	357	737	49·4	1	11	.	.	.	84‡	116*
MADRAS,	509,346	„ 8,	352	344	35·1	2	1	?	?	?	90	61*
PARIS,	2,722,731	July 14,	997	756	14·7	.	11	2	.	4	8	33
BRUSSELS (with 8 Faubourgs).	612,401	„ 7,	222	162	13·8	.	5	.	.	2	2	11
ANTWERP,	304,975	„ 7,	118	71	12·1	1	6	.	.	.	1	7
AMSTERDAM,	560,693	„ 7,	279	129	12·0	.	5	.	4†	2	2	3
COPENHAGEN,	425,000	„ 7,	209	104	12·8	.	.	.	.	3	.	6
STOCKHOLM,	324,488	June 30,	177	83	13·3	.	1	.	.	.	2	3
CHRISTIANIA,	222,373	July 14,	118	54	12·6	.	.	.	3†	2	1	3
ST. PETERSBURG,	1,424,700	„ 7,	685	699	25·5	2	22	12	14	6	43	146
MOSCOW,	1,092,360	June 9,	.	908	43·3	4	15	5	7†	4	10	442
BERLIN,	2,060,650	„ 30,	907	627	15·9	.	25	9	9†	10	.	86
HAMBURG,	803,050	„ 30,	.	229	14·8	.	6	1	3†	5	3	17
BRESLAU,	475,377	July 14,	.	190	20·8	.	3	.	1†	3	.	32
MUNICH,	540,000	„ 14,	.	177	17·0	.	2	.	1†	2	1	34
VIENNA (with suburbs).	1,937,869	„ 14,	947	546	14·6	.	14	6	9†	2	1	45
BUDA-PESTH,	791,748	„ 14,	404	257	16·9	.	3	.	1†	1	1	38
PRAGUE and Faubourgs.	460,849	„ 7,	183	203	22·9	.	2	.	2†	1	.	21
TRIESTE,	196,637	June 30,	112	96	25·5	.	1	.	1†	3	.	13
ROME,	526,170	May 26,	221	184	18·2	.	10	.	.	3	1	12
VENICE,	171,709	—	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	June 30,	1,880	1,362	17·1	.	12	9	30†	4	15	178
PHILADELPHIA,	1,469,126	„ 23,	.	429	15·2	.	2	1	8†	4	18	48
BOSTON,	595,380	„ 30,	.	173	15·2	.	.	2	1	2	1	6

a Including 7 deaths from cerebro-spinal meningitis.
* Including 38 deaths from cholera in Calcutta, 39 in Bombay, and 2 in Madras.
† Including deaths from croup.
‡ Exclusive of 43 deaths from plague in Calcutta, and 47 in Bombay

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th July, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 1, West,	.	.	.	.	.	.	.	1	2	.	.	.	3
" " 2,	.	1	.	.	.	.	1	.	1	.	.	.	3
" " 3,	.	1	.	.	1	.	.	1	.	.	.	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	1	.	10	.	.	.	11
" " 2,	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 3,	.	.	.	.	.	.	1	1	.	.	.	.	2
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	2	.	.	2	.	3	5	14	.	.	.	26

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th July, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th July.			
	July 7.	July 14.	July 21.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	7	13	14	10	5	.	19
Scarlet Fever,	33	35	35	2	4	2	31*
Typhus,	3	3	1	.	.	.	1
Diphtheria,	29	22	22	2	8	.	16
Enteric Fever,	24	17	17	3	5	.	15
Pneumonia,	26	24	29	9	11	2	25

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 28th July, 1906:—

"Changeable but generally seasonable and favourable weather prevailed. During the first three days of the week moderate baric gradients for westerly winds existed. Sunday was fine and very warm—the highest temperatures being 80° at Skegness, 79° at Nottingham and the coast stations of Scarborough, Lowestoft and Clacton-on-Sea, 78° in London and at Margate, 77° in Dublin and at Yarmouth, 76° at Birmingham, Torquay and Bournemouth. On Monday grateful showers fell in Dublin and temperature gave way briskly in the afternoon. A solar halo was seen on Tuesday, which was a cool day. At 8 a.m. of Wednesday an anticyclone covered the British Isles, its southerly winds bringing a higher temperature to Ireland—at 9 a.m. a solar halo was again visible in Dublin. In the evening a large depression spread in from the Atlantic, and the wind blew strongly in squalls from S.S.E. at night all over Ireland, while a heavy fall of rain occurred in the S.W. of this country. The disturbance subsequently passed out again over the Atlantic in a northwesterly direction, and the weather became fine. In England, however, a shallow depression, which advanced from the Bay of Biscay on Thursday night, caused broken, thundery weather on Friday. A new depression appeared off the W. of Ireland on Saturday, but it caused only a few showers and the week closed with a warm, bright day and a resplendent sunset. Sheet lightning was reported after 10 p.m. In Dublin the mean height of the barometer was 29·907 inches, the range being from 30·089 inches at 9 a.m. of Wednesday (wind, S.S.E.) to 29·687 inches at 9 a.m. of Saturday (wind S.S.E.). The corrected mean temperature was 62·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 62·2°. On Sunday the screened thermometers rose to 76·5°, on Tuesday they fell to 51·1°. The dominant wind was S.W. Rain fell on 4 days to the amount of ·137 inch, ·041 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·910 inches. The highest reading (30·077) was on Tuesday at 9 p.m., air calm, and the lowest (29·678) on Saturday at 9 a.m., wind S.

The mean temperature for the week was 60·6°, being 1·4° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Sunday, on which day the thermometer registered 75·8°, and was lowest on Wednesday, the mercury having fallen to 45·4°. The mean of the Dry Bulb for the week was 60·4°, and of the Wet Bulb 57·6°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 47·1 hours. The rainfall during the week measured 0·220 inch.

At Greenwich the mean temperature for the week was 66·3°, the maximum 84·7°, and the minimum 50·4°; at Glasgow the maximum was 76·0°, the minimum 47.5°, and the mean 59.2°; and at Edinburgh the maximum was 69·8°, the minimum 48·8°, and the mean 58·1°. The rainfall at Greenwich measured 0·15 in.; at Glasgow 0·16 in.; and at Edinburgh 0·26 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 22,	29·941	75·8	59·9	67·9	63·9	62·1	·89	·6	7·4	·000	S.W.	Calm.
Monday, „ 23,	29·903	68·6	54·4	61·5	60·2	57·9	·86	·6	2·8	·045	Calm.	W.N.W.
Tuesday, „ 24,	30·058	62·8	47·1	55·0	56·2	53·1	·82	·6	4·4	·000	S.W.	Calm.
Wednesday, „ 25,	30·026	68·7	45·4	57·1	59·4	55·6	·79	·7	8·1	·000	S.S.W.	E.
Thursday, „ 26,	29·783	70·4	52·9	61·7	63·8	60·7	·83	·7	7·8	·110	S.E.	Calm.
Friday, „ 27,	29·896	67·8	50·1	59·0	59·5	55·4	·77	·8	9·2	·015	W.S.W.	S.W.
Saturday, „ 28,	29·762	70·3	53·7	62·0	59·8	58·1	·90	·5	7·4	·050	S.	Calm.
Mean, . .	29·910	69·2	51·9	60·6	60·4	57·6	·84	·6	Total 47·1	Total ·220	—	

Sunday—A very fine day but cloudy; night cloudy. *Monday*—Overcast and cloudy day, light showers; night cloudy, light showers. *Tuesday*—A fine but cloudy day; night sky clear. *Wednesday*—A bright and cloudy day; night sky clear. *Thursday*—Fine but cloudy day, heavy rain 8.30 p.m. to 9.30 p.m.; night clouds, light rain. *Friday*—Fine but cloudy day; night cloudy, light showers 3.0 a.m. to 4.30 a.m. *Saturday*—Fine but cloudy a.m., showery p.m. at intervals; night cloudy and showery.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 28th, 1906.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 22,	66·7	60·9	56·9	76·8	61·3	69·1	9·4	·002
Monday, „ 23,	67·1	62·5	56·9	70·3	56·6	63·5	2·3	·061
Tuesday, „ 24,	59·0	61·1	57·0	64·1	50·4	57·3	5·0	—
Wednesday, „ 25,	64·9	60·4	57·0	68·6	50·1	59·4	8·5	—
Thursday, „ 26,	64·6	60·9	57·1	70·2	54·0	62·1	6·3	·044
Friday, „ 27,	61·8	60·9	57·2	67·6	54·6	61·1	7·7	·012
Saturday, „ 28,	65·0	60·9	57·3	73·1	56·8	65·0	6·6	·019
Weekly Mean, .	64·2	61·1	57·1	70·1	54·8	62·5	Total 45·8	Total ·138

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—14279.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 4TH AUGUST, 1906. [No. 31.

General Register Office, Charlemont House, Dublin, 7th August, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending July 14.	Week ending July 21.	Week ending July 28.	Week ending Aug. 4.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 14.	Week ending July 21.	Week ending July 28.	Week ending Aug. 4.	Average Rate for 4 weeks.
22 Town Dists.	16·9	18·0	17·3	17·1	17·3	Lisburn, . .	13·6	9·1	4·5	22·7	12·5
Armagh, . .	13·7	20·6	13·7	20·6	17·1	Londonderry, .	17·4	26·0	13·6	21·1	19·5
Ballymena, .	9·6	14·4	23·9	19·2	16·8	Lurgan, . .	35·4	8·9	16·6	17·7	22·1
Belfast, . .	16·9	17·2	18·1	17·2	17·3	Newry, . .	.	12·6	8·4	12·6	8·4
Clonmel, . .	20·5	5·1	5·1	15·4	11·5	Newtownards, .	34·3	40·1	28·6	22·9	31·5
Cork, . . .	15·8	15·8	10·3	19·2	15·3	Portadown,	15·5	20·7	20·7	20·7	19·4
Drogheda, . .	12·3	16·3	8·2	8·2	11·3	Queenstown .	13·2	6·6	6·6	6·6	8·3
Dublin Reg. Area,	18·7	20·9	20·1	16·8	19·1	Sligo, . . .	19·2	19·2	33·6	24·0	24·0
Dundalk, . .	8·0	8·0	4·0	19·9	10·0	Tralee, . .	15·9	15·9	10·6	.	10·6
Galway, . .	.	11·7	3·9	38·8	13·6	Waterford, .	7·8	29·2	13·6	19·5	17·5
Kilkenny, . .	9·8	9·8	.	14·7	8·6	Wexford, . .	23·3	4·7	28·0	9·3	16·3
Limerick, . .	17·8	5·5	17·8	8·2	12·3						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in fourteen of the districts to 9·6 in Ballymena, the 4 deaths from all causes in that district including 2 from whooping-cough. Among the 121 deaths from all causes in Belfast are one from measles, 4 from whooping-cough, 3 from enteric fever, and 7 from diarrhœal diseases; among the 17 deaths in Londonderry is one from measles; the 3 deaths in Clonmel include one from scarlet fever; and among the 4 deaths from all causes in Newtownards is one from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 235—116 boys and 119 girls; and the deaths to 125—71 males and 54 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 17·2 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 16·8 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*) Table II. ‡ See columns 10–18 of Table II.

During the thirty-one weeks ending with Saturday last the death-rate averaged 22·5, and was 3·4 below the mean rate for the corresponding portions of the ten years, 1896–1905.

Among the 125 deaths registered were 2 deaths from whooping-cough, one death from enteric fever, and 11 deaths from diarrhœal diseases, not including 2 deaths from *gastro-enteritis*. In the 3 preceding weeks, deaths from whooping-cough numbered 6, 3, and 2; deaths from enteric fever, one, one, and 0; and deaths from diarrhœal diseases, 3, 3, and 10, respectively. The weekly mean of the daily readings of the earth temperatures at 4 feet was 57·7° (see Table XIV.).

The number of deaths from broncho-pneumonia was 2, and the number from *pneumonia* (not defined) was also 2.

All forms of tuberculous disease caused 25 deaths, including 10 deaths from tuberculous phthisis, 11 deaths from *phthisis*, 2 deaths from tuberculous meningitis, one death from *tabes mesenterica*, and one death from another form of the disease. Deaths from all forms of the disease, in the 3 preceding weeks, numbered 28, 34, and 32, respectively.

Carcinoma caused 2 deaths, and cancer (undefined) caused 6 deaths.

The deaths of 2 infants prematurely born were registered.

There were 12 deaths from diseases of the brain and nervous system, including 5 deaths from *convulsions*. Of the latter, 4 were deaths of infants under one year of age, and one was that of a child aged 2 years and 10 months.

Diseases of the heart or blood vessels caused 19 deaths.

Thirteen deaths were caused by bronchitis.

There was one accidental death, caused by a bicycle, and there was one death by suicide.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one child under one year of age and the death of a person aged 73 years.

Forty of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 8 were under one month old) and 37 were aged 60 years and upwards, including 16 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a woman) was stated to have been aged 91 years.

Fifty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·8 per 1,000; the rate in the City was 18·5 (North City Districts, 19·4; South, 17·5), and in the Suburbs, 11·0 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·3 (3·1 in the North City Districts, and 1·5 in the South) and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·9 per 1,000. Among them are 2 deaths from diseases of the brain or nervous system and one death from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·6 per 1,000. There were 4 deaths from diarrhœal diseases, 3 deaths from tuberculous disease, and 4 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·3 per 1,000, and include one death from whooping-cough, 2 deaths from epidemic diarrhœa, and one death from *pneumonia* (not defined). There was one accidental death, caused by a bicycle.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 29·6 per 1,000. Of the deaths one was from enteric fever, one from broncho-pneumonia, 8 were from tuberculous disease, and 2 were from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 15·6. The only death for Clontarf and Howth, No. 1, part of, was from *phthisis*, and the one death for Coolock and Drumcondra, No. 1, part of, was from epidemic diarrhœa; of the 2 deaths from all causes for Finglas and Glasnevin, part of, one was from *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 27·2 per 1,000, and include 4 deaths from tuberculous disease of the lungs, and 3 from diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 20·0 per 1,000. Of these one was from *diarrhœa*, 2 were from tuberculous disease of the lungs, and one was from bronchitis.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 17·4 per 1,000. Among the deaths are one from epidemic diarrhœa, one from *phthisis*, and 2 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (7) are equivalent to an annual rate of 10·4 per 1,000. Whooping-cough, *diarrhœa*, and *phthisis* each caused one death. There was one suicidal death.

New Kilmainham District.—There were no deaths for this district registered during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·6; Pembroke, 8·0; Blackrock, 11·9; and Kingstown, 11·8. The only death from any of the principal epidemic diseases recorded for these districts was one from *diarrhœa* for Pembroke. The 8 deaths from all causes for Rathmines and Rathgar include one each from broncho-pneumonia, *phthisis*, and bronchitis; of the 2 deaths from all causes for Blackrock, one was caused by tuberculous phthisis; and of the 4 deaths for Kingstown, one death was caused by *pneumonia* (not defined), and one by tuberculous phthisis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Executive Sanitary Officer for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 4th August, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	July 14,	.	—	—	6	2	.	1	.	2	5	13	.	—	—	—	—	—	29
	July 21,	.	—	—	5	.	.	2	.	1	2	11	.	—	—	—	—	—	21
	July 28,	.	—	—	2	.	.	2	.	3	5	14	.	—	—	—	—	—	26
	Aug. 4,	.	—	—	6	1	.	6	.	2	7	8	.	—	—	—	—	—	30
Rathmines and Rathgar Urban District.	July 14,	.	—	—	1	.	.	.	.	1	.	1	.	—	—	—	—	—	3
	July 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 4,	.	—	—	.	.	.	1	.	.	2	2	.	—	—	—	—	—	5
Pembroke Urban District.	July 14,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	July 21,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
	July 28,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	Aug. 4,	.	.	.	.	.	.	1	.	.	.	1	.	—	.	.	—	—	2
Blackrock Urban District.	July 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	July 14,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	July 21,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	2
	July 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	July 14,	.	—	—	10	.	.	2	.	7	1	2	.	—	—	—	—	—	22
	July 21,	.	—	—	11	.	.	2	.	3	5	7	.	—	—	—	—	—	28
	July 28,	.	—	—	17	.	.	5	1	6	6	1	.	—	—	—	—	—	36
	Aug. 4,	.	—	—	11	.	.	1	.	3	9	1	.	—	—	—	—	—	25

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th August, 1906.

From this it appears that :—

Four cases of measles were admitted to hospital during the week, 3 were discharged, and 0 cases remained under treatment at its close.

Five cases of scarlet fever were admitted to hospital, 13 were discharged, and 23* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital during the week, one was discharged, and one case remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 7 were discharged, and 17 patients remained under treatment at the close of the week.

Two cases of enteric fever were admitted to hospital, 4 were discharged, and 13 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death, and 14 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·0), was equal to an average annual death-rate of 13·8 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 11·8 per 1,000, the rate for Glasgow being 12·2, and for Edinburgh 11·2.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th August. From this Return it appears that of a total of 37 cases notified 16 were scarlet fever, 11 diphtheria, 6 erysipelas, and 4 enteric fever. Among the 296 cases of infectious diseases in hospital at the close of the week were 105 cases of scarlet fever, 70 of measles, 38 of diphtheria, 18 of enteric fever, 10 of erysipelas, and 9 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 4th August, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 4th August, 1906. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 4th August, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th July, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st July, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	32·9	17·1	1·7	695	362	84	84	.	2	2	.	8	.	.	4	20	22	63	22	16	39	8	11	105	17	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	878,994	27·5	32·3	16·8	1·9	235	122	28	36	.	.	.	.	2	.	.	1	11	4	20	4	8	14	2	4	48	3	f71·8	45·2	60·5	0·45	f75·8	45·4	60·6	0·22	f71·0	47·4	59·0	0·39
																												g73·1	53·3	62·2	0·46	g76·5	51·1	62·4	0·14	g72·1	49·8	60·4	0·26
City of Dublin,	293,885	37·1	33·4	18·5	2·3	168	104	26	28	.	.	.	.	2	.	.	1	10	2	17	4	5	13	2	4	45	3	h73·9	50·2	61·7	0·84	h76·9	46·0	61·6	0·15	h70·1	48·0	59·0	0·31
Urban Dists. Rathmines and Rathgar.	33,203	19·4	28·3	12·6	.	18	8	2	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	36·1	8·0	2·0	18	4	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	29·8	11·9	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	17·8	11·8	.	6	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	71	50·5	61·3	0·16
Urban Districts.																																							
Belfast,	366,220	24·9	34·3	17·2	2·1	241	121	30	18	.	1	.	.	4	.	.	3	7	10	22	11	2	11	2	3	24	.	69·8	50·0	60·4	0·54	71·5	45·5	60·8	0·54	68·5	45·5	57·5	0·51
																		1	1	5	3	1	4	2	3	13	3	66	47	59·3	1·11	67	48	58·5	1·29	69	52	58·8	0·16
Cork,	76,122	33·6	22·6	19·2	0·7	33	28	3	5	.	.	.	.	.	.	.	.	.	3	4	2	1	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	42,067	19·4	14·8	21·1	1·2	20	17	2	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	29·7	8·2	.	51	6	4	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	22·2	19·5	.	15	10	2	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	7	1	66	52	60	1·29	70	54	62	1·02	68	46	59	0·69
Galway,	18,426	2·5	19·4	38·8	.	5	10	1	6	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk,	18,076	3·4	23·9	19·9	.	6	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	24·5	8·2	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	70·0	48·2	60·4	1·43	74·1	46·9	60·2	0·58	68·0	45·0	56·7	0·42
Newry,	12,405	17·8	8·4	12·6	.	2	3	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	70·0	48·2	60·4	1·43	74·1	46·9	60·2	0·58	68·0	45·0	56·7	0·42
Lurgan,	11,782	13·8	22·1	17·7	4·4	5	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	70·0	48·2	60·4	1·43	74·1	46·9	60·2	0·58	68·0	45·0	56·7	0·42
Lisburn,	11,461	10·1	27·8	22·7	.	6	5	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Wexford,	11,168	23·2	37·4	9·3	.	8	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	47·9	19·2	9·6	10	4	1	1	.	.	.	.	2	.	.	.	.	.	1	1	.	.	.	.	.	3	68·3	43·5	58·8	1·22	69·5	45·4	58·1	0·55	69·4	44·2	56·6	0·59
Sligo,	10,870	3·7	48·0	24·0	.	10	5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	70	45	60·2	0·76	76	43	60·1	0·74	73	46	60	0·21
Kilkenny,	10,609	11·5	33·6	14·7	.	17	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,167	7·8	15·4	15·4	5·1	8	3	.	1	.	.	1	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	70·0	48·2	60·4	1·43	74·1	46·9	60·2	0·58	68·0	45·0	56·7	0·42
Portadown,	10,092	13·2	20·7	20·7	.	4	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Trales,	9,867	16·6	21·1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	68	50	57·7	0·30	72	46	58·0	0·72	68	44	55·9	0·39
Newtownards,	9,110	18·9	45·6	22·9	5·7	8	4	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66	47	59·3	1·11	67	48	58·5	1·29	69	52	58·8	0·16
Queenstown,	7,909	14·4	19·8	6·6	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	70·0	48·2	60·4	1·43	74·1	46·9	60·2	0·58	68·0	45·0	56·7	0·42
Armagh,	7,588	22·2	20·6	20·6	.	3	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

[illegible] Census Commissioners [illegible] and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly [illegible] It having been impracticable to obtain Meteorological Observations from some of the towns included in this [illegible] localities outside the Area [illegible] in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and [illegible] Waterford, those at Ballyhaise for Belfast, Londonderry, Clones, Glasgow, [illegible]

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 4th of August, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	GOOLOCK and DRUMCONDRA, No. 1 (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	4	2	.	.	1	.	.	1	1	1	.	.	1	.	.	11	.
Pneumonia,	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	1	4	.
Tuberculous Disease. { Phthisis,	.	2	.	3	1	.	1	4	2	1	1	.	1	.	1	1	20	1
Tuberculous Disease. { Other Forms.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	4	.
Cancer, Malignant Disease,	.	1	.	1	.	.	.	.	1	1	1	.	.	1	1	1	8	.
Other General Diseases	.	1	.	1	.	.	.	.	.	1	.	.	2	.	.	.	5	.
Total,	.	9	4	12	1	1	1	4	4	4	4	.	4	2	2	3	55	1
B. LOCAL DISEASES:																		
Diseases of { Nervous System	2	1	.	2	.	.	.	5	1	1	.	.	.	.	.	.	12	.
Diseases of { Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diseases of { Heart and Blood Vessels,	1	1	2	2	.	.	1	3	.	5	1	.	1	1	.	.	18	1
Diseases of { Respiratory System,	1	4	.	2	.	.	.	3	1	2	.	.	1	.	.	.	14	.
Diseases of { Digestive System,	1	1	.	.	.	.	.	1	.	1	1	.	1	.	.	1	7	1
Diseases of { Lymphatic System, &c.,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of { Urinary System,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Diseases of { Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	7	2	6	.	.	1	13	2	10	2	.	3	2	.	1	55	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	1	3	.	.	.	.	3	1	.	.	.	1	.	.	.	10	.
E. VIOLENT DEATHS,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Deaths from all Causes,	7	17	10	18	1		2	20	7	14	7	.	8	4	2	4	122	3
Annual Rate of Mortality from all causes in every 1,000 of the population	13·9	23·6	17·3	29·6	1·8	5·2	15·6	27·2	20·0	17·4	10·4	.	12·6	8·0	11·9	11·8	16·8	.
	19·4							17·5					11·0					.
	18·5																	
Ages at Death. { Under 1 year,	2	7	3	3	.	1	.	4	2	3	1	.	2	.	.	.	28	.
Ages at Death. { 1 and under 5 years,	.	1	2	4	.	.	.	1	1	.	2	.	.	1	.	.	12	.
Ages at Death. { 5 ,, 20 ,,	2	1	1	.	.	.	.	2	.	.	.	.	.	.	1	.	7	1
Ages at Death. { 20 ,, 40 ,,	.	2	2	4	.	.	1	3	2	2	2	.	.	.	.	1	19	1
Ages at Death. { 40 ,, 60 ,,	1	.	1	2	1	.	.	3	1	5	1	.	1	2	.	2	20	.
Ages at Death. { 60 and upwards,	2	6	1	5	.	.	1	7	1	4	1	.	5	1	1	1	36	1
Number of Uncertified Deaths,	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	4	2	.	.	.	1	4	.	3	1	.	1	.	.	1	17	3
Workhouse Hospitals,	2	2	1	10	.	.	.	9	3	2	1	.	1	.	.	.	31	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis
week of the ten years, 1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 31st Week of the 10 years 1896–1905.	In the Week ending Sat 4th August, 1906. Deaths of Persons of the					
	Aug. 1, 1896.	Aug. 7, 1897.	Aug. 6, 1898.	Aug. 5, 1899.	Aug. 4 1900.	Aug. 3, 1901.	Aug. 2, 1902.	Aug. 8, 1903.	Aug. 6, 1904.	Aug. 5, 1905.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.		
Mean Temperature.	° 57·2	° 62·9	° 60·6	° 62·1	° 58·7	° 61·1	° 55·4	° 56·5	° 61·5	° 57·7	° 59·4	° 60·5					
ALL CAUSES.	184	150	160	222	159	158	165	137	161	161	165·8	125	8	20	12	8	20
Small-pox, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles (Morbilli), ...	.	.	.	18	.	.	18	1	3	.	4·0	.	.	.	.	.	
Scarlet Fever, ...	2	4	1	.	.	.	2	.	1	.	1·0	.	.	.	.	.	
Typhus, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	2	.	.	1	1	.	2	1	.	.	·7	.	.	.	.	.	
Whooping-cough, ...	3	1	2	4	3	4	2	1	4	2	2·6	2	.	.	2	.	
Diphtheria, ...	2	1	1	.	.	.	2	.	2	2	1·0	.	.	.	.	.	
Cerebro Spinal Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	
Pyrexia† (origin uncertain),	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	
Enteric Fever, ...	2	1	5	3	2	1	2	.	.	.	1·6	1	.	.	.	.	
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	28	20	18	43	9	27	1 4	2 3	4 11	10 15	19·5	5 6	.	5 4	. 1	.	1
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease, ...	1	.	1	.	.	1	.	1	1	.	·5	.	.	.	.	.	
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	1	.	.	.	.	1	. . .	. . .	. . .	. . .	·2	. . .	. . .	. . .	. . .	.	
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	5	5	4	10	3	10	. 3 . 6	. 4 . 4	. 5 . 4	1 2 . .	6·6	. 2 . 2	. . . .	. . . .	. 1 . .	.	1 1
Erysipelas, ...	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	1	.	1	.	.	1 .	2 .	. 1	. .	·6	. .	. .	. .	. .	.	
Other Infective Conditions,	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	
Tuberculous Phthisis, "*Phthisis*," ...	21	14	21	24	24	15	3 16	2 12	. 10	5 11	17·8	10 11	.	.	.	1 2	3 1
Tuberculous Meningitis, ...	8	6	7	5	4	.	1	2	1	2	3·6	2	.	1	1	.	
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	5	4	4	9	5	9	1 .	1 1	2 2	1 .	4·4	. 1	.	.	1	.	
Tuberculous Dis. (other), *Scrofula*, ...	3	4	6	3	4	1	2 .	3 .	7 .	9 .	4·2	1 .	.	1 .	.	.	
Alcoholism, ...	.	1	.	1	.	1	.	1	1	.	·5	.	.	.	.	.	
Rheumatic Fever, ...	1	.	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	
Gout, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	
Carcinoma, ... Sarcoma, ... Cancer (undefined),	10	7	8	6	9	7	2 1 5	2 . 4	2 1 4	3 1 6	7·8	2 . 6	.	.	.	.	
Diabetes Mellitus, ..	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	
Premature Birth, ...	1	3	4	3	2	4	2	3	2	3	2·7	2	2	.	.	.	

* The figures for the years 1896–
† Formerly d

RTY-FIRST WEEK ending Saturday, 4th August, 1906, with the deaths from each cause in the corresponding average for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Aug. 1, 1896.	Aug. 7, 1897.	Aug. 6, 1898.	Aug. 5, 1899.	Aug. 4, 1900.	Aug. 3, 1901.	Aug. 2, 1902.	Aug. 8, 1903.	Aug. 6, 1904.	Aug. 5, 1905.	Averages in 31st Week of the 10 years 1896–1905.	In the Week ending Saturday, 4th August, 1906. Deaths of Persons of the Ages of: All Ages.	Under 1 month.	1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
an Temperature.	° 57·2	° 62·9	° 60·6	° 62·1	° 58·7	° 61·1	° 55·4	° 56·5	° 61·5	° 57·7	° 59·4	Mean Temp. ° 60·5								
gitis (not tuberc.) ...							4	5	1	2		3	.	.	1	2	.	.	.	.
ly, G. P. of Insane ...							1	1	.	1		.	.	.	.	.	.	.	.	.
sy							.	.	.	1		1	.	.	.	.	.	1	.	.
sions							6	7	8	6		5	2	2	1	.	.	.	.	.
otor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
egia Dis. of Cord ...							.	2	4	1		1	.	.	.	.	.	1	.	.
is System (other							5	1	2	2		2	.	.	1	.	.	1	.	.
	37	30	23	40	36	26					33·7									
ls., Endocarditis ...							2	6	4	2		4	.	.	.	1	1	.	2	.
. Hæm. Thromb. ...							.	.	3	2		.	.	.	.	.	.	.	.	.
y, *Hemiplegia* ...							2	7	4	4		4	.	.	.	.	1	1	1	1
sm							.	1	.	.		.	.	.	.	.	.	.	.	.
sm, Thromb. (not							.	.	.	.		.	.	.	.	.	.	.	.	.
ral)																				
nd Blood Vessel Dis.							5	13	14	16		11	.	.	.	.	1	3	6	1
(not Spasm. nor	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
.)																				
itis	5	11	15	6	9	6	18	6	14	7	9·7	13	.	.	1	.	.	3	8	1
, Emphysema ...							.	.	.	.		.	.	.	.	.	.	.	.	.
y	1	3	1	2	2	1	1	.	.	.	1·6	1	.	.	.	.	1	.	.	.
tory Dis. (other) ...							2	1	1	1		.	.	.	.	.	.	.	.	.
tis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s (not Epid.) ...							1	1	3	4		1	.	1	.	.	.	.	.	.
Enteritis	2	.	2	3	1	1	1	1	4	3	2·7	2	.	1	1	.	.	.	.	.
is (not Puerp.) ...	1	.	.	3	1	1	1	.	1	.	·8	.	.	.	.	.	.	.	.	.
s of Liver ...							2	.	.	.		1	.	.	.	.	.	1	.	.
s. (other) ...	6	2	1	3	2	4	1	3	1	1	2·6	.	.	.	.	.	.	.	.	.
e Dis. (other) ...	8	5	6	6	8	7	5	3	5	6	5·9	4	1	1	.	.	.	1	1	.
is, Acute ...							.	2	2	.		.	.	.	.	.	.	.	.	.
Dis., Albuminuria	6	3	2	4	8	7	1	2	3	3	4·5	2	.	.	.	.	.	1	1	.
Sys. (Other Dis.)							.	.	.	2		.	.	.	.	.	.	.	.	.
ive Organs Dis. ...	.	.	2	1	.	1	2	2	.	.	·8	.	.	.	.	.	.	.	.	.
th (Accid. of) ...	.	1	.	.	.	.	.	3	.	1	·5	.	.	.	.	.	.	.	.	.
... ...	7	5	9	9	8	5	5	5	5	6	6·4	3	.	.	.	.	.	2	1	
iseases	14	13	15	12	11	11	14	7	11	10	11·8	12	3	4	1	1	.	1	2	.
ACCIDENT.																				
ways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
les and Horses ...	.	.	.	1	.	.	.	1	.	2	·4	1	.	.	.	.	1	.	.	.
Boats, Docks (ex-	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
of Drowning) ...																				
ng Operations ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
grations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
, Scalds, Explosions	1	.	.	.	.	.	.	1	1	2	·5	.	.	.	.	.	.	.	.	.
ning	.	1	1	2	1	1	.	.	1	1	·8	.	.	.	.	.	.	.	.	.
ation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s																				
aths by Accidents	1	3	1	.	3	3	7	3	.	.	2·1	.	.	.	.	.	.	.	.	.
DE OTHER THAN																				
CCIDENTAL.																				
... ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
... ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ation Area as then constituted.
ntinued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																									
	Feb. 10.	Feb. 17.	Feb. 24	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14	July 21.	July 28.	Aug. 4.
No. of weeks in Annual Series.	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered,	202	188	169	252	214	189	211	230	207	181	202	199	250	285	202	195	228	167	250	210	238	189	230	199	223	235
*Average Births in corresponding week of previous 10 years,**	215	205	217	213	208	219	206	236	177	200	216	204	244	227	209	191	217	229	193	221	229	202	193	199	207	202
DEATHS registered,	151	149	185	183	187	173	193	198	159	174	215	174	191	165	169	173	154	142	126	149	125	130	140	156	149	125
Annual Death-rate per 1,000,	20·8	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2
*Average Deaths in corresponding week of previous 10 years,**	209	209	221	233	221	212	211	218	201	198	189	183	183	174	171	166	157	155	150	146	140	145	146	151	153	166
AGES,— Under 5 years,	35	32	45	46	43	55	48	67	37	34	45	37	30	36	41	42	47	38	12	37	17	35	35	38	48	40
5—20 ,,	8	9	8	14	8	15	15	17	13	18	15	12	16	10	15	13	11	11	13	13	16	14	10	17	11	8
20—40 ,,	21	15	38	39	34	19	29	26	28	23	27	32	39	23	28	29	27	20	22	30	36	21	24	25	27	20
40—60 ,,	42	46	43	34	43	35	40	33	34	47	49	42	47	39	44	37	30	42	36	34	28	32	37	28	35	20
60—80 ,,	39	39	44	49	49	41	55	45	40	47	70	40	55	51	30	41	34	28	37	31	22	21	32	43	27	32
80 years and upwards,	6	8	7	7	10	8	11	10	7	10	9	11	4	6	11	11	5	3	6	4	6	7	2	5	6	5
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.
Measles,	.	.	.	.	.	.	.	.	1	1	3	1	.	1	.	.	2	.	.	.	.	.	.	.	2	.
Scarlet Fever	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	8	1	2	2	1	4	6	3	2	2
Whooping-cough,	.	.	1	4	1	2	.	2	2	3	.	2	.	1	2	.	.	.	.	1	.	.	.	1	.	.
Diphtheria,	.	.	1	.	2	2	1	3	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia † (origin uncertain),	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	1
Enteric Fever,	.	.	1	1	.	3	.	3	.	1	2	1	1	3	.	3	.	1	4	.	2	.	3	3	10	11
Diarrhœal Diseases,	.	1	2	1	3	3	5	2	1	1	1	4	.	3	1	3	2	1	4	.	4	4	9	12	13	4
Pneumonia,	6	11	13	16	18	10	13	10	8	22	26	17	21	18	13	13	10	6	6	13	4	26	21	23	19	21
Tuberculous Phthisis,	18	23	29	32	30	23	32	25	23	27	18	22	36	18	16	22	20	17	17	29	21	9	11	7	11	13	4
Disease. Other Forms,	15	10	12	18	9	12	11	15	15	8	11	10	15	10	16	7	8	13	12	11	9	7	4	14	9	8
Cancer, Malignant Disease,	14	6	13	6	6	6	11	4	4	9	13	10	6	5	15	8	10	6	8	6	12	7	4	15	26	27
Diseases of Heart and Blood Vessels,	23	27	21	25	31	29	31	33	27	29	45	27	22	22	28	30	15	29	26	21	14	15	26	27	19	19
Diseases of Respiratory System,	26	27	32	28	28	21	34	27	23	29	43	23	36	31	15	26	15	10	11	17	5	21	10	11	13	14
Violent Deaths,	5	.	4	10	1	2	4	5	2	3	4	2	3	1	4	5	2	3	3	4	3	4	2	3	4	2
Number of Uncertified Deaths,	7	6	8	4	6	7	6	12	9	7	6	5	5	3	7	7	11	3	3	9	4	3	2	5	4	3
Mean Temperature of the Air (Phœnix Park),	37·4	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5
Average Mean Temperature in corresponding week of previous 10 years	41·3	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4
Rainfall in inches,	·755	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130	·810	·650	·455	·640	·810	·450	·005	·230	·790	·450	·390	235	·885	·220	·452
Mean Humidity of the Air, complete Saturation, 1·0,	·88	·86	·87	·89	·87	·85	·80	·81	·80	·88	·81	·83	·85	·88	·83	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th August, 1906: the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH AUGUST, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	17·4	125	40	8	20	20	32	5	.	.	.	.	2	.	.	1	11	14	4	21	4	8	5	14	2	53	3
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	6·0	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
II.	MIDDLE CLASS,	87,188	13·8	23	3	2	6	1	9	2	.	.	.	.	.	.	.	1	2	3	1	5	.	1	.	1	2	10	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	10·4	22	6	1	5	3	6	1	.	.	.	.	1	.	.	.	2	3	.	5	1	3	1	3	.	6	.
IV.	GENERAL SERVICE CLASS,	154,279	25·4	47	24	5	3	10	4	1	.	.	.	.	1	.	.	.	6	7	2	4	1	4	4	4	.	21	2
V.	INMATES OF WORKHOUSES,	6,024		31	6	.	5	6	13	1	.	.	.	.	.	.	.	.	1	1	1	6	2	.	.	6	.	15	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	8	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	11·8	5	1	.	1	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	3	.
	6. Clerks and Commercial Assistants,	30,432	12·0	7	1	2	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	2	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	15·4	8	1	.	1	1	4	1	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	.	5	1
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·3	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	.	.	.
	9. Building and Furnishing Trades,	29,801	8·7	5	2	.	1	.	2	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	1	.	2	.
	10. Clothing Trades,	23,260	9·0	4	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.
	11. Food Supply Trades,	9,242	5·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	13·7	8	2	1	1	2	2	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	1	.	3	.
	13. Petty Shopkeepers,	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	3·9	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	15. Domestic Servants,	36,603	2·8	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	6	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	20·9	38	20	4	3	6	4	1	.	.	.	.	1	.	.	.	5	6	2	3	1	2	4	4	.	16	2
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	31	6	.	5	6	13	1	.	.	.	.	.	.	.	.	1	1	1	6	2	.	.	6	.	15	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* the similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	June 16,	22·1	1·8	12	.	.	.	.	1	.	.	.	.	.	2	2	1	.	.	1
	„ 23,	16·6	3·7	9	.	.	.	.	2	.	.	.	.	2	1	.	.	1	.	1
	„ 30,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	July 7,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	.	2	1	1	4	1	.
	„ 14,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.
	„ 21,	23·9	1·8	13	.	.	.	.	1	.	.	.	.	1	2	1	.	1	.	2
	„ 28,	18·4	3·7	10	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.
	Aug. 4,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	June 16,	16·0	4·0	12	.	.	.	.	1	.	.	.	2	1	2	.	1	.	.	.
	„ 28,	24·0	.	18	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	1
	„ 30,	18·6	.	14	.	.	.	.	2	.	.	1	1	1	6	.	.	3	.	.
	July 7,	22·6	2·7	17	.	.	.	.	2	.	.	.	.	1	5	.	2	5	.	.
	„ 14,	25·3	5·3	19	.	.	.	.	1	.	.	.	1	1	4	3	.	.	.	2
	„ 21,	28·0	2·7	21	.	.	.	.	1	.	.	.	3	1	2	3	1	2	.	1
	„ 28,	32·0	6·7	24	.	.	1	.	1	.	.	.	4	.	2	1	1	4	.	.
	Aug. 4,	22·6	5·3	17	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	June 16,	17·3	1·7	10	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.
	„ 23,	34·6	.	20	.	.	.	.	.	.	.	.	.	2	3	4	1	1	.	2
	„ 30,	17·3	3·5	10	.	.	.	.	1	.	.	.	1	.	.	.	2	.	.	.
	July 7,	26·0	.	15	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
	„ 14,	27·7	6·9	16	.	.	.	1	3	.	.	.	.	.	5	1	.	1	.	.
	„ 21,	20·8	1·7	12	.	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.
	„ 28,	39·8	5·2	23	.	.	1	.	.	.	.	.	2	3	2	2	1	1	.	.
	Aug. 4,	17·3	5·2	10	.	.	.	.	1	.	.	.	2	1	.	.	.	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,673.	June 16,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 23,	13·2	.	8	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.
	„ 30,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.
	July 7,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.
	„ 14,	18·1	.	11	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
	„ 21,	16·5	.	10	.	.	.	.	.	.	.	.	.	1	3	1	2	1	1	.
	„ 28,	14·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	2	1	1	.
	Aug. 4,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	1	5	3	1	2	.	2
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	June 16,	13·6	1·4	10	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	.
	„ 23,	24·5	.	18	.	.	.	.	.	.	.	.	.	1	6	2	.	2	.	1
	„ 30,	12·2	1·4	9	.	.	.	.	.	.	.	1	.	.	3	1	1	1	.	.
	July 7,	21·7	.	16	.	.	.	.	.	.	.	.	.	2	1	3	1	3	.	.
	„ 14,	29·9	.	22	.	.	.	.	.	.	.	.	.	2	6	2	.	2	.	.
	„ 21,	25·8	2·7	19	.	.	.	.	.	1	.	1	.	2	3	3	2	4	.	.
	„ 28,	23·1	1·4	17	.	.	.	.	1	.	.	.	.	2	2	2	.	4	1	1
	Aug. 4,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	4	.	.	3	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	June 16,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	2	2	.	1	1	.
	„ 23,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 30,	5·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	July 7,	8·6	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	„ 14,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 21,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
	„ 28,	17·1	2·9	6	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	Aug. 4,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	June 16,	16·2	1·2	18	.	.	.	.	.	.	.	.	1	.	4	4	.	2	.	.
	„ 23,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	3	8	1	2	4	1	2
	„ 30,	21·1	.	17	.	.	.	.	.	.	.	.	.	1	4	1	1	.	1	.
	July 7,	21·1	.	17	.	.	.	.	.	.	.	.	.	.	5	2	.	1	1	.
	„ 14,	28·6	1·2	23	.	.	.	.	.	.	.	.	1	1	.	2	2	1	.	1
	„ 21,	14·9	1·2	12	.	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.
	„ 28,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	3	3	.	2	.	1
	Aug. 4,	17·4	1·2	14	.	.	.	.	.	.	.	.	1	.	1	.	1	2	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	June 16,	16·3	.	11	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.
	„ 23,	17·8	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	2	1	1
	„ 30,	20·8	1·5	14	.	.	.	.	.	.	.	1	.	.	.	1	.	1	2	2
	July 7,	11·9	1·5	8	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	1
	„ 14,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.
	„ 21,	10·4	1·5	7	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.	.
	„ 28,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
	Aug. 4,	10·4	3·0	7	.	.	.	.	1	.	.	.	1	.	1	.	1	.	1	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	June 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	" 23,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.
	" 30,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	.
	July 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	" 14,	7·9	3·1	5	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	" 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	.	1	.	3	.	.	.
	" 28,	11·0	1·6	7	.	1	.	.	.	.	.	.	.	1	.	1	2	.	.	.
	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	June 16,	20·0	.	10	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	" 23,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	1
	" 30,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.
	July 7,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	" 14,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 21,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.
	" 28,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	Aug. 4,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	June 16,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	" 23,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	" 30,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	1
	July 7,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	" 14,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 21,	32·5	.	11	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.
	" 28,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.
	Aug. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
Belfast. Pop. in 1906 (Est.) 375,220.	June 16,	19·1	2·1	134	.	1	.	.	7	.	.	.	7	7	22	9	6	15	1	5
	" 23,	18·7	2·3	131	.	.	.	.	14	.	.	.	2	7	30	7	4	14	5	.
	" 30,	16·1	2·0	113	.	.	1	.	7	2	.	.	4	8	24	7	2	13	.	1
	July 7,	15·0	1·6	105	.	1	.	.	4	2	.	.	4	8	12	6	9	7	3	1
	" 14,	16·9	2·3	119	.	.	.	.	9	.	.	1	6	7	20	15	2	7	6	2
	" 21,	17·2	1·9	121	.	.	2	.	3	.	.	1	7	6	21	5	4	9	4	.
	" 28,	18·1	1·4	127	.	2	.	.	1	1	.	2	4	6	26	10	4	21	.	3
	Aug. 4,	17·2	2·1	121	.	1	.	.	4	.	.	3	7	10	22	11	2	11	2	.
Cork. Pop. (in 1901) 76,122.	June 16,	16·4	.	24	.	.	.	.	.	.	.	.	.	2	8	2	.	1	.	.
	" 23,	14·4	0·7	21	.	.	.	.	1	.	.	.	.	.	4	1	1	3	1	1
	" 30,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	2	4	2	4	1	1
	July 7,	18·7	1·4	20	.	.	.	.	.	1	.	.	1	1	4	.	.	1	1	2
	" 14,	15·8	1·4	23	.	.	.	.	.	.	.	1	1	.	5	1	.	.	.	.
	" 21,	15·8	0·7	23	.	.	.	.	1	.	.	.	.	1	2	1	3	3	.	2
	" 28,	10·3	1·4	15	.	.	.	.	1	.	.	.	1	2	3	2	.	2	.	.
	Aug. 4,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	1	5	3	1	4	2	3
Londonderry. Pop. in 1906 (Est.) 42,067.	June 16,	24·8	5·0	20	.	3	.	.	.	.	.	.	1	.	4	1	1	3	2	1
	" 23,	18·6	2·5	15	.	1	.	.	.	.	.	.	1	1	3	1	.	1	.	2
	" 30,	19·8	7·4	16	.	6	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	July 7,	8·7	3·7	7	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	" 14,	17·4	5·0	14	.	3	.	.	.	.	.	.	1	.	1	.	1	2	.	1
	" 21,	26·0	8·7	21	.	5	.	.	1	.	.	.	1	.	1	4	.	1	.	.
	" 28,	13·6	6·2	11	.	5	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	Aug. 4,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	3	4	2	1	4	1	.
Limerick. Pop. (in 1901) 38,151.	June 16,	20·5	.	15	.	.	.	.	.	.	.	.	.	.	8	.	.	2	.	1
	" 23,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	2
	" 30,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	July 7,	9·6	1·4	7	.	.	.	.	.	.	.	1	.	.	1	.	1	3	.	1
	" 14,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	4	1	.	.	.	1
	" 21,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	" 28,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	2
	Aug. 4,	8·2	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Waterford. Pop. (in 1901) 26,769.	June 16,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	3	.	1
	" 23,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	" 30,	11·7	1·9	6	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.
	July 7,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2
	" 14,	7·8	1·9	4	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	" 21,	29·2	1·9	15	.	.	.	.	.	.	.	.	1	3	3	.	.	.	1	.
	" 28,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	Aug. 4,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th August, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Annual Rate of Mortality: Diseases in Cols. 12-20	Total No. of Deaths.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Malignant Disease: Cancer.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,734	8	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		9	3	.	.	2	3	1	.	.	.	.	1	.	.	.	.	1	4	.	.	1	1	1	1	.
Do. 2 ,,	47,959	36			10	2	2	.	2	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	2	.
Do. 3 ,,	47,214	35			14	5	.	2	1	4	2	.	.	.	.	.	.	.	1	2	3	2	1	1	.	.	.	2	.
Do. 4 ,,	40,911	27			18	7	2	2	.	5	2	.	1	.	.	2	.	.	.	.	1	2	2	.	1	.	.	4	.
Do. 5 ,,	17,887	20			13	3	3	.	1	4	2	.	.	.	.	.	.	.	.	2	.	3	.	.	2	.	.	4	.
Do 6 ,,	48,122	25			9	2	3	.	2	1	1	.	.	.	.	.	.	.	.	.	1	2	1	.	1	1	1	2	.
Do 7 ,,	1,524	1			2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
Do. 8 ,,	5,060	.			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 9 ,,	19,569	15			4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 10 ,,	23,064	14			14	2	3	2	2	3	2	.	.	.	.	1	.	.	1	1	1	2	1	1	.	.	.	1	.
Do. 11 ,,	34,862	29			11	.	1	2	2	3	3	.	.	.	.	.	.	.	1	.	.	3	.	.	2	.	.	6	.
Do. 12 ,,	33,588	20			9	2	3	.	2	1	1	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.	.	.
Do. 13 ,,	15,006	11			6	1	1	1	1	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.	.
Do. 14 ,,	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	241			121	30	18	9	15	31	18	.	1	.	.	4	.	.	3	7	10	22	11	2	11	2	3	24	.
City of Cork.																													
CORK URBAN No. 1 DISTRICT,	12,867	3	16·2	.	4	.	.		3		1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
Do. 2 ,,	10,701	5	4·9	.	1	.	.		.		1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 3 ,,	9,978	3	31·4	.	6	1	.		5		.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	2	3	.
Do. 4 ,,	8,666	3	18·1	6·0	3	.	.		3		.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.
Do. 5 ,,	6,592	3	31·6	.	4	.	.		2		2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
Do. 6 ,,	10,702	7	14·6	.	3	.	1		2		.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
Do. 7 ,,	16,616	9	22·0	.	7	2	2		2		1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	2	3
Total	76,122	33	19·2	0·7	28	3	3		17		5	.	.	.	.	.	.	.	.	1	1	5	3	1	4	2	3	13	3

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered,	189	246	214	246	229	220	221	248	240	212	232	282	238	246	217	273	239	228	204	222	218	225	162	271	223	241
DEATHS registered,	146	179	174	166	155	191	152	201	169	166	171	152	179	161	140	151	150	136	134	131	113	105	119	121	127	121
Annual Death-rate per 1,000 of estimated Population,	20·8	25·5	24·8	23·6	22·1	27·2	21·6	23·6	24·1	23·6	24·3	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2
AGES — Under 1 year,	29	31	43	26	31	32	37	46	35	35	39	30	29	35	35	21	33	28	21	26	24	24	27	21	21	30
AGES — 1–5 years,	11	14	20	17	22	23	16	30	28	26	24	24	20	19	17	17	23	22	20	17	15	12	19	12	8	18
AGES — 5–20 years, 20–40 years, 40–60 years,	71	87	74	85	59	84	57	89	81	75	66	67	85	66	64	84	64	53	67	72	57	11 13 22	14 27 15	10 24 26	13 29 26	9 15 31
AGES — 60 years and upwards,	35	47	37	38	43	52	42	36	25	30	42	31	45	41	24	29	30	33	26	16	17	23	17	28	30	18
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2	1
Scarlet Fever,	.	.	1	1	1	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	2	6	7	9	5	9	5	21	12	13	21	18	20	12	13	8	15	16	7	14	7	4	9	3	1	4
Diphtheria,	.	2	3	2	.	1	2	1	1	.	.	.	.	.	1	1	.	1	.	.	2	2	.	.	1	.
*Pyrexia** (origin uncertain),	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.
Enteric Fever,	6	.	2	2	6	6	3	1	3	4	2	.	.	1	1	.	.	2	.	.	.	.	1	1	2	3
Diarrhœal Diseases,	1	3	2	1	.	1	2	1	2	.	1	2	1	.	1	5	1	5	7	2	4	4	6	7	4	7
Pneumonia,	8	19	17	13	16	23	10	18	19	19	15	16	16	10	9	14	15	15	7	7	8	8	7	6	6	10
Tuberculous Disease, Phthisis,	23	22	23	33	15	26	17	28	24	26	18	19	29	21	23	33	16	21	22	30	24	12	20	21	26	22
Tuberculous Disease, Other Forms,	6	7	7	6	10	5	6	12	11	7	8	12	10	8	11	9	11	5	9	7	7	6	15	5	10	11
Cancer, Malignant Disease,	4	5	6	5	1	6	4	10	4	3	2	4	4	3	3	3	1	5	6	4	2	9	2	4	4	2
Diseases of Respiratory System,	23	22	24	34	33	36	24	28	21	34	36	27	30	27	17	16	17	15	15	14	18	7	7	9	21	11
Violent Deaths,	1	6	4	2	6	1	.	2	7	4	3	4	4	2	4	6	1	2	1	5	.	3	6	4	.	2
Number of Uncertified Deaths,	3	5	3	5	2	4	3	3	1	1	3	5	2	2	.	4	2	2	5	.	1	1	2	.	3	.

*Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	Aug. 4,	2,576	1,272	14·0	.	22	6	10	13	4	184
EDINBURGH,	341,035	„ 4,	120	73	11·2	.	5	.	1	1	1	4
GLASGOW, . .	835,625	„ 4,	440	196*a*	12·2	.	3	.	.	7	1	18
CALCUTTA, . .	910,117	June 16,	.	379	23·2	23	.	.	.	.	86‡	58*
BOMBAY, .	776,006	„ 3,	339	749	39·8	4	13	.	.	.	73‡	115*
MADRAS, .	509,346	„ 15,	297	348	35·5	7	.	?	?	?	81	65*
PARIS, . .	2,722,731	July 21,	1,069	833	16·2	.	7	.	2†	9	1	47
BRUSSELS (with 8 Faubourgs).	612,401	„ 14,	255	135	11·5	.	3	.	1	3	.	5
ANTWERP, . .	304,975	„ 14,	118	85	14·5	.	3	.	1†	.	.	17
AMSTERDAM, .	560,693	„ 14,	264	124	11·5	.	4	2	.	2	2	8
COPENHAGEN, .	425,000	„ 14,	254	120	14·7	.	3	1	.	4	.	8
STOCKHOLM, .	324,488	„ 7,	151	83	13·3	.	.	.	2†	4	.	3
CHRISTIANIA, .	222,373	„ 21,	93	46	10·8	.	.	.	2†	.	.	3
ST. PETERSBURG,	1,424,700	„ 14,	763	756	27·6	3	28	25	24	4	45	169
MOSCOW, . .	1,092,360	June 16,	.	854	40·8	2	5	2	4†	3	3	377
BERLIN, .	2,060,804	July 7,	938	571	14·4	.	10	7	6†	3	1	112
HAMBURG, .	803,050	„ 7,	.	195	12·6	.	3	1	2†	2	.	22
BRESLAU, . .	475,377	„ 21,	.	182	20·0	.	2	1	2†	1	.	35
MUNICH, . .	540,000	„ 21,	.	168	16·2	.	1	.	1†	1	.	20
VIENNA (with suburbs).	1,937,869	„ 21,	896	539	14·5	.	8	3	5†	2	.	65
BUDA-PESTH, .	791,718	„ 21,	387	291	19·2	.	2	9	2†	2	2	38
PRAGUE and Faubourgs.	460,849	„ 14,	182	167	18·8	.	.	.	1†	1	.	13
TRIESTE, . .	196,637	„ 7,	133	82	21·7	.	1	2	.	3	.	6
ROME, . . .	526,170	—	.	.	.	.	.	.	.	.	.	.
VENICE, .	171,709	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, .	4,152,860	July 7,	2,263	1,528	19·2	.	19	6	27†	4	10	297
PHILADELPHIA,	1,469,126	June 30,	.	503	17·8	.	2	.	3†	11	11	90
BOSTON, . .	595,380	July 7,	.	168	14·6	.	1	.	2	3	1	8

a. Including 2 deaths from cerebro-spinal meningitis.
* Including 28 deaths from cholera in Calcutta, 41 in Bombay, and 3 in Madras.
† Including deaths from croup.
‡ Exclusive of 38 deaths from plague in Calcutta, and 61 in Bombay

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th August, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	.	.	.	.	.	.	2	.	.	.	.	2
" " 2,	.	1	.	.	1	.	1	3	2	.	.	.	8
" " 3,	.	2	.	.	2	.	1	1	1	.	.	.	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	2	1	.	1	.	.	.	4	.	.	.	8
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 4,	.	1	.	.	2	.	.	.	.	.	.	.	3
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	6	1	.	6	.	2	7	8	.	.	.	30

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th August, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th August.			
	July 14.	July 21.	July 28.	No. admitted.	Discharged.	Died.	No under treatment at close of week
Small-pox,	.	.	.	.	.	.	.
Measles,	13	14	19	4	3	.	20
Scarlet Fever,	35	35	31	5	13	.	23*
Typhus,	3	1	1	1	1	.	1
Diphtheria,	22	22	16	8	7	.	17
Enteric Fever,	17	17	15	2	4	.	13
Pneumonia,	24	29	25	4	14	1	14

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 4th August, 1906:—

"At first very fine and summerlike, the weather afterwards fell into a very unsettled state—squally southerly winds being followed by copious rains and much thunder and lightning in nearly all parts of the British Isles. The electrical disturbances seemed to be induced by torrid heat on the Continent in close proximity to a cooler and moist oceanic air-current off the Atlantic coasts. At Lyons the daily maximal temperatures up to Friday were—89°, 93°, 96°, 96°, 99° and 97°—in Paris, the corresponding readings were 81°, 88°, 87°, 84°, 94° and 76°. Sunday was a beautiful day in Dublin, save for a very slight shower at 2 p.m. Much sea-fog prevailed for a time off the coast, and in the evening cirrus cloud appeared along the western horizon. This was the herald of an atmospheric depression, which arrived off the west coast of Ireland on Monday. To this, and to its secondaries, the broken weather of the rest of the week was due. Thunderstorms occurred on Tuesday over the eastern half of Great Britain and in the Shetlands, while rain fell heavily in the S.W. and centre of Ireland. At Pembroke on Wednesday 1·85 inches of rain were measured in a thunderstorm. On Thursday and Friday also there were copious downpours at many stations, and thunder and lightning prevailed in nearly all parts of the kingdom. Hail fell in Dublin in a violent thundershower at 1.45 p.m. of Friday. The weather moderated and improved on Saturday. In Dublin the mean height of the barometer was 29·796 inches, pressure ranging from 29·530 inches at 9 p.m. of Thursday (wind, S.S.W.) to 30·097 inches at 9 p.m. of Saturday (wind, W.). The corrected mean temperature was 62·2°, the mean dry bulb readings at 9 a.m. and 9 p.m. being 60·6°. On Monday the screened thermometers fell to 53·3°, on Tuesday they rose to 73·1°. The prevalent winds were at first S.S.E., afterwards S.W. Rain fell on 4 days, the total measurement being ·462 inch, of which ·382 inch was recorded on Friday. Thunder, lightning and hail occurred on that day."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·798 inches. The highest reading (30·119) was on Saturday at 9 p.m., wind W.S.W., and the lowest (29·640) on Thursday at 9 a.m., wind S.

The mean temperature for the week was 60·5°, being 1·1° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Wednesday, on which day the thermometer registered 71·8°, and was lowest on Monday, the mercury having fallen to 45·2°. The mean of the Dry Bulb for the week was 59·8°, and of the Wet Bulb 56·1°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 45·2 hours. The rainfall during the week measured 0·452 inch.

At Greenwich the mean temperature for the week was 67·3°, the maximum 85·0°, and the minimum 50·4°; at Glasgow the maximum was 72·8°, the minimum 47·5°, and the mean 60·5°; and at Edinburgh the maximum was 68·0°, the minimum 49·6°, and the mean 60·4°. The rainfall at Greenwich measured 0·86 in.; at Glasgow 0·87 in.; and at Edinburgh 1·57 ins. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 29,	29·921	66·3	47·1	56·7	57·6	54·5	·82	·3	12·7	·000	W.S.W.	Calm.
Monday, „ 30,	29·829	69·6	45·2	57·4	61·2	54·9	·67	·7	7·6	·000	S.E.	S.E.
Tuesday, „ 31,	29·849	71·0	56·9	64·0	59·6	55·2	·75	·7	8·6	·000	S.W.	S.W.
Wednesday, Aug. 1,	29·798	71·8	55·9	63·9	60·9	59·1	·89	·8	1·5	·017	S.E.	Calm.
Thursday, „ 2,	29·592	68·2	58·1	63·2	62·7	59·6	·84	·8	1·3	·135	S.	S.W.
Friday, „ 3,	29·586	64·4	52·9	58·7	57·9	54·9	·83	·8	7·5	·300	S.S.W.	S.W.
Saturday, „ 4,	30·008	65·3	53·9	59·6	58·4	54·8	·81	·6	6·0	·000	S.W.	W.S.W.
Mean, . .	29·798	68·1	52·9	60·5	59·8	56·1	·80	·7	Total 45·2	Total ·452	Prevailing wind, S.W.	

Sunday—A very fine day, light clouds; night cloudy. *Monday*—A fine day but cloudy; night cloudy. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—Cloudy day, light showers 7.0 p.m. to 11.45 p.m.; night cloudy. *Thursday*—A cloudy day, light and heavy showers 1.0 p.m. to 4.0 p.m.; night cloudy, light showers. *Friday*—Cloudy day, light and heavy showers a.m. and p.m. at intervals; night cloudy, light shower. *Saturday*—A fine day but cloudy; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 4th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, real at 9 p.m. Max.	Air Temperatures in Shade, real at 9 p.m. Min.	Air Temperatures in Shade, real at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 29,	63·8*	61·7*	57·3*	66·0	52·5	59·3	9·7	—
Monday, „ 30,	59·9	61·2	57·4	66·9	53·0	60·0	7·1	—
Tuesday, „ 31,	63·0	61·9	57·6	73·5	57·7	65·6	8·7	·005
Wednesday, Aug. 1,	59·8	62·2	57·8	72·0	57·1	61·6	·4	·010
Thursday, „ 2,	65·1	62·0	57·9	63·6	53·9	58·8	·7	·083
Friday, „ 3,	63·2	61·0	57·9	69·4	55·2	62·3	7·5	·274
Saturday, „ 4,	60·3	60·7	57·9	68·8	54·7	61·8	6·3	—
Weekly Mean, .	62·2	61·5	57·7	68·6	54·9	61·8	Total 40·4	Total ·372

* Readings taken at 10 a.m.

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—14378.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 11TH AUGUST, 1906. [No. 32.

General Register Office, Charlemont House,
Dublin, 13*th August,* 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending July 21.	Week ending July 28.	Week ending Aug. 4.	Week ending Aug. 11.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 21.	Week ending July 28.	Week ending Aug. 4.	Week ending Aug. 11.	Average Rate for 4 weeks.
22 Town Dists.	18·0	17·3	17·1	17·0	17·4	Lisburn, . .	9·1	4·5	22·7	9·1	11·4
Armagh, . . .	20·6	13·7	20·6	27·5	20·6	Londonderry, .	26·0	13·6	21·1	19·8	20·1
Ballymena, .	14·4	23·9	19·2	23·9	20·3	Lurgan, . .	8·9	26·6	17·7	22·1	18·8
Belfast, . .	17·2	18·1	17·2	18·1	17·6	Newry, . .	12·6	8·4	12·6	4·2	9·5
Clonmel, . .	5·1	5·1	15·4	15·4	10·3	Newtownards, .	40·1	28·6	22·9	5·7	24·3
Cork, . . .	15·8	10·3	19·2	16·4	15·4	Portadown,	20·7	20·7	20·7	5·2	16·8
Drogheda, . .	16·3	8·2	8·2	16·3	12·3	Queenstown .	6·6	6·6	6·6	19·8	9·9
Dublin Reg. Area.	20·9	20·1	16·8	17·3	18·8	Sligo, . .	19·2	33·6	24·0	9·6	21·6
Dundalk, . .	8·0	4·0	19·9	16·0	12·0	Tralee, . .	15·9	10·6	.	15·9	10·6
Galway, . .	11·7	3·9	38·8	31·1	21·4	Waterford, .	29·2	13·6	19·5	7·8	17·5
Kilkenny, . .	9·8	.	14·7	.	6·1	Wexford, . .	4·7	28·0	9·3	14·0	14·0
Limerick, . .	5·5	17·8	8·2	19·1	12·7						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in thirteen of the districts to 9·6 in Ballymena, the 5 deaths from all causes in that district including 2 from whooping-cough. Among the 127 deaths from all causes in Belfast are 2 from whooping-cough, one from diphtheria, 2 from enteric fever, and 12 from diarrhœal diseases; the 24 deaths in Cork include one from whooping-cough and one from diarrhœa; included in the 16 deaths in Londonderry is one death from measles: among the 4 deaths in Drogheda is one from enteric fever; the 5 deaths in Lurgan include one from whooping-cough and one from diphtheria; and amongst the 3 deaths in Wexford are 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 186—95 boys and 91 girls; and the deaths to 130—73 males and 57 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 17·9 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 17·3 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*) Table II. ‡ See columns 10–18 of Table II.

During the thirty-two weeks ending with Saturday last the death-rate averaged 22·4, and was 3·4 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The deaths (130) included 2 from measles, 3 from whooping-cough, 2 from diphtheria, one from enteric fever, and 10 deaths from diarrhœal diseases, not including the deaths of 5 infants under one year of age from *gastro-enteritis*. In each of the 3 preceding weeks, deaths from measles were 2, 2, and 0; deaths from whooping-cough were 3, 2, and 2; deaths from diphtheria were one, 0, and 0; deaths from enteric fever were one, 0, and one; and deaths from diarrhœal diseases were 3, 10, and 11. The mean of the daily earth temperatures at 4 feet was 58·1°. There was one death directly attributed to influenza.

There was one death from lobar pneumonia, and 4 deaths from *pneumonia* (not defined).

Tuberculous disease caused 25 deaths, comprising 11 deaths from tuberculous phthisis, 7 deaths returned as *phthisis*, and 7 deaths from other forms of the disease. In each of the 3 preceding weeks, deaths from all forms of tuberculous disease were 34, 32, and 25.

There were 4 deaths from cancer, malignant disease (undefined).

The deaths of 2 infants, prematurely born, were registered.

Of 17 deaths from diseases of the brain and nervous system, 9 were from *convulsions*. Of the latter figure, 7 were deaths of infants under one year of age and 2 of children between the ages of one year and 5 years.

There were 17 deaths caused by diseases of the heart and blood vessels, and there were 8 deaths from bronchitis.

Two deaths were due to accidents by vehicles and horses, and one death was caused by drowning.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under one year of age and the death of one person aged 63 years.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 8 were under one month old) and 27 were aged 60 years and upwards, including 11 persons aged 70 and upwards, of whom 2 were octogenarians, and one (a woman) was stated to have been aged 97 years.

Forty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·3 per 1,000: the rate in the City was 20·3 (North City Districts, 20·8; South, 19·7), and in the Suburbs, 7·3 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 3·4 (3·1 in the North City Districts, and 3·7 in the South) and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 27·6 per 1,000, and include one death from whooping-cough, one death from enteric fever, one death from *diarrhœa*, 2 deaths from tuberculous disease of the lungs, one death from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. *Diarrhœa* and *pneumonia* (not defined) each caused one death, there were 2 deaths from tuberculous disease and 3 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·1 per 1,000. There was one death from *diarrhœa*, tuberculous disease caused 2 deaths, and there was one death from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 21·4 per 1,000. Measles and diphtheria each caused one death, there were 2 deaths from *diarrhœa*, one death from lobar pneumonia, and 2 deaths from tuberculous disease.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 26·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 15·6. Amongst the 5 deaths from all causes for Coolock and Drumcondra, No. 1, part of, there was one from *pneumonia* (not defined), and of the 2 deaths from all causes for Finglas and Glasnevin, part of, one was from tuberculous phthisis.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 23·1 per 1,000, and include 2 deaths from whooping-cough, one death from diphtheria, one death from *diarrhœa*, one death from *phthisis*, one death from bronchitis, and 2 deaths from accidental causes.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. There were four deaths from tuberculous disease and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (21) are equal to an annual rate of 26·1 per 1,000. The deaths included one from measles, 4 from zymotic enteritis, one from *pneumonia* (not defined), 3 from tuberculous disease, and 2 deaths from diseases of the respiratory system.

No. 4 South City District (Grand Canal-street).—The deaths (9) are equivalent to an annual rate of 13·4 per 1,000. There were 2 deaths from tuberculous disease.

New Kilmainham District.—The one death (representing an annual rate of 5·9 per 1,000) for this district was from tuberculous phthisis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 6·3; Pembroke, 4·0; Blackrock, 17·9; and Kingstown, 8·9. There were no deaths from any of the principal epidemic diseases tabulated for these districts. The 4 deaths from all causes for Rathmines and Rathgar include 2 from tuberculous disease. Of the 2 deaths from all causes for Pembroke one was from tuberculous phthisis, and 3 deaths from all causes for Kingstown include one from influenza and one from *pneumonia* (not defined).

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. awcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive anitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock rban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban istrict; and by the Executive Sanitary Officer for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 11th August, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	July 21,	.	—	—	5	.	.	2	.	1	2	11	.	—	—	—	—	—	21
	July 28,	.	—	—	2	.	.	2	.	3	5	14	.	—	—	—	—	—	26
	Aug. 4,	.	—	—	6	1	.	6	.	2	7	8	.	—	—	—	—	—	30
	Aug. 11,	.	—	—	3	.	.	5	.	2	5	11	1	—	—	—	—	—	27
Rathmines and Rathgar Urban District.	July 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 4,	.	—	—	.	.	.	1	.	.	2	2	.	—	—	—	—	—	5
	Aug. 11,	.	—	—	.	.	.	1	.	.	1	1	.	—	—	—	—	—	3
Pembroke Urban District.	July 21,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
	July 28,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	Aug. 4,	.	.	.	.	.	.	1	.	.	.	1	.	—	.	.	—	—	2
	Aug. 11,	.	.	.	2	.	.	2	.	.	.	.	.	—	1	.	—	—	5
Blackrock Urban District.	July 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 11,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
Kingstown Urban District.	July 21,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	2
	July 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 11,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	2
City of Belfast.	July 21,	.	—	—	11	.	.	2	.	3	5	7	.	—	—	—	—	—	28
	July 28,	.	—	—	17	.	.	5	1	6	6	1	.	—	—	—	—	—	36
	Aug. 4,	.	—	—	11	.	.	1	.	3	9	1	.	—	—	—	—	—	25
	Aug. 11,	.	—	—	18	.	.	5	1	3	5	.	.	—	—	—	—	—	32

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the blin Hospitals during the week ended 11th August, 1906.

From this it appears that:—

Four cases of measles were admitted to hospital during the week, 5 were discharged, there one death, and 18 cases remained under treatment at its close.

Seven cases of scarlet fever were admitted to hospital, 6 were discharged, and 24* cases ained under treatment at the close of the week.

One case of typhus remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 2 were discharged, there were 2 ths, and 19 patients remained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital, and 17 cases remained under atment in hospital at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, ere discharged, there was one death, and 13 cases remained under treatment at the end he week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the was 14·9), was equal to an average annual death-rate of 14·6 per 1,000 persons living, average rate for 8 principal towns of Scotland was 14·0 per 1,000, the rate for Glasgow g 15·2, and for Edinburgh 13·2.

INFECTIOUS DISEASE IN EDINBURGH.

have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a of his Return of Infectious Diseases notified during the week ended 11th August. From this Return it ars that of a total of 28 cases notified 14 were scarlet fever, 5 diphtheria, 5 erysipelas, and 3 enteric r. Among the 252 cases of infectious diseases in hospital at the close of the week were 100 of scarlet fever, 45 of measles, 28 of diphtheria, 15 of enteric fever, 9 of whooping-cough, and 8 of pelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 11th August, 1906, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature and Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 11th August, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia. b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 11th August, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th August, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th July, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	28·5	17·0	2·2	602	360	80	85	.	3	.	.	9	4	1	4	26	14	61	16	13	26	9	14	103	18	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area: Total, d.	378,994	27·5	25·6	17·3	2·6	186	126	34	24	.	2	.	.	3	2	1	1	10	5	16	7	3	10	3	3	39	5	f73·6	49·7	61·3	0·82	f71·8	45·2	60·5	0·45	f75·8	45·4	60·6	0·22
City of Dublin,	293,385	37·1	26·8	20·3	3·4	151	114	33	20	.	2	.	.	3	2	1	1	10	4	13	7	3	10	3	3	38	5	g74·0 h74·9	52·3 50·0	62·7 61·1	0·47 0·38	g73·1 h73·9	53·3 50·2	62·2 61·7	0·46 0·84	g76·5 h76·9	51·1 46·0	62·4 61·6	0·14 0·15
Urban Dists. Rathmines and Rathgar.	33,203	19·4	28·3	6·3	.	18	4	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	16·0	4·0	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	6·0	17·9	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	23·7	8·9	.	8	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	70	50	61·8	0·37	.	.	.	.	.	.	.	.
Urban Districts.																																							
Belfast,	366,220	24·9	31·3	18·1	2·4	220	127	29	28	.	.	.	.	2	1	.	2	12	7	25	6	4	7	4	6	26	3	72·8	47·5	60·6	1·08	69·8	50·0	60·4	0·54	71·5	45·5	60·8	0·54
Cork,	76,122	33·6	44·5	16·4	1·4	65	24	2	5	.	.	.	.	1	.	.	.	1	.	7	1	1	1	2	3	12	.	69	50	59·0	0·30	66	47	59·8	1·11	67	48	58·5	1·29
Londonderry,	42,067	19·4	19·8	19·8	1·2	16	16	2	5	.	1	.	.	.	.	.	.	.	.	8	1	.	2	.	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	12·3	19·1	.	9	14	2	5	.	.	.	.	.	.	.	.	.	.	3	1	1	.	.	1	7	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	13·6	7·8	.	7	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	23·3	31·1	.	6	8	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1	72	50	63	0·44	66	52	60	1·29	70	54	62	1·02
Dundalk,	18,076	2·4	39·9	16·0	4·0	10	4	3	1	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	16·3	16·3	4·1	4	4	.	1	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	50·4	4·2	.	12	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	74·2	49·8	60·6	0·78	70·0	48·2	60·4	1·43	74·1	46·9	60·2	0·58
Lurgan,	11,782	13·8	26·6	22·1	8·9	6	5	2	2	.	.	.	.	1	1	.	.	.	.	1	.	1	1	.	.	2	.	74·2	49·8	60·6	0·78	70·0	48·2	60·4	1·43	74·1	46·9	60·2	0·58
Lisburn,	11,461	10·1	18·2	9·1	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	74·2	49·8	60·6	0·78	70·0	48·2	60·4	1·43	74·1	46·9	60·2	0·58
Wexford,	11,168	23·2	18·7	14·0	9·3	4	8	2	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	38·3	23·9	9·6	8	5	3	1	.	.	.	.	2	.	.	.	.	1	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	38·4	9·6	.	8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	72·9	47·2	60·0	1·19	68·3	48·5	58·8	1·22	69·5	45·4	58·1	0·55
Kilkenny,	10,609	11·5	24·6	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	74	49	61·3	0·20	70	45	60·2	0·76	76	48	60·1	0·74
Clonmel,	10,167	7·8	35·9	15·4	.	7	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	51·7	5·2	.	10	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	74·2	49·8	60·6	0·78	70·0	48·2	60·4	1·43	74·1	46·9	60·2	0·58
Tralee,	9,867	16·6	31·7	15·9	.	6	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	34·3	5·7	.	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	50	58·8	0·69	68	50	57·7	0·30	72	46	58·0	0·72
Queenstown,	7,909	14·4	18·2	19·8	.	2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69	50	59·0	0·80	66	47	59·3	1·11	67	48	58·5	1·29
Armagh,	7,588	22·2	6·9	27·5	.	1	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	74·2	49·8	60·6	0·78	70·0	48·2	60·4	1·43	74·1	46·9	60·2	0·58

described as "Simple Continued Fever."

c Exclusive of Pneumonia.

d Exclusive of 4 deaths of persons (including 3 at 60 years of upwards), admitted to Hospitals from other Districts.

e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted for Sligo and those at Roche's Point for Cork and

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 11th of August, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	1	1	1	2	.	.	.	1	.	4	.	.	.	.	.	.	10	.
Pneumonia,	.	1	.	1	.	1	.	.	.	1	.	.	.	.	.	1	5	.
Tuberculous Disease. Phthisis,	2	.	1	1	.	.	1	1	3	2	1	1	2	1	.	.	16	2
Tuberculous Disease. Other Forms.	.	2	1	1	.	.	.	.	1	1	1	.	.	.	.	.	7	.
Cancer, Malignant Disease,	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	3	1
Other General Diseases	1	1	1	2	.	.	.	.	.	1	1	.	.	.	.	1	8	.
Total,	7	5	5	9	.	2	1	5	5	10	3	1	2	1	.	2	58	3
B. LOCAL DISEASES:																		
Diseases of: Nervous System	2	2	3	.	.	.	.	3	.	2	2	.	1	1	1	.	17	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	.	2	1	1	.	2	.	2	.	5	1	.	1	.	1	.	16	1
Diseases of: Respiratory System,	1	3	1	.	.	.	1	1	1	2	.	.	.	.	.	.	10	.
Diseases of: Digestive System,	4	1	1	2	.	1	.	3	.	1	2	.	.	.	1	1	17	.
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Urinary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	8	6	3	.	3	1	10	1	10	5	.	2	1	3	1	61	1
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	.	1	.	.	.	.	.	1	1	.	.	.	.	.	4	.
E. VIOLENT DEATHS,	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Deaths from all Causes,	15	14	11	13	.	5	2	17	6	21	9	1	4	2	3	3	126	4
Annual Rate of Mortality from all causes in every 1,000 of the population	27·6	18·6	19·1	21·4	.	26·0	15·6	23·1	17·1	26·1	13·4	5·9	6·3	4·0	17·9	8·9	17·3	
	20·8							19·7					7·3					
	20·3																	
Ages at Death. Under 1 year,	6	3	4	6	.	.	.	4	1	7	2	.	.	.	1	.	34	.
1 and under 5 years,	2	2	1	1	.		.	4	2	3	1	.	.	.	.	.	16	.
5 ,, 20 ,,	1	3	.	1	.	.	.	.	.	.	1	.	.	.	.	.	6	.
20 ,, 40 ,,	4	.	2	3	.	.	1	3	2	1	1	.	2	.	.	.	19	.
40 ,, 60 ,,	1	2	3	1	.	2	1	3	1	5	2	1	.	2	.	3	27	1
60 and upwards,	1	4	1	1	.	3	.	3	.	5	2	.	2	.	2	.	24	3
Number of Uncertified Deaths,	.	1	.	.	.	.	.	1	.	1	2	.	.	.	.	.	5	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	1	2	4	.	.	.	3	.	2	1	.	.	.	.	.	17	4
Workhouse Hospitals,	.	5	2	2	.	.	.	3	2	4	2	1	1	.	.	.	22	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re
week of the ten years 19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 32nd Week of the 10 years 1896-1905.	In the Week ending Sa 11th August, 190					
												Deaths of Persons of in					
	Aug. 8, 1896.	Aug. 14, 1897.	Aug. 13, 1898.	Aug. 12, 1899.	Aug. 11, 1900.	Aug. 10, 1901.	Aug. 9, 1902.	Aug. 15, 1903.	Aug. 13, 1904.	Aug. 12, 1905.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	40 and under 60.
Mean Temperature.	55·2°	59·0°	58·6°	57·6°	55·5°	61·2°	54·4°	54·7°	57·1°	57·3°	57·1°	61·3°					
ALL CAUSES.	161	178	171	214	161	166	154	136	199	151	169·1	130	8	26	16	6	2
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	1	.	.	9	.	.	20	1	5	.	3·6	2	.		1	.	.
Scarlet Fever,	.	3	3	.	.	.	1	.	1	.	·8	.	.	.	.	.	.
Typhus,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	1	2	.	.	.	1	1	.	.	·6	1	.	.	.	.	1
Whooping-cough,	4	5	5	3	1	.	1	1	4	.	2·4	3	.	2	1	.	.
Diphtheria,	2	.	1	2	3	2	2	1	2	1	1·6	2	.	.	2	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexiat (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
Enteric Fever,	3	4	3	4	.	1	4	2	1	.	2·2	1	.	.	.	1	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	32	29	19	49	19	33	.	.	10	14	25·3	4	.	3	1	.	.
Diarrhœa, Dysentery,							3	2	23	10		6	.	5	1	.	.
Tetanus,	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	2	1	.	.	.	.	2	1	·6	2	.	1	.	.	.
Puerperal Septicæmia,	.	.	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.
Puerperal Pyæmia,					1	1	.	.	.	.		.	.	.	.	.	.
Puerperal Fever,							.	.	.	.		.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Pneumonia, Lobar,	.	6	8	7	3	5	.	1	.	.	5·6	1	.	.	.	.	.
Pneumonia, Broncho-							2	2	3	.		.	.	.	.	.	.
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.
Pneumonia, Not defined,							6	3	6	4		4	.	.	.	.	.
Erysipelas,	.	.	1	1	1	.	1	.	.	1	·5	.	.	.	.	.	.
Septicæmia (not Puerperal)	1	.	.	.	.	2	.	.	1	.	·4	.	.	.	.	.	.
Pyæmia (not Puerperal),							.	.	.	.		.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.
Tuberculous Phthisis,	21	22	17	24	24	20	1	9	1	8	21·3	11	.	.	.	1	.
"*Phthisis*,"							14	14	24	14		7	.	.	.	.	.
Tuberculous Meningitis,	6	4	3	4	5	3	9	3	2	3	4·2	.	.	.	.	.	.
Tuberculous Peritonitis,	6	3	3	4	6	4	.	1	.	.	3·1	.	.	.	.	.	.
Tabes Mesenterica,							1	2	1	.		.	.	.	.	.	.
Tuberculous Dis. (other),	6	5	7	2	1	4	4	1	9	6	4·5	7	.	1	2	3	.
Scrofula,							.	.	.	.		.	.	.	.	.	.
Alcoholism,	.	1	.	.	3	1	1	.	.	.	·6	1	.	.	.	.	.
Rheumatic Fever,	.	2	.	.	1	1	.	1	.	.	·5	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	4	4	6	8	11	8	2	5	.	1	6·6	.	.	.	.	.	.
Sarcoma,							.	.	.	.		.	.	.	.	.	.
Cancer (undefined),							3	2	5	7		4	.	.	.	.	.
Diabetes Mellitus,	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.
Premature Birth,	3	3	4	4	1	4	2	6	2	2	3·1	2	1	1	.	.	.

* The figures for the years 1896-190
† Formerly desc

IRTY-SECOND WEEK ending Saturday, 11th August, 1906, with the deaths from each cause in the corresponding
average for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Aug. 8, 1896.	Aug. 14, 1897.	Aug. 13, 1898.	Aug. 12, 1899.	Aug. 11, 1900.	Aug. 10, 1901.	Aug. 9, 1902.	Aug. 15, 1903.	Aug. 13, 1904.	Aug. 12, 1905.	Averages in 32nd Week of the 10 years 1896–1905.	In the Week ending Saturday, 11th August, 1906. Deaths of Persons of the Ages of: All Ages.	0 to 5: Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
ean Temperature.	° 55·2	° 59·0	° 58·6	° 57·6	° 55·5	° 61·2	° 54·4	° 54·7	° 57·1	° 57·3	° 57·1	° 61·3								
gitis (not tuberc.) ...							1	3	6	1		2	.	.	2	.	.	.	.	.
ty, G. P. of Insane ...							2	2	1	1		1	.	.	.	.	1	.	.	.
psy ...							1	.	1	1		.	.	.	.	.	.	.	.	.
lsions ...							9	7	11	6		9	2	5	2	.	.	.	.	.
notor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
legia Dis. of Cord ...							.	2	1	2		.	.	.	.	.	.	.	.	.
us System (other							.	3	1	.		5	.	.	.	.	1	3	1	.
	27	33	26	40	31	37					33·0									
Dis., Endocarditis ...							4	1	1	4		3	.	.	.	1	.	1	1	.
r. Hæm. Thromb. ...							1	1	2	2		2	.	.	.	.	.	1	1	.
xy, Hemiplegia ...							5	4	3	2		3	.	.	.	.	.	.	2	1
ysm ...							.	.	1	.		.	.	.	.	.	.	.	.	.
ism, Thromb. (not							.	.	.	.		1	.	.	.	.	.	.	1	.
ral)																				
and Blood Vessel Dis.							8	12	12	11		8	.	.	.	.	.	1	6	1
(not Spasm. nor	1	1	.	.	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
b.)																				
itis ...	4	8	15	12	9	5	16	12	8	5	9·4	8	.	1	1	.	.	2	3	1
a, Emphysema ...							1	1	.	.		2	.	.	.	.	.	2	.	.
sy ...	.	2	.	.	3	1	1	.	1	.	1·6	.	.	.	.	.	.	.	.	.
atory Dis. (other) ...							2	1	2	1		.	.	.	.	.	.	.	.	.
itis, Quinsy ...	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
lis (not Epid.) ...							.	1	6	6		.	.	.	.	.	.	.	.	.
Enteritis ...	2	1	1	3	.	4	.	1	4	3	3·2	5	1	4	.	.	.	.	.	.
itis (not Puerp.) ...	.	1	.	.	1	.	1	1	.	2	·6	.	.	.	.	.	.	.	.	.
sis of Liver ...							1	2	.	.		2	.	.	.	.	1	.	1	.
Dis. (other) ...	5	2	3	.	2	1	1	1	1	.	1·9	.	.	.	.	.	.	.	.	.
ve Dis. (other) ...	7	6	4	4	4	4	4	5	5	5	4·8	10	2	2	1	.	1	1	3	.
tis, Acute ...							2	1	2	1		.	.	.	.	.	.	.	.	.
s Dis., Albuminuria	2	3	3	1	3	.	.	1	4	.	3·1	.	.	.	.	.	.	.	.	.
y Sys. (Other Dis.)							.	2	.	6		.	.	.	.	.	.	.	.	.
tive Organs Dis. ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
rth (Accid. of) ...	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
e ...	9	4	16	14	10	2	4	6	6	3	7·4	.	.	.	.	.	.	.	.	.
Diseases ...	13	9	14	13	11	15	9	5	11	12	11·2	5	2	1	.	.	1	.	1	.
ACCIDENT.																				
ways ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
icles and Horses ...	.	.	.	1	2	1	.	.	.	1	5	2	.	.	1	.	1	.	.	.
s, Boats, Docks (ex-																				
e of Drowning) ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ling Operations ...	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
lagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions	.	1	2	1	2	1	.	.	1	.	·8	.	.	.	.	.	.	.	.	.
wning ...	.	4	2	1	.	3	.	.	1	.	1·1	1	.	.	.	.	.	1	.	.
ocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
son or Poisonous	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
rs																				
eaths by Accidents	.	.	1	.	1	2	1	.	1	1	·7	.	.	.	.	.	.	.	.	.
NCE OTHER THAN ACCIDENTAL.																				
le ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
...	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
on ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ration Area as then constituted.
Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																									
	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.
No. of weeks in Annual Series.	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered,	188	169	252	214	189	211	230	207	181	202	199	250	285	202	195	228	167	250	210	238	182	230	199	224	285	186
*Average Births in corresponding week of previous 10 years,**	205	217	213	208	219	206	236	177	200	216	204	244	227	209	191	217	229	193	221	229	202	193	199	207	202	208
DEATHS registered,	149	185	183	187	178	198	198	159	174	215	174	191	165	169	178	154	142	126	149	125	130	140	156	149	1 5	130
Annual Death-rate per 1,000,	20·5	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17 2	17·9
*Average Deaths in corresponding week of previous 10 years,**	209	221	233	221	212	211	218	201	198	189	183	183	174	171	166	157	155	150	146	140	145	146	151	153	166	169
AGES,— Under 5 years,	32	45	40	43	55	43	67	37	34	45	37	30	36	41	42	47	38	12	37	17	35	35	38	43	40	24
5—20 ,,	9	8	14	8	15	15	17	13	13	15	12	16	10	15	13	11	11	13	13	16	14	10	17	11	8	16
20—40 ,,	15	38	32	34	19	29	26	28	23	27	32	39	23	28	29	27	20	22	30	36	21	24	25	27	20	6
40—60 ,,	46	43	34	43	35	40	33	34	47	49	42	47	39	44	37	30	42	36	34	28	32	37	28	35	20	19
60—80 ,,	39	44	49	49	41	55	45	40	47	70	40	55	51	30	41	34	28	37	31	22	21	32	43	27	32	28
80 years and upwards,	8	7	7	10	8	11	10	7	10	9	11	4	6	11	11	5	3	6	4	6	7	2	5	6	5	27
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	1	3	1	.	1	.	.	2	.	.	.	.	.	1	2	2	.	2
Scarlet Fever	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Whooping-cough,	.	1	4	1	2	.	2	2	3	.	2	1	1	.	3	3	1	2	2	1	4	6	3	2	2	3
Diphtheria,	.	1	.	2	2	1	3	.	.	.	2	.	.	2	.	.	.	.	1	.	.	.	1	.	.	2
Pyrexia † (origin uncertain),	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Enteric Fever,	.	1	1	.	3	.	3	.	1	2	1	1	3	.	.	.	.	1	.	2	.	1	1	.	1	1
Diarrhœal Diseases,	1	2	1	3	3	5	2	1	1	1	4	.	3	1	3	2	1	4	.	2	.	3	3	10	11	10
Pneumonia,	11	13	16	18	10	13	10	8	22	26	17	21	18	13	13	10	6	6	13	4	4	9	12	13	4	5
Tuberculous Disease. Phthisis,	23	29	32	30	23	32	25	23	27	18	22	36	18	16	22	20	17	17	29	21	26	21	23	19	21	18
Tuberculous Disease. Other Forms,	10	12	18	9	12	11	15	15	8	11	10	15	10	16	7	8	13	12	11	9	11	7	11	13	4	7
Cancer, Malignant Disease,	6	13	6	6	6	11	4	4	9	13	10	6	5	15	8	10	6	8	6	12	7	4	14	9	8	4
Diseases of Heart and Blood Vessels,	27	21	25	31	29	31	33	27	29	45	27	22	22	28	30	15	29	26	21	14	15	26	27	19	19	17
Diseases of Respiratory System,	27	32	28	28	21	34	27	23	29	43	23	36	31	15	26	15	10	11	17	5	21	10	11	13	14	10
Violent Deaths,	.	4	10	1	2	4	5	2	3	4	2	3	1	4	5	2	3	3	4	3	4	2	3	4	2	3
Number of Uncertified Deaths,	6	8	4	6	7	6	12	9	7	6	5	5	3	7	7	11	3	3	9	4	3	2	5	4	3	5
Mean Temperature of the Air (Phœnix Park),	36·4	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3
Average Mean Temperature in corresponding week of previous 10 years	40·4	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1
Rainfall in inches,	·095	·625	·545	·758	·430	·185	·045	·185	·055	·130	·810	·650	·455	·640	·810	·450	·005	·280	·790	·450	·390	235	·885	·220	·452	·320
Mean Humidity of the Air, complete Saturation, 1·0,	·86	·87	·89	·87	·85	·80	·81	·80	·83	·81	·83	·85	·83	·83	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·83

* See note (a) at foot of Table IV. † Formerly described as "Simple Continued Fever."

TABLE IV. SHOWING IN FIVE GENERAL CLASSES AND EIGHTEEN SOCIAL GROUPS the Population in the Dublin Registration Area during the Week ending Saturday, 11th August, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH AUGUST, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin. uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
		DLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	18·1	130	50	6	19	28	24	3	.	2	.	.	3	2	1	1	10	19	5	18	7	4	9	10	3	55	5
	CLASSES.																												
	Deaths in Families of the—																												
I	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	9·0	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS,	87,188	12·6	21	7	1	2	4	7	.	.	.	.	.	.	1	1	.	1	3	1	2	2	2	1	1	.	9	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	10·4	22	6	1	4	7	4	.	.	.	.	.	.	.	.	.	.	.	1	3	1	1	2	3	.	11	.
IV.	GENERAL SERVICE CLASS,	154,279	27·3	62	34	3	8	9	6	2	.	2	.	.	3	1	.	1	9	16	2	8	3	1	6	2	3	21	4
V.	INMATES OF WORKHOUSES,	6,024		22	3	1	5	8	5	.	.	.	.	.	.	.	.	.	.	.	1	5	1	.	.	4	.	11	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	7·1	3	2	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	1	.
	6. Clerks and Commercial Assistants,	30,432	18·8	11	4	1	2	.	4	.	.	.	.	.	.	.	.	.	1	1	.	2	1	.	1	1	.	5	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	13·5	7	1	.	.	4	2	.	.	.	.	.	.	.	1	.	.	1	1	.	.	2	.	.	.	3	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades,	29,801	12·2	7	1	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	3	.
	10. Clothing Trades,	28,260	6·7	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	11. Food Supply Trades,	9,242	5·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	15·5	9	3	.	.	4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	2	.	3	.
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	31·1	8	4	.	2	1	1	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	5	1
	15. Domestic Servants,	36,603	4·3	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	3	1	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	26·7	46	27	2	5	7	4	1	.	2	.	.	2	1	.	1	8	14	.	6	2	1	6	2	3	12	3
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	22	3	1	5	8	5	.	.	.	.	.	.	.	.	.	.	.	1	5	1	.	.	4	.	11	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all causes.	From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of).	Cols. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	June 23,	16·6	3·7	9	.	.	.	.	2	.	.	.	.	2	1	.	.	1	.	1
	„ 30,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	July 7,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	.	2	1	1	4	1	.
	„ 14,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.
	„ 21,	23·9	1·8	13	.	.	.	.	1	.	.	.	.	1	2	1	.	1	.	2
	„ 28,	15·4	3·7	10	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.
	Aug. 4,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	„ 11,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	.	2	.	1	1	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	June 23,	24·0	.	18	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	1
	„ 30,	18·6	.	14	.	.	.	.	.	.	.	.	.	.	3	2	1	1	.	.
	July 7,	22·6	2·7	17	.	.	.	.	2	.	.	.	.	1	5	.	2	5	.	.
	„ 14,	25·3	5·3	19	.	.	.	.	2	.	.	1	1	1	6	.	.	3	.	.
	„ 21,	26·0	2·7	21	.	.	.	.	1	.	.	.	1	1	4	3	.	.	.	2
	„ 28,	32·0	6·7	24	.	.	1	.	1	.	.	.	3	1	2	3	1	2	.	1
	Aug. 4,	22·6	5·3	17	.	.	.	.	.	.	.	.	4	.	2	1	1	4	.	.
	„ 11,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	1	.	2	.	3	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	June 23,	31·6	.	20	.	.	.	.	.	.	.	.	.	2	3	4	1	1	.	2
	„ 30,	17·3	3·5	10	.	.	.	.	1	.	.	.	1	.	.	.	2	.	.	.
	July 7,	26·0	.	15	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
	„ 14,	27·7	6·9	16	.	.	.	1	3	.	.	.	.	.	5	1	.	1	.	.
	„ 21,	20·8	1·7	12	.	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.
	„ 28,	39·8	5·2	23	.	.	1	.	.	.	.	.	2	3	2	2	1	1	.	.
	Aug. 4,	17·3	5·2	10	.	.	.	.	1	.	.	.	2	1	.	.	.	.	1	.
	„ 11,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	June 23,	13·2	.	8	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.
	„ 30,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.
	July 7,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.
	„ 14,	18·1	.	11	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
	„ 21,	16·5	.	10	.	.	.	.	.	.	.	.	.	1	3	1	2	1	1	.
	„ 28,	14·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	2	1	1	.
	Aug. 4,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	1	5	3	1	2	.	2
	„ 11,	21·4	6·6	13	.	1	.	.	.	1	.	.	2	1	1	1	.	.	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	June 23,	24·5	.	18	.	.	.	.	.	.	.	.	.	1	6	2	.	2	.	1
	„ 30,	12·2	1·4	9	.	.	.	.	.	.	.	1	.	.	3	1	1	1	.	.
	July 7,	21·7	.	16	.	.	.	.	.	.	.	.	.	2	1	3	1	3	.	.
	„ 14,	29·9	.	24	.	.	.	.	.	.	.	.	.	2	6	2	.	2	.	.
	„ 21,	25·8	2·7	19	.	.	.	.	.	1	.	1	.	2	3	3	2	4	.	.
	„ 28,	23·1	1·4	17	.	.	.	.	1	.	.	.	.	2	2	2	.	4	1	1
	Aug. 4,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	4	.	.	3	.	.
	„ 11,	23·1	5·4	17	.	.	.	.	2	1	.	.	1	.	1	.	.	1	2	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	June 23,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 30,	5·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	July 7,	8·6	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	„ 14,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 21,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
	„ 28,	17·1	2·9	6	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	Aug. 4,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.
	„ 11,	17·1	2·9	6	.	.	.	.	.	.	1	.	.	.	3	1	.	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	June 23,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	3	8	1	2	4	1	2
	„ 30,	21·1	.	17	.	.	.	.	.	.	.	.	.	1	4	1	1	.	1	.
	July 7,	21·1	.	17	.	.	.	.	.	.	.	.	.	.	5	2	.	1	1	.
	„ 14,	28·6	1·2	23	.	.	.	.	.	.	.	.	1	1	.	2	2	1	.	1
	„ 21,	14·9	1·2	12	.	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.
	„ 28,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	3	3	.	2	.	1
	Aug. 4,	17·4	1·2	14	.	.	.	.	.	.	.	.	1	.	1	.	1	2	.	.
	„ 11,	26·1	6·2	21	.	1	.	.	.	.	.	.	4	1	2	1	.	2	.	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	June 23,	17·8	.	12	.	.	.	.	.	.	.	.	.	.	3	1	.	2	1	1
	„ 30,	20·8	1·5	14	.	.	.	.	.	.	.	1	.	.	.	1	.	1	2	2
	July 7,	11·9	1·5	8	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	1
	„ 14,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.
	„ 21,	10·4	1·5	7	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.	.
	„ 28,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
	Aug. 4,	10·4	3·0	7	.	.	.	.	1	.	.	.	1	.	1	.	1	.	1	.
	„ 11,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 88,908.	June 23,	17·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.
	„ 30,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	.
	July 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	„ 14,	7·9	3·1	5	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	.	1	.	3	.	.	.
	„ 28,	11·0	1·6	7	.	1	.	.	.	.	.	.	.	1	.	1	2	.	.	.
	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 11,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	June 23,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	1
	„ 30,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.
	July 7,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 14,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.
	„ 28,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	Aug. 4,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 11,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	June 23,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 30,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	1
	July 7,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	„ 14,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	32·5	.	11	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.
	„ 28,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.
	Aug. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	„ 11,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Belfast. Pop. in 1906 (Est.) 386,220.	June 23,	16·7	2·3	131	.	.	.	.	14	.	.	.	2	7	30	7	4	14	5	.
	„ 30,	16·1	2·0	113	.	.	1	.	7	2	.	.	4	8	24	7	2	13	.	1
	July 7,	15·0	1·6	105	.	1	.	.	4	2	.	.	4	8	12	6	9	7	3	1
	„ 14,	16·9	2·3	119	.	.	.	.	9	.	.	1	6	7	20	15	2	7	6	2
	„ 21,	17·2	1·9	121	.	.	2	.	3	.	.	1	7	6	21	5	4	9	4	.
	„ 28,	18·1	1·4	127	.	2	.	.	1	1	.	2	4	6	26	10	4	21	.	3
	Aug. 4,	17·2	2·1	121	.	1	.	.	4	.	.	3	7	10	22	11	2	11	2	.
	„ 11,	18·1	2·4	127	.	.	.	.	2	1	.	2	12	7	25	6	4	7	4	3
Cork. Pop. (in 1901) 76,122.	June 23,	14·4	0·7	21	.	.	.	.	1	.	.	.	.	.	4	1	1	3	1	1
	„ 30,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	2	4	2	4	1	1
	July 7,	13·7	1·4	20	.	.	.	.	.	1	.	.	1	1	4	.	.	1	1	2
	„ 14,	15·8	1·4	23	.	.	.	.	.	.	.	1	1	.	5	1	.	.	.	.
	„ 21,	15·8	0·7	23	.	.	.	.	1	.	.	.	.	1	2	1	3	3	.	2
	„ 28,	10·3	1·4	15	.	.	.	.	1	.	.	.	1	2	3	2	.	2	.	.
	Aug. 4,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	1	5	3	1	4	2	3
	„ 11,	16·4	1·4	24	.	.	.	.	1	.	.	.	1	.	7	1	1	1	2	.
Londonderry. Pop. in 1906 (Est.) 42,067.	June 23,	18·6	2·5	15	.	1	.	.	.	.	.	.	1	1	3	1	.	1	.	2
	„ 30,	19·8	7·4	16	.	6	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	July 7,	8·7	3·7	7	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 14,	17·4	5·0	14	.	3	.	.	.	.	.	.	1	.	1	.	1	2	.	1
	„ 21,	26·0	8·7	21	.	5	.	.	1	.	.	.	1	.	1	4	.	1	.	.
	„ 28,	13·6	6·2	11	.	5	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	Aug. 4,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	3	4	2	1	4	1	.
	„ 11,	19·8	1·2	16	.	1	.	.	.	.	.	.	.	.	3	1	.	2	.	1
Limerick. Pop. (in 1901) 38,151.	June 23,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	2
	„ 30,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	July 7,	9·6	1·4	7	.	.	.	.	.	.	.	1	.	.	1	.	1	3	.	1
	„ 14,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	4	1	.	.	.	1
	„ 21,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 28,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	2
	Aug. 4,	8·2	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 11,	19·1	.	14	.	.	.	.	.	.	.	.	.	.	3	1	1	.	.	.
Waterford. Pop. (in 1901) 26,769.	June 23,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	„ 30,	11·7	1·9	6	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.
	July 7,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2
	„ 14,	7·8	1·9	4	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 21,	29·2	1·9	15	.	.	.	.	.	.	.	.	1	3	3	.	.	.	1	.
	„ 28,	18·6	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	Aug. 4,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1
	„ 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th August, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-22	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,784	10	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		10	3	.	1	2	1	3	.	.	.	.	1	.	.	1	.	.	.	.	.	2	1	1	3	1
Do. 2 ,, .	47,959	20			11	2	.	2	3	2	2	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	.	3	.
Do. 3 ,, .	47,214	31			15	3	1	2	4	2	3	.	.	.	.	.	.	.	.	2	1	5	1	1	.	1	1	4	1
Do. 4 ,, .	40,911	34			19	5	1	2	5	2	4	.	.	.	.	.	.	.	.	3	2	4	1	.	.	2	2	6	.
Do. 5 ,, .	17,387	10			7	.	1	1	1	2	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	3	.
Do 6 ,, .	48,122	29			13	3	.	.	2	5	3	.	.	.	.	.	.	.	.	3	1	1	.	2	.	.	.	2	.
Do 7 ,, .	1,524	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	3			4	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
Do. 9 ,, .	19,569	11			9	2	.	1	1	4	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	2	.
Do. 10 ,, .	28,064	15			14	3	2	2	2	2	3	.	.	.	.	.	.	.	.	1	1	5	.	.	.	.	1	1	.
Do. 11 ,, .	34,802	30			10	1	1	1	3	1	3	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	2	1
Do. 12 ,, .	33,588	19			12	5	2	1	2	.	2	.	.	.	.	.	.	.	.	3	.	2	.	.	2	.	.	.	.
Do. 13 ,, .	15,006	8			3	1	1	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.
Do. 14 ,, .	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	220			127	29	9	14	25	22	28	.	.	.	.	2	1	.	2	12	7	25	6	4	7	4	6	16	3
City of Cork.																													
CORK URBAN No. 1 DISTRICT. .	12,867	4	8·1	.	2	.	.	1			1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 2 ,, . .	10,701	9	4·9	.	1	.	.	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Do. 3 ,, . .	9,978	10	15·7	.	3	.	.	2			1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	1	.
Do. 4 ,, . .	8,666	14	48·1	6·0	8	1	.	5			2	.	.	.	.	.	.	.	.	1	.	2	1	.	.	1	1	7	.
Do. 5 ,, . .	6,592	7	7·9	.	1	.	.	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 6 ,, . .	10,702	9	4·9	.	1	.	.	1			.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 7 ,, . .	16,616	12	25·1	8·1	8	1	1	5			1	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	4	.
Total	76,122	65	16·4	1·4	24	2	1	16			5	.	.	.	.	1	.	.	.	1	.	7	1	1	1	2	3	12	.

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																										
	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14	July 21.	July 28.	Aug. 4.	Aug. 11.
No. of weeks in Annual Series,	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered,	246	214	246	229	229	221	248	240	212	233	282	238	246	217	278	239	228	204	222	218	225	162	271	225	241	220
DEATHS registered,	179	174	166	155	191	152	201	169	166	171	152	179	161	140	151	150	136	134	181	113	105	119	121	127	121	127
Annual Death-rate per 1,000 of estimated Population,	25·5	24·8	23·6	22·1	27·2	21·6	24·6	24·1	23·6	24·3	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1
AGES: Under 1 year,	31	48	26	31	32	37	46	35	35	39	30	29	35	35	21	33	28	21	26	24	24	17	21	21	30	29
1–5 years,	14	20	17	22	23	16	30	28	26	24	24	20	19	17	17	23	22	20	17	15	12	19	12	8	18	9
5–20 years,																					11	14	10	13	9	14
20–40 years,	87	74	85	59	84	57	89	81	75	66	67	85	66	64	84	64	53	67	72	57	13	27	24	29	15	25
40–60 years,																					22	15	26	26	31	22
60 years and upwards,	47	37	38	43	52	42	36	25	30	42	31	43	41	24	29	30	33	26	16	17	23	17	28	30	18	28
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.
Measles,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2	1	.
Scarlet Fever,	.	1	1	1	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	6	7	9	5	9	5	21	12	13	21	18	20	12	13	8	15	16	7	14	7	4	9	3	1	4	2
Diphtheria,	2	3	2	.	1	2	1	1	.	.	.	.	.	1	1	.	1	.	.	2	2	.	.	1	.	1
*Pyrexia** (origin uncertain),	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	2	2	6	6	3	1	3	4	2	.	.	1	1	.	.	2	.	.	.	.	1	1	2	3	2
Diarrhœal Diseases,	3	2	1	.	1	2	1	2	.	1	2	1	.	1	5	1	5	7	2	4	4	6	7	4	7	12
Pneumonia,	19	17	13	16	23	10	18	19	19	15	16	16	10	9	14	15	15	7	7	8	8	7	6	6	10	7
Tuberculous Disease, Phthisis,	23	23	33	15	26	17	28	24	26	18	19	29	21	23	33	16	21	22	30	24	12	20	21	26	22	25
Tuberculous Disease, Other Forms,	7	7	6	10	5	6	12	11	7	8	12	10	8	11	9	11	5	9	7	7	6	15	5	10	11	6
Cancer, Malignant Disease,	5	6	5	1	6	4	10	4	3	2	4	4	3	3	3	1	5	6	4	2	9	2	4	4	2	4
Diseases of Respiratory System	23	24	31	33	36	24	28	21	34	36	27	30	27	17	16	17	15	15	14	13	7	7	9	21	11	7
Violent Deaths,	6	4	2	6	1	.	2	7	4	3	4	4	2	4	6	1	2	1	5	.	3	6	4	.	2	4
Number of Uncertified Deaths,	5	3	5	2	4	3	3	1	1	3	5	2	2	.	4	2	2	5	.	1	1	2	.	3	.	3

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death Rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	Aug. 11,	2,155	1,352	14·9	.	25	10	13	14	5	288
EDINBURGH,	341,035	„ 11,	167	86	13·2	.	5	.	.	.	1	3
GLASGOW,	835,625	„ 11,	473	243*a*	15·2	.	5	1	2	6	.	18
CALCUTTA,	910,117	June 23,	.	379	23·2	8	3	.	.	.	84‡	64*
BOMBAY,	977,822	July 10,	415	782	41·6	3	10	.	.	.	90‡	131*
MADRAS,	509,346	June 22,	304	364	37·1	3	2	?	?	?	89	51*
PARIS,	2,722,731	July 28,	1,009	826	16·1	.	7	1	2†	6	3	78
BRUSSELS (with 8 Faubourgs).	612,401	„ 21,	209	175	14·9	.	6	1	1†	.	1	16
ANTWERP,	304,975	„ 21,	137	41	7·0	.	3	.	.	.	1	5
AMSTERDAM,	560,482	„ 21,	288	150	13·9	.	5	1	1†	.	2	16
COPENHAGEN,	425,000	„ 21,	200	124	15·2	.	.	.	.	2	.	11
STOCKHOLM,	324,488	„ 14,	148	71	11·4	.	.	.	2†	4	.	3
CHRISTIANIA,	222,373	„ 28,	113	45	10·5	.	.	.	2†	3	.	4
ST. PETERSBURG,	1,424,700	„ 21,	542	705	25·7	.	28	19	18	2	37	124
MOSCOW,	1,092,360	June 23,	.	897	42·8	1	8	3	6†	5	6	373
BERLIN,	2,059,716	July 14,	948	595	15·1	.	8	7	1†	7	1	102
HAMBURG,	803,050	„ 14,	.	225	14·6	.	10	1	2†	4	.	24
BRESLAU,	475,377	„ 28,	.	206	22·6	.	3	.	1†	.	.	35
MUNICH,	540,000	„ 28,	.	196	18·9	.	1	.	1†	4	1	21
VIENNA (with suburbs).	1,937,869	„ 28,	958	603	16·2	.	5	4	10†	1	5	77
BUDA-PESTH,	791,748	„ 28,	375	256	16·9	.	1	4	2†	3	2	30
PRAGUE and Faubourgs.	460,849	„ 21,	174	139	15·7	.	2	.	.	.	.	15
TRIESTE,	196,637	„ 14,	132	99	26·3	.	1	.	.	.	.	10
ROME,	531,179	June 16,	202	191	18·7	.	8	.	.	5	3	25
VENICE,	171,709	—	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	July 14,	2,357	1,575	19·8	.	15	10	36†	10	12	371
PHILADELPHIA,	1,469,126	„ 7,	.	651	23·0	.	4	1	2†	24	12	159
BOSTON,	602,526	„ 14,	.	174	15·1	.	.	1	3	4	2	5

a. Including 5 deaths from cerebro-spinal meningitis.
* Including 31 deaths from cholera in Calcutta, 37 in Bombay, and 2 in Madras.
† Including deaths from croup.
‡ Exclusive of 29 deaths from plague in Calcutta, and 34 in Bombay

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th August, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	1	2	.	.	.	.	3
" " 1, West,	.	.	.	.	.	.	1	1	1	1	.	.	4
" " 2,	.	2	.	.	1	.	.	.	.	.	.	.	3
" " 3,	.	.	.	.	2	.	.	1	3	.	.	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
South City No. 1,	.	.	.	.	1	.	.	.	6	.	.	.	7
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 4,	.	.	.	.	1	.	.	.	.	.	.	.	1
New Kilmainham,	.	1	.	.	.	.	.	.	1	.	.	.	2
Total,	.	3	.	.	5	.	2	5	11	1	.	.	27

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th August, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th August.			
	July 21.	July 28.	Aug. 4.	No. admitted.	Dis-charged.	Died.	No under treatment at close of week
Small-pox,	.	.	.	.	.	.	.
Measles,	14	19	20	4	5	1	18
Scarlet Fever,	35	31	23	7	6	.	24*
Typhus,	1	1	1	.	.	.	1
Diphtheria,	22	16	17	6	2	2	19
Enteric Fever,	17	15	13	4	.	.	17
Pneumonia,	29	25	14	7	7	1	13

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 11th August, 1906:—

"At first fine and warm, the weather became changeable and showery after Tuesday. At the beginning an anticyclone, in which the barometer stood above 30·3 inches, was central over France, while a depression lay over Sweden and the Baltic, having its centre not far north of Stockholm at 8 a.m. of Sunday. Brilliant and summerlike weather prevailed in France and over the greater part of the British Isles, but much fog clung round the coasts and there were some local showers. In Dublin the thermometer rose to about 74° in the shade on both Monday and Tuesday; but much warmer weather was felt in many parts of England on those days and also on Wednesday—the highest readings were—on Monday, 77° at Harrogate, 78° at Oxford and 79° at Nottingham; on Tuesday, 80° at Bath and in London, 82° at Nottingham and Oxford; on Wednesday, 82° in London and 83° at Margate, Nottingham and Oxford. On this last day thunderstorms occurred in various parts of England, the accompanying rainfall at Yarmouth amounting to 1·34 inches. There was a heavy fall of rain in Dublin also on the afternoon of Wednesday, the measurement being ·271 inch. Solar halos were seen on both Wednesday and Thursday, and in each case rain followed. On Friday morning as many as four separate atmospheric depressions were observed over the western half of Europe, unsettled showery weather being, in consequence, prevalent. Saturday was chiefly fine, but cloudy. In Dublin the mean height of the barometer was 29·965 inches, the range of pressure being from 30·206 inches at 9 a.m. of Monday (wind, E.) to 29·687 inches at 9 a.m. of Friday (wind, W. by N.). The corrected mean temperature was 62·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 61·2°. On Sunday the screened thermometers fell to 52·3°, on Tuesday they rose to 74·0°. The prevalent winds were S.W. and W. Rain fell on 5 days to the amount of ·474 inch, ·271 inch being measured on Wednesday. Solar halos were seen on Wednesday and Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·977 inches. The highest reading (30·213) was on Sunday at 9 a.m., wind W., and the lowest (29·702) on Friday at 9 a.m., wind W.S.W.

The mean temperature for the week was 61·3°, being 4·2° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Tuesday, on which day the thermometer registered 73·6°, and was lowest on Monday, the mercury having fallen to 49·7°. The mean of the Dry Bulb for the week was 60·2°, and of the Wet Bulb 57·3°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 36·6 hours. The rainfall during the week measured 0·320 inch.

At Greenwich the mean temperature for the week was 66·1°, the maximum 86·7°, and the minimum 54·3°; at Glasgow the maximum was 75·2°, the minimum 46·6°, and the mean 59·5°; and at Edinburgh the maximum was 65·6°, the minimum 47·3°, and the mean 56·3°. The rainfall at Greenwich measured 0·01 in.; at Glasgow 1·10 ins.; and at Edinburgh 1·02 ins. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Aug. 5,	30·206	64·7	50·8	57·8	60·8	57·5	·82	·0	9·1	·000	W.	Calm.
Monday, „ 6,	30·168	70·0	49·7	59·9	61·8	59·0	·85	·0	5·0	·000	Calm.	Calm.
Tuesday, „ 7,	30·051	73·6	52·1	62·9	62·2	59·6	·85	·0	5·1	·000	Calm.	Calm.
Wednesday, „ 8,	30·003	66·0	61·7	63·9	58·4	55·4	·82	·1	2·3	·135	W.	W.S.W.
Thursday, „ 9,	29·885	68·1	58·3	63·2	60·7	57·3	·80	·7	8·3	·110	W.	S.W.
Friday, „ 10,	29·737	68·1	55·4	61·8	58·7	56·4	·86	·6	5·1	·040	W.S.W.	W.
Saturday, „ 11	29·792	64·8	53·9	59·4	59·1	55·6	·79	·5	1·7	·035	S.W.	S.S.W.
Mean, . .	29·977	67·9	54·6	61·3	60·2	57·3	·83	·3	Total 36·6	Total ·320	Prevailing wind, S.W.	

Sunday—A fine day, light clouds; night cloudy. *Monday*—A fine but cloudy day; night clear. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—A dull day, heavy showers from 4.30 p.m. to 8.30 p.m.; night overcast. *Thursday*—A fine day, light clouds; night overcast, heavy showers 8.20 p.m. to 9.5 p.m., light showers from 12 m.n. to 5 a.m. *Friday*—A fine but cloudy day, showers p.m.; night cloudy, light showers at intervals. *Saturday*—Day cloudy, showery at intervals; night cloudy, light showers 9.50 p.m. to 7 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 11th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Aug. 5,	63·2	60·9	58·0	67·9	52·6	60·3	9·9	·000
Monday, „ 6,	65·2	62·0	57·9	69·0	58·2	63·6	5·3	·020
Tuesday, „ 7,	62·1	62·7	58·0	74·0	56·6	65·3	4·9	·000
Wednesday, „ 8,	63·9	62·9	58·1	67·3	54·7	61·0	2·8	·200
Thursday, „ 9,	61·7	61·9	58·2	69·6	54·9	62·3	7·5	·133
Friday, „ 10,	61·2	62·5	58·3	68·1	56·4	62·0	6·8	·033
Saturday, „ 11,	58·7	61·9	58·3	65·0	55·1	60·1	2·2	·007
Weekly Mean, .	62·3	62·1	58·1	68·7	55·5	62·1	Total 39·4	Total ·393

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—14456.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 18TH AUGUST, 1906. [No. 33.

General Register Office, Charlemont House, Dublin, 20th August, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending July 28.	Week ending Aug. 4.	Week ending Aug. 11.	Week ending Aug. 18.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 28.	Week ending Aug. 4.	Week ending Aug. 11.	Week ending Aug. 18.	Average Rate for 4 weeks.
22 Town Dists.	17·3	17·1	17·0	17·4	17·2	Lisburn, . .	4·5	22·7	9·1	.	9·1
Armagh, . .	13·7	20·6	27·5	20·6	20·6	Londonderry, .	13·6	21·1	19·8	14·9	17·3
Ballymena, .	23·9	19·2	23·9	4·8	17·9	Lurgan, . .	26·6	17·7	22·1	8·9	18·8
Belfast, . .	18·1	17·2	18·1	17·8	17·8	Newry, . .	8·4	12·6	4·2	25·2	12·6
Clonmel, . .	5·1	15·4	15·4	.	9·0	Newtownards, .	28·6	22·9	5·7	34·3	22·9
Cork, . . .	10·3	19·2	16·4	13·7	14·9	Portadown,	20·7	20·7	5·2	10·3	14·2
Drogheda, . .	8·2	8·2	16·3	4·1	9·2	Queenstown .	6·6	6·6	19·8	6·6	9·9
Dublin Reg. Area,	20·1	16·8	17·3	19·7	18·5	Sligo, . .	33·6	24·0	9·6	19·2	21·6
Dundalk, . .	4·0	19·9	16·0	16·0	14·0	Tralee, . .	10·6	.	15·9	10·6	9·3
Galway, . .	3·9	38·8	31·1	27·2	25·2	Waterford, .	13·6	19·5	7·8	11·7	13·2
Kilkenny, . .	.	14·7	.	19·7	8·6	Wexford, . .	28·0	9·3	14·0	23·3	18·6
Limerick, . .	17·8	8·2	19·1	17·8	15·7						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 3·3 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·7 in Newtownards. Among the 125 deaths from all causes in Belfast are 2 from measles, 4 from whooping-cough, one from diphtheria, one from enteric fever, and 25 from diarrhœal diseases; and the 20 deaths from all causes in Cork include 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 226—127 boys and 99 girls; and the deaths to 151—71 males and 80 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·8 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 19·7 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*) Table II. ‡ See columns 10–18 of Table II.

During the thirty-three weeks ending with Saturday last the death-rate averaged 22·3, and was 3·4 below the mean rate for the corresponding portions of the ten years, 1896-1905.

The deaths (151) included one from measles, one from whooping-cough, and 29 deaths from diarrhœal diseases. In each of the 3 preceding weeks, deaths from measles were 2, 0, and 2; deaths from whooping-cough were 2, 2, and 3; and deaths from diarrhœal diseases were 10, 11, and 10. The mean of the daily temperatures of the earth thermometer at 4 feet was 58·6°. The death of one infant under one year was attributed to *gastro-enteritis.*

Broncho-pneumonia and *pneumonia* (not defined) each caused 2 deaths.

Of 30 deaths from tuberculous disease, 9 were attributed to tuberculous phthisis, 12 to *phthisis*, one to tuberculous meningitis, 2 to tuberculous peritonitis, and 6 to other forms of the disease. In each of the 3 preceding weeks the deaths from all forms of the disease were 32, 25, and 25.

Of 12 deaths from malignant disease, 4 were caused by carcinoma and 8 were caused by cancer (undefined).

One infant that was prematurely born succumbed.

The deaths (11) from diseases of the brain and nervous system include the deaths of 3 infants under one year of age from *convulsions.*

Diseases of the heart and blood vessels accounted for the deaths of 20 persons. Bronchitis was the cause of 11 deaths.

Of 2 deaths from accidental causes, one was by drowning.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness; this case was that of a child under one year old.

Forty-eight of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 5 were under one month old) and 45 were aged 60 years and upwards, including 16 persons aged 70 and upwards, of whom 2 were octogenarians.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·7 per 1,000; the rate in the City was 22·2 (North City Districts, 20·1; South, 24·5), and in the Suburbs, 11·0 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 4·4 per 1,000 inhabitants, the rate for the City being 5·3 (6·5 in the North City Districts, and 4·0 in the South) and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·7 per 1,000, and include 5 deaths from diarrhœal diseases.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 21·3 per 1,000. There were 7 deaths from diarrhœal diseases, 2 deaths from tuberculous disease, 2 deaths from bronchitis, and one death by drowning.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·3 per 1,000. The total (10) includes 5 deaths from *diarrhœa*, one death from broncho-pneumonia, one death from *pneumonia* (not defined), and one death from tuberculous phthisis.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 21·4 per 1,000. Two deaths from diarrhœal diseases, one death from *pneumonia* (not defined), 3 deaths from bronchitis, and one accidental death are included in the total.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 46·9. Of the 2 deaths for Clontarf and Howth, No. 1, part of, one was from *phthisis.* The 6 deaths from all causes for Finglas and Glasnevin, part of, include one from scirrhus (carcinoma).

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 29·9 per 1,000. Whooping-cough caused one death, there were 2 deaths from *diarrhœa*, 6 deaths from tuberculous disease, and 6 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (14) are equal to an annual rate of 39·9 per 1,000. The deaths include one from measles, 3 from diarrhœal diseases, and 5 deaths from tuberculous disease.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 22·4 per 1,000. There was one death from infective enteritis, and there were 5 deaths from tuberculous disease.

No. 4 South City District (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·3 per 1,000. Diarrhœal diseases caused 3 deaths, and tuberculous disease caused 3 deaths.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000. Of the 2 deaths registered one was due to broncho-pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 7·9; Pembroke, 12·0; Blackrock, 11·9; and Kingstown, 14·8. The deaths from the principal epidemic diseases tabulated for these districts include one from *diarrhœa* for Pembroke, in which district the 6 deaths from all causes include 3 from tuberculous diseases. Of the 2 deaths from all causes for Blackrock one was from tuberculous disease, and the 5 deaths from all causes for Kingstown include 3 from diseases of the heart and blood vessels.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. 'awcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive anitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Executive Sanitary Officer for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 18th August, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	July 28,	.	—	—	2	.	.	2	.	3	5	14	.	—	—	—	—	—	26
	Aug. 4,	.	—	—	6	1	.	6	.	2	7	8	.	—	—	—	—	—	30
	Aug. 11,	.	—	—	3	.	.	5	.	2	5	11	1	—	—	—	—	—	27
	Aug. 18,	.	—	—	1	.	.	5	.	1	7	7	.	—	—	—	—	—	21
Rathmines and Rathgar Urban District.	July 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 4,	.	—	—	.	.	.	1	.	.	2	2	.	—	—	—	—	—	5
	Aug. 11,	.	—	—	.	.	.	1	.	.	1	1	.	—	—	—	—	—	3
	Aug. 18,	.	—	—	1	.	.	.	.	1	.	.	.	—	—	—	—	—	2
Pembroke Urban District.	July 28,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	Aug. 4,	.	.	.	.	.	.	1	.	.	.	1	.	—	.	.	—	—	2
	Aug. 11,	.	.	.	2	.	.	2	.	.	.	.	.	—	1	.	—	—	5
	Aug. 18,	.	.	.	.	.	.	.	.	1	.	.	.	—	4	.	—	—	5
Blackrock Urban District.	July 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 11,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Aug 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	July 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 11,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	2
	Aug. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	July 28,	.	—	—	17	.	.	5	1	6	6	1	.	—	—	—	—	—	36
	Aug. 4,	.	—	—	11	.	.	1	.	3	9	1	.	—	—	—	—	—	25
	Aug. 11,	.	—	—	18	.	.	5	1	3	5	.	.	—	—	—	—	—	32
	Aug. 18,	.	—	—	17	.	.	2	2	6	17	8	.	—	—	—	—	—	52

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th August, 1906.

From this it appears that:—

One case of measles was admitted to hospital during the week, 9 were discharged, and 10 cases remained under treatment at its close.

Eight cases of scarlet fever were admitted to hospital, 5 were discharged, and 27* cases remained under treatment at the close of the week.

One case of typhus remained under treatment at the close of the week.

Ten cases of diphtheria were admitted to hospital, 6 were discharged, and 23 patients remained under treatment at the close of the week.

Seven cases of enteric fever were admitted to hospital, 4 were discharged, and 20 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 3 were discharged, there was one death, and 11 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·5), was equal to an average annual death-rate of 17·0 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 14·4 per 1,000, the rate for Glasgow being 14·9, and for Edinburgh 13·2.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th August. From this Return it appears that of a total of 25 cases notified 13 were scarlet fever, 6 diphtheria, 5 enteric fever, and one erysipelas. Among the 229 cases of infectious diseases in hospital at the close of the week were 96 cases of scarlet fever, 28 of diphtheria, 27 of measles, 19 of enteric fever, 8 of whooping-cough, and 5 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 18th August, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 18th August, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 18th August, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th August, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th August, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	28·5	17·4	3·3	601	367	92	83	.	3	.	.	5	1	1	1	59	10	50	21	21	35	7	15	100	9	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—Total, d.	378,994	27·5	31·1	19·7	4·4	226	143	36	43	.	1	.	.	1	.	1	.	29	4	19	8	11	11	2	3	54	1	f70·2	51·1	58·9	0·42	f73·6	49·7	61·3	0·32	f71·8	45·2	60·5	0·45
City of Dublin,	293,385	37·1	33·4	22·2	5·3	188	125	32	35	.	1	.	.	1	.	.	.	28	4	17	6	8	11	2	3	43	1	g78·1 h71·9	52·7 51·0	60·5 59·9	0·32 0·32	g74·0 h74·9	52·3 50·0	62·7 61·1	0·47 0·38	g73·1 h73·9	53·3 50·2	62·2 61·7	0·46 0·34
Urban Dists. Rathmines and Rathgar.	38,203	19·4	16·8	7·9	.	12	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	28·0	12·0	2·0	14	6	2	2	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·2	11·9	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	26·6	14·8	3·0	9	5	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	71	52	60·8	0·34	70	50	61·8	0·37	.	.	.	.
Urban Districts.																																							
Belfast,	366,220	24·9	28·9	17·8	4·7	203	125	37	17	.	2	.	.	4	1	.	1	25	3	18	8	3	12	2	9	15	1	68·0	50·0	58·8	1·12	72·8	47·5	60·6	1·08	69·8	50·0	60·4	0·54
Cork,	76,122	38·6	30·8	18·7	1·4	45	20	4	3	.	.	.	.	.	.	.	.	2	.	7	.	.	2	1	1	7	1	64	50	57·6	0·49	69	50	59·0	0·30	66	47	59·8	1·11
Londonderry,	42,037	19·4	18·6	14·9	1·2	15	12	1	3	.	.	.	.	.	.	.	.	1	1	1	1	1	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	19·1	17·8	.	14	13	4	2	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	39·0	11·7	.	20	6	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,426	2·5	38·8	27·2	.	10	7	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	4	2	64	52	60	0·50	72	50	63	0·44	66	52	60	1·29
Dundalk,	13,076	2·4	12·0	16·0	.	3	4	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	16·8	4·1	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	21·0	25·2	.	5	6	1	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	70·0	49·8	58·1	0·74	74·2	49·8	60·6	0·78	70·0	48·2	60·4	1·43
Lurgan,	11,782	13·8	26·6	8·9	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	70·0	49·8	58·1	0·74	74·2	49·8	60·6	0·78	70·0	48·2	60·4	1·43
Lisburn,	11,461	10·1	9·1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70·0	49·8	58·1	0·74	74·2	49·8	60·6	0·78	70·0	48·2	60·4	1·43
Wexford,	11,168	28·2	14·0	28·8	4·7	3	5	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	19·2	4·8	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	69·8	44·8	56·5	1·23	72·9	47·2	60·0	1·19	68·3	43·5	58·8	1·22
Sligo,	10,870	3·7	28·8	19·2	.	6	4	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	68	40	55·6	0·46	74	49	61·3	0·20	70	45	60·2	0·76
Kilkenny,	10,609	11·5	24·6	19·7	.	5	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,167	7·8	30·8	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70·0	49·8	58·1	0·74	74·2	49·8	60·6	0·78	70·0	48·2	60·4	1·43
Portadown,	10,092	13·2	36·2	10·8	.	7	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,867	16·6	15·9	10·6	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	67	51	57·4	1·10	70	50	58·3	0·69	68	50	57·7	0·30
Newtownards,	9,110	18·9	45·8	34·3	5·7	8	6	4	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	1	1	.	64	50	57·6	0·49	69	50	59·0	0·30	66	47	59·3	1·11
Queenstown,	7,909	14·4	26·4	6·6	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	70·0	49·8	58·1	0·74	74·2	49·8	60·6	0·78	70·0	48·2	60·4	1·43
Armagh,	7,588	22·2	13·7	20·6	.	2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1													

e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Mullaghmore for Sligo, and those at Mullingar

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 18th of August, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLASNEVIN & HOWTH No. 1 (part of).	OGULOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	5	7	5	2	.	.	.	2	3	1	3	.	.	1	.	.	22	.
Pneumonia,	.	.	2	1	.	.	.	.	.	.	.	1	.	.	.	.	4	.
Tuberculous Disease. Phthisis,	.	.	1	.	1	.	.	5	4	4	2	.	.	2	.	.	19	2
Tuberculous Disease. Other Forms.	.	2	.	.	.	.	.	1	1	1	1	.	.	1	1	.	8	1
Cancer, Malignant Disease,	.	.	.	1	.	1	1	1	2	1	1	.	2	1	.	.	11	1
Other General Diseases	.	1	.	.	.	.	1	.	.	2	2	.	.	.	.	.	6	.
Total,	5	10	8	4	1	1	2	10	11	9	9	1	2	5	1	1	80	4
B. LOCAL DISEASES:																		
Diseases of Nervous System	.	1	1	1	.	.	1	1	.	3	.	.	1	.	1	.	10	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	1	1	.	1	1	1	.	3	1	5	.	.	1	.	.	3	18	2
Diseases of Respiratory System,	.	2	.	3	.	.	.	6	.	.	.	.	.	.	.	.	11	.
Diseases of Digestive System,	1	1	.	1	.	1	2	.	1	1	.	1	.	1	.	.	10	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	2	5	2	7	1	2	4	10	2	9	.	1	2	1	1	4	53	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	.	1	.	.	.	2	1	.	2	.	1	.	.	.	8	.
E. VIOLENT DEATHS,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Deaths from all Causes,	8	16	10	13	2	3	6	22	14	18	11	2	5	6	2	5	143	8
Annual Rate of Mortality from all causes in every 1,000 of the population	14·7	21·3	17·3	21·4	21·7	15·6	46·9	29·9	39·9	22·4	16·3	11·7	7·9	12·0	11·9	14·8	19·7	.
	20·1							24·5					11·0					
	22·2																	
Ages at Death. Under 1 year,	2	10	3	2	.	.	1	5	2	1	6	.	1	2	1	.	33	.
1 and under 5 years,	2	.	2	1	.	.	1	1	2	1	1	1	.	.	.	.	12	.
5 ,, 20 ,,	.	2	2	.	.	.	.	.	1	2	1	.	.	.	.	.	8	1
20 ,, 40 ,,	1	.	1	2	1	.	.	5	5	2	.	1	.	1	.	1	20	2
40 ,, 60 ,,	1	1	.	2	1	.	.	3	3	7	2	.	1	1	1	1	24	3
60 and upwards,	2	3	2	6	.	3	4	8	1	5	1	.	3	2	.	3	43	2
Number of Uncertified Deaths,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	2	.	4	2	.	1	3	2	7	.	.	1	1	1	1	25	7
Workhouse Hospitals,	1	3	1	4	.	.	.	8	4	4	2	.	1	1	.	.	29	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re[illegible] week of the ten years [illegible]

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 33rd Week of the 10 years 1896-1905.	In the Week ending S[illegible] 18th August, 190[illegible]				
												Deaths of Persons of th[illegible]				
	Aug. 15, 1896.	Aug. 21, 1897.	Aug. 20, 1898.	Aug. 19, 1899.	Aug. 18, 1900.	Aug. 17, 1901.	Aug. 16, 1902.	Aug. 22, 1903.	Aug. 20, 1904.	Aug. 19, 1905.		ALL AGES.	0 to 5.			5 and under 20.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	
Mean Temperature.	° 58·6	° 58·8	° 59·5	° 61·0	° 60·2	° 58·9	° 57·0	° 53·3	° 55·8	° 58·2	° 58·1	° 58·9				
ALL CAUSES.	145	163	146	234	147	148	145	169	183	151	163·1	151	5	31	12	9
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	1	1	10	.	.	20	.	4	1	3·7	1	.	.	.	1
Scarlet Fever, ...	4	3	1	.	.	1	1	.	.	1	1·1	.	.	.	.	.
Typhus, ...	1	.	.	.	1	.	1	.	1	.	·4	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	.	4	.	1	2	.	1	.	1·1	.	.	.	.	.
Whooping-cough, ...	1	2	1	7	1	3	.	1	3	.	1·9	1	.	1	.	.
Diphtheria, ...	.	.	.	1	.	.	.	1	1	.	·3	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	1	1	.	.	.	.	.	·2	1	.	.	.	.
Enteric Fever, ...	3	2	3	1	1	.	1	.	1	1	1·3	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	21	22	23	49	25	30	.	3	10	10	24·5	11	.	9	2	.
Diarrhœa, Dysentery,							1	8	23	10		18	1	8	3	1
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	4	.	.	.	1	.	.	.	·5	1	.	1	.	.
Puerperal Septicæmia,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.
Puerperal Fever, ...							.	.	.	.		.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.
Pneumonia, Lobar,	5	3	3	12	3	8	.	.	.	1	5·4	.	.	.	.	.
Broncho-							6	1	.	1		2	.	.	2	.
Epidemic,							.	.	.	.		.	.	.	.	.
Not defined,							3	4	4	.		2	.	.	1	.
Erysipelas, ...	.	.	.	1	.	.	.	2	.	.	·3	.	.	.	.	.
Septicæmia (not Puerperal)	.	.	.	1	.	1	.	1	.	.	·4	.	.	.	.	.
Pyæmia (not Puerperal),							.	.	.	1		.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.
Tuberculous Phthisis,	13	26	18	26	20	24	1	6	2	6	21·1	9	.	.	.	1
"*Phthisis*," ...							17	16	19	17		12	.	.	1	1
Tuberculous Meningitis, ...	5	1	5	2	3	1	3	4	6	3	3·3	1	.	.	.	1
Tuberculous Peritonitis,	5	9	5	9	3	4	.	.	3	.	4·2	2	.	1	.	1
Tabes Mesenterica, ...							.	1	1	2		.	.	.	.	.
Tuberculous Dis. (other),	2	2	6	4	5	6	2	8	8	10	5·3	6	.	1	.	1
Scrofula, ...							.	.	.	.		.	.	.	.	.
Alcoholism, ...	3	2	1	.	1	.	1	1	.	.	·9	1	.	.	.	.
Rheumatic Fever, ...	1	.	2	.	.	.	.	.	.	.	·3	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.
Carcinoma, ...	6	1	5	8	6	3	2	6	2	1	5·7	4	.	.	.	.
Sarcoma, ...							.	.	.	1		.	.	.	.	.
Cancer (undefined),							6	6	1	3		8	.	.	.	.
Diabetes Mellitus, ...	.	.	.	.	.	.	.	.	1	.	·1	3	.	.	.	.
Premature Birth, ...	3	2	.	.	2	1	1	5	4	2	2·0	1	1	.	.	.

* The figures for the years 1896-[illegible]

†Formerly de[illegible]

IRTY-THIRD WEEK ending Saturday, 18th August, 1906, with the deaths from each cause in the corresponding
average for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 33rd Week of the 10 years 1896–1905.	In the Week ending Saturday, 18th August, 1906. Deaths of Persons of the Ages of							
	Aug. 15, 1896.	Aug. 21, 1897.	Aug. 20, 1898.	Aug. 19, 1899.	Aug. 18, 1900.	Aug. 17, 1901.	Aug. 16, 1902.	Aug. 22, 1903.	Aug. 20, 1904.	Aug. 19, 1906.		ALL AGES.	0 to 5.						
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
ean Temperature.	° 58·6	° 58·8	° 59·5	° 61·0	° 60·2	° 58·9	° 57·0	° 53·3	° 55·8	° 58·2	° 58·1	° 58·9								
ngitis (not tuberc.) ...							2	1	3	2		3	.	.	1	1	.	1	.	.
ity, G. P. of Insane ...							.	1	1	1		1	.	.	.	.	1	.	.	.
psy							.	.	1	.		.	.	.	.	.	.	.	.	.
alsions							13	2	9	4		3	1	2	.	.	.	.	.	.
motor Ataxy ...							.	.	.	.		1	.	.	.	.	.	1	.	.
plegia Dis. of Cord ...							2	1	2	1		1	.	.	.	.	.	1	.	.
ous System (other .)	31	28	30	30	32	30	2	.	1	3	32·4	2	.	.	1	.	.	1	.	.
, Dis., Endocarditis ...							2	2	2	1		4	.	.	.	.	1	1	2	.
or. Hæm. Thromb. ...							1	1	4	2		1	.	.	.	.	.	1	.	.
lexy, Hemiplegia ...							4	6	7	5		1	.	.	.	.	.	1	.	.
rysm							1	2	1	1		.	.	.	.	.	.	.	.	.
olism, Thromb. (not ebral)							.	1	.	.		.	.	.	.	.	.	.	.	.
t and Blood Vessel Dis.							13	10	11	14		14	.	.	.	.	2	3	8	1
o (not Spasm. nor mb.)	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.
chitis	6	11	12	15	9	9	8	13	3	9	9·5	11	.	1	1	.	.	2	7	.
ma, Emphysema ...							.	.	.	1		.	.	.	.	.	.	.	.	.
risy	1	1	.	2	1	1	.	1	1	.	1·3	.	.	.	.	.	.	.	.	.
iratory Dis. (other) ...							1	3	.	.		.	.	.	.	.	.	.	.	.
illitis, Quinsy ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ritis (not Epid.) ...							.	3	4	6		1	.	1	.	.	.	.	.	.
o Enteritis	.	2	3	4	2	1	.	3	6	1	3·5	1	.	1	.	.	.	.	.	.
onitis (not Puerp.) ...	1	.	.	2	1	1	.	3	1	.	·9	2	.	.	.	.	2	.	.	.
osis of Liver ...							2	3	2	1		3	.	.	.	.	1	1	1	.
r Dis. (other) ...	6	1	1	3	2	1	2	.	.	.	2·4	.	.	.	.	.	.	.	.	.
stive Dis. (other) ...	2	6	3	3	1	2	5	9	8	7	4·6	3	.	1	.	.	.	.	2	.
ritis, Acute ...							2	.	1	.		1	.	.	.	.	.	.	1	.
ht's Dis., Albuminuria	2	3	2	6	4	3	1	6	3	.	3·5	.	.	.	.	.	.	.	.	.
ary Sys. (Other Dis.)							1	.	1	.		1	.	.	.	.	.	.	.	1
rative Organs Dis. ...	1	1	.	2	.	1	.	1	.	1	·7	.	.	.	.	.	.	.	.	.
dbirth (Accid. of) ...	.	.	.	.	.	1	1	1	.	1	·4	3	.	.	.	.	3	.	.	.
Age	6	5	3	9	7	6	3	3	2	4	4·8	2	.	.	.	.	.	.	2	.
er Diseases	10	14	10	17	10	6	6	14	6	11	10·4	6	2	4	.	.	.	.	.	.
ACCIDENT.																				
Railways	.	1	1	.	.	2	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	1	.	2	2	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
hips, Boats, Docks (exusive of Drowning) ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
uilding Operations ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
onflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	.	.	.	.	.	.	.	1	1	2	·4	.	.	.	.	.	.	.	.	.
Drowning	2	1	1	.	1	.	.	1	1	.	·7	1	.	.	.	1	.	.	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous pours	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
er Deaths by Accidents	1	.	1	2	.	.	3	1	.	1	·9	1	.	.	.	.	1	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
icide	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ide	1	.	.	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
cution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted,
ple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1906—Week ending																									
	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.
No. of weeks in Annual Series.	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
Births registered,	169	252	214	189	211	230	207	181	202	199	250	285	202	195	223	167	250	210	238	189	230	199	223	235	186	226
*Average Births in corresponding week of previous 10 years,**	217	213	208	219	206	236	177	200	216	204	244	227	209	191	217	229	193	221	229	202	193	199	207	202	208	217
Deaths registered,	185	183	187	173	193	198	159	174	215	174	191	165	169	173	154	142	126	149	125	130	140	156	149	125	130	151
Annual Death-rate per 1,000,	25·5	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8
*Average Deaths in corresponding week of previous 10 years,**	221	233	221	212	211	218	201	198	189	183	183	174	171	166	157	155	150	146	140	145	146	151	153	166	169	163
Ages,— Under 5 years,	45	46	43	55	43	67	37	34	45	37	30	36	41	42	47	38	12	37	17	35	35	38	43	40	34	48
5—20 ,,	8	14	8	15	15	17	13	13	15	12	16	10	15	13	11	11	13	13	16	14	10	17	11	8	16	9
20—40 ,,	38	39	34	19	29	26	28	23	27	32	39	23	28	29	27	20	22	30	36	21	24	25	27	20	6	22
40—60 ,,	43	34	43	35	40	33	34	47	49	42	47	39	44	37	30	42	36	34	28	32	37	28	35	20	19	27
60—80 ,,	44	49	49	41	55	45	40	47	70	40	55	51	30	41	34	28	37	31	22	21	32	43	27	32	28	43
80 years and upwards,	7	7	10	8	11	10	7	10	9	11	4	6	11	11	5	3	6	4	6	7	2	5	6	5	27	2
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	1	1	3	1	.	1	.	.	2	.	.	.	.	.	1	2	2	.	2	1
Scarlet Fever	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Whooping-cough,	1	4	1	2	.	2	2	3	.	2	1	1	.	3	3	1	2	2	1	4	6	3	2	2	3	1
Diphtheria,	1	.	2	2	1	3	.	.	.	2	.	.	2	.	.	.	.	1	.	.	.	1	.	.	2	.
Pyrexia † (origin uncertain),	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Enteric Fever,	1	1	.	3	.	3	.	1	2	1	1	3	.	.	.	.	1	.	2	.	1	1	.	1	1	.
Diarrhœal Diseases,	2	1	3	3	5	2	1	1	1	4	.	3	1	3	2	1	4	.	2	.	3	3	10	11	10	29
Pneumonia,	13	16	18	10	13	10	8	22	26	17	21	18	13	13	10	6	6	13	4	4	9	12	13	4	5	4
Tuberculous Phthisis,	29	32	30	23	32	25	23	27	18	22	36	18	16	22	20	17	17	29	21	26	21	23	19	21	13	21
Disease. Other Forms,	12	18	9	12	11	15	15	8	11	10	15	10	16	7	8	13	12	11	9	11	7	11	13	4	7	9
Cancer, Malignant Disease,	13	6	6	6	11	4	4	9	13	10	6	5	15	8	10	6	8	6	12	7	4	14	9	8	4	12
Diseases of Heart and Blood Vessels,	21	25	31	29	31	33	27	29	45	27	22	22	28	30	15	29	26	21	14	15	26	27	19	19	17	20
Diseases of Respiratory System,	32	28	28	21	34	27	23	29	43	23	36	31	15	26	15	10	11	17	5	21	10	11	13	14	10	11
Violent Deaths,	4	10	1	2	4	5	2	3	4	2	3	1	4	5	2	3	3	4	3	4	2	3	4	2	3	2
Number of Uncertified Deaths,	8	4	6	7	6	12	9	7	6	5	5	3	7	7	11	3	3	9	4	3	2	5	4	3	5	1
Mean Temperature of the Air (Phœnix Park),	36·3	40·6	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9
Average Mean Temperature in correspondin week of previous 10 years	40·6	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1
Rainfall in inches,	·625	·545	·758	·430	·185	·045	·185	·055	·180	·810	·650	·455	·640	·810	·450	·005	·280	·790	·450	·390	·235	·885	·220	·452	·320	·415
Mean Humidity of the Air, complete Saturation, 1·0.	·87	·89	·87	·85	·80	·81	·80	·88	·81	·88	·85	·88	·83	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·83	·79

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever."

TABLE VI.—SHOWING IN FIVE GENERAL CLASSES AND EIGHTEEN GROUPS THE OCCUPATIONS OF SOCIAL POSITION OF THE PERSONS WHOSE DEATHS WERE REGISTERED in the Dublin Registration Area during the Week ending Saturday, 18th August, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH AUGUST, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,850	21·0	151	48	9	22	27	43	2	.	1	.	.	1	.	1	.	29	32	4	21	9	12	3	11	2	57	1
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	17·9	6	1	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	2	.
II.	MIDDLE CLASS,	87,188	15·5	26	8	2	1	4	10	1	.	.	.	.	1	.	.	.	4	5	.	1	3	1	.	1	1	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	19·8	42	13	4	8	10	7	.	.	.	.	.	.	.	1	.	8	9	2	11	2	4	.	2	.	13	1
IV.	GENERAL SERVICE CLASS,	154,279	25·0	47	22	3	7	8	7	.	.	1	.	.	.	.	.	.	14	15	2	3	2	2	2	2	1	18	.
V.	INMATES OF WORKHOUSES,	6,024		30	4	.	5	5	15	1	.	.	.	.	.	.	.	.	3	3	.	6	1	3	.	6	.	11	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	23·4	5	1	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.
	2. Merchants and Manufacturers, Higher Class.	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	11·8	5	2	1	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	1	2	.
	6. Clerks and Commercial Assistants,	30,432	12·0	7	3	1	.	2	1	.	.	.	.	.	1	.	.	.	2	3	.	.	2	.	.	1	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	23·2	12	3	.	.	2	6	1	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	.	9	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	1	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	1	.	.	.
	9. Building and Furnishing Trades,	29,801	21·0	12	4	1	.	3	4	.	.	.	.	.	.	.	1	.	3	4	1	.	.	1	.	.	.	6	1
	10. Clothing Trades,	23,260	17·9	8	2	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.	.	.	1	.	1	.
	11. Food Supply Trades,	9,242	11·3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	20·6	12	2	2	6	.	2	.	.	.	.	.	.	.	.	.	1	1	.	4	1	1	.	.	.	5	.
	13. Petty Shopkeepers,	7,894	19·8	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	15·5	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.	1	.
	15. Domestic Servants,	36,603	1·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,990	21·7	6	5	.	.	1	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	1	1	.	.	1	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	20·9	36	15	3	6	6	6	.	.	1	.	.	.	.	.	.	10	11	2	3	1	.	.	1	1	16	.
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	30	4	.	5	5	15	1	.	.	.	.	.	.	.	.	3	3	.	6	1	3	.	6	.	11	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all causes.	From diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	June 30,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	July 7,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	.	2	1	1	4	1	.
	„ 14,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.
	„ 21,	23·9	1·8	13	.	.	.	.	1	.	.	.	.	1	2	1	.	1	.	2
	„ 28,	15·4	3·7	10	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.
	Aug. 4,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	„ 11,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	.	2	.	1	1	1	.
	„ 18,	14·7	9·2	8	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	June 30,	18·6	.	14	.	.	.	.	.	.	.	.	.	.	3	2	1	1	.	.
	July 7,	22·6	2·7	17	.	.	.	.	2	.	.	.	.	1	5	.	2	5	.	.
	„ 14,	25·3	5·3	19	.	.	.	.	2	.	.	1	1	1	6	.	.	3	.	.
	„ 21,	28·0	2·7	21	.	.	.	.	1	.	.	.	1	1	4	3	.	.	.	2
	„ 28,	32·0	6·7	24	.	.	1	.	1	.	.	.	3	1	2	3	1	2	.	1
	Aug. 4,	22·6	5·3	17	.	.	.	.	.	.	.	.	4	.	2	1	1	4	.	.
	„ 11,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	1	.	2	.	3	.	1
	„ 18,	21·3	9·3	16	.	.	.	.	.	.	.	.	7	.	.	2	.	2	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	June 30,	17·3	3·5	10	.	.	.	.	1	.	.	.	1	.	.	.	2	.	.	.
	July 7,	26·0	.	15	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
	„ 14,	27·7	6·9	16	.	.	.	1	3	.	.	.	.	.	5	1	.	1	.	.
	„ 21,	20·8	1·7	12	.	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.
	„ 28,	39·8	5·2	23	.	.	1	.	.	.	.	.	2	3	2	2	1	1	.	.
	Aug. 4,	17·3	5·2	10	.	.	.	.	1	.	.	.	2	1	.	.	.	.	1	.
	„ 11,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
	„ 18,	17·3	8·7	10	.	.	.	.	.	.	.	.	5	2	1	.	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	June 30,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.
	July 7,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.
	„ 14,	18·1	.	11	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
	„ 21,	16·5	.	10	.	.	.	.	.	.	.	.	.	1	3	1	2	1	1	.
	„ 28,	14·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	2	1	1	.
	Aug. 4,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	1	5	3	1	2	.	2
	„ 11,	21·4	6·6	13	.	1	.	.	.	1	.	.	2	1	1	1	.	.	.	.
	„ 18,	21·4	8·3	13	.	.	.	.	.	.	.	.	2	1	.	.	1	3	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	June	12·2	1·4	9	.	.	.	.	.	.	.	1	.	.	3	1	1	1	.	.
	July 7,	21·7	.	16	.	.	.	.	.	.	.	.	.	2	1	3	1	3	.	.
	„ 14,	29·9	.	22	.	.	.	.	.	.	.	.	.	2	6	2	.	2	.	.
	„ 21,	25·8	2·7	19	.	.	.	.	.	1	.	1	.	2	3	3	2	4	.	.
	„ 28,	23·1	1·4	17	.	.	.	.	1	.	.	.	.	2	2	2	.	4	1	1
	Aug. 4,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	4	.	.	3	.	.
	„ 11,	23·1	5·4	17	.	.	.	.	2	1	.	.	1	.	1	.	.	1	2	1
	„ 18,	29·9	4·1	22	.	.	.	.	1	.	.	.	2	.	5	1	1	6	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	June 30,	5·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	July 7,	8·6	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	„ 14,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 21,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
	„ 28,	17·1	2·9	6	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	Aug. 4,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.
	„ 11,	17·1	2·9	6	.	.	.	.	.	.	1	.	.	.	3	1	.	1	.	.
	„ 18,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	.	4	1	2	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	June 30,	21·1	.	17	.	.	.	.	.	.	.	.	.	1	4	1	1	.	1	.
	July 7,	21·1	.	17	.	.	.	.	.	.	.	.	.	.	5	2	.	1	1	.
	„ 14,	28·6	1·2	23	.	.	.	.	.	.	.	.	1	1	.	2	2	1	.	1
	„ 21,	14·9	1·2	12	.	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.
	„ 28,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	3	3	.	2	.	1
	Aug. 4,	17·4	1·2	14	.	.	.	.	.	.	.	.	1	.	1	.	1	2	.	.
	„ 11,	26·1	6·2	21	.	1	.	.	.	.	.	.	4	1	2	1	.	2	.	1
	„ 18,	22·4	1·2	18	.	.	.	.	.	.	.	.	1	.	4	1	1	.	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	June 30,	20·8	1·5	14	.	.	.	.	.	.	.	1	.	.	.	1	.	1	2	2
	July 7,	11·9	1·5	8	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	1
	„ 14,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.
	„ 21,	10·4	1·5	7	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.	.
	„ 28,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
	Aug. 4,	10·4	3·0	7	.	.	.	.	1	.	.	.	1	.	1	.	1	.	1	.
	„ 11,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	„ 18,	16·3	4·5	11	.	.	.	.	.	.	.	.	3	.	2	1	1	.	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer. Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,208.	June 30,	17·8	1·6	11	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	.
	July 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	„ 14,	7·9	3·1	5	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	.	1	.	3	.	.	.
	„ 28,	11·0	1·6	7	.	1	.	.	.	.	.	.	.	1	.	1	2	.	.	.
	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 11,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 18,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	June 30,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.
	July 7,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	„ 14,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.
	„ 28,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	Aug. 4,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 11,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 18,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	June 30,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	1
	July 7,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	„ 14,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	32·5	.	11	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.
	„ 28,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.
	Aug. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	„ 11,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 18,	14·8	3·0	5	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1906 (Est.) 376,220.	June 30,	16·1	2·0	113	.	.	1	.	7	2	.	.	4	8	24	7	2	13	.	1
	July 7,	15·0	1·6	105	.	1	.	.	4	2	.	.	4	8	12	6	9	7	3	1
	„ 14,	16·9	2·3	119	.	.	.	.	9	.	.	1	6	7	20	15	2	7	6	2
	„ 21,	17·2	1·9	121	.	.	2	.	3	.	.	1	7	6	21	5	4	9	4	.
	„ 28,	18·1	1·4	127	.	2	.	.	1	1	.	2	4	6	26	10	4	21	.	3
	Aug. 4,	17·2	2·1	121	.	1	.	.	4	.	.	3	7	10	22	11	2	11	2	.
	„ 11,	18·1	2·4	127	.	.	.	.	2	1	.	2	12	7	25	6	4	7	4	3
	„ 18,	17·8	4·7	125	.	2	.	.	4	1	.	1	25	3	13	8	3	12	2	1
Cork. Pop. (in 1901) 76,122.	June 30,	18·5	.	27	.	.	.	.	.	.	.	.	.	.	2	4	2	4	1	1
	July 7,	13·7	1·4	20	.	.	.	.	.	1	.	.	1	1	4	.	.	1	1	2
	„ 14,	15·8	1·4	23	.	.	.	.	.	.	.	1	1	.	5	1	.	.	.	.
	„ 21,	15·8	0·7	23	.	.	.	.	1	.	.	.	.	1	2	1	3	3	.	2
	„ 28,	10·3	1·4	15	.	.	.	.	1	.	.	.	1	2	3	2	.	2	.	.
	Aug. 4,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	1	5	3	1	4	2	3
	„ 11,	16·4	1·4	24	.	.	.	.	1	.	.	.	1	.	7	1	1	1	2	.
	„ 18,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	.	7	.	.	2	1	1
Londonderry. Pop. in 1906 (Est.) 42,067.	June 30,	19·8	7·4	16	.	6	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	July 7,	8·7	3·7	7	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 14,	17·4	5·0	14	.	3	.	.	.	.	.	.	1	.	1	.	1	2	.	1
	„ 21,	26·0	8·7	21	.	5	.	.	1	.	.	.	1	.	1	4	.	1	.	.
	„ 28,	13·6	6·2	11	.	5	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	Aug. 4,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	3	4	2	1	4	1	.
	„ 11,	19·8	1·2	16	.	1	.	.	.	.	.	.	.	.	3	1	.	2	.	1
	„ 18,	14·9	1·2	12	.	.	.	.	.	.	.	.	1	1	1	1	1	3	.	.
Limerick. Pop. (in 1901) 38,151.	June 30,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	July 7,	9·6	1·4	7	.	.	.	.	.	.	.	1	.	.	1	.	1	3	.	1
	„ 14,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	4	1	.	.	.	1
	„ 21,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 28,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	2
	Aug. 4,	8·2	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 11,	19·1	.	14	.	.	.	.	.	.	.	.	.	.	3	1	1	.	.	.
	„ 18,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	1
Waterford. Pop. (in 1901) 26,769.	June 30,	11·7	1·9	6	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.
	July 7,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2
	„ 14,	7·8	1·9	4	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 21,	29·2	1·9	15	.	.	.	.	.	.	.	.	1	3	3	.	.	.	1	.
	„ 28,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	Aug. 4,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1
	„ 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.
	„ 18,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th August, 1906. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-2	Total No. of Deaths.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,734	9	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		10	1	3	2	.	4	.	.	.	.	.	.	1	.	.	2	.	1	.	.	1	.	2	1	.
Do. 2 ,,	47,959	28			14	3	1	2	.	4	4	.	.	.	.	.	.	.	.	1	.	1	.	.	3	.	1	1	.
Do. 3 ,,	47,214	30			19	5	.	4	3	2	5	.	.	.	.	.	.	.	.	3	1	3	1	1	3	.	1	3	.
Do. 4 ,,	40,911	23			15	6	2	.	4	1	2	.	1	.	.	.	.	.	1	3	1	2	1	.	.	.	.	4	.
Do. 5 ,,	17,387	10			3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
Do 6 ,,	48,122	21			17	7	3	1	2	2	2	.	1	.	.	.	.	.	.	4	.	.	.	.	1	2	3	2	1
Do 7 ,,	1,524	5			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 8 ,,	5,060	3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,,	19,569	11			3	1	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	1	.
Do. 10 ,,	28,064	13			10	5	.	2	1	2	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1	.	1	.	.
Do. 11 ,,	34,862	18			9	.	.	1	2	2	4	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	2	.
Do. 12 ,,	33,588	22			16	6	1	2	2	5	.	.	.	.	.	.	.	.	.	4	1	3	2	1	1	.	.	1	.
Do. 13 ,,	15,006	10			8	2	2	3	.	1	.	.	.	.	.	2	.	.	.	1	.	1	1	.	.	.	1	.	.
Do. 14 ,,	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	203			125	37	16	17	14	24	17	.	2	.	.	4	1	.	1	25	3	13	8	3	12	2	9	15	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT.	12,867	4	16·2	.	4	1	.	2			1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 2 ,,	10,701	15	19·5	.	4	1	.	3			.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	1
Do. 3 ,,	9,978	7	15·7	5·2	3	.	1	1			1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.
Do. 4 ,,	8,666	9	30·1	6·0	5	1	.	3			1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.		4	.
Do. 5 ,,	6,592	4	.	.	.	.	.	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 ,,	10,702	2	14·6	.	3	1	.	2			.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.
Do. 7 ,,	16,616	4	3·1	.	1	.	.	1			.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Total	76,122	45	13·7	1·4	20	4	1	12			3	.	.	.	.	.	.	.	.	2	.	7	.	.	2	1	1	7	1

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																										
	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered,	214	246	229	229	221	248	240	212	232	282	238	246	217	273	239	228	204	222	218	225	162	271	225	241	220	203
DEATHS registered,	174	166	155	191	152	201	169	166	171	152	172	161	140	151	150	136	134	131	113	105	119	121	127	121	127	125
Annual Death-rate per 1,000 of estimated Population,	24·8	23·6	22·1	27·2	21·6	23·6	24·1	23·6	24·3	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8
AGES: Under 1 year,	43	26	31	32	37	46	35	35	39	30	29	35	35	21	33	28	21	26	24	24	27	21	21	30	29	37
AGES: 1–5 years,	20	17	22	23	16	30	28	26	24	24	20	19	17	17	23	23	20	17	15	12	19	12	8	18	9	16
AGES: 5–20 years,																				11	14	10	13	9	14	17
AGES: 20–40 years,	74	85	59	84	57	89	81	75	66	67	85	66	64	84	64	53	67	72	57	18	27	24	29	15	25	14
AGES: 40–60 years,																				22	15	26	26	31	22	24
AGES: 60 years and upwards,	37	38	43	52	42	36	25	30	42	31	43	41	24	29	30	33	26	16	17	23	17	28	30	18	28	17
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2	1	.	2
Scarlet Fever,	1	1	1	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	7	9	5	9	5	21	12	13	21	18	20	12	13	8	15	16	7	14	7	4	9	3	1	4	2	4
Diphtheria,	3	2	.	1	2	1	1	.	.	.	.	.	1	1	.	1	.	.	2	2	.	.	1	.	1	1
*Pyrexia** (origin uncertain),	.	.	1	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	2	6	6	3	1	3	4	2	.	.	1	1	.	.	2	.	.	.	.	1	1	2	3	2	1
Diarrhœal Diseases,	2	1	.	1	2	1	2	.	1	2	1	.	1	5	1	5	7	2	4	4	6	7	4	7	12	25
Pneumonia,	17	13	16	23	10	18	19	19	15	16	16	10	9	14	15	15	7	7	8	8	7	6	6	10	7	3
Tuberculous Disease, Phthisis,	23	33	15	26	17	28	24	26	18	19	29	21	23	33	16	21	22	30	24	12	20	21	26	22	25	13
Tuberculous Disease, Other Forms,	7	6	10	5	6	12	11	7	8	12	10	8	11	9	11	5	9	7	7	6	15	5	10	11	6	8
Cancer, Malignant Disease,	6	5	1	6	4	10	4	3	2	4	4	3	3	3	1	5	6	4	2	9	2	4	4	2	4	3
Diseases of Respiratory System,	24	34	33	36	24	28	21	34	36	27	30	27	17	16	17	15	15	14	13	7	7	9	21	11	7	12
Violent Deaths,	4	2	6	1	.	2	7	4	3	4	4	2	4	6	1	2	1	5	.	3	6	4	.	2	4	2
Number of Uncertified Deaths,	3	5	2	4	3	3	1	1	3	5	2	2	.	4	2	2	5	.	1	1	2	.	3	.	3	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	Aug. 18,	2,550	1,584	17·5	.	21	8	15	13	4	424
EDINBURGH,	341,035	„ 18,	148	86	13·2	.	1	.	1	1	.	3
GLASGOW, . .	835,625	„ 18,	441	239*a*	14·9	.	1	1	1	7	1	18
CALCUTTA, . .	910,117	June 30,	.	408	25·0	19	1	.	2	.	78‡	61*
BOMBAY, ,	977,822	July 17,	389	848	56·8	3	6	.	.	.	98‡	157*
MADRAS, . .	509,346	June 29,	345	378	38·5	2	1	?	?	?	91	83*
PARIS, . .	2,722,731	Aug. 4,	985	873	17·1	.	6	1	1†	.	4	146
BRUSSELS (with 8 Faubourgs).	612,401	July 28,	203	173	14·7	.	5	.	1†	.	1	26
ANTWERP, . .	304,975	„ 28,	126	89	15·2	.	6	.	.	.	.	23
AMSTERDAM, .	560,482	„ 28,	295	137	12·8	.	5	.	.	3	1	15
COPENHAGEN, .	425,000	„ 28,	238	111	13·6	.	3	1	2†	4	.	17
STOCKHOLM, .	324,488	„ 21,	137	76	12·2	.	2	.	1†	.	1	10
CHRISTIANIA, .	222,373	Aug. 4,	126	59	13·4	.	.	.	1†	.	.	9
ST. PETERSBURG,	1,424,700	July 28,	599	620	22·6	.	22	4	14	5	33	123
MOSCOW, . .	1,092,360	June 30,	.	846	40·4	1	9	6	2†	3	8	390
BERLIN, .	2,061,074	July 21,	967	646	16·3	.	11	4	7†	6	3	165
HAMBURG, .	803,050	„ 21,	.	206	13·3	.	8	3	4†	4	2	33
BRESLAU, . .	475,377	Aug. 4,	.	229	25·1	.	2	.	1†	4	1	55
MUNICH, . .	540,000	„ 4,	.	209	20·1	.	1	.	2†	3	2	41
VIENNA (with suburbs).	1,937,869	„ 4,	947	630	16·9	.	8	5	7†	2	3	105
BUDA-PESTH, .	791,748	„ 4,	395	304	20·0	.	1	3	1†	3	1	50
PRAGUE and Faubourgs.	460,849	July 28,	191	134	15·1	.	1	.	.	.	1	11
TRIESTE, . .	196,637	„ 21,	119	96	25·5	.	.	.	.	.	.	11
ROME, . . .	531,179	June 23,	222	182	17·9	.	2	.	.	1	.	33
VENICE, . .	171,709	July 28,	67	84	25·5	.	2	.	.	.	.	16
NEW YORK, .	4,152,860	„ 21.	2,112	1,600	20·1	.	8	6	28†	7	20	384
PHILADELPHIA,	1,469,126	„ 14,	.	539	19·1	.	3	.	4†	11	15	127
BOSTON, . .	602,526	„ 21,	.	219	18·9	.	1	.	1	5	.	22

a. Including 2 deaths from cerebro-spinal meningitis.
* Including 28 deaths from cholera in Calcutta, 71 in Bombay, and 8 in Madras.
† Including deaths from croup.
‡ Exclusive of 23 deaths from plague in Calcutta, and 29 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th August, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 1, West,	.	.	.	.	.	.	1	1	1	.	.	.	3
" " 2,	.	1	.	.	2	.	.	1	.	.	.	.	4
" " 3,	.	.	.	.	2	.	.	2	6	.	.	.	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 2,	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 3,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	1	.	.	5	.	1	7	7	.	.	.	21

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th August, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th August.			
	July 28.	Aug. 4.	Aug. 11.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week
Small-pox,	.	.	.	.	.	.	.
Measles,	19	20	18	1	9	.	10
Scarlet Fever,	31	23	24	8	5	.	27*
Typhus,	1	1	1	.	.	.	1
Diphtheria,	16	17	19	10	6	.	23
Enteric Fever,	15	13	17	7	4	.	20
Pneumonia,	25	14	13	5	6	1	11

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 18th August, 1906:—

"Almost throughout this week the weather was unsettled, squally and showery, with much thunder and lightning in Great Britain. These unfavourable conditions were brought about by the presence of a sluggishly-moving atmospheric depression, of considerable size and depth, over Northwestern Europe. This system was found on Sunday morning off the N.W. coast of Ireland, in which region the barometer stood at that time but little over 29·5 inches. The barometer continued to fall all over the United Kingdom, and the S.W. winds of the depression brought warmth, but dampness, clouds, and showers—first to Ireland and Scotland, later to England as well. Heavy rain was reported from Wales on Monday morning. In the course of this day thunderstorms occurred in many places. The barometer continued to fall till Tuesday morning when it was down to 29·31 inches at Blacksod Point, and to 29·32 inches at Malin Head. Temperature now gave way and the wind began to draw into W. as the depression moved north-north-eastwards to Scotland. Thunder showers were prevalent on Wednesday and Thursday—on the latter day, at 1.45 p.m., a brief but sharp thunderstorm passed over the northern parts of Dublin and its suburbs. Meanwhile the depression in the N. gradually filled up as it passed out over the North Sea from the northern counties of Scotland. Rough and cold N.W. to N. winds blew on Friday, the depression of temperature becoming very marked. Saturday, however, proved fine, though the amount of cloud was large and temperature ruled low for the time of year. In Dublin the mean atmospheric pressure was 29·706 inches, the barometer falling to 29·421 inches at 9 a.m. of Monday (wind, S.S.W.), and rising to 30·197 inches at 9 p.m. of Saturday (wind, N.N.W.). The corrected mean temperature was 60·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 58·9°. On Sunday the screened thermometers rose to 73·1°, on Saturday they fell to 52·7°. The prevalent winds were at first S.S.W., afterwards N.W. Rain fell on 5 days to the amount of ·317 inch, ·165 inch being recorded on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·713 inches. The highest reading (30·187) was on Saturday at 9 p.m., air calm, and the lowest (29·428) on Monday at 9 a.m., air calm.

The mean temperature for the week was 58·9°, being 0·8° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Sunday and Monday, on which days the thermometer registered 70·2°, and was lowest on Friday, the mercury having fallen to 51·1°. The mean of the Dry Bulb for the week was 57·8°, and of the Wet Bulb 54·3°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 34·5 hours. The rainfall during the week measured 0·415 inch.

At Greenwich the mean temperature for the week was 61·5°, the maximum 81·1°, and the minimum 51·2°; at Glasgow the maximum was 69·2°, the minimum 46·6°, and the mean 58·0°; and at Edinburgh the maximum was 65·5°, the minimum 49·7°, and the mean 56·6°. The rainfall at Greenwich measured 0·33 in.; at Glasgow 1·25 ins.; and at Edinburgh 1·19 ins. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Aug. 12,	29·582	70·2	55·0	62·6	64·5	61·4	·82	·4	1·5	·055	S.W.	S.E.
Monday, „ 13,	29·460	70·2	51·8	61·0	59·9	54·4	·69	·5	9·3	—	Calm.	S.
Tuesday, „ 14,	29·469	68·3	53·4	60·9	58·6	53·7	·72	·6	8·1	·050	S.	S.W.
Wednesday, „ 15,	29·626	63·2	52·7	57·9	56·7	54·1	·84	·4	3·1	·200	W.S.W.	W.S.W.
Thursday, „ 16,	29·789	63·6	52·0	57·8	56·2	52·7	·81	·6	5·4	·070	W.S.W.	W.
Friday, „ 17,	29·924	61·7	51·1	56·4	55·5	53·5	·88	·7	3·8	·040	W.	N.W.
Saturday, „ 18,	30·142	60·2	51·4	55·8	53·5	50·1	·79	·4	3·3	—	N.W.	Calm.
Mean, . .	29·713	65·3	52·5	58·9	57·8	54·3	·79	·5	Total 34·5	Total ·415	Prevailing wind, S.W.	

Sunday—A dull day, showery at intervals; night overcast, light and heavy showers at intervals. *Monday*—A fine day, light clouds; night clear. *Tuesday*—A fine day, light clouds; night cloudy, light showers 9.45 p.m. to 10.10 p.m. and 3 a.m. to 4.40 a.m. *Wednesday*—A dull day, light and heavy showers at intervals; night overcast, showers 5.45 p.m. to 11.30 p.m. and 2.30 a.m. to 7 a.m. *Thursday*—A cloudy day, heavy showers at intervals, thunder heard, lightning not seen; night overcast. *Friday*—A dull day, heavy showers 10.15 a.m. to 12 noon; night overcast, drizzling rain 5.50 a.m. to 6.20 a.m. *Saturday*—A fine but cloudy day; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 18th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Aug. 12,	68·4	61·9	58·4	72·9	52·1	62·5	2·2	·040
Monday, „ 13,	61·2	62·0	58·4	71·7	55·0	63·4	7·9	·000
Tuesday, „ 14,	62·2	61·6	58·6	70·6	56·0	63·3	6·9	·016
Wednesday, „ 15,	62·2	61·6	58·8	65·4	54·4	59·9	4·0	·122
Thursday, „ 16,	58·6	60·5	58·7	64·4	53·1	58·8	5·0	·026
Friday, „ 17,	58·2	59·9	58·6	62·3	52·5	57·4	3·8	·056
Saturday, „ 18,	56·0	59·1	58·6	61·2	51·8	56·5	3·3	·000
Weekly Mean,	61·0	60·9	58·6	66·9	53·6	60·3	Total 33·1	Total ·260

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—14528.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 25TH AUGUST, 1906. [No. 34.

General Register Office, Charlemont House, Dublin, 27th August, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Aug. 4.	Week ending Aug. 11.	Week ending Aug. 18.	Week ending Aug. 25.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 4.	Week ending Aug. 11.	Week ending Aug. 18.	Week ending Aug. 25.	Average Rate for 4 weeks.
22 Town Dists.	**17·1**	**17·0**	**17·4**	**19·3**	**17·7**	Lisburn, . .	22·7	9·1	.	9·1	10·2
Armagh, . .	20·6	27·5	20·6	27·5	24·0	Londonderry, .	21·1	19·8	14·9	11·2	16·8
Ballymena, .	19·2	23·9	4·8	9·6	14·4	Lurgan, . .	17·7	22·1	8·9	1[illegible]·3	15·5
Belfast, . .	17·2	18·1	17·8	19·8	18·2	Newry, . .	12·6	4·2	25·2	4·2	11·6
Clonmel, . .	15·4	15·4	.	30·8	15·4	Newtownards, .	22·9	5·7	34·3	17·2	20·0
Cork, . . .	19·2	16·4	13·7	21·2	17·6	Portadown,	20·7	5·2	10·3	15·5	12·9
Drogheda, . .	8·2	16·3	4·1	20·4	12·3	Queenstown .	6·6	19·8	6·6	19·8	13·2
Dublin Reg. Area,	16·8	17·3	19·7	21·5	18·8	Sligo, . .	24·0	9·6	19·2	4·8	14·4
Dundalk, . .	19·9	16·0	16·0	8·0	15·0	Tralee, . .	.	15·9	10·6	26·4	13·2
Galway, . .	38·8	31·1	27·2	7·8	26·2	Waterford, .	19·5	7·8	11·7	19·5	14·6
Kilkenny, . .	14·7	.	19·7	24·6	14·8	Wexford, . .	9·3	14·0	23·3	28·0	18·6
Limerick, . .	8·2	19·1	17·8	13·7	14·7						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 3·1 per 1,000, the rates varying from 0·0 in twelve of the districts to 9·3 in Wexford, the 6 deaths from all causes in that district including 2 from diarrhœal diseases. Among the 139 deaths from all causes in Belfast are 2 from whooping-cough, 2 from diphtheria, and 24 from diarrhœal diseases; of the 2 deaths in Ballymena, one was from diphtheria; the 6 deaths in Clonmel include one from enteric fever; and included in the 3 deaths from all causes in Newtownards is one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 230—122 boys and 108 girls; and the deaths to 167—77 males and 90 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·0 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 21·5 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*) Table II. ‡ See columns 10–18 of Table II.

During the thirty-four weeks ending with Saturday last the death-rate averaged 22·3, and was 3·4 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The deaths registered included those of 27 persons from diarrhœal diseases, 23 of whom were children under 5 years of age; the deaths of 8 children under 5 were attributed to *gastro-enteritis.* In each of the 3 weeks preceding, deaths from diarrhœal diseases were 11, 10, and 29. The mean of the daily readings of the earth thermometer at 4 feet was 58·4°. There was not one death from any of the other principal epidemic diseases.

There was one death from influenza

Lobar pneumonia caused one death, broncho-pneumonia caused 3 deaths, and *pneumonia* (not defined) 4 deaths.

There were 29 deaths from all forms of tuberculous disease, including 6 deaths from tuberculous phthisis, 15 from *phthisis*, 2 deaths from tuberculous meningitis, and 6 deaths from other forms of the disease. In each of the 3 preceding weeks, deaths from all forms of tuberculous disease numbered 25, 25, and 30.

There were 7 deaths from carcinoma and 4 from cancer (undefined).

The death of one infant, prematurely born, was registered.

The deaths from diseases of the brain and nervous system include 6 deaths from *convulsions*, 4 of the latter being deaths of infants under one year of age.

Diseases of the heart and blood vessels caused 12 deaths, and there were 9 deaths from bronchitis.

Of 8 deaths from violence, 7 were due to accidental causes; one of the latter was the result of coup de soleil.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases were both of children under one year of age.

Sixty-three of the persons whose deaths were registered during the week were under 5 years of age (48 being infants under one year, of whom 6 were under one month old) and 35 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a woman) was stated to have been aged 94 years.

Sixty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·5 per 1,000: the rate in the City was 21·9 (North City Districts, 22·5; South, 21·2), and in the Suburbs, 20·1 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·7 per 1,000 inhabitants, the rate for the City being 4·3 (5·8 in the North City Districts, and 2·6 in the South) and for the Suburbs, 1·8 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 20·2 per 1,000, and include one death from *diarrhœa* and 3 deaths from tuberculous disease.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. The deaths include 2 from *diarrhœa*, one from *pneumonia* (not defined), 4 from tuberculous disease, and 2 deaths from violence.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000. Diarrhœal diseases caused 7 deaths, tuberculous phthisis caused one death, and one death was due to an accident.

No. 3 North City District (Benburb-street).—The deaths (16) represent an annual rate of 26·3 per 1,000. There were 7 deaths from diarrhœal diseases, 2 deaths from *phthisis*, and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 10·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 15·6. Of the 2 deaths from all causes for Coolock and Drumcondra, No. 1, part of, one was due to *phthisis.*

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 28·5 per 1,000. There were 2 deaths from epidemic enteritis, 6 deaths from tuberculous disease, 5 deaths from bronchitis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 20·0 per 1,000. The deaths include 2 from diarrhœal diseases, and one death from *phthisis.*

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·6 per 1,000. There was one death from epidemic enteritis, one death from broncho-pneumonia, one death from *pneumonia* (not defined), 3 deaths from tuberculous disease, one death from bronchitis, and one accidental death.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000. Included in the deaths were 2 from epidemic enteritis, one from *phthisis*, one from bronchitis, and one accidental death.

New Kilmainham District.—There was but one death (representing an annual rate of 5·9 per 1,000) registered for this district during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·0; Pembroke, 20·0; Blackrock, 17·9; and Kingstown, 17·8. The deaths from the principal epidemic diseases tabulated for these districts include one from *diarrhœa* for Rathmines and Rathgar, and 2 from epidemic diarrhœa for Pembroke. The 14 deaths from all causes for Rathmines and Rathgar include one from *pneumonia* (not defined), 2 from *phthisis*, and one from bronchitis. The 10 deaths from all causes for Pembroke include one each from croupous pneumonia, tuberculous phthisis and *phthisis*, and one accidental death, and the 6 deaths from all causes for Kingstown include one from broncho-pneumonia and one from *pneumonia* (not defined).

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Executive Sanitary Officer for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 25th August, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Aug. 4,	.	—	—	6	1	.	6	.	2	7	8	.	—	—	—	—	—	30
	Aug. 11,	.	—	—	3	.	.	5	.	2	5	11	1	—	—	—	—	—	27
	Aug. 18,	.	—	—	1	.	.	5	.	1	7	7	.	—	—	—	—	—	21
	Aug. 25,	.	—	—	4	.	.	4	.	1	10	7	.	—	—	—	—	—	26
Rathmines and Rathgar Urban District.	Aug. 4,	.	—	—	.	.	.	1	.	.	2	2	.	—	—	—	—	—	5
	Aug. 11,	.	—	—	.	.	.	1	.	.	1	1	.	—	—	—	—	—	3
	Aug. 18,	.	—	—	1	.	.	.	.	1	.	.	.	—	—	—	—	—	2
	Aug. 25,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
Pembroke Urban District.	Aug. 4,	.	.	.	.	.	.	1	.	.	.	1	.	—	.	.	—	—	2
	Aug. 11,	.	.	.	2	.	.	2	.	.	.	.	.	—	1	.	—	—	5
	Aug. 18,	.	.	.	.	.	.	.	.	1	.	.	.	—	4	.	—	—	5
	Aug. 25,	.	.	.	1	.	.	.	.	1	.	2	.	—	.	.	—	—	4
Blackrock Urban District.	Aug. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 11,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Aug 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Aug. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 11,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	2
	Aug. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Aug. 4,	.	—	—	11	.	.	1	.	3	9	1	.	—	—	—	—	—	25
	Aug. 11,	.	—	—	18	.	.	5	1	3	5	.	.	—	—	—	—	—	32
	Aug. 18,	.	—	—	17	.	.	2	2	6	17	8	.	—	—	—	—	—	52
	Aug. 25,	.	—	—	19	.	.	4	.	11	8	9	.	—	—	—	—	—	51

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th August, 1906.

From this it appears that:—

Five cases of measles were discharged from hospital during the week, and 5 cases remained under treatment at its close.

Seven cases of scarlet fever were admitted to hospital, 4 were discharged, and 30* cases remained under treatment at the close of the week.

One case of typhus remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 3 were discharged, and 23 patients remained under treatment at the close of the week.

Seven cases of enteric fever were admitted to hospital, and 27 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 4 were discharged, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·3), was equal to an average annual death-rate of 18·4 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 13·8 per 1,000, the rate for Glasgow being 14·4, and for Edinburgh 12·2.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th August. From this Return it appears that of a total of 29 cases notified 13 were scarlet fever, 6 enteric fever, 5 diphtheria, and 5 erysipelas. Among the 228 cases of infectious diseases in hospital at the close of the week were 101 cases of scarlet fever, 27 of diphtheria, 23 of enteric fever, 19 of measles, 9 of whooping-cough, and 6 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 25th August, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 25th August, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 25th August, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th August, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th August, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
TOTAL OF 22 TOWN DISTRICTS,	1,101,499	19·3	28·4	19·3	8·1	600	408	110	79	.	.	.	.	3	3	.	1	58	17	58	18	14	24	11	13	110	10	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—TOTAL, d.	378,994	27·5	31·6	21·5	8·7	280	156	48	33	.	.	.	.	.	.	.	.	27	8	18	7	9	10	8	6	49	2	f73·9	48·9	61·8	0·70	f70·2	51·1	58·9	0·42	f73·6	49·7	61·3	0·82
CITY OF DUBLIN.	298,385	37·1	36·1	21·9	4·3	203	123	43	23	.	.	.	.	.	.	.	.	24	4	14	7	6	9	7	.	42	2	g75·9 / h75·5	49·1 / 45·0	63·8 / 62·2	0·52 / 0·81	g73·1 / h71·9	52·7 / 51·0	60·5 / 59·9	0·32 / 0·52	g74·0 / h74·9	52·3 / 50·0	62·7 / 61·1	0·47 / 0·88
Urban Dists. RATHMINES AND RATHGAR.	33,203	19·4	15·7	22·0	1·5	10	14	2	5	.	.	.	.	.	.	.	.	1	1	2	.	2	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE	26,025	16·4	28·0	20·0	4·0	14	10	2	2	.	.	.	.	.	.	.	.	2	1	2	.	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK	8,759	8·1	17·9	17·9	.	3	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	.	17·8	.	.	6	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	76	47·5	64·3	0·44	71	52	60·3	0·34	70	50	61·8	0·37
URBAN DISTRICTS.																																							
BELFAST,	366,220	24·9	29·0	19·8	4·0	204	139	43	23	.	.	.	.	2	2	.	.	24	5	21	6	2	7	3	4	18	2	71·5	48·0	60·5	1·49	68·0	50·0	58·8	1·12	72·8	47·5	60·6	1·08
CORK,	76,122	33·6	25·3	21·2	1·4	37	31	7	6	.	.	.	.	.	.	.	.	2	1	8	2	.	.	.	.	16	1	69	48	59·7	0·79	64	50	57·6	0·49	69	50	59·0	0·80
LONDONDERRY,	49,037	19·4	31·0	11·2	.	25	9	1	4	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	17·8	18·7	.	13	10	1	1	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	19·5	19·5	1·9	10	10	3	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	15·5	7·8	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	74	52	59	0·78	64	52	60	0·50	72	50	63	0·44
DUNDALK,	18,076	3·4	12·0	8·0	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	45·0	20·4	.	11	5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	16·8	4·2	4·2	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	69·1	48·0	60·3	1·00	70·0	49·8	58·1	0·74	74·2	49·8	60·6	0·78
LURGAN,	11,782	13·8	8·9	13·8	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	69·1	48·0	60·3	1·00	70·0	49·8	58·1	0·74	74·2	49·8	60·6	0·78
LISBURN,	11,461	10·1	50·0	9·1	.	11	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	69·1	48·0	60·3	1·00	70·0	49·8	58·1	0·74	74·2	49·8	60·6	0·78
WEXFORD,	11,168	23·2	28·0	28·0	9·3	6	6	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	18·7	9·6	4·8	6	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	8·7	24·0	4·8	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	69·5	47·5	59·6	1·43	69·8	44·8	56·5	1·23	72·9	47·2	60·0	1·19
KILKENNY,	10,609	11·5	14·7	24·6	4·9	3	5	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.	75	47	62·1	0·71	68	40	55·6	0·46	74	49	61·3	0·20
CLONMEL,	10,167	7·8	15·4	30·8	5·1	3	6	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,099	13·2	36·2	15·5	.	7	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	69·1	48·0	60·3	1·00	70·0	49·8	58·1	0·74	74·2	49·8	60·6	0·78
TRALEE,	9,867	16·6	21·1	26·4	.	4	5	.	3	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	17·2	17·2	5·7	3	3	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	72	48	59·1	1·44	67	51	57·4	1·10	70	50	58·3	0·69
QUEENSTOWN,	7,909	14·4	32·7	19·8	.	8	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	69	48	59·7	0·79	64	51	57·6	0·49	69	50	59·0	0·80
ARMAGH,	7,588	22·2	6·9	27·5	.	1	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	69·1	48·0	60·3	1·00	70·0	49·8	58·1	0·74	74·2	49·8	60·6	0·78

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 11 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted [illegible] f Observations at Ordnance Survey Office, Phœnix Park. g Observations at [illegible]

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 25th of August, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	1	2	7	7	.	.	.	2	2	1	2	.	1	2	.	.	27	.
Pneumonia,	.	1	.	.	.	.	.	.	.	2	1	.	1	1	.	2	8	.
Tuberculous Disease. Phthisis,	1	3	1	2	.	1	.	4	1	1	.	.	2	2	.	.	18	3
Tuberculous Disease. Other Forms.	2	1	.	.	.	.	.	2	.	2	.	.	.	.	.	.	7	1
Cancer, Malignant Disease,	.	3	.	.	.	.	.	.	2	.	1	.	2	1	.	.	9	2
Other General Diseases	1	1	.	2	.	.	.	1	.	.	1	.	.	.	.	.	6	.
Total,	5	11	8	11	.	1	.	9	5	6	5	.	6	6	.	2	75	6
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	1	2	1	.	.	.	1	.	3	1	1	2	1	.	2	16	3
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels.	2	.	1	.	.	.	.	3	.	1	.	.	2	1	1	1	12	.
Diseases of: Respiratory System,	.	1	.	1	.	.	.	5	.	1	1	.	1	.	.	.	10	.
Diseases of: Digestive System,	1	2	2	2	.	.	.	.	1	3	4	.	2	.	1	1	19	1
Diseases of: Lymphatic System, &c.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of: Urinary System,	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Diseases of: Generative System,	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.
Accidents of Childbirth,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	6	5	4	.	1	1	9	1	8	6	1	7	3	2	4	64	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	1	1	.	.	.	2	1	.	2	.	1	.	1	.	9	1
E. VIOLENT DEATHS,	.	2	1	.	.	.	1	1	.	1	1	.	.	1	.	.	8	.
Deaths from all Causes,	11	19	15	16	.	2	2	21	7	15	14	1	14	10	3	6	156	11
Annual Rate of Mortality from all causes in every 1,000 of the population	20·2	25·3	26·0	26·3	.	10·4	15·6	28·5	20·0	18·6	20·3	5·9	22·0	20·0	17·9	17·8	21·5	.
	22·5							21·2					20·1					
	21·9																	
Ages at Death. Under 1 year,	2	4	7	9	.	.	.	6	2	5	7	1	2	2	1	.	48	.
1 and under 5 years,	.	.	4	2	.	.	.	2	1	1	2	.	.	1	.	2	15	.
5 ,, 20 ,,	2	.	.	1	.	.	.	2	.	1	.	.	1	.	.	1	8	2
20 ,, 40 ,,		4	1	2	.	2	.	5	1	2	1	.	2	3	.	.	26	4
40 ,, 60 ,,	3	7	2	1	.	.	1	2	1	3	1	.	4	3	.	2	29	3
60 and upwards,	4	4	1	1	.	.	1	4	2	3	3	.	5	2	2	1	33	2
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	5	1	2	.	1	.	2	1	4	1	.	4	2	.	.	23	10
Workhouse Hospitals,	4	2	4	4	.	.	.	5	.	4	2	.	1	.	.	.	26	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regist
week of the ten years, 18

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 34th Week of the 10 years 1896-1905.	In the Week ending Satur 25th August, 1906.					
												Deaths of Persons of the A					
												ALL AGES.	0 to 5.				
	Aug. 22, 1896.	Aug. 28, 1897.	Aug. 27, 1898.	Aug. 26, 1899.	Aug. 25 1900.	Aug. 24, 1901.	Aug. 23, 1902.	Aug. 29, 1903.	Aug. 27, 1904.	Aug. 26, 1905.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 56·0	° 57·5	° 58·5	° 61·7	° 56·8	° 56·4	° 59·3	° 54·5	° 54·6	° 54·7	° 57·0	° 61·8					
ALL CAUSES.	167	154	150	207	185	179	146	176	178	153	169·5	167	6	42	15	10	27
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	.	.	18	.	.	16	.	7	1	4·2	.	.	.	.	.	.
Scarlet Fever, ...	1	2	.	2	.	1	.	.	1	.	·7	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	1	3	1	1	.	1	.	.	1·0	1	.	.	.	.	.
Whooping-cough, ...	2	.	.	1	5	1	2	3	4	.	1·8	.	.	.	.	.	.
Diphtheria, ...	.	2	2	.	1	.	.	2	1	1	·9	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.
Enteric Fever, ...	4	3	3	6	2	.	2	3	1	2	2·6	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	22	35	26	42	25	33	1	3	21	10	25·5	11	1	9	.	.	.
Diarrhœa, Dysentery,							2	6	14	15		16	.	9	4	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	2	1	5	1	1	2	4	.	1·6	2	.	2	.	.	.
Puerperal Septicæmia,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.	.
Puerperal Fever, ...							.	.	.	.		.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Pneumonia, Lobar,							.	.	.	.	6·5	1	.	.	.	.	1
Pneumonia, Broncho-							2	3	1	3		3	1	1	.	1	.
Pneumonia, Epidemic,							.	.	1	.		.	.	.	.	.	.
Pneumonia, Not defined,	5	2	4	13	6	7	8	2	2	6		4	.	1	.	.	2
Erysipelas, ...	1	.	.	.	.	2	1	.	.	.	·4	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	1	.	1	.	1	.	.	2	.	·5	.	.	.	.	.	.
Pyæmia (not Puerperal),							.	.	.	.		.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.
Tuberculous Phthisis,	17	21	19	19	25	30	3	3	3	3	20·9	6	.	.	.	1	5
"*Phthisis*," ...							18	25	16	7		15	.	.	.	2	9
Tuberculous Meningitis, ...	3	3	3	4	2	.	5	4	1	2	2·7	2	.	1	.	.	1
Tuberculous Peritonitis,	5	6	8	3	9	6	1	.	.	.	4·0	.	.	.	.	.	.
Tabes Mesenterica, ...							.	1	.	1		.	.	.	.	.	.
Tuberculous Dis. (other),	4	5	4	1	7	5	4	7	7	7	5·1	6	.	.	1	2	1
Scrofula, ...							.	.	.	.		.	.	.	.	.	.
Alcoholism, ...	1	1	4	1	1	.	.	.	.	1	·9	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	1	.	.	1	1	·3	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma, ...	3	4	3	9	10	7	3	.	4	6	6·7	7	.	.	.	.	1
Sarcoma, ...							.	.	.	.		.	.	.	.	.	.
Cancer (undefined),							2	5	6	5		4	.	.	.	.	2
Diabetes Mellitus, ..	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.
Premature Birth, ...	5	2	4	1	3	4	3	4	6	3	3·5	1	1	.	.	.	.

* The figures for the years 1896-1900 a
† Formerly descril

RTY-FOURTH WEEK ending Saturday, 25th August, 1906, with the deaths from each cause in the corresponding average for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Aug. 22, 1896.	Aug. 28, 1897.	Aug. 27, 1898.	Aug. 26, 1899.	Aug. 25, 1900.	Aug. 24, 1901.	Aug. 23, 1902.	Aug. 29, 1903.	Aug. 27, 1904.	Aug. 26, 1905.	Averages in 34th Week of the 10 years 1896–1905.	In the Week ending Saturday, 25th August, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
an Temperature.	° 56·0	° 57·5	° 58·5	° 61·7	° 56·8	° 56·4	° 59·3	° 54·5	° 54·6	° 54·7	° 57·0	° 61·8								
gitis (not tuberc.) ...							3	1	4	2		3	.	1	1	1	.	.	.	.
cy, G. P. of Insane ...							1	2	.	2		1	.	.	.	.	1	.	.	.
osy ...							.	4	.	.		2	.	.	.	1	.	1	.	.
sions ...							13	7	7	4		6	1	3	1	1	.	.	.	.
otor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
egia Dis. of Cord ...							.	1	.	2		2	.	.	.	.	1	1	.	.
us System (other							2	3	.	3		5	.	.	.	.	1	3	1	.
	36	25	22	23	37	32			.		31·1									
Dis., Endocarditis ...							3	6	2	4		1	.	.	.	.	1	.	.	.
r. Hæm. Thromb. ...							.	.	2	2		3	.	.	.	.	.	3	.	.
xy, Hemiplegia ...							4	5	1	4		2	.	.	.	.	1	.	.	1
ysm ...							.	.	.	.		.	.	.	.	.	.	.	.	.
ism, Thromb. (not							.	.	.	1		.	.	.	.	.	.	.	.	.
bral)																				
and Blood Vessel Dis.							10	6	14	11		6	.	.	.	.	3	3	.	.
(not Spasm. nor	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ab.)																				
chitis ...	8	9	9	10	8	4	7	10	11	10	8·6	9	.	1	1	.	1	3	3	.
a, Emphysema ...							.	.	.	2		.	.	.	.	.	.	.	.	.
sy ...	3	2	1	.	.	.	.	.	2	1	1·7	.	.	.	.	.	.	.	.	.
atory Dis. (other) ...							1	2	3	.		1	.	.	.	.	.	1	.	.
litis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
tis (not Epid.) ...		1	4	2	2	1	.	3	2	2	2·4	2	.	1	1	.	.	.	.	.
Enteritis ...	.						.	3	3	1		8	1	5	2	.	.	.	.	.
itis (not Puerp.) ...	1	1	.	1	1	1	.	2	2	1	1·0	.	.	.	.	.	.	.	.	.
sis of Liver ...							2	1	1	1		1	.	.	.	.	.	1	.	.
Dis. (other) ...	1	2	3	1	4	.	1	4	.	1	2·2	1	.	.	.	.	1	.	.	.
ive Dis. (other) ...	4	5	2	2	2	6	2	6	7	5	4·1	8	.	3	2	1	.	2	.	.
itis, Acute ...							3	1	.	.		.	.	.	.	.	.	.	.	.
's Dis., Albuminuria	3	4	2	5	4	7	3	3	2	3	4·3	3	.	.	.	.	1	1	1	.
ry Sys. (Other Dis.)							2	1	.	.		.	.	.	.	.	.	.	.	.
ative Organs Dis. ...	.	1	.	.	2	.	.	1	1	.	·5	2	.	.	.	.	2	.	.	.
birth (Accid. of) ...	.	1	.	1	.	.	.	1	.	.	·3	1	.	.	.	.	.	1	.	.
ge ...	11	3	5	12	3	9	3	4	1	.	5·1	4	.	.	.	.	.	.	1	3
Diseases ...	20	9	15	16	9	16	6	16	7	8	12·2	9	1	4	2	.	1	.	1	.
ACCIDENT.																				
ilways ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
hicles and Horses ...	.	.	1	4	1	.	1	.	1	2	1·0	1	.	.	.	1	.	.	.	.
ps, Boats, Docks (ex-	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ive of Drowning) ...																				
ilding Operations ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
nflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rns, Scalds, Explosions	1	1	.	.	.	.	1	1	.	3	·7	.	.	.	.	.	.	.	.	.
owning ...	1	1	.	3	2	1	1	.	.	.	·9	.	.	.	.	.	.	.	.	.
ffocation in Bed ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
oison or Poisonous	.	.	.	.	1	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
ours																				
Deaths by Accidents	.	1	2	1	5	2	1	4	1	1	1·8	6	.	1	.	.	1	1	1	2
ENCE OTHER THAN ACCIDENTAL.																				
cide ...	1	.	1	.	.	.	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
le ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ation ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

istration Area as then constituted.
o Continued Fever."

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																									
	Mar. 8.	Mar. 10.	Mar. 17.	Mar. 24	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25
No. of weeks in Annual Series.	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered.	252	214	189	211	280	207	181	202	199	250	283	202	195	228	167	250	210	238	189	230	199	224	285	186	226	230
*Average Births in corresponding week of previous 10 years,**	213	208	219	206	236	177	200	216	204	244	227	209	191	217	229	193	221	229	202	193	199	207	202	208	217	195
DEATHS registered.	183	187	178	193	198	169	174	218	174	191	165	169	178	154	142	126	149	125	180	140	156	149	125	180	151	167
Annual Death-rate per 1,000.	25·2	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0
*Average Deaths in corresponding week of previous 10 years,**	233	221	212	211	218	201	198	189	183	183	174	171	166	157	155	150	146	140	145	146	151	153	166	169	163	170
AGES,— Under 5 years.	46	43	55	48	67	37	34	45	37	30	36	41	42	47	38	12	37	17	35	35	38	48	40	34	48	63
5—20 "	14	8	15	15	17	18	13	15	12	16	10	15	13	11	11	18	13	16	14	10	17	11	8	16	9	10
20—40 "	39	34	19	29	26	28	23	27	32	39	23	28	29	27	20	22	30	36	21	24	25	27	20	6	22	27
40—60 "	34	43	35	40	33	34	47	49	42	47	39	44	37	30	42	36	34	28	32	37	23	35	20	19	27	32
60—80 "	49	49	41	55	43	40	47	70	40	55	51	30	41	34	28	37	31	29	21	32	43	27	32	28	43	28
80 years and upwards.	7	10	8	11	10	7	10	9	11	4	6	11	11	5	3	6	4	6	7	2	5	6	5	27	2	7
Deaths from :—																										
Small-pox.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles.	.	.	.	.	.	1	1	3	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	2	1	.
Typhus.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Whooping-cough.	4	1	2	.	2	2	3	.	2	1	1	.	3	3	1	2	2	1	4	6	3	2	2	3	1	.
Diphtheria.	.	2	2	1	3	.	.	.	2	.	.	2	.	.	.	.	1	.	.	.	1	.	.	2	.	.
Pyrexia † (origin uncertain).	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Enteric Fever.	1	.	3	.	3	.	1	2	1	1	3	.	.	.	.	1	.	2	.	1	1	.	1	1	.	.
Diarrhœal Diseases.	1	3	3	5	2	1	1	1	4	.	3	1	3	2	1	4	.	2	.	3	3	10	11	10	29	27
Pneumonia.	16	18	10	13	10	8	22	28	17	21	18	13	13	10	6	6	13	4	4	9	12	13	4	5	4	8
Tuberculous Disease. Phthisis,	32	30	28	32	25	28	27	18	22	36	18	16	22	20	17	17	29	21	26	21	23	19	21	18	21	21
Other Forms,	18	9	12	11	15	15	8	11	10	15	10	16	7	8	14	12	11	9	11	7	11	13	4	7	9	8
Cancer, Malignant Disease.	6	6	6	11	4	4	9	13	10	6	5	15	8	10	6	8	6	12	7	4	14	9	8	4	12	11
Diseases of Heart and Blood Vessels.	25	31	29	31	33	27	29	45	27	22	22	28	30	15	29	26	21	14	15	26	27	19	19	17	20	12
Diseases of Respiratory System.	28	28	21	34	27	23	29	43	23	36	21	15	6	15	10	11	17	5	21	10	11	13	14	10	11	10
Violent Deaths.	10	1	2	4	5	2	3	4	2	3	1	4	5	2	3	3	4	3	4	2	3	4	2	3	2	8
Number of Uncertified Deaths.	4	6	7	6	12	9	7	6	5	5	3	7	7	11	3	3	9	4	3	2	5	4	3	5	1	2
Mean Temperature of the Air (Phœnix Park).	40·6	46·3	48·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	53·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8
Average Mean Temperature in corresponding week of previous 10 years.	40·7	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0
Rainfall in inches.	·545	·758	·430	·185	·045	·185	·055	·130	·810	·650	·455	·640	·810	·450	·005	·280	·790	·450	·390	·235	·385	·230	·452	·320	·415	·695
Mean Humidity of the Air, complete Saturation, 1·0.	·89	·87	·85	·80	·81	·80	·88	·81	·83	·85	·88	·83	·82	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·88	·79	·86

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th August, 1906: the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 25th August, 1906. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40	40 and under 60	60 and under 80	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	23·2	167	63	10	27	32	28	7	.	.	.	.	.	.	.	.	27	27	8	21	8	11	6	10	8	68	2
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	15·0	5	.	.	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS,	87,188	19·1	32	4	3	8	11	5	1	.	.	.	.	.	.	.	.	1	1	2	6	2	7	2	1	.	10	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	19·4	41	15	.	2	13	8	3	.	.	.	.	.	.	.	.	6	6	8	2	3	1	2	5	2	17	1
IV.	GENERAL SERVICE CLASS,	154,279	28·9	62	33	5	9	4	5	.	.	.	.	.	.	.	.	.	17	17	3	5	3	2	2	2	8	25	.
V.	INMATES OF WORKHOUSES,	6,024		27	5	2	7	4	9	.	.	.	.	.	.	.	.	.	3	3	.	8		1	.	2	1	12	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	18·9	8	.	1	3	3	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	3	.
	6. Clerks and Commercial Assistants,	30,432	24·0	14	3	2	4	3	2	.	.	.	.	.	.	.	.	.	1	1	.	4	.	2	2	.	1	4	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	17·4	9	1	.	1	4	2	1	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	1	3	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	31·7	6	5	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	2	.	2	1
	9. Building and Furnishing Trades,	29,801	22·7	13	5	.	1	5	1	1	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	3	2	5	.
	10. Clothing Trades,	28,260	17·9	8	2	.	.	4	1	1	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.	.	4	.
	11. Food Supply Trades,	9,242	22·6	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,852	17·2	10	1	.	1	4	3	1	.	.	.	.	.	.	.	.	2	2	.	1	2	.	.	.	.	5	.
	13. Petty Shopkeepers,	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	15·5	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	2	.
	15. Domestic Servants,	36,608	10·0	7	4	1	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	5	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,990	18·1	5	3	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	26·7	46	30	3	7	8	3	.	.	.	.	.	.	.	.	.	14	14	2	4	3	1	2	2	2	16	.
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	27	5	2	7	4	9	.	.	.	.	.	.	.	.	.	3	3	.	8	.	1	.	2	1	12	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* the similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 1–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of).																				
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	July 7,	20·2	1·8	11	.	.	.	.	1	.	.	.	.	.	2	1	1	4	1	.
	„ 14,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.
	„ 21,	23·9	1·8	13	.	.	.	.	1	.	.	.	.	1	2	1	.	1	.	2
	„ 28,	18·4	3·7	10	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.
	Aug. 4,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	„ 11,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	.	2	.	1	1	1	.
	„ 18,	14·7	9·2	8	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.
	„ 25,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	July 7,	22·6	2·7	17	.	.	.	.	2	.	.	.	.	1	5	.	2	5	.	.
	„ 14,	25·3	5·3	19	.	.	.	.	2	.	.	1	1	1	6	.	.	3	.	.
	„ 21,	28·0	2·7	21	.	.	.	.	1	.	.	.	1	1	4	3	.	.	.	2
	„ 28,	32·0	6·7	14	.	.	1	.	1	.	.	.	3	1	2	3	1	2	.	1
	Aug. 4,	22·6	5·3	17	.	.	.	.	.	.	.	.	4	.	2	1	1	4	.	.
	„ 11,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	1	.	2	.	3	.	1
	„ 18,	21·3	9·3	16	.	.	.	.	.	.	.	.	7	.	.	2	.	2	1	.
	„ 25,	25·3	2·7	19	.	.	.	.	.	.	.	.	2	1	3	1	3	1	2	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	July 7,	26·0	.	15	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.	.
	„ 14,	27·7	6·9	16	.	.	.	1	3	.	.	.	.	.	5	1	.	1	.	.
	„ 21,	20·8	1·7	12	.	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.
	„ 28,	39·8	5·3	23	.	1	.	.	.	.	.	.	2	3	2	2	1	1	.	.
	Aug. 4,	17·3	5·3	10	.	.	.	.	1	.	.	.	2	1	.	.	.	.	1	.
	„ 11,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
	„ 18,	17·3	8·7	10	.	.	.	.	.	.	.	.	5	2	1	.	.	.	.	.
	„ 25,	26·0	12·1	15	.	.	.	.	.	.	.	.	7	.	1	.	.	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	July 7,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.
	„ 14,	18·1	.	11	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
	„ 21,	16·5	.	10	.	.	.	.	.	.	.	.	.	1	3	1	2	1	1	.
	„ 28,	14·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	2	1	1	.
	Aug. 4,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	1	5	3	1	2	.	2
	„ 11,	21·4	6·6	13	.	1	.	.	.	1	.	.	2	1	1	1	.	.	.	.
	„ 18,	21·4	3·3	13	.	.	.	.	.	.	.	.	2	1	.	.	1	3	1	.
	„ 25,	26·3	11·5	16	.	.	.	.	.	.	.	.	7	.	2	.	.	1	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	July 7,	21·7	.	16	.	.	.	.	.	.	.	.	.	2	1	3	1	3	.	.
	„ 14,	29·9	.	2	.	.	.	.	.	.	.	.	.	2	6	2	.	2	.	.
	„ 21,	15·8	2·7	19	.	.	.	.	.	1	.	1	.	2	3	3	2	4	.	.
	„ 28,	23·1	1·4	17	.	.	.	.	1	.	.	.	.	2	2	2	.	4	1	1
	Aug. 4,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	4	.	.	3	.	.
	„ 11,	23·1	5·4	17	.	.	.	.	2	1	.	.	1	.	1	.	.	1	2	1
	„ 18,	29·9	4·1	22	.	.	.	.	1	.	.	.	2	.	5	1	1	6	.	1
	„ 25,	28·5	2·7	2	.	.	.	.	.	.	.	.	2	.	4	2	.	5	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	July 7,	8·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	„ 14,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 21,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
	„ 28,	17·1	2·9	6	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	Aug. 4,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.
	„ 11,	17·1	2·9	6	.	.	.	.	.	.	1	.	.	.	3	1	.	1	.	.
	„ 18,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	.	4	1	2	.	.	.
	„ 25,	20·0	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	July 7,	21·1	.	17	.	.	.	.	.	.	.	.	.	.	5	2	.	1	1	.
	„ 14,	28·6	1·2	23	.	.	.	.	.	.	.	.	1	1	.	2	2	1	.	1
	„ 21,	14·9	1·2	12	.	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.
	„ 28,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	3	3	.	2	.	1
	Aug. 4,	17·4	1·2	14	.	.	.	.	.	.	.	.	1	.	1	.	1	2	.	.
	„ 11,	26·1	6·2	21	.	1	.	.	.	.	.	.	4	1	2	1	.	2	.	1
	„ 18,	22·4	1·2	18	.	.	.	.	.	.	.	.	1	.	4	1	1	.	.	.
	„ 25,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	1	2	.	1	1	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,138.	July 7,	11·9	1·5	8	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	1
	„ 14,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.
	„ 21,	10·4	1·5	7	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.	.
	„ 28,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
	Aug. 4,	10·4	3·0	7	.	.	.	.	1	.	.	.	1	.	1	.	1	.	1	.
	„ 11,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	„ 18,	16·3	4·5	11	.	.	.	.	.	.	.	.	3	.	2	1	1	.	.	.
	„ 25,	20·8	3·0	14	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1	.

* Formerly described as "Simple Continued Fever."

rtain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of ›pulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ble Institutions being assigned to the Districts from which the deceased were admitted;* also, ovincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer. Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	July 7,	20·4	.	13	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	" 14,	7·9	3·1	5	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	" 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	.	1	.	3	.	.	.
	" 28,	11·0	1·6	7	.	1	.	.	.	.	.	.	.	1	.	1	2	.	.	.
	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	" 11,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	" 18,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	" 25,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.	2	1	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	July 7,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.
	" 14,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 21,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.
	" 28,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	Aug. 4,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	" 11,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	" 18,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.
	" 25,	20·0	4·0	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	1	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	July 7,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	" 14,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 21,	32·5	.	11	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.
	" 28,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.
	Aug. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	" 11,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	" 18,	14·8	3·0	5	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	" 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Belfast. Pop. in 1906 (Est.) 376,220.	July 7,	15·0	1·6	105	.	1	.	.	4	2	.	.	4	8	12	6	9	7	3	1
	" 14,	16·9	2·3	119	.	.	.	.	9	.	.	1	6	7	20	15	2	7	6	2
	" 21,	17·2	1·9	121	.	.	2	.	3	.	.	1	7	6	21	5	4	9	4	.
	" 28,	18·1	1·4	127	.	2	.	.	1	1	.	2	4	6	26	10	4	21	.	3
	Aug. 4,	17·2	2·1	121	.	1	.	.	4	.	.	3	7	10	22	11	2	11	2	.
	" 11,	18·1	2·4	127	.	.	.	.	2	1	.	2	12	7	25	6	4	7	4	3
	" 18,	17·8	4·7	125	.	2	.	.	4	1	.	1	25	3	13	8	3	12	2	1
	" 25,	19·8	4·0	139	.	.	.	.	2	2	.	.	24	5	21	6	2	7	3	2
Cork. Pop. (in 1901) 76,122.	July 7,	13·7	1·4	20	.	.	.	.	.	1	.	.	1	1	4	.	.	1	1	2
	" 14,	15·8	1·4	23	.	.	.	.	.	.	.	1	1	.	5	1	.	.	.	.
	" 21,	15·8	0·7	23	.	.	.	.	1	.	.	.	.	1	2	1	3	3	.	2
	" 28,	10·3	1·4	15	.	.	.	.	1	.	.	.	1	2	3	2	.	2	.	.
	Aug. 4,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	1	5	3	1	4	2	3
	" 11,	16·4	1·4	24	.	.	.	.	1	.	.	.	1	.	7	1	1	1	2	.
	" 18,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	.	7	.	.	2	1	1
	" 25,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	1	8	2	.	.	.	1
Londonderry. Pop. in 1906 (Est.) 42,067.	July 7,	8·7	3·7	7	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	" 14,	17·4	5·0	14	.	3	.	.	.	.	.	.	1	.	1	.	1	2	.	1
	" 21,	26·0	8·7	21	.	5	.	.	1	.	.	.	1	.	1	4	.	1	.	.
	" 28,	13·6	6·2	11	.	5	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	Aug. 4,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	3	4	2	1	4	1	.
	" 11,	19·8	1·2	16	.	1	.	.	.	.	.	.	.	.	3	1	.	2	.	1
	" 18,	14·9	1·2	12	.	.	.	.	.	.	.	.	1	1	1	1	1	3	.	.
	" 25,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	2
Limerick. Pop. (in 1901) 38,151.	July 7,	9·6	1·4	7	.	.	.	.	.	.	.	1	.	.	1	.	1	3	.	1
	" 14,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	4	1	.	.	.	1
	" 21,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	" 28,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	2
	Aug. 4,	8·2	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	" 11,	19·1	.	14	.	.	.	.	.	.	.	.	.	.	3	1	1	.	.	.
	" 18,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	1
	" 25,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
Waterford. Pop. (in 1901) 26,769.	July 7,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2
	" 14,	7·8	1·9	4	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	" 21,	29·2	1·9	15	.	.	.	.	.	.	.	.	1	3	3	.	.	.	1	.
	" 28,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	Aug. 4,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1
	" 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.
	" 18,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	" 25,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th August, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-2	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No. 1 DISTRICT,	14,734	3	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		8	2	1	2	.	2	1	.	.	.	.	1	1	.	.	1	1	.	1	1	.	1	1	1	.
Do. 2 ,,	47,959	25			15	1	4	3	3	.	4		.	.	.	.	.	.			1	4	.	.	1	.	.	.	.
Do. 3 ,,	47,214	24			15	8	.	1	1	4	1	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.	2	.
Do. 4 ,,	40,911	37			21	5	5	1	3	3	4	.	.	.	.	.	.	.	.	5	1	3	1	.	3	.	.	4	.
Do. 5 ,,	17,387	13			7	5	1	.	.	.	1	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	.	.	1
Do 6 ,,	48,122	19			18	3	.	1	1	5	3	.	.	.	.	.	.	.	.	6	.	2	.		.	2	3	5	.
Do 7 ,,	1,524	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	5			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,,	10,569	7			14	4	1	1	5	2	1	.	.	.	.	.	1	.	.	.	.	3	1	.	.	.	.	2	.
Do. 10 ,,	28,064	18			11	3	.	1	2	2	3	.	.	.	.	1	.	.	.	.	.	3	.	1	.	.	.	2	1
Do. 11 ,,	34,502	18			12	3	.	.	1	5	3	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	1	.
Do. 12 ,,	33,588	23			15	4	2	2	.	6	1	.	.	.	.	.	.	.	.	5	.	2	.	.	2	.	.	1	.
Do. 13 ,,	15,006	12			3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 ,,	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	204			189	43	14	12	18	29	23	.	.	.	.	2	2	.	.	24	5	21	6	2	7	3	4	18	2
City of Cork.																													
CORK URBAN No. 1 DISTRICT,	12,867	9	28·4	.	7	.	.	6			1	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	6	.
Do. 2 ,,	10,701	5	19·5	.	4	1	.	2			1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	4	.
Do. 3 ,,	9,978	8	26·1	5·2	5	4	.	1			.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
Do. 4 ,,	8,666	3	30·1	.	5	.	.	3			2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Do. 5 ,,	6,592	7	15·8	.	2	.	.	1			1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 6 ,,	10,702	2	9·7	.	2	.	1	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 7 ,,	16,616	3	18·8	3·1	6	2	.	3			1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
Total	76,122	37	21·2	1·4	31	7	1	17			6	.	.	.	.	.	.	.	.	2	1	8	2	.	.	.	.	16	1

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered,	246	229	223	221	248	240	212	232	282	238	246	217	273	239	228	204	222	218	225	162	271	225	241	220	203	204
DEATHS registered,	166	175	191	152	201	169	166	171	152	179	161	140	151	150	135	134	131	113	105	119	121	127	121	127	125	139
Annual Death-rate per 1,000 of estimated Population,	23·6	23·1	27·2	21·6	23·6	24·	23·6	24·3	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8
AGES: Under 1 year,	26	31	32	37	46	35	35	39	30	29	35	35	21	33	28	21	26	24	24	17	21	21	30	29	37	43
1–5 years,	17	22	23	16	30	28	26	24	24	20	19	17	17	13	21	20	17	15	12	19	12	8	18	9	16	14
5–20 years,																			11	14	10	13	9	14	17	12
20–40 years,	85	59	84	57	89	81	75	66	67	85	66	61	84	64	58	67	72	57	13	27	24	29	15	25	14	18
40–60 years,																			22	15	26	26	31	22	24	29
60 years and upwards,	38	43	52	42	36	25	30	42	31	45	41	24	29	30	33	26	15	17	23	17	28	30	18	28	17	23
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,		.	.	.	.	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2	1	.	2	.
Scarlet Fever,	1	1	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.
Typhus,	.		.		.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	9	5	9	5	21	12	13	21	18	20	12	13	8	15	16	7	4	7	4	9	3	1	4	2	4	2
Diphtheria,	2	.	1	2	1	1	.	.	.	.	.	1	1	.	1	.	.	2	2	.	.	1	.	1	1	2
*Pyrexia** (origin uncertain),	.	1	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	6	6	3	1	3	4	2	.	.	1	1	.	.	2	.	.	.	.	1	1	2	3	2	1	.
Diarrhœal Diseases,	1	.	1	2	1	2	.	1	2	1	.	1	5	1	5	7	2	4	4	6	7	4	7	12	25	24
Pneumonia,	13	16	23	10	18	19	19	15	16	16	10	9	14	15	15	7	7	8	8	7	6	6	10	7	3	5
Tuberculous Disease, Phthisis,	33	15	26	17	28	24	26	18	19	29	21	28	33	16	21	22	30	24	12	20	21	26	22	25	18	21
Tuberculous Disease, Other Forms,	6	10	5	6	12	11	7	8	12	10	8	11	9	11	5	9	7	7	6	15	5	10	11	6	8	6
Cancer, Malignant Disease,	5	1	6	4	10	4	3	2	4	4	3	3	3	1	5	6	4	2	9	2	4	4	2	4	3	2
Diseases of Respiratory System,	31	33	36	24	28	21	34	36	27	30	27	17	16	17	15	15	14	13	7	7	9	21	11	7	12	7
Violent Deaths,	2	6	1	.	2	7	4	3	4	4	2	4	6	1	2	1	5	.	3	6	4	.	2	4	2	3
Number of Uncertified Deaths,	5	2	4	3	3	1	1	3	5	2	2	.	4	2	2	5	.	1	1	2	.	3	.	3	1	2

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	Aug. 25,	2,476	1,654	18·3	.	13	9	9	12	7	458
EDINBURGH,	341,035	„ 25,	158	80	12·2	.	1	1	.	.	.	6
GLASGOW,	835,625	„ 25,	444	231*a*	14·4	.	2	.	3	9	1	30
CALCUTTA,	910,117	July 7,	.	361	22·1	11	9	.	.	.	92‡	41*
BOMBAY,	977,822	„ 24,	371	957	64·1	3	7	.	.	.	92‡	212*
MADRAS,	509,346	„ 6,	374	500	51·0	4	3	?	?	?	120	100*
PARIS,	2,722,731	Aug. 11,	941	860	16·7	.	2	.	1†	9	5	151
BRUSSELS (with 8 Faubourgs).	612,401	„ 4,	203	152	12·9	.	2	2	1†	.	.	22
ANTWERP,	304,975	„ 4,	112	113	19·3	.	4	.	1†	1	.	41
AMSTERDAM,	560,482	„ 4,	267	147	13·7	.	5	.	.	3	3	15
COPENHAGEN,	425,000	„ 4,	249	159	19·5	.	4	.	.	3	1	32
STOCKHOLM,	324,488	July 28,	125	81	13·0	.	1	2	.	.	2	8
CHRISTIANIA,	222,373	Aug. 11,	97	78	18·2	.	.	.	1†	1	.	13
ST. PETERSBURG,	1,424,700	„ 4,	595	689	25·2	.	25	26	33	6	35	148
MOSCOW,	1,092,360	July 7,	.	791	37·8	1	8	.	7†	1	5	330
BERLIN,	2,062,028	„ 28,	1,021	677	17·1	.	12	3	4†	9	3	173
HAMBURG,	803,050	„ 28,	.	220	14·2	.	9	.	3†	1	.	38
BRESLAU,	475,377	Aug. 11,	.	233	25·6	.	2	.	1†	2	1	61
MUNICH,	540,000	„ 11,	.	168	16·2	.	.	.	1†	1	1	45
VIENNA (with suburbs).	1,937,869	„ 11,	906	595	16·0	.	11	2	7†	3	1	92
BUDA-PESTH,	791,748	„ 11,	444	310	20·4	.	3	7	1†	3	2	55
PRAGUE and Faubourgs.	460,849	„ 4,	173	142	16·0	.	1	.	.	.	2	16
TRIESTE,	196,637	July 28,	144	103	28·6	.	1	.	.	.	1	18
ROME,	531,179	June 30,	246	198	19·4	.	5	.	.	2	4	28
VENICE,	171,709	Aug. 4,	98	89	27·0	.	1	.	.	.	4	19
NEW YORK,	4,152,860	July 28,	2,256	1,452	18·2	.	21	1	24†	16	14	398
PHILADELPHIA,	1,469,126	„ 21,	.	528	18·7	.	1	1	3†	14	8	129
BOSTON,	602,526	„ 28,	.	211	18·3	.	.	1	2	3	4	43

a. Including 4 deaths from cerebro-spinal meningitis.
* Including 18 deaths from cholera in Calcutta, 97 in Bombay, and 17 in Madras.
† Including deaths from croup.
‡ Exclusive of 9 deaths from plague in Calcutta, and 34 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th August, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	2	.	.	.	.	3
" " 1, West,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 2,	.	.	.	.	.	.	1	.	1	.	.	.	2
" " 3,	.	.	.	.	1	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	2	.	.	5	4	.	.	.	11
" " 2,	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 3,	.	2	.	.	.	.	.	.	.	.	.	.	2
" " 4,	.	.	.	.	.	.	.	1	1	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	2	1	.	.	.	3
Total,	.	4	.	.	4	.	1	10	7	.	.	.	26

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th August, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th August.			
	Aug. 4.	Aug. 11.	Aug. 18.	No. admitted.	Discharged.	Died.	No under treatment at close o week
Small-pox,	.	.	.	.	.	.	.
Measles,	20	18	10	.	5	.	5
Scarlet Fever,	23	24	27	7	4	.	30*
Typhus,	1	1	1	.	.	.	1
Diphtheria,	17	19	23	3	3	.	23
Enteric Fever,	13	17	20	7	.	.	27
Pneumonia,	14	13	11	11	4	.	18

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 25th August, 1906:—

"This week opened with a temperature which was low for the time of year, the minimum thermometer on Sunday morning recording 41° at Nairn in Scotland, 41° at Birr Castle, 45° at Valentia, and 49° in Dublin, where the grass minimum was 43·4°. But the thermometer rose quickly with the coming of a S.W. wind and the maximum in Dublin on the same day was 68·8°. A solar halo appeared at 5.30 p.m. During the following night the thermometer did not fall below 61·9° in the screen in Dublin and Monday was very warm, with a moist atmosphere, and a squally S.W. wind which sent the thermometer up to 75·9°. The mean temperature of that day was 68·5°. Some rain fell at night, but Tuesday was again very warm, the thermometer ranging between 62·1° and 75·3°, the corrected mean being 68·3°. At this time a deep atmospheric depression was found off the coast of Norway, the barometer being down to 29·14 inches at Christiansund. The heat wave passed from Ireland to England, and on Wednesday the thermometer rose in the shade to 86° at Oxford 85° in London and at Margate, and 84° at Birmingham and Nottingham. The weather now became broken and considerable rainfalls occurred in Dublin on the evenings of Thursday (·175 inch) and Friday (·299 inch). In the course of Friday night and Saturday morning a very energetic atmospheric depression crossed Ireland in an east-northeasterly direction. A fine, dry, breezy and bracing day followed on Saturday. In Dublin the mean atmospheric pressure was 29·958 inches, the barometer rising to 30·205 inches at 9 a.m. of Sunday (wind, W.N.W.) and falling to 29·474 inches about 1 a.m. of Saturday (wind, S.W. ?). The corrected mean temperature was 63·8°, the mean dry bulb reading at 9 a.m and 9 p.m. being 62·3°. On Sunday the screened thermometers fell to 49·1°, on Monday they rose to 75·9°. The dominant winds were W. and S.W. Rain fell on 4 days to the amount of ·517 inch, ·299 inch being measured on Friday. The week was the warmest of the summer of 1906."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·953 inches. The highest reading (30·196) was on Sunday at 9 a.m., air calm, and the lowest (29·723) on Friday at 9 p.m., wind S.S.E.

The mean temperature for the week was 61·8°, being 4·8° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Tuesday, on which day the thermometer registered 73·9°, and was lowest on Sunday, the mercury having fallen to 43·9°. The mean of the Dry Bulb for the week was 61·1°, and of the Wet Bulb 58·3°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 46·2 hours. The rainfall during the week measured 0·695 inch.

At Greenwich the mean temperature for the week was 64·9°, the maximum 88·4°, and the minimum 49·7°; at Glasgow the maximum was 69·8°, the minimum 44·0°, and the mean 57·8°; and at Edinburgh the maximum was 67·0°, the minimum 45·8°, and the mean 55·8°. The rainfall at Greenwich measured 0·26 in.; at Glasgow 1·52 ins.; and at Edinburgh 1·62 ins. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Aug. 19,	30·139	67·4	43·9	55·7	58·4	51·6	·80	·5	7·3	·000	Calm.	S.W.
Monday, „ 20,	29·989	73·7	60·2	67·0	65·5	63·2	·87	·3	3·1	·055	S.W.	W.
Tuesday, „ 21,	30·008	73·9	60·4	67·2	65·2	63·0	·88	·3	5·5	·030	W.S.W.	S.W.
Wednesday, „ 22,	29·930	73·5	54·9	64·2	59·1	57·3	·89	·2	9·8	·000	W.S.W.	Calm.
Thursday, „ 23,	29·898	70·0	46·4	58·2	61·0	59·2	·90	·3	7·2	·195	E.	Calm.
Friday, „ 24,	29·816	68·0	51·2	59·6	59·9	57·0	·89	·4	3·7	·415	W.S.W.	S.S.E.
Saturday, „ 25,	29·892	65·7	55·1	60·4	58·3	53·9	·76	·7	9·6	·000	W.	Calm.
Mean, . . .	29·953	70·3	53·2	61·8	61·1	58·3	·86	·4	Total 46·2	Total ·695	Prevailing winds, S.W. & W.S.W.	

Sunday—A fine day, bright and cloudy intervals; night overcast. *Monday*—Day overcast and cloudy; night overcast, light showers 9.55 p.m. to 7 a.m. *Tuesday*—A fine but cloudy day, light showers a.m.; night cloudy. *Wednesday*—A very fine day; night clear. *Thursday*—Day fine a.m., cloudy and overcast p.m., heavy rain 5.20 p.m. to 10.15 p.m.; night cloudy. *Friday*—A cloudy day; night overcast and cloudy, heavy rain 8.10 p.m. to 10.45 p.m. *Saturday*—A fine day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 25th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Aug. 19,	56·7	55·0	58·2	68·8	48·8	58·8	7·4	·000
Monday, „ 20,	69·0	61·2	58·0	71·9	61·7	66·8	4·7	·027
Tuesday, „ 21,	68·3	62·4	58·0	71·7	61·2	66·5	6·0	·000
Wednesday, „ 22,	65·8	63·8	58·4	71·7	57·1	64·4	10·2	·000
Thursday, „ 23,	60·2	63·6	58·5	72·0	53·9	63·0	6·6	·182
Friday, „ 24,	65·5	63·1	58·7	69·9	56·1	63·0	4·9	·339
Saturday, „ 25,	60·0	62·6	58·9	66·8	55·8	61·3	8·9	·000
Weekly Mean,	63·6	62·2	58·4	70·4	56·4	63·4	Total 48·7	Total ·548

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1905.—14580.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 1ST SEPTEMBER, 1906. [No. 35.

General Register Office, Charlemont House,
Dublin, 3rd September, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Aug. 11.	Week ending Aug. 18.	Week ending Aug. 25.	Week ending Sept. 1.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 11.	Week ending Aug. 18.	Week ending Aug. 25.	Week ending Sept. 1.	Average Rate for 4 weeks.
22 Town Dists.	**17·0**	**17·4**	**19·3**	**19·0**	**18·2**	Lisburn, . .	9·1	.	9·1	4·5	5·7
Armagh, . .	27·5	20·6	27·5	31·4	27·5	Londonderry, .	19·8	14·9	11·2	18·6	16·1
Ballymena, .	23·9	4·8	9·6	14·4	13·2	Lurgan, . .	22·1	8·9	13·3	8·9	13·3
Belfast, . .	18·1	17·8	19·8	19·1	18·7	Newry, . .	4·2	25·2	4·2	21·0	13·7
Clonmel, . .	15·4	.	30·8	10·3	14·1	Newtownards, .	5·7	34·3	17·2	11·4	17·2
Cork, . . .	16·4	13·7	21·2	16·4	16·9	Portadown,	5·2	10·3	15·5	25·8	14·2
Drogheda, . .	16·3	4·1	20·4	4·1	11·2	Queenstown .	19·8	6·6	19·8	6·6	13·2
Dublin Reg. Area,	17·3	19·7	21·5	21·9	20·1	Sligo, . .	9·6	19·2	4·8	9·6	10·8
Dundalk, . .	16·0	16·0	8·0	16·0	14·0	Tralee, . .	15·9	10·6	26·4	10·6	15·9
Galway, . .	31·1	27·2	7·8	35·0	25·3	Waterford, .	7·8	11·7	19·5	9·7	12·2
Kilkenny, . .	.	19·7	24·6	.	11·1	Wexford, . .	14·0	23·3	23·0	42·0	26·8
Limerick, . .	19·1	17·8	13·7	15·0	16·4						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 3·4 per 1,000, the rates varying from 0·0 in fourteen of the districts to 10·3 in Portadown, the 5 deaths from all causes in that district including 2 from diarrhœal diseases. Among the 134 deaths from all causes in Belfast are one from scarlet fever, 7 from whooping-cough, one from diphtheria, 2 from enteric fever, and 23 from diarrhœal diseases; and the 24 deaths from all causes in Cork include 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 180—104 boys and 76 girls; and the deaths to 166—92 males and 74 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 22·8 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 21·9 per 1,000. During the thirty-five weeks ending with Saturday last the death-rate averaged 22·3, and was 3·3 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The deaths (166) included 2 from enteric fever and 28 deaths from diarrhœal diseases;

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*) Table II. ‡ See columns 10–18 of Table II.

of the latter, 24 were of children under 5 years of age. In addition, the deaths of 3 infants under one year of age were attributed to *gastro-enteritis.* One death from enteric ever was registered during the week ended August the 11th, but there was no record of death from this disease in the two succeeding weeks. Deaths from diarrhœal diseases, in the 3 weeks preceding the period under notice, were 10, 29, and 27, respectively. The mean of the daily readings of the earth temperature at 4 feet for the week was 59·0°. One death from tetanus was registered.

The deaths from pneumonia include one death from lobar pneumonia, 2 deaths from broncho-pneumonia, and 2 deaths from *pneumonia* (not defined).

There were 27 deaths from all forms of tuberculous disease; this figure includes 4 deaths from tuberculous phthisis, 14 deaths from *phthisis*, 5 deaths from tuberculous meningitis, and 4 deaths from other forms of the disease. Deaths from all forms of tuberculous disease in the 3 preceding weeks were 25, 30, and 29, respectively.

There were 3 deaths from carcinoma, one death from sarcoma, and 6 deaths from cancer (undefined).

Prematurity caused the deaths of 3 infants.

The deaths (11) from diseases of the brain and nervous system include 5 deaths from meningitis and one death from *convulsions* of an infant under one year of age.

There were 22 deaths from diseases of the heart and blood vessels, and 2 deaths from bronchitis.

Of 7 deaths classified to accidental violence one was by vehicles and horses, and 2 were by drowning.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness; this case is that of a female aged 75 years.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 9 were under one month old) and 35 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 3 were octogenarians, and 3 (one male and 2 females) were stated to have been aged 93, 91, and 96 years, respectively.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·9 per 1,000; the rate in the City was 23·3 (North City Districts, 23·5; South, 23·0), and in the Suburbs, 17·1 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·9 per 1,000 inhabitants, the rate for the City being 4·6 (5·1 in the North City Districts, and 4·0 in the South) and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000, and include 2 deaths from *diarrhœa*, 2 deaths from tuberculous disease, 4 deaths from diseases of the digestive system, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000. There were 4 deaths from diarrhœal diseases, one death from tetanus, 3 deaths from tuberculous disease of the lungs, and 2 deaths from diseases of the digestive system.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 34·6 per 1,000. *Diarrhœa* and broncho-pneumonia each caused one death. There were 3 deaths from tuberculous disease, one death from bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 29·6 per 1,000. The deaths include one from enteric fever, 7 deaths from diarrhœal diseases, one death from *pneumonia* (not defined), one death from *phthisis*, and 5 deaths from diseases of the digestive system.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 5·2 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 15·6. The only death for Coolock and Drumcondra, No. 1, part of, was one from *phthisis*. Of the 2 deaths from all causes for Finglas and Glasnevin, part of one was from tuberculous meningitis.

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 34·0 per 1,000. Included in the total (25) were 4 deaths from diarrhœal diseases, 4 deaths from tuberculous disease of the lungs, 2 deaths from diseases of the digestive system, and 2 accidental deaths.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000, and include 2 deaths from diarrhœal diseases, one death from lobar pneumonia, and 2 deaths from *phthisis.*

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 21·1 per 1,000. The deaths include 4 from diarrhœal diseases, one from broncho-pneumonia, and 2 deaths from tuberculous disease.

No. 4 South City District (Grand Canal-street).—The deaths (9) are equivalent to an annual rate of 13·4 per 1,000. There was one death from tuberculous disease and diseases of the digestive system caused 2 deaths; there was one accidental death.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000. Of the 2 deaths registered one was due to epidemic enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·6; Pembroke, 18·0; Blackrock, 23·8; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from diarrhœal diseases for Pembroke. The 8 deaths from all causes for Rathmines and Rathgar include 4 from tuberculous disease and one from bronchitis. The 9 deaths from all causes for Pembroke include one from *phthisis* and one from accidental drowning, and the 7 deaths from all causes for Kingstown include one from *phthisis* and one from accidental drowning.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Executive Sanitary Officer for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 1st September, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Aug. 11,	.	—	—	3	.	.	5	.	2	5	11	1	—	—	—	—	—	27
	Aug. 18,	.	—	—	1	.	.	5	.	1	7	7	.	—	—	—	—	—	21
	Aug. 25,	.	—	—	4	.	.	4	.	1	10	7	.	—	—	—	—	—	26
	Sept 1,	.	—	—	6	.	.	2	.	.	7	13	.	—	—	—	—	—	28
Rathmines and Rathgar Urban District.	Aug. 11,	.	—	—	.	.	.	1	.	.	1	1	.	—	—	—	—	—	3
	Aug. 18,	.	—	—	1	.	.	.	.	1	.	.	.	—	—	—	—	—	2
	Aug. 25,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	Sept. 1,	.	—	—	.	.	.	1	.	.	2	.	.	—	—	—	—	—	3
Pembroke Urban District.	Aug. 11,	.	.	.	2	.	.	2	.	.	.	.	.	—	1	.	—	—	5
	Aug. 18,	.	.	.	.	.	.	.	.	1	.	.	.	—	4	.	—	—	5
	Aug. 25,	.	.	.	1	.	.	.	.	1	.	2	.	—	.	.	—	—	4
	Sept. 1,	.	.	.	2	.	.	.	.	1	.	.	.	—	6	.	—	—	9
Blackrock Urban District.	Aug. 11,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Aug 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Aug. 11,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	2
	Aug. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Aug. 11,	.	—	—	18	.	.	5	1	3	5	.	.	—	—	—	—	—	32
	Aug. 18,	.	—	—	17	.	.	2	2	6	17	8	.	—	—	—	—	—	52
	Aug. 25,	.	—	—	19	.	.	4	.	11	8	9	.	—	—	—	—	—	51
	Sept. 1,	.	—	—	30	.	.	1	2	5	12	9	.	—	—	—	—	—	59

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st September, 1906.

From this it appears that:—

One case of measles was admitted into hospital during the week, 3 were discharged, and 3 cases remained under treatment at its close.

Twelve cases of scarlet fever were admitted to hospital, 8 were discharged, and 34* cases remained under treatment at the close of the week.

One case of typhus remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 6 were discharged, and 20 patients remained under treatment at the close of the week.

Seven cases of enteric fever were admitted to hospital, one was discharged, there were 3 deaths, and 30 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 9 were discharged, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·3), was equal to an average annual death-rate of 18·3 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 14·2 per 1,000, the rate for Glasgow being 13·9, and for Edinburgh 11·5.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st September. From this Return it appears that of a total of 25 cases notified 10 were scarlet fever, 7 erysipelas, 4 diphtheria, and 2 enteric fever. Among the 207 cases of infectious diseases in hospital at the close of the week were 91 cases of scarlet fever, 23 of enteric fever, 21 of diphtheria, one of membranous croup, 17 of measles, 7 of erysipelas, and 5 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 1st September 1906, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 1st September, 1906. Numbers Registered. Births.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Deaths. Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 1st September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th August, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th August, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	29·4	19·0	3·4	622	401	105	95	.	.	1	.	7	1	.	3	59	11	46	18	19	23	18	21	104	17	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total, d.	378,994	27·5	24·8	21·9	3·9	180	159	42	34	.	.	.	.	.	.	.	1	27	4	18	8	10	4	7	8	60	1	84·8	39·4	62·6	0·00	73·9	43·9	61·8	0·70	70·2	51·1	58·9	0·42
City of Dublin,	293,385	37·1	26·5	23·3	4·6	149	131	37	23	.	.	.	.	.	.	.	1	25	4	14	6	9	3	5	6	50	1	77·1 / 80·5	49·1 / 41·0	64·5 / 64·6	0·00 / 0·00	75·9 / 75·5	49·1 / 45·0	63·8 / 62·2	0·52 / 0·81	73·1 / 71·9	52·7 / 51·0	60·5 / 59·9	0·32 / 0·32
Urban Dists. Rathmines and Rathgar.	33,208	19·4	15·7	12·6	.	10	8	1	2	.	.	.	.	.	.	.	.	.	.	2	2	1	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	18·0	18·0	4·0	9	9	2	3	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	29·8	23·8	.	5	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	20·7	20·7	.	7	7	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	.	77·0	48·5	63·4	0·00	76	47·5	63·3	0·41	71	52	60·8	0·34
Urban Districts.																																							
Belfast,	366,220	24·9	29·6	19·1	4·8	208	134	39	25	.	.	1	.	7	1	.	2	23	7	15	6	4	16	6	6	22	5	79·8	46·5	61·3	0·11	71·5	48·0	60·5	1·49	68·0	50·0	58·8	1·12
Cork,	76,122	33·6	21·2	16·4	2·1	31	24	7	5	.	.	.	.	.	.	.	.	3	.	3	2	.	1	1	1	9	3	69	49	60·1	0·05	69	48	59·7	0·79	64	50	57·6	0·49
Londonderry,	42,067	19·4	35·9	18·6	1·2	29	15	8	3	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	72·4	15·0	.	53	11	1	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	25·3	9·7	.	13	5	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	23·3	35·0	.	6	9	1	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	3	83	52	66·5	0·63	74	52	59	0·73	64	52	60	0·50
Dundalk,	18,076	3·4	28·9	16·0	4·0	6	4	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	20·4	4·1	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	37·8	21·0	.	9	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	81·7	47·8	64·7	0·00	69·1	48·0	60·3	1·00	70·0	49·3	58·1	0·74
Lurgan,	11,782	13·8	70·8	8·9	.	16	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	81·7	47·8	64·7	0·00	69·1	48·0	60·3	1·00	70·0	49·3	58·1	0·74
Lisburn,	11,461	10·1	18·2	4·5	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	81·7	47·8	64·7	0·00	69·1	48·0	60·3	1·00	70·0	49·8	58·1	0·74
Wexford,	11,168	23·2	9·3	42·0	4·7	2	9	3	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	52·7	14·4	4·8	11	3	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	28·8	9·6	.	6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	80·1	46·5	63·4	0·00	69·5	47·5	59·6	1·43	69·8	44·8	56·5	1·23
Kilkenny,	10,609	11·5	24·6	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	77	48	62·4	0·00	75	47	62·1	0·71	68	40	55·6	0·46
Clonmel,	10,167	7·8	82·1	10·3	.	16	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	15·3	25·8	10·3	3	5	2	1	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	.	81·7	47·8	64·7	0·00	69·1	48·0	60·3	1·00	70·0	49·8	58·1	0·74
Tralee,	9,867	16·6	21·1	10·6	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	34·3	11·4	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	75	49	60·6	—	72	48	59·1	1·44	67	51	57·4	1·10
Queenstown,	7,909	14·4	38·0	6·6	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69	49	60·1	0·05	69	48	59·7	0·79	64	50	57·6	0·49
Armagh,	7,588	22·2	27·5	34·4	.	4	5	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	81·7	47·8	64·7	0·00	69·1	48·0	60·3	1·00	70·0	49·8	58·1	0·74

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 7 deaths of persons (including one under 1 year old and one at 70 years), admitted to hospital from localities outside the Area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 1st of September, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diarrhœal Diseases,	2	4	1	7	.	.	.	4	2	4	.	1	.	2	.	.	27	1
Pneumonia,	.	.	1	1	.	.	.	.	1	1	.	.	.	.	.	.	4	1
Tuberculous Disease. { Phthisis,	.	3	2	1	.	1	.	4	2	1	.	.	2	1	.	1	18	.
Tuberculous Disease. { Other Forms.	2	.	1	.	.	.	1	.	.	1	1	.	2	.	.	.	8	1
Cancer, Malignant Disease,	.	1	2	1	.	.	1	.	1	2	1	.	1	.	.	.	10	.
Other General Diseases	2	2	3	.	.	.	.	2	1	1	.	.	1	.	.	1	13	.
Total,	6	10	10	11	.	1	2	10	7	10	2	1	6	3	.	2	81	4
B. LOCAL DISEASES:																		
Diseases of Nervous System	.	1	2	1	.	.	.	2	1	.	1	.	.	1	1	.	10	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	.	.	3	.	.	.	.	7	1	4	2	.	1	2	1	1	22	.
Diseases of Respiratory System,	.	.	1	.	.	.	.	.	.	1	1	.	1	.	.	.	4	.
Diseases of Digestive System,	4	2	2	5	.	.	.	2	.	1	2	1	.	.	.	1	20	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diseases of Urinary System,	1	1	1	.	.	.	.	1	.	1	.	.	.	.	.	.	5	1
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Total,	5	4	9	6	.	.	.	12	2	7	6	1	2	5	3	2	64	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	.	1	.	.	.	1	1	.	.	.	.	.	1	2	7	1
E. VIOLENT DEATHS,	1	.	1	.	.	.	.	2	.	.	1	.	.	1	.	1	7	.
Deaths from all Causes,	12	15	20	18	.	1	2	25	10	17	9	2	8	9	4	7	159	7
Annual Rate of Mortality from all causes in every 1,000 of the population	22·1	20·0	34·6	29·6	.	5·2	15·6	34·0	28·5	21·1	13·4	11·7	12·6	18·0	23·8	20·7	21·9	.
	23·5							23·0					17·1					
	23·3																	
Ages at Death. Under 1 year,	6	6	1	9	.	.	.	5	1	6	1	2	1	2	1	1	42	1
1 and under 5 years,	1	.	5	2	.	.	.	6	.	1	.	.	.	.	.	.	15	1
5 ,, 20 ,,	1	1	1	.	.	.	1	.	2	1	1	.	1	1	.	.	10	2
20 ,, 40 ,,	1	3	4	3	.	.	.	3	1	1	.	.	.	.	.	2	18	2
40 ,, 60 ,,	1	3	5	3	.	1	1	5	5	5	3	.	4	3	.	1	40	.
60 and upwards,	2	2	4	1	.	.	.	6	1	3	4	.	2	3	3	3	34	1
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	4	1	4	.	.	1	5	1	3	3	.	5	3	.	1	31	7
Workhouse Hospitals,	3	3	2	3	.	1	.	3	3	3	2	.	.	1	.	.	29	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1896-1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Aug. 29, 1896.	Sept. 4, 1897.	Sept. 3, 1898.	Sept. 2, 1899.	Sept. 1, 1900.	Aug. 31, 1901.	Aug. 30, 1902.	Sept. 5, 1903.	Sept. 3, 1904.	Sept. 2, 1905.	Averages in 35th Week of the 10 years 1896-1905.	In the Week ending Saturday 1st September, 1906. Deaths of Persons of the Ages ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
												Mean Temp.							
Mean Temperature.	° 56·1	° 53·8	° 58·3	° 59·1	° 55·9	° 54·8	° 53·5	° 54·9	° 58·8	° 55·7	° 56·1	° 62·6							
ALL CAUSES.	142	155	185	205	186	176	156	116	150	165	163·6	166	9	34	16	12	20	40	29
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	.	1	14	.	.	11	.	1	2	2·9	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	1	.	.	1	2	2	1	.	.	·9	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	.	.	1	2	1	1	1	.	.	·6	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	3	4	3	4	1	.	4	1	.	2·0	.	.	.	.	.	.	.	.
Diphtheria, ...	.	4	.	1	4	2	2	.	.	1	1·4	.	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	3	.	1	4	2	2	2	1	1	2	1·8	2	.	.	.	.	2	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	19	27	25	43	36	28	1	2	13	8	25·0	11	.	9	1	.	.	.	1
Diarrhœa, Dysentery,							6	8	13	11		17	2	7	5	.	.	1	2
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	1	1	.	1	.	1	.	1	·5	2	.	2	.	.	.	.	.
Puerperal Septicæmia,							.	.	1	.		.	.	.	.	.	.	.	.
Puerperal Pyæmia,	.	1	1	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.
Puerperal Fever, ...							1	.	.	.		.	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	2	2	5	6	2	4	.	1	.	.	4·8	1	.	.	.	.	.	1	.
Pneumonia, Broncho-							2	.	3	2		2	.	1	.	.	.	.	1
Pneumonia, Epidemic,							1	.	.	.		.	.	.	.	.	.	.	.
Pneumonia, Not defined,							4	4	3	7		2	.	.	.	1	.	1	.
Erysipelas, ...	.	.	.	.	.	2	3	.	.	.	·5	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	.	1	1	.	1	.	.	1	1	·5	1	.	.	1	.	.	.	.
Pyæmia (not Puerperal),							.	.	.	.		.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	19	16	29	22	32	20	1	4	3	7	21·5	4	.	.	.	.	1	2	1
"*Phthisis*," ...							18	12	18	14		14	.	.	.	1	7	5	1
Tuberculous Meningitis, ...	1	3	4	6	2	2	2	3	2	1	2·6	5	.	1	1	3	.	.	.
Tuberculous Peritonitis,	5	7	2	10	5	10	.	.	3	.	4·4	.	.	.	.	.	.	.	.
Tabes Mesenterica, ...							1	.	1	.		.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	4	2	3	2	2	3	2	3	3	5	3·0	4	.	.	1	2	.	1	.
Scrofula, ...							1	.	.	.		.	.	.	.	.	.	.	.
Alcoholism, ...	.	.	1	1	2	.	1	2	1	1	·9	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
Gout, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Carcinoma, ...							3	1	2	4		3	.	.	.	.	1	2	.
Sarcoma, ...	8	7	4	6	7	7	.	.	.	.	6·4	1	.	.	.	.	.	1	.
Cancer (undefined),							4	4	1	6		6	.	.	.	.	1	3	2
Diabetes Mellitus, ...	.	.	.	.	.	.	1	1	.	1	·3	.	.	.	.	.	.	.	.
Premature Birth, ...	.	2	2	2	1	.	1	2	10	5	2·5	3	3	.	.	.	.	.	.

* The figures for the years 1896-1900 are
† Formerly describe

HIRTY-FIFTH WEEK ending Saturday, 1st September, 1906, with the deaths from each cause in the corresponding he average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Aug. 29, 1896.	Sept. 4, 1897.	Sept. 3, 1898.	Sept. 2, 1899.	Sept. 1, 1900.	Aug. 31, 1901.	Aug. 30, 1902.	Sept. 5, 1903.	Sept. 3, 1904.	Sept. 2, 1905.	Averages in 35th Week of the 10 years 1896–1905.	In the Week ending Saturday, 1st September, 1906. Deaths of Persons of the Ages of: ALL AGES.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 56·1	° 53·8	° 58·3	° 59·1	° 55·9	° 51·8	° 53·5	° 51·9	° 58·8	° 55·7	° 56·1	Mean Temp. ° 62·6								
ingitis (not tuberc.) ...							3	1	1	1		5	.	2	1	1	1	.	.	.
unity, G. P. of Insane ...							2	4	1	.		1	.	.	.	.	.	1	.	.
lepsy							1	2	1	.		1	.	.	.	.	.	.	1	.
vulsions							7	2	4	3		1	.	1	.	.	.	.	.	.
omotor Ataxy ...							.	.	.	1		.	.	.	.	.	.	.	.	.
aplegia Dis. of Cord ...							1	.	.	1		.	.	.	.	.	.	.	.	.
vous System (other is.)	31	30	32	32	35	40	.	.	1	1	32·8	3	.	.	.	.	.	1	1	1
v. Dis., Endocarditis ...							5	9	3	5		4	.	.	.	.	.	3	1	.
ebr. Hæm. Thromb. ...							1	3	.	2		.	.	.	.	.	.	.	.	.
plexy, Hemiplegia ...							2	3	4	8		4	.	.	.	.	.	1	2	1
eurysm							1	.	1	1		.	.	.	.	.	.	.	.	.
bolism, Thromb. (not erebral)							1	1	.	.		.	.	.	.	.	.	.	.	.
art and Blood Vessel Dis.							8	1	12	19		14	.	.	.	.	.	6	6	2
oup (not Spasm. nor iemb.)	2	1	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
onchitis	8	6	13	7	3	7	9	10	7	13	8·3	2	.	.	.	.	.	.	2	.
chma, Emphysema ...							.	.	.	.		.	.	.	.	.	.	.	.	.
urisy	1	1	.	.	1	.	.	1	.	.	·7	.	.	.	.	.	.	.	.	.
spiratory Dis. (other) ...							1	.	1	1		2	.	.	.	1	.	.	1	.
nsillitis, Quinsy ...	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
teritis (not Epid.) ...							3	1	2	1		4	.	1	1	.	.	1	1	.
stro Enteritis	1	.	3	1	3	3	3	2	2	5	3·0	3	.	3	.	.	.	.	.	.
itonitis (not Puerp.) ...	1	.	2	1	.	1	2	.	3	1	1·1	.	.	.	.	.	.	.	.	.
rrhosis of Liver ...							.	1	1	1		2	.	.	.	.	1	.	1	.
ver Dis. (other) ...	3	5	.	1	3	.	4	1	1	1	2·2	2	.	.	.	.	.	2	.	.
gestive Dis. (other) ...	.	2	4	9	4	4	3	4	3	3	3·6	9	1	3	2	.	1	1	.	1
phritis, Acute ...							1	.	2	2		3	.	.	.	1	1	1	.	.
ight's Dis., Albuminuria	1	5	5	1	5	4	1	.	4	1	3·8	3	.	.	.	.	1	2	.	.
inary Sys. (Other Dis.)							1	2	.	3		.	.	.	.	.	.	.	.	.
nerative Organs Dis. ...	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	.	1	.
ildbirth (Accid. of) ...	1	.	.	1	.	1	.	1	1	.	·5	.	.	.	.	.	.	.	.	.
d Age	12	11	7	8	13	11	4	2	3	4	7·5	1	.	.	.	.	.	.	.	1
her Diseases	13	12	16	13	13	12	16	6	6	5	11·2	15	2	3	3	.	.	3	4	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	2	2	.	.	2	.	.	.	.	·6	1	.	.	.	.	.	1	.	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	.	1	.	1	1	2	2	1	.	1	·9	.	.	.	.	.	.	.	.	.
Drowning	.	1	.	3	1	.	1	1	2	.	·9	2	.	.	.	.	2	.	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
her Deaths by Accidents	2	2	4	1	.	1	.	.	2	2	1·4	·4	1	1	.	1	1	.	.	.
IOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	2	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
icide	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1906—Week ending																									
	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.
No. of weeks in Annual Series.	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
Births registered,	214	189	211	230	207	181	202	199	250	285	202	195	223	167	250	210	238	189	230	199	223	235	186	226	230	180
*Average Births in corresponding week of previous 10 years,**	208	219	206	236	177	200	216	204	244	227	209	191	217	229	193	221	229	202	193	199	207	202	208	217	195	215
Deaths registered,	187	173	193	198	159	174	215	174	191	165	169	178	154	142	126	149	125	130	140	156	149	125	180	151	167	166
Annual Death-rate per 1,000,	25·7	23·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8
*Average Deaths in corresponding week of previous 10 years,**	221	212	211	218	201	198	189	183	183	174	171	166	157	155	150	146	140	145	146	151	153	166	169	163	170	164
Ages,— Under 5 years,	43	55	43	67	37	34	45	37	30	36	41	42	47	38	12	37	17	35	35	38	43	40	34	48	63	59
5—20 ,,	8	15	15	17	13	13	15	12	16	10	15	13	11	11	13	13	16	14	10	17	11	8	16	9	10	12
20—40 ,,	34	19	29	26	28	23	27	32	39	23	28	29	27	20	22	30	36	21	24	25	27	20	6	22	27	20
40—60 ,,	43	35	40	33	34	47	49	42	47	39	44	37	30	42	36	34	28	32	37	28	35	20	19	27	32	40
60—80 ,,	49	41	55	45	40	47	70	40	55	51	30	41	34	28	37	31	22	21	32	43	27	32	28	43	28	29
80 years and upwards,	10	8	11	10	7	10	9	11	4	6	11	11	5	3	6	4	6	7	2	5	6	5	27	2	7	6
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	1	1	3	1	.	1	.	.	2	.	.	.	.	.	1	2	2	.	2	1	.	.
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Whooping-cough,	1	2	.	2	2	3	.	2	1	1	.	3	3	1	2	2	1	4	6	3	2	2	3	1	.	.
Diphtheria,	2	2	1	3	.	.	.	2	.	.	2	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.
Pyrexia † (origin uncertain),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Enteric Fever,	.	3	.	3	.	1	2	1	1	3	.	.	.	.	1	.	2	.	1	1	.	1	1	.	.	2
Diarrhœal Diseases,	3	3	5	2	1	1	1	4	.	3	1	3	2	1	4	.	2	.	3	3	10	11	10	20	27	28
Pneumonia,	18	10	13	10	8	22	26	17	21	18	13	13	10	6	6	13	4	4	9	12	13	4	5	4	8	5
Tuberculous Phthisis,	30	23	32	25	23	27	18	22	36	18	16	22	20	17	17	29	21	26	21	23	19	21	18	21	21	18
Disease. Other Forms,	9	12	11	15	15	8	11	10	15	10	16	7	8	13	12	11	9	11	7	11	13	4	7	9	8	9
Cancer, Malignant Disease,	6	6	11	4	4	9	13	10	6	5	15	8	10	6	8	6	12	7	4	14	9	8	4	12	11	10
Diseases of Heart and Blood Vessels,	31	29	31	33	27	29	45	27	22	22	28	30	15	29	26	21	14	15	26	27	19	19	17	20	12	22
Diseases of Respiratory System,	28	21	34	27	23	29	43	23	36	31	15	26	15	10	11	17	5	21	10	11	13	14	10	11	10	4
Violent Deaths,	1	2	4	5	2	3	4	2	3	1	4	5	2	3	3	4	3	4	2	3	4	2	3	2	8	7
Number of Uncertified Deaths,	6	7	6	12	9	7	6	5	5	3	7	7	11	3	3	9	4	3	2	5	4	3	5	1	2	1
Mean Temperature of the Air (Phœnix Park),	46·3	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6
Average Mean Temperature in corresponding week of previous 10 years,	41·3	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1
Rainfall in inches,	·758	·430	·185	·045	·185	·055	·130	·810	·650	·455	·640	·810	·450	·005	·230	·790	·450	·390	235	·385	·220	·452	·320	·415	·695	·000
Mean Humidity of the Air, complete Saturation, 1·0.	·87	·85	·80	·81	·80	·88	·81	·88	·85	·88	·88	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·88	·79	·86	·86

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever."

in the Dublin Registration Area during the Week ending Saturday, 1st September, 1906: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1st SEPTEMBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(18)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	23·1	166	59	12	20	40	29	6	.	.	.	.	.	.	.	2	28	30	5	18	9	10	1	4	7	83	1
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class,	17,486	6·0	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.
II.	Middle Class,	87,188	15·5	26	4	1	5	8	4	4	.	.	.	.	.	.	.	.	1	1	1	4	3	2	.	1	1	13	.
III.	Artisan Class and Petty Shopkeepers,	110,423	16·5	35	9	3	5	11	5	2	.	.	.	.	.	.	.	1	6	7	.	3	1	3	.	2	2	17	.
IV.	General Service Class,	154,279	33·5	74	36	7	7	14	10	.	.	.	.	.	.	.	.	.	17	17	4	10	4	1	1	.	2	35	1
V.	Inmates of Workhouses,	6,024		29	9	1	2	7	10	.	.	.	.	.	.	.	.	.	3	3	.	1	1	4	.	1	2	17	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	16·6	7	2	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6	.
	6. Clerks and Commercial Assistants,	30,432	17·1	10	1	.	5	4	.	.	.	.	.	.	.	.	.	.	1	1	.	4	1	.	.	.	1	8	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	15·4	8	1	1	.	3	1	2	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	1	.	3	.
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	1	.	1	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades,	29,801	17·5	10	3	2	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	7	.
	10. Clothing Trades,	23,260	15·7	7	2	1	.	3	1	.	.	.	.	.	.	.	.	.	2	2	.	1	1	.	.	1	.	2	.
	11. Food Supply Trades,	9,242	11·3	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	12·0	7	2	.	2	2	1	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	1	1	2	.
	13. Petty Shopkeepers,	7,894	33·0	5	1	.	.	2	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	2	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	2	.
	15. Domestic Servants,	36,603	17·1	12	4	1	1	4	2	.	.	.	.	.	.	.	.	.	2	2	1	1	.	.	.	.	.	8	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	3	1	.	.	1	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	1	.	.	1	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	30·2	52	27	3	5	10	7	.	.	.	.	.	.	.	.	.	12	12	2	8	3	1	.	.	2	24	1
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates,	6,024	.	29	9	1	2	7	10	.	.	.	.	.	.	.	.	.	3	3	.	1	1	4	.	1	2	17	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of).																				
	Cols. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	July 14,	14·7	1·8	8	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.
	„ 21,	23·9	1·8	13	.	.	.	.	1	.	.	.	.	1	2	1	.	1	.	2
	„ 28,	18·4	3·7	10	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.
	Aug. 4,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	„ 11,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	.	2	.	1	1	1	.
	„ 18,	14·7	9·2	8	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.
	„ 25,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.
	Sept. 1,	22·1	3·7	12	.	.	.	.	.	.	.	.	2	.	.	2	.	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	July 14,	25·3	5·3	19	.	.	.	.	2	.	.	1	1	1	6	.	.		.	.
	„ 21,	28·0	2·7	21	.	.	.	.	1	.	.	.	1	1	4	3	.	.	.	2
	„ 28,	32·0	6·7	24	.	.	1	.	1	.	.	.	3	1	2	3	1	2	.	1
	Aug. 4,	22·6	5·3	17	.	.	.	.	.	.	.	.	4	.	2	1	1	4	.	.
	„ 11,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	1	.	2	.	3	.	1
	„ 18,	21·3	9·3	16	.	.	.	.	.	.	.	.	7	.	.	2	.	2	1	.
	„ 25,	25·3	2·7	19	.	.	.	.	.	.	.	.	2	1	3	1	3	1	2	1
	Sept. 1,	20·0	5·3	15	.	.	.	.	.	.	.	.	4	.	3	.	1	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	July 14,	27·7	6·9	16	.	.	.	1	3	.	.	.	.	.	5	1	.	1	.	.
	„ 21,	20·8	1·7	12	.	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.
	„ 28,	39·8	5·2	23	.	.	1	.	.	.	.	.	2	3	2	2	1	1	.	.
	Aug. 4,	17·3	5·2	10	.	.	.	.	1	.	.	.	2	1	.	.	.	.	1	.
	„ 11,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
	„ 18,	17·3	8·7	10	.	.	.	.	.	.	.	.	5	2	1	.	.	.	.	.
	„ 25,	26·0	19·1	15	.	.	.	.	.	.	.	.	7	.	1	.	.	.	1	.
	Sept. 1,	34·6	1·7	20	.	.	.	.	.	.	.	.	1	1	2	1	2	1	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	July 14,	18·1	.	11	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
	„ 21,	16·5	.	10	.	.	.	.	.	.	.	.	.	1	3	1	2	1	1	.
	„ 28,	14·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	2	1	1	.
	Aug. 4,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	1	5	3	1	2	.	2
	„ 11,	21·4	6·6	13	.	1	.	.	.	1	.	.	2	1	1	1	.	.	.	.
	„ 18,	21·4	3·3	13	.	.	.	.	.	.	.	.	2	1	.	.	1	3	1	.
	„ 25,	26·3	11·5	16	.	.	.	.	.	.	.	.	7	.	2	.	.	1	.	.
	Sept. 1,	49·6	13·2	18	.	.	.	.	.	.	.	1	7	1	1	.	1	.	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	July 14,	29·9	.	22	.	.	.	.	.	.	.	.	.	2	6	2	.	2	.	.
	„ 21,	25·8	2·7	19	.	.	.	.	.	1	.	1	.	2	3	3	2	4	.	.
	„ 28,	23·1	1·4	17	.	.	.	.	1	.	.	.	.	2	2	2	.	4	1	1
	Aug. 4,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	4	.	.	3	.	.
	„ 11,	28·1	5·4	17	.	.	.	.	2	1	.	.	1	.	1	.	.	1	2	1
	„ 18,	29·9	4·1	22	.	.	.	.	1	.	.	.	2	.	5	1	1	6	.	1
	„ 25,	28·5	2·7	21	.	.	.	.	.	.	.	.	2	.	4	2	.	5	1	.
	Sept. 1,	34·0	5·4	25	.	.	.	.	.	.	.	.	4	.	4	.	.	.	2	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	July 14,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 21,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
	„ 28,	17·1	2·9	6	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	Aug. 4,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.
	„ 11,	17·1	2·9	6	.	.	.	.	.	1	.	.	.	.	3	1	.	1	.	.
	„ 18,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	.	4	1	2	.	.	.
	„ 25,	20·0	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.
	Sept. 1,	28·5	5·7	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	July 14,	28·6	1·2	23	.	.	.	.	.	.	.	.	1	1	.	2	2	1	.	1
	„ 21,	14·9	1·2	12	.	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.
	„ 28,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	3	3	.	2	.	1
	Aug. 4,	17·4	1·2	14	.	.	.	.	.	.	.	.	1	.	1	.	1	2	.	.
	„ 11,	26·1	6·2	21	.	1	.	.	.	.	.	.	4	1	2	1	.	2	.	1
	„ 18,	22·4	1·2	18	.	.	.	.	.	.	.	.	1	.	4	1	1	.	.	.
	„ 25,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	1	2	.	1	1	.
	Sept. 1,	21·1	5·0	17	.	.	.	.	.	.	.	.	4	1	1	1	2	1	.	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,138.	July 14,	17·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.
	„ 21,	10·4	1·5	7	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.	.
	„ 28,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
	Aug. 4,	10·4	3·0	7	.	.	.	.	1	.	.	.	1	.	1	.	1	.	1	.
	„ 11,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	„ 18,	16·3	4·5	11	.	.	.	.	.	.	.	.	3	.	2	1	1	.	.	.
	„ 25,	20·8	8·0	14	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1	.
	Sept. 1,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.

* Formerly described as "Simple Continued Fever.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer. Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,208.	July 14,	7·9	3·1	5	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	.	1	.	3	.	.	.
	„ 28,	11·0	1·6	7	.	1	.	.	.	.	.	.	.	1	.	1	2	.	.	.
	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 11,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 18,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 25,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.	2	1	.	.
	Sept. 1,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	2	1	1	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	July 14,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.
	„ 28,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	Aug. 4,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 11,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 18,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.
	„ 25,	20·0	4·0	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	1	.
	Sept. 1,	18·0	4·0	9	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	July 14,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 21,	32·5	.	11	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.
	„ 28,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.
	Aug. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	„ 11,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 18,	14·8	3·0	5	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	Sept. 1,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Belfast. Pop. in 1906 (Est.) 386,220.	July 14,	16·9	2·3	119	.	.	.	.	9	.	.	1	6	7	20	15	2	7	6	2
	„ 21,	17·2	1·9	121	.	.	2	.	3	.	.	1	7	6	21	5	4	9	4	.
	„ 28,	18·1	1·4	127	.	2	.	.	1	1	.	2	4	6	26	10	4	21	.	3
	Aug. 4,	17·2	2·1	121	.	1	.	.	4	.	.	3	7	10	22	11	2	11	2	.
	„ 11,	18·1	2·4	127	.	.	.	.	2	1	.	2	12	7	15	6	4	7	4	3
	„ 18,	17·8	4·7	125	.	2	.	.	4	1	.	1	25	8	13	8	3	12	2	1
	„ 25,	19·8	4·0	139	.	.	.	.	2	2	.	.	24	5	21	6	2	7	3	2
	Sept. 1,	19·1	4·8	134	.	.	1	.	7	1	.	2	28	7	15	6	4	16	6	5
Cork. Pop. (in 1901) 76,122.	July 14,	15·8	1·4	23	.	.	.	.	.	.	.	1	1	.	5	1	.	.	.	.
	„ 21,	15·8	0·7	23	.	.	.	.	1	.	.	.	.	1	2	1	3	3	.	2
	„ 28,	10·3	1·4	15	.	.	.	.	1	.	.	.	1	2	3	2	.	2	.	.
	Aug. 4,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	1	5	3	1	4	2	3
	„ 11,	16·4	1·4	24	.	.	.	.	1	.	.	.	1	.	7	1	1	1	2	.
	„ 18,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	.	7	.	.	2	1	1
	„ 25,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	1	8	2	.	.	.	1
	Sept. 1,	16·4	2·1	24	.	.	.	.	.	.	.	.	3	.	3	2	.	1	1	3
Londonderry. Pop. in 1906 (Est.) 42,067.	July 14,	17·4	5·0	14	.	3	.	.	.	.	.	.	1	.	1	.	1	2	.	1
	„ 21,	26·0	8·7	21	.	5	.	.	1	.	.	.	1	.	1	4	.	1	.	.
	„ 28,	13·6	6·2	11	.	5	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	Aug. 4,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	3	4	2	1	4	1	.
	„ 11,	19·8	1·2	16	.	1	.	.	.	.	.	.	.	.	3	1	.	2	.	1
	„ 18,	14·9	1·2	12	.	.	.	.	.	.	.	.	1	1	1	1	1	3	.	.
	„ 25,	11·4	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	2
	Sept. 1,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	2
Limerick. Pop. (in 1901) 38,151.	July 14,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	4	1	.	.	.	1
	„ 21,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 28,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	2
	Aug. 4,	8·2	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 11,	19·1	.	14	.	.	.	.	.	.	.	.	.	.	3	1	1	.	.	.
	„ 18,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	1
	„ 25,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
	Sept. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	.
Waterford. Pop. (in 1901) 26,769.	July 14,	7·8	1·9	4	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 21,	29·2	1·9	15	.	.	.	.	.	.	.	.	1	3	3	.	.	.	1	.
	„ 28,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	Aug. 4,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1
	„ 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.
	„ 18,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 25,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Sept. 1,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st September, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-2	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercuious Disease: Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,734	7	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
Do. 2 ,,	47,959	34			13	5	2	.	3	3	.	.	.	.	.	2	.	.	.	1	.	2	.	.	4	.	.	2	.
Do. 3 ,,	47,214	35			20	6	3	2	3	3	3	.	.	.	.	2	.	.	.	5	1	3	1	.	2	3	1	5	2
Do. 4 ,,	40,911	18			17	5	4	.	2	3	3	.	.	.	.	1	1	.	.	5	.	1	.	.	1	2	2	4	.
Do. 5 ,,	17,387	7			5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.
Do 6 ,,	48,122	17			18	4	1	.	1	3	9	.	.	.	.	.	.	.	.	3	1	2	.	4	1	1	2	2	1
Do 7 ,,	1,524	.			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	7			2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
Do. 9 ,,	19,569	13			11	4	2	.	2	2	1	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.	.
Do. 10 ,,	23,064	11			12	2	2	1	.	4	3	.	.	.	.	1	.	.	1	.	1	1	1	.	1	.	.	2	1
Do. 11 ,,	34,802	20			16	6	1	1	2	3	3	.	.	.	.	1	.	.	.	3	2	3	1	.	1	.	.	1	.
Do. 12 ,,	33,588	30			14	3	6	.	2	1	2	.	.	1	.	.	.	.	.	4	1	1	1	.	2	.	.	2	1
Do. 13 ,,	15,006	7			2	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 14 ,,	240	2			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	208			134	39	22	5	17	26	25	.	.	1	.	7	1	.	2	23	7	15	6	4	16	6	6	22	5
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	6	20·3	.	5	.	.		3		2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.
Do. 2 ,, . . .	10,701	4	9·7	.	2	2	.		.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 ,, . . .	9,978	4	5·2	.	1	.	.		1		.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 4 ,, . . .	8,666	6	24·1	6·0	4	1	1		.		2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Do. 5 ,, . . .	6,592	2	15·8	.	2	.	.		2		.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 6 ,, . . .	10,702	2	9·7	4·9	2	1	.		.		1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Do. 7 ,, . . .	16,616	7	25·1	3·1	8	3	1				.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	1	1	2	2
Total	76,122	31	16·4	2·1	24	7	2		10		5	.	.	.	.	.	.	.	.	3	.	3	2	.	1	1	1	9	3

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.
No. of weeks in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered,	229	223	221	248	240	212	231	282	238	246	217	273	239	228	204	222	218	225	162	271	225	241	220	203	204	208
DEATHS registered,	155	191	152	201	169	166	171	152	179	161	140	151	150	186	134	131	113	105	119	121	127	121	127	125	139	134
Annual Death-rate per 1,000 of estimated Population,	22·1	27·2	21·6	28·6	24·1	23·6	24·8	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1
AGES — Under 1 year,	31	32	37	46	35	35	39	30	29	35	35	21	33	28	21	26	24	24	17	21	21	30	29	37	43	39
1–5 years,	22	23	16	31	28	26	24	24	20	19	17	17	23	22	20	17	15	12	19	12	8	18	9	16	14	22
5–20 years,																		11	14	10	13	9	14	17	12	5
20–40 years,	59	84	57	89	81	75	66	67	85	66	64	84	64	53	67	72	57	18	27	24	29	15	25	14	18	17
40–60 years,																		22	15	26	26	31	22	24	29	26
60 years and upwards,	43	52	42	36	25	30	42	31	45	41	24	29	30	33	26	16	17	23	17	28	30	18	28	17	23	25
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2	1	.	2	.	.
Scarlet Fever,	1	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	5	9	5	21	12	13	21	18	20	12	13	8	15	16	7	14	7	4	9	3	1	4	2	4	2	7
Diphtheria,	.	1	2	1	1	.	.	.	.	.	1	1	.	1	.	.	2	2	.	.	1	.	1	1	2	1
*Pyrexia** (origin uncertain)	1	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	6	6	3	1	5	4	2	.	.	1	1	.	.	2	.	.	.	.	1	1	2	3	2	1	.	2
Diarrhœal Diseases,	.	1	2	1	2	.	1	2	1	.	1	5	1	5	7	2	4	4	6	7	4	7	12	25	24	23
Pneumonia,	16	23	10	18	19	19	15	16	16	10	9	14	15	15	7	7	8	8	7	6	6	10	7	3	5	7
Tuberculous Disease, Phthisis,	15	26	17	18	24	23	18	19	29	21	23	33	16	21	22	30	24	12	20	21	26	22	23	13	21	15
Tuberculous Disease, Other Forms,	10	5	6	12	11	7	8	12	10	8	11	9	11	5	9	7	7	6	15	5	10	11	6	8	6	6
Cancer, Malignant Disease,	1	6	4	10	4	3	2	4	4	3	3	3	1	5	6	4	2	9	2	4	4	2	4	3	2	4
Diseases of Respiratory System,	33	36	24	28	21	34	36	27	30	27	17	16	17	15	15	14	18	7	7	9	21	11	7	12	7	16
Violent Deaths,	6	1	.	2	7	4	3	4	4	2	4	6	1	2	1	5	.	3	6	4	.	2	4	2	3	6
Number of Uncertified Deaths,	2	4	3	3	1	1	3	5	2	2	.	4	2	2	5	.	1	1	2	.	3	.	3	1	2	5

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	Sept. 1,	2,475	1,570	17·3	.	16	7	11	11	3	455
EDINBURGH,	341,035	„ 1,	147	75	11·5	.	1	.	3	.	1	4
GLASGOW,	835,625	„ 1,	441	223*a*	13·9	.	2	1	2	8	5	28
CALCUTTA,	910,117	July 14,	.	365	22·3	3	3	.	.	3	109‡	31*
BOMBAY,	977,822	„ 31,	388	976	51·9	2	11	.	.	1	102‡	246*
MADRAS,	509,316	„ 13,	378	481	49·1	3	2	?	?	?	133	98*
PARIS,	2,722,731	Aug. 18,	855	842	16·4	.	1	.	1†	5	2	142
BRUSSELS (with 8 Faubourgs).	612,401	„ 11,	210	183	15·5	.	3	2	2†	1	.	46
ANTWERP,	304,975	„ 11,	128	112	19·1	.	3	.	.	.	1	48
AMSTERDAM,	560,966	„ 11,	287	138	12·8	.	4	.	.	.	.	18
COPENHAGEN,	425,000	„ 11,	192	156	19·1	.	3	.	.	5	1	45
STOCKHOLM,	324,488	„ 4,	139	96	15·4	.	.	.	.	1	.	8
CHRISTIANIA,	222,373	„ 18,	129	57	13·3	.	.	.	4†	.	.	11
ST. PETERSBURG,	1,424,700	„ 11,	607	570	20·8	1	17	14	21	4	42	100
MOSCOW,	1,092,360	July 14,	.	764	36·5	4	8	3	9†	6	5	320
BERLIN,	2,062,990	Aug. 4,	1,014	830	21·0	.	12	5	5†	3	2	267
HAMBURG,	803,050	„ 4,	.	324	21·0	.	9	.	1†	4	.	108
BRESLAU,	475,471	„ 18,	.	202	22·2	.	.	.	2†	1	.	58
MUNICH,	540,000	„ 18,	.	184	17·7	.	1	.	1†	2	.	43
VIENNA (with suburbs).	1,937,869	„ 18,	1,012	636	17·1	.	6	2	3†	.	4	124
BUDA-PESTH,	791,748	„ 18,	361	245	16·1	.	1	5	3†	1	.	45
PRAGUE and Faubourgs.	460,849	„ 11,	182	152	17·2	.	.	.	.	.	1	17
TRIESTE,	196,637	„ 4,	122	96	25·5	.	1	.	.	.	1	27
ROME,	531,502	July 7,	210	203	19·9	.	2	.	1†	2	4	46
VENICE,	171,703	Aug. 11,	89	68	20·6	.	.	.	.	.	1	9
NEW YORK,	4,152,860	„ 4,	2,483	1,482	18·6	.	10	4	17†	12	21	331
PHILADELPHIA,	1,469,126	July 23,	.	557	19·6	.	4	2	7†	9	13	123
BOSTON,	602,526	Aug. 4,	.	238	20·6	.	1	1	2	7	1	17

a. Including 4 deaths from cerebro-spinal meningitis.
* Including 8 deaths from cholera in Calcutta, 119 in Bombay, and 12 in Madras.
† Including deaths from croup.
‡ Exclusive of 10 deaths from plague in Calcutta, and 36 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st September, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	1	.	.	.	.	2
" " 1, West,	.	.	.	.	.	.	.	.	2	.	.	.	2
" " 2,	.	.	.	.	.	.	.	1	1	.	.	.	2
" " 3,	.	2	.	.	.	.	.	2	1	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	1	.	.	1	5	.	.	.	8
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	2	.	.	.	.	.	.	1	.	.	.	3
" " 4,	.	.	.	.	1	.	.	2	3	.	.	.	6
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	6	.	.	2	.	.	7	13	.	.	.	28

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st September, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st September.			
	Aug. 11.	Aug. 18.	Aug. 25.	No. admitted.	Discharged.	Died.	No. under treatment at close of week
Small-pox,	.	.	.	.	.	.	.
Measles,	18	10	5	1	3	.	3
Scarlet Fever,	24	27	30	12	8	.	34*
Typhus,	1	1	1	.	.	.	1
Diphtheria,	19	23	23	3	6	.	20
Enteric Fever,	17	20	27	7	1	3	30
Pneumonia,	13	11	18	6	9	.	15

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 1st September, 1906 :—

"High summer ruled throughout this week, which proved to be the warmest of the present year. On Sunday, it is true, conditions were unsettled in the North of Ireland and in Scotland owing to the presence of a shallow atmospheric depression off the western shores of the latter country ; but, with the spreading northwards of an anticyclone from the Iberian Peninsula and the Bay of Biscay, the weather became very fine and warm in all parts of the British Isles. In Dublin the sky was densely clouded on Monday till evening, but a starlight night followed, and after Tuesday the sky, while hazy, remained almost cloudless to the end of the week. On the day just named the anticyclone reached its greatest development, and the barometer at 8 a.m. stood at or above 30·4 inches over the greater part of England, the southern half of the North Sea, Holland, and Belgium. From this time the barometer fell slowly, but as the decrease of pressure took place uniformly no change in the weather resulted. Owing to solar radiation by day and terrestrial radiation by night the diurnal range of temperature was large—at Nottingham the thermometer fell from 79° on Wednesday afternoon to 44° during the ensuing night, that is, a range of 35° in a few hours. Even in Dublin the diurnal range was 22·2° on Thursday and 24·2° on Friday. Heavy night dews watered the earth, and there was much morning mist or fog. On Saturday a freshening easterly breeze tempered the sun's heat. In Dublin the mean height of the barometer was 30·124 inches, pressure rising to 30·350 inches at 9 a.m. of Tuesday (wind calm), and falling to 29·870 inches at 9 p.m. of Saturday (wind, E.). The corrected mean temperature was 64·5°, the mean dry bulb readings at 9 a.m. and 9 p.m. being 62·8°. The screened thermometers fell to 49·1° on Thursday and rose to 77·1° on Saturday—the maximum on Friday being 77·0°. Except on Sunday forenoon the wind had little strength. It blew chiefly from E.—more as a day sea breeze than as a main air current. Absolute drought prevailed, but the night dews were copious. On Friday the thermometer rose in the shade to 91° in London, 92° at Hillington, and 93° at Nottingham."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·127 inches. The highest reading (30·328) was on Tuesday at 9 a.m., air calm, and the lowest (29·877) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 62·6°, being 6·5° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Friday, on which day the thermometer registered 84·8°, and was lowest on Thursday, the mercury having fallen to 39·4°. The mean of the Dry Bulb for the week was 61·3°, and of the Wet Bulb 58·6°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 61·5 hours. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 66·5°, the maximum 94·3°, and the minimum 44·1°; at Glasgow the maximum was 88·1°, the minimum 44·2°, and the mean 61·9°; and at Edinburgh the maximum was 85·3°, the minimum 48·9°, and the mean 62·6°. The rainfall at Glasgow measured 0·04 in., and at Edinburgh 0·11 in. There was no rainfall recorded at Greenwich. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Aug. 26,	30·103	70·3	55·0	62·7	63·3	61·6	·90	·5	3·1	·000	W.S.W.	W.S.W.
Monday, „ 27,	30·291	69·7	61·1	65·4	62·7	61·4	93	·0	0·0	·000	Calm.	Calm.
Tuesday, „ 28,	30·307	75·3	55·8	65·6	61·8	59·7	·88	·0	10·0	·000	Calm.	Calm.
Wednesday, „ 29,	30·183	72·8	51·8	62·3	55·8	54·7	·93	·1	9·7	·000	Calm.	Calm.
Thursday, „ 30,	30·057	69·6	39·4	54·5	59·8	56·4	·83	·0	13·1	·000	Calm.	Calm.
Friday, „ 31,	30·022	84·8	44·0	64·4	62·4	57·4	·75	·1	12·9	·000	Calm.	Calm.
Saturday, Sept. 1,	29·924	80·0	46·0	63·0	63·2	59·1	·78	·3	12·7	·000	Calm.	Calm.
Mean, . .	30·127	74·6	50·4	62·6	61·3	58·6	·86	·1	Total 61·5	Total ·000	—	

Sunday—Day overcast and cloudy; night overcast and cloudy. *Monday*—Day overcast; night cloudy. *Tuesday*—A fine bright day, light clouds at intervals; night clear to 3 a.m., cloudy after. *Wednesday*—A fine bright day; night clear. *Thursday*—A very fine day; night clear. *Friday*—A very fine day; night clear. *Saturday*—A very fine day; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 1st, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Aug. 26,	66·0	62·1	58·9	71·5	58·6	65·1	2·1	—
Monday, „ 27,	65·2	62·6	58·9	69·9	61·1	65·5	·5	—
Tuesday, „ 28,	63·6	62·8	58·9	71·7	56·5	64·1	9·1	—
Wednesday, „ 29,	57·8	62·8	58·9	73·3	55·8	64·6	8·0	—
Thursday, „ 30,	67·0	62·2	59·0	70·6	41·7	56·2	11·0	—
Friday, „ 31,	64·1	62·2	59·1	80·0	52·4	66·2	10·1	—
Saturday, Sept. 1,	72·1	62·8	59·0	79·4	52·3	65·9	11·6	—
Weekly Mean, .	65·1	62·5	59·0	73·8	54·1	63·9	Total 52·4	Total —

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1903.—11636.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 8TH SEPTEMBER, 1906. [No. 36.

General Register Office, Charlemont House, Dublin, 10*th September*, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Aug. 18.	Week ending Aug. 25.	Week ending Sept. 1.	Week ending Sept. 8.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 18.	Week ending Aug. 25.	Week ending Sept. 1.	Week ending Sept. 8.	Average Rate for 4 weeks.
22 Town Dists.	17·4	19·3	19·0	21·7	19·4	Lisburn, . .	.	9·1	4·5	9·1	5·7
Armagh, . .	20·6	27·5	34·4	13·7	24·0	Londonderry, .	14·9	11·2	18·6	19·8	16·1
Ballymena, .	4·8	9·6	14·4	14·4	10·8	Lurgan, . .	8·9	13·3	8·9	17·7	12·2
Belfast, . .	17·8	19·8	19·1	21·5	19·5	Newry, . .	25·2	4·2	21·0	25·2	18·9
Clonmel, . . .	.	30·8	10·3	20·5	15·4	Newtownards, .	34·3	17·2	11·4	11·4	18·6
Cork, . . .	13·7	21·2	16·4	22·6	18·5	Portadown,	10·3	15·5	25·8	31·0	20·6
Drogheda, . .	4·1	20·4	4·1	16·3	11·2	Queenstown .	6·6	19·8	6·6	.	8·3
Dublin Reg. Area.	19·7	21·5	21·9	24·1	21·8	Sligo, . .	19·2	4·8	9·6	4·8	9·6
Dundalk, . .	16·0	8·0	16·0	23·9	16·0	Tralee, . .	10·6	26·4	10·6	15·9	15·9
Galway, . .	27·2	7·8	35·0	11·7	20·4	Waterford, .	11·7	19·5	9·7	25·3	16·6
Kilkenny, . .	19·7	24·6	.	19·7	16·0	Wexford, . .	23·3	28·0	42·0	28·0	30·3
Limerick, . .	17·8	13·7	15·0	29·5	16·8						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 6·0 per 1,000, the rates varying from 0·0 in eleven of the districts to 14·4 in Ballymena, the 3 deaths from all causes in that district comprising 2 from measles and one from diarrhœa. The 151 deaths from all causes in Belfast include one from measles, one from scarlet fever, 7 from whooping-cough, one from enteric fever, and 39 from diarrhœal diseases. The 33 deaths in Cork include one from whooping-cough and 7 from diarrhœal diseases; among the 16 deaths in Londonderry are one from measles, one from whooping-cough, one from diphtheria, and 3 from diarrhœal diseases; the 15 deaths from all causes for Limerick include one from scarlet fever and one from diarrhœa; and of the 6 deaths in Wexford 2 were from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 268—140 boys and 128 girls; and the deaths to 184—81 males and 103 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·3 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 24·1 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*), Table II. ‡ See columns 10–18 of Table II.

During the thirty-six weeks ending with Saturday last the death-rate averaged 22·4, and was 3·1 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The deaths (184) which were registered during the week included one death from whooping-cough, 2 deaths from enteric fever, 49 deaths from diarrhœal diseases (of the latter figures, 46 were deaths of children under 5 years of age). In each of the 3 preceding weeks, deaths from whooping-cough were one, 0, and 0; deaths from enteric fever were 0, 0, and 2; and deaths from diarrhœal diseases were 29, 27, and 28. The deaths of 7 children under 5 years of age, during the period under notice, were returned as from *gastro-enteritis*, and were classified to diseases of the digestive system. The mean of the daily readings of the earth thermometer at 4 feet was 59·1°. The death of one person was directly attributed to influenza.

Lobar pneumonia and broncho-pneumonia each caused one death, and *pneumonia* (not defined) caused 2 deaths.

Of 30 deaths from all forms of tuberculous disease, 8 were from tuberculous phthisis, 13 were returned as *phthisis* (not otherwise defined), 5 deaths were caused by tuberculous meningitis, tuberculous peritonitis caused one death, and 3 deaths were due to other forms of the disease. In the 3 preceding weeks, deaths from all forms of tuberculous disease were 30, 29, and 27, respectively.

There were 5 deaths from carcinoma, and 2 deaths from cancer (undefined).

The death of one infant was attributed to prematurity.

Of 12 deaths from diseases of the brain and nervous system, 4 were of children under 5 years of age from *convulsions*.

Diseases of the heart and blood vessels accounted for 21 deaths, and bronchitis was the cause of 7 deaths.

Of 5 deaths from accidental causes, one was by a motor car, one by burns, 2 by drowning, and one by suffocation in bed of an infant under one month old.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness; this case was that of a child under one year old.

Eighty-three of the persons whose deaths were registered during the week were under 5 years of age (63 being infants under one year, of whom 6 were under one month old) and 33 were aged 60 years and upwards, including 12 persons aged 70 and upwards, of whom 5 were octogenarians.

Sixty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·1 per 1,000: the rate in the City was 26·8 (North City Districts, 25·3; South, 28·5), and in the Suburbs, 14·6 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 7·2 per 1,000 inhabitants, the rate for the City being 8·0 (8·0 in the North City Districts, and 8·0 in the South) and for the Suburbs, 4·3 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000, and include 2 deaths from *diarrhœa*, one death from *phthisis*, one death from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. The deaths include 8 from diarrhœal diseases, 3 from tuberculous disease, one death from bronchitis, and 6 deaths from diseases of the digestive system.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·4 per 1,000. Among the deaths were 5 from diarrhœal diseases and 5 from tuberculous disease.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 29·6 per 1,000. Included in the 18 deaths were 7 from diarrhœal diseases, 4 from tuberculous disease, and one death from influenza.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 15·6. The 3 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include 2 from tuberculous phthisis, and of the 2 deaths from all causes for Finglas and Glasnevin, part of, one was from *diarrhœa* and the other from tuberculous phthisis.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 25·8 per 1,000. There were 2 deaths from enteric fever, 3 deaths from diarrhœal diseases, 2 deaths from tuberculous disease, 3 deaths from bronchitis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·8 per 1,000. Of the deaths 2 were caused by epidemic diarrhœa and one was due to *phthisis*.

No. 3 South City District (Peter-street).—The deaths (33) are equal to an annual rate of 41·0 per 1,000. The 33 deaths included one from whooping-cough, 10 from diarrhœal diseases, one death from broncho-pneumonia, 2 deaths from *pneumonia* (not defined), 3 deaths from tuberculous disease of the lungs, one death from bronchitis, and one accidental death.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·7 per 1,000, and include 2 deaths from diarrhœal diseases, 2 deaths from tuberculous meningitis, and 2 accidental deaths.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000. Both the deaths registered were due to epidemic diarrhœa.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·4; Pembroke, 22·0; Blackrock, 0·0; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabulated for these districts include 4 from *diarrhœa* for Pembroke and 3 from the same disease for Kingstown. The 6 deaths from all causes for Rathmines and Rathgar include 2 deaths from tuberculous disease. Among the 11 deaths from all causes for Pembroke there was one from croupous pneumonia

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Executive Sanitary Officer for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 8th September, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Aug. 18,	.	—	—	1	.	.	5	.	1	7	7	.	—	—	—	—	—	21
	Aug. 25,	.	—	—	4	.	.	4	.	1	10	7	.	—	—	—	—	—	26
	Sept 1,	.	—	—	6	.	.	2	.	.	7	13	.	—	—	—	—	—	28
	Sept. 8,	.	—	—	4	.	.	2	.	3	14	11	.	—	—	—	—	—	34
Rathmines and Rathgar Urban District.	Aug. 18,	.	—	—	1	.	.	.	.	1	.	.	.	—	—	—	—	—	2
	Aug. 25,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	Sept. 1,	.	—	—	.	.	.	1	.	.	2	.	.	—	—	—	—	—	3
	Sept. 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
Pembroke Urban District.	Aug. 18,	.	.	.	.	.	.	.	.	1	.	.	.	—	4	.	—	—	5
	Aug. 25,	.	.	.	1	.	.	.	.	1	.	2	.	—	.	.	—	—	4
	Sept. 1,	.	.	.	2	.	.	.	.	1	.	.	.	—	6	.	—	—	9
	Sept. 8,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
Blackrock Urban District.	Aug 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 8,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
Kingstown Urban District.	Aug. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Aug. 18,	.	—	—	17	.	.	2	2	6	17	8	.	—	—	—	—	—	52
	Aug. 25,	.	—	—	19	.	.	4	.	11	8	9	.	—	—	—	—	—	51
	Sept. 1,	.	—	—	30	.	.	1	2	5	12	9	.	—	—	—	—	—	59
	Sept. 8,	.	—	—	18	.	.	5	1	10	14	2	.	—	—	—	—	—	50

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th September, 1906.

From this it appears that:—

One case of measles was admitted into hospital during the week, and 4 cases remained under treatment at its close.

Nine cases of scarlet fever were admitted to hospital, 5 were discharged, and 38* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital during the week, and 2 cases remained under treatment at the close of the week.

One case of diphtheria was admitted to hospital, 3 were discharged, and 18 patients remained under treatment at the close of the week.

Sixteen cases of enteric fever were admitted to hospital, 3 were discharged, and 43 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 3 were discharged, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 20·9, was equal to an average annual death-rate of 22·3 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 15·6 per 1,000, the rate for Glasgow being 15·9, and for Edinburgh 14·7.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th September. From this Return it appears that of a total of 36 cases notified 18 were scarlet fever, 8 diphtheria, 6 erysipelas, and 4 enteric fever. Among the 219 cases of infectious diseases in hospital at the close of the week were 95 cases of scarlet fever, 24 of enteric fever, 21 of measles, 20 of diphtheria, one of membranous croup, 8 of erysipelas, and 6 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 8th September 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Registration—Week ending Saturday, 8th September, 1906. Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 8th September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th August, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	33·3	21·7	6·0	713	459	152	75	.	4	2	.	11	1	1	3	104	11	42	23	20	23	11	19	119	13	°	°	°		°	°	°		°	°	°	
										.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	373,994	27·5	36·9	24·1	7·2	268	175	63	31	.	.	.	.	1	.	.	2	49	4	18	8	7	6	5	9	54	1	f81·6	46·3	60·5	0·29	f84·8	39·4	62·6	0·00	f73·9	48·9	61·8	0·70
City of Dublin,	298,385	37·1	44·3	26·8	8·0	249	151	57	24	.	.	.	.	1	.	.	2	42	3	17	7	5	6	5	8	49	1	g77·8 / h81·9	52·0 / 48·0	62·8 / 61·7	0·28 / 0·27	g77·1 / h80·5	49·1 / 41·0	64·5 / 64·6	0·00 / 0·00	g75·9 / h75·5	49·1 / 45·0	63·8 / 62·2	0·52 / 0·81
Urban Dists. Rathmines and Rathgar.	33,203	19·4	12·6	9·4	.	8	6	.	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	10·0	22·0	8·0	5	11	4	5	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	17·8	20·7	8·9	6	7	2	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	1	1	.	74	48	62·3	0·12	77·0	48·5	63·4	0·00	76	47·5	63·3	0·41
Urban Districts.																																							
Belfast,	366,220	24·9	34·2	21·5	7·0	240	151	59	16	.	1	1	.	7	.	.	.	39	5	16	6	3	8	3	7	29	.	78·2	45·0	59·3	0·19	79·8	46·5	61·8	0·11	71·5	48·0	60·5	1·49
Cork,	76,122	33·6	30·8	22·6	5·5	45	33	8	4	.	.	.	.	1	.	.	.	7	.	3	3	3	.	.	.	12	4	73	54	62·0	0·31	69	49	60·1	0·05	69	48	59·7	0·19
Londonderry,	42,067	19·4	32·2	19·8	7·4	26	16	4	2	.	1	.	.	1	1	.	.	3	.	2	1	1	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	21·9	20·5	2·7	16	15	3	2	.	.	1	.	.	.	.	.	1	.	1	.	2	.	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	31·2	25·3	1·9	16	18	5	2	.	.	.	.	1	.	.	.	.	.	.	2	.	2	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	15·5	11·7	3·9	4	3	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	80	52	60·5	0·53	83	52	66·5	0·68	74	52	59	0·73
Dundalk,	18,076	3·4	19·9	28·9	4·0	5	6	1	4	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	53·1	16·3	.	13	4	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	77·6	49·0	59·6	0·39	81·7	47·8	64·7	0·00	69·1	48·0	60·3	1·00
Newry,	12,405	17·8	25·2	25·2	4·2	6	6	1	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	77·6	49·0	59·6	0·39	81·7	47·8	64·7	0·00	69·1	48·0	60·3	1·00
Lurgan,	11,782	13·8	31·0	17·7	.	7	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	77·6	49·0	59·6	0·39	81·7	47·8	64·7	0·00	69·1	48·0	60·3	1·00
Lisburn,	11,461	10·1	59·1	9·1	.	13	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Wexford,	11,168	23·2	42·0	28·0	9·3	9	6	1	2	.	.	.	.	.	.	.	.	2	.	.	1	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	9·6	14·4	14·4	2	3	2	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	67·4	43·5	57·7	0·37	80·1	46·5	63·4	0·00	69·5	47·5	59·6	1·43
Sligo,	10,870	3·7	14·4	4·8	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	79	43	61	0·40	77	43	62·4	0·00	75	47	62·1	0·71
Kilkenny,	10,609	11·5	39·3	19·7	.	8	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	1	1	77·6	49·0	59·6	0·39	81·7	47·8	64·7	0·00	69·1	48·0	60·3	1·00
Clonmel,	10,167	7·8	10·3	20·5	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	20·7	31·0	.	4	6	1	2	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	1	.	1	73	47	59·2	0·08	75	49	60·6	—	72	48	59·1	1·44
Tralee,	9,867	16·6	31·7	15·9	.	6	8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	78	54	62·0	0·31	69	49	60·1	0·05	69	48	59·7	0·79
Newtownards,	9,110	18·9	.	11·4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	77·6	49·0	59·6	0·39	81·7	47·8	64·7	0·00	69·1	48·0	60·3	1·00
Queenstown,	7,909	14·4	52·7	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.													
Armagh,	7,588	22·2	82·5	13·7	.	12	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.													

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 9 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted. f Observations at Ordnance Survey Office, Phœnix Park. g Observations at Dublin Castle. h Observations at Dublin Park Observatory.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 8th of September, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	HOWTH & HOWTH No. 1 (part of).	JOBLOCK and DRUM. JOBERA, No. 1 (pt. of)	GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Diarrhœal Diseases,	2	8	5	7	.	.	1	3	2	10	2	2	.	4	.	3	49	.
Pneumonia,	.	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	4	.
Tuberculous Disease: Phthisis,	1	2	3	3	.	2	1	1	1	3	.	.	1	.	.	.	18	3
Tuberculous Disease: Other Forms,	.	1	2	1	.	.	.	1	.	.	2	.	1	.	.	.	8	1
Cancer, Malignant Disease,	1	.	1	.	.	.	.	.	1	1	1	.	1	1	.	.	7	.
Other General Diseases,	.	.	2	1	.	.	.	.	.	2	2	.	1	.	.	.	8	1
Total,	4	11	13	12	.	2	2	7	4	20	7	2	4	6	.	3	97	5
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	1	2	3	.	.	.	2	1	1	.	.	.	1	.	.	12	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	2	.	2	.	.	.	.	3	1	4	3	.	1	3	.	2	21	.
Diseases of: Respiratory System,	1	1	.	.	.	.	.	3	.	1	.	.	.	.	.	.	6	2
Diseases of: Digestive System,	3	6	.	1	.	1	.	2	1	5	4	.	.	1	.	1	25	2
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Urinary System,	.	.	.	1	1	.	.	1	1	.	.	.	.	.	.	1	5	.
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	8	4	5	1	1	.	11	4	11	7	.	1	5	.	4	69	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	4	.
E. VIOLENT DEATHS,	1	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	5	.
Deaths from all Causes,	15	19	17	18	1	3	2	19	8	33	16	2	6	11	.	7	175	9
Annual Rate of Mortality from all causes in every 1,000 of the population	23·9	25·3	29·4	29·6	10·8	15·6	15·6	25·8	22·8	41·0	23·7	11·7	9·4	22·0	.	20·7	24·1	.
	25·3							28·5					14·6					
	26·8																	
Ages at Death. Under 1 year,	8	10	6	8	.	.	1	4	2	13	3	2		4	.	2	63	.
1 and under 5 years,	.	1	4	2	.	.	.	1	.	4	6	.	.	1	.	1	20	.
5 ,, 20 ,,	2	1	.	.	.	.	.	1	.	1	2	.	1	.	.	.	8	.
20 ,, 40 ,,	.	3	1	3	.	1	1	1	2	7	.	.	2	1	.	2	24	3
40 ,, 60 ,,	3	1	5	3	.	1	.	4	4	2	3	.	1	.	.	2	29	4
60 and upwards,	.	3	1	2	1	1	.	8	.	6	2	.	2	5	.	.	31	2
Number of Uncertified Deaths,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	.	3	2	1	.	.	5	1	7	2	.	1	1	.	1	26	8
Workhouse Hospitals,	.	4	4	5	.	.	.	7	3	1	2	.	1	1	.	.	23	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1896–19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 36th Week of the 10 years 1896–1905.	In the Week ending Saturday 8th September, 1906. Deaths of Persons of the Ages o							
	Sept. 5, 1896.	Sept. 11, 1897.	Sept. 10, 1898.	Sept. 9, 1899.	Sept. 8 1900.	Sept. 7, 1901.	Sept. 6, 1902.	Sept. 12, 1903.	Sept. 10, 1904.	Sept. 9, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	° 56·0	° 51·8	° 63·0	° 59·1	° 53·4	° 53·8	° 57·2	° 50·4	° 55·5	° 58·3	° 55·9	Mean Temp. ° 60·5							
ALL CAUSES.	156	150	206	251	154	154	170	145	157	143	168·6	184	6	57	20	8	27	33	28
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	.	1	17	.	.	11	.	1	.	3·0	.	.	.	.	.	.	.	.
Scarlet Fever, ...	5	2	2	2	.	2	3	.	.	.	1·6	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	.	1	2	.	1	.	.	1	.	·5	1	.	.	.	.	1	.	.
Whooping-cough, ...	3	3	6	2	5	2	.	1	4	.	2·6	1	.	.	1	.	.	.	.
Diphtheria, ...	1	3	2	1	.	1	2	1	.	1	1·2	.	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	1	.	.	1	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	4	5	7	1	.	3	1	.	4	2·6	2	.	.	.	1	.	1	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	11	17	39	47	21	30	1	4	13	8	22·0	24	1	17	3	.	.	.	3
Diarrhœa, Dysentery,							9	3	13	4		25	1	19	5	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	1	1	2	.	1	.	.	2	1	·8	1	.	1	.	.	.	.	.
Puerperal Septicæmia,	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.	.	.	.
Puerperal Fever, ...							.	.	.	.		.	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	1	8	9	13	4	5	.	1	.	.	5·5	1	.	.	1	.	.	.	.
Pneumonia, Broncho-Epidemic,							3	.	2	1		1	.	.	1	.	.	.	.
Pneumonia, Not defined,							.	.	.	.		.	.	.	.	.	.	.	.
							4	1	1	2		2	.	.	.	.	2	.	.
Erysipelas, ...	1	1	.	1	.	.	.	2	1	1	·7	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	2	.	.	.	.	.	.	1	.	1	·4	1	.	.	.	.	1	.	.
Pyæmia (not Puerperal),							.	.	.	.		.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	25	24	16	31	22	25	.	8	7	4	22·8	8	.	.	.	.	6	2	.
"*Phthisis*," ...							24	21	13	8		13	.	.	.	1	6	5	1
Tuberculous Meningitis, ...	2	1	4	6	1	3	3	.	2	5	2·7	5	.	1	3	1	.	.	.
Tuberculous Peritonitis,	4	4	8	7	7	4	2	1	1	.	4·1	1	.	1	.	.	.	.	.
Tabes Mesenterica, ...							1	.	1	1		.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	6	3	4	5	8	2	1	1	5	6	4·2	3	.	.	.	1	1	1	.
Scrofula, ...							.	.	1	.		.	.	.	.	.	.	.	.
Alcoholism, ...	1	.	.	.	1	.	1	1	1	.	·5	1	.	.	.	.	.	1	.
Rheumatic Fever, ...	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma, ...	6	10	6	12	1	6	3	.	3	3	6·4	5	.	.	.	.	1	3	1
Sarcoma, ...							.	1	.	.		.	.	.	.	.	.	.	.
Cancer (undefined),							6	2	2	3		2	.	.	.	.	.	.	1
Diabetes Mellitus, ...	.	.	.	.	.	.	.	.	.	1	·1	2	.	.	.	.	1	.	1
Premature Birth, ...	4	4	6	4	2	1	2	3	5	3	3·4	1	1	.	.	.	.	.	.

* The figures for the years 1896–1900 are f
† Formerly described

IRTY-SIXTH WEEK ending Saturday, 8th September, 1906, with the deaths from each cause in the corresponding ie average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Sept. 5, 1896.	Sept. 11, 1897.	Sept. 10, 1898.	Sept. 9, 1899.	Sept. 8, 1900.	Sept. 7, 1901.	Sept. 6, 1902.	Sept. 12, 1903.	Sept. 10, 1904.	Sept. 9, 1905.	Averages in 36th Week of the 10 years 1896-1905.	In the Week ending Saturday, 8th September, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 56·0	° 51·8	° 63·0	° 59·1	° 53·4	° 53·8	° 57·2	° 50·4	° 55·5	° 58·3	° 55·9	Mean Temp. ° 60·5								
ingitis (not tuberc.) ...							4	3	.	2		.	.	.	.	.	.	.	.	.
uity, G. P. of Insane ...							.	2	1	2		.	.	.	.	.	.	.	.	.
epsy							2	1	.	.		1		.	.	.	1	.	.	.
ulsions							7	6	5	5		4	1	2	1	.	.	.	.	.
omotor Ataxy ...							.	1	1	.		.	.	.	.	.	.	.	.	.
plegia Dis. of Cord ...							.	2	.	1		1	.	.	.	.	.	.	1	.
vous System (other s.)	35	24	35	22	29	29	.	1	1	.	31·6	6	.	.	.	.	1	3	2	.
r. Dis., Endocarditis ...							4	5	4	5		4	.	.	.	.	.	2	2	.
bbr. Hæm. Thromb. ...							2	2	1	2		2	.	.	.	.	.	1	1	.
plexy, Hemiplegia ...							4	4	7	3		2	.	.	.	.	.	1	1	.
urysm							.	1	1	.		.	.	.	.	.	.	.	.	.
bolism, Thromb. (not rebral)							.	.	.	.		.	.	.	.	.	.	.	.	.
rt and Blood Vessel Dis.							14	10	12	14		13	.	.	.	.	3	5	4	1
p (not Spasm. nor emb.)	1	1	1	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
achitis	4	9	15	18	13	6	13	9	9	10	10·6	7	.	2	2	.	.	.	2	1
ma, Emphysema ...	3	2	2	.	1	1	.	.	.	1	1·2	.	.	.	.	.	.	.	.	.
irisy							.	.	.	.		.	.	.	.	.	.	.	.	.
piratory Dis. (other) ...							.	.	.	2		1	.	.	.	.	.	.	1	.
sillitis, Quinsy ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ritis (not Epid.) ...	3	2	4	3	.	2	4	.	2	2	2·5	4	1	2	.	.	.	.	1	.
ro *Enteritis*							.	.	2	1		8	.	6	1	1	.	.	.	.
onitis (not Puerp.) ...	1	.	.	.	.	1	2	1	2	1	·8	.	.	.	.	.	.	.	.	.
hosis of Liver ...	2	5	1	4	2	1	1	2	3	1	2·7	3	.	.	.	.	1	1	1	.
r Dis. (other) ...							1	1	3	.		3	.	.	.	.	.	.	3	.
estive Dis. (other) ...	2	5	5	8	9	2	7	6	3	10	5·7	9	.	4	1	.	.	4	.	.
hritis, Acute ...	3	.	1	3	5	4	.	1	.	.	3·4	1	.	.	.	.	1	.	.	.
ht's Dis., Albuminuria							3	6	1	2		3	.	.	.	.	.	1	1	1
nary Sys. (Other Dis.)							1	1	2	1		1	.	.	.	.	1	.	.	.
erative Organs Dis. ...	.	.	.	.	.	1	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
dbirth (Accid. of) ...	.	.	1	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Age	10	5	8	13	9	7	6	2	7	5	7·2	1	.	.	.	.	.	.	.	1
er Diseases	14	8	15	14	6	13	11	18	7	9	11·5	5	.	2	.	1	.	1	1	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	.	1	.	2	1	.	2	.	1	·7	1	.	.	.	1	.	.	.	.
hips, Boats, Docks (exsive of Drowning) ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
uilding Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
onflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	1	.	.	.	.	.
Drowning	.	.	1	2	.	.	2	1	.	.	·6	2	.	.	.	1	.	1	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Poison or Poisonous pours	.	.	1	2	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
er Deaths by Accidents	2	2	2	2	2	.	1	2	.	.	1·3	.	.	.	.	.	.	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
icide	1	.	2	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
ide	1	.	.	.	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
cution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.
ole Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																									
	Mar. 17.	Mar. 24	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25	Sept. 1.	Sept. 8
No. of weeks in Annual Series.	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered,	189	211	230	207	181	202	199	250	285	202	195	228	167	250	210	238	189	230	199	224	285	186	226	230	180	168
*Average Births in corresponding week of previous 10 years,**	219	206	236	177	200	216	204	244	227	209	191	217	229	193	221	229	202	193	199	207	202	208	217	195	215	203
DEATHS registered,	178	193	198	159	174	215	174	191	165	169	178	154	142	126	149	125	130	140	156	149	135	130	151	167	166	184
Annual Death-rate per 1,000,	28·8	26·6	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3
*Average Deaths in corresponding week of previous 10 years,**	212	211	218	201	198	189	183	183	174	171	166	157	155	150	146	140	145	146	151	153	166	169	163	170	164	169
AGES,— Under 5 years,	55	43	67	37	34	45	37	30	36	41	42	47	38	12	37	17	35	35	38	43	40	34	48	63	59	83
5—20 ,,	15	15	17	13	18	15	12	16	10	15	13	11	11	13	13	16	14	10	17	11	8	16	9	10	12	8
20—40 ,,	19	29	26	28	23	27	32	39	23	28	29	27	20	22	30	36	21	24	25	27	20	6	22	27	20	27
40—60 ,,	35	40	33	34	47	49	42	47	39	44	37	30	42	36	34	28	32	37	28	35	20	19	27	32	40	33
60—80 ,,	41	55	45	40	47	70	40	55	51	30	41	34	28	37	31	22	21	32	43	27	32	28	43	28	29	28
80 years and upwards,	8	11	10	7	10	9	11	4	6	11	11	5	3	6	4	6	7	2	5	6	5	27	2	7	6	5
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	1	3	1	.	1	.	.	2	.	.	.	.	.	1	2	2	.	2	1	.	.	.
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Whooping-cough,	2	.	2	2	3	.	2	1	1	.	3	3	1	2	2	1	4	6	3	2	2	3	1	.	.	1
Diphtheria,	2	1	3	.	.	.	2	.	.	2	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.
Pyrexia † (origin uncertain),	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Enteric Fever,	3	.	3	.	1	2	1	1	3	.	.	.	.	1	.	2	.	1	1	.	1	1	.	.	2	2
Diarrhœal Diseases,	3	5	2	1	1	1	4	.	3	1	3	2	1	4	.	2	.	3	3	10	11	10	29	27	28	49
Pneumonia,	10	13	10	8	22	26	17	21	18	13	13	10	6	6	13	4	4	9	12	13	4	5	4	8	5	4
Tuberculous Phthisis,	28	32	25	23	27	18	22	36	18	16	22	20	17	17	29	21	26	21	28	19	21	13	21	21	18	21
Disease. Other Forms,	12	11	15	15	8	11	10	15	10	16	7	8	13	12	11	9	11	7	11	13	4	7	9	8	9	9
Cancer, Malignant Disease,	6	11	4	4	9	13	10	6	5	15	8	10	6	8	6	12	7	4	14	9	8	4	12	11	10	7
Diseases of Heart and Blood Vessels,	29	31	33	27	29	45	27	22	22	28	30	15	29	26	21	14	15	26	27	19	19	17	20	12	22	21
Diseases of Respiratory System,	21	34	27	23	29	43	23	36	31	15	26	15	10	11	17	5	21	10	11	13	14	10	11	10	4	8
Violent Deaths,	2	4	5	2	3	4	2	3	1	4	5	2	3	3	4	3	4	2	3	4	2	3	2	8	7	5
Number of Uncertified Deaths,	7	6	12	9	7	6	5	5	3	7	7	11	3	3	9	4	3	2	5	4	3	5	1	2	1	1
Mean Temperature of the Air (Phœnix Park),	43·3	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	53·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5
Average Mean Temperature in corresponding week of previous 10 years	44·1	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9
Rainfall in inches,	·430	·185	·045	·185	·055	·130	·810	·650	·455	·640	·810	·450	·005	·230	·790	·450	·390	·235	·385	·220	·452	·320	·415	·605	·000	·235
Mean Humidity of the Air, complete Saturation, 1·0	·85	·80	·81	·80	·88	·81	·83	·85	·83	·83	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·83	·79	·86	·86	·84

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

in the Dublin Registration Area during the Week ending Saturday, 8th September, 1906: the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH SEPTEMBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	25·6	184	83	8	27	32	28	5	.	.	.	.	1	.	.	2	49	52	4	21	9	7	4	8	5	74	1
	CLASSES.																												
	Deaths in Families of the—																												
I.	Professional and Independent Class,	17,486	12·0	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
II.	Middle Class,	87,188	20·3	34	9	3	5	7	8	2	.	.	.	.	.	.	.	.	5	5	1	6	.	2	2	.	.	18	1
III.	Artisan Class and Petty Shopkeepers,	110,423	17·9	38	16	.	6	12	4	.	.	.	.	.	.	.	.	.	11	11	1	3	1	2	.	1	1	18	.
IV.	General Service Class,	154,279	35·1	79	52	4	8	9	5	1	.	.	.	.	1	.	.	2	29	32	2	4	6	1	2	6	4	22	.
V.	Inmates of Workhouses,	6,024		29	6	1	7	4	9	2	.	.	.	.	.	.	.	.	4	4	.	8	2	1	.	1	.	13	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,860	6·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	28·4	12	4	1	1	3	3	.	.	.	.	.	.	.	.	.	3	3	1	1	.	.	1	.	.	6	.
	6. Clerks and Commercial Assistants,	30,482	13·7	8	4	1	2	.	1	.	.	.	.	.	.	.	.	.	2	2	.	2	.	.	1	.	.	3	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	25·1	13	1	1	2	4	3	2	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	.	8	.
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	5·3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	9. Building and Furnishing Trades,	29,801	22·7	13	5	.	3	3	2	.	.	.	.	.	.	.	.	.	3	3	.	3	1	.	.	.	.	6	.
	10. Clothing Trades,	23,260	13·5	6	2	.	2	1	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	4	.
	11. Food Supply Trades,	9,242	22·6	4	3	.	.	.	1	.	.	.	.	.	.	.	.	.	3	3	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	17·2	10	4	.	1	5	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1	.	1	1	5	.
	13. Petty Shopkeepers,	7,894	26·4	4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	2	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	27·2	7	4	.	.	2	1	.	.	.	.	.	1	.	.	.	1	2	.	1	1	.	.	.	.	3	.
	15. Domestic Servants,	36,603	8·5	6	4	1	1	.	.	.	.	.	.	.	.	.	.	.	2	2	2	.	.	.	.	.	1	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	43·5	12	10	.	1	1	.	.	.	.	.	.	.	.	.	.	6	6	.	.	2	.	.	.	.	4	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	31·3	54	34	3	6	6	4	1	.	.	.	.	.	.	.	2	20	22	.	3	3	1	2	6	3	14	.
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates.	6,024	.	29	6	1	7	4	9	2	.	.	.	.	.	.	.	.	4	4	.	8	2	1	.	1	.	13	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES AND RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of).	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,832.	July 21,	23·9	1·8	13	.	.	.	.	1	.	.	.	.	1	2	1	.	1	.	2
	„ 28,	18·4	3·7	10	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.
	Aug. 4,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	„ 11,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	.	2	.	1	1	1	.
	„ 18,	14·7	9·2	8	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.
	„ 25,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.
	Sept. 1,	22·1	3·7	12	.	.	.	.	.	.	.	.	2	.	.	2	.	.	1	.
	„ 8,	23·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	.	1	1	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	July 21,	28·0	2·7	21	.	.	.	.	1	.	.	.	1	1	4	3	.		.	2
	„ 28,	32·0	6·7	24	.	.	1	.	1	.	.	.	3	1	2	3	1	2	.	1
	Aug. 4,	22·6	5·3	17	.	.	.	.	.	.	.	.	4		2	1	1	4	.	.
	„ 11,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	1	.	2	.	3	.	1
	„ 18,	21·3	9·3	16	.	.	.	.	.	.	.	.	7	.	.	2	.	2	1	.
	„ 25,	25·3	2·7	19	.	.	.	.	.	.	.	.	2	1	3	1	3	1	2	1
	Sept. 1,	20·0	5·3	15	.	.	.	.	.	.	.	.	4	.	3	.	1	.	.	.
	„ 8,	25·3	10·7	19	.	.	.	.	.	.	.	.	8	.	2	1	.	1	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	July 21,	20·8	1·7	12	.	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.
	„ 28,	39·8	5·2	23	.	.	1	.	.	.	.	.	2	3	2	2	1	1	.	.
	Aug. 4,	17·3	5·2	10	.	.	.	.	1	.	.	.	2	1	.	.	.	.	1	.
	„ 11,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
	„ 18,	17·3	8·7	10	.	.	.	.	.	.	.	.	5	2	1	.	.	.	.	.
	„ 25,	26·0	12·1	15	.	.	.	.	.	.	.	.	7	.	1	.	.	.	1	.
	Sept. 1,	34·6	1·7	20	.	.	.	.	.	.	.	.	1	1	2	1	2	1	1	.
	„ 8,	29·4	8·7	17	.	.	.	.	.	.	.	.	5	.	3	2	1	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	July 21,	16·5	.	10	.	.	.	.	.	.	.	.	.	1	3	1	2	1	1	.
	„ 28,	14·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	2	1	1	.
	Aug. 4,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	1	5	3	1	2	.	2
	„ 11,	21·4	6·6	13	.	1	.	.	.	1	.	.	2	1	1	1	.	.	.	.
	„ 18,	21·4	3·3	13	.	.	.	.	.	.	.	.	2	1	.	.	1	3	1	.
	„ 25,	26·3	11·5	16	.	.	.	.	.	.	.	.	7	.	2	.	.	1	.	.
	Sept. 1,	49·6	13·2	18	.	.	.	.	.	.	.	1	7	1	1	.	1	.	.	.
	„ 8,	29·6	11·5	18	.	.	.	.	.	.	.	.	7	.	3	1	.	.	.	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	July 21,	25·8	2·7	19	.	.	.	.	.	1	.	1	.	2	3	3	2	4	.	.
	„ 28,	23·1	1·4	17	.	.	.	.	1	.	.	.	.	2	2	2	.	4	1	1
	Aug. 4,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	4	.	.	3	.	.
	„ 11,	23·1	5·4	17	.	.	.	.	2	1	.	.	1	.	1	.	.	1	2	1
	„ 18,	29·9	4·1	22	.	.	.	.	1	.	.	.	2	.	5	1	1	6	.	1
	„ 25,	28·5	2·7	21	.	.	.	.	.	.	.	.	2	.	4	2	.	5	1	.
	Sept. 1,	34·0	5·4	25	.	.	.	.	.	.	.	.	4	.	4	.	.	.	2	.
	„ 8,	25·8	6·8	19	.	.	.	.	.	.	.	2	3	.	1	1	.	3	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	July 21,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.
	„ 28,	17·1	2·9	6	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	Aug. 4,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.
	„ 11,	17·1	2·9	6	.	.	.	.	.	.	1	.	.	.	3	1	.	1	.	.
	„ 18,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	.	4	1	2	.	.	.
	„ 25,	20·0	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.
	Sept. 1,	28·5	5·7	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	.	.
	„ 8,	22·8	5·7	8	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	July 21,	14·9	1·2	12	.	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.
	„ 28,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	3	3	.	2	.	1
	Aug. 4,	17·4	1·2	14	.	.	.	.	.	.	.	.	1	.	1	.	1	2	.	.
	„ 11,	26·1	6·2	21	.	1	.	.	.	.	.	.	4	1	2	1	.	2	.	1
	„ 18,	22·4	1·2	18	.	.	.	.	.	.	.	.	1	.	4	1	1	.	.	.
	„ 25,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	1	2	.	1	1	.
	Sept. 1,	21·1	5·0	17	.	.	.	.	.	.	.	.	4	1	1	1	2	1	.	1
	„ 8,	41·0	13·7	33	.	.	.	.	1	.	.	.	10	3	3	.	1	1	1	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	July 21,	10·4	1·5	7	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.	.
	„ 28,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
	Aug. 4,	10·4	3·0	7	.	.	.	.	1	.	.	.	1	.	1	.	1	.	1	.
	„ 11,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	„ 18,	16·3	4·5	11	.	.	.	.	.	.	.	.	3	.	2	1	1	.	.	.
	„ 25,	20·8	3·0	14	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1	.
	Sept. 1,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.
	„ 8,	23·7	3·0	16	.	.	.	.	.	.	.	.	2	.	.	2	1	.	2	.

* Formerly described "as Simple Continued Fever."

rtain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *blic Institutions being assigned to the Districts from which the deceased were admitted;* also, ovincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer. Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,208.	July 21,	18·8	1·6	12	.	1	.	.	.	.	.	.	.	.	1	.	3	.	.	.
	„ 28,	11·0	1·6	7	.	1	.	.	.	.	.	.	.	1	.	1	2	.	.	.
	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 11,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 18,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 25,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.	2	1	.	.
	Sept. 1,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	2	1	1	.	.
	„ 8,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	July 21,	16·0	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.
	„ 28,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	Aug. 4,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 11,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 18,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.
	„ 25,	20·0	4·0	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	1	.
	Sept. 1,	18·0	4·0	9	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.
	„ 8,	22·0	8·0	11	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	July 21,	32·5	.	11	.	.	.	.	.	.	.	.	.	1	2	2	1	.	.	.
	„ 28,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.
	Aug. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	„ 11,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 18,	14·8	3·0	5	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	Sept. 1,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 8,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
Belfast. Pop. in 1906 (Est.) 376,220.	July 21,	17·2	1·9	121	.	.	2	.	3	.	.	1	7	6	21	5	4	9	4	.
	„ 28,	18·1	1·4	127	.	2	.	.	1	1	.	2	4	6	26	10	4	21	.	3
	Aug. 4,	17·2	2·1	121	.	1	.	.	4	.	.	3	7	10	22	11	2	11	2	.
	„ 11,	18·1	2·4	127	.	.	.	.	2	1	.	2	12	7	25	6	4	7	4	3
	„ 18,	17·8	4·7	125	.	2	.	.	4	1	.	1	25	3	13	8	3	12	2	1
	„ 25,	19·8	4·0	139	.	.	.	.	2	2	.	.	24	5	21	6	2	7	3	2
	Sept. 1,	19·1	4·8	134	.	.	1	.	7	1	.	2	23	7	15	6	4	16	6	5
	„ 8,	21·5	7·0	151	.	1	1	.	7	.	.	1	39	5	16	6	3	8	3	.
Cork. Pop. (in 1901) 76,122.	July 21,	15·8	0·7	23	.	.	.	.	1	.	.	.	.	1	2	1	3	3	.	2
	„ 28,	10·3	1·4	15	.	.	.	.	1	.	.	.	1	2	3	2	.	2	.	.
	Aug. 4,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	1	5	3	1	4	2	3
	„ 11,	16·4	1·4	24	.	.	.	.	1	.	.	.	1	.	7	1	1	1	2	.
	„ 18,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	.	7	.	.	2	1	1
	„ 25,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	1	8	2	.	.	.	1
	Sept. 1,	16·4	2·1	24	.	.	.	.	.	.	.	.	3	.	3	2	.	1	1	3
	„ 8,	22·6	5·5	33	.	.	.	.	1	.	.	.	7	.	3	3	3	.	.	4
Londonderry. Pop. in 1906 (Est.) 42,067.	July 21,	26·0	8·7	21	.	5	.	.	1	.	.	.	1	.	1	4	.	1	.	.
	„ 28,	13·6	6·2	11	.	5	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	Aug. 4,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	3	4	2	1	4	1	.
	„ 11,	19·8	1·2	16	.	1	.	.	.	.	.	.	.	.	3	1	.	2	.	1
	„ 18,	14·9	1·2	12	.	.	.	.	.	.	.	.	1	1	1	1	1	3	.	.
	„ 25,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	2
	Sept. 1,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	2
	„ 8,	19·8	7·4	16	.	1	.	.	1	1	.	.	5	.	2	1	1	2	2	.
Limerick. Pop. (in 1901) 38,151.	July 21,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 28,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	2
	Aug. 4,	8·2	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 11,	10·1	.	14	.	.	.	.	.	.	.	.	.	.	3	1	1	.	.	.
	„ 18,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	1
	„ 25,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
	Sept. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	.
	„ 8,	20·5	2·7	15	.	.	1	.	.	.	.	.	1	.	1	.	2	.	.	.
Waterford. Pop. (in 1901) 26,769.	July 21,	29·2	1·9	15	.	.	.	.	.	.	.	.	1	3	3	.	.	.	1	.
	„ 28,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	Aug. 4,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1
	„ 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.
	„ 18,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 25,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Sept. 1,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
	„ 8,	25·3	1·9	13	.	.	.	.	1	.	.	.	.	.	.	2	.	2	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th September, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*: with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-2	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,734	9	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		6	2	2	.	1	1		.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	2	.
Do. 2 ,,	47,959	34			16	5	5	.	2	1	3	.	.	1	.	.	.	.	.	2	.	1	1	.	1	.	.	1	.
Do. 3 ,,	47,214	33			10	4	.	.	1	3	2	.	.	.	.	.	.	.	.	4	2	1	.	.	1	.	.	1	.
Do. 4 ,,	40,911	41			22	10	3	4	1	2	2	.	.	.	.	3	.	.	.	7	.	3	1	.	1	1	2	6	.
Do. 5 ,,	17,387	7			15	6	2	.	3	2	2	.	.	.	.	1	.	.	.	3	1	1	.	.	1	.	.	5	.
Do 6 ,,	48,122	26			17	5	1	1	3	2	5	.	1	.	.	1	.	.	.	2	.	3	.	.	4	.	.	6	.
Do 7 ,,	1,524	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	1			3	.	.	.	2	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
Do. 9 ,,	19,569	12			9	3	.	1	1	4	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	2	.
Do. 10 ,,	28,064	21			19	8	2	.	1	7	1	.	.	.	.	1	.	.	.	7	1	2	.	3	.	1	1	1	.
Do. 11 ,,	34,802	15			18	8	.	.	3	7	.	.	.	.	.	1	.	.	.	4	1	2	.	.	.	1	2	3	.
Do. 12 ,,	33,588	28			10	6	1	2	1	.	.	.	.	.	.	.	.	.	.	5	.	.	2	.	.	.	.	.	.
Do. 13 ,,	15,006	13			6	2	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.
Do. 14 ,,	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	240			151	59	16	10	20	30	16	.	1	1	.	7	.	.	1	39	5	16	6	3	8	3	7	29	.
City of Cork.																													
CORK URBAN No. 1 DISTRICT.	12,867	5	20·8	.	5	1	1	2			1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Do. 2 ,,	10,701	8	34·1	4·9	7	2	2	3			.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1
Do. 3 ,,	9,978	6	26·1	10·5	5	.	3	2			.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	1	2
Do. 4 ,,	8,666	6	12·0	6·0	2	1	.	.			1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 5 ,,	6,592	4	7·9	.	1	.	.	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 ,,	10,702	5	24·4	4·9	5	1	1	2			1	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	3	1
Do. 7 ,,	16,616	11	25·1	9·4	8	3	2	2			1	.	.	.	.	1	.	.	.	2	.	1	.	.	.	.	.	2	.
Total	76,122	45	22·6	5·5	33	8	9	12			4	.	.	.	.	1	.	.	.	7	.	3	3	3	.	.	.	12	4

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.***

BELFAST.	1906—Week ending																									
	Mar. 17.	Mar. 24	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered,	229	221	248	240	212	232	282	238	246	217	273	239	228	204	222	218	225	162	271	225	241	220	203	204	208	240
DEATHS registered,	191	152	201	169	166	171	152	179	161	140	151	150	136	134	131	113	105	119	121	127	121	127	125	139	134	151
Annual Death-rate per 1,000 of estimated Population,	27·2	21·6	23·6	24·1	23·6	24·3	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5
AGES — Under 1 year,	32	37	46	35	35	39	30	29	35	35	21	33	28	21	26	24	24	17	21	21	30	29	37	43	39	59
1–5 years,	23	16	30	28	26	24	24	20	19	17	17	13	21	20	17	15	12	19	12	8	18	9	16	14	22	16
5–20 years,																	11	14	10	13	9	14	17	12	5	10
20–40 years,	84	57	89	81	75	66	67	85	66	61	84	64	53	67	72	57	18	27	24	29	15	25	14	18	17	10
40–60 years,																	22	15	26	26	31	22	24	29	26	30
60 years and upwards,	52	42	36	25	30	42	31	43	41	24	29	30	33	26	16	17	23	17	28	30	18	28	17	23	25	16
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2	1	.	2	.	.	1
Scarlet Fever,	1	.	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.		2	.	.	.	.	.	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	9	5	21	12	13	21	18	20	12	13	8	15	16	7	14	7	4	9	3	1	4	2	4	2	7	7
Diphtheria,	1	2	1	1	.	.	.	.	.	1	1	.	1	.	.	2	2	.	.	1	.	1	1	2	1	.
*Pyrexia** (origin uncertain),	1	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	6	3	1	5	4	2	.	.	1	1	.	.	2	.	.	.	.	1	1	2	3	2	1	.	2	1
Diarrhœal Diseases,	1	2	1	2	.	1	2	1	.	1	5	1	5	7	2	4	4	6	7	4	7	12	25	24	23	39
Pneumonia,	23	10	18	19	19	15	16	16	10	9	14	15	15	7	7	8	8	7	6	6	10	7	3	5	7	5
Tuberculous Disease, Phthisis,	26	17	18	24	26	18	19	29	21	23	33	16	21	22	30	24	12	20	21	26	22	25	13	21	15	16
Tuberculous Disease, Other Forms,	5	6	12	11	7	8	12	10	8	11	9	11	5	9	7	7	6	15	5	10	11	6	8	6	6	6
Cancer, Malignant Disease,	6	4	10	4	3	2	4	4	3	3	3	1	5	6	4	2	9	2	4	4	2	4	3	2	4	3
Diseases of Respiratory System,	36	24	28	21	34	36	27	30	27	17	16	17	15	15	14	13	7	7	9	21	11	7	12	7	16	8
Violent Deaths,	1	.	2	7	4	3	4	4	2	4	6	1	2	1	5	.	3	6	4	.	2	4	2	3	6	3
Number of Uncertified Deaths,	4	3	3	1	1	3	5	2	2	.	4	2	2	5	.	1	1	2	.	3	.	3	1	2	5	.

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	Sept. 8,	2,329	1,892	20·9	.	9	6	13	17	4	529
EDINBURGH, .	341,035	„ 8,	163	96	14·7	.	.	.	.	2	1	9
GLASGOW, . .	835,625	„ 8,	427	255*a*	15·9	.	2	3	.	5	4	31
CALCUTTA, . .	910,117	July 21,	.	381	23·3	12	4	.	1	2	106‡	40*
BOMBAY, ,	977,822	Aug. 7,	383	973	51·7	1	4	.	.	.	115‡	218*
MADRAS, . .	509,346	July 20,	355	400	40·8	3	2	?	?	?	98	80*
PARIS, . .	2,722,731	Aug. 25,	825	844	16·4	.	4	2	2†	4	3	111
BRUSSELS (with 8 Faubourgs).	612,401	„ 18,	212	189	16·0	.	1	1	.	2	3	51
ANTWERP, . .	304,975	„ 18,	130	110	18·3	.	6	.	.	.	.	46
AMSTERDAM, .	560,966	„ 18,	283	138	12·8	.	4	.	2†	2	1	21
COPENHAGEN, .	425,000	„ 18,	244	170	20·9	.	3	.	.	3	1	50
STOCKHOLM, .	324,488	„ 11,	132	74	11·9	.	.	.	.	4	.	9
CHRISTIANIA, .	222,373	„ 25,	101	54	12·6	.	.	.	1	1	.	8
ST. PETERSBURG,	1,424,700	„ 18,	586	646	23·6	.	14	15	31	8	33	120
MOSCOW, . .	1,092,360	July 21,	.	655	31·3	2	8	4	3†	4	7	265
BERLIN, . .	2,061,989	Aug. 11,	883	726	18·4	.	5	5	7†	4	.	268
HAMBURG, .	803,050	„ 11,	.	272	17·6	.	10	3	1†	2	1	75
BRESLAU, . .	475,471	„ 25,	.	203	22·2	.	.	.	4†	2	2	47
MUNICH, . .	540,000	„ 25,	.	175	16·9	.	.	1	.	3	.	37
VIENNA (with suburbs).	1,937,869	„ 25,	878	605	16·2	.	6	2	3†	2	1	95
BUDA-PESTH, .	791,748	„ 25,	415	236	15·5	.	7	2	.	1	.	22
PRAGUE and Faubourgs.	460,849	„ 18,	172	108	12·2	.	2	.	.	.	.	17
TRIESTE, . .	196,637	„ 11,	127	88	23·3	.	.	1	.	1	.	11
ROME, . . .	531,502	July 14,	196	210	20·6	.	8	.	1†	1	1	37
VENICE, . .	171,709	Aug. 18,	86	69	21·0	.	.	.	.	.	1	10
NEW YORK, .	4,152,860	„ 11,	2,229	1,626	20·4	.	4	.	16†	11	17	400
PHILADELPHIA,	1,469,126	„ 4,	.	511	18·1	.	1	.	6†	10	10	110
BOSTON, . .	602,526	„ 11,	.	236	20·4	.	.	1	2	4	1	33

a. Including 3 deaths from cerebro-spinal meningitis.
* Including 14 deaths from cholera in Calcutta, 88 in Bombay, and 9 in Madras.
† Including deaths from croup.
‡ Exclusive of 8 deaths from plague in Calcutta, and 33 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th September, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	1	3	.	.	.	.	4
" " 1, West,	.	1	.	.	.	.	.	2	3	.	.	.	6
" " 2,	.	.	.	.	.	.	1	1	2	.	.	.	4
" " 3,	.	.	.	.	1	.	.	3	1	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	.	.	.	4	4	.	.	.	9
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	2	.	.	.	.	1	.	.	.	.	.	3
" " 4,	.	.	.	.	1	.	.	1	.	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	4	.	.	2	.	3	14	11	.	.	.	34

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th September, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th September.			
	Aug. 18.	Aug. 25.	Sept. 1.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week
Small-pox,	.	.	.	.	.	.	.
Measles,	10	5	3	1	.	.	4
Scarlet Fever,	27	30	34	9	5	.	38*
Typhus,	1	1	1	1	.	.	2
Diphtheria,	23	23	20	1	3	.	18
Enteric Fever,	20	27	30	16	3	.	43
Pneumonia,	11	18	15	8	3	.	20

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 8th September, 1906 :—

"The weather continued to be very favourable throughout this week. The tropical heat observed in the previous week persisted on Sunday. In Dublin that day was very warm, the thermometer rising to 77·8° in the shade—the highest reading recorded at Fitzwilliam-square, in this city, in 1906. But at many places in the eastern and central parts of England (including London) the thermometer exceeded 90°, the highest readings reported being 96° at Bawtry (Nottinghamshire) and 94° at Nottingham. A large, but not deep, depression lay off the west coast of Ireland at the time, so that southerly winds prevailed. In the afternoon of Sunday the sky assumed a threatening sultry aspect in Dublin, but no electrical disturbances followed, although a grateful fall of rain took place on Monday morning (·143 inch). The depression drifted slowly eastwards, filling up all the while, and bringing a lower temperature, though little or no rain, to England. On Tuesday night, however, a copious downpour occurred in the London district (·62 inch in St. James's Park) and over the southern counties. A large depression skirted the N.W. coasts of Scotland on Wednesday, reaching Norway next morning. It brought a moderate rainfall to many British and Irish stations. As an area of high barometer spread northwards on Friday, temperature once more became high in the United Kingdom. On Saturday relief came in the shape of a fresh N.W. wind, the weather being fine, bright, and dry. In Dublin the mean height of the barometer was 30·053 inches, pressure ranging between 29·831 inches at 9 a.m. of Sunday (wind locally N.N.W.) and 30·219 inches at 9 p.m. of Saturday (wind, N.W.). The corrected mean temperature was 62·8°, the mean dry bulb reading at 9 a.m. and 9 p.m being 60·9°. The screened thermometers rose to 77·8° on Sunday and fell to 52·0° on Tuesday. The prevalent winds were W. and N.W. Rain days were two in number, the measurement being ·230 inch, of which ·143 inch was recorded on Sunday (Monday morning)."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·040 inches. The highest reading (30·216) was on Saturday at 9 p.m., air calm, and the lowest (29·844) on Sunday at 9 a.m., air calm.

The mean temperature for the week was 60·5°, being 4·6° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Sunday, on which day the thermometer registered 81·6°, and was lowest on Tuesday, the mercury having fallen to 46·3°. The mean of the Dry Bulb for the week was 59·6°, and of the Wet Bulb 56·9°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 34·5 hours. The rainfall during the week measured 0·285 inch.

At Greenwich the mean temperature for the week was 68·0°, the maximum 93·5°, and the minimum 52·2°; at Glasgow the maximum was 87·8°, the minimum 44·2°, and the mean 59·0°; and at Edinburgh the maximum was 85·3°, the minimum 48·2°, and the mean 60·5°. The rainfall at Greenwich measured 0·85 in.; at Glasgow 0·67 in.; and at Edinburgh 0·15 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Sept. 2,	29·903	81·6	49·7	65·7	63·5	63·7	·76	·6	10·0	·185	Calm.	Calm.
Monday, „ 3,	30·049	66·6	56·9	61·8	57·5	56·5	·88	·3	2·0	·000	Calm.	Calm.
Tuesday, „ 4,	30·194	63·6	46·3	55·0	55·2	52·0	·81	·5	4·7	·000	W.	Calm.
Wednesday, „ 5,	29·960	62·6	49·4	56·0	61·2	58·9	·87	·6	4·4	·100	W.S.W.	W.S.W.
Thursday, „ 6,	29·982	61·3	55·4	59·9	59·0	58·0	·95	·9	0·0	·000	W.	W.S.W.
Friday, „ 7,	30·036	73·2	53·9	66·6	61·5	58·2	·82	·5	3·7	·000	S.W.	W.S.W.
Saturday, „ 8,	30·154	67·0	49·4	58·2	54·2	51·3	·82	·5	9·7	·000	W.	Calm.
Mean, . .	30·040	68·4	52·4	60·5	59·6	56·9	·84	·6	Total 34·5	Total ·285	—	

Sunday—A beautiful day; night cloudy, heavy rain 3.30 a.m. to 7.0 a.m. *Monday*—Fine day but cloudy; night cloudy. *Tuesday*—Fine but cloudy day; night sky clear. *Wednesday*—Fine but cloudy day; night overcast, rain 12.0 m.n. to 4.0 a.m. *Thursday*—Day overcast but fine; night cloudy. *Friday*—A fine day, light clouds; night sky clear. *Saturday*—Fine day, light clouds; night sky clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 8th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Sept. 2,	72·2	63·4	59·1	80·5	57·2	68·9	8·9	·147
Monday, „ 3,	59·0	63·6	59·1	65·9	57·0	62·0	1·4	—
Tuesday, „ 4,	60·1	61·9	59·3	65·0	52·0	58·5	4·4	—
Wednesday, „ 5,	62·6	61·1	59·2	69·8	54·1	62·0	4·4	·062
Thursday, „ 6,	58·9	61·1	59·2	65·9	55·8	60·9	0·0	—
Friday, „ 7,	63·4	61·2	59·1	74·6	60·4	67·5	5·3	—
Saturday, „ 8,	59·0	61·8	59·0	67·3	54·8	61·1	7·5	—
Weekly Mean, .	62·2	62·0	59·1	70·0	55·9	63·0	Total 31·9	Total ·209

DUBLIN: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—14707.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 15TH SEPTEMBER, 1906. [No. 37.

General Register Office, Charlemont House,
Dublin, 17th September, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Aug. 25.	Week ending Sept. 1.	Week ending Sept. 8.	Week ending Sept. 15.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 25.	Week ending Sept. 1.	Week ending Sept. 8.	Week ending Sept. 15.	Average Rate for 4 weeks.
22 Town Dists.	**19·3**	**19·0**	**21·7**	**22·9**	**20·7**	Lisburn, . .	9·1	4·5	9·1	22·7	11·4
Armagh, . .	27·5	34·4	13·7	13·7	22·3	Londonderry, .	11·2	18·6	19·8	19·8	17·4
Ballymena, .	9·6	14·4	14·4	9·6	12·0	Lurgan, . .	13·3	8·9	17·7	22·1	15·5
Belfast, . .	19·8	19·1	21·5	20·2	20·2	Newry, . .	4·2	21·0	25·2	12·6	15·8
Clonmel, . .	30·8	10·3	20·5	10·3	18·0	Newtownards, .	17·2	11·4	11·4	34·3	18·6
Cork, . . .	21·2	16·4	22·6	17·8	19·5	Portadown,	15·5	25·8	31·0	46·5	29·7
Drogheda, .	20·4	4·1	16·3	4·1	11·2	Queenstown .	19·8	6·6	.	26·4	13·2
Dublin Reg. Area,	21·5	21·9	24·1	29·4	24·2	Sligo, . .	4·8	9·6	4·8	4·8	6·0
Dundalk, . .	8·0	16·0	23·9	.	12·0	Tralee, . .	26·4	10·6	15·9	21·1	18·5
Galway, . .	7·8	35·0	11·7	27·2	20·4	Waterford, .	19·5	9·7	25·3	11·7	16·6
Kilkenny, . .	24·6	.	19·7	39·3	20·9	Wexford, . .	28·0	42·0	28·0	32·7	32·7
Limerick, . .	13·7	15·0	20·5	17·8	16·8						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 5·1 per 1,000, the rates varying from 0·0 in nine of the districts to 20·7 in Portadown, the 9 deaths from all causes in that district including 4 from diarrhœal diseases. Among the 142 deaths from all causes in Belfast were 3 from whooping-cough, one from diphtheria, 3 from enteric fever, and 38 from diarrhœal diseases. The 26 deaths from all causes in Cork included one from whooping-cough and 7 from diarrhœal diseases; the 16 deaths in Londonderry included one from whooping-cough, one from diphtheria, and 4 from diarrhœal diseases; of the 2 deaths in Ballymena, one was from measles; included in the 8 deaths in Kilkenny was one from diphtheria; and of the 6 deaths in Newtownards one was from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 209—112 boys and 97 girls; and the deaths to 220—104 males and 116 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 30·3 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 29·4 per 1,000. During the thirty-seven weeks ending with Saturday last the death-rate averaged 22·6, and was 2·8 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The deaths (220) included one death from scarlet fever, one death from typhus, one death from whooping-cough, one death from diphtheria, and 40 deaths from diarrhœal

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*), Table II. ‡ See columns 10–18 of Table II.

diseases. In each of the 3 preceding weeks, deaths from scarlet fever were 0, 0, and 0; deaths from typhus were 0, 0, and 0; deaths from whooping-cough were 0, 0, and one; deaths from diphtheria were 0, 0, and 0; and deaths from diarrhœal diseases were 27, 28, and 49. Of the 40 deaths from diarrhœal diseases registered in the period under notice, 35 were of children under 5 years of age. The deaths of 9 children under one year of age were attributed to enteritis, and the deaths of 8 children under 5 years of age were attributed to *gastro-enteritis*, and were classified to diseases of the digestive system. The weekly mean of the daily readings of the earth thermometer at 4 feet was 58·8°. There was one death from influenza.

There were 2 deaths from lobar pneumonia, also 2 deaths from broncho-pneumonia, and *pneumonia* (not defined) caused 5 deaths.

Of 31 deaths from all forms of tuberculous disease, 6 were returned as from tuberculous phthisis, 14 as from *phthisis*, 4 from tuberculous meningitis, one from tuberculous peritonitis, and 6 from other forms of the disease. In the 3 preceding weeks, the deaths registered from tuberculous disease were 29, 27, and 30, respectively.

There were 3 deaths from carcinoma, one death from sarcoma, and 7 deaths from cancer (undefined).

The deaths of 4 infants were due to prematurity.

The deaths (15) from diseases of the brain and nervous system include the deaths of 6 children under 5 years of age from *convulsions*.

Diseases of the heart and blood vessels accounted for 28 deaths. There were 12 deaths from bronchitis.

Of 2 accidental deaths, one was due to scalds (that of a child under 5 years of age) and one was by poisoning with carbolic acid.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the death of a person aged 64 years.

Ninety-eight of the persons whose deaths were registered during the week were under 5 years of age (77 being infants under one year, of whom 18 were under one month old) and 50 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 6 were octogenarians, and 3 (one male and 2 females) were stated to have been aged 95, 91, and 96 years, respectively.

Seventy-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 29·4 per 1,000; the rate in the City was 32·9 (North City Districts, 30·8; South, 35·1), and in the Suburbs, 17·7 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 5·9 per 1,000 inhabitants, the rate for the City being 6·0 (5·1 in the North City Districts, and 6·9 in the South) and for the Suburbs, 5·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000, and include one death from influenza, one death from epidemic diarrhœa, and 5 deaths from *phthisis*.

No. 1 North City District, West (Summer-hill).—The deaths (25) are equal to an annual rate of 33·3 per 1,000. There was one death from typhus; diarrhœal diseases caused 7 deaths; there were 2 deaths from *pneumonia* (not defined), 4 deaths from tuberculous disease, and one death from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 34·6 per 1,000. The deaths included 3 from *diarrhœa*, one from broncho-pneumonia, 2 from tuberculous disease, 2 from diseases of the respiratory system, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (23) represent an annual rate of 37·9 per 1,000. Amongst the deaths were 3 from diarrhœal diseases, one from lobar pneumonia, one from broncho-pneumonia, one from *pneumonia* (not defined), 4 from tuberculous disease, and 3 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 23·5.

No. 1 South City District (South Earl-street).—The deaths (28) represent an annual rate of 38·0 per 1,000. The 28 deaths include one from scarlet fever, 2 from diarrhœal diseases, one from tuberculous phthisis, 3 deaths from bronchitis, 6 deaths from diseases of the digestive system, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 34·2 per 1,000. Of the deaths registered, 4 were due to diarrhœal diseases, one to *pneumonia* (not defined), and one to tuberculous phthisis.

No. 3 South City District (Peter-street).—The deaths (26) are equal to an annual rate of 32·3 per 1,000. Included in the 26 deaths were 5 from diarrhœal diseases, one from *pneumonia* (not defined), 7 from tuberculous disease, and 3 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 31·2 per 1,000. Among the deaths registered were one from whooping-cough, 3 from diarrhœal diseases, one from lobar pneumonia, 3 from tuberculous disease of the lungs, and 4 deaths from diseases of the digestive system.

New Kilmainham District.—The deaths (9) are equal to an annual rate of 52·8 per 1,000. Three of the deaths were from epidemic diarrhœa, and one was from tuberculous phthisis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·6; Pembroke, 24·0; Blackrock, 11·9; and Kingstown, 20·7. The deaths from the principal epidemic diseases recorded for these districts include one from diphtheria and 2 deaths from *diarrhœa* for Rathmines and Rathgar, 3 from diarrhœal diseases for Pembroke, and 3 from *diarrhœa* for Kingstown. Among the 12 deaths from all causes for Pembroke are 3 deaths from diseases of the heart and blood vessels; and the 7 deaths from all causes for Kingstown include one death from tuberculous phthisis and one death from laryngitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Executive Sanitary Officer for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 15th September, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Aug. 25,	.	—	—	4	.	.	4	.	1	10	7	.	—	—	—	—	—	26
	Sept. 1,	.	—	—	6	.	.	2	.	.	7	13	.	—	—	—	—	—	28
	Sept. 8,	.	—	—	4	.	.	2	.	3	14	11	.	—	—	—	—	—	34
	Sept. 15,	.	—	—	6	2	.	3	.	1	8	8	1	—	—	—	—	—	29
Rathmines and Rathgar Urban District.	Aug. 25,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	Sept. 1,	.	—	—	.	.	.	1	.	.	2	.	.	—	—	—	—	—	3
	Sept. 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Sept. 15,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	3
Pembroke Urban District.	Aug. 25,	.	.	.	1	.	.	.	.	1	.	2	.	—	.	.	—	—	4
	Sept. 1,	.	.	.	2	.	.	.	.	1	.	.	.	—	6	.	—	—	9
	Sept. 8,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	Sept. 15,	.	.	.	.	.	.	.	.	.	.	2	1	—	4	.	—	—	7
Blackrock Urban District.	Aug. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 8,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	Sept. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Aug. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Aug. 25,	.	—	—	19	.	.	4	.	11	8	9	.	—	—	—	—	—	51
	Sept. 1,	.	—	—	30	.	.	1	2	5	12	9	.	—	—	—	—	—	59
	Sept. 8,	.	—	—	18	.	.	5	1	10	14	2	.	—	—	—	—	—	50
	Sept. 15,	.	—	—	14	.	.	3	2	8	13	6	.	—	—	—	—	—	46

The Assistant Registrar of Armagh District reports:—"A severe epidemic of diarrhœa is prevalent in this district."

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th September, 1906.

From this it appears that:—

One case of measles was admitted into hospital during the week, 2 were discharged, and 3 cases remained under treatment at its close.

Fourteen cases of scarlet fever were admitted to hospital, 6 were discharged, and 46* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital during the week, one was discharged, there was one death, and one case remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 4 were discharged, there was one death, and 21 patients remained under treatment at the close of the week.

Fourteen cases of enteric fever were admitted to hospital, 3 were discharged, and 54 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 9 were discharged, there was one death, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·6, was equal to an average annual death-rate of 21·1 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 16·8 per 1,000, the rate for Glasgow being 17·9, and for Edinburgh 13·8.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th September. From this Return it appears that of a total of 39 cases notified 23 were scarlet fever, 11 diphtheria, 4 erysipelas, and one enteric fever. Among the 215 cases of infectious diseases in hospital at the close of the week were 96 cases of scarlet fever, 22 of enteric fever, 20 of measles, 20 of diphtheria, one of membranous croup, 7 of erysipelas, and 6 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 15th September 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Week ending 15th September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	27·7	22·9	5·4	585	483	154	97	.	1	2	1	6	4	.	3	97	15	56	25	17	38	5	10	129	14	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—Total, d.	87[illegible],994	27·5	28·8	29·4	5·9	209	214	75	50	.	.	1	1	1	1	.	.	39	9	20	10	11	16	2	5	65	7	f65·1	81·7	52·4	0·28	f81·6	46·3	60·5	0·29	f84·8	39·4	62·6	0·00
City of Dublin,	293,385	37·1	30·6	32·9	6·0	172	185	62	41	.	.	1	1	1	.	.	.	31	9	18	10	10	15	2	4	68	6	g69·5 h69·9	48·9 40·0	55·8 53·8	0·38 0·38	g77·8 h81·9	52·0 48·0	62·8 61·7	0·23 0·27	g77·1 h80·5	49·1 41·0	64·5 64·6	0·00 0·00
Urban Dists. Rathmines and Rathgar.	38,208	19·4	20·4	12·6	4·7	18	8	3	4	.	.	.	.	.	1	.	.	2	.	1	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	26·0	24·0	6·0	18	12	7	4	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	11·9	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	26·6	20·7	8·9	9	7	2	1	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	.	1	69	48	56·6	0·23	74	48	62·3	0·12	77·0	48·5	63·4	0·00
Urban Districts.																																							
Belfast,	366,220	24·9	30·0	26·2	6·4	211	142	43	26	.	.	.	.	3	1	.	3	38	3	18	6	3	12	1	1	26	.	65·0	44·5	55·6	1·06	78·2	45·0	59·3	0·19	79·8	46·5	61·3	0·11
Cork,	76,122	33·6	38·4	17·8	5·5	56	26	7	2	.	.	.	.	1	.	.	.	7	.	6	1	.	1	.	2	9	.	64	46	56·0	0·58	78	54	62·0	0·31	69	49	60·1	0·05
Londonderry,	42,037	19·4	31·0	19·8	7·4	25	16	4	4	.	.	.	.	1	1	.	.	4	1	1	3	1	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	15·0	17·8	1·4	11	13	4	1	.	.	.	.	.	.	.	.	1	.	3	1	1	.	1	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	25·3	11·7	.	12	6	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	19·4	27·2	.	5	7	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.	69	43	56	1·31	80	52	60·5	0·53	83	52	66·5	0·68
Dundalk,	18,076	3·4	16·0	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	28·6	4·1	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	64·8	42·8	54·5	0·67	77·6	49·0	59·6	0·39	81·7	47·8	64·7	0·00
Newry,	12,405	17·8	8·4	12·6	4·2	2	3	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	64·8	42·8	54·5	0·67	77·6	49·0	59·6	0·39	81·7	47·8	64·7	0·00
Lurgan,	11,782	13·8	13·3	22·1	.	3	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	2	.	64·8	42·8	54·5	0·67	77·6	49·0	59·6	0·39	81·7	47·8	64·7	0·00
Lisburn,	11,461	10·1	9·1	22·7	.	2	5	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	2	.	64·8	42·8	54·5	0·67	77·6	49·0	59·6	0·39	81·7	47·8	64·7	0·00
Wexford,	11,168	23·2	28·0	32·7	4·7	6	7	5	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	23·9	9·6	4·8	5	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	.	4·8	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	65·4	35·4	53·0	1·28	67·4	43·5	57·7	0·37	80·1	46·5	63·4	0·00
Kilkenny,	10,609	11·5	19·7	59·8	4·9	4	8	.	2	.	.	.	.	.	1	.	.	.	.	2	.	.	4	.	.	7	1	67	37	54·3	0·44	79	43	61	0·40	77	43	62·4	0·00
Clonmel,	10,167	7·8	15·4	10·8	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	31·0	46·5	20·7	6	9	6	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	1	1	.	.	64·8	42·8	54·5	0·67	77·6	49·0	59·6	0·39	81·7	47·8	64·7	0·00
Tralee,	9,867	16·6	21·1	21·1	.	4	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	28·6	34·3	5·7	5	6	2	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	66	45	54·4	0·72	73	47	59·2	0·08	75	49	60·6	—
Queenstown,	7,909	14·4	13·2	26·4	6·6	2	4	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	64	46	56·0	0·58	73	54	62·0	0·31	69	49	60·1	0·05
Armagh,	7,588	22·2	13·7	13·7	6·9	2	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	64·6	42·8	54·5	0·67	77·6	49·0	59·6	0·39	81·7	47·8	64·7	0·00

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 6 deaths of persons (including 2 under one year old), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for [illegible]

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 15th of September, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA	Deaths in institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	1	7	3	3	.	.	.	2	4	5	3	3	2	3	.	3	39	1
Pneumonia,	.	2	1	3	.	.	.	.	1	1	1	.	.	.	.	.	9	.
Tuberculous Disease. { Phthisis,	5	1	1	2	.	.	.	1	1	3	3	1	1	.	.	1	20	.
Tuberculous Disease. { Other Forms.	.	3	1	2	.	.	.	.	.	4	.	.	.	.	.	.	10	1
Cancer, Malignant Disease,	.	1	1	.	1	.	1	2	1	1	2	.	1	.	.	.	11	.
Other General Diseases	1	2	3	.	.	.	.	1	.	1	1	.	.	.	.	.	9	1
Total,	7	17	10	10	1	.	1	7	7	15	11	4	5	3	.	4	102	3
B. LOCAL DISEASES:																		
Diseases of { Nervous System	1	2	3	1	.	1	.	5	.	1	1	.	.	.	.	.	15	.
Diseases of { Organs of Special Sense,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of { Heart and Blood Vessels.	3	3	3	.	.	1	1	3	1	4	3	.	1	3	1	1	28	.
Diseases of { Respiratory System,	.	1	2	3	.	1	.	3	1	3	1	.	.	.	.	1	16	.
Diseases of { Digestive System,	1	.	.	3	.	.	.	6	1	2	4	3	1	4	1	.	26	1
Diseases of { Lymphatic System, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of { Urinary System,	1	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	4	.
Diseases of { Generative System,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	1
Accidents of Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.
Total,	6	7	8	9	.	4	2	18	3	10	10	3	2	8	2	3	95	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	1	4	.	.	.	2	2	1	.	2	1	1	.	.	15	1
E. VIOLENT DEATHS,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Deaths from all Causes	13	25	20	23	1	4	3	28	12	26	21	9	8	12	2	7	214	6
Annual Rate of Mortality from all causes in every 1,000 of the population	23·9	33·3	34·6	37·9	10·8	20·8	23·5	38·0	34·2	32·3	31·2	52·8	12·6	24·0	11·9	20·7	29·4	.
	30·8							35·1					17·7					
	32·9																	
Ages at Death. { Under 1 year,	2	10	4	9	.	1	.	10	5	9	7	5	3	7	1	2	75	2
Ages at Death. { 1 and under 5 years,	.	1	4	1	.	.	.	2	2	3	3	2	.	.	.	2	20	1
Ages at Death. { 5 ,, 20 ,,	1	.	1	2	.	.	.	1	.	2	.	2	.	.	.	.	9	.
Ages at Death. { 20 ,, 40 ,,	4	4	2	3	.	.	1	2	1	1	2	.	1	.	1	.	22	2
Ages at Death. { 40 ,, 60 ,,	5	3	6	2	.	2	1	2	3	6	5	.	.	1	.	2	38	1
Ages at Death. { 60 and upwards,	1	7	3	6	1	1	1	11	1	5	4	.	4	4	.	1	50	.
Number of Uncertified Deaths,	.	3	1	.	.	.	.	2	.	.	.	.	.	.	.	1	7	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	4	2	2	.	1	1	3	1	3	4	1	2	.	.	.	24	4
Workhouse Hospitals,	4	3	6	8	.	.	.	6	3	7	4	.	.	.	.	.	41	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in t week of the ten years, 1896–19

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 37th Week of the 10 years 1896–1905.	In the Week ending Saturday, 15th September, 1906. Deaths of Persons of the Ages o						
	Sept. 12, 1896.	Sept. 18, 1897.	Sept. 17, 1898.	Sept. 16, 1899.	Sept. 15 1900.	Sept. 14, 1901.	Sept. 13, 1902.	Sept. 19, 1903.	Sept. 17, 1904.	Sept. 16, 1905.		ALL AGES.	0 to 5.					
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	° 56·7	° 55·6	° 60·6	° 57·4	° 54·5	° 56·8	° 52·5	° 47·9	° 55·9	° 51·1	° 54·9	° 52·4							
ALL CAUSES.	146	100	182	235	171	164	142	146	134	123	160·3	220	18	59	21	9	24	39	41
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	.	1	23	.	.	6	1	.	.	3·1	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	1	.	1	1	.	.	1	.	1	·7	1	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	.	.	.	2	.	1	.	1	.	·4	1	.	.	.	.	.	1	.
Whooping-cough, ...	6	5	4	1	7	1	.	6	.	.	3·0	1	.	.	1	.	.	.	.
Diphtheria, ...	.	3	1	1	2	.	2	1	2	.	1·2	1	.	1	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.
Enteric Fever, ...	5	5	3	9	7	1	3	3	2	1	3·9	.	.	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	9	14	28	50	27	22	5	2	6	4	19·8	19	.	13	4	.	.	.	2
Diarrhœa, Dysentery,							14	3	8	6		21	3	11	4	.	.	.	2
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	1	2	2	.	2	1	.	3	1	1·2	2	.	2	.	.	.	.	.
Puerperal Septicæmia,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.	.	.	.
Puerperal Fever, ...							.	.	.	.		.	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	3	5	7	10	7	11	1	.	.	1	6 6	2	.	.	.	.	1	1	.
Broncho-							3	2	3	2		2	.	1	1	.	.	.	.
Epidemic,							.	.	.	.		.	.	.	.	.	.	.	.
Not defined,							2	1	5	2		5	1	1	.	.	2	.	1
Erysipelas, ...	.	.	.	.	.	2	.	.	2	1	·5	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	1	.	1	.	1	1	.	.	.	.	·4	.	.	.	.	.	.	.	.
Pyæmia (not Puerperal),							.	.	.	.		.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	1	.
Tuberculous Phthisis,	13	22	23	29	20	20	1	4	3	7	18·9	6	.	.	.	1	2	3	.
"*Phthisis*," ...							13	18	8	8		14	.	.	.	3	6	4	1
Tuberculous Meningitis, ...	1	2	3	6	4	3	4	3	5	3	3·4	4	.	.	1	2	1	.	.
Tuberculous Peritonitis,	3	2	6	6	8	6	.	.	4	.	4·0	1	.	1	.	.	.	.	.
Tabes Mesenterica, ...							.	2	2	1		.	.	.	.	.	.	.	.
Tuberculous Dis. (other),	4	2	7	6	4	4	5	6	7	8	5·3	6	.	2	1	1	2	.	.
Scrofula, ...							.	.	.	.		.	.	.	.	.	.	.	.
Alcoholism, ...	.	.	.	.	1	.	.	1	.	1	·3	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	1	2	.	.	.	.	·4	.	.	.	.	.	.	.	.
Gout, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Carcinoma, ...	6	8	4	3	7	7	.	2	3	3	5·6	3	.	.	.	.	.	1	2
Sarcoma, ...							.	.	1	.		1	.	.	.	.	.	.	1
Cancer (undefined),							4	3	4	1		7	.	.	.	.	1	2	4
Diabetes Mellitus, ..	.	.	.	.	.	.	.	1	.	1	·2	1	.	.	.	.	.	1	.
Premature Birth, ...	.	6	3	5	.	2	2	4	4	2	2·8	4	3	1	.	.	.	.	.

* The figures for the years 1896–1900 are fo
† Formerly described a

EVENTH WEEK ending Saturday, 15th September, 1906, with the deaths from each cause in the corresponding verage for those weeks.*

ES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Sept. 12, 1896.	Sept. 18, 1897.	Sept. 17, 1898.	Sept. 16, 1899.	Sept. 15, 1900.	Sept. 14, 1901.	Sept. 13, 1902.	Sept. 19, 1903.	Sept. 17, 1904.	Sept. 16, 1905.	Averages in 37th Week of the 10 years 1896-1905.	In the Week ending Saturday, 15th September, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5: Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
n Temperature.	56·7	55·6	60·6	57·4	54·5	56·8	52·5	47·9	55·9	51·1	54·9	Mean Temp. 52·4								
is (not tuberc.) ...							6	1	3	4		2	.	1	1	.	.	.	.	.
, G. P. of Insane ...							.	4	1	2		.	.	.	.	.	.	.	.	.
"							2	.	2	1		.	.	.	.	.	.	.	.	.
ms							3	6	4	5		6	2	3	1	.	.	.	.	.
or Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
ia Dis. of Cord ...							1	.	.	.		2	.	.	.	.	.	1	1	.
System (other s.	37	27	26	30	29	37	.	.	.	2	29·7	5	.	.	1	.	.	1	2	1
s., Endocarditis ...							2	4	1	5		7	.	.	.	.	1	5	1	.
Hæm. Thromb. ...							.	4	1	.		5	.	.	.	.	.	1	3	1
, *Hemiplegia* ...							4	2	4	2		1	.	.	.	.	.	1	.	.
m							.	.	.	.		1	.	.	.	.	.	1	.	.
n, Thromb. (not al)							.	.	.	.		1	.	.	.	.	1	.	.	.
d Blood Vessel Dis.							11	10	5	9		13	.	.	.	.	.	4	6	3
not Spasm. nor)	.	2	.	.	.	.	.	.	.	.	·2	1	.	.	1	.	.	.	.	.
is	10	13	9	10	8	11	7	13	8	7	9·6	12	.	1	.	.	.	4	7	.
Emphysema ...							.	.	.	.		.	.	.	.	.	.	.	.	.
... ...	2	2	1	1	3	1	.	.	.	.	1·4	.	.	.	.	.	.	.	.	.
ory Dis. (other) ...							1	2	1	.		3	.	.	2	.	.	.	1	.
is, Quinsy ...	1	.	.	2	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
(not Epid.) ...	1	3	3	5	1	2	.	1	1	1	2·7	10	1	8	.	.	1	.	.	.
nteritis							1	4	2	2		8	1	6	1	.	.	.	.	.
s (not Puerp.) ...	.	.	1	.	1	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
of Liver ...	5	2	5	3	1	1	2	.	1	.	2·3	2	.	.	.	.	.	1	1	.
s. (other) ...							.	.	2	1		.	.	.	.	.	.	.	.	.
Dis. (other) ...	3	1	6	5	4	.	3	5	8	9	4·4	7	1	2	1	1	.	.	2	.
s, Acute ...							.	2	2	1		1	.	.	.	.	.	.	1	.
Dis., Albuminuria	4	2	5	4	3	.	1	.	5	3	3·4	3	.	.	.	.	.	3	.	.
Sys. (Other Dis.)							.	1	.	1		.	.	.	.	.	.	.	.	.
ve Organs Dis. ...	1	2	.	.	.	.	.	.	.	.	·3	3	.	.	.	.	2	.	1	.
h (Accid. of) ...	.	1	1	.	.	2	2	.	1	.	·7	1	.	.	.	.	1	.	.	.
... ...	9	6	8	9	10	2	8	5	1	3	6·1	3	.	.	.	.	.	.	1	2
seases	11	14	16	8	7	17	16	12	6	7	11·4	17	6	5	.	.	2	2	1	1
ACCIDENT.																				
ays	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
les and Horses ...	.	1	1	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Boats, Docks (ex- of Drowning) ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ng Operations ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
grations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
, Scalds, Explosions	1	4	1	1	1	1	.	1	.	.	1·0	1	.	.	1	.	.	.	.	.
ning	1	.	.	1	1	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
ation in Bed ...	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
on or Poisonous s	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
aths by Accidents	5	2	1	3	3	3	2	.	1	3	2·3	.	.	.	.	.	.	.	.	.
CE OTHER THAN CCIDENTAL.																				
... ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	.	1	.	.	1	.	2	.	.	·4	.	.	.	.	.	.	.	.	.
n	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ation Area as then constituted.
ontinued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1906—Week ending																									
	Mar. 24	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25	Sept. 1.	Sept. 8	Sept. 15.
No. of weeks in Annual Series.	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
Births registered,	211	230	207	181	202	199	250	285	202	195	223	167	250	210	238	189	230	199	224	235	186	226	230	180	168	209
*Average Births in corresponding week of previous 10 years,**	206	236	177	200	216	204	244	227	209	191	217	229	193	221	229	202	193	199	207	202	208	217	195	215	203	212
Deaths registered,	193	198	159	174	215	174	191	165	169	178	154	142	126	149	125	130	140	156	149	155	180	151	167	166	184	220
Annual Death-rate per 1,000,	26·6	27·2	21·9	23·9	29·6	23·9	26·8	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3
*Average Deaths in corresponding week of previous 10 years,**	211	218	201	198	189	183	183	174	171	166	157	155	150	146	140	145	146	151	153	166	169	163	170	164	169	160
Ages, Under 5 years,	43	67	37	34	45	37	30	36	41	42	47	38	12	37	17	35	35	38	43	40	24	48	63	39	33	98
5—20 "	15	17	18	18	15	12	16	10	15	13	11	11	13	13	16	14	10	17	11	8	16	9	10	12	8	9
20—40 "	29	23	28	23	27	32	39	23	28	29	27	20	22	30	36	21	24	25	27	20	16	22	27	20	27	24
40—60 "	40	38	34	47	49	42	47	39	44	37	30	42	36	34	28	32	37	28	33	20	19	27	32	40	33	39
60—80 "	55	45	40	47	70	40	55	51	30	41	34	28	37	31	22	21	32	43	27	32	28	43	28	19	28	41
80 years and upwards,	11	10	7	10	9	11	4	6	11	11	5	3	6	4	6	7	2	5	6	5	27	2	7	6	5	9
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	1	3	1	.	1	.	.	2	.	.	.	.	.	1	2	2	.	2	1	.	.	.	.
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Whooping-cough,	.	2	2	3	.	2	1	1	.	3	3	1	2	2	1	4	6	3	2	2	3	1	.	.	1	1
Diphtheria,	1	3	.	.	.	2	.	.	2	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	1
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Enteric Fever,	.	3	.	1	2	1	1	3	.	.	.	.	1	.	2	.	1	1	.	1	.	.	.	2	2	.
Diarrhœal Diseases,	5	2	1	1	1	4	.	3	1	3	2	1	4	.	2	.	3	3	10	11	10	29	27	28	49	40
Pneumonia,	13	10	8	22	26	17	21	18	13	13	10	6	6	13	4	4	9	12	13	4	5	4	6	5	4	9
Tuberculous Disease. { Phthisis,	32	25	28	27	18	22	36	18	16	22	20	17	17	29	21	26	21	28	19	21	18	21	21	18	21	20
Other Forms,	11	15	15	8	11	10	15	10	16	7	8	13	12	11	9	11	7	11	13	4	7	9	8	9	9	11
Cancer, Malignant Disease,	11	4	4	9	13	10	6	5	15	8	10	6	8	6	12	7	4	14	9	8	4	12	11	10	7	11
Diseases of Heart and Blood Vessels,	31	33	27	29	45	27	22	22	28	30	15	29	26	21	14	15	26	27	19	19	17	20	12	22	21	28
Diseases of Respiratory System,	34	27	23	29	43	23	36	31	15	16	15	10	11	17	5	21	10	11	13	13	10	11	10	4	8	16
Violent Deaths,	4	5	2	3	4	2	3	1	4	5	2	3	3	4	3	4	2	3	4	2	3	2	8	7	5	2
Number of Uncertified Deaths,	6	12	9	7	6	5	5	3	7	7	11	3	3	9	4	3	2	5	4	3	5	1	2		1	7
Mean Temperature of the Air (Phœnix Park),	40·3	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4
Average Mean Temperature in corresponding week of previous 10 years	42·3	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9
Rainfall in inches,	·185	·045	·185	·055	·130	·810	·650	·455	·640	·810	·450	·005	·230	·790	·450	·390	235	·885	·940	·452	·320	·415	·695	·000	285	·280
Mean Humidity of the Air, complete Saturation, 1·0,	·80	·81	·80	·83	·81	·83	·85	·83	·83	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·83	·79	·86	·86	·84	·82

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th September, 1906: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH SEPTEMBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	30·6	220	98	9	24	39	41	9	.	.	1	1	1	1	.	.	40	44	9	20	11	11	6	16	2	101	7
	CLASSES																												
	Deaths in Families of the—																												
I	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	9·0	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	
II.	MIDDLE CLASS,	87,188	13·8	28	6	.	4	4	7	2	.	.	.	.	.	.	.	.	4	4	2	2	1	2	.	1	.	11	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	23·6	80	21	1	5	11	11	1	.	.	.	.	.	.	.	.	13	18	2	4	.	3	2	8	1	22	2
IV.	GENERAL SERVICE CLASS,	154,279	46·8	101	58	7	7	13	13	3	.	.	1	1	1	1	.	.	21	25	5	5	8	2	4	7	1	44	4
V.	INMATES OF WORKHOUSES,	6,024		43	13	1	7	11	9	2	.	.	.	.	.	.	.	.	2	2	.	9	2	3	.	5	.	22	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	6·7	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	21·3	9	2	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	6	.
	6. Clerks and Commercial Assistants,	30,432	10·3	6	3	.	1	1	1	.	.	.	.	.	.	.	.	.	3	3	.	.	1	1	.	.	.	1	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	9·6	5	1	.	.	.	2	2	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	1	.	2	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.
	9. Building and Furnishing Trades,	29,801	21·0	19	6	1	1	3	1	.	.	.	.	.	.	.	.	.	2	2	1	2	.	.	1	.	1	5	1
	10. Clothing Trades,	28,260	18·5	6	.	.	1	1	4	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	1	.	2	1
	11. Food Supply Trades,	9,242	22·6	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.
	12. Other Trades and Callings ranking with Trades,	30,352	36·1	21	13	.	3	4	1	.	.	.	.	.	.	.	.	.	6	6	.	2	.	1	1	.	.	11	.
	13. Petty Shopkeepers,	7,894	26·4	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	3	3	.	.	.	.	.	.	.	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	42·7	11	5	1	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	9	.
	15. Domestic Servants,	36,608	21·4	15	8	2	1	2	.	2	.	.	.	.	.	.	.	.	4	4	.	1	3	.	1	.	.	6	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,590	36·2	10	6	2	.	1	1	.	.	.	1	.	.	1	.	.	.	2	1	1	1	.	.	.	.	5	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	37·7	65	39	2	6	7	11	.	.	.	.	1	1	.	.	.	17	19	4	3	3	2	3	6	1	24	3
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	43	13	1	7	11	9	2	.	.	.	.	.	.	.	.	2	2	.	9	2	3	.	5	.	22	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	July 28,	18·4	3·7	10	.	.	.	.	.	.	.	.	2	2	.	1	.	1	.	.
	Aug. 4,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	„ 11,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	.	2	.	1	1	1	.
	„ 18,	14·7	9·2	8	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.
	„ 25,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.
	Sept. 1,	22·1	3·7	12	.	.	.	.	.	.	.	.	2	.	.	2	.	.	1	.
	„ 8,	23·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	.	1	1	1	.
	„ 15,	23·9	1·8	13	.	.	.	.	.	.	.	.	1	.	5	.	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 32,146.	July 28,	32·0	6·7	24	.	.	1	.	1	.	.	.	3	1	2	3	1	2	.	1
	Aug. 4,	22·6	5·3	17	.	.	.	.	.	.	.	.	4	.	2	1	1	4	.	.
	„ 11,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	1	.	2	.	3	.	1
	„ 18,	21·3	9·3	16	.	.	.	.	.	.	.	.	7	.	.	2	.	2	1	.
	„ 25,	25·3	2·7	19	.	.	.	.	.	.	.	.	2	1	3	1	3	1	2	1
	Sept. 1,	20·0	5·3	15	.	.	.	.	.	.	.	.	4	.	3	.	1	.	.	.
	„ 8,	25·3	10·7	19	.	.	.	.	.	.	.	.	8	.	2	1	.	1	.	.
	„ 15,	33·3	10·7	25	.	.	.	1	.	.	.	.	7	2	1	3	1	1	.	3
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	July 28,	39·8	5·2	23	.	.	1	.	.	.	.	.	2	3	2	2	1	1	.	.
	Aug. 4,	17·3	5·2	10	.	.	.	.	1	.	.	.	2	1	.	.	.	.	1	.
	„ 11,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
	„ 18,	17·3	8·7	10	.	.	.	.	.	.	.	.	5	2	1	.	.	.	.	.
	„ 25,	26·0	12·1	15	.	.	.	.	.	.	.	.	7	.	1	.	.	.	1	.
	Sept. 1,	34·6	1·7	10	.	.	.	.	.	.	.	.	1	1	2	1	2	1	1	.
	„ 8,	29·4	8·7	17	.	.	.	.	.	.	.	.	5	.	3	2	1	.	.	.
	„ 15,	34·6	5·2	20	.	.	.	.	.	.	.	.	3	1	1	1	1	2	1	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	July 28,	14·8	.	9	.	.	.	.	.	.	.	.	.	.	2	.	2	1	1	.
	Aug. 4,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	1	5	3	1	2	.	2
	„ 11,	21·4	6·6	13	.	1	.	.	.	1	.	.	2	1	1	1	.	.	.	.
	„ 18,	21·4	3·3	13	.	.	.	.	.	.	.	.	2	1	.	.	1	3	1	.
	„ 25,	26·3	11·5	16	.	.	.	.	.	.	.	.	7	.	2	.	.	1	.	.
	Sept. 1,	19·6	13·2	18	.	.	.	.	.	.	.	1	7	1	1	.	1	.	.	.
	„ 8,	29·6	11·5	18	.	.	.	.	.	.	.	.	7	.	3	1	.	.	.	1
	„ 15,	37·9	4·9	23	.	.	.	.	.	.	.	.	3	3	2	2	.	3	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	July 28,	23·1	1·4	17	.	.	.	.	1	.	.	.	.	2	2	2	.	4	1	1
	Aug. 4,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	4	.	.	3	.	.
	„ 11,	23·1	5·4	17	.	.	.	.	2	1	.	.	1	.	1	.	.	1	2	1
	„ 18,	29·9	4·1	22	.	.	.	.	1	.	.	.	2	.	5	1	1	6	.	1
	„ 25,	28·5	2·7	21	.	.	.	.	.	.	.	.	2	.	4	2	.	5	1	.
	Sept. 1,	34·0	5·4	25	.	.	.	.	.	.	.	.	4	.	4	.	.	.	2	.
	„ 8,	25·8	6·8	19	.	.	.	.	.	.	.	2	3	.	1	1	.	3	1	.
	„ 15,	38·0	4·1	28	.	.	1	.	.	.	.	.	2	.	1	.	2	3	1	2
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	July 28,	17·1	2·9	6	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	Aug. 4,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.
	„ 11,	17·1	2·9	6	.	.	.	.	.	.	1	.	.	.	3	1	.	1	.	.
	„ 18,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	.	4	1	2	.	.	.
	„ 25,	20·0	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.
	Sept. 1,	28·5	5·7	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	.	.
	„ 8,	22·8	5·7	8	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.
	„ 15,	34·2	11·4	12	.	.	.	.	.	.	.	.	4	1	1	.	1	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	July 28,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	3	3	.	2	.	1
	Aug. 4,	17·4	1·2	14	.	.	.	.	.	.	.	.	1	.	1	.	1	2	.	.
	„ 11,	26·1	6·2	21	.	1	.	.	.	.	.	.	4	1	2	1	.	2	.	1
	„ 18,	22·4	1·2	18	.	.	.	.	.	.	.	.	1	.	4	1	1	.	.	.
	„ 25,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	1	2	.	1	1	.
	Sept. 1,	21·1	5·0	17	.	.	.	.	.	.	.	.	4	1	1	1	2	1	.	1
	„ 8,	41·0	13·7	33	.	.	.	.	1	.	.	.	10	3	3	.	1	1	1	.
	„ 15,	32·3	6·2	26	.	.	.	.	.	.	.	.	5	1	3	4	1	3	.	.
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1906 (Est.) 35,188.	July 28,	11·9	.	8	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
	Aug. 4,	10·4	3·0	7	.	.	.	.	1	.	.	.	1	.	1	.	1	.	1	.
	„ 11,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	„ 18,	16·3	4·5	11	.	.	.	.	.	.	.	.	3	.	2	1	1	.	.	.
	„ 25,	20·8	3·0	14	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1	.
	Sept. 1,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.
	„ 8,	23·7	3·0	16	.	.	.	.	.	.	.	.	2	.	.	2	1	.	2	.
	„ 15,	31·2	5·9	21	.	.	.	.	1	.	.	.	3	1	3	.	2	1	.	.

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of opulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ublic Institutions being assigned to the Districts from which the deceased were admitted;* also, rovincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,203.	July 28,	11·0	1·6	7	.	1	.	.	.	.	.	.	.	1	.	1	2	.	.	.
	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 11,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 18,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 25,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.	2	1	.	.
	Sept. 1,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	2	1	1	.	.
	„ 8,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 15,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	1	.	1	.	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	July 28,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	Aug. 4,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 11,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 18,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.
	„ 25,	20·0	4·0	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	1	.
	Sept. 1,	18·0	4·0	9	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.
	„ 8,	22·0	8·0	11	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.
	„ 15,	24·0	6·0	12	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	July 28,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.
	Aug. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	„ 11,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 18,	14·8	3·0	5	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	Sept. 1,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 8,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
	„ 15,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
Belfast. Pop. in 1906 (Est.) 386,220.	July 28,	18·1	1·4	127	.	2	.	.	1	1	.	2	4	6	26	10	4	21	.	3
	Aug. 4,	17·2	2·1	121	.	1	.	.	4	.	.	3	7	10	22	11	2	11	2	.
	„ 11,	18·1	2·4	127	.	.	.	.	2	1	.	2	12	7	25	6	4	7	4	3
	„ 18,	17·8	4·7	125	.	2	.	.	4	1	.	1	25	3	18	8	3	12	2	1
	„ 25,	19·8	4·0	139	.	.	.	.	2	2	.	.	24	5	21	6	2	7	3	2
	Sept. 1,	19·1	4·8	134	.	.	1	.	7	1	.	2	23	7	15	6	4	16	6	5
	„ 8,	21·5	7·0	151	.	1	1	.	7	.	.	1	39	5	16	6	3	8	3	.
	„ 15,	20·2	6·4	142	.	.	.	.	3	1	.	3	38	3	18	6	3	12	1	.
Cork. Pop. (in 1901) 76,122.	July 28,	10·3	1·4	15	.	.	.	.	1	.	.	.	1	2	3	2	.	2	.	.
	Aug. 4,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	1	5	3	1	4	2	3
	„ 11,	16·4	1·4	24	.	.	.	.	1	.	.	.	1	.	7	1	1	1	2	.
	„ 18,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	.	7	.	.	2	1	1
	„ 25,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	1	8	2	.	.	.	1
	Sept. 1,	16·4	2·1	24	.	.	.	.	.	.	.	.	3	.	3	2	.	1	1	3
	„ 8,	22·6	5·5	33	.	.	.	.	1	.	.	.	7	.	3	3	3	.	.	4
	„ 15,	17·8	5·5	26	.	.	.	.	1	.	.	.	7	.	6	1	.	1	.	.
Londonderry. Pop. in 1906 (Est.) 42,067.	July 28,	13·6	6·2	11	.	5	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	Aug. 4,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	3	4	2	1	4	1	.
	„ 11,	19·8	1·2	16	.	1	.	.	.	.	.	.	.	.	3	1	.	2	.	1
	„ 18,	14·9	1·2	12	.	.	.	.	.	.	.	.	1	1	1	1	1	3	.	.
	„ 25,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	2
	Sept. 1,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	2
	„ 8,	19·8	7·4	16	.	1	.	.	1	1	.	.	3	.	2	1	1	2	2	.
	„ 15,	19·8	7·4	16	.	.	.	.	1	1	.	.	4	1	.	3	1	1	.	1
Limerick. Pop. (in 1901) 38,151.	July 28,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	2
	Aug. 4,	8·2	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 11,	10·1	.	14	.	.	.	.	.	.	.	.	.	.	3	1	1	.	.	.
	„ 18,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	3	.	2	1	.	1
	„ 25,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
	Sept. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	1	.	5	.
	„ 8,	20·5	2·7	15	.	.	1	.	.	.	.	.	1	.	1	.	2	.	.	.
	„ 15,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	1	.	1	.
Waterford. Pop. (in 1901) 26,769.	July 28,	13·6	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	Aug. 4,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1
	„ 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.
	„ 18,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 25,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Sept. 1,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
	„ 8,	25·3	1·9	13	.	.	.	.	1	.	.	.	.	.	.	2	.	2	.	.
	„ 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th September, 1906. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-2	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyæmia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,784	15	The estimate of the Population of Belfast now adopted (see Table 11.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		5	2	.	1	.	.	2	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.	3	.
Do. 2 ,,	47,959	29			12	5	1	1	1	2	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	3	.
Do. 3 ,,	47,214	22			18	5	.	1	7	3	2	.	.	.	.	1	.	.	.	4	1	3	2	1	2	.	.	2	.
Do. 4 ,,	40,911	31			19	9	1	.	2	3	4	.	.	.	.	1	.	.	.	5	.	.	.	.	.	.	.	4	.
Do. 5 ,,	17,387	6			11	2	3	1	2	2	1	.	.	.	.	.	.	.	.	3	.	3	2	1	.	.	.	1	.
Do 6 ,,	48,122	19			16	3	1	1	3	5	3	.	.	.	.	.	.	.	1	3	.	4	.	1	2	1	1	3	.
Do 7 ,,	1,524	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	5			2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.
Do. 9 ,,	19,569	13			8	4	.	1	.	1	2	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	2	.
Do. 10 ,,	23,064	21			14	6	2	1	.	2	3	.	.	.	.	.	.	.	.	8	.	1	1	.	.	.	.	3	.
Do. 11 ,,	34,802	27			10	3	.	1	2	2	2	.	.	.	.	.	.	.	1	2	.	2	.	.	1	.	.	.	.
Do. 12 ,,	33,588	15			21	3	6	2	3	4	3	.	.	.	.	.	.	.	1	8	1	2	1	.	4	.	.	4	.
Do. 13 ,,	15,006	7			6	1	2	.	.	2	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 ,,	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	211			142	43	16	10	21	26	26	.	.	.	.	3	1	.	3	38	3	18	6	3	12	1	1	26	.
City of Cork.																													
CORK URBAN No. 1 DISTRICT.	12,867	3	12·2	4·1	3	1	.	2			.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
Do. 2 ,,	10,701	5	29·2	9·7	6	1	1	3			1	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	3	.
Do. 3 ,,	9,978	14	10·5	5·2	2	1	.	1			.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 4 ,,	8,666	1	12·0	.	2	.	.	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
Do. 5 ,,	6,592	4	15·8	7·9	2	1	.	1			.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.
Do. 6 ,,	10,702	11	19·5	9·7	4	2	1	1			.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	2	.
Do. 7 ,,	16,616	18	22·0	3·1	7	1	1	4			1	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	3	.
Total	76,122	56	17·8	5·5	26	7	3	14			2	.	.	.	.	1	.	.	.	7	.	6	1	.	1	.	2	9	.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	Mar. 24	Mar. 31.	Apr. 7.	Apr. 14	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered,	221	248	240	212	23[illegible]	282	288	246	217	273	289	228	201	222	218	225	162	271	223	241	220	203	204	208	240	211
DEATHS registered,	152	201	169	166	171	152	179	161	140	151	150	136	134	131	118	105	119	121	127	121	127	125	139	134	151	142
Annual Death-rate per 1,000 of estimated Population,	21·6	28·6	24·1	23·6	24·3	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2
AGES: Under 1 year,	37	46	35	35	39	30	29	35	35	29	33	28	21	26	24	24	17	21	21	30	29	37	43	39	59	43
1–5 years,	16	30	28	26	24	24	20	19	17	17	18	24	20	17	15	12	19	12	8	18	9	16	14	22	16	16
5–20 years,																11	14	10	13	9	14	17	12	5	10	10
20–40 years,	57	89	81	75	66	67	85	66	61	84	64	53	67	72	57	13	27	24	29	15	25	14	18	17	20	21
40–60 years,																22	15	26	26	31	22	24	29	26	30	26
60 years and upwards,	42	36	25	30	42	31	45	41	24	29	30	33	26	14	17	23	17	28	30	18	28	17	23	25	16	26
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2	1	.	2	.	.	1	.
Scarlet Fever,	.	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	1	.
Typhus,		.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	5	21	12	13	21	18	20	12	13	8	15	16	7	14	7	4	9	3	1	4	2	4	2	7	7	3
Diphtheria,	2	1	1	.	.	.	.	.	1	1	.	1	.	.	2	2	.	.	1	.	1	1	2	1	.	1
*Pyrexia** (origin uncertain),	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	1	3	4	2	.	.	1	1	.	.	2	.	.	.	.	1	1	2	3	2	1	.	2	1	3
Diarrhœal Diseases,	2	1	2	.	1	2	1	.	1	5	1	5	7	2	4	4	6	7	4	7	12	25	24	23	39	33
Pneumonia,	10	18	19	19	15	16	16	10	9	14	15	15	7	7	8	8	7	6	6	10	7	3	5	7	5	3
Tuberculous Disease, Phthisis,	17	28	24	26	18	19	29	21	23	33	16	21	22	30	24	12	20	21	26	22	23	18	21	15	16	18
Tuberculous Disease, Other Forms,	6	12	11	7	8	12	10	8	11	9	11	5	9	7	7	6	15	5	10	11	6	8	6	6	6	6
Cancer, Malignant Disease,	4	10	4	3	2	4	4	3	3	3	1	5	6	4	2	9	2	4	4	2	4	3	2	4	3	3
Diseases of Respiratory System,	24	28	21	34	36	27	30	27	17	16	17	15	15	14	13	7	7	2	21	11	7	13	7	16	8	12
Violent Deaths,	.	2	7	4	3	4	4	2	4	6	1	2	1	5	.	3	6	4	.	2	4	2	3	6	3	1
Number of Uncertified Deaths,	3	3	1	1	3	5	2	2	.	4	2	2	5	.	1	1	2	.	3	.	3	1	2	5	.	.

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	1,721,217	Sept. 15,	2,319	1,589	17·6	.	7	4	10	22	3	455
EDINBURGH,	341,035	„ 15,	146	90	13·8	.	.	.	1	.	.	6
GLASGOW,	835,625	„ 15,	441	287*a*	17·9	.	2	4	.	6	3	67
CALCUTTA,	910,117	July 28,	.	371	22·7	9	2	.	1	.	114‡	46*
BOMBAY,	977,822	Aug. 14,	356	981	52·2	2	2	.	.	1	107‡	186*
MADRAS,	509,346	July 27,	400	458	46·7	4	1	?	?	?	104	96*
PARIS,	2,722,731	Sept. 1,	866	827	16·1	.	.	2	2†	8	6	99
BRUSSELS (with 8 Faubourgs).	612,401	Aug. 25,	194	176	14·9	.	2	.	1†	2	.	38
ANTWERP,	304,975	„ 25,	135	109	18·6	.	2	.	.	.	.	52
AMSTERDAM,	560,966	„ 25,	263	141	13·1	.	2	.	1†	5	1	11
COPENHAGEN,	425,000	„ 25,	249	113	13·9	.	1	1	.	2	2	38
STOCKHOLM,	324,488	„ 18,	158	63	10·1	.	.	.	1†	2	.	6
CHRISTIANIA,	222,373	Sept. 1,	108	64	15·0	.	.	.	1†	1	.	7
ST. PETERSBURG,	1,424,700	Aug. 25,	514	587	21·4	1	13	19	35	5	31	97
MOSCOW,	1,092,360	July 28,	.	663	31·6	1	5	8	4†	7	7	242
BERLIN,	2,062,679	Aug. 18,	933	758	19·2	.	2	7	4†	9	2	275
HAMBURG,	803,050	„ 18,	.	291	18·8	.	3	1	1†	7	.	96
BRESLAU,	475,471	Sept. 1,	.	209	22·9		.	1	3†	2	.	37
MUNICH,	540,000	„ 1,	.	171	16·5	.	.	.	1†	1	.	46
VIENNA (with suburbs).	1,937,869	„ 1,	923	520	14·0	.	3	2	3†	1	3	60
BUDA-PESTH,	791,748	„ 1,	377	242	15·9	.	.	9	1†	1	4	26
PRAGUE and Faubourgs.	460,849	Aug. 25,	180	120	13·5	.	1	1	.	1	.	12
TRIESTE,	196,637	„ 18,	120	90	23·9	.	2	1	.	2	3	13
ROME,	531,502	July 21,	215	207	20·3	.	3	.	.	3	1	46
VENICE,	174,709	Aug. 25,	83	60	17·9	.	.	.	.	.	1	12
NEW YORK,	4,152,860	„ 18,	2,346	1,481	18·6	.	6	2	20†	18	11	330
PHILADELPHIA,	1,469,126	„ 11,	.	519	18·3	.	2	1	4†	8	16	115
BOSTON,	602,526	„ 18,	.	228	19·7	.	.	.	3	4	2	66

a. Including 2 deaths from cerebro-spinal meningitis.
* Including 5 deaths from cholera in Calcutta, 77 in Bombay, and 4 in Madras.
† Including deaths from croup.
‡ Exclusive of 9 deaths from plague in Calcutta, and 33 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th September, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	6	.	.	.	.	6
" " 1, West,	.	.	2	.	1	.	.	.	.	.	.	.	3
" " 2,	.	2	.	.	.	.	.	.	.	.	.	.	2
" " 3,	.	2	.	.	1	.	1	.	1	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	1	5	1	.	.	7
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 4,	.	.	.	.	1	.	.	.	2	.	.	.	3
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	6	2	.	3	.	1	8	8	1	.	.	29

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th September, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th September.			
	Aug. 25.	Sept. 1.	Sept. 8.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	5	3	4	1	2	.	3
Scarlet Fever,	30	34	38	14	6	.	46*
Typhus,	1	1	2	1	1	1	1
Diphtheria,	23	20	18	8	4	1	21
Enteric Fever,	27	30	43	14	3	.	54
Pneumonia,	18	15	20	10	9	1	20

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 15th September, 1906 :—

"At first calm, cool, and fine, the weather afterwards broke, becoming squally, showery and generally unsettled and autumnal. On Sunday and Monday Ireland lay within the sphere of influence of a well-defined anticyclone, in which the barometer stood above 30·3 inches. Sunday was cool, fine and dry, closing with a beautiful sunset followed by a clear starlight night. Temperature was very low early on Monday morning, the thermometer falling to 43·9° in the screen and to 38·7° on the grass in the City—at Birr Castle a minimum of 38° in the screen was recorded. In the afternoon of this day a halo and parhelion were seen from Dublin. Tuesday broke calm, cold and foggy. The barometer gave way as a depression skirted the W. coast of Ireland from S. to N., and a southerly wind sent the thermometer up to 69·5° in Dublin from a minimum of 45·3° during the previous night. After 7 p.m. rain fell heavily. Fog was prevalent in the morning and evening of Wednesday and a perfect solar halo was seen during the forenoon. A series of atmospheric depressions chased each other in rapid succession from S.W. to N.E. in the course of the last four days of the week, and squalls and showers became prevalent in all parts of the British Isles. On Saturday the showers were particularly heavy in places, but there were long intervals of warm sunshine, though the wind was cold: the maximal temperature on this day was 57·8°, the lowest since May 25th. In Dublin the mean height of the barometer was 29·983 inches, pressure ranging between 30·370 inches at 9 a.m. of Monday (wind calm) and 29·464 inches at 11 p.m. of Friday (wind, S.W., squally). The corrected mean temperature was 55·8°, or 7·0° below that of the previous week The mean dry bulb reading at 9 a.m. and 9 p.m. was 55·0°. On Monday the screened thermometers fell to 43·9°, on Tuesday they rose to 69·5°. The prevalent winds were W. and S.W. Rain fell on 4 days to the amount of ·383 inch, ·197 inch being measured on Tuesday. Solar halos were seen on Monday and Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·981 inches. The highest reading (30·368) was on Sunday at 9 p.m., air calm, and the lowest (29·488) on Friday at 9 p.m., wind S.W.

The mean temperature for the week was 52·4°, being 2·5° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Thursday, on which day the thermometer registered 65·1°, and was lowest on Monday, the mercury having fallen to 31·7°. The mean of the Dry Bulb for the week was 54·0°, and of the Wet Bulb 51·1°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 51·8 hours. The rainfall during the week measured 0·280 inch.

At Greenwich the mean temperature for the week was 57·6°, the maximum 72·0°, and the minimum 39·1°; at Glasgow the maximum was 67·7°, the minimum 38·5°, and the mean 54·2°; and at Edinburgh the maximum was 64·4°, the minimum 44·6°, and the mean 54·1°. The rainfall at Greenwich measured 0·74 in.; at Glasgow 0·95 in.; and at Edinburgh 0·31 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In		
Sunday, Sept. 9,	30·345	63·0	43·2	53·1	50·9	48·4	·84	·4	6·5	·000	W.	Calm.
Monday, „ 10,	30·342	62·2	31·7	47·0	52·0	49·1	·83	·0	10·6	·000	Calm.	Calm.
Tuesday, „ 11,	30·162	62·4	35·9	49·2	53·7	54·0	·76	·6	7·0	·190	S.E.	S.W.
Wednesday, „ 12,	30·034	61·0	49·4	55·2	54·5	53·0	·90	·5	8·2	·000	Calm.	Calm.
Thursday, „ 13,	29·791	65·1	47·1	56·1	55·4	52·8	·83	·7	4·0	·015	S.W.	Calm.
Friday, „ 14,	29·588	61·8	46·9	54·4	55·1	51·9	·80	·6	7·0	·020	W.	S.W.
Saturday, „ 15	29·606	58·0	44·9	51·5	51·6	48·8	·81	·7	8·5	·025	S.W.	W.
Mean, . .	29·981	61·9	42·7	52·4	54·0	51·1	·82	·5	Total 51·8	Total ·280	—	

Sunday—Day fine but cloudy; night clear. *Monday*—Day very fine, light clouds; night clear. *Tuesday*—Fine bright a.m., cloudy p.m.; night overcast, heavy rain 7.30 to 10.30 p.m. *Wednesday*—Cloudy a.m., fine bright p.m.; night clear, ground fog. *Thursday*—Fine day but cloudy; night cloudy, light rain 2.0 a.m. to 4.0 a.m. *Friday*—Day cloudy, showers at intervals; night clear. *Saturday*—Day cloudy, showers at intervals; night sky clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 15th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him or this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Sept. 9,	57·2	60·9	59·0	64·9	48·0	56·5	6·0	—
Monday, „ 10,	57·9	59·4	59·0	61·3	43·5	52·4	10·2	—
Tuesday, „ 11,	63·7	58·9	58·9	70·7	43·9	57·3	6·3	·203
Wednesday, „ 12,	55·0	59·4	58·9	60·8	50·0	55·4	8·0	—
Thursday, „ 13,	63·4	59·9	58·7	66·1	52·8	59·5	3·8	·016
Friday, „ 14,	57·1	59·0	58·5	63·9	52·0	58·0	6·7	·129
Saturday, „ 15,	55·6	57·9	58·4	58·2	46·7	52·5	8·5	·099
Weekly Mean, .	58·6	59·3	58·8	63·7	48·1	55·9	Total 49·5	Total ·447

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1905.—14773.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 22ND SEPTEMBER, 1906. [No. 38.

General Register Office, Charlemont House, Dublin, 24th September, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Sept. 1.	Week ending Sept. 8.	Week ending Sept. 15.	Week ending Sept. 22.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 1.	Week ending Sept. 8.	Week ending Sept. 15.	Week ending Sept. 22.	Average Rate for 4 weeks.
22 Town Dists.	19·0	21·7	22·9	22·0	21·4	Lisburn, . .	4·5	9·1	22·7	13·6	12·5
Armagh, . .	34·4	13·7	13·7	6·9	17·2	Londonderry, .	18·6	19·8	19·8	8·7	16·7
Ballymena, .	14·4	14·4	9·6	28·7	16·8	Lurgan, . .	8·9	17·7	22·1	26·6	18·8
Belfast, . .	19·1	21·5	20·2	20·1	20·2	Newry, .	21·0	25·2	12·6	12·6	17·9
Clonmel, . .	10·3	20·5	10·3	10·3	12·9	Newtownards, .	11·4	11·4	34·3	17·2	18·6
Cork, . . .	16·4	22·6	17·8	34·2	22·7	Portadown,	25·8	31·0	46·5	25·8	32·3
Drogheda, . .	4·1	16·3	4·1	16·3	10·2	Queenstown	6·6	.	26·4	6·6	9·9
Dublin Reg. Area,	21·9	24·1	29·4	26·8	25·5	Sligo, . .	9·6	4·8	4·8	14·4	8·4
Dundalk, . .	16·0	23·9	.	12·0	13·0	Tralee, . .	10·6	15·9	21·1	5·3	13·2
Galway, . .	35·0	11·7	27·2	15·5	22·3	Waterford, .	9·7	25·3	11·7	9·7	14·1
Kilkenny, . .	.	19·7	39·3	9·8	17·2	Wexford, . .	42·0	28·0	32·7	32·7	33·8
Limerick, . .	15·0	20·5	17·8	17·8	17·8						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 5·2 per 1,000, the rates varying from 0·0 in eight of the districts to 20·7 in Portadown, the 5 deaths from all causes in that district including one from diphtheria and 3 from diarrhœal diseases. Among the 141 deaths from all causes in Belfast are one from scarlet fever, 5 from whooping-cough, 2 from enteric fever, and 27 from diarrhœal diseases. The 50 deaths from all causes in Cork include one from diphtheria and 15 from diarrhœal diseases; among the 13 deaths in Limerick are one from diphtheria and one from enteric fever; the 5 deaths in Waterford include one from whooping-cough and 2 from diarrhœal diseases; included in the 4 deaths in Galway are one from whooping-cough and one from diarrhœa; the 6 deaths in Lurgan include 2 from diarrhœal diseases; and amongst the 3 deaths in Newtownards are 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 225—114 boys and 111 girls; and the deaths to 201—116 males and 85 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·7 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 26·8 per 1,000. During the thirty-eight weeks ending with Saturday last the death-rate averaged 22·8, and was 2·6 below the mean rate for the corresponding portions of the ten years, 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths (201) included one death from measles, one death from scarlet fever, one death from whooping-cough, 2 deaths from enteric fever, and 34 deaths from diarrhœal diseases. Of the latter figure 30 were deaths of children under 5 years of age. In each of the 3 weeks preceding, deaths from measles were 0, 0, and 0; deaths from scarlet fever were 0, 0, and one; deaths from whooping-cough were 0, one, and one; deaths from enteric fever were 2, 2, and 0; and deaths from diarrhœal diseases were 28, 49, and 40. In addition to 34 deaths from diarrhœal diseases returned for the period under notice, the deaths of 2 infants under one year of age were due to enteritis, and the deaths of 6 infants under one year of age were returned as from *gastro-enteritis.* The mean of the daily readings of the earth thermometer at 4 feet was 57·5°.

There were 3 deaths from broncho-pneumonia, and 4 deaths from *pneumonia* (undefined).

There were 38 deaths from all forms of tuberculous disease, namely,—6 deaths from tuberculous phthisis, 20 deaths returned as *phthisis*, 5 deaths from tuberculous meningitis, and 7 deaths from other forms of the disease. In each of the 3 preceding weeks, deaths from the total of tuberculous diseases were 27, 30, and 31.

Three deaths were attributed to carcinoma, and 3 deaths to cancer (undefined).

The deaths of 5 infants prematurely born were registered.

Of 19 deaths from diseases of the brain and nervous system, 9, of children under 5 years of age, were returned as from *convulsions*, and 4 deaths were due to meningitis.

Twenty-five deaths were accounted for by diseases of the heart and blood vessels, and 10 deaths were due to bronchitis.

Of 5 deaths from accidental causes, 2 were by vehicles, one by scalds, one by drowning, and one by suffocation in bed.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year of age and the deaths of 2 persons aged 60 years and upwards.

Eighty-five of the persons whose deaths were registered during the week were under 5 years of age (66 being infants under one year, of whom 13 were under one month old) and 47 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 7 were octogenarians, and one (a man) was stated to have been aged 91 years.

Fifty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the N. Dublin Union Workhouse, 16 in the S. Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·8 per 1,000; the rate in the City was 27·9 (North City Districts, 31·5; South, 24·1), and in the Suburbs, 23·1 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 5·4 per 1,000 inhabitants, the rate for the City being 6·2 (10·0 in the North City Districts, and 2·2 in the South) and for the Suburbs, 2·4 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000. Diarrhœal diseases caused 5 deaths, *phthisis* caused 2 deaths, and one death was due to accidental scalding.

No. 1 *North City District, West* (Summer-hill).—The deaths (27) are equal to an annual rate of 36·0 per 1,000, and include one death from measles, 7 deaths from diarrhœal diseases, one death from broncho-pneumonia, 3 deaths from *pneumonia* (not defined), 3 deaths from *phthisis*, 2 deaths from bronchitis, and 5 deaths from diseases of the digestive system.

No. 2 *North City District* (Lisburn-street).—The deaths (24) are equivalent to an annual rate of 41·6 per 1,000. Amongst the deaths registered were one death from enteric fever, 7 deaths from diarrhœal diseases, one death from *phthisis*, and one death from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (18) represent an annual rate of 29·6 per 1,000. The deaths (18) included one from enteric fever, 5 deaths from diarrhœal diseases, 4 deaths from tuberculous disease of the lungs, and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 43·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 39·1. One of the 4 deaths from all causes for Clontarf and Howth, No. 1, part of, was from epidemic enteritis, and 3 deaths were caused accidentally. Of the 5 deaths from all causes for Finglas and Glasnevin, part of, one was from epidemic enteritis and one from tuberculous phthisis.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 17·7 per 1,000, and include one death from broncho-pneumonia, 3 deaths from tuberculous disease, and 2 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (18) are equal to an annual rate of 51·3 per 1,000. Two deaths were due to diarrhœal diseases; tuberculous disease caused 4 deaths, bronchitis caused 2 deaths, and one death was caused by suffocation in bed of an infant under one year of age.

No. 3 *South City District* (Peter-street).—The deaths (13) are equal to an annual rate of 16·2 per 1,000. There were 2 deaths from *diarrhœa*, 4 deaths from tuberculous disease, and 3 deaths from diseases of the digestive system.

No. 4 *South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. The deaths (17) included 2 deaths from epidemic diarrhœa, 5 deaths from tuberculous disease, and 2 deaths from diseases of the digestive system.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 29·3 per 1,000. Of the 5 deaths registered 2 were due to diseases of the digestive system.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 23·6; Pembroke, 22·0; Blackrock, 0·0; and Kingstown, 35·5. The deaths from the principal epidemic diseases recorded for these districts include one from scarlet fever for Rathmines and Rathgar; and one from whooping-cough and 2 from epidemic enteritis for Pembroke. Among the 15 deaths from all causes for Rathmines and Rathgar are 3 from tuberculous disease and one from bronchitis. Of the 11 deaths from all causes for Pembroke there was one death each from broncho-pneumonia, *pneumonia* (not defined), and bronchitis; and of the 12 deaths from all causes for Kingstown 6 were from tuberculous disease.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Executive Sanitary Officer for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 22nd September, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Sept. 1,	.	—	—	6	.	.	2	.	.	7	13	.	—	—	—	—	—	28
	Sept. 8,	.	—	—	4	.	.	2	.	3	14	11	.	—	—	—	—	—	34
	Sept. 15,	.	—	—	6	2	.	3	.	1	8	8	1	—	—	—	—	—	29
	Sept. 22,	.	—	—	11	.	.	4	.	7	20	8	.	—	—	—	—	—	50
Rathmines and Rathgar Urban District.	Sept. 1,	.	—	—	.	.	.	1	.	.	2	.	.	—	—	—	—	—	3
	Sept. 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Sept. 15,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	3
	Sept. 22,	.	—	—	1	.	.	1	.	.	2	.	.	—	—	—	—	—	4
Pembroke Urban District.	Sept. 1,	.	.	.	2	.	.	.	.	1	.	.	.	—	6	.	—	—	9
	Sept. 8,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	Sept. 15,	.	.	.	.	.	.	.	.	.	.	2	1	—	4	.	—	—	7
	Sept. 22,	.	.	.	.	.	.	2	.	.	1	.	.	—	.	.	—	—	3
Blackrock Urban District.	Sept. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 8,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	Sept. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Sept. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 22,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
City of Belfast.	Sept. 1,	.	—	—	30	.	.	1	2	5	12	9	.	—	—	—	—	—	59
	Sept. 8,	.	—	—	18	.	.	5	1	10	14	2	.	—	—	—	—	—	50
	Sept. 15,	.	—	—	14	.	.	3	2	8	13	6	.	—	—	—	—	—	46
	Sept. 22,	.	—	—	23	.	.	2	.	4	8	8	.	—	—	—	—	—	45

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd September, 1906.

From this it appears that:—

One case of measles was admitted into hospital during the week, one was discharged, and 3 cases remained under treatment at its close.

Sixteen cases of scarlet fever were admitted to hospital, 9 were discharged, there was one death, and 52* cases remained under treatment at the close of the week.

One case of typhus remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 6 were discharged, and 19 patients remained under treatment at the close of the week.

Twelve cases of enteric fever were admitted to hospital, 6 were discharged, there was one death, and 59 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 14 cases of pneumonia were admitted to hospital, 11 were discharged, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·1, was equal to an average annual death-rate of 19·3 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 16·1 per 1,000, the rate for Glasgow being 17·3, and for Edinburgh 13·8.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd September. From this Return it appears that of a total of 52 cases notified 21 were scarlet fever, 16 diphtheria, 2 of membranous croup, 1 erysipelas, and 4 enteric fever. Among the 260 cases of infectious diseases in hospital at the close of the week were 105 cases of scarlet fever, 31 of diphtheria, 3 of membranous croup, 26 of enteric fever, 3 of measles, 12 of erysipelas, and 6 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 22nd September 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 22nd September, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 22nd September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	29·0	22·0	5·2	612	465	157	95	.	1	2	.	8	3	.	5	91	12	54	31	11	30	9	13	107	21	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	878,994	27·5	31·0	26·8	5·4	225	195	66	45	.	1	1	.	1	.	.	2	34	7	24	12	4	10	5	7	53	9	f68·4	38·5	51·9	0·00	f65·1	31·7	52·4	0·28	f81·6	46·3	60·5	0·29
City of Dublin,	298,385	37·1	34·3	27·9	6·2	193	157	60	30	.	1	.	.	.	.	.	2	32	5	18	9	3	8	5	6	42	7	g68·1 h64·0	44·9 38·4	54·9 52·1	0·00 0·00	g69·5 h69·9	43·9 40·0	55·8 53·8	0·38 0·38	g77·8 h81·9	52·0 48·0	62·8 61·7	0·28 0·27
Urban Dists. Rathmines and Rathgar.	33,203	19·4	23·6	23·6	1·6	15	15	4	7	.	.	1	.	.	.	.	.	.	.	2	1	1	1	.	1	4	2	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	16·0	22·0	6·0	8	11	2	3	.	.	.	.	1	.	.	.	2	3	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·9	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	17·8	35·5	.	6	12	.	5	.	.	.	.	.	.	.	.	.	.	4	2	.	.	.	.	5	.	62	44·5	54·8	0·00	69	48	56·6	0·28	74	48	62·3	0·12
Urban Districts.																																							
Belfast,	366,220	24·9	30·0	20·1	5·0	211	141	49	25	.	.	1	.	5	.	.	2	27	3	14	8	4	12	4	5	21	.	65·0	39·8	55·0	?	65·0	44·5	55·6	1·06	78·2	45·0	59·3	0·19
Cork,	76,122	33·6	26·0	34·2	11·0	38	50	17	11	.	.	.	.	.	1	.	.	15	1	4	5	.	1	.	.	11	6	66	49	56·7	0·02	64	46	56·0	0·58	78	54	62·0	0·81
Londonderry,	42,067	19·4	34·7	8·7	1·2	28	7	1	2	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	88,151	18·1	12·8	17·8	2·7	9	13	1	2	.	.	.	.	.	1	.	1	.	.	3	1	2	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	19·5	9·7	5·8	10	5	2	.	.	.	.	.	1	.	.	.	2	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	31·1	15·5	7·8	8	4	3	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	71	43	56·3	0·10	69	48	56	1·31	80	52	60·5	0·53
Dundalk,	18,076	2·4	47·9	12·0	4·0	12	2	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	12·3	16·3	.	3	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	16·8	12·6	.	4	3	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	66·2	41·0	54·5	0·01	64·8	42·8	54·5	0·67	77·6	49·0	59·6	0·39
Lurgan,	11,782	13·8	48·7	26·6	8·9	11	6	2	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	1	2	.	66·2	41·0	54·5	0·01	64·8	42·8	54·5	0·67	77·6	49·0	59·6	0·39
Lisburn,	11,461	10·1	27·3	13·6	.	6	3	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	66·2	41·0	54·5	0·01	64·8	42·8	54·5	0·67	77·6	49·0	59·6	0·39
Wexford,	11,168	23·2	37·4	32·7	4·7	8	7	1	3	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	47·9	28·7	.	10	6	1	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	24·0	14·4	.	5	3	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3	.	67·5	46·5	55·8	0·07	65·4	35·4	53·0	1·28	67·4	43·5	57·7	0·37
Kilkenny,	10,609	11·5	14·7	9·8	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	66	42	54·9	0·00	67	37	54·3	0·44	79	43	61	0·40
Clonmel,	10,167	7·8	25·6	10·8	5·1	5	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	10·3	25·8	20·7	2	5	3	1	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	66·2	41·0	54·5	0·01	64·8	42·8	54·5	0·67	77·6	49·0	59·6	0·39
Tralee,	9,867	16·6	26·4	5·3	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	22·9	17·2	11·4	4	3	2	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	63	43	54·1	0·00	66	45	54·4	0·72	73	47	59·2	0·08
Queenstown,	7,909	14·4	19·8	6·6	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	66	49	56·7	0·02	64	46	56·0	0·58	73	54	62·0	0·81
Armagh,	7,588	22·2	13·7	6·9	6·9	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	66·2	41·0	54·5	0·01	64·8	42·8	54·5	0·67	77·6	49·0	59·6	0·39

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 6 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area. e [illegible] to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted [illegible] Queenstown. f Observations at Ordnance Survey Office, Phœnix Park. g Observations by Sir John Moore taken at Glasnevin Square. h Observations by [illegible]

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 22nd of September, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																		Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.													URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	
	REGISTRATION DISTRICTS IN																		
	Dublin North Superintendent Registrar's District.								Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLASTHULE & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (part of)	FINGLAS and GLASNEVIN (part of).		SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																			
Small-pox,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.		.	.	.	.	.	1	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	.	.	.	.	.	.	.		.	.	.	.	.	.	1	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	1	.	.	.		.	.	.	.	.	.	.	.	.	2	.
Diarrhœal Diseases,	5	7	7	5	1	.	1		.	2	2	2	.	.	2	.	.	31	.
Pneumonia,	.	4	.	.	.	.	.		1	.	.	.	.	.	2	.	.	7	.
Tuberculous Disease. { Phthisis,	2	3	1	4	.	.	1		2	3	.	2	.	2	.	.	4	21	2
Tuberculous Disease. { Other Forms.	.	.	.	.	.	.	.		1	1	4	3	.	1	.	.	2	12	.
Cancer, Malignant Disease,	1	1	1	.	.	.	.		.	.	.	.	.	1	.	.	.	4	2
Other General Diseases	.	1	4	3	.	.	1		.	2	.	2	.	.	1	.	.	14	.
Total,	8	17	14	13	1	.	3		4	8	6	9	.	5	6	.	6	100	4
B. LOCAL DISEASES:																			
Diseases of { Nervous System	1	.	5	1	.	.	1		4	2	2	.	.	2	.	.	1	19	.
Diseases of { Organs of Special Sense,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Diseases of { Heart and Blood Vessels,	.	3	2	2	.	1	.		1	.	1	3	3	4	2	.	3	25	.
Diseases of { Respiratory System,	.	2	1	1	.	.	.		2	2	.	.	.	1	1	.	.	10	.
Diseases of { Digestive System,	1	5	1	1	.	.	.		2	2	3	2	2	1	.	.	.	20	.
Diseases of { Lymphatic System, &c.,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	1	1	.
Diseases of { Urinary System,	1	.	1	.	.	.	.		.	.	1	1	.	.	1	.	.	5	2
Diseases of { Generative System,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.		.	.	.	1	.	.	.	.	.	1	.
,, Integumentary System,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Total,	3	10	10	5	.	1	1		9	6	7	7	5	8	4	.	5	81	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	.	.	.	.	1		.	3	.	1	.	2	1	.	1	9	.
E. VIOLENT DEATHS,	1	.	.	.	3	.	.		.	1	.	.	.	.	.	.	.	5	.
Deaths from all Causes,	12	27	24	18	4	1	5		13	18	13	17	5	15	11	.	12	195	6
Annual Rate of Mortality from all causes in every 1,000 of the population	22·1	36·0	41·6	29·6	43·4	5·2	39·1		17·7	51·3	16·2	25·2	29·3	23·6	22·0	.	35·5	26·8	.
	31·5								24·1					23·1					
	27·9																		
Ages at Death. { Under 1 year,	5	7	11	7	.	.	2		4	10	5	7	2	4	2	.	.	66	.
Ages at Death. { 1 and under 5 years,	2	1	3	2	1	.	.		2	2	1	1	.	.	2	.	2	19	.
Ages at Death. { 5 ,, 20 ,,	1	1	1	1	.	.	.		1	.	2	2	.	1	1	.	1	12	1
Ages at Death. { 20 ,, 40 ,,	1	4	3	1	2	.	1		2	3	1	2	.	3	1	.	1	25	1
Ages at Death. { 40 ,, 60 ,,	1	6	4	3	1	.	.		1	2	2	1	2	.	2	.	3	28	2
Ages at Death. { 60 and upwards,	2	8	2	4	.	1	2		3	1	2	4	1	7	3	.	5	45	2
Number of Uncertified Deaths,	.	.	2	2	.	.	.		.	.	.	3	.	2	.	.	.	9	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	1	4	2	1	.	.		2	1	3	2	.	4	2	.	3	26	5
Workhouse Hospitals,	.	3	1	3	.	.	2		6	2	3	4	1	.	.	.	2	27	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in the week of the ten years, 1896-1905,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 38th Week of the 10 years 1896-1905.	In the Week ending Saturday 22nd September, 1906. Deaths of Persons of the Age						
	Sept. 19, 1896.	Sept. 25, 1897.	Sept. 24, 1898.	Sept. 23, 1899.	Sept. 22 1900.	Sept. 21, 1901.	Sept. 20, 1902.	Sept. 26, 1903.	Sept. 24, 1904.	Sept. 23, 1905.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 56·0	° 53·7	° 54·9	° 52·4	° 56·2	° 54·7	° 52·9	° —	° 52·6	° 51·3	° 53·9†	° 51·9						
ALL CAUSES.	148	190	181	200	167	180	168	165	194	137	173·0	201	13	53	19	13	26	30
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	.	1	23	.	.	13	.	1	.	3·8	1	.	.	.	.	.	.
Scarlet Fever, ...	2	4	1	2	.	1	2	.	.	.	1·2	1	.	1	.	.	.	.
Typhus, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	2	.	1	.	.	.	.	.	·5	.	.	.	.	.	.	.
Whooping-cough, ...	3	4	4	1	3	4	1	.	4	1	2·5	1	.	.	1	.	.	.
Diphtheria, ...	.	1	.	.	1	2	4	1	.	.	·9	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.
Pyrexia‡ (origin uncertain),	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.
Enteric Fever, ...	2	9	5	5	3	3	1	1	1	2	3·2	2	.	.	.	2	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	10	21	27	24	26	20	9	4	17	4	20·0	23	.	16	5	.	.	1
Diarrhœa, Dysentery,							11	10	11	6		11	1	6	2	.	.	1
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	1	.	2	3	.	.	1	.	·7	2	.	1	1	.	.	.
Puerperal Septicæmia,	1	1	.	1	.	.	1	.	.	.	·5	2	.	.	.	.	2	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.	.	.
Puerperal Fever, ...							.	1	.	.		.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	4	8	6	8	5	9	.	.	.	.	7·0	.	.	.	.	.	.	.
Broncho-Epidemic,							5	2	1	4		3	.	2	.	.	.	.
Not defined,							2	9	5	1		4	.	1	.	.	1	2
Erysipelas, ...	.	1	1	.	1	1	.	.	1	.	·5	1	.	.	.	1	.	.
Septicæmia (not Puerperal)	.	1	.	2	.	1	1	.	2	.	·9	.	.	.	.	.	.	.
Pyæmia (not Puerperal),							.	.	1	1		.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	13	29	23	18	13	27	.	8	8	5	21·5	6	.	.	.	.	3	2
"*Phthisis*," ...							15	19	17	20		20	.	.	.	2	9	4
Tuberculous Meningitis, ...	2	10	9	5	.	1	1	2	4	2	3·6	5	.	2	2	1	.	.
Tuberculous Peritonitis,	8	2	6	5	8	7	1	1	2	1	4·4	.	.	.	.	.	.	.
Tabes Mesenterica, ...							.	.	1	2		.	.	.	.	.	.	.
Tuberculous Dis. (other),	7	4	6	8	8	9	4	4	7	6	6·4	7	.	4	1	1	.	1
Scrofula, ...							.	.	1	.		.	.	.	.	.	.	.
Alcoholism, ...	1	.	.	2	.	2	3	1	.	.	·9	1	.	.	.	.	1	.
Rheumatic Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma, ...	5	6	8	6	7	10	2	3	1	2	7·0	3	.	.	.	.	.	2
Sarcoma, ...							.	2	.	.		.	.	.	.	.	.	.
Cancer (undefined),							6	1	8	3		3	.	.	.	.	1	.
Diabetes Mellitus, ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.
Premature Birth, ...	1	3	4	5	4	5	2	8	6	6	4·4	5	3	2	.	.	.	.

†For nine years only.

* The figures for the years 1896-1900 are for

‡ Formerly described as

RTY-EIGHTH WEEK ending Saturday, 22nd September, 1906, with the deaths from each cause in the corresponding the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Sept. 19, 1896.	Sept. 25, 1897.	Sept. 24, 1898.	Sept. 23, 1899.	Sept. 22, 1900.	Sept. 21, 1901.	Sept. 20, 1902.	Sept. 26, 1903.	Sept. 24, 1904.	Sept. 23, 1905.	Averages in 38th Week of the 10 years 1896-1905.	In the Week ending Saturday, 22nd September, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5: Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 56·0	° 53·7	° 54·9	° 52·4	° 56·2	° 54·7	° 52·9	° —	° 52·6	° 51·3	° 53·9†	° 51·9								
ningitis (not tuberc.) ...							3	.	2	2		4	.	1	2	1	.	.	.
anity, G. P. of Insane ...							1	4	2	3		.	.	.	.	.	.	.	.
ilepsy							.	.	1	2		2	.	.	.	.	1	1	.
nvulsions							10	7	2	2		9	4	4	1	.	.	.	.
omotor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...							.	2	.	1		.	.	.	.	.	.	.	.
rvous System (other Dis.)	24	31	25	25	38	29	.	1	4	2	30·9	4	.	.	.	1	.	3	.
lv. Dis., Endocarditis ...							2	4	4	6		6	.	.	.	1	.	4	1
ebr. Hæm. Thromb. ...							2	2	3	2		2	.	.	.	.	1	.	1
oplexy, Hemiplegia ...							5	5	7	.		4	.	.	.	1	2	.	1
eurysm							.	.	2	.		.	.	.	.	.	.	.	.
ibolism, Thromb. (not erebral)							.	.	.	.		.	.	.	.	.	.	.	.
art and Blood Vessel Dis.							8	13	11	10		13	.	.	.	.	1	4	5	3
nup (not Spasm. nor Memb.)	.	1	.	1	1	1	1	1	.	.	·6	.	.	.	.	.	.	.	.	.
onchitis	12	10	9	14	9	9	8	10	18	6	10·5	10	.	2	3	.	.	1	3	1
hma, Emphysema ...	2	2	1	1	.	2	.	.	1	.	1·5	.	.	.	.	.	.	.	.	.
urisy							.	.	.	.		.	.	.	.	.	.	.	.	.
spiratory Dis. (other) ...							4	1	1	.		.	.	.	.	.	.	.	.	.
nsillitis, Quinsy ...	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
teritis (not Epid.) ...	4	.	3	2	1	1	2	2	2	1	2·8	3	.	2	.	1	.	.	.	.
tro Enteritis							3	2	2	3		6	1	5	.	.	.	.	.	.
itonitis (not Puerp.) ...	.	.	1	1	.	2	.	.	.	.	·4	1	.	.	.	1	.	.	.	.
rhosis of Liver ...	6	3	2	1	5	2	2	1	2	1	2·9	2	.	.	.	.	1	1	.	.
er Dis. (other) ...							.	1	2	1		1	.	.	.	.	.	1	.	.
estive Dis. (other) ...	11	9	8	5	4	5	4	5	6	3	6·0	7	.	.	.	1	3	.	3	.
phritis, Acute ...	3	5	2	5	3	3	2	5	3	6	4·4	3	.	.	.	1	.	1	1	.
ght's Dis., Albuminuria							.	2	2	1		3	.	.	.	.	2	1	.
nary Sys. (Other Dis.)												1	.	.	.	.	.	1	.
nerative Organs Dis. ...	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
ldbirth (Accid. of) ...	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Age	8	4	10	10	9	9	8	5	3	3	6·9	2	.	.	.	.	.	1	1	
er Diseases	13	10	14	15	10	9	16	11	8	9	11·5	12	4	3	1	.	2	2	.	
ACCIDENT.																				
Railways	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	
Vehicles and Horses ...	.	2	.	.	.	.	.	.	1	.	·3	2	.	.	.	1	1	.	.	
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Building Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Burns, Scalds, Explosions	1	3	.	1	1	.	.	.	.	2	·8	1	.	.	.	.	.	1	.	
Drowning	.	.	1	.	.	1	.	.	.	2	·4	1	.	.	.	1	.	.	.	
Suffocation in Bed ...	.	1	.	.	.	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	
Poison or Poisonous apours	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	
er Deaths by Accidents	1	3	.	1	3	.	2	1	1	.	1·2	.	.	.	.	.	.	.	.	
OLENCE OTHER THAN ACCIDENTAL.																				
nicide	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	
cide	.	1	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

egistration Area as then constituted.

† For nine years only.

ple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																										
	Mar. 31.	April. 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8	Sept. 15.	Sept. 22.
No. of weeks in Annual Series.	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered,	230	207	181	202	199	250	285	202	195	223	167	250	210	238	189	230	199	223	235	186	226	230	180	268	209	225
*Average Births in corresponding week of previous 10 years,**	236	177	200	216	204	244	227	209	191	217	229	193	221	229	202	193	199	207	202	208	217	195	215	203	212	195
DEATHS registered,	198	159	174	215	174	191	165	169	173	154	142	126	149	125	130	140	156	149	125	130	151	167	166	184	220	201
Annual Death-rate per 1,000,	27·2	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7
*Average Deaths in corresponding week of previous 10 years,**	218	201	198	189	183	183	174	171	166	157	155	150	146	140	145	146	151	153	166	169	163	170	164	169	160	173
AGES,— Under 5 years,	67	37	34	45	37	30	36	41	42	47	38	12	37	17	35	35	38	48	40	34	48	63	59	83	98	85
5—20 ,,	17	13	13	15	12	16	10	15	13	11	11	13	13	16	14	10	17	11	8	16	9	10	12	8	9	13
20—40 ,,	26	28	23	27	32	39	23	28	29	27	20	22	30	36	21	24	25	27	20	6	22	27	20	27	24	26
40—60 ,,	33	34	47	49	42	47	39	44	37	30	42	36	34	28	32	37	28	35	20	19	27	32	40	33	39	30
60—80 ,,	45	40	47	70	40	55	51	30	41	34	28	37	31	22	21	32	43	27	32	28	43	28	29	28	41	39
80 years and upwards,	10	7	10	9	11	4	6	11	11	5	3	6	4	6	7	2	5	6	5	27	2	7	6	5	9	8
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Measles,	.	1	1	3	1	.	1	.	.	2	.	.	.	.	.	1	2	2	.	2	1	.	.	.	.	1
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	2	2	3	.	2	1	1	.	3	3	1	2	2	1	4	6	3	2	2	3	1	.	.	1	1	1
Diphtheria,	3	.	.	.	2	.	.	2	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	1	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Enteric Fever,	3	.	1	2	1	1	3	.	.	.	.	1	.	2	.	1	1	.	1	1	.	.	2	2	.	2
Diarrhœal Diseases,	2	1	1	1	4	.	3	1	3	2	1	4	.	2	.	3	3	10	11	10	29	27	28	49	40	34
Pneumonia,	10	8	22	26	17	21	18	13	13	10	6	6	13	4	4	9	12	13	4	5	4	8	5	4	9	7
Tuberculous Disease. { Phthisis,	25	23	27	18	22	36	18	16	22	20	17	17	29	21	26	21	23	19	21	18	21	21	18	21	20	26
Tuberculous Disease. { Other Forms,	15	15	8	11	10	15	10	16	7	8	13	12	11	9	11	7	11	13	4	7	9	8	9	9	11	12
Cancer, Malignant Disease,	4	4	9	13	10	6	5	15	8	10	6	8	6	12	7	4	14	9	8	4	12	11	10	7	11	6
Diseases of Heart and Blood Vessels,	33	27	29	45	27	22	22	28	30	15	29	26	21	14	15	26	27	19	19	17	20	12	22	21	28	25
Diseases of Respiratory System,	27	23	29	43	23	36	21	15	26	15	10	11	17	5	21	10	11	13	14	10	11	10	4	8	16	10
Violent Deaths,	5	2	3	4	2	3	1	4	5	2	3	3	4	3	4	2	3	4	2	3	2	8	7	5	2	5
Number of Uncertified Deaths,	12	9	7	6	5	5	3	7	7	11	3	3	9	4	3	2	5	4	3	5	1	2	1	1	7	9
Mean Temperature of the Air (Phœnix Park),	39·4	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9
Average Mean Temperature in corresponding week of previous 10 years	42·2	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·9‡
Rainfall in inches,	·045	·185	·055	·130	·810	·650	·455	·640	·810	·450	·005	·230	·790	·450	·390	235	·385	·220	·452	·320	·415	·695	·000	·285	·280	·000
Mean Humidity of the Air, complete Saturation, 1·0,	·81	·80	·83	·81	·83	·85	·83	·83	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·83	·79	·86	·86	·84	·82	·90

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS OF SOCIAL POSITION of the PERSONS WHOSE DEATHS were REGISTERED in the Dublin Registration Area during the Week ending Saturday, 22nd September, 1906: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND SEPTEMBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-16.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	27·9	201	85	13	26	30	39	8	.	1	1	.	1	.	.	2	34	39	7	26	12	6	9	10	5	87	9
	CLASSES. **Deaths in Families of the—**																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	20·9	7	.	.	1	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6	1
II.	MIDDLE CLASS,	87,188	16·1	27	7	.	7	4	6	3	.	1	.	.	.	.	.	.	3	4	1	5	.	.	1	1	2	13	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	25·5	54	22	4	5	14	9	.	.	.	.	.	.	.	.	.	13	13	3	8	3	3	3	1	1	19	3
IV.	GENERAL SERVICE CLASS,	154,279	36·8	85	46	8	10	8	12	1	.	.	1	.	1	.	.	2	15	19	3	7	7	2	5	6	2	34	4
V.	INMATES OF WORKHOUSES,	6,024		28	10	1	3	3	10	1	.	.	.	.	.	.	.	.	3	3	.	6	2	.	.	2	.	15	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,860	18·7	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	16·6	7	2	.	.	3	.	2	.	.	.	.	.	.	.	.	1	1	.	2	.	.	1	.	.	3	.
	6. Clerks and Commercial Assistants,	30,482	15·4	9	3	.	4	.	2	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	1	5	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	17·4	9	.	.	3	1	4	1	.	1	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1	4	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	47·5	9	6	.	.	.	3	.	.	.	.	.	.	.	.	.	5	5	.	1	1	.	.	.	.	2	.
	9. Building and Furnishing Trades,	29,801	33·2	19	8	3	2	5	1	.	.	.	.	.	.	.	.	.	4	4	1	3	1	.	1	1	1	7	.
	10. Clothing Trades,	28,260	13·5	6	1	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	2	1
	11. Food Supply Trades,	9,242	28·2	5	4	.	.	1	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	1	1	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	30,352	22·3	13	2	1	1	6	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	8	1
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	3	1	.	1	1	.	.	.	.	.	1	.	.	.	1	2	.	.	1	.	.	.	.	3	.
	15. Domestic Servants,	36,608	17·1	12	8	2	1	.	1	.	.	.	.	.	.	.	.	1	2	3	.	2	1	1	1	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	6	2	.	1	1	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	1	.	2	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	35·4	61	33	5	8	6	9	.	.	.	1	.	.	.	.	1	11	13	3	5	5	.	3	5	2	25	4
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	28	10	1	3	3	10	1	.	.	.	.	.	.	.	.	3	3	.	6	2	.	.	2	.	15	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents o RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of th the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths i* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (part of).																				
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	Aug. 4,	12·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	„ 11,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	.	2	.	1	1	1	.
	„ 18,	14·7	9·2	8	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.
	„ 25,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.
	Sept. 1,	22·1	3·7	12	.	.	.	.	.	.	.	.	2	.	.	2	.	.	1	.
	„ 8,	23·9	5·7	13	.	.	.	.	.	.	.	.	2	.	1	.	1	1	1	.
	„ 15,	23·9	1·8	13	.	.	.	.	.	.	.	.	1	.	5	.	.	.	.	.
	„ 22,	22·1	9·2	12	.	.	.	.	.	.	.	.	5	.	2	.	1	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 89,146.	Aug. 4,	22·6	5·3	17	.	.	.	.	.	.	.	.	4	.	2	1	1	4	.	.
	„ 11,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	1	.	2	.	3	.	1
	„ 18,	21·3	9·3	16	.	.	.	.	.	.	.	.	7	.	.	2	.	2	1	.
	„ 25,	25·3	2·7	19	.	.	.	.	.	.	.	.	2	1	3	1	3	1	2	1
	Sept. 1,	20·0	5·3	15	.	.	.	.	.	.	.	.	4	.	3	.	1	.	.	.
	„ 8,	25·3	10·7	19	.	.	.	.	.	.	.	.	8	.	2	1	.	1	.	.
	„ 15,	33·3	10·7	25	.	.	.	1	.	.	.	.	7	2	1	3	1	1	.	3
	„ 22,	36·0	10·7	27	.	1	.	.	.	.	.	.	7	4	3	.	1	2	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 80,107.	Aug. 4,	17·3	5·2	10	.	.	.	.	1	.	.	.	2	1	.	.	.	.	1	.
	„ 11,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
	„ 18,	17·3	8·7	10	.	.	.	.	.	.	.	.	5	2	1	.	.	.	.	.
	„ 25,	26·0	12·1	15	.	.	.	.	.	.	.	.	7	.	1	.	.	.	1	.
	Sept. 1,	34·6	1·7	20	.	.	.	.	.	.	.	.	1	1	2	1	2	1	1	.
	„ 8,	29·4	8·7	17	.	.	.	.	.	.	.	.	5	.	3	2	1	.	.	.
	„ 15,	34·6	5·2	20	.	.	.	.	.	.	.	.	8	1	1	1	1	2	1	1
	„ 22,	41·6	13·9	24	.	.	.	.	.	.	.	1	7	.	1	.	1	1	.	2
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,673.	Aug. 4,	29·6	1·6	18	.	.	.	.	.	.	.	1	.	1	5	3	1	2	.	2
	„ 11,	21·4	6·6	13	.	1	.	.	.	1	.	.	2	1	1	1	.	.	.	.
	„ 18,	21·4	3·3	13	.	.	.	.	.	.	.	.	2	1	.	.	1	3	1	.
	„ 25,	26·3	11·5	16	.	.	.	.	.	.	.	.	7	.	2	.	.	1	.	.
	Sept. 1,	29·6	13·2	18	.	.	.	.	.	.	.	1	7	1	1	.	1	.	.	.
	„ 8,	29·6	11·5	18	.	.	.	.	.	.	.	.	7	.	3	1	.	.	.	1
	„ 15,	37·9	4·9	23	.	.	.	.	.	.	.	.	3	3	2	2	.	3	.	.
	„ 22,	29·6	9·9	18	.	.	.	.	.	.	.	1	5	.	4	.	.	1	.	2
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	Aug. 4,	27·2	.	20	.	.	.	.	.	.	.	.	.	.	4	.	.	3	.	.
	„ 11,	23·1	5·4	17	.	.	.	.	2	1	.	.	1	.	1	.	.	1	2	1
	„ 18,	29·9	4·1	22	.	.	.	.	1	.	.	.	2	.	5	1	1	6	.	1
	„ 25,	28·5	2·7	21	.	.	.	.	.	.	.	.	2	.	4	2	.	5	1	.
	Sept. 1,	34·0	5·4	25	.	.	.	.	.	.	.	.	4	.	4	.	.	.	2	.
	„ 8,	25·8	6·8	19	.	.	.	.	.	.	.	2	3	.	1	1	.	3	1	.
	„ 15,	38·0	4·1	28	.	.	1	.	.	.	.	.	2	.	1	.	2	3	1	2
	„ 22,	17·7	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Aug. 4,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.
	„ 11,	17·1	2·9	6	.	.	.	.	.	.	1	.	.	.	3	1	.	1	.	.
	„ 18,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	.	4	1	2	.	.	.
	„ 25,	20·0	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.
	Sept. 1,	28·5	5·7	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	.	.
	„ 8,	22·8	5·7	8	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.
	„ 15,	34·2	11·4	12	.	.	.	.	.	.	.	.	4	1	1	.	1	1	.	.
	„ 22,	51·3	5·7	18	.	.	.	.	.	.	.	.	2	.	3	1	.	2	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Aug. 4,	17·4	1·2	14	.	.	.	.	.	.	.	.	1	.	1	.	1	2	.	.
	„ 11,	26·1	6·2	21	.	1	.	.	.	.	.	.	4	1	2	1	.	2	.	1
	„ 18,	22·4	1·2	18	.	.	.	.	.	.	.	.	1	.	4	1	1	.	.	.
	„ 25,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	1	2	.	1	1	.
	Sept. 1,	21·1	5·0	17	.	.	.	.	.	.	.	.	4	1	1	1	2	1	.	1
	„ 8,	41·0	13·7	33	.	.	.	.	1	.	.	.	10	3	3	.	1	1	1	.
	„ 15,	32·3	6·2	26	.	.	.	.	.	.	.	.	5	1	3	4	1	3	.	.
	„ 22,	16·2	2·5	13	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Aug. 4,	10·4	3·0	7	.	.	.	.	1	.	.	.	1	.	1	.	1	.	1	.
	„ 11,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	„ 18,	16·3	4·5	11	.	.	.	.	.	.	.	.	3	.	2	1	1	.	.	.
	„ 25,	20·8	3·0	14	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1	.
	Sept. 1,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.
	„ 8,	23·7	3·0	16	.	.	.	.	.	.	.	.	2	.	.	2	1	.	2	.
	„ 15,	31·2	5·9	21	.	.	.	.	1	.	.	.	3	1	3	.	2	1	.	.
	„ 22,	25·2	3·0	17	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	3

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,908.	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 11,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 18,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 25,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.	2	1	.	.
	Sept. 1,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	2	1	1	.	.
	„ 8,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 15,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	1	.	1	.	.	.
	„ 22,	23·6	1·6	15	.	.	1	.	.	.	.	.	.	.	2	1	1	1	.	2
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Aug. 4,	8·0	2·0	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 11,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 18,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.
	„ 25,	20·0	4·0	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	1	.
	Sept. 1,	18·0	4·0	9	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.
	„ 8,	22·0	8·0	11	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.
	„ 15,	24·0	6·0	12	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
	„ 22,	22·0	6·0	11	.	.	.	.	1	.	.	.	2	2	.	.	.	1	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Aug. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	„ 11,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 18,	14·8	3·0	5	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	Sept. 1,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 8,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
	„ 15,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
	„ 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	4	2	.	.	.	.
Belfast. Pop. in 1906 (Est.) 376,220.	Aug. 4,	17·2	2·1	121	.	1	.	.	4	.	.	3	7	10	22	11	2	11	2	.
	„ 11,	18·1	2·4	127	.	.	.	.	2	1	.	2	12	7	25	6	4	7	4	3
	„ 18,	17·8	4·7	125	.	2	.	.	4	1	.	1	25	3	18	8	3	12	2	1
	„ 25,	19·8	4·0	139	.	.	.	.	2	2	.	.	24	5	21	6	2	7	3	2
	Sept. 1,	19·1	4·8	134	.	.	1	.	7	1	.	2	23	7	15	6	4	16	6	5
	„ 8,	21·5	7·0	151	.	1	1	.	7	.	.	1	39	5	16	6	3	8	3	.
	„ 15,	20·2	6·4	142	.	.	.	.	3	1	.	3	38	3	18	6	3	12	1	.
	„ 22,	20·1	5·0	141	.	.	1	.	5	.	.	2	27	3	14	8	4	12	4	.
Cork. Pop. (in 1901) 76,122.	Aug. 4,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	1	5	3	1	4	2	3
	„ 11,	16·4	1·4	24	.	.	.	.	1	.	.	.	1	.	7	1	1	1	2	.
	„ 18,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	.	7	.	.	2	1	1
	„ 25,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	1	8	2	.	.	.	1
	Sept. 1,	16·4	2·1	24	.	.	.	.	.	.	.	.	3	.	3	2	.	1	1	3
	„ 8,	22·6	5·5	33	.	.	.	.	1	.	.	.	7	.	3	3	3	.	.	4
	„ 15,	17·8	5·5	26	.	.	.	.	1	.	.	.	7	.	6	1	.	1	.	.
	„ 22,	34·2	11·0	50	.	.	.	.	.	1	.	.	15	1	4	5	.	1	.	6
Londonderry. Pop. in 1906 (Est.) 42,067.	Aug. 4,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	3	4	2	1	4	1	.
	„ 11,	19·8	1·2	16	.	1	.	.	.	.	.	.	.	.	3	1	.	2	.	1
	„ 18,	14·9	1·2	12	.	.	.	.	.	.	.	.	1	1	1	1	1	3	.	.
	„ 25,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	2
	Sept. 1,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	2
	„ 8,	19·8	7·4	16	.	1	.	.	1	1	.	.	3	.	2	1	1	2	2	.
	„ 15,	19·8	7·4	16	.	.	.	.	1	1	.	.	4	1	1	3	1	1	.	1
	„ 22,	8·7	1·2	7	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.
Limerick. Pop. (in 1901) 38,151.	Aug. 4,	8·2	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	„ 11,	19·1	.	14	.	.	.	.	.	.	.	.	.	.	3	1	1	.	.	.
	„ 18,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	1
	„ 25,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
	Sept. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	.
	„ 8,	20·5	2·7	15	.	.	1	.	.	.	.	.	1	.	1	.	2	.	.	.
	„ 15,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	1	.	1	.
	„ 22,	17·8	2·7	13	.	.	.	.	.	1	.	1	.	.	3	1	2	.	.	1
Waterford. Pop. (in 1901) 26,769.	Aug. 4,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1
	„ 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.
	„ 18,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 25,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Sept. 1,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
	„ 8,	25·3	1·9	13	.	.	.	.	1	.	.	.	.	.	.	2	.	2	.	.
	„ 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 22,	9·7	5·8	5	.	.	.	.	1	.	.	.	2	.	.	1	.	.	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd September, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-2	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,734	8	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 ,,	47,959	31			22	8	3	2	3	2	4	.	.	.	.	3	.	.	1	2	.	.	1	1	3	1	2	7	.
Do. 3 ,,	47,214	30			20	7	1	4	4	4	.	.	.	.	.	.	.	.	.	4	.	7	1	1	2	1	1	3	.
Do. 4 ,,	40,911	28			25	14	1	1	3	1	5	.	.	.	.	1	.	.	.	5	.	.	2	.	1	.	.	2	.
Do. 5 ,,	17,387	6			3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.
Do 6 ,,	48,122	22			14	3	2	2	2	3	2	.	.	.	.	.	.	.	.	2	.	1	1	.	.	1	1	2	.
Do 7 ,,	1,524	1			2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 8 ,,	5,060	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,,	19,569	18			6	2	.	.	2	1	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	1	.
Do. 10 ,,	23,064	20			15	5	3	4	1	1	1	.	.	1	.	.	.	.	1	4	1	2	2	.	.	.	.	1	.
Do. 11 ,,	34,802	21			11	5	1	.	1	1	3	.	.	.	.	1	.	.	.	2	.	.	.	.	3	.	.	1	.
Do. 12 ,,	33,588	19			15	4	1	.	2	3	5	.	.	.	.	.	.	.	.	6	2	2	.	1	2	.	.	2	.
Do. 13 ,,	15,006	7			4	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Do. 14 ,,	240	.			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	211			141	49	13	14	20	20	25	.	.	1	.	5	.	.	2	27	3	14	8	4	12	4	5	21	.
City of Cork.																													
CORK URBAN No. 1 DISTRICT,	12,867	11	32·4	4·1	8	3	.	3			2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
Do. 2 ,,	10,701	8	48·9	19·5	9	3	3	2			1	.	.	.	.	.	1	.	.	3	.	2	1	.	.	.	.	1	1
Do. 3 ,,	9,978	2	31·4	10·5	6	3	1	2			.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	2
Do. 4 ,,	8,666	5	42·1	12·0	7	2	.	2			3	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	5	.
Do. 5 ,,	6,592	1	23·7	.	3	.	.	1			2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 ,,	10,702	2	19·5	9·7	4	2	.	1			1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	2
Do. 7 ,,	16,616	9	40·8	15·7	13	4	1	6			2	.	.	.	.	.	.	.	.	5	1	1	1	.	1	.	.	4	.
Total	76,122	38	34·2	11·0	50	17	5	17			11	.	.	.	.	.	1	.	.	15	1	4	5	.	1	.	.	11	6

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.
No. of weeks in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered,	248	240	212	232	282	238	246	217	273	239	228	204	222	218	225	162	271	225	241	220	203	204	208	240	211	211
DEATHS registered.	201	169	166	171	152	179	161	140	151	150	186	134	131	113	105	119	121	127	121	127	125	139	134	151	142	141
Annual Death-rate per 1,000 of estimated Population.	23·6	24·1	23·6	24·3	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20·1
AGES: Under 1 year,	46	35	35	39	30	29	35	35	21	33	28	21	26	24	24	27	21	21	30	29	37	43	39	59	43	49
1-5 years,	30	28	26	24	24	20	19	17	17	23	22	20	17	15	12	19	12	8	18	9	16	14	22	16	16	13
5-20 years,															11	14	10	13	9	14	17	12	5	10	10	14
20-40 years,	89	81	75	66	67	85	66	64	84	64	53	67	72	57	13	27	24	29	15	25	14	18	17	20	21	20
40-60 years,															22	15	26	26	31	22	24	29	26	30	16	20
60 years and upwards,	36	25	30	42	31	45	41	24	29	30	33	26	16	17	23	17	28	30	18	28	17	23	25	16	26	25
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2	1	.	2	.	.	1	.	.
Scarlet Fever,	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	1	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	21	12	13	21	18	20	12	13	8	15	16	7	14	7	4	9	3	1	4	2	4	2	7	7	3	5
Diphtheria,	1	1	.	.	.	.	.	1	1	.	1	.	.	2	2	.	.	1	.	1	1	2	1	.	1	.
*Pyrexia** (origin uncertain),	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	3	4	2	.	.	1	1	.	.	2	.	.	.	.	1	1	2	3	2	1	.	2	1	3	2
Diarrhœal Diseases,	1	2	.	1	2	1	.	1	5	1	5	7	2	4	4	6	7	4	7	12	25	24	23	39	33	27
Pneumonia,	18	19	19	15	16	16	10	9	14	15	15	7	7	8	8	7	6	6	10	7	3	5	7	5	3	3
Tuberculous Disease: Phthisis,	28	24	26	18	19	29	21	23	33	16	21	22	30	24	12	20	21	26	22	25	13	21	15	16	18	14
Tuberculous Disease: Other Forms,	12	11	7	8	12	10	8	11	9	11	5	9	7	7	6	15	5	10	11	6	8	6	6	6	6	8
Cancer, Malignant Disease,	10	4	3	2	4	4	3	3	3	1	5	6	4	2	9	2	4	4	2	4	3	2	4	3	3	4
Diseases of Respiratory System,	28	21	34	36	27	30	27	17	16	17	15	15	14	13	7	7	9	21	11	7	12	7	16	8	12	12
Violent Deaths,	2	7	4	3	4	4	2	4	6	1	2	1	5	.	3	6	4	.	2	4	2	3	6	3	1	4
Number of Uncertified Deaths,	3	1	1	3	5	2	2	.	4	2	2	5	.	1	1	2	.	3	.	3	1	2	5	.	.	.

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	Sept. 22,	2,260	1,548	17·1	.	9	7	19	20	8	340
EDINBURGH, .	341,035	„ 22,	134	90*a*	13·8	.	1	.	2	1	.	12
GLASGOW, . .	835,625	„ 22,	474	277*a*	17·3	.	3	1	3	7	3	51
CALCUTTA, . .	910,117	Aug. 4,	.	370	22·6	3	.	.	1	.	110‡	46*
BOMBAY, .	977,822	„ 21,	403	887	47·2	1	3	.	.	.	81‡	165*
MADRAS, .	509,346	„ 3,	395	443	45·2	1	.	?	?	?	108	89*
PARIS, . .	2,750,000	Sept. 8,	1,068	829	16·1	.	.	3	2†	6	10	139
BRUSSELS (with 8 Faubourgs).	612,401	„ 1,	221	163	13·8	.	1	.	1†	2	.	31
ANTWERP, . .	304,975	„ 1,	125	93	15·9	.	2	.	.	.	1	39
AMSTERDAM, .	560,966	„ 1,	272	123	11·4	.	5	.	.	.	1	18
COPENHAGEN, .	425,000	„ 1,	219	125	15·3	.	.	.	1†	2	.	38
STOCKHOLM, .	324,488	Aug. 25,	170	89	14·3	.	.	.	1†	.	.	16
CHRISTIANIA, .	222,373	Sept. 8,	133	45	10·5	.	.	1	3†	.	2	5
ST. PETERSBURG,	1,424,700	„ 1,	608	660	24·1	.	10	20	19	8	39	111
MOSCOW, . .	1,092,360	Aug. 4,	.	572	27·3	3	4	4	10†	6	6	212
BERLIN, .	2,063,881	„ 25,	971	714	18·0	.	5	1	5†	11	3	235
HAMBURG,	802,793	„ 25,	.	236	15·3	.	4	2	4†	3	2	66
BRESLAU, . .	475,471	Sept. 8,	.	210	23·0	.	.	1	.	2	2	33
MUNICH, . .	540,000	„ 8,	.	189	18·2	.	1	2	1†	.	.	52
VIENNA (with suburbs).	1,937,869	„ 8,	990	617	16·6	.	3	6	7†	2	2	100
BUDA-PESTH, .	791,748	„ 8,	419	274	18·0	.	3	3	3†	.	2	28
PRAGUE and Faubourgs.	460,849	„ 1,	157	95	10·7	.	1	1	.	1	.	10
TRIESTE, . .	196,637	Aug. 25,	130	102	27·0	.	.	.	2†	2	1	18
ROME, . . .	531,179	July 28,	215	176	17·3	.	1	.	.	3	5	35
VENICE, . .	171,709	Sept. 1,	90	62	18·8	.	.	.	.	.	1	9
NEW YORK, .	4,152,860	Aug. 25,	2,070	1,395	17·5	.	7	1	14†	8	25	317
PHILADELPHIA,	1,469,126	„ 18,	.	498	17·6	.	.	.	4†	12	15	110
BOSTON, . .	602,526	„ 25,	.	227	19·7	.	.	.	1	3	4	60

a. Including 4 deaths from cerebro-spinal meningitis in Glasgow and one in Edinburgh.
* Including 6 deaths from cholera in Calcutta, 50 in Bombay, and 6 in Madras.
† Including deaths from croup.
‡ Exclusive of 17 deaths from plague in Calcutta, and 36 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd September, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	1	.	.	.	.	2
" " 1, West,	.	1	.	.	.	.	2	4	.	.	.	.	7
" " 2,	.	1	.	.	1	.	.	1	2	.	.	.	5
" " 3,	.	2	.	.	.	.	3	3	.	.	.	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	2	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
South City No. 1,	.	1	.	.	1	.	.	2	4	.	.	.	8
" " 2,	.	1	.	.	.	.	.	.	1	.	.	.	2
" " 3,	.	4	.	.	.	.	.	1	.	.	.	.	5
" " 4,	.	.	.	.	2	.	2	1	1	.	.	.	6
New Kilmainham,	.	.	.	.	.	.	.	3	.	.	.	.	3
Total,	.	11	.	.	4	.	7	20	8	.	.	.	50

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd September, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd September.			
	Sept. 1.	Sept. 8.	Sept. 15.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	3	4	3	1	1	.	3
Scarlet Fever,	34	38	46	16	9	1	52*
Typhus,	1	2	1	.	.	.	1
Diphtheria,	20	18	21	4	6	.	19
Enteric Fever,	30	43	54	12	6	1	59
Pneumonia,	15	20	20	14	11	.	23

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 22nd September, 1906:—

"In the Dublin district this week was rainless; and the weather, though often cloudy or hazy, was favourable throughout. The period began and closed with brilliant days—Sunday and Saturday each having about 11 hours of bright sunshine. In the east and southeast of England, on the other hand, dull, rainy weather prevailed day after day until Friday—in London the successive daily rainfalls were:—·21 inch, ·06 inch, ·03 inch, ·10 inch, up to Thursday, while at Clacton-on-Sea in Essex (usually one of the driest places in England) the measurements were:—·10 inch, ·27 inch, ·37 inch, ·09 inch, ·09 inch, and ·16 inch up to Saturday. The dull, wet weather experienced in England was connected with the erratic movements of an atmospheric depression which was central over the west and north of Scotland on the morning of Saturday, September 15. By 8 a.m. of Sunday the baric minimum had reached Holstein on a southeasterly course. The system, which was filling up, thence travelled slowly southwestwards to the mouth of the Thames, finally dispersing near Havre on Tuesday. It caused N.E. gales on the east coast of England and the north coast of France, in which districts the weather was also gloomy, wet and cold. During the last two days an anticyclone of considerable intensity covered the British Isles, and cool, dewy, hazy nights were followed by fine, genial days, much bright sunshine being enjoyed on Saturday. In Dublin the mean height of the barometer was 30·331 inches, pressure ranging from 30·004 inches at 9 a.m. of Sunday (wind, N.W. by N.) to 30·458 inches at 9 p.m. of Saturday (wind, E.N.E.). The corrected mean temperature was 54·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 54·1°. The screened thermometers fell to 44·9° on Monday and rose to 63·1° on Tuesday. The prevalent wind was N.E. No rain fell in Dublin. An aurora borealis occurred late on Saturday night."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·326 inches. The highest reading (30·451) was on Saturday at 9 p.m., air calm, and the lowest (30·002) on Sunday at 9 a.m., wind W.

The mean temperature for the week was 51·9°, being 2·0° below the average for the corresponding period of the 9 years, 1896-1905.* The temperature was highest on Saturday, on which day the thermometer registered 63·4°, and was lowest on Tuesday, the mercury having fallen to 38·5°. The mean of the Dry Bulb for the week was 52·5°, and of the Wet Bulb 50·9°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 35·9 hours. There was no rainfall recorded during the week.

At Greenwich the mean temperature for the week was 55·8°, the maximum 65·7°, and the minimum 45·1°; at Glasgow the maximum was 68·8°, the minimum 35·8°, and the mean 53·9°; and at Edinburgh the maximum was 59·5°, the minimum 43·7°, and the mean 52·3°. The rainfall at Greenwich measured 0·38 in.; at Glasgow 0·05 in.; and at Edinburgh 0·08 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.

* See note (†) at foot of Table IV.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Sept. 16,	30·102	60·6	41·4	51·0	47·7	45·0	·82	·7	11·6	·000	W.	Calm.
Monday, „ 17,	30·334	63·3	39·4	51·4	55·0	53·0	·88	·0	1·7	·000	Calm.	Calm.
Tuesday, „ 18,	30·339	62·1	38·5	50·5	55·3	53·3	·88	·4	7·0	·000	E.N.E.	Calm.
Wednesday, „ 19,	30·308	61·3	45·4	53·4	55·7	54·5	·93	·6	1·3	·000	N.N.E.	Calm.
Thursday, „ 20,	30·344	61·2	45·9	53·6	51·9	50·6	·92	·4	4·6	·000	N.E.	Calm.
Friday, „ 21,	30·409	60·9	42·9	51·9	52·3	50·9	·91	·0	0·7	·000	Calm.	Calm.
Saturday, „ 22,	30·444	63·4	38·9	51·2	49·6	48·7	·94	·3	9·0	·000	Calm.	Calm.
Mean, . .	30·326	61·8	41·8	51·9	52·5	50·9	·90	·3	Total 35·9	Total ·000	—	

Sunday—A very fine day, light clouds; night clear. *Monday*—Very fine but cloudy day; night clear. *Tuesday*—A fine day but cloudy; night cloudy, ground fog. *Wednesday*—Overcast and cloudy day; night cloudy. *Thursday*—Overcast a.m., bright fine p.m.; night cloudy, ground fog. *Friday*—Overcast and cloudy day; night overcast. *Saturday*—Very fine day, light clouds; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 22nd, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Sept. 16,	54·3	56·8	58·2	62·1	45·0	53·6	10·6	—
Monday, „ 17,	55·9	56·0	57·9	63·1	44·9	54·0	1·9	—
Tuesday, „ 18,	60·0	56·6	57·9	63·6	44·9	54·3	5·4	—
Wednesday, „ 19,	57·5	56·9	57·4	61·0	49·8	55·4	0·9	—
Thursday, „ 20,	57·1	57·1	57·2	61·1	52·8	57·0	3·7	—
Friday, „ 21,	57·0	57·1	57·1	62·1	49·0	55·6	3·2	—
Saturday, „ 22,	57·0	56·4	57·1	64·5	42·5	53·5	7·6	—
Weekly Mean, .	57·0	56·7	57·5	62·5	47·0	54·8	Total 33·3	Total ·000

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—14829.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 29TH SEPTEMBER, 1906. [No. 39.

General Register Office, Charlemont House, Dublin, 1st October, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Sept. 8.	Week ending Sept. 15.	Week ending Sept. 22.	Week ending Sept. 29.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 8.	Week ending Sept. 15.	Week ending Sept. 22.	Week ending Sept. 29.	Average Rate for 4 weeks.
22 Town Dists.	21·7	22·9	22·0	21·2	22·0	Lisburn, . .	9·1	22·7	13·6	9·1	13·6
Armagh, . .	13·7	13·7	6·9	27·5	15·5	Londonderry, .	19·8	19·8	8·7	19·8	17·0
Ballymena, .	14·4	9·6	28·7	4·8	14·4	Lurgan, . .	17·7	22·1	26·6	13·3	19·9
Belfast, . .	21·5	20·2	20·1	19·4	20·3	Newry, . .	25·2	12·6	12·6	8·4	14·7
Clonmel, . .	20·5	10·3	10·3	25·6	16·7	Newtownards, .	11·4	34·3	17·2	28·6	22·9
Cork, . . .	22·6	17·8	34·2	27·4	25·5	Portadown,	31·0	46·5	25·8	20·7	31·0
Drogheda, . .	16·3	4·1	16·3	16·3	13·3	Queenstown .	.	26·4	6·6	19·8	13·2
Dublin Reg. Area,	24·1	29·4	26·8	24·5	26·2	Sligo, . .	4·8	4·8	14·4	19·2	10·8
Dundalk, . .	23·9	.	12·0	27·9	16·0	Tralee, . .	15·9	21·1	5·3	10·6	13·2
Galway, . .	11·7	27·2	15·5	19·4	18·5	Waterford, .	25·3	11·7	9·7	9·7	14·1
Kilkenny, . .	19·7	39·3	9·8	34·3	25·8	Wexford, . .	28·0	32·7	32·7	23·3	29·2
Limerick, . .	20·5	17·8	17·8	12·3	17·1						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 4·3 per 1,000, the rates varying from 0·0 in fourteen of the districts to 10·3 in Clonmel, the 5 deaths from all causes in that district including 2 from diarrhœal diseases. Among the 136 deaths from all causes in Belfast are 2 from measles, one from scarlet fever, 3 from whooping-cough, 4 from enteric fever, and 25 from diarrhœal diseases. The 40 deaths from all causes in Cork include one from typhus, one from whooping-cough, and 7 from diarrhœal diseases; included in the 16 deaths in Londonderry are one from measles, one from diphtheria, and one from diarrhœa; of the 5 deaths in Waterford, one is from whooping-cough and one from diarrhœa; and the 5 deaths in Wexford include 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 321—159 boys and 162 girls; and the deaths to 184—91 males and 93 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·3 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 24·5 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*), Table II.

‡ See columns 10–18 of Table II.

During the thirty-nine weeks ending with Saturday last the death-rate averaged 22·8, and was 2·5 below the mean rate for the corresponding portions of the ten years, 1896–1905.

Included in the 184 deaths registered were 5 deaths from whooping-cough, one death from enteric fever, and 31 deaths from diarrhœal diseases, 26 of the latter being deaths of children under 5 years of age. In each of the 3 weeks preceding, deaths from whooping-cough were one, one, and one; deaths from enteric fever, 2, 0, and 2; and deaths from diarrhœal diseases numbered 49, 40, and 34. Besides the 31 deaths from diarrhœal diseases above mentioned, there were 3 deaths from enteritis, and 6 deaths returned as from *gastro-enteritis*, of children under 5 years of age. The mean of the daily readings of the earth thermometer at 4 feet was 56·7°.

Lobar pneumonia and broncho-pneumonia each caused 3 deaths, and *pneumonia* (not defined) 6.

Tuberculous disease caused 33 deaths, which included 6 from tuberculous phthisis, 13 from *phthisis*, 4 from tuberculous meningitis, 2 from tuberculous peritonitis, 7 from other forms of the disease, and one death from *scrofula*. In the 3 preceding weeks, deaths from all forms of the disease numbered 30, 31, and 38, respectively.

There was one death each from carcinoma and sarcoma, and there were 4 deaths from cancer (undefined).

The deaths of 4 infants prematurely born were registered.

There were 3 deaths of infants under one year of age from *convulsions*, 18 deaths from diseases of the heart and blood vessels, and 13 deaths from bronchitis.

There were 3 accidental deaths (2 having been caused in a conflagration and one by suffocation in bed), one death by homicide, and one by suicide.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year old.

Seventy-six of the persons whose deaths were registered during the week were under 5 years of age (55 being infants under one year, of whom 11 were under one month old) and 46 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 7 were octogenarians, and 2 (a male and a female) were stated to have been aged 95 and 93 years, respectively.

Seventy of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·5 per 1,000; the rate in the City was 26·1 (North City Districts, 25·6; South, 26·7), and in the Suburbs, 18·9 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 5·1 per 1,000 inhabitants, the rate for the City being 5·5 (4·8 in the North City Districts, and 6·2 in the South) and for the Suburbs, 3·7 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000, and include 3 deaths from diarrhœal diseases, one death from broncho-pneumonia, 3 deaths from tuberculous disease of the lungs, and the death of an infant from suffocation in bed.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. There were 2 deaths from whooping-cough, 4 deaths from diarrhœal diseases, 3 deaths from tuberculous disease, and one death from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 36·4 per 1,000. The deaths included one from whooping-cough, 2 from diarrhœal diseases, 6 from tuberculous disease, and 2 deaths in a conflagration.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 19·8 per 1,000. Amongst the deaths were 2 from diarrhœal diseases, one from broncho-pneumonia, and 2 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 31·2 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 15·6. There were 2 deaths from tuberculous disease for Coolock and Drumcondra, No. 1, part of, and one death from *phthisis* for Finglas and Glasnevin, part of.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 29·9 per 1,000. There were 2 deaths from whooping-cough, one death from enteric fever, 2 deaths from diarrhœal diseases, one death from lobar pneumonia, one death from broncho-pneumonia, and 3 deaths from tuberculous disease.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·8 per 1,000, and include one death from epidemic diarrhœa, 4 deaths from tuberculous disease, and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 27·4 per 1,000. Among the deaths registered were 4 from diarrhœal diseases, one from lobar pneumonia, 3 from tuberculous disease, 3 from bronchitis, one homicidal and one suicidal death.

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. Diarrhœal diseases caused 4 deaths, there was one death from *pneumonia* (not defined), and there were 3 deaths from tuberculous disease.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000. The 3 deaths registered were due to epidemic diarrhœa.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 25·1; Pembroke, 14·0; Blackrock, 6·0; and Kingstown, 20·7. The deaths from the principal epidemic diseases recorded for these districts include 4 deaths from *diarrhœa* for Rathmines and Rathgar, and 2 deaths from *diarrhœa* for Kingstown. Among the 16 deaths from all causes for Rathmines and Rathgar are one each from lobar pneumonia and *pneumonia* (not defined), and 2 each from tuberculous disease and bronchitis. Of the 7 deaths for Pembroke there was one each from broncho-pneumonia, tuberculous disease and bronchitis; and of the 7 deaths from all causes for Kingstown, 2 were from *pneumonia* (not defined) and one was from tuberculous disease.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Executive Sanitary Officer for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 29th September, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Sept. 8,	.	—	—	4	.	.	2	.	3	14	11	.	—	—	—	—	—	34
	Sept. 15,	.	—	—	6	2	.	3	.	1	8	8	1	—	—	—	—	—	29
	Sept. 22,	.	—	—	11	.	.	4	.	7	20	8	.	—	—	—	—	—	50
	Sept 29,	.	—	—	5	.	.	2	.	5	16	10	.	—	—	—	—	—	38
Rathmines and Rathgar Urban District.	Sept. 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Sept. 15,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	3
	Sept. 22,	.	—	—	1	.	.	1	.	.	2	.	.	—	—	—	—	—	4
	Sept. 29,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	3
Pembroke Urban District.	Sept 8,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	Sept. 15,	.	.	.	.	.	.	.	.	.	.	2	1	—	4	.	—	—	7
	Sept. 22,	.	.	.	.	.	.	2	.	.	1	.	.	—	.		—	—	3
	Sept. 29,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
Blackrock Urban District.	Sept. 8,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	Sept. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Sept. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 22,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Sept. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Sept. 8,	.	—	—	18	.	.	5	1	10	14	2	.	—	—	—	—	—	50
	Sept. 15.	.	—	—	14	.	.	3	2	8	13	6	.	—	—	—	—	—	46
	Sept. 22,	.	—	—	23	.	.	2	.	4	8	8	.	—	—	—	—	—	45
	Sept. 29,	.	—	—	39	.	.	5	.	8	20	9	.	—	—	—	—	—	81

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th September, 1906.

From this it appears that :—

Two cases of measles were admitted into hospital during the week, and 5 cases remained under treatment at its close.

Twelve cases of scarlet fever were admitted to hospital, 4 were discharged, and 60* cases remained under treatment at the close of the week.

One case of typhus remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 3 were discharged, and 19 patients remained under treatment at the close of the week.

Ten cases of enteric fever were admitted to hospital, 5 were discharged, and 64 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 14 cases of pneumonia were admitted to hospital, 10 were discharged, there was one death, and 26 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·7), was equal to an average annual death-rate of 17·4 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 16·1 per 1,000, the rate for Glasgow being 17·7, and for Edinburgh 14·5.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th September. From this Report it appears that of a total of 38 cases notified 16 were scarlet fever, 9 diphtheria, one of membranous croup, enteric fever, and 6 erysipelas. Among the 267 cases of infectious diseases in hospital at the close of the week were 116 cases of scarlet fever, 37 of diphtheria, 3 of membranous croup, 25 of enteric fever, of measles, 9 of erysipelas, and 6 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 29th September 1906, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by. Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 29th September, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e. Week ending 29th September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	38·0	21·2	4·3	803	447	125	108	.	3	1	1	10	1	.	5	70	21	54	24	15	38	12	20	135	22	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	878,994	27·5	44·2	24·5	5·1	821	178	53	45	.	.	.	.	5	.	.	1	31	11	19	13	6	14	5	6	64	4	f66·1	32·4	50·4	0·00	f68·4	38·5	51·9	0·00	f65·1	31·7	52·4	0·28
City of Dublin,	298,885	37·1	52·1	26·1	5·5	298	147	48	32	.	.	.	.	5	.	.	1	25	6	18	10	4	11	5	6	57	3	g62·9 h68·8	41·0 33·0	52·9 50·8	0·00 0·00	g68·1 h64·0	44·9 38·4	54·9 52·1	0·00 0·00	g69·5 h69·9	43·9 40·0	55·8 53·8	0·38 0·38
Urban Dists. Rathmines and Rathgar.	33,208	19·4	7·9	25·1	6·3	5	16	3	7	.	.	.	.	.	.	.	.	4	2	1	1	1	2	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	18·0	14·0	.	9	7	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	28·8	6·0	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	29·6	20·7	5·9	10	7	2	1	.	.	.	.	.	.	.	.	2	2	.	1	.	.	.	.	.	.	64·0	48·0	54·0	0·00	62	44·5	54·8	0·00	69	48	56·6	0·23
Urban Districts.																																							
Belfast,	366,220	24·9	32·2	19·4	5·0	226	186	40	28	.	2	1	.	3	.	.	4	25	6	19	4	4	7	4	8	26	1	65·0	34·5	52·1	0·00	65·0	39·8	55·0	0·00	65·0	44·5	55·6	1·06
Cork,	76,122	33·6	34·2	27·4	6·2	50	40	10	5	.	.	1	1	.	.	.	.	7	.	6	2	4	4	1	2	13	3	63	46	55·6	0·03	66	49	56·7	0·02	64	46	56·0	0·58
Londonderry,	42,067	19·4	33·5	19·8	3·7	27	16	6	3	.	1	.	.	.	1	.	.	1	1	3	.	.	4	.	1	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	67·0	12·3	.	49	9	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	15·6	9·7	3·9	8	5	1	1	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	35·0	19·4	.	9	5	.	3	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	2	69	48	55	0·00	71	43	56·8	0·10	69	48	56	1·31
Dundalk,	18,076	3·4	31·9	27·9	.	8	7	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	20·4	16·3	.	5	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	50·4	8·4	.	12	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65·1	32·4	52·0	0·02	66·2	41·0	54·5	0·01	64·8	42·8	54·5	0·67
Lurgan,	11,782	13·8	22·1	18·3	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	65·1	32·4	52·0	0·02	66·2	41·0	54·5	0·01	64·8	42·8	54·5	0·67
Lisburn,	11,461	10·1	36·4	9·1	.	8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	65·1	32·4	52·0	0·02	66·2	41·0	54·5	0·01	64·8	42·8	54·5	0·67
Wexford,	11,168	23·2	28·3	23·3	9·8	5	3	2	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	19·2	4·8	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	52·8	19·2	.	11	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	64·9	34·4	52·1	0·00	67·5	40·5	55·8	0·07	65·4	35·4	53·0	1·28
Kilkenny,	10,609	11·5	4·9	34·3	.	1	7	1	5	.	.	.	.	.	.	.	.	.	.	1	.	.	6	.	.	5	1	65	33	51·6	0·00	66	42	54·9	0·00	67	37	54·3	0·44
Clonmel,	10,167	7·8	35·9	25·6	10·3	7	5	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	62·0	20·7	.	12	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	65·1	32·4	52·0	0·02	66·2	41·0	54·5	0·01	64·8	42·8	54·5	0·67
Tralee,	9,867	16·6	37·0	10·6	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	74·4	28·6	.	18	5	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	66	40	51·9	0·00	68	43	54·1	0·00	66	45	54·4	0·72
Queenstown,	7,909	14·4	52·7	19·8	.	8	3	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	63	46	55·6	0·03	66	49	56·7	0·02	64	46	56·0	0·58
Armagh,	7,588	22·2	48·1	27·5	6·9	7	4	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	1	1	1	65·1	32·4	52·0	0·02	66·2	41·0	54·5	0·01	64·8	42·8	54·5	0·67

a According to the Census of 1901; but in the Dublin Registration Area and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly [illegible]

e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted [illegible] Observatory for Sligo and those at Roche's Point for Cork and [illegible]

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 29th of September, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.					URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA	Deaths in Institutions of Persons admitted from without the Registration Area.
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	.	2	1	.	.	.	.	2	.	.	.	.	.	.	.	.	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	3	4	2	2	.	.	.	2	1	4	4	3	4	.	.	2	31	.
Pneumonia,	1	.	.	1	.	.	.	2	.	1	1	.	2	1	.	2	11	1
Tuberculous Disease { Phthisis,	3	2	4	.	.	1	1	2	2	2	1	.	1	.	.	.	19	.
Tuberculous Disease { Other Forms.	.	1	2	.	.	1	.	1	2	1	2	.	1	1	.	1	18	1
Cancer, Malignant Disease,	.	.	1	1	.	.	.	.	.	1	1	.	1	.	1	.	6	.
Other General Diseases	1	1	.	2	.	.	.	1	.	4	1	.	.	.	.	.	10	.
Total,	8	10	10	6	.	2	1	11	5	13	10	3	9	2	1	5	96	2
B. LOCAL DISEASES:																		
Diseases of { Nervous System	2	1	1	2	.	1	.	.	.	.	.	.	1	1	.	.	9	1
Diseases of { Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of { Heart and Blood Vessels,	1	3	5	1	.	.	.	1	.	2	.	.	2	2	.	.	17	1
Diseases of { Respiratory System,	1	1	1	2	.	1	.	.	1	3	1	.	2	1	.	.	14	.
Diseases of { Digestive System,	1	2	2	.	.	.	1	5	1	1	6	.	1	.	.	1	21	.
Diseases of { Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of { Urinary System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.
Diseases of { Generative System,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	7	9	5	.	3	1	7	2	6	7	.	7	4	.	2	65	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	2	.	1	.	1	.	4	1	1	1	.	.	1	.	.	12	2
E. VIOLENT DEATHS,	1	.	2	.	.	.	.	.	.	2	.	.	.	.	.	.	5	.
Deaths from all Causes,	14	19	21	12	.	6	2	22	8	22	18	3	16	7	1	7	178	6
Annual Rate of Mortality from all causes in every 1,000 of the population	25·8	25·3	36·4	19·8	.	31·2	15·6	29·9	22·8	27·4	26·7	17·6	25·1	14·0	6·0	20·7	21·5	.
	25·6							26·7					18·9					
	26·1																	
Ages at Death. Under 1 year,	3	7	5	4	.	.	1	9	3	8	5	3	3	.	.	2	53	2
1 and under 5 years,	3	2	1	1	.	2	.	2	1	.	7	.	1	.	.	1	21	.
5 ,, 20 ,,	1	.	.	1	.	1	.	1	.	2	.	.	1	.	.	1	8	.
20 ,, 40 ,,	3	1	6	1	.	1	1	1	1	5	1	.	2	1	.	.	24	1
40 ,, 60 ,,	2	4	6	1	.	1	.	1	2	2	2	.	2	1	1	2	27	2
60 and upwards,	2	5	3	4	.	1	.	8	1	5	3	.	7	5	.	1	45	1
Number of Uncertified Deaths,	.	1	.	1	.	.	.	.	.	1	.	.	.	1	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	3	5	1	.	1	.	4	2	5	5	.	3	1	1	.	32	6
Workhouse Hospitals,	5	3	3	6	.	1	.	6	.	5	1	.	2	.	.	.	32	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register
week of the ten years, 1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 39th Week of the 10 years 1896-1905.	In the Week ending Sat 29th September, 19					
												Deaths of Persons of the					
	Sept. 26, 1896.	Oct. 2, 1897.	Oct. 1, 1898.	Sept. 30, 1899.	Sept. 29 1900	Sept. 28, 1901.	Sept. 27, 1902.	Oct. 3, 1903.	Oct. 1, 1904.	Sept. 30, 1905.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 60.
Mean Temperature.	° 51·2	° 53·0	° 50·0	° 47·5	° 54·1	° 57·0	° 55·5	° 56·8	° 50·6	° 49·4	° 52·5	° 50·4					
ALL CAUSES.	104	178	165	223	167	133	213	139	146	168	163·6	184	11	44	21	8	29
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	.	28	.	.	10	.	.	.	3·8	.	.	.	.	.	.
Scarlet Fever,	4	2	1	.	.	1	3	.	.	.	1·1	.	.	.	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	1	.	2	3	2	1	1	.	1·1	.	.	.	.	.	.
Whooping-cough,	2	1	5	2	3	1	1	.	1	.	1·6	5	.	4	1	.	.
Diphtheria,	.	3	.	1	.	.	5	.	.	.	·9	.	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	2	1	.	.	·3	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Enteric Fever,	3	6	4	11	4	3	8	2	2	2	4·5	1	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	8	9	29	27	18	12	4	1	5	4	15·0	15	.	10	4	.	.
Diarrhœa, Dysentery,							15	2	11	5		16	2	9	1	2	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	.	.	1	.	.	.	2	1	·5	3	1	1	1	.	.
Puerperal Septicæmia,	.	.	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.	.
Puerperal Fever,							.	.	.	1		.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	2	10	8	16	3	7	.	.	.	3	8·1	3	.	.	.	.	2
Pneumonia, Broncho-							2	3	1	5		3	.	.	.	.	1
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.
Pneumonia, Not defined,							5	3	4	9		6	.	.	.	.	.
Erysipelas,	1	.	1	1	1	.	.	1	1	.	·6	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	.	2	2	1	3	.	.	1	.	1·0	.	.	.	.	.	.
Pyæmia (not Puerperal),							.	1	.	.		.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	2	1	·3	1	.	.	.	.	.
Tuberculous Phthisis,	12	18	19	23	31	17	1	3	3	11	19·3	6	.	.	.	1	3
"*Phthisis*,"							19	16	8	12		13	.	.	.	1	9
Tuberculous Meningitis,	2	5	3	3	2	3	4	2	4	.	2·8	4	.	.	3	1	.
Tuberculous Peritonitis,	.	6	10	8	6	11	.	1	1	1	4·7	2	.	1	.	1	.
Tabes Mesenterica,							1	2	.	.		.	.	.	.	.	.
Tuberculous Dis. (other),	1	4	2	6	4	2	7	10	6	9	5·2	7	.	2	2	.	2
Scrofula,							.	.	1	.		1	.	1	.	.	.
Alcoholism,	1	1	.	.	2	.	1	.	1	.	·6	.	.	.	.	.	.
Rheumatic Fever,	.	1	1	.	.	1	.	1	.	.	·4	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	3	5	8	7	5	4	1	.	2	2	5·3	1	.	.	.	.	.
Sarcoma,							.	.	.	.		1	.	.	.	.	.
Cancer (undefined),							3	4	6	3		4	.	.	.	.	1
Diabetes Mellitus,	.	.	.	.	.	.	2	1	.	.	·3	.	.	.	.	.	.
Premature Birth,	2	1	1	3	4	2	3	3	3	3	2·5	4	4	.	.	.	.

* The figures for the years 1896-190
† Formerly descr

IRTY-NINTH WEEK ending Saturday, 29th September, 1906, with the deaths from each cause in the corresponding d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 39th Week of the 10 years 1896-1905.	In the Week ending Saturday, 29th September, 1906. Deaths of Persons of the Ages of							
	Sept. 26, 1896.	Oct. 2, 1897.	Oct. 1, 1898.	Sept. 30, 1899.	Sept. 29, 1900.	Sept. 28, 1901.	Sept. 27, 1902.	Oct. 3, 1903.	Oct. 1, 1904.	Sept. 30, 1905.		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	° 51·2	° 53·0	° 50·0	° 47·5	° 54·1	° 57·0	° 55·5	° 56·8	° 50·6	° 49·4	° 52·5	° 50·4								
Meningitis (not tuberc.)							7	1	3	1		3	.	.	3	.	.	.	.	.
Insanity, G. P. of Insane							3	.	1	.		2	.	.	.	.	1	1	.	.
Epilepsy							.	2	1	1		.	.	.	.	.	.	.	.	.
Convulsions							9	7	2	6		3	.	3	.	.	.	.	.	.
Locomotor Ataxy							1	.	.	.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord							.	1	1	1		.	.	.	.	.	.	.	.	.
Nervous System (other Dis.)	27	37	26	34	33	21	2	.	1	3	31·7	2	.	.	.	.	.	.	2	.
Valv. Dis., Endocarditis							3	5	3	5		3	.	.	.	.	2	.	1	.
Cerebr. Hæm. Thromb.							1	1	1	2		4	.	.	.	.	.	1	3	.
Apoplexy, *Hemiplegia*							3	1	1	6		.	.	.	.	.	.	.	.	.
Aneurysm							.	.	.	1		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)							.	.	.	.		.	.	.	.	.	.	.	.	.
Heart and Blood Vessel Dis.							14	10	15	13		11	.	.	.	.	2	3	5	1
Croup (not Spasm. nor Memb.)	.	.	.	.			.	1	.	1	·2	.	.	.	.	.	.	.	.	.
Bronchitis	6	17	11	13		12	16	11	8	16	12·0	13	1	1	.	.	.	3	7	1
Asthma, Emphysema							1	.	.	.		.	.	.	.	.	.	.	.	.
Pleurisy	3	2	3	1	1	1	.	1	.	.	1·7	.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)							3	.	.	1		1	.	.	.	.	1	.	.	.
Tonsillitis, Quinsy	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)							2	.	2	3		4	.	1	2	.	.	1	.	.
Gastro Enteritis	.	2	.	1	.	1	4	2	3	.	2·0	7	1	2	3	.	.	.	1	.
Peritonitis (not Puerp.)	.	1	.	1	2	.	1	.	1	1	·7	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver							1	.	.	1		.	.	.	.	.	.	.	.	.
Liver Dis. (other)	2	.	.	2	2	2	4	2	1	1	1·8	1	.	.	.	.	.	1	.	.
Digestive Dis. (other)	3	4	2	5	10	4	8	5	6	7	5·4	9	1	1	.	1	1	3	2	.
Nephritis, Acute							.	2	6	1		.	.	.	.	.	.	.	.	.
Bright's Dis., Albuminuria	5	7	1	1	5	8	1	7	4	1	5·2	2	.	.	.	.	.	1	.	1
Urinary Sys. (Other Dis.)							.	2	1	.		.	.	.	.	.	.	.	.	.
Generative Organs Dis.	1	3	.	.	.	1	1	.	1	.	·7	1	.	.	.	1	.	.	.	.
Childbirth (Accid. of)	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Old Age	4	10	11	8	5	4	2	3	3	5	5·5	6	.	.	.	.	.	.	2	4
Other Diseases	9	18	10	12	8	4	21	12	10	11	11·5	11	1	7	1	.	.	.	1	1
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
By Burns, Scalds, Explosions	1	.	2	1	.	1	2	.	1	1	·9	.	.	.	.	.	.	.	.	.
By Drowning	.	1	1	2	1	.	.	.	.	2	·7	.	.	.	.	.	.	.	.	.
By Suffocation in Bed	.	.	.	.	.	.	.	.	.	1	·1	1	.	1	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Deaths by Accidents	.	2	2	2	1	1	3	5	4	2	2·2	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	.	1	.	.
Suicide	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	.	1	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																									
	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8	Sept. 15.	Sept. 22.	Sept. 29.
No. of weeks in Annual Series.	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered,	207	181	202	199	250	285	202	195	223	167	250	210	238	189	230	199	223	285	186	226	230	180	268	209	225	321
*Average Births in corresponding week of previous 10 years,**	177	200	216	204	244	227	209	191	217	229	193	221	229	202	193	199	207	202	208	217	195	215	203	212	195	233
DEATHS registered,	159	174	215	174	191	165	169	173	154	142	126	149	125	130	140	156	149	125	130	151	167	166	184	220	201	184
Annual Death-rate per 1,000,	21·9	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7	25·3
*Average Deaths in corresponding week of previous 10 years,**	201	198	189	183	183	174	171	166	157	155	150	146	140	145	146	151	153	166	169	163	170	164	169	160	173	164
AGES, Under 5 years,	37	34	45	37	30	36	41	42	47	38	12	37	17	35	35	38	43	40	34	48	63	39	83	98	85	76
5—20 ,,	13	13	15	12	16	10	15	13	11	11	13	13	16	14	10	17	11	8	16	9	10	12	8	9	13	8
20—40 ,,	28	23	27	32	39	23	28	29	27	20	22	30	36	21	24	25	27	20	6	22	27	20	27	24	26	25
40—60 ,,	34	47	49	42	47	39	44	37	30	42	36	34	28	32	37	28	35	20	19	27	32	40	33	39	30	29
60—80 ,,	40	47	70	40	55	51	30	41	34	28	37	31	22	21	32	43	27	32	28	43	28	19	28	41	39	37
80 years and upwards,	7	10	9	11	4	6	11	11	5	3	6	4	6	7	2	5	6	5	27	2	7	6	5	9	8	9
Deaths from—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	1	3	1	.	1	.	.	2	.	.	.	.	.	1	2	2	.	2	1	.	.	.	.	1	.
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
Whooping-cough,	2	3	.	2	1	1	.	3	3	1	2	2	1	4	6	3	2	2	3	1	.	.	1	1	1	5
Diphtheria,	.	.	.	2	.	.	2	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	1	.	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Enteric Fever,	.	1	2	1	1	3	.	.	.	.	1	.	2	.	1	1	.	1	1	.	.	2	2	.	2	1
Diarrhœal Diseases,	1	1	1	4	.	3	1	3	2	1	4	.	2	.	3	3	10	11	10	29	27	28	49	40	34	31
Pneumonia,	8	22	26	17	21	18	13	18	10	6	6	13	4	4	9	12	13	4	5	4	8	5	4	9	7	12
Tuberculous Phthisis,	23	27	18	22	36	18	16	22	20	17	17	29	21	26	21	23	19	21	18	21	21	18	21	20	26	19
Disease. Other Forms,	15	8	11	10	15	10	16	7	8	13	12	11	9	11	7	11	13	4	7	9	8	9	9	11	12	14
Cancer, Malignant Disease,	4	9	13	10	6	5	15	8	10	6	8	6	12	7	4	14	9	8	4	12	11	10	7	11	6	6
Diseases of Heart and Blood Vessels,	27	29	45	27	22	22	28	30	15	29	26	21	14	15	26	27	19	19	17	20	12	22	21	28	25	18
Diseases of Respiratory System,	23	29	43	23	36	31	15	16	15	10	11	17	5	21	10	11	13	14	10	11	10	4	8	16	10	14
Violent Deaths,	2	3	4	2	3	1	4	5	2	3	3	4	3	4	2	3	4	2	3	2	8	7	5	2	5	5
Number of Uncertified Deaths,	9	7	6	5	5	3	7	7	11	3	3	9	4	3	2	5	4	3	5	1	2	1	1	7	9	4
Mean Temperature of the Air (Phœnix Park),	42·9	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9	50·4
Average Mean Temperature in corresponding week of previous 10 years.	45·1	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·9‡	52·5
Rainfall in inches,	·185	·055	·130	·810	·650	·455	·640	·810	·450	·005	·280	·790	·450	·390	235	·885	·220	·452	·320	·415	·695	·000	·285	·280	·000	·000
Mean Humidity of the Air, complete Saturation, 1·0.	·80	·88	·81	·88	·85	·88	·83	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·88	·79	·86	·86	·84	·82	·90	·87

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

in the Dublin Registration Area during the Week ending Saturday, 29th September, 1906: the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH SEPTEMBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	25·6	184	76	8	25	29	37	9	.	.	.	.	5	.	.	1	31	37	12	19	14	6	3	14	5	74	4
	CLASSES. **Deaths in Families of the—**																												
1	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	23·9	8	1	.	1	1	3	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	5	.
II.	MIDDLE CLASS,	37,188	18·5	31	8	2	3	9	6	3	.	.	.	.	1	.	.	1	4	6	3	2	1	2	1	3	.	11	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	16·5	35	15	.	5	8	6	1	.	.	.	.	1	.	.	.	8	9	2	6	1	2	.	3	.	12	1
IV.	GENERAL SERVICE CLASS,	154,279	35·8	78	47	3	9	9	9	1	.	.	.	.	3	.	.	.	18	21	3	3	10	2	1	2	3	33	1
V.	INMATES OF WORKHOUSES,	6,024		32	5	3	7	2	13	2	.	.	.	.	.	.	.	.	1	1	2	8	1	.	1	6	.	13	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	46·8	7	1	.	1	1	2	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	28·4	12	3	1	1	5	2	.	.	.	.	.	.	.	.	1	1	2	2	1	1	.	.	.	2	4	1
	6. Clerks and Commercial Assistants,	30,482	18·8	11	3	1	2	3	2	.	.	.	.	.	.	.	.	.	2	2	.	1	.	1	1	2	.	4	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,																												
	ARTISAN CLASS AND PETTY SHOPKEEPERS.	27,028	13·5	7	2	.	.	.	2	3	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.	1	.	3	.
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades,	29,801	19·2	11	3	.	1	4	3	.	.	.	.	.	.	.	.	.	3	3	.	2	.	1	.	1	.	4	1
	10. Clothing Trades,	23,260	11·2	5	3	.	.	1	.	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	2	.	1	.
	11. Food Supply Trades,	9,242	11·3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades,																												
	13. Petty Shopkeepers,	30,352	22·3	13	3	.	4	3	3	.	.	.	.	.	.	.	.	.	2	2	2	4	.	1	.	.	.	4	.
	GENERAL SERVICE CLASS.	7,894	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	35·0	9	3	1	2	2	1	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	1	5	.
	15. Domestic Servants,	36,603	7·1	5	4	.	.	.	.	1	.	.	.	.	1	.	.	.	2	3	.	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	5	.	.	.	.	.	.	.	.	.	1	.	.	.	2	3	.	.	2	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	34·2	59	35	2	7	7	8	.	.	.	.	.	1	.	.	.	12	13	3	3	7	2	1	2	2	26	1
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	32	5	3	7	2	13	2	.	.	.	.	.	.	.	.	1	1	2	8	1	.	1	6	.	13	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of).

Districts.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	Aug. 11,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	.	2	.	1	1	1	.
	„ 18,	14·7	9·2	8	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.
	„ 25,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	Sept. 1,	22·1	3·7	12	.	.	.	.	.	.	.	.	2	.	.	2	.	.	1	.
	„ 8,	23·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	2	1	1	1	.
	„ 15,	23·9	1·8	13	.	.	.	.	.	.	.	.	1	.	5	.	.	.	.	.
	„ 22,	22·1	9·2	12	.	.	.	.	.	.	.	.	5	.	2	.	1	.	1	.
	„ 29,	25·8	5·5	14	.	.	.	.	.	.	.	.	3	1	3	.	.	1	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 89,146.	Aug. 11,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	1	.	2	.	3	.	1
	„ 18,	21·3	9·3	16	.	.	.	.	.	.	.	.	7	.	.	2	.	2	1	.
	„ 25,	25·3	2·7	19	.	.	.	.	.	.	.	.	2	1	3	1	3	1	2	1
	Sept. 1,	20·0	5·3	15	.	.	.	.	.	.	.	.	4	.	3	.	1	.	.	.
	„ 8,	25·3	10·7	19	.	.	.	.	.	.	.	.	8	.	2	1	.	1	.	.
	„ 15,	33·3	10·7	25	.	.	.	1	.	.	.	.	7	2	1	3	1	1	.	3
	„ 22,	36·0	10·7	27	.	1	.	.	.	.	.	.	7	4	3	.	1	2	.	.
	„ 29,	25·3	8·0	19	.	.	.	.	2	.	.	.	4	.	2	1	.	1	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 80,107.	Aug. 11,	19·1	1·7	11	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.
	„ 18,	17·3	8·7	10	.	.	.	.	.	.	.	.	5	2	1	.	.	.	.	.
	„ 25,	26·0	12·1	15	.	.	.	.	.	.	.	.	7	.	1	.	.	.	1	.
	Sept. 1,	34·6	1·7	20	.	.	.	.	.	.	.	.	1	1	2	1	2	1	1	.
	„ 8,	29·4	8·7	17	.	.	.	.	.	.	.	.	5	.	3	2	1	.	.	.
	„ 15,	34·6	5·2	20	.	.	.	.	.	.	.	.	8	1	1	1	1	2	1	1
	„ 22,	41·6	13·9	24	.	.	.	.	.	.	.	1	7	.	1	.	1	1	.	2
	„ 29,	36·4	5·2	21	.	.	.	.	1	.	.	.	2	.	4	2	1	1	2	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Aug. 11,	21·4	6·6	13	.	1	.	.	.	1	.	.	2	1	1	1	.	.	.	.
	„ 18,	21·4	3·3	13	.	.	.	.	.	.	.	.	2	1	.	.	1	3	1	.
	„ 25,	26·3	11·5	16	.	.	.	.	.	.	.	.	7	.	2	.	.	1	.	.
	Sept. 1,	29·6	13·2	18	.	.	.	.	.	.	.	1	7	.	1	.	1	.	.	.
	„ 8,	29·6	11·5	18	.	.	.	.	.	.	.	.	7	.	3	1	.	.	.	1
	„ 15,	37·9	4·9	23	.	.	.	.	.	.	.	.	3	3	2	2	.	3	.	.
	„ 22,	29·6	9·9	18	.	.	.	.	.	.	.	1	5	.	4	.	.	1	.	2
	„ 29,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 88,884.	Aug. 11,	23·1	5·4	17	.	.	.	.	2	1	.	.	1	.	1	.	.	1	2	1
	„ 18,	29·9	4·1	22	.	.	.	.	1	.	.	.	2	.	5	1	1	6	.	1
	„ 25,	28·5	2·7	21	.	.	.	.	.	.	.	.	2	.	4	2	.	5	1	.
	Sept. 1,	34·0	5·4	25	.	.	.	.	.	.	.	.	4	.	4	.	.	.	2	.
	„ 8,	25·8	6·8	19	.	.	.	.	.	.	.	2	3	.	1	1	.	3	1	.
	„ 15,	38·0	4·1	28	.	.	1	.	.	.	.	.	2	.	1	.	2	3	1	2
	„ 22,	17·7	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	.
	„ 29,	29·9	6·8	22	.	.	.	.	2	.	.	1	2	2	2	1	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Aug. 11,	17·1	2·9	6	.	.	.	.	.	.	1	.	.	.	3	1	.	1	.	.
	„ 18,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	.	4	1	2	.	.	.
	„ 25,	20·0	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.
	Sept. 1,	28·5	5·7	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	.	.
	„ 8,	22·8	5·7	8	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.
	„ 15,	34·2	11·4	12	.	.	.	.	.	.	.	.	4	1	1	.	1	1	.	.
	„ 22,	51·3	5·7	18	.	.	.	.	.	.	.	.	2	.	3	1	.	2	1	.
	„ 29,	22·8	2·9	8	.	.	.	.	.	.	.	.	1	.	2	2	.	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Aug. 11,	26·1	6·2	21	.	1	.	.	.	.	.	.	4	1	2	1	.	2	.	1
	„ 18,	22·4	1·2	18	.	.	.	.	.	.	.	.	1	.	4	1	1	.	.	.
	„ 25,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	1	2	.	1	1	.
	Sept. 1,	21·1	5·0	17	.	.	.	.	.	.	.	.	4	1	1	1	2	1	.	1
	„ 8,	41·0	13·7	33	.	.	.	.	1	.	.	.	10	3	3	.	1	1	1	.
	„ 15,	32·3	6·2	26	.	.	.	.	.	.	.	.	5	1	3	4	1	3	.	.
	„ 22,	16·2	2·5	13	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.
	„ 29,	27·4	5·0	22	.	.	.	.	.	.	.	.	4	1	2	1	1	3	2	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Aug. 11,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	„ 18,	16·3	4·5	11	.	.	.	.	.	.	.	.	3	.	2	1	1	.	.	.
	„ 25,	20·8	3·0	14	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1	.
	Sept. 1,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.
	„ 8,	23·7	3·0	16	.	.	.	.	.	.	.	.	2	.	.	2	1	.	2	.
	„ 15,	31·2	5·9	21	.	.	.	.	1	.	.	.	3	1	3	.	2	1	.	.
	„ 22,	25·2	3·0	17	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	3
	„ 29,	26·7	5·9	18	.	.	.	.	.	.	.	.	4	1	1	2	1	1	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer. Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 53,908.	Aug. 11,	6·3	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 18,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 25,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.	2	1	.	.
	Sept. 1,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	2	1	1	.	.
	„ 8,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 15,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	1	.	1	.	.	.
	„ 22,	23·6	1·6	15	.	.	1	.	.	.	.	.	.	.	2	1	1	1	.	2
	„ 29,	25·1	6·3	16	.	.	.	.	.	.	.	.	4	2	1	1	1	2	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Aug. 11,	4·0	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 18,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.
	„ 25,	20·0	4·0	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	1	.
	Sept. 1,	18·0	4·0	9	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.
	„ 8,	22·0	8·0	11	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.
	„ 15,	24·0	6·0	12	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
	„ 22,	22·0	6·0	11	.	.	.	.	1	.	.	.	2	2	.	.	.	1	.	.
	„ 29,	14·0	.	7	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	1
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Aug. 11,	8·9	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 18,	14·8	3·0	5	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	Sept. 1,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 8,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
	„ 15,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
	„ 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	4	2	.	.	.	.
	„ 29,	20·7	5·9	7	.	.	.	.	.	.	.	.	2	2	.	1	.	.	.	.
Belfast. Pop. in 1906 (Est.) 386,220.	Aug. 11,	18·1	2·4	127	.	.	.	.	2	1	.	2	12	7	25	6	4	7	4	3
	„ 18,	17·8	4·7	125	.	2	.	.	4	1	.	1	25	3	13	8	3	12	2	1
	„ 25,	19·8	4·0	139	.	.	.	.	2	2	.	.	24	5	21	6	2	7	3	2
	Sept. 1,	19·1	4·8	134	.	.	1	.	7	1	.	2	23	7	15	6	4	16	6	5
	„ 8,	21·5	7·0	151	.	1	1	.	7	.	.	1	39	5	16	6	3	8	3	.
	„ 15,	20·2	6·4	142	.	.	.	.	3	1	.	3	38	3	18	6	3	13	1	.
	„ 22,	20·1	5·0	141	.	.	1	.	5	.	.	2	27	3	14	8	4	12	4	.
	„ 29,	19·4	5·0	136	.	2	1	.	3	.	.	4	25	6	19	4	4	7	4	1
Cork. Pop. (in 1901) 76,122.	Aug. 11,	16·4	1·4	24	.	.	.	.	1	.	.	.	1	.	7	1	1	1	2	.
	„ 18,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	.	7	.	.	2	1	1
	„ 25,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	1	8	2	.	.	.	1
	Sept. 1,	16·4	2·1	24	.	.	.	.	.	.	.	.	3	.	3	2	.	1	1	3
	„ 8,	22·6	5·5	33	.	.	.	.	1	.	.	.	7	.	3	3	3	.	.	4
	„ 15,	17·8	5·5	26	.	.	.	.	1	.	.	.	7	.	6	1	.	1	.	.
	„ 22,	34·2	11·0	50	.	.	.	.	.	1	.	.	15	1	4	5	.	1	.	6
	„ 29,	27·4	6·2	40	.	.	.	1	1	.	.	.	7	.	6	2	4	4	1	3
Londonderry. Pop. in 1906 (Est.) 42,067.	Aug. 11,	19·8	1·2	16	.	1	.	.	.	.	.	.	.	.	3	1	.	2	.	1
	„ 18,	14·9	1·2	12	.	.	.	.	.	.	.	.	1	1	1	1	3	.	.	.
	„ 25,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	2
	Sept. 1,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	2
	„ 8,	19·8	7·4	16	.	1	.	.	1	1	.	.	3	.	2	1	1	2	2	.
	„ 15,	19·8	7·4	16	.	.	.	.	1	1	.	.	4	1	1	3	1	1	.	1
	„ 22,	8·7	1·2	7	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.
	„ 29,	19·8	3·7	16	.	1	.	.	.	1	.	.	1	1	3	.	.	4	.	.
Limerick. Pop. (in 1901) 38,151.	Aug. 11,	19·1	.	14	.	.	.	.	.	.	.	.	.	.	3	1	1	.	.	.
	„ 18,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	1
	„ 25,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
	Sept. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	.
	„ 8,	20·5	2·7	15	.	.	1	.	.	.	.	.	1	.	1	.	2	.	.	.
	„ 15,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	1	.	1	.
	„ 22,	17·8	2·7	13	.	.	.	.	.	1	.	1	.	.	3	1	2	.	.	1
	„ 29,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
Waterford. Pop. (in 1901) 26,769.	Aug. 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.
	„ 18,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 25,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Sept. 1,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
	„ 8,	25·3	1·9	13	.	.	.	.	1	.	.	.	.	.	.	2	.	2	.	.
	„ 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 22,	9·7	5·8	5	.	.	.	.	1	.	.	.	2	.	.	1	.	.	.	.
	„ 29,	9·7	3·9	5	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th September, 1906. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-2	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,784	17	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		6	2	1	.	1	1	1	.	.	.	.	1	.	.	.	1	.	.	.	1	.	1	1	1	.
Do. 2 ,, .	47,959	17			15	2	3	1	2	2	5	.	.	.	.	1	.	.	.	1	.	1	1	.	3	.	1	2	.
Do. 3 ,, .	47,214	22			17	9	3	.	.	2	3	.	.	.	.	1	.	.	.	7	.	.	.	2	.	2	3	1	.
Do. 4 ,, .	40,911	31			26	8	4	5	.	5	4	.	.	1	.	.	.	.	.	3	1	2	1	1	.	.	1	11	1
Do. 5 ,, .	17,387	12			5	2	.	3	.	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	.	.
Do 6 ,, .	48,122	20			20	5	1	1	3	4	6	.	1	.	.	.	.	.	2	3	1	3	.	.	2	1	1	3	.
Do 7 ,, .	1,524	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	3			2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 9 ,, .	19,569	14			5	2	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 10 ,, .	23,064	18			19	4	4	2	4	3	2	.	1	.	.	.	.	.	1	3	2	7	1	.	.	.	1	4	.
Do. 11 ,, .	34,802	36			10	2	.	2	3	.	3	.	.	.	.	.	.	.	1	2	.	2	.	.	2	.	.	1	.
Do. 12 ,, .	33,588	24			6	3	.	.	1	1	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
Do. 13 ,, .	15,006	11			5	.	1	1	1	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.
Do. 14 ,, .	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	226			136	40	17	15	15	21	28	.	2	1	.	3	.	.	4	25	6	19	4	4	7	4	8	26	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	3	28·4	12·2	7	1	1	2			3	.	.	.	1	.	.	.	.	2	.	.	.	2	1	.	.	2	.
Do. 2 ,, . .	10,701	9	24·4	4·9	5	1	1	2			1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1
Do. 3 ,, . .	9,978	7	5·2	5·2	1	1	.	.			.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 4 ,, . .	8,666	1	48·1	6·0	8	2	.	6			.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	1	1	6	1
Do. 5 ,, . .	6,592	5	31·6	.	4	1	.	3			.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do. 6 ,, . .	10,702	14	4·9	.	1	.	.	1			.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 7 ,, . .	16,616	11	48·9	9·4	14	4	3	6			1	.	.	.	.	1	.	.	.	2	.	3	.	1	2	.	1	4	1
Total	76,122	50	27·4	6·2	40	10	5	20			5	.	.	.	1	1	.	.	.	7	.	6	2	4	4	1	2	13	3

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.
No. of weeks in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered,	240	212	233	282	238	246	217	273	289	228	204	222	218	225	162	271	225	241	220	203	204	208	240	211	211	226
DEATHS registered.	169	166	171	152	179	161	140	151	150	136	134	131	113	105	119	121	127	121	127	125	139	134	151	142	141	136
Annual Death-rate per 1,000 of estimated Population.	24·1	23·6	24·3	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20·1	19·4
AGES: Under 1 year,	35	35	39	30	29	35	35	21	33	28	21	26	24	24	27	21	21	30	29	37	43	39	59	43	49	40
1–5 years,	28	26	24	24	20	19	17	17	23	22	20	17	15	12	19	12	8	18	9	16	14	22	16	16	13	17
5–20 years,														11	14	10	13	9	14	17	12	5	10	10	14	15
20–40 years,	81	75	66	67	85	66	64	84	64	53	67	72	57	18	27	24	29	15	25	14	18	17	20	21	20	15
40–60 years,														22	15	26	26	31	22	24	29	26	30	26	20	21
60 years and upwards,	25	30	42	31	43	41	24	29	30	33	26	16	17	23	17	28	30	18	28	17	23	25	16	26	25	28
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2	1	.	2	.	.	1	.	.	2
Scarlet Fever,	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	1	.	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	12	13	21	18	20	12	13	8	15	16	7	14	7	4	9	3	1	4	2	4	2	7	7	3	5	3
Diphtheria,	1	.	.	.	.	.	1	1	.	1	.	.	2	2	.	.	1	.	1	1	2	1	.	1	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	4	2	.	.	1	1	.	.	2	.	.	.	.	1	1	2	3	2	1	.	2	1	3	2	4
Diarrhœal Diseases,	2	.	1	2	1	.	1	5	1	5	7	2	4	4	6	7	4	7	12	25	24	23	39	33	27	25
Pneumonia,	19	19	15	16	16	10	9	14	15	15	7	7	8	8	7	6	6	10	7	3	5	7	5	3	3	6
Tuberculous Disease, Phthisis,	24	26	18	19	29	21	23	33	16	21	22	30	24	12	20	21	26	22	25	18	21	15	16	18	14	19
Tuberculous Disease, Other Forms,	11	7	8	12	10	8	11	9	11	5	9	7	7	6	15	5	10	11	6	8	6	6	6	6	8	4
Cancer, Malignant Disease,	4	3	2	4	4	3	3	3	1	5	6	4	2	9	2	4	4	2	4	3	2	4	3	3	4	4
Diseases of Respiratory System,	21	34	36	27	30	27	17	16	17	15	15	14	18	7	7	9	21	11	7	12	7	16	8	12	12	7
Violent Deaths,	7	4	3	4	4	2	4	6	1	2	1	5	.	3	6	4	.	2	4	2	3	6	3	1	4	4
Number of Uncertified Deaths,	1	1	3	5	2	2	.	4	2	2	5	.	1	1	2	.	3	.	3	1	2	5	.	.	.	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
			Exclusive of Stillborn.									
LONDON,	4,721,217	Sept. 29,	2,374	1,422	15·7	.	8	10	13	13	12	207
EDINBURGH,	341,035	„ 29,	149	95	14·5	.	.	.	1	.	.	7
GLASGOW,	835,625	„ 29,	422	283*a*	17·7	.	.	.	2	8	4	57
CALCUTTA,	910,117	Aug. 11,	.	404	24·7	2	3	.	.	.	152‡	45*
BOMBAY,	977,822	„ 28,	399	816	43·4	3	6	.	.	.	72‡	166*
MADRAS,	509,346	„ 10,	415	425	43·3	2	3	?	?	?	92	98*
PARIS,	2,750,000	Sept. 15,	922	836	16·3	.	2	1	1†	3	8	92
BRUSSELS (with 8 Faubourgs).	612,401	„ 8,	218	180	15·3	.	5	2	.	4	1	48
ANTWERP,	304,975	„ 8,	144	107	18·3	.	5	.	1†	.	3	38
AMSTERDAM,	561,216	„ 8,	264	119	11·1	.	2	3	1†	1	1	22
COPENHAGEN,	425,000	„ 8,	222	149	18·3	.	1	1	.	.	1	44
STOCKHOLM,	324,488	„ 1,	155	76	12·2	.	.	.	1†	1	.	6
CHRISTIANIA,	222,373	„ 15,	114	48	11·2	.	.	.	1†	1	.	6
ST. PETERSBURG,	1,424,700	„ 8,	532	601	21·9	.	9	17	34	4	36	78
MOSCOW,	1,092,360	Aug. 11,	.	621	29·6	2	6	9	10†	1	6	209
BERLIN,	2,063,881	Sept. 1,	935	666	16·8	.	3	9	3†	7	2	176
HAMBURG,	802,793	„ 1,	.	284	18·4	.	3	2	3†	7	2	69
BRESLAU,	475,471	„ 15,	.	211	23·1	.	.	.	.	4	2	39
MUNICH,	540,000	„ 15,	.	186	17·9	.	.	.	4†	1	.	44
VIENNA (with suburbs).	1,937,869	„ 15,	793	571	15·3	.	1	2	7†	.	3	104
BUDA-PESTH,	791,748	„ 15,	436	246	16·2	.	1	7	2†	1	3	28
PRAGUE and Faubourgs.	460,849	„ 8,	193	129	14·6	.	2	.	.	.	.	24
TRIESTE,	196,637	„ 1,	117	95	25·2	.	1	1	.	.	.	19
ROME,	521,502	Aug. 4,	241	210	21·0	.	3	.	.	3	4	44
VENICE,	171,709	Sept. 8,	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	„ 1,	2,265	1,488	18·7	.	3	6	8†	15	22	337
PHILADELPHIA,	1,469,126	Aug. 25,	.	481	17·0	.	1	3	4†	17	12	93
BOSTON,	602,526	Sept. 1,	.	227	19·7	.	1	.	1	2	5	44

a. Including 2 deaths from cerebro spinal meningitis.
* Including 8 deaths from cholera in Calcutta, 39 in Bombay, and 5 in Madras.
† Including deaths from croup.
‡ Exclusive of 2 deaths from plague in Calcutta, and 25 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th September, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	5	.	.	.	.	5
" " 1, West,	.	.	.	.	.	.	2	.	.	.	.	.	2
" " 2,	.	.	.	.	.	.	.	4	1	.	.	.	5
" " 3,	.	2	.	.	.	.	2	3	2	.	.	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	1	.	.	.	.	1	.	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	1	.	.	1	5	.	.	.	7
" " 2,	.	.	.	.	.	.	.	2	.	.	.	.	2
" " 3,	.	1	.	.	.	.	.	.	1	.	.	.	2
" " 4,	.	.	.	.	1	.	.	1	1	.	.	.	3
New Kilmainham,	.	1	.	.	.	.	.	.	.	.	.	.	1
Total,	.	5	.	.	2	.	5	16	10	.	.	.	38

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th September, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th September.			
	Sept. 8.	Sept. 15.	Sept. 22.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week
Small-pox,	.	.	.	.	.	.	.
Measles,	4	3	3	2	.	.	5
Scarlet Fever,	38	46	52	12	4	.	60*
Typhus,	2	1	1	.	.	.	1
Diphtheria,	18	21	19	3	3	.	19
Enteric Fever,	43	54	59	10	5	.	64
Pneumonia,	20	20	23	14	10	1	26

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 29th September, 1906:—

"A splendid 'aftermath' of summer was continued through this week, which—like its predecessor—was rainless over the greater part of Ireland—at Blacksod Point, however, ·41 inch of rain was recorded at 8 a.m. of Tuesday. So far as the British Islands are concerned, the distribution of atmospheric pressure was throughout anticyclonic, and the changes indicated by the barometer were both slight and uniform. The highest readings of this instrument occurred on Thursday morning, when the isobar of 30·6 inches embraced the greater part of England and Wales, Belgium and Holland, and touched the east coast of Ireland near Dublin. From this time the barometer fell slowly and uniformly to the close of the week. Within the high-pressure area, baric gradients were hardly perceptible and so either the air was calm, or very light and variable breezes prevailed, easterly in the S., southwesterly in the N.W. and N., and north-westerly on the east coast of England. The diurnal range of temperature was often large—at Bath the screened thermometer fell from 66° on Thursday afternoon to 34° during the following night; at Bettws-y-Coed, North Wales, the range on the same day was from 37° to 70°—that is, 33° F. The uniformly high atmospheric pressure was, as usual, accompanied by calm, fair, weather. The days were sunny and warm; the nights were cold, dewy, and often foggy. Sharp ground frosts occurred over the central districts of both Great Britain and Ireland in the latter part of the week. On Thursday a large and rather deep depression passed eastwards over the north of Scandinavia. In Dublin the mean height of the barometer was 30·491 inches, pressure rising to 30·602 inches at 9 a.m. of Thursday (wind, E.) and falling to 30·247 inches at 9 p.m. of Saturday (wind, calm). The corrected mean temperature was 52·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 51·6°. The screened thermometers fell to 41·0° on Wednesday and rose to 62·9° on Thursday. Calms and light easterly winds prevailed. No rain fell."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·488 inches. The highest reading (30·590) was on Thursday at 9 a.m., air calm, and the lowest (30·258) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 50·4°, being 2·1° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Thursday on which day the thermometer registered 66·1°, and was lowest on Wednesday, the mercury having fallen to 32·4°. The mean of the Dry Bulb for the week was 50·5°, and of the Wet Bulb 48·4°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 43·6 hours. There was no rainfall recorded during the week.

At Greenwich the mean temperature for the week was 52·0°, the maximum 65·1°, and the minimum 37·1°; at Glasgow the maximum was 64·8°, the minimum 34·4°, and the mean 51·7°; and at Edinburgh the maximum was 62·5°, the minimum 38·1°, and the mean 52·1°. There was no rainfall recorded at Greenwich, Glasgow or at Edinburgh. The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 23,	30·510	59·3	36·4	47·9	51·9	50·8	·93	·6	7·0	·000	Calm.	E.N.E.
Monday, „ 24,	30·482	57·3	48·4	52·9	52·3	48·6	·77	·0	4·6	·000	E.S.E.	Calm.
Tuesday, „ 25,	30·517	63·0	48·4	55·7	51·4	49·7	·88	·0	0·8	·000	Calm.	Calm.
Wednesday, „ 26,	30·578	60·8	32·4	46·6	53·4	49·1	·83	·0	5·3	·000	Calm.	Calm.
Thursday, „ 27,	30·578	66·1	38·4	52·3	49·1	46·3	·82	·5	8·9	·000	Calm.	Calm.
Friday, „ 28,	30·456	62·4	32·7	47·6	48·2	46·9	·89	·0	9·8	·000	Calm.	Calm.
Saturday, „ 29,	30·296	62·7	36·5	49·6	47·2	47·2	1·00	·0	7·2	·000	Calm.	Calm.
Mean, . .	30·488	61·7	39·0	50·4	50·5	48·4	·87	·2	Total 43·6	Total ·000	—	

Sunday—Cloudy a.m., bright fine p.m., light clouds; night cloudy. *Monday*—Fine a.m., cloudy and bright p.m.; night cloudy. *Tuesday*—Overcast and cloudy day but fine; night cloudy. *Wednesday*—A fine bright day but cloudy; night clear. *Thursday*—A very fine bright day; night clear. *Friday*—A fine bright day; night clear, ground fog. *Saturday*—Very fine bright day; night clear, ground fog.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 29th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Sept. 23,	54·8	56·0	57·0	60·4	42·7	51·6	7·2	—
Monday, „ 24,	55·1	56·1	56·9	58·6	52·3	55·5	5·2	—
Tuesday, „ 25,	56·3	56·3	56·9	61·1	50·7	55·9	0·8	—
Wednesday, „ 26,	53·8	55·0	56·8	61·8	41·0	51·4	2·7	—
Thursday, „ 27,	57·5	55·0	56·8	65·2	44·5	54·9	7·6	—
Friday, „ 28,	57·8	54·0	56·3	62·6	39·4	51·0	8·2	—
Saturday, „ 29,	55·7	54·0	56·2	62·1	41·8	52·0	7·4	—
Weekly Mean, .	55·9	55·2	56·7	61·7	44·6	53·2	Total 39·1	Total ·000

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 1. 3. 1906.—14895.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] QUARTER ENDING SATURDAY, 29TH SEPTEMBER, 1906. [No. 39A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, vhich consists of the city of Dublin and the urban districts of Rathmines and Rathgar, 'embroke, Blackrock, and Kingstown, the total area thereof being 13,757 tatute acres, and the population estimated to the middle of 1906, 378,994, here were registered during the thirteen weeks ended on Saturday, 29th eptember, 1906, 2,921, births—1,523 boys and 1,398 girls—being equal to an nnual ratio of 1 in 32·4, or 30·8 in every 1,000 of the population.

The number of births registered in the city was 2,503, equivalent to an annual ate of 34·1 in every 1,000 of the population; and in the urban districts named bove, 418, equal to an annual rate of 19·5 in every 1,000 of the population.

There were registered in London during the same period 31,233 births—being equal an annual birth-rate of 26·5 in every 1,000 of the estimated population; in Glasgow ere were registered 5,878, being equal to 28·1 per 1,000; and in Edinburgh, 1,909 -a number affording an annual birth-rate of 22·4 in every 1,000 of the estimated opulation.

Deaths.—The number of deaths registered in the Dublin Registration Area during e quarter was 2,103—1,043 males and 1,060 females—affording an annual ratio 1 in 45·1, or 22·2 in every 1,000 of the estimated population; omitting the deaths 8) of persons admitted into Public Institutions from localities outside the Area, e rate was 21·4 per 1,000. The annual mortality represented by the deaths gistered during the third quarter of the ten years, 1896–1905, in the Dublin egistration Area as then constituted, was 22·3 per 1,000 of the estimated mean opulation of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 891, representing an annual mortality of 23·6 in every 1,000 of the population; and the number in the South City districts was 814, equivalent to a rate of 22·8 per 1,000. In the urban districts the number of deaths registered was 320, being equal to an annual death-rate of 15·0 in every 1,000.

The number of deaths registered in London during the same period was 18,178—a number equal to an annual rate of mortality of 15·4 in every 1,000 of the inhabitants; in Glasgow the number was 3,228, equal to 15·5 in every 1,000; and in Edinburgh 1,114, affording an annual death-rate of 13·1 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 336, being 267 above the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 3·5, being 2·8 above the rate for the preceding three months.

The following tabular statement shows the mortality from each of the principal epidemic diseases in the period under notice, and the average number of deaths from the diseases which occurred in the corresponding period of the 10 years, 1896–1905:—

Names of Disease.	No. of Deaths in Sept. Quarter, 1906.	Average No. of Deaths in Sept. Quarters, 1896–1905.
Small-pox,	—	.
Measles,	9	41
Scarlet Fever,	4	13
Typhus,	2	1
Whooping-cough,	29	30
Diphtheria,	4	13
Pyrexia (origin uncertain),	2	2
Enteric Fever,	11	29
Diarrhœal Diseases,	275	229

Small-pox.—There was no mortality from small-pox during the quarter, and from Table I. it appears that no case of the disease was admitted to any of the Dublin hospitals, or treated therein during the period.

Measles.—As in the preceding June quarter, 9 deaths from measles were registered; this number is considerably less than the average (41) for the September quarter of the past 10 years. Deaths from measles in the 3 quarterly periods preceding June 1906, were 7, 1, and 0, respectively. From Table I. it appears that 5 cases of measles were under treatment in Dublin hospitals at the close of the June quarter; 42 cases were admitted during the period, 41 were discharged, there was one death, and 5 patients remained under treatment at the close.

Scarlet Fever.—The number of deaths from scarlet fever was 4; in the previous quarter not one death from this disease was registered in the Area; in each of the 3 quarterly periods preceding June, 1906, deaths from scarlet fever were 3, 6, and 5. The average for the corresponding quarter of the 10 years, 1896–1905, is 13. From Table I. it appears that 113 cases were admitted for treatment, and that 3 deaths occurred in hospitals during the quarter.

Typhus.—Two deaths from typhus were registered during the period under notice. From Table I. it appears that 2 patients were under treatment for this disease at the close of the preceding quarter, that 6 cases were admitted for treatment in Dublin

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

† See note (*) page 646.

hospitals, that 5 patients were discharged, that 2 deaths occurred, and that one patient was under treatment at the close of the 13 weeks.

Influenza.—There were 5 deaths attributed to influenza, the deaths in each of the 3 preceding quarters being 14, 17, and 19; the average for the corresponding quarter in the 10 years, 1896-1905, was 10.

Whooping-cough.—The deaths from whooping-cough (29) represent a rate of 0·31 per 1,000 of the estimated population of the Dublin Registration Area, and are nearly equal to the average (30) for the corresponding quarter of the preceding 10 years.

Diphtheria.—The mortality from diphtheria was exceptionally low, 4 deaths being registered, as against the average (13) deaths for the September quarter of the 10 years, 1896-1905, and 8, 15, and 5, respectively, in the 3 preceding quarterly periods. Of 91 cases of diphtheria that were under treatment in Dublin hospitals, 68 were discharged, there were 4 deaths, and 19 patients were under treatment at the termination of the quarterly period.

Enteric Fever.—There were 11 deaths from enteric fever registered during the quarterly period; deaths from this disease in the 3 preceding quarters were 23, 12, and 11, respectively, the average for the corresponding quarter in the past 10 years being 29. There were 112 cases of enteric fever under treatment in Dublin hospitals during the quarter, 43 were discharged, there were 5 deaths, and 64 patients remained under treatment at the end of the period.

During the quarter 2 deaths were assigned to *pyrexia* (origin uncertain.)

Diarrhœal Diseases.—The figures denoting the mortality from diarrhœal diseases qualify the somewhat favourable comments that pervade the preceding paragraphs. The number of deaths attributed to diarrhœal diseases was, in the aggregate, 275 (242 being of children under 5 years of age), representing an annual rate of 2·90 per 1,000 of the estimated population of the Area. Of the total, 128 deaths were classified to epidemic diarrhœa (infective enteritis) and 147 to *diarrhœa*, dysentery. There were also registered and classified to diseases of the digestive organs the deaths of 74 children under 5 years of age; of the latter deaths 24 were from enteritis and 50 from *gastro-enteritis.* In the September quarter of the year 1905, the deaths from diarrhœal diseases were 212 in number; the average for the September quarter of the 10 years, 1896-1905, being 229. The high death-rate for diseases in this group forms a regrettable feature in the mortality returns for the September quarter of the year. Reference to Table II. will show the numbers of deaths from diarrhœal diseases appertaining to the registrars' districts of the city and to the urban districts. Of the total deaths, 145 appertained to the north city districts, and are equal to an annual death-rate of 3·85 per 1,000 of the estimated population; 95 deaths appertained to the south city districts, and are equal to an annual death-rate of 2·66 per 1,000 of the estimated population; and 33 deaths were referred to the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, corresponding to a rate of 1·54 per 1,000 of the aggregate population of those districts.

Pneumonia.—Of the deaths under this heading, 11 were returned as from lobar pneumonia, 34 as from broncho-pneumonia, and 51 as from *pneumonia* (not defined). It appears from Table I. that of 145 cases of pneumonia which were treated in Dublin hospitals, 110 were discharged, 9 succumbed, and 26 patients remained under treatment at the close of the quarter.

Tuberculous Disease.—Deaths from all forms of tuberculous diseases amounted to a total of 399, corresponding to an annual rate of 4·2 per 1,000 of the estimated population of the Area. In each of the 3 quarterly periods preceding the annual rates represented by such deaths were 4·0, 5·0, and 4·5 per 1,000 of the estimated population of the Dublin Registration Area. Of the total deaths from all forms of

tuberculous disease, 99 were from tuberculous phthisis, 175 were returned as from *phthisis*, 41 were due to tuberculous meningitis, 10 to tuberculous peritonitis, 2 to *tabes mesenterica*, 71 to other forms of the disease, and one to *scrofula*.

The deaths from tuberculous disease in the north city districts numbered 167, and are equal to an annual rate of 4·4 per 1,000 of the combined populations of these districts; the deaths from tuberculous disease in the south city districts were 152, and represent an annual rate of 4·3 per 1,000 of the aggregate populations of these districts; and the deaths from tuberculous disease in the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, numbered 58, and are equal to an annual rate of 2·7 per 1,000 of the aggregate populations of the aforesaid urban districts; there were 22 deaths, from tuberculous disease, of persons admitted to institutions from localities outside the Area.

The annual death-rate for tuberculous phthisis (*phthisis*) for the whole Area, in the period under notice, was 2·7 per 1,000 of the population of the Area; for the north city districts it was 3·2 per 1,000; for the south city districts, 2·7 per 1,000; and for the urban districts it was 1·9 per 1,000 of the estimated population of these districts.

Malignant Disease.—Of 109 deaths, 36 were due to carcinoma, 5 to sarcoma, and 68 to cancer, or malignant disease (undefined).

Premature Birth.—The deaths of 40 infants, prematurely born, were registered.

Diseases of the Brain and Nervous System.—Of 171 deaths there were 62 deaths from *convulsions*, 61 of these being deaths of children under 5 years of age.

Diseases of the Heart and Blood Vessels.—The number of deaths which were attributed to diseases of the heart or of the blood vessels, amounted to 269.

Diseases of the Respiratory System.—The deaths, in number 152, are equal to an annual rate of 1·6 per 1,000 of the estimated population of the Area, and include the deaths of 133 persons from bronchitis.

Accidental Deaths.—Of 46 deaths that were assigned to accidental causes, 10 were by vehicles and horses, 2 were in conflagrations, 4 were by burns or scalds (including the deaths of 3 children under 5 years of age), 10 were by drowning, and 3 were by suffocation in bed, of infants under the age of 6 months.

Homicide.—There were 2 deaths returned as from homicide.

Suicide.—Four deaths, by suicide, were registered.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 29th September, 1906.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small-pox,	.	.	.	.	.
Measles,	5	42	41	1	5
Scarlet Fever,	35	113	85	3	60*
Typhus	2	6	5	2	1
Diphtheria,	28	63	68	4	19
Enteric Fever,	25	87	43	5	64
Pneumonia,	27	118	110	9	26

In 47 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 47 cases, 25 (or 53·2 per cent.), were deaths of children under 5 years of age: these 25 deaths form 3·3 per cent. of the total

* Exclusive of 16 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

number of deaths of children of that age. Of the deaths of 115 infants under one month old registered, there were 13 (or 11·3 per cent.) regarding which the cause was uncertified.

From Table II., on pages 644*b* and 644*c*, it will be seen that, excluding 78 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,025, equal to an annual rate of 21·4 per 1,000 of the estimated population, and that 333 of these deaths, representing an annual rate of 3·5 per 1,000 persons, were caused by the principal epidemic diseases.* The death-rate for the city (from all causes) was 23·2 per 1,000, and for the urban districts 15·0 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 4·0, and in the urban districts 1·9, the rates for the several districts varying from 0·0 in Blackrock, to 6·2 in North City No. 1, West, the 252 deaths from all causes in that district including one death each from measles, scarlet fever, typhus, and enteric fever, 8 deaths from whooping-cough and 49 from diarrhœal diseases.

Occupations.—Table III., on pages 644*d* and 645, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 12·6 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 15·4 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 17·1; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 31·0.

Ages.—Of the 2,103 persons whose deaths were registered in the Dublin Registration Area during the quarter, 753 were under 5 years of age, including 543 infants under one year of age, representing a rate of 185·9 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 78·9 in every 1,000 children at that age (according to the Census of 1901); 135 were between the ages of 5 and 20, representing an annual rate of 5·1 per 1,000 persons of that age period; the total number under 20 years being equal to an annual mortality of 24·5 per 1,000 of the population at that age (according to the Census of 1901); 307 or 9·1 per 1,000 persons were between 20 and 40; 410 or 23·9 per 1,000 between 40 and 60; 424 or 69·9 per 1,000 between 60 and 80; 74 or 155·5 per 1,000 were aged 80 and upwards, including 18 persons aged 90 and upwards.

Public Institutions.—Of the 2,103 deaths recorded during the quarter, 783, or 37·2 per cent., occurred in public institutions, viz., 381 in the various hospitals, prisons, and lunatic asylums; 182 in the North Dublin Union Workhouse; 212 in the South Dublin Union Workhouse; and 8 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 57·9°. At Greenwich for the quarter, it was 62·5°; at Glasgow, 57·3°; and at Edinburgh, 56·6°.

The rainfall at Dublin during the thirteen weeks measured 3·677 inches; at Greenwich, 3·78 inches; at Glasgow, 8·17 inches; and at Edinburgh, 7·41 inches.

* See note (*) page 646.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 29th September, 1906,** the number
AREA, the annual Rate per 1,000 of the Population of the respective Districts represented
the principal causes; also the Deaths by certain age-periods, and the number of Uncertified
were admitted.

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1906 *	QUARTER (13 WEEKS) ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS: FROM ALL CAUSES.	FROM DISEASES IN COLS. 11-19.	TOTAL DEATHS.	DEATHS. Infants under 1 year of Age.	1 and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	Persons aged 60 years and upwards.	CAUSED BY Small-pox.	Measles.	Scarlet Fever.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
North City.													
NORTH CITY, No. 1, E.,	28,332	20·8	3·8	147	45	18	15	20	25	24	.	.	.
,, 1, W.	39,146	25·7	6·2	252	80	17	19	33	47	56	.	1	1
,, 2,	30,107	28·4	5·8	214	54	39	8	35	50	28	.	.	1
,, 3,	31,673	23·6	5·1	187	63	18	10	32	29	35	.	1	.
CLONTARF AND HOWTH, No. 1, part of,	4,806	8·3	0·8	10		1	.	4	3	2	.	.	.
COOLOCK AND DRUMCONDRA, No. 1, part of,	10,017	17·2	0·4	43	4	2	3	8	9	17	.	.	.
FINGLAS AND GLASNEVIN, part of,	6,665	22·8	1·2	38	7	2	2	7	8	12	.	.	.
South City.													
SOUTH CITY, No. 1,	38,384	27·2	3·0	261	60	28	14	39	41	79	.	.	1
,, 2,	18,286	25·2	4·4	115	33	14	4	20	30	14	.	2	.
,, 3,	41,940	23·5	3·5	246	73	15	20	31	52	55	.	2	.
,, 4,	35,138	17·9	2·4	157	43	30	9	17	26	32	.	.	.
NEW KILMAINHAM,	8,891	15·7	4·5	35	17	4	2	2	5	5	.	.	.
Urban Districts.													
RATHMINES AND RATHGAR,	33,203	14·6	1·6	121	22	3	8	14	20	54	.	3	1
PEMBROKE,	26,025	14·3	2·6	93	20	7	5	11	18	32	.	.	.
BLACKROCK,	8,759	11·4	0·0	25	7	.	2	2	4	10	.	.	.
KINGSTOWN,	17,622	18·4	2·3	81	8	10	6	11	23	23	.	.	.
Total City, North,	150,746	23·6	4·7	891	253	97	57	139	171	174	.	2	2
Total City, South,	142,639	22·8	3·3	814	226	91	49	109	154	185	.	4	1
Total City, North & South,	293,385	23·2	4·0	1,705	479	188	106	248	325	359	.	6	3
Total Urban Districts,	85,609	15·0	1·9	320	57	20	21	38	65	119	.	3	1
Total Registration Area,	378,994	21·4	3·5	2,025	536	208	127	286	390	478	.	9	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				78	7	2	8	21	20	20	.	.	.

* See note (*) on page 647.

of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased*

ENDED 29TH SEPTEMBER, 1906.													
DEATHS.													
CAUSED BY													
Typhus.	Whooping-cough	Diphtheria.	*Pyrexia* † (origin uncertain)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Number of Uncertified Deaths.	REGISTRARS' DISTRICTS, &c.
(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
													North City.
.	4	.	.	1	22	4	18	8	5	10	6	3	NORTH CITY, No. 1, E.
1	8	.	.	1	49	12	33	17	10	25	3	9	,, 1, W.
1	6	.	.	1	35	10	25	10	8	12	6	3	,, 2.
.	.	1	.	3	35	9	28	10	8	15	3	7	,, 3.
.	.	.	.	.	1	.	2	.	1	.	3	.	CLONTARF AND HOWTH, No. 1, part of.
.	.	.	.	.	1	2	8	1	2	3	2	1	COOLOCK AND DRUMCONDRA, No. 1, part of.
.	.	.	.	.	2	.	5	2	3	2	3	.	FINGLAS AND GLASNEVIN, part of.
													South City.
.	6	2	.	4	16	11	36	16		36	8	5	SOUTH CITY, No. 1.
.	.	.	1	.	17	4	20	6	11	8	1	1	,, 2.
.	1	.	.	.	34	13	25	21	9	18	6	5	,, 3.
.	3	.	.	.	18	6	14	11	10	8	6	6	,, 4.
.	.	.	.	.	10	1	3	.	2	.	.	1	NEW KILMAINHAM.
													Urban Districts.
.	.	1	.	.	8	6	17	6	14	7	.	3	RATHMINES AND RATHGAR.
.	1	.	.	.	16	6	11	3	4	3	3	1	& PEMBROKE.
.	.	.	.	.	.	.	2	1	3	.	.	1	BLACKROCK.
.	.	.	1	.	9	8	11	7	3	2	2	1	KINGSTOWN.
2	18	1	.	6	145	37	119	48	37	67	26	23	**North.** } **Total City.**
.	10	2	1	4	95	35	98	54	38	70	21	18	**South.** } **Total City.**
2	28	3	1	10	240	72	217	102	75	137	47	41	**North & South.** } **Total City.**
.	1	1	1	.	33	20	41	17	24	12	5	6	**Total Urban Districts.**
2	29	4	2	10	273	92	258	119	99	149	52	47	**Total Registration Area.**
.	.	.	.	1	2	4	16	6	10	3	.	.	

* See note (*) on page 646. † Formerly described as "Simple Continued Fever."

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS OF SOCIAL **Quarter** (13 weeks) **ending Saturday, 29th September, 1906**; the Annual Death-rate the Number from some of the Principal Causes of Death; also the number of Uncertified Deaths.

Class.	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Quarter: Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	ALL PERSONS,	375,350	22·4	2,103	753	135	307	410	424	74
	CLASSES.									
	Deaths in Families of the—									
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	12·6	55	5	.	9	8	20	13
II.	MIDDLE CLASS,	87,188	15·4	336	73	22	62	71	87	21
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	17·1	471	156	29	67	118	90	11
IV.	GENERAL SERVICE CLASS,	154,279	31·0	839	441	69	98	121	95	15
V.	INMATES OF WORKHOUSES,	6,024		402	78	15	71	92	132	14
I.	PROFESSIONAL AND INDEPENDENT CLASS.									
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	20·5	40	4	.	7	6	14	9
	2. Merchants and Manufacturers, Higher Class,	1,277	6·3	2	1	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	13	.	.	2	2	6	3
II.	MIDDLE CLASS.									
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	11·9	23	3	1	4	3	9	3
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	16·4	90	24	7	16	21	19	3
	6. Clerks and Commercial Assistants,	30,432	14·7	112	30	11	31	21	19	.
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	16·4	111	16	3	11	26	40	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.									
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	9,874	17·0	42	19	2	3	6	11	1
	9. Building and Furnishing Trades,	29,801	19·7	147	53	16	20	37	19	2
	10. Clothing Trades,	23,260	12·0	70	14	2	16	16	19	3
	11. Food Supply Trades,	9,242	13·8	32	19	.	.	5	7	1
	12. Other Trades and Callings ranking with Trades,	30,352	19·1	145	37	7	28	42	30	1
	13. Petty Shopkeepers,	7,894	17·7	35	14	2	.	12	4	3
IV.	GENERAL SERVICE CLASS.									
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	20·9	70	34	5	7	12	8	4
	15. Domestic Servants,	36,603	8·6	79	38	9	9	12	6	5
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	20·3	73	44	8	5	11	4	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	27·5	617	325	47	77	86	77	5
V.	INMATES OF WORKHOUSES.									
	18. Workhouse Inmates,	6,024	.	402	78	15	71	92	132	14

POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and

(13 WEEKS) ENDING SATURDAY, 29TH SEPTEMBER, 1906.

CAUSES OF DEATH.																			
Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Total. Cols. 10-18.	Pneumonia.	TUBERCULOUS DISEASE. Phthisis.	TUBERCULOUS DISEASE. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.	Number of Uncertified Deaths.	CLASS AND ORDER.
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
.	9	4	2	29	4	2	11	275	336	96	274	125	109	62	152	52	897	47	
.	.	.	.	.	.	.	1	1	2	2	1	2	6	2	4	.	36	2	I.
.	2	.	.	5	1	1	2	26	37	19	49	16	30	8	14	12	151	8	II.
.	1	1	.	6	.	1	2	71	82	22	65	20	26	14	36	8	198	13	III.
.	6	3	2	18	3	.	6	157	195	42	78	61	26	36	50	29	322	24	IV.
.	.	.	.	.	.	.	.	20	20	11	81	26	21	2	48	3	190	.	V.
																			I.
.	.	.	.	.	.	.	.	.	.	2	1	2	4	2	4	.	25	1	1
.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.	2
.	.	.	.	.	.	.	1	.	1	.	.	.	2	.	.	.	10	1	3
																			II.
.	.	.	.	.	.	.	.	1	1	2	2	1	2	1	.	.	14	.	4
.	.	.	.	.	1	.	2	6	9	6	11	6	7	2	3	4	42	1	5
.	.	.	.	2	.	.	.	15	17	2	27	6	7	5	6	6	36	6	6
.	2	.	.	3	.	1	.	4	10	9	9	3	14	.	5	2	59	1	7
																			III.
.	.	.	.	1	.	.	.	10	11	1	3	1	6	2	5	.	13	2	8
.	.	1	.	4	.	1	.	17	23	8	22	7	4	4	10	5	64	5	9
.	.	.	.	1	.	.	1	7	9	4	17	6	4	.	7	.	23	3	10
.	.	.	.	.	.	.	.	9	9	3	1	.	1	4	3	.	11	2	11
.	1	.	.	.	.	.	1	17	19	6	19	5	9	4	9	2	72	1	12
.	.	.	.	.	.	.	.	11	11	.	3	1	2	.	2	1	15	.	13
																			IV.
.	1	.	.	3	.	.	.	9	13	2	4	5	3	1	6	1	35	2	14
.	.	.	.	1	.	.	2	15	18	4	8	6	4	2	3	2	32	2	15
.	.	1	.	2	1	.	.	15	19	3	3	8	4	4	2	.	30	1	16
.	5	2	2	12	2	.	4	118	145	33	63	42	15	29	39	26	225	19	17
.	.	.	.	.	.	.	.	20	20	11	81	26	21	2	48	3	190	.	V. 18

* Formerly described as "Simple Continued Fever."

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 18·8 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Lisburn, 10·1 ; Newry, 11·6 ; Queenstown, 11·6 ; Drogheda, 12·2 ; Dundalk, 12·5 ; Clonmel, 13·0 ; Tralee, 13·4 ; Kilkenny, 14·3 ; Waterford, 14·3 ; Limerick, 14·8 ; Ballymena, 15·1 ; Sligo, 15·1 ; Londonderry, 16·8 ; Lurgan, 18·3 ; Belfast, 18·4 ; Cork, 18·8 ; Galway, 19·1 ; Armagh, 19·5 ; Portadown, 20·6 ; Dublin Registration Area, 21·4 ; Wexford, 24·7 ; and Newtownards, 25·5.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 3·1 per 1,000 of the population, the rates varying from 0·0 in Lisburn to 4·4 in Portadown, the 52 deaths from all causes in the latter district including one from diphtheria and 10 from diarrhœal diseases. The 1,688 deaths from all causes in Belfast include 9 from measles, 6 from scarlet fever, 54 from whooping-cough, 9 from diphtheria, 22 from enteric fever, and 241 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter ;—

Small-pox.—There was no record of death from small-pox.

Measles.—Of 32 deaths, 20 were registered in Londonderry, 9 in Belfast, and 3 in Ballymena.

Scarlet Fever.—Six deaths were registered in Belfast, 2 in Newtownards, and one in each of Limerick and Clonmel.

Typhus.—One death was registered in Cork.

Whooping-cough.—Fifty-four deaths were registered in Belfast, 6 in Cork, 4 in Ballymena, 3 in each of Londonderry and Waterford, 2 in Lurgan, and one in each of Galway and Newtownards.

Diphtheria.—Of 20 deaths, 9 appertained to Belfast, 3 to Londonderry, 2 to Cork, and one to each of Limerick, Drogheda, Lurgan, Ballymena, Kilkenny, and Portadown.

Enteric Fever.—There were 22 deaths from enteric fever in Belfast, 2 in each of Limerick and Clonmel, and one in each of Cork and Drogheda.

There was one death from *pyrexia* (origin uncertain) in each of Waterford and Galway.

Diarrhœal Diseases.—There were 241 deaths appertaining to Belfast, 48 to Cork, 13 to Londonderry, 12 to Wexford, 10 to Portadown, 5 to each of Waterford and Dundalk, 4 to Newtownards, 3 to each of Limerick, Newry, Lurgan, Clonmel, and Armagh, 2 to Ballymena, and one to each of Galway, Sligo, Kilkenny, Tralee, and Queenstown.

Phthisis.—The death-rate from phthisis for the 22 towns in the aggregate, was 2·6 per 1,000 of the population ; for the Dublin Registration Area it was 2·7 per 1,000, for Belfast County Borough 2·6 per 1,000, and for the Urban Districts, collectively, (exclusive of Belfast and Dublin Registration Area) it was 2·4 per 1,000.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, *pyrexia* (origin uncertain), enteric fever, and diarrhœal diseases.

Deaths from some of the principal causes; also the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by: Births.	Deaths from All Causes.	Deaths from Diseases in Cols. 10-18.	Registration—Quarter (13 Weeks) ending Saturday, 29th September, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years and upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia † (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
Total of 22 Town Districts,	1,101,499	19·3	30·0	18·8	3·1	8,265	5,172	1,298	1,132	.	41	14	3	103	24	4	38	633	214	712	306	209	399	124	189	1,451	186
Dublin Registration Area,	378,994	27·5	30·8	21·4	3·5	2,921	2,025	536	478	.	9	4	2	29	4	2	10	273	92	258	119	99	149	52	70	705	47
Urban Districts.																											
Belfast,	366,220	24·9	31·1	18·4	3·7	2,847	1,688	462	304	.	9	6	.	54	9	.	22	241	76	242	97	48	136	42	71	323	18
Cork,	76,122	33·6	29·0	18·8	3·0	552	357	78	62	.	.	.	1	6	2	.	1	48	7	63	23	12	20	8	17	142	25
Londonderry,	42,067	19·4	28·3	16·8	3·7	298	177	30	41	.	20	.	.	3	3	.	.	13	7	21	12	9	26	3	5	30	7
Limerick,	38,151	18·1	30·2	14·8	0·7	288	141	29	26	.	.	1	.	.	1	.	2	3	3	24	4	11	7	4	7	53	9
Waterford,	26,769	18·7	24·4	14·3	1·3	163	96	26	20	.	.	.	.	3	.	1	.	5	4	10	7	3	7	3	1	43	7
Galway,	13,426	2·5	24·1	19·1	0·9	81	64	9	27	.	.	.	.	1	.	1	.	1	4	6	1	1	3	1	.	24	13
Dundalk,	13,076	9·4	23·9	12·5	1·5	78	41	10	14	.	.	.	.	.	.	.	.	5	2	9	1	2	5	1	1	7	2
Drogheda,	12,760	8·6	26·0	12·2	0·6	83	39	5	5	.	.	.	.	.	1	.	1	.	3	7	2	1	.	.	1	6	1
Newry,	12,405	17·8	23·2	11·6	1·0	72	36	10	9	.	.	.	.	.	.	.	.	3	1	3	2	2	1	.	.	4	.
Lurgan,	11,782	13·8	28·9	18·3	2·0	85	54	6	13	.	.	.	.	2	1	.	.	3	1	12	5	5	2	1	2	16	.
Lisburn,	11,461	10·1	26·2	10·1	.	75	29	6	12	.	.	.	.	.	.	.	.	.	2	4	1	.	3	.	1	5	2
Wexford,	11,168	23·2	31·2	24·7	4·3	87	69	19	21	.	.	.	.	.	.	.	.	12	.	6	10	5	4	1	.	11	17
Ballymena,	10,886	8·9	31·6	15·1	3·7	86	41	12	12	.	3	.	.	4	1	.	.	2	3	5	1	.	2	1	1	3	6
Sligo,	10,870	3·7	28·7	15·1	0·4	78	41	10	16	.	.	.	.	.	.	.	.	1	.	5	3	2	1	.	1	10	15
Kilkenny,	10,609	11·5	27·5	14·3	0·8	73	38	4	15	.	.	.	.	.	1	.	.	1	1	5	.	1	18	.	.	19	5
Clonmel,	10,167	7·8	28·7	13·0	2·4	73	33	.	8	.	.	1	.	.	.	.	2	3	.	5	.	1	3	.	.	21	1
Portadown,	10,092	13·2	31·7	20·6	4·4	80	52	18	9	.	.	.	.	.	1	.	.	10	5	5	5	2	4	1	2	.	2
Tralee,	9,867	16·6	26·3	13·4	0·4	65	33	3	11	.	.	.	.	.	.	.	.	1	1	7	1	3	1	.	1	12	2
Newtownards,	9,110	18·9	31·2	25·5	3·1	71	58	12	14	.	.	2	.	1	.	.	.	4	.	10	6	1	3	3	4	5	1
Queenstown,	7,909	14·4	27·8	11·6	0·5	55	23	4	5	.	.	.	.	.	.	.	.	1	2	2	2	.	2	1	1	3	2
Armagh,	7,588	22·2	28·5	19·5	1·6	54	37	9	10	.	.	.	.	.	.	.	.	3	.	3	4	1	2	2	3	9	4

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1906; that for each of the other districts is the Population according to the Census of 1901.

† Formerly described as "Simple Continued Fever."

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 29th September, 1906,** Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE PERIODS: the Number of Deaths from some of the Principal CAUSES: the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12 20.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years	40 and under 60 years,	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1.)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN, No. 1 DISTRICT,	14,734	126	The estimate of the Population of Belfast now adopted (see Table IV.), being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		75	16	10	6	9	21	13	.	.	.	.	5	2	.	1	7	5	8	4	2	9	4	7	21	1
,, 2 ,,	47,959	364			177	41	24	14	27	32	39	.	.	1	.	7	.	.	3	8	6	19	8	3	25	2	7	33	.
,, 3 ,,	47,214	368			209	67	16	28	39	35	29	.	.	.	.	10	.	.	1	39	14	37	12	10	13	9	9	37	5
,, 4 ,,	40,911	413			260	86	29	30	33	34	48	.	2	1	.	12	2	.	1	39	10	32	16	3	13	6	10	75	3
,, 5 ,,	17,887	134			94	25	16	9	10	22	12	.	1	1	.	1	.	.	.	20	6	14	4	2	12	1	1	18	1
,, 6 ,,	48,122	289			214	50	20	11	37	46	50	.	3	1	.	3	.	.	5	26	8	36	3	11	18	11	14	43	3
,, 7 ,,	1,524	11			10	2	2	.	1	4	1	.	.	.	.	.	.	.	.	1	.	1	1	2	1	.	1	4	.
,, 8 ,,	5,060	30			23	4	2	4	5	8	5	.	.	.	.	.	.	.	1	4	1	5	2	.	4	.	.	6	.
,, 9 ,,	19,569	164			92	30	10	5	16	18	13	.	1	.	.	1	3	.	.	10	4	4	14	.	1	2	3	15	.
,, 10 ,,	23,064	226			159	48	19	18	20	33	21	.	2	1	.	6	1	.	4	29	7	32	8	5	5	1	4	23	2
,, 11 ,,	34,802	310			151	38	7	11	29	29	37	.	.	.	.	4	.	.	3	16	5	25	8	4	13	5	6	23	2
,, 12 ,,	33,588	276			161	45	28	13	22	28	25	.	.	1	.	.	.	.	1	41	6	18	15	4	20	1	4	18	1
,, 13 ,,	15,006	133			61	9	9	10	10	13	10	.	.	.	.	5	1	.	2	1	4	11	2	2	2	.	5	2	.
,, 14 ,,	240	3			2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, . .	349,180	2,847			1,688	462	192	154	258	318	304	.	9	6	.	54	9	.	22	241	76	242	97	48	136	42	71	323	18
City of Cork.																													
CORK URBAN, No. 1 DISTRICT,	12,867	73	19·0	1·6	61	10	2	33			16	.	.	.	1	.	.	.	.	4	3	11	.	3	5	.	1	26	2
,, 2 ,,	10,701	89	16·8	3·0	45	11	8	20			6	.	.	.	.	.	1	.	.	7	1	12	5	.	1	1	2	13	4
,, 3 ,,	9,978	77	15·2	4·0	38	12	6	18			2	.	.	.	.	.	.	.	1	9	.	7	3	1	5	1	3	9	4
,, 4 ,,	8,666	67	27·2	4·6	59	11	2	33			13	.	.	.	.	.	.	.	.	10	1	8	4	.	3	2	4	39	1
,, 5 ,,	6,592	45	19·4	0·6	32	2	.	21			9	.	.	.	.	.	.	.	.	1	1	5	3	3	1	.	1	14	.
,, 6 ,,	10,702	76	12·0	2·6	32	10	5	14			3	.	.	.	.	1	1	.	.	5	.	3	5	3	.	1	2	9	7
,, 7 ,,	16,616	125	21·7	4·1	90	22	12	43			13	.	.	.	.	5	.	.	.	12	1	17	3	2	5	3	4	32	7
Total,	76,122	552	18·8	3·0	357	78	35	182			62	.	.	.	1	6	2	.	1	48	7	63	23	12	20	8	17	142	25

* Formerly described as "Simple Continued Fever."

GENERAL REGISTER OFFICE,
Charlemont House, Dublin, 22nd October, 1906.

ROBERT E. MATHESON,

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & CO. (Limited), 87, 88, and 89, Abbey-street.
376. Wt. P. 259. (10. 06.)—15048.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN:

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 6TH OCTOBER, 1906. [No. 40.

General Register Office, Charlemont House, Dublin, 8th October, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Sept. 15.	Week ending Sept. 22.	Week ending Sept. 29.	Week ending Oct. 6.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 15.	Week ending Sept. 22.	Week ending Sept. 29.	Week ending Oct. 6.	Average Rate for 4 weeks.
22 Town Dists.	22·9	22·0	21·2	21·1	21·8	Lisburn, . .	22·7	13·6	9·1	31·8	19·3
Armagh, . .	13·7	6·9	27·5	13·7	15·5	Londonderry, .	19·8	8·7	19·8	16·1	16·1
Ballymena, .	9·6	28·7	4·8	4·8	12·0	Lurgan, . .	22·1	26·6	13·3	13·3	18·8
Belfast, . .	20·2	20·1	19·4	20·5	20·1	Newry, . .	12·6	12·6	8·4	12·6	11·6
Clonmel, . .	10·3	10·3	25·6	15·4	15·4	Newtownards, .	34·3	17·2	28·6	17·2	24·3
Cork, . . .	17·8	34·2	27·4	15·8	23·8	Portadown,	46·5	25·8	20·7	31·0	31·0
Drogheda, . .	4·1	16·3	16·3	20·4	14·3	Queenstown .	26·4	6·6	19·8	26·4	19·8
Dublin Reg. Area,	29·4	26·8	24·5	26·0	26·7	Sligo, . .	4·8	14·4	19·2	4·8	10·8
Dundalk, . .	.	12·0	27·9	12·0	13·0	Tralee, . .	21·1	5·3	10·6	15·9	13·2
Galway, . .	27·2	15·5	19·4	27·2	22·3	Waterford, .	11·7	9·7	9·7	11·7	10·7
Kilkenny, . .	39·3	9·8	34·3	14·7	24·5	Wexford, . .	32·7	32·7	23·3	32·7	30·3
Limerick, . .	17·8	17·8	12·3	13·7	15·4						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 3·3 per 1,000, the rates varying from 0·0 in eleven of the districts to 10·3 in Clonmel, the 3 deaths from all causes in that district including 2 from diarrhœal diseases. Among the 144 deaths from all causes in Belfast are one from measles, one from scarlet fever, 2 from whooping-cough, one from diphtheria, and 19 from diarrhœal diseases. The 13 deaths in Londonderry include 4 from diarrhœal diseases; and the 3 deaths from all causes in Kilkenny include one from pyrexia (origin uncertain).

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 146—68 boys and 78 girls; and the deaths to 198—95 males and 103 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·2 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 26·0 per 1,000. During the forty weeks ending with Saturday last the death-rate averaged 22·9, and was 2·3 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The deaths (198) included one death from whooping-cough, one death from influenza,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

and 31 deaths from diarrhœal diseases, 29 being of children under 5 years of age, including 23 infants under one year of age. In each of the 3 preceding weeks, deaths from whooping-cough were one, one, and 5; deaths from influenza were one, 0, and 0; and deaths from diarrhœal diseases were 40, 34, and 31. The deaths of 3 infants under one year were attributed to *gastro-enteritis.* The mean of the daily readings of the earth thermometer at 4 feet was 55·7°.

Four deaths were due to broncho-pneumonia and 6 to *pneumonia* (not defined).

The deaths from all forms of tuberculous disease numbered 31, and included 5 deaths from tuberculous phthisis, 18 deaths from *phthisis*, 3 deaths from tuberculous meningitis, 2 deaths from tuberculous peritonitis, and 3 deaths from other forms of the disease. In each of the 3 preceding weeks, deaths from all forms of tuberculous disease were 31, 38, and 33.

There were 5 deaths from carcinoma and 8 from cancer (undefined).

Three infants prematurely born succumbed.

There were 5 deaths from *convulsions;* of these, 4 were of infants under one year of age.

Diseases of the heart and blood vessels accounted for 24 deaths, and 21 deaths were due to bronchitis.

Four deaths were assigned to accidental violence.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the death of one person aged 87 years.

Seventy-one of the persons whose deaths were registered during the week were under 5 years of age (50 being infants under one year, of whom 11 were under one month old) and 58 were aged 60 years and upwards, including 27 persons aged 70 and upwards, of whom 7 were octogenarians.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse, 19 in the South Dublin Union Workhouse, and 5 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·0 per 1,000; the rate in the City was 26·3 (North City Districts, 26·3; South, 26·3), and in the Suburbs, 25·0 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 4·4 per 1,000 inhabitants, the rate for the City being 5·0 (4·8 in the North City Districts, and 5·1 in the South) and for the Suburbs, 2·4 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000, and include 2 deaths from *diarrhœa*, one death from tuberculous phthisis, one death from bronchitis, and one accidental death.

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 29·3 per 1,000. There were 3 deaths from diarrhœal diseases, one death from each of broncho-pneumonia and *pneumonia* (not defined), 3 deaths from tuberculous disease, 5 deaths from bronchitis, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 31·2 per 1,000. Among the deaths there was one from whooping-cough; diarrhœal diseases caused 3 deaths, *pneumonia* (not defined) caused one death, there were 4 deaths from *phthisis*, and 3 deaths from diseases of the respiratory system.

No. 3 *North City District* (Benburb-street).—The deaths (18) represent an annual rate of 29·6 per 1,000. Diarrhœal diseases caused 5 deaths, there was one death from *pneumonia* (not defined), tuberculous disease caused 2 deaths, and bronchitis caused 4 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 15·6 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 15·6. Among the 3 deaths from all causes for Coolock and Drumcondra, No. 1, part of, are one death from broncho-pneumonia and one death from tuberculous phthisis.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 23·1 per 1,000. There were 2 deaths from *diarrhœa*, 3 deaths from tuberculous disease, and 3 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000. The deaths (10) include one from epidemic diarrhœa, one from *pneumonia* (not defined), 3 from tuberculous disease, and one death from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (25) are equal to an annual rate of 31·1 per 1,000. Diarrhœal diseases caused 6 deaths; there was one death from broncho-pneumonia, there were 3 deaths from tuberculous disease, 3 deaths from diseases of the respiratory system, and one accidental death.

No. 4 *South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000, and include 4 deaths from diarrhœal diseases, one from broncho-pneumonia, 3 from tuberculous disease, and one death from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000. Of the 3 deaths registered one was due to epidemic diarrhœa and one was from *phthisis.*

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8; Pembroke, 26·0; Blackrock, 23·8; and Kingstown, 35·5. The deaths from the principal epidemic diseases tabulated for these districts consist of 2 deaths from *diarrhœa* for Rathmines and Rathgar, and 2 deaths from diarrhœal diseases for Kingstown. Among the 12 deaths from all causes for Rathmines and Rathgar are 2 deaths from *phthisis* and one death from bronchitis; of the 13 deaths from all causes for Pembroke 2 were from tuberculous disease of the lungs, and one was from bronchitis; and of the 12 deaths from all causes for Kingstown one was from *pneumonia* (not defined), and 3 were from diseases of the heart and blood vessels.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Executive Sanitary Officer for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 6th October, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Sept. 15,	.	—	—	6	2	.	3	.	1	8	8	1	—	—	—	—	—	29
	Sept. 22,	.	—	—	11	.	.	4	.	7	20	8	.	—	—	—	—	—	50
	Sept. 29,	.	—	—	5	.	.	2	.	5	16	10	.	—	—	—	—	—	38
	Oct. 6,	.	—	—	14	.	.	3	.	4	24	8	.	—	—	—	—	—	53
Rathmines and Rathgar Urban District.	Sept. 15,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	3
	Sept. 22,	.	—	—	1	.	.	1	.	.	2	.	.	—	—	—	—	—	4
	Sept. 29,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	3
	Oct. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Pembroke Urban District.	Sept. 15,	.	.	.	.	.	.	.	.	.	.	2	1	—	4	.	—	—	7
	Sept. 22,	.	.	.	.	.	.	2	.	.	1	.	.	—	.	.	—	—	3
	Sept. 29,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	Oct. 6,	.	3	.	1	.	.	1	.	.	1	1	.	—	1	.	—	—	8
Blackrock Urban District.	Sept. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Sept. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 22,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Sept. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
City of Belfast.	Sept. 15,	.	—	—	14	.	.	3	2	8	13	6	.	—	—	—	—	—	46
	Sept. 22,	.	—	—	23	.	.	2	.	4	8	8	.	—	—	—	—	—	45
	Sept. 29,	.	—	—	39	.	.	5	.	8	20	9	.	—	—	—	—	—	81
	Oct. 6,	.	—	—	36	.	.	8	.	6	15	5	.	—	—	—	—	—	70

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th October, 1906.

From this it appears that:—

Two cases of measles were admitted into hospital during the week, 2 were discharged, and 5 cases remained under treatment at its close.

Nineteen cases of scarlet fever were admitted to hospital, 7 were discharged, and 72* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital, and 2 cases remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 5 were discharged, there was one death, and 20 patients remained under treatment at the close of the week.

Nineteen cases of enteric fever were admitted to hospital, 6 were discharged, there were three deaths, and 74 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, 3 were discharged, there were 3 deaths, and 28 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·5), was equal to an average annual death-rate of 17·1 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 17·2 per 1,000, the rate for Glasgow being 18·4, and for Edinburgh 15·6.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th October. From this Report it appears that of a total of 34 cases notified 15 were scarlet fever, 8 erysipelas, 6 diphtheria, and 5 enteric fever. Among the 263 cases of infectious diseases in hospital at the close of the week were 108 cases of scarlet fever, 38 of diphtheria, 2 of membranous croup, 26 of enteric fever, 14 of erysipelas, 11 of measles, and 5 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 6th October 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Registration—Week ending Saturday, 6th October, 1906. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 6th October, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	24·9	21·1	3·3	525	446	111	121	.	1	1	.	3	1	1	.	62	18	53	20	16	49	8	12	127	15	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total, d.	378,994	27·5	20·1	26·0	4·4	146	189	50	57	.	.	.	.	1	.	.	.	31	9	21	8	11	23	4	3	69	4	f65·0	37·4	53·3	0·80	f66·1	32·4	50·4	0·00	f63·4	38·5	51·9	0·00
City of Dublin,	293,385	37·1	22·6	26·3	5·0	127	148	46	36	.	.	.	.	1	.	.	.	27	8	16	8	9	21	3	2	56	2	g65·1 h64·8	45·1 37·0	55·3 52·8	0·79 1·13	g62·9 h63·8	41·0 33·0	52·9 50·8	0·00 0·00	g63·1 h64·0	44·9 38·4	54·9 52·1	0·00 0·00
Urban Dists. Rathmines and Rathgar.	33,203	19·4	11·0	18·8	3·1	7	12	2	5	.	.	.	.	.	.	.	.	2	.	2	.	1	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	10·0	26·0	.	5	13	1	6	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	23·8	.	2	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	14·8	35·5	5·9	5	12	1	8	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	6	.	63	44·5	55·7	1·91	64·0	43·0	54·0	0·00	62	44·5	54·8	0·00
Urban Districts.																																							
Belfast,	366,220	24·9	30·0	20·5	3·4	211	144	39	24	.	1	1	.	2	1	.	.	19	6	20	9	2	15	4	7	32	3	62·8	44·0	54·8	0·56	65·0	34·5	52·1	0·00	65·0	39·8	55·0	0·00
Cork,	76,122	33·6	16·4	15·8	0·7	24	23	4	6	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	2	8	2	64	49	58·4	1·78	63	46	55·6	0·03	66	49	56·7	0·02
Londonderry,	42,057	19·4	16·1	16·1	5·0	13	13	3	1	.	.	.	.	.	.	.	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	31·4	18·7	1·4	23	10	4	3	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	15·6	11·7	.	8	6	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	15·5	27·2	.	4	7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	3	.	68	44	53	0·63	69	43	55	0·00	71	43	56·3	0·10
Dundalk,	13,076	3·4	27·9	12·0	.	7	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	12·3	20·4	.	3	5	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	33·6	12·6	4·2	8	3	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	63	34·6	52·5	0·41	65·1	32·4	52·0	0·02	66·2	41·0	54·5	0·01
Lurgan,	11,782	13·8	62·0	13·3	.	14	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	63	34·6	52·5	0·41	65·1	32·4	52·0	0·02	66·2	41·0	54·5	0·01
Lisburn,	11,461	10·1	50·0	31·8	4·5	11	7	.	3	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	63	34·6	52·5	0·41	65·1	32·4	52·0	0·02	66·2	41·0	54·5	0·01
Wexford,	11,168	23·2	37·4	32·7	4·7	8	7	1	3	.	.	.	.	.	.	.	.	1	.	.	1	.	2	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	28·7	4·8	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	66·4	36·3	53·0	1·01	64·9	34·4	52·1	0·00	67·5	40·5	55·3	0·07
Sligo,	10,870	8·7	33·6	4·8	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	65	37	55·7	1·25	65	33	51·6	0·00	66	42	54·9	0·00
Kilkenny,	10,609	11·5	78·7	14·7	4·9	15	3	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,167	7·8	.	15·4	10·3	.	3	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	63	34·6	52·5	0·41	65·1	32·4	52·0	0·02	66·2	41·0	54·5	0·01
Portadown,	10,092	13·2	25·8	31·0	.	5	6	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,867	16·6	10·6	15·9	.	2	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	61	42	53·2	0·60	65	40	51·9	0·00	63	43	54·1	0·00
Newtownards,	9,110	18·9	17·2	17·2	.	3	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	64	49	58·4	1·78	63	46	55·6	0·03	66	49	56·7	0·02
Queenstown,	7,909	14·4	26·4	26·4	6·6	4	4	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	63	34·6	52·5	0·41	65·1	32·4	52·0	0·02	66·2	41·0	54·5	0·01
Armagh,	7,588	22·2	20·6	18·7	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 6th of October, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.								Dublin Sth. Superintendent Reg.'s District.									
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	2	3	3	5	.	.	.	2	1	6	4	1	2	.	.	2	31	.
Pneumonia,	.	2	1	1	.	1	.	.	1	1	1	.	.	.	.	1	9	1
Tuberculous Disease: Phthisis,	1	2	4	1	.	1	.	2	1	2	1	1	2	2	1	.	21	2
Tuberculous Disease: Other Forms,	.	1	.	1	.	.	.	1	2	1	2	.	.	.	.	.	8	.
Cancer, Malignant Disease,	.	1	.	.	.	.	.	2	1	3	2	.	1	1	.	.	11	2
Other General Diseases	.	1	1	.	.	.	.	2	.	2	1	.	.	2	1	3	14	.
Total,	3	10	10	9	.	2	.	9	6	15	11	2	5	5	2	6	95	5
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	3	2	.	.	.	.	.	1	2	2	.	1	1	.	.	13	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	2	.	2	1	.	.	2	4	1	2	2	1	2	1	1	3	24	.
Diseases of: Respiratory System,	1	5	3	4	.	.	.	3	1	3	1	.	1	1	.	.	23	.
Diseases of: Digestive System,	3	1	.	.	.	.	.	1	.	.	1	.	1	1	.	.	8	4
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diseases of: Urinary System,	1	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	5	.
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	9	8	6	.	.	2	8	3	7	6	1	7	5	1	4	75	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	2	.	3	.	1	.	.	1	2	.	.	.	3	.	2	15	.
E. VIOLENT DEATHS,	1	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	4	.
Deaths from all Causes,	13	22	18	18	.	3	2	17	10	25	17	3	12	13	4	12	189	9
Annual Rate of Mortality from all causes in every 1,000 of the population	23·9	29·3	31·2	29·6	.	15·6	15·6	23·1	28·5	31·1	25·2	17·6	18·8	26·0	23·8	35·5	26·0	.
	26·3							26·3					25·0					
	26·3																	
Ages at Death: Under 1 year,	4	9	2	7	.	.	.	5	3	9	6	1	2	1	.	1	50	.
Ages at Death: 1 and under 5 years,	2	2	3	2	.	.	.	3	2	4	2	.	1	.	.	.	21	.
Ages at Death: 5 ,, 20 ,,	.	2	.	.	.	1	.	.	.	1	1	.	.	.	1	2	8	1
Ages at Death: 20 ,, 40 ,,	2	2	3	2	.	1	.	1	.	2	1	1	1	2	.	.	18	4
Ages at Death: 40 ,, 60 ,,	2	4	6	8	.	.	.	3	3	.	5	.	3	4	1	1	35	3
Ages at Death: 60 and upwards,	3	3	4	4	.	1	2	5	2	9	2	1	5	6	2	8	57	1
Number of Uncertified Deaths,	1	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	4	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	5	3	.	.	.	.	5	1	4	2	.	2	3	.	1	27	9
Workhouse Hospitals,	1	4	7	5	.	.	.	6	3	7	2	.	1	1	.	5	42	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered t
week of the ten years, 189

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 40th Week of the 10 years 1896–1905.	In the Week ending Saturd 6th October, 1906. Deaths of Persons of the Ag						
	Oct. 3, 1896.	Oct. 9, 1897.	Oct. 8, 1898.	Oct. 7, 1899.	Oct. 6, 1900.	Oct. 5, 1901.	Oct. 4, 1902.	Oct. 10, 1903.	Oct. 8, 1904.	Oct. 7, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 53·2	° 51·2	° 56·4	° 46·1	° 50·4	° 52·1	° 51·1	° 52·4	° 48·3	° 48·3	° 51·0	Mean Temp. ° 53·3						
ALL CAUSES.	135	147	155	196	182	149	169	150	130	158	157·1	198	11	39	21	9	22	38
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	.	32	1	.	8	.	.	.	4·1	.	.	.	.	.	.	.
Scarlet Fever,	3	3	.	.	.	.	.	1	1	.	·8	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	2	.	1	.	.	1	1	.	1	·6	1	.	.	.	.	.	.
Whooping-cough,	1	.	3	2	5	2	1	2	3	.	1·9	1	.	.	1	.	.	.
Diphtheria,	1	.	.	.	.	2	5	1	.	.	·9	.	.	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	6	4	2	4	3	8	6	2	1	2	3·8	.	.	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	3	11	15	17	28	9	7	3	2	.	11·7	14	2	9	3	.	.	.
Diarrhœa, Dysentery,							12	1	8	1		17	1	11	3	.	.	1
Tetanus,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	2	1	.	.	.	.	1	1	1	2	·8	1	.	1	.	.	.	.
Puerperal Septicæmia,	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.	.	.
Puerperal Fever,							.	.	.	.		1	.	.	.	1	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	7	7	6	13	5	12	.	.	2	1	8·1	.	.	.	.	.	.	.
Pneumonia, Broncho-							1	5	3	4		4	.	1	2	1	.	.
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.	.
Pneumonia, Not defined,							6	2	2	5		6	.	.	.	1	2	3
Erysipelas,	.	.	.	.	1	1	.	.	.	1	·3	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	.	1	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.
Pyæmia (not Puerperal),							.	.	.	.		.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	2	·2	1	.	.	.	.	.	1
Tuberculous Phthisis,	18	23	14	20	14	21	2	2	4	4	20·4	5	.	.	.	.	3	2
"*Phthisis*,"							16	25	20	21		18	.	.	.	1	9	6
Tuberculous Meningitis,	2	3	10	6	3	1	4	.	2	6	3·7	3	1	.	2	.	.	.
Tuberculous Peritonitis,	4	1	7	8	7	11	.	4	.	1	4·6	2	.	.	2	.	.	.
Tabes Mesenterica,							.	1	2	.		.	.	.	.	.	.	.
Tuberculous Dis. (other),	2	.	7	2	2	3	3	9	4	10	4·3	3	.	.	1	1	1	.
Scrofula,							1	.	.	.		.	.	.	.	.	.	.
Alcoholism,	1	1	1	.	1	.	.	1	1	.	·6	.	.	.	.	.	.	.
Rheumatic Fever,	.	1	.	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.
Gout,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Carcinoma,	1	5	9	3	7	6	2	4	2	7	5·8	5	.	.	.	.	1	1
Sarcoma,							.	.	.	.		.	.	.	.	.	.	.
Cancer (undefined),							2	5	1	4		8	.	.	.	.	1	7
Diabetes Mellitus,	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	1
Premature Birth,	.	4	3	.	7	1	5	1	2	7	3·0	3	3	.	.	.	.	.

* The figures for the years 1896–1900 are f
† Formerly described a

H WEEK ending Saturday, 6th October, 1906, with the deaths from each cause in the corresponding average for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Oct. 3, 1896.	Oct. 9, 1897.	Oct. 8, 1898.	Oct. 7, 1899.	Oct. 6, 1900.	Oct. 5, 1901.	Oct. 4, 1902.	Oct. 10, 1903.	Oct. 8, 1904.	Oct. 7, 1905.	Averages in 40th Week of the 10 years 1896-1905.	In the Week ending Saturday, 6th October, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
an Temperature.	° 53·2	° 51·2	° 56·4	° 46·1	° 50·4	° 52·1	° 51·1	° 52·4	° 48·3	° 48·3	° 51·0	Mean Temp. ° 53·3								
gitis (not tuberc.) ...							2	2	2	3		3	.	1	.	1	.	1	.	.
ty, G. P. of Insane ...							2	.	.	2		1	.	.	.	.	.	1	.	.
osy							.	.	.	1		.	.	.	.	.	.	.	.	.
sions							13	5	.	5		5	.	4	1	.	.	.	.	.
notor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
legia Dis. of Cord ...							1	1	1	1		2	.	.	.	.	1	.	1	.
us System (other	29	31	32	29	32	24	1	1	1	.	30·2	2	.	.	.	.	.	.	2	.
Dis., Endocarditis ...							5	5	9	4		2	.	.	.	.	.	1	.	1
r. Hæm. Thromb. ...							.	1	1	2		4	.	.	.	.	.	1	3	.
xy, Hemiplegia ...							3	3	7	2		6	.	.	.	.	.	1	5	.
ysm							.	1	.	.		.	.	.	.	.	.	.	.	.
lism, Thromb. (not							.	.	.	.		.	.	.	.	.	.	.	.	.
bral)																				
and Blood Vessel Dis.							6	12	10	10		12	.	.	.	.	.	4	7	1
(not Spasm. nor	1	.	.	1	3	.	.	.	.	.	·5	1	.	.	1	.	.	.	.	.
ub.)																				
hitis	15	14	8	16	11	9	11	8	11	10	11·3	21	.	1	2	.	1	8	8	1
na, Emphysema ...	1	1	1	1	4	1	1	.	.	1	1·7	1	.	.	.	.	.	1	.	.
isy							.	1	.	.		.	.	.	.	.	.	.	.	.
ratory Dis. (other) ...							.	1	2	2		.	.	.	.	.	.	.	.	.
litis, Quinsy ...	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
itis (not Epid.) ...	.	1	1	.	.	.	4	.	1	4	2·2	.	.	.	.	.	.	.	.	.
Enteritis							2	5	1	3		3	1	2	.	.	.	.	.	.
ritis (not Puerp.) ...	1	.	1	.	.	.	1	2	.	1	·6	.	.	.	.	.	.	.	.	.
osis of Liver ...	1	3	.	5	2	.	.	2	1	1	2·1	.	.	.	.	.	.	.	.	.
Dis. (other) ...							2	1	.	3		3	.	.	.	.	1	2	.	.
tive Dis. (other) ...	3	3	2	7	6	9	5	5	4	3	4·7	6	.	.	2	1	.	1	1	1
ritis, Acute ...	3	4	4	3	3	2	1	.	1	4	3·8	2	.	1	.	.	1	.	.	.
t's Dis., Albuminuria							1	5	2	3		3	.	.	.	.	1	1	1	.
ry Sys. (Other Dis.)							1	.	.	1		.	.	.	.	.	.	.	.	.
rative Organs Dis. ...	.	1	.	.	1	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
birth (Accid. of) ...	.	1	2	1	1	1	1	.	.	.	·7	.	.	.	.	.	.	.	.	.
ge	11	7	7	12	11	9	5	4	2	4	7·2	5	.	.	.	.	.	.	3	2
Diseases	13	9	15	9	17	12	11	11	8	5	11·0	18	3	7	1	1	.	2	4	.
ACCIDENT.																				
ailways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ehicles and Horses ...	.	.	.	1	.	.	2	.	.	1	·4	1	.	.	.	1	.	.	.	.
ips, Boats, Docks (ex-	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ive of Drowning) ...																				
iding Operations ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
nflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
arns, Scalds, Explosions	2	.	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
rowning	.	1	2	.	1	.	1	.	1	.	·6	.	.	.	.	.	.	.	.	.
uffocation in Bed ...	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
oison or Poisonous	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ours																				
Deaths by Accidents	3	5	1	1	6	2	.	.	1	.	1·9	3	.	1	.	1	.	.	1	.
LENCE OTHER THAN ACCIDENTAL.																				
cide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
le	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ation	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

istration Area as then constituted.
e Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																									
	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.
No. of weeks in Annual Series.	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered,	181	202	199	250	285	202	195	223	167	250	210	238	189	230	199	223	235	186	226	230	180	268	209	225	331	146
*Average Births in corresponding week of previous 10 years,**	200	216	204	244	227	209	191	217	229	193	221	229	202	193	199	207	202	208	217	195	215	203	212	195	233	188
DEATHS registered,	174	215	174	191	165	169	173	154	142	126	149	125	130	140	156	149	125	130	151	167	166	184	220	201	184	198
Annual Death-rate per 1,000,	23·9	29·6	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7	25·3	27·2
*Average Deaths in corresponding week of previous 10 years,**	198	189	183	183	174	171	166	157	155	150	146	140	145	146	151	153	166	169	163	170	164	169	160	173	164	157
AGES,— Under 5 years,	34	45	37	30	36	41	42	47	38	12	37	17	35	35	38	43	40	34	48	63	59	83	98	85	76	71
5—20 ,,	13	15	12	16	10	15	13	11	11	13	13	16	14	10	17	11	8	16	9	10	12	8	9	13	8	9
20—40 ,,	23	27	32	39	23	28	29	27	20	22	30	36	21	24	25	27	20	6	22	27	20	27	24	26	25	22
40—60 ,,	47	49	42	47	39	44	37	30	42	36	34	28	32	37	28	35	20	19	27	32	40	33	39	30	29	38
60—80 ,,	47	70	40	55	51	30	41	34	28	37	31	22	21	32	43	27	32	28	43	28	29	28	41	39	37	51
80 years and upwards,	10	9	11	4	6	11	11	5	8	6	4	6	7	2	5	6	5	27	2	7	6	5	9	8	9	7
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	3	1	.	1	.	.	2	.	.	.	.	.	1	2	2	.	2	1	.	.	.	.	1	.	.
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.
Whooping-cough,	3	.	2	1	1	.	3	3	1	2	2	1	4	6	3	2	2	3	1	.	.	1	1	1	5	1
Diphtheria,	.	.	2	.	.	2	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Enteric Fever,	1	2	1	1	3	.	.	.	.	1	.	2	.	1	1	.	1	1	.	.	2	2	.	2	1	.
Diarrhœal Diseases,	1	1	4	.	3	1	3	2	1	4	.	2	.	3	3	10	11	10	29	27	23	49	40	34	31	31
Pneumonia,	22	26	17	21	18	13	18	10	6	6	13	4	4	9	12	13	4	5	4	8	5	4	9	7	12	10
Tuberculous Phthisis,	27	18	22	36	18	16	22	20	17	17	29	21	26	21	23	19	21	18	21	21	18	21	20	26	19	23
Disease. Other Forms,	8	11	10	15	10	16	7	8	13	12	11	9	11	7	11	13	4	7	9	8	9	9	11	12	14	8
Cancer, Malignant Disease,	9	13	10	6	5	15	8	10	6	8	6	12	7	4	14	9	8	4	12	11	10	7	11	6	6	13
Diseases of Heart and Blood Vessels,	29	45	27	22	22	28	30	15	29	26	21	14	15	26	27	19	19	17	20	12	22	21	28	25	18	24
Diseases of Respiratory System,	29	43	23	36	31	15	26	15	10	11	17	5	21	10	11	13	14	10	11	10	4	8	16	10	14	23
Violent Deaths,	3	4	2	3	1	4	5	2	3	3	4	3	4	2	3	4	2	3	2	8	7	5	2	5	5	4
Number of Uncertified Deaths,	7	6	5	5	3	7	7	11	3	3	9	4	3	2	5	4	3	5	1	2	1	1	7	9	4	4
Mean Temperature of the Air (Phœnix Park),	44·2	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9	50·4	53·3
Average Mean Temperature in corresponding week of previous 10 years	44·2	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·9‡	52·5	51·0
Rainfall in inches,	·055	·130	·810	·650	·455	·640	·810	·450	·005	·280	·790	·450	·390	235	·385	·220	·452	·320	·415	·695	·000	·285	·280	·000	·000	·800
Mean Humidity of the Air, complete Saturation, 1·0,	·88	·81	·88	·85	·88	·83	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·88	·79	·86	·86	·84	·82	·90	·87	·92

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th October, 1906: the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 6TH OCTOBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	875,350	27·5	198	71	9	22	38	51	7	.	.	.	.	1	.	.	.	31	32	10	23	8	13	5	23	4	80	4
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	17·9	6	.	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	3	.
II.	MIDDLE CLASS,	87,188	15·5	26	3	3	4	7	8	1	.	.	.	.	.	.	.	.	2	2	4	2	.	3	.	1	1	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	21·7	46	17	1	8	6	12	2	.	.	.	.	.	.	.	.	8	8	.	7	4	2	1	6	1	17	.
IV.	GENERAL SERVICE CLASS,	154,279	39·0	78	47	4	4	11	11	1	.	.	.	.	1	.	.	.	17	18	4	7	2	3	4	6	2	31	4
V.	INMATES OF WORKHOUSES,	6,024		42	4	1	5	11	20	1	.	.	.	.	.	.	.	.	4	4	1	7	1	4	.	9	.	16	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	40·1	6	.	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	18·9	8	.	.	2	3	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	4	.
	6. Clerks and Commercial Assistants,	30,432	17·1	10	3	2	1	4	.	.	.	.	.	.	.	.	.	.	2	2	2	1	.	.	.	1	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	11·6	6	.	1	1	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	3	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	37·0	7	4	.	2	.	1	.	.	.	.	.	.	.	.	.	3	3	.	2	.	.	.	.	.	2	.
	9. Building and Furnishing Trades,	29,801	19·2	11	6	.	1	.	4	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	.	2	.	4	.
	10. Clothing Trades,	23,260	9·0	4	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2	.
	11. Food Supply Trades,	9,242	33·9	6	1	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	27·5	16	5	.	2	2	6	1	.	.	.	.	.	.	.	.	2	2	.	1	1	2	.	1	1	8	.
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	11·7	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	.	.	.
	15. Domestic Servants,	36,603	5·7	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	39·9	11	8	1	.	1	1	.	.	.	.	.	.	.	.	.	4	4	.	.	.	1	2	1	1	2	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	34·8	60	38	3	4	7	7	1	.	.	.	.	1	.	.	.	12	13	4	5	3	.	2	4	1	28	3
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	42	4	1	5	11	20	1	.	.	.	.	.	.	.	.	4	4	1	7	1	4	.	9	.	16	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
City of Dublin (part of).	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,332.	Aug. 18,	14·7	9·2	8	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.
	„ 25,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	Sept. 1,	22·1	3·7	12	.	.	.	.	.	.	.	.	2	.	.	2	.	.	1	.
	„ 8,	23·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	2	1	1	1	.
	„ 15,	23·9	1·8	13	.	.	.	.	.	.	.	.	1	.	5	.	.	.	.	.
	„ 22,	22·1	9·2	12	.	.	.	.	.	.	.	.	5	.	2	.	1	.	1	.
	„ 29,	25·8	5·5	14	.	.	.	.	.	.	.	.	3	1	3	.	.	1	1	.
	Oct. 6,	23·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	.	.	1	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Aug. 18,	21·3	9·3	16	.	.	.	.	.	.	.	.	7	.	.	2	.	2	1	.
	„ 25,	25·3	2·7	19	.	.	.	.	.	.	.	.	2	1	3	1	3	1	2	1
	Sept. 1,	20·0	5·3	15	.	.	.	.	.	.	.	.	4	.	3	.	1	.	.	.
	„ 8,	25·3	10·7	19	.	.	.	.	.	.	.	.	8	.	2	1	.	1	.	.
	„ 15,	33·3	10·7	25	.	.	.	1	.	.	.	.	7	2	1	3	1	1	.	3
	„ 22,	36·0	10·7	27	.	1	.	.	.	.	.	.	7	4	3	.	1	2	.	.
	„ 29,	25·3	8·0	19	.	.	.	.	2	.	.	.	4	.	2	1	.	1	.	1
	Oct. 6,	29·3	4·0	22	.	.	.	.	.	.	.	.	3	2	2	1	1	5	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Aug. 18,	17·3	8·7	10	.	.	.	.	.	.	.	.	5	2	1	.	.	.	.	.
	„ 25,	26·0	14·1	15	.	.	.	.	.	.	.	.	7	.	1	.	.	.	1	.
	Sept. 1,	34·6	1·7	20	.	.	.	.	.	.	.	.	1	1	2	1	2	1	1	.
	„ 8,	29·4	8·7	17	.	.	.	.	.	.	.	.	5	.	3	2	1	.	.	.
	„ 15,	34·6	5·2	20	.	.	.	.	.	.	.	.	3	1	1	1	1	2	1	1
	„ 22,	41·6	13·9	24	.	.	.	.	.	.	.	1	7	.	1	.	1	1	.	2
	„ 29,	36·4	5·2	21	.	.	.	.	1	.	.	.	2	.	4	2	1	1	2	.
	Oct. 6,	31·2	6·9	18	.	.	.	.	1	.	.	.	3	1	4	.	.	3	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Aug. 18,	21·4	3·3	13	.	.	.	.	.	.	.	.	2	1	.	.	1	3	1	.
	„ 25,	26·3	11·5	16	.	.	.	.	.	.	.	.	7	.	2	.	.	1	.	.
	Sept. 1,	29·6	18·2	18	.	.	.	.	.	.	.	1	7	1	1	.	1	.	.	.
	„ 8,	29·6	11·5	18	.	.	.	.	.	.	.	.	7	.	3	1	.	.	.	1
	„ 15,	37·9	4·9	23	.	.	.	.	.	.	.	.	3	3	2	2	.	3	.	.
	„ 22,	29·6	9·9	18	.	.	.	.	.	.	.	1	5	.	4	.	.	1	.	2
	„ 29,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	1
	Oct. 6,	29·6	8·2	18	.	.	.	.	.	.	.	.	5	1	1	1	.	4	.	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	Aug. 18,	29·9	4·1	22	.	.	.	.	1	.	.	.	2	.	5	1	1	6	.	1
	„ 25,	28·5	2·7	21	.	.	.	.	.	.	.	.	2	.	4	2	.	5	1	.
	Sept. 1,	34·0	5·4	25	.	.	.	.	.	.	.	.	4	.	4	.	.	.	2	.
	„ 8,	25·8	6·8	19	.	.	.	.	.	.	.	2	3	.	1	1	.	3	1	.
	„ 15,	38·0	4·1	28	.	.	1	.	.	.	.	.	2	.	1	.	2	3	1	2
	„ 22,	17·7	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	.
	„ 29,	29·9	6·8	22	.	.	.	.	2	.	.	1	2	2	2	1	.	.	.	.
	Oct. 6,	23·1	2·7	17	.	.	.	.	.	.	.	.	2	.	2	1	2	3	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Aug. 18,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	.	4	1	2	.	.	.
	„ 25,	20·0	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.
	Sept. 1,	28·5	5·7	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	.	.
	„ 8,	22·8	5·7	8	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.
	„ 15,	34·2	11·4	12	.	.	.	.	.	.	.	.	4	1	1	.	1	1	.	.
	„ 22,	51·3	5·7	18	.	.	.	.	.	.	.	.	2	.	3	1	.	2	1	.
	„ 29,	22·8	2·9	8	.	.	.	.	.	.	.	.	1	.	2	2	.	1	.	.
	Oct. 6,	28·5	2·9	10	.	.	.	.	.	.	.	.	1	1	1	2	1	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Aug. 18,	22·4	1·2	18	.	.	.	.	.	.	.	.	1	.	4	1	1	.	.	.
	„ 25,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	1	2	.	1	1	.
	Sept. 1,	21·1	5·0	17	.	.	.	.	.	.	.	.	4	1	1	1	2	1	.	1
	„ 8,	41·0	18·7	33	.	.	.	.	1	.	.	.	10	3	3	.	1	1	1	.
	„ 15,	32·3	6·2	26	.	.	.	.	.	.	.	.	5	1	3	4	1	3	.	.
	„ 22,	16·2	2·5	13	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.
	„ 29,	27·4	5·0	22	.	.	.	.	.	.	.	.	4	1	2	1	1	3	2	1
	Oct. 6,	31·1	7·5	25	.	.	.	.	.	.	.	.	6	1	2	1	3	3	1	.
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1906 (Est.) 35,188.	Aug. 18,	16·3	4·5	11	.	.	.	.	.	.	.	.	3	.	2	1	1	.	.	.
	„ 25,	20·8	3·0	14	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1	.
	Sept. 1,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.
	„ 8,	23·7	3·0	16	.	.	.	.	.	.	.	.	2	.	.	2	1	.	2	.
	„ 15,	31·2	5·9	21	.	.	.	.	1	.	.	.	3	1	3	.	2	1	.	.
	„ 22,	25·2	3·0	17	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	3
	„ 29,	26·7	5·9	18	.	.	.	.	.	.	.	.	4	1	1	2	1	1	.	.
	Oct. 6,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	1	1	2	2	1	.	.

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of opulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ublic Institutions being assigned to the Districts from which the deceased were admitted;* also, rovincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	Aug. 18,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 25,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.	2	1	.	.
	Sept. 1,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	2	1	1	.	.
	„ 8,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 15,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	1	.	1	.	.	.
	„ 22,	23·6	1·6	15	.	.	1	.	.	.	.	.	.	.	2	1	1	1	.	2
	„ 29,	25·1	6·3	16	.	.	.	.	.	.	.	.	4	2	1	1	1	2	.	.
	Oct. 6,	18·8	8·1	12	.	.	.	.	.	.	.	.	2	.	2	.	1	1	.	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Aug. 18,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.
	„ 25,	20·0	4·0	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	1	.
	Sept. 1,	18·0	4·0	9	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.
	„ 8,	22·0	8·0	11	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.
	„ 15,	24·0	6·0	12	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
	„ 22,	22·0	6·0	11	.	.	.	.	1	.	.	.	2	2	.	.	.	1	.	.
	„ 29,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1
	Oct. 6,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Aug. 18,	14·8	3·0	5	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	Sept. 1,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 8,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
	„ 15,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
	„ 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	4	2	.	.	.	.
	„ 29,	20·7	5·9	7	.	.	.	.	.	.	.	.	2	2	.	1	.	.	.	.
	Oct. 6,	35·5	5·9	12	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.
Belfast. Pop. in 1906 (Est.) 376,220.	Aug. 18,	17·8	4·7	125	.	2	.	.	4	1	.	1	25	3	13	8	3	12	2	1
	„ 25,	19·8	4·0	139	.	.	.	.	2	2	.	.	24	5	21	6	2	7	3	2
	Sept. 1,	19·1	4·8	134	.	.	1	.	7	1	.	2	23	7	15	6	4	16	6	5
	„ 8,	21·5	7·0	151	.	1	1	.	7	.	.	1	39	5	16	6	3	8	3	.
	„ 15,	20·2	6·4	142	.	.	.	.	3	1	.	3	38	3	18	6	3	12	1	.
	„ 22,	20·1	5·0	141	.	.	1	.	5	.	.	2	27	3	14	8	4	12	4	.
	„ 29,	19·4	5·0	136	.	2	1	.	3	.	.	4	25	6	19	4	4	7	4	1
	Oct. 6,	20·5	3·4	144	.	1	1	.	2	1	.	.	19	6	20	9	2	15	4	3
Cork. Pop. (in 1901) 76,122.	Aug. 18,	13·7	1·4	20	.	.	.	.	.	.	.	.	2	.	7	.	.	2	1	1
	„ 25,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	1	8	2	.	.	.	1
	Sept. 1,	16·4	2·1	24	.	.	.	.	.	.	.	.	3	.	3	2	.	1	1	3
	„ 8,	22·6	5·5	33	.	.	.	.	1	.	.	.	7	.	5	3	3	.	.	4
	„ 15,	17·8	5·5	26	.	.	.	.	1	.	.	.	7	.	6	1	.	1	.	.
	„ 22,	34·2	11·0	50	.	.	.	.	.	1	.	.	15	1	4	5	.	1	.	6
	„ 29,	27·4	6·2	40	.	.	.	1	1	.	.	.	7	.	6	2	4	4	1	3
	Oct. 6,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	2
Londonderry. Pop. in 1906 (Est.) 42,067.	Aug. 18,	14·9	1·2	12	.	.	.	.	.	.	.	.	1	1	1	1	1	3	.	.
	„ 25,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	2
	Sept. 1,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	2
	„ 8,	19·8	7·4	16	.	1	.	.	1	1	.	.	3	.	2	1	1	2	2	.
	„ 15,	19·8	7·4	16	.	.	.	.	1	1	.	.	4	1	1	3	1	1	.	1
	„ 22,	8·7	1·2	7	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.
	„ 29,	19·8	3·7	16	.	1	.	.	.	1	.	.	1	1	3	.	.	4	.	.
	Oct. 6,	16·1	5·0	13	.	.	.	.	.	.	.	.	4	1	1	.	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	Aug. 18,	17·8	.	13	.	.	.	.	.	.	.	.	.	.	2	.	2	1	.	1
	„ 25,	18·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
	Sept. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	.
	„ 8,	20·5	2·7	15	.	.	1	.	.	.	.	.	1	.	1	.	2	.	.	.
	„ 15,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	1	.	1	.
	„ 22,	17·8	2·7	13	.	.	.	.	.	.	.	.	.	.	3	1	2	.	.	1
	„ 29,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	Oct. 6,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	2
Waterford. Pop. (in 1901) 26,769.	Aug. 18,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 25,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Sept. 1,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
	„ 8,	25·3	1·9	13	.	.	.	.	1	.	.	.	.	.	.	2	.	2	.	.
	„ 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 22,	9·7	5·8	5	.	.	.	.	1	.	.	.	2	.	.	1	.	.	.	.
	„ 29,	9·7	3·9	5	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.
	Oct. 6,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th October, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-2	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,784	12	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		9	1	1	2	2	2	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1	1	3	2	.
Do. 2 ,,	47,959	22			20	9	1	1	3	1	5	.	.	.	.	.	.	.	.	2	2	3	1	.	3	.	.	2	1
Do. 3 ,,	47,214	23			14	5	2	1	.	4	2	.	1	.	.	.	.	.	.	4	1	2	1	.	2	1	1	2	.
Do. 4 ,,	40,911	25			24	4	2	2	7	4	5	.	.	1	.	.	.	.	.	1	1	6	1	1	2	.	.	6	1
Do. 5 ,,	17,387	13			9	3	2	3	1	.	.	.	.	.	.	1	.	.	.	1	.	1	2	1	.	.	.	2	.
Do 6 ,,	48,122	22			16	1	2	2	3	5	3	.	.	.	.	.	.	.	.	2	.	1	2	.	3	1	1	4	1
Do 7 ,,	1,524	3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	.			3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 9 ,,	19,569	12			11	5	.	1	1	4	.	.	.	.	.	.	.	.	.	3	.	1	1	.	2	.	.	3	.
Do. 10 ,,	28,064	13			9	1	2	.	2	3	1	.	.	.	.	1	1	.	.	1	1	2	.	.	.	.	.	2	.
Do. 11 ,,	34,802	14			11	5	2	1	1	1	1	.	.	.	.	.	.	.	.	3	1	2	.	.	.	1	1	3	.
Do. 12 ,,	33,588	37			9	1	1	.	3	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	4	.
Do. 13 ,,	15,006	15			9	2	.	1	1	1	4	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.
Do. 14 ,,	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	211			144	39	15	14	24	28	24	.	1	1	.	2	1	.	.	19	6	20	9	2	15	4	7	32	3
City of Cork.																													
CORK URBAN No. 1 DISTRICT.	12,867	1	16·2	.	4	1	.	2			1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Do. 2 ,,	10,701	2	24·4	4·9	5	2	.	3			.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	1
Do. 3 ,,	9,978	5	15·7	.	3	.	.	2			1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Do. 4 ,,	8,666	4	30·1	.	5	.	.	2			3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.
Do. 5 ,,	6,592	1	.	.	.	.	.	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 ,,	10,702	1	14·6	.	3	1	.	1			1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 7 ,,	16,616	10	9·4	.	3	.	1	2			.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.
Total	76,122	24	15·8	0·7	23	4	1	12			6	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	2	8	2

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons** *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered,	212	282	282	288	246	217	273	239	228	204	222	218	225	162	271	225	241	220	203	204	208	240	211	211	226	211
DEATHS registered,	166	171	152	179	161	140	151	150	136	134	131	113	105	119	121	127	121	127	125	139	134	151	142	141	136	144
Annual Death-rate per 1,000 of estimated Population,	23·6	24·3	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20·1	19·4	20·5
AGES: Under 1 year,	35	39	30	29	35	35	21	33	28	21	26	24	24	17	21	21	30	29	37	43	39	59	43	49	40	39
1–5 years,	26	24	24	20	19	17	17	23	22	20	17	15	12	19	12	8	18	9	16	14	22	16	16	13	17	15
5–20 years,													11	14	10	13	9	14	17	12	5	10	10	14	15	14
20–40 years,	75	66	67	85	66	64	84	64	53	67	72	57	18	27	24	29	15	25	14	18	17	20	21	20	15	24
40–60 years,													22	15	26	26	31	22	24	29	26	30	26	20	21	23
60 years and upwards,	30	42	31	45	41	24	29	30	33	26	16	17	23	17	28	30	18	28	17	23	25	16	26	25	28	24
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2	1	.	2	.	.	1	.	.	2	1
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	1	.	1	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	13	21	18	20	12	13	8	15	16	7	14	7	4	9	3	1	4	2	4	2	7	7	3	5	3	2
Diphtheria,	.	.	.	.	.	1	1	.	1	.	.	2	2	.	.	1	.	1	1	2	1	.	1	.	.	1
*Pyrexia** (origin uncertain),	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	2	.	.	1	1	.	.	2	.	.	.	.	1	1	2	3	2	1	.	2	1	3	2	4	.
Diarrhœal Diseases,	.	1	2	1	.	1	5	1	5	7	2	4	4	6	7	4	7	12	25	24	23	39	33	27	25	19
Pneumonia,	19	15	16	16	10	9	14	15	15	7	7	8	8	7	6	6	10	7	3	5	7	5	3	3	6	6
Tuberculous Disease: Phthisis,	26	18	19	29	21	23	33	16	21	22	30	24	12	20	21	26	22	25	13	21	15	16	18	14	19	20
Tuberculous Disease: Other Forms,	7	8	12	10	8	11	9	11	5	9	7	7	6	15	5	10	11	6	8	6	6	6	6	8	4	9
Cancer, Malignant Disease,	3	2	4	4	3	3	3	1	5	6	4	2	9	2	4	4	2	4	3	2	4	3	3	4	4	2
Diseases of Respiratory System,	34	36	27	30	27	17	16	17	15	15	14	13	7	7	9	21	11	7	12	7	16	8	12	12	7	15
Violent Deaths,	4	3	4	4	2	4	6	1	2	1	5	.	3	6	4	.	2	4	2	3	6	3	1	4	4	4
Number of Uncertified Deaths,	1	3	5	2	2	.	4	2	2	5	.	1	1	2	.	3	.	3	1	2	5	.	.	.	1	3

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	Oct. 6,	2,251	1,404	15·5	.	6	12	12	11	12	135
EDINBURGH,	341,035	„ 6,	147	102	15·6	.	.	1	1	.	.	4
GLASGOW,	835,625	„ 6,	470	294*a*	18·4	.	.	.	3	7	4	26
CALCUTTA,	910,117	Aug. 18,	.	431	26·4	2	4	.	.	.	107‡	57*
BOMBAY,	977,822	Sept. 4,	370	937	49·8	.	4	.	.	.	92†	194*
MADRAS,	509,346	Aug. 17,	430	484	49·4	1	3	?	?	?	126	109*
PARIS,	2,750,000	Sept. 22,	992	796	15·5	.	.	3	4†	7	6	57
BRUSSELS (with 8 Faubourgs).	612,401	„ 15,	189	184	15·6	.	2	.	.	4	2	37
ANTWERP,	304,975	„ 15,	146	100	17·1	.	2	.	.	.	.	33
AMSTERDAM,	561,216	„ 15,	276	110	10·2	.	.	1	.	.	1	15
COPENHAGEN,	425,000	„ 15,	249	124	15·2	.	.	.	.	1	2	36
STOCKHOLM,	324,488	„ 8,	142	75	12·0	.	.	.	.	1	.	8
CHRISTIANIA,	222,373	„ 22,	134	61	14·3	.	.	.	1†	2	.	8
ST. PETERSBURG,	1,424,700	„ 15,	646	637	23·2	1	7	30	38	7	39	65
MOSCOW,	1,092,360	Aug. 18,	.	572	27·3	.	1	5	4†	3	8	178
BERLIN,	2,066,276	Sept. 8,	988	705	17·8	.	6	3	12†	4	3	173
HAMBURG,	802,793	„ 8,	.	266	17·2	.	3	1	2†	5	.	81
BRESLAU,	476,158	„ 22,	.	168	18·4	.	.	.	2†	1	.	29
MUNICH,	540,000	„ 22,	.	206	19·8	.	.	.	2†	3	.	58
VIENNA (with suburbs).	1,937,869	„ 22,	966	528	14·2	.	2	1	6†	1	1	65
BUDA-PESTH,	791,748	„ 22,	443	221	14·6	.	2	2	2†	3	5	15
PRAGUE and Faubourgs.	460,849	„ 15,	190	132	14·9	.	1	1	1†	.	.	12
TRIESTE,	196,637	„ 8,	148	106	28·1	.	.	.	.	.	3	19
ROME,	531,502	Aug. 11,	243	200	19·6	.	2	.	.	3	3	37
VENICE,	—	.	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	Sept. 8,	2,325	1,427	17·9	.	3	3	16†	9	14	314
PHILADELPHIA,	1,469,126	„ 1,	.	407	14·4	.	2	.	4†	7	13	68
BOSTON,	602,526	„ 8,	.	228	19·7	.	.	.	1	2	5	43

a. Including 4 deaths from cerebro spinal meningitis.
* Including 14 deaths from cholera in Calcutta, 76 in Bombay, and 14 in Madras.
† Including deaths from croup.
‡ Exclusive of 10 deaths from plague in Calcutta, and 21 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th October, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	3	.	.	1	.	1	6	.	.	.	.	11
" " 1, West,	.	1*	.	.	.	.	.	4	1	.	.	.	6
" " 2,	.	1	.	.	.	.	2	4	.	.	.	.	7
" " 3,	.	2	.	.	.	.	1	2	3	.	.	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	1	.	.	.	2
Coolock and Drumcondra No. 1 (part of),	.	2	.	.	.	.	.	1	.	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	3	.	.	.	.	.	2	1	.	.	.	6
" " 2,	.	1	.	.	1	.	.	1	.	.	.	.	3
" " 3,	.	1	.	.	.	.	.	3	2	.	.	.	6
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	1	.	.	.	.	.	.	.	1
Total,	.	14*	.	.	3	.	4	24	8	.	.	.	53

* Including one case of "Scarlatina and Diphtheria."

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th October, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th October.			
	Sept. 15.	Sept. 22.	Sept. 29.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	3	3	5	2	2	.	5
Scarlet Fever,	46	52	60	19	7	.	72*
Typhus,	1	1	1	1	.	.	2
Diphtheria,	21	19	19	7	5	1	20
Enteric Fever,	54	59	64	19	6	3	74
Pneumonia,	20	23	26	13	8	3	28

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 6th October, 1906:—

"Sunday witnessed the final break-up and dispersion of the anticyclone which had so long hung over the British Isles, and to which the lovely weather of the second half of September was due. From the day named onward to the close of the week, the weather was unsettled, with heavy rains at times in all parts of the kingdom. It was determined by the passage eastwards or northeastwards across North-western Europe of a series of atmospheric depressions of considerable size and intensity. The first of these was sighted off the S.W. of Ireland on Sunday morning—as it travelled northeastwards to Scotland it caused considerable rainfalls in Ireland, England and Wales, and thunderstorms in Lancashire. In Dublin the first rain observed since September 15 fell after 2 a.m. of Monday, October 1. The disturbance was quickly followed by another and far more energetic depression which travelled, in the course of Tuesday, in an east-north-easterly direction past the south of Ireland across the south of England to Holland. Copious rains fell in the neighbourhood of its central track—1·85 inches at Pembroke, 1·45 inches at Bath, 1·24 inches at Oxford, 1·06 inches at Yarmouth, and ·66 inch in London. On Thursday a third depression crossed Ireland to Scotland in a N.N.E. direction—its rains were heavy except over the S.E. of England, which escaped. On Friday morning 1·36 inches were measured at Holyhead and 1·02 inches at Pembroke. A fourth and final depression brought warmth, clouds and showers to Ireland on Saturday. In Dublin the mean height of the barometer was 29·787 inches, pressure ranging from 30·150 inches at 9 a.m. of Sunday (wind, S.S.E.) to 29·473 inches at 3 p.m. of Tuesday (wind, N.E.). The corrected mean temperature was 55·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 55·7°. The screened thermometers fell to 45·1° on Sunday and rose to 65·1° on Saturday. The dominant wind was S.S.E. Rain fell on 4 days to the amount of ·786 inch, the heaviest fall in 24 hours being ·455 inch on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·781 inches. The highest reading (30·130) was on Sunday at 9 a.m., wind S.E., and the lowest (29·528) on Thursday at 9 p.m., air calm.

The mean temperature for the week was 53·3°, being 2·3° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Saturday on which day the thermometer registered 65·0°, and was also lowest on Sunday and Saturday, the mercury having fallen to 37·4°. The mean of the Dry Bulb for the week was 55·0°, and of the Wet Bulb 53·6°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 6·3 hours. The rainfall during the week measured 0·800 inch.

At Greenwich the mean temperature for the week was 58·4°, the maximum 71·8°, and the minimum 42·9°; and at Glasgow the maximum was 67·6°, the minimum 36·6°, the mean 53·8°. The rainfall at Greenwich measured 0·69 in., and at Glasgow 0·71 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Sept. 30,	30·075	64·3	37·4	50·9	55·1	53·2	·88	·7	4·2	·170	S.E.	N.E.
Monday, Oct. 1,	29·790	63·8	50·8	57·3	55·8	54·2	·91	·8	0·9	·085	S.	Calm.
Tuesday, „ 2,	29·580	57·0	42·9	50·0	51·3	50·8	·97	·9	0·0	·015	N.	Calm.
Wednesday, „ 3,	29·870	59·0	46·0	52·5	51·6	51·3	·98	·8	0·2	·000	S.W.	Calm.
Thursday, „ 4,	29·649	60·6	52·7	56·7	58·2	56·5	·90	·9	0·0	·530	S.E.	Calm.
Friday, „ 5,	29·760	61·1	47·3	54·2	52·2	51·2	·94	·7	1·0	·000	W.	Calm.
Saturday, „ 6,	29·745	65·0	37·4	51·2	60·5	57·8	·84	·8	0·0	·000	S.S.E.	S.S.W.
Mean, . .	29·781	61·5	44·9	53·3	55·0	53·6	·92	·8	Total 6·3	Total ·800	—	

Sunday—A fine but cloudy day; night overcast, heavy rain 1.45 a.m. to 3.0 a.m. *Monday*—Cloudy day, light showers 5.30 p.m. to 5.45 p.m.; night cloudy. *Tuesday*—Day overcast, light showers at intervals; night cloudy. *Wednesday*—Day overcast and dull; night cloudy. *Thursday*—Overcast a.m., heavy rain 9.30 a.m. to 1.0 p.m., then fine but cloudy; night cloudy, rain 3 a.m. to 6 a.m. *Friday*—Overcast a.m., overcast and cloudy p.m.; night clear. *Saturday*—Day overcast but fine; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 6th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Sept. 30,	56·9	54·1	56·0	62·4	41·4	51·9	4·0	·148
Monday, Oct. 1,	61·0	55·2	56·0	62·7	52·7	57·7	1·0	·292
Tuesday, „ 2,	55·1	54·7	55·8	57·7	47·9	52·8	0·0	·020
Wednesday, „ 3,	52·2	54·1	55·7	60·0	48·2	54·1	1·5	—
Thursday, „ 4,	56·6	55·0	55·5	64·5	53·3	58·9	0·3	·491
Friday, „ 5,	56·2	55·5	55·3	62·6	51·8	57·2	0·6	·001
Saturday, „ 6,	58·2	54·2	55·3	65·1	42·7	53·9	0·3	·001
Weekly Mean, .	56·6	54·7	55·7	62·1	48·3	55·2	Total 7·7	Total ·953

DUBLIN: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—14956.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 13TH OCTOBER, 1906. [No. 41

General Register Office, Charlemont House, Dublin, 15th October, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 22.	Sept. 29.	Oct. 6.	13.	Average Rate for 4 weeks.
22 Town Dists.	22·0	21·2	21·1	19·1	20·9	Lisburn, . .	13·6	9·1	31·8	18·2	18·2
Armagh, . .	6·9	27·5	13·7	34·4	20·6	Londonderry, .	8·7	19·8	16·1	13·6	14·6
Ballymena, .	28·7	4·8	4·8	23·9	15·6	Lurgan, . .	26·6	13·3	13·3	22·1	18·8
Belfast, . .	20·1	19·4	20·5	15·5	18·9	Newry, . .	12·6	8·4	12·6	4·2	9·5
Clonmel, . .	10·3	25·6	15·4	20·5	18·0	Newtownards, .	17·2	28·6	17·2	11·4	18·6
Cork, . . .	34·2	27·4	15·8	30·1	26·9	Portadown,	25·8	20·7	31·0	10·3	21·9
Drogheda, . .	16·3	16·3	20·4	20·4	18·4	Queenstown .	6·6	19·8	26·4	39·6	23·1
Dublin Reg. Area,	26·8	24·5	26·0	23·7	25·2	Sligo, . .	14·4	19·2	4·8	14·4	13·2
Dundalk, . .	12·0	27·9	12·0	8·0	15·0	Tralee, . .	5·3	10·6	15·9	10·6	10·6
Galway, . .	15·5	19·4	27·2	7·8	17·5	Waterford, .	9·7	9·7	11·7	9·7	10·2
Kilkenny, . .	9·8	34·3	14·7	9·8	17·2	Wexford, . .	32·7	23·3	32·7	14·0	25·7
Limerick, . .	17·8	12·3	13·7	12·3	14·0						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·9 per 1,000, the rates varying from 0·0 in eleven of the districts to 20·6 in Armagh, the 5 deaths from all causes in that district including 3 from diarrhœal diseases. Among the 109 deaths from all causes in Belfast are one from typhus, one from whooping-cough, 2 from enteric fever, and 8 from diarrhœal diseases. The 44 deaths in Cork include one from typhus, one from enteric fever, and 14 from diarrhœal diseases; of the 11 deaths in Londonderry 3 are from diarrhœal diseases; among the 9 deaths in Limerick is one from enteric fever; included in the 5 deaths in Ballymena are 3 from whooping-cough; and the 4 deaths in Lisburn include one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 186—87 boys and 99 girls; and the deaths to 175—78 males and 97 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 24·1 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 23·7 per 1,000. During the forty-one weeks ending with Saturday last the death-rate averaged 23·0, and was 2·2 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The deaths (175) included one from measles, 2 from whooping-cough, one from diph-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–13 of Table II.

theria, 4 from enteric fever, and 12 from diarrhœal diseases; of these 10 were deaths of children under 5 years, 8 of the latter being infants under one year of age. In each of the 3 weeks preceding, deaths from measles were one, 0, and 0; deaths from whooping-cough were one, 5, and one; deaths from diphtheria were 0, 0, and 0; deaths from enteric fever were 2, one, and 0; and deaths from diarrhœal diseases were 34, 31, and 31. The deaths of 3 infants under 5 years were attributed to *gastro-enteritis.* The mean of the daily readings of the earth thermometer at 4 feet was 55·1°. There was one death from influenza.

Lobar pneumonia caused 4 deaths, broncho-pneumonia 5 deaths, and *pneumonia* (not defined) 7 deaths.

The deaths from all forms of tuberculous disease were 23, and comprise 8 deaths from tuberculous phthisis, 8 deaths returned as from *phthisis*, 3 deaths from tuberculous meningitis, and 4 deaths from other forms of the disease. In each of the 3 preceding weeks, deaths from all forms of tuberculous disease were 38, 33, and 31.

There were 3 deaths from carcinoma, one from sarcoma, and 5 from cancer (undefined).

The deaths of 4 infants prematurely born were registered.

Of 11 deaths from diseases of the brain and nervous system, 5 were those of infants under one year of age from *convulsions.*

There were 25 deaths from diseases of the heart and blood vessels and 18 deaths from bronchitis.

Of 6 deaths from accidental causes, 3 were by burns or scalds (2 of which were of children under 5 years of age), one was by drowning, and 2 were by suffocation in bed of infants under one year of age.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the death of one person aged 70 years.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 14 were under one month old) and 50 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 5 were octogenarians.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·7 per 1,000; the rate in the City was 26·3 (North City Districts, 24·9; South, 27·8), and in the Suburbs, 14·6 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·0 (1·7 in the North City Districts, and 4·4 in the South) and for the Suburbs, 1·8 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000, and include one death from enteric fever, one death from broncho-pneumonia, 2 deaths from tuberculous phthisis, and 2 from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. Amongst them were one from enteric fever, one from epidemic diarrhœa, one each from lobar pneumonia, broncho-pneumonia, and *pneumonia* (not defined), 2 deaths from tuberculous disease of the lungs, 2 from bronchitis, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000. *Pneumonia* (not defined) and bronchitis each caused 3 deaths, and tuberculous disease 4.

No. 3 *North City District* (Benburb-street).—The deaths (18) represent an annual rate of 29·6 per 1,000. The deaths included 2 from diarrhœal diseases, one from broncho-pneumonia, 4 from tuberculous disease, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 26·0; and Finglas and Glasnevin, part of, 7·8. Of the 2 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from *phthisis,* and the one death for Finglas and Glasnevin, part of, was from tuberculous phthisis.

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 29·9 per 1,000, and include one death each from measles, whooping-cough, and diphtheria, 3 deaths from *diarrhœa*, 2 from lobar pneumonia, one from tuberculous phthisis, and 3 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000. There was one death each from enteric fever, *phthisis*, and bronchitis, and there was one accidental death.

No. 3 *South City District* (Peter-street).—The deaths (28) are equal to an annual rate of 34·8 per 1,000. Among the deaths were one from whooping-cough, 3 from *diarrhœa*, one from lobar pneumonia, 4 from tuberculous disease, 5 from bronchitis, and one accidental death.

No. 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·3 per 1,000. One death was due to epidemic diarrhœa, one each to broncho-pneumonia and *pneumonia* (not defined), 2 to tuberculous disease, and 3 deaths were caused by accidental circumstances.

New Kilmainham District.—There was but one death recorded, equivalent to an annual rate of 5·9 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·6; Pembroke, 14·0; Blackrock, 23·8; and Kingstown, 14·8. The deaths from the principal epidemic diseases tabulated for these districts include one from enteric fever and one from *diarrhœa* for Rathmines and Rathgar, and one from epidemic enteritis for Kingstown. The 7 deaths from all causes for Pembroke include one each from *pneumonia* (not defined), tuberculous phthisis, and bronchitis. Of the 4 deaths from all causes for Blackrock one was from broncho-pneumonia, and the 5 deaths for Kingstown include one from *pneumonia* (not defined).

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Executive Sanitary Officer for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 13th October, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Disease.	Total.
City of Dublin.	Sept. 22,	.	—	—	11	.	.	4	.	7	20	8	.	—	—	—	—	—	50
	Sept. 29,	.	—	—	5	.	.	2	.	5	16	10	.	—	—	—	—	—	38
	Oct. 6,	.	—	—	14	.	.	3	.	4	24	8	.	—	—	—	—	—	53
	Oct. 13,	.	—	—	10	1	.	4	.	6	8	11	.	—	—	—	—	—	40
Rathmines and Rathgar Urban District.	Sept. 22,	.	—	—	1	.	.	1	.	.	2	.	.	—	—	—	—	—	4
	Sept. 29,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	3
	Oct. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 13,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
Pembroke Urban District.	Sept. 22,	.	.	.	.	.	.	2	.	.	1	.	.	—	.	.	—	—	3
	Sept. 29,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	Oct. 6,	.	3	.	1	.	.	1	.	.	1	1	.	—	1	.	—	—	8
	Oct. 13,	.	.	.	.	.	.	.	.	.	1	.	.	—	1	.	—	—	2
Blackrock Urban District.	Sept. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Sept. 22,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Sept. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Oct. 13,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
City of Belfast.	Sept. 22,	.	—	—	23	.	.	2	.	4	8	8	.	—	—	—	—	—	45
	Sept. 29,	.	—	—	39	.	.	5	.	8	20	9	.	—	—	—	—	—	81
	Oct. 6,	.	—	—	36	.	.	8	.	6	15	5	.	—	—	—	—	—	70
	Oct. 13,	.	—	—	48	.	.	8	.	10	12	10	.	—	—	—	—	—	88

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th October, 1906.

From this it appears that :—

Four cases of measles were admitted into hospital during the week, one was discharged, and 3 cases remained under treatment at its close.

Eighteen cases of scarlet fever were admitted to hospital, 12 were discharged, there was one death, and 77* cases remained under treatment at the close of the week.

Two cases of typhus remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 8 were discharged, and 17 patients remained under treatment at the close of the week.

Eleven cases of enteric fever were admitted to hospital, 16 were discharged, and 69 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 17 cases of pneumonia were admitted to hospital, 2 were discharged, there were 2 deaths, and 41 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·3), was equal to an average annual death-rate of 15·5 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 17·8 per 1,000, the rate for Glasgow being 19·2, and for Edinburgh 16·8.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th October. From this Report it appears that of a total of 53 cases notified 25 were diphtheria, one membranous croup, 12 scarlet fever, 1 erysipelas, and 6 enteric fever. Among the 278 cases of infectious diseases in hospital at the close of the week were 108 cases of scarlet fever, 49 of diphtheria, 3 of membranous croup, 27 of enteric fever, 5 of erysipelas, 13 of measles, and 6 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 13th October 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Week ending 18th October, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th October, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th September, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	27·7	19·1	2·9	586	403	101	102	.	1	.	2	7	1	.	8	43	32	47	14	11	41	9	11	128	14	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	378,994	27·5	25·6	23·7	2·8	186	172	33	50	.	1	.	.	2	1	.	4	12	16	16	7	7	20	6	4	71	7	f64·3	36·9	52·5	1·13	f65·0	37·4	53·3	0·80	f66·1	32·4	50·4	0·00
City of Dublin,	298,885	37·1	27·5	26·3	3·0	155	148	29	38	.	1	.	.	2	1	.	3	10	13	15	7	6	17	6	3	66	7	g64·2 h64·8	40·0 37·0	54·0 53·0	1·02 0·94	g65·1 h64·8	45·1 37·0	55·8 52·8	0·79 1·13	g62·9 h63·8	41·0 33·0	52·9 50·8	0·00 0·00
Urban Dists. Rathmines and Rathgar.	33,203	19·4	18·8	12·6	3·1	12	8	2	3	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	20·0	14·0	.	10	7	1	3	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·9	23·8	.	3	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	17·8	14·8	3·0	6	5	1	3	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1	.	64	43	54·6	1·12	63	44·5	55·7	0·92	64·0	43·0	54·0	0·00
Urban Districts.																																							
Belfast,	366,220	24·9	31·6	15·5	1·7	222	109	31	21	.	.	.	.	1	.	.	2	8	10	17	4	2	11	1	2	22	3	62·6	38·8	53·4	2·00	62·8	44·0	54·8	0·56	65·0	34·5	52·1	0·00
Cork,	76,122	33·6	20·5	30·1	11·0	30	44	17	11	.	.	.	1	.	.	.	1	14	2	3	2	1	4	.	.	14	1	61	47	54·8	0·57	64	49	58·4	1·78	63	46	55·6	0·03
Londonderry,	42,067	19·4	19·8	13·6	3·7	16	11	2	3	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	28·7	12·3	1·4	21	9	2	3	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	15·6	9·7	.	8	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	50·5	7·8	3·9	13	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	63	39	54	0·59	68	44	56	0·63	69	43	55	0·00
Dundalk,	18,076	9·4	23·9	8·0	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	20·4	20·4	.	5	5	.	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	12·6	4·2	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·8	36·3	51·8	1·74	63	34·6	52·5	0·41	65·1	32·4	52·0	0·02
Lurgan,	11,782	13·8	53·1	22·1	4·4	12	5	1	2	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1	1	.	64·8	36·3	51·8	1·74	63	34·6	52·5	0·41	65·1	32·4	52·0	0·02
Lisburn,	11,461	10·1	27·3	18·2	4·5	6	4	2	1	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	1	.	.	64·8	36·3	51·8	1·74	63	34·6	52·5	0·41	65·1	32·4	52·0	0·02
Wexford,	11,168	23·2	28·0	14·0	.	6	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	28·7	23·9	14·4	6	5	1	1	.	.	.	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	19·2	14·4	4·8	4	3	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	61·5	35·0	53·6	0·83	66·4	36·3	53·0	1·01	64·9	34·4	52·1	0·00
Kilkenny,	10,609	11·5	24·6	9·8	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65	37	55·7	1·25	65	33	51·6	0·00
Clonmel,	10,167	7·8	10·3	20·5	.	2	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	51·7	10·3	.	10	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·8	36·3	51·8	1·74	63	34·6	52·5	0·41	65·1	32·4	52·0	0·02
Tralee,	9,867	16·6	37·0	10·6	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	51·5	11·4	.	9	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	62	42	53·2	1·67	61	42	53·2	0·60	65	40	51·9	0·00
Queenstown,	7,909	14·4	26·4	39·6	.	4	6	2	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.	.	61	47	54·8	0·57	64	49	58·4	1·78	63	46	55·6	0·03
Armagh,	7,588	22·2	34·4	34·4	20·6	5	5	3	1	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.	.	64·8	36·3	51·8	1·74	63	34·6	52·5	0·41	65·1	32·4	52·0	0·02

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 8 deaths of persons admitted to hospital from localities outside the Area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 13th of October, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.												Urban Districts of					
	Registration Districts in																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Goolock and Drumgonda, No. 1 (pt. of)	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
A. General Diseases:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.
Diarrhœal Diseases,	.	1	.	2	.	.	.	3	.	3	1	.	1	.	.	.	12	.
Pneumonia,	1	3	3	1	.	.	.	2	.	1	2	.	.	1	1	1	16	.
Tuberculous Disease. Phthisis,	2	2	2	1	1	.	1	1	1	3	1	.	.	1	.	.	16	.
Tuberculous Disease. Other Forms.	.	.	2	3	.	.	.	.	.	1	1	.	.	.	.	.	7	.
Cancer, Malignant Disease,	.	.	.	.	1	.	.	2	1	2	.	.	.	1	.	.	7	2
Other General Diseases	1	1	.	2	.	1	.	1	.	2	.	1	.	.	1	.	10	.
Total,	5	8	7	9	2	1	1	12	3	13	5	1	2	3	2	2	76	2
B. Local Diseases:																		
Diseases of: Nervous System	.	1	.	2	.	.	.	.	2	3	1	.	.	.	.	1	10	1
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	1	2	1	3	.	3	.	3	1	3	2	.	2	1	2	1	25	.
Diseases of: Respiratory System,	2	2	3	1	.	.	.	3	1	5	.	.	1	1	.	1	20	.
Diseases of: Digestive System,	3	.	3	.	.	1	.	.	.	2	2	.	3	1	.	.	15	.
Diseases of: Lymphatic System, &c.,	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.
Diseases of: Urinary System,	1	.	1	1	.	.	.	2	2	1	1	.	.	.	.	.	9	.
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	6	8	8	.	4	.	8	6	14	7	.	6	3	2	3	82	1
C. Other Specified Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Causes Ill-defined and Not Specified,	1	3	.	1	.	.	.	2	.	.	.	.	.	1	.	.	8	.
E. Violent Deaths,	.	1	.	.	.	.	.	.	1	1	3	.	.	.	.	.	6	.
Deaths from all Causes,	13	18	15	18	2	5	1	22	10	28	15	1	8	7	4	5	172	3
Annual Rate of Mortality from all causes in every 1,000 of the population	23·9	24·0	26·0	29·6	21·7	26·0	7·8	29·9	28·5	34·8	22·3	5·9	12·6	14·0	23·8	14·8	23·7	.
	24·9							27·8					14·6					
	26·3																	
Ages at Death. Under 1 year,	1	5	1	8	.	1	.	4	1	5	3	.	2	1	.	1	33	.
1 and under 5 years,	4	2	2	1	.	.	.	4	1	2	.	.	1	.	.	.	17	.
5 " 20 "	.	.	2	.	.	.	.	1	.	1	2	.	.	1	.	.	7	.
20 " 40 "	2	3	3	2	2	.	1	2	4	3	1	.	1	1	.	1	23	1
40 " 60 "	3	3	4	4	.	1	.	5	3	7	5	1	1	1	1	.	39	2
60 and upwards,	3	5	3	3	.	3	.	6	1	10	4	.	3	3	3	3	50	.
Number of Uncertified Deaths,	1	.	.	1	.	1	.	.	.	2	2	.	.	.	.	.	7	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	7	3	4	1	.	.	4	3	7	1	.	2	.	2	1	37	3
Workhouse Hospitals,	2	4	3	4	.	.	.	6	2	8	4	1	.	.	.	.	34	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registere
week of the ten years, 18

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 41st Week of the 10 years 1896–1905.	In the Week ending Satu 13th October, 1906. Deaths of Persons of the A					
	Oct. 10, 1896.	Oct. 16, 1897.	Oct. 15, 1898.	Oct. 14, 1899.	Oct. 13, 1900.	Oct. 12, 1901.	Oct. 11, 1902.	Oct. 17, 1903.	Oct. 15, 1904.	Oct. 14, 1905.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.		
Mean Temperature.	° 47·4	° 49·5	° 48·9	° 48·0	° 50·9	° 48·0	° 48·2	° 50·0	° 47·9	° 49·6	° 48·8	° 52·5					
ALL CAUSES.	158	161	167	225	183	146	192	145	162	141	168·0	175	14	19	17	7	27
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	1	44	.	.	11	.	.	.	5·6	1	.	.	.	1	.
Scarlet Fever,	4	1	2	2	.	.	2	.	.	.	1·1	.	.	.	.	.	.
Typhus,	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	2	3	2	.	1	.	1	.	.	1·1	1	.	.	.	.	.
Whooping-cough,	2	1	1	.	1	1	.	1	3	.	1·0	2	.	1	1	.	.
Diphtheria,	.	2	.	1	1	.	2	.	.	.	·6	1	.	.	1	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.
Enteric Fever,	4	7	3	7	4	6	2	4	1	1	3·9	4	.	.	.	4	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	10	4	14	15	16	14	7	1	5	3	10·7	4	1	3	.	.	.
Diarrhœa, Dysentery,							10	4	3	1		8	2	2	2	.	1
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	2	3	2	.	.	.	3	.	1	1·1	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	1	.	.	.	.	.	.	.	.	2	·3	.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.
Pneumonia, Lobar,	3	7	7	13	7	7	1	.	1	.	7·5	4	.	.	.	2	2
Pneumonia, Broncho-							2	.	4	3		5	.	1	1	.	1
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.
Pneumonia, Not defined,							5	4	5	6		7	.	.	.	2	2 3
Erysipelas,	.	1	.	.	1	.	.	.	1	.	·3	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	1	1	1	.	.	1	1	.	1	.	·6	.	.	.	.	.	.
							.	.	.	.		.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	1	.	.	·1	2	.	.	.	1	1
Tuberculous Phthisis, "*Phthisis*,"	19	24	20	22	26	21	1	6	2	7	20·8	8	.	.	1	.	4 3
							25	19	6	10		8	.	.	.	5	3
Tuberculous Meningitis,	2	4	4	7	2	.	2	1	4	3	2·9	3	.	1	.	2	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	7	4	7	8	5	5	1	.	1	3	4·3	.	.	.	.	.	.
							1	1	.	.		.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	2	5	5	1	8	5	6	8	8	6	5·5	4	.	1	1	.	1 1
							.	.	.	1		.	.	.	.	.	.
Alcoholism,	1	.	1	1	.	1	1	1	3	.	·9	.	.	.	.	.	.
Rheumatic Fever,	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.
Gout,	.	.	.	.	1	.	.	.	.	2	·3	.	.	.	.	.	.
Carcinoma, Sarcoma, Cancer (undefined),	9	3	1	7	5	3	.	3	1	2	5·2	3	.	.	.	2	1
							2	2	.	.		1	.	.	.	.	.
							2	3	6	5		5	.	.	.	.	4
Diabetes Mellitus,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Premature Birth,	1	1	2	6	4	1	5	4	7	3	3·4	4	4	.	.	.	.

* The figures for the years 1896–1900 a
† Formerly describ

Y-FIRST WEEK ending Saturday, 13th October, 1906, with the deaths from each cause in the corresponding he average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Oct. 10 1896.	Oct. 16, 1897.	Oct. 15, 1898.	Oct. 14, 1899.	Oct. 13, 1900.	Oct. 12, 1901.	Oct. 11, 1902.	Oct. 17, 1903.	Oct. 15, 1904.	Oct. 14, 1905.	Averages in 41st Week of the 10 years 1896–1905.	In the Week ending Saturday, 13th October, 1906. Deaths of Persons of the Ages of: All Ages.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 47·4	° 49·5	° 48·9	° 48·0	° 50·9	° 48·0	° 48·2	° 50·0	° 47·9	° 49·6	° 48·8	Mean Temp. ° 52·5								
ingitis (not tuberc.) ...							8	5	2	1		2	.	1	.	.	1	.	.	.
nity, G. P. of Insane ...							.	3	.	3		.	.	.	.	.	.	.	.	.
lepsy ...							1	1	1	.		1	.	.	.	.	1	.	.	.
vulsions ...							10	5	13	3		5	2	3	.	.	.	.	.	.
omotor Ataxy ...							.	.	.	.		1	.	.	.	.	.	.	1	.
aplegia Dis. of Cord ...							.	2	.	2		.	.	.	.	.	.	.	.	.
vous System (other s.)	33	23	29	32	37	37	4	.	1	3	35·5	2	.	1	.	.	1	.	.	.
v. Dis., Endocarditis ...							4	7	10	4		3	.	.	.	.	.	1	2	.
ebr. Hæm. Thromb. ...							1	2	6	2		3	.	.	.	.	.	1	2	.
olexy, Hemiplegia ...							6	2	1	3		4	.	.	.	.	.	.	4	.
urysm ...							.	2	.	2		.	.	.	.	.	.	.	.	.
oolism, Thromb. (not rebral)							.	.	.	.		.	.	.	.	.	.	.	.	.
rt and Blood Vessel Dis.							8	15	9	12		15	.	.	.	.	.	6	8	1
tp (not Spasm. nor emb.)	1	2	.	.	.	.	2	.	.	.	·5	.	.	.	.	.	.	.	.	.
achitis ...	10	17	14	15	22	9	13	12	23	14	14·9	18	.	.	2	.	2	5	8	1
ma, Emphysema ...							2	.	.	2		.	.	.	.	.	.	.	.	.
risy ...	1	4	1	1	.	.	.	1	.	1	1·6	.	.	.	.	.	.	.	.	.
piratory Dis. (other) ...							.	2	1	.		2	.	.	.	.	.	1	1	.
illitis, Quinsy ...	.	1	.	.	.	1	.	.	.	.	·2	1	.	.	1	.	.	.	.	.
ritis (not Epid.) ...	1	1	2	2	3	.	3	1	2	2	2·1	3	.	.	.	.	.	.	3	.
ro Enteritis ...							1	.	3	.		3	.	1	2	.	.	.	.	.
onitis (not Puerp.) ...	1	.	1	.	.	1	1	.	.	.	·4	1	.	.	1	.	.	.	.	.
hosis of Liver ...	3	4	6	.	3	3	1	.	.	1	2·5	2	.	.	.	.	.	1	1	.
r Dis. (other) ...							2	.	.	2		.	.	.	.	.	.	.	.	.
stive Dis. (other) ...	9	6	6	4	5	4	1	4	5	2	4·6	5	.	1	.	.	.	.	2	2
uritis, Acute ...							2	.	.	.		2	.	.	1	.	.	1	.	.
ht's Dis., Albuminuria	8	5	1	3	3	3	3	2	2	.	3·6	3	.	.	.	.	.	1	2	.
nary Sys. (Other Dis.)							1	1	.	2		4	.	.	.	.	.	1	3	.
erative Organs Dis. ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
dbirth (Accid. of) ...	.	1	.	.	1	.	.	.	.	2	·4	1	.	.	.	.	1	.	.	.
Age ...	4	11	15	12	9	7	6	2	4	.	7·0	2	.	.	.	.	.	.	2	.
r Diseases ...	12	11	15	15	13	10	20	8	14	13	13·1	11	5	1	1	1	.	1	1	1
ACCIDENT.																				
ailways ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ehicles and Horses ...	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exsive of Drowning) ...	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
uilding Operations ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
onflagrations ...	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions	1	1	.	.	2	1	1	1	.	1	·8	3	.	.	2	1	.	.	.	.
rowning ...	.	2	.	1	2	1	.	.	1	.	·7	1	.	.	.	.	.	1	.	.
uffocation in Bed ...	.	.	.	.	.	.	.	.	.	.		2	.	2	.	.	.	.	.	.
Poison or Poisonous pours	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
r Deaths by Accidents	2	3	1	1	1	2	1	.	1	1	1·3	.	.	.	.	.	.	.	.	.
LENCE OTHER THAN ACCIDENTAL.																				
icide ...	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
de ...	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
ution ...	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.

gistration Area as then constituted.
le Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																									
	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.
No. of weeks in Annual Series.	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered,	202	199	250	285	202	195	223	167	250	210	288	189	230	199	223	235	186	226	230	180	268	209	225	321	146	186
*Average Births in corresponding week of previous 10 years,**	216	204	244	227	209	191	217	229	193	221	229	202	193	199	207	202	208	217	195	215	203	212	195	233	188	184
DEATHS registered,	215	174	191	165	169	173	154	142	126	149	125	130	140	156	149	125	130	151	167	166	184	220	201	184	198	175
Annual Death-rate per 1,000,	29·6	28·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7	25·3	27·2	24·1
*Average Deaths in corresponding week of previous 10 years,**	189	183	183	174	171	166	157	155	150	146	140	145	146	151	153	166	169	163	170	164	169	160	173	164	157	168
AGES,— Under 5 years,	45	37	30	36	41	42	47	38	12	37	17	35	35	38	43	40	50	48	63	59	83	98	85	76	71	50
5—20 ,,	15	12	16	10	15	13	11	11	13	13	16	14	10	17	11	8	6	9	10	12	8	9	13	8	9	7
20—40 ,,	27	32	39	23	28	29	27	20	22	30	36	21	24	25	27	20	19	22	27	20	27	24	26	25	22	27
40—60 ,,	49	42	47	39	44	37	30	42	36	34	28	32	37	28	35	20	28	27	32	40	33	39	30	29	38	41
60—80 ,,	70	40	55	51	30	41	34	28	37	31	22	21	32	43	27	32	24	43	28	29	28	41	39	37	51	45
80 years and upwards,	9	11	4	6	11	11	5	3	6	4	6	7	2	5	6	5	3	2	7	6	5	9	8	9	7	5
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	3	1	.	1	.	.	2	.	.	.	.	.	1	2	2	.	2	1	.	.	.	.	1	.	.	1
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
Whooping-cough,	.	2	1	1	.	3	3	1	2	2	1	4	6	3	2	2	3	1	.	.	1	1	1	5	1	2
Diphtheria,	.	2	.	.	2	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	.	1
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
Enteric Fever,	2	1	1	3	.	.	.	.	1	.	2	.	1	1	.	1	1	.	.	2	2	.	2	1	.	4
Diarrhœal Diseases,	1	4	.	3	1	3	2	1	4	.	2	.	3	3	10	11	10	29	27	28	49	40	34	31	31	12
Pneumonia,	26	17	21	18	13	13	10	6	6	13	4	4	9	12	13	4	5	4	8	5	4	9	7	12	10	16
Tuberculous Phthisis,	18	22	36	18	16	22	20	17	17	29	21	26	21	23	19	21	18	21	21	18	21	20	26	19	28	16
Disease. Other Forms,	11	10	15	10	16	7	8	13	12	11	9	11	7	11	13	4	7	9	8	9	9	11	12	14	8	7
Cancer, Malignant Disease,	18	10	6	5	15	8	10	6	8	6	12	7	4	14	9	8	4	12	11	10	7	11	6	6	18	9
Diseases of Heart and Blood Vessels,	45	27	22	22	28	30	15	29	26	21	14	15	26	27	19	19	17	20	12	22	21	28	25	18	24	25
Diseases of Respiratory System,	43	23	36	31	15	26	15	10	11	17	5	21	10	11	13	14	10	11	10	4	8	16	10	14	23	20
Violent Deaths,	4	2	3	1	4	5	2	3	3	4	3	4	2	3	4	2	3	2	8	7	5	2	5	5	4	6
Number of Uncertified Deaths,	6	5	5	3	7	7	11	3	3	9	4	3	2	5	4	3	5	1	2	1	1	7	9	4	4	7
Mean Temperature of the Air (Phœnix Park),	44·3	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9	50·4	53·3	52·5
Average Mean Temperature in corresponding week of previous 10 years	45·8	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·9‡	52·5	51·0	48·8
Rainfall in inches,	·130	·810	·650	·455	·640	·810	·450	·005	·280	·790	·450	·390	235	·885	·220	·452	·320	·415	·695	·000	285	·280	·000	·000	·800	1·125
Mean Humidity of the Air, complete Saturation, 1·0	·81	·88	·85	·83	·83	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·83	·79	·86	·86	·84	·82	·90	·87	·92	·87

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

in the Dublin Registration Area during the Week ending Saturday, 13th October, 1906: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH OCTOBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	24·3	175	50	7	27	41	45	5	.	1	.	.	2	1	.	4	12	20	16	16	7	9	5	20	6	76	7
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class,	17,436	17·9	6	.	.	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	4	.
II.	Middle Class,	87,188	17·9	30	7	.	7	3	12	1	.	.	.	.	.	.	.	3	2	5	2	1	1	2	.	1	1	17	.
III.	Artisan Class and Petty Shopkeepers,	110,423	23·6	50	18	5	8	16	8	.	.	1	.	.	1	.	.	1	3	6	6	6	3	2	2	9	1	15	3
IV.	General Service Class,	154,279	28·9	55	26	2	7	10	8	2	.	.	.	.	1	1	.	.	4	6	5	4	3	4	3	3	4	23	4
V.	Inmates of Workhouses,	6,024		34	4	.	5	11	12	2	.	.	.	.	.	.	.	.	3	3	3	5	.	.	.	6	.	17	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	23·7	10	2	.	1	2	5	.	.	.	.	.	.	.	.	.	1	1	1	.	1	2	.	.	.	5	.
	6. Clerks and Commercial Assistants,	30,482	15·4	9	4	.	3	1	1	.	.	.	.	.	.	.	.	2	1	3	.	.	.	.	.	.	1	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	21·2	11	1	.	3	.	6	1	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	1	.	7	.
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	9. Building and Furnishing Trades,	29,801	29·7	17	7	5	1	3	1	.	.	1	.	.	.	.	.	.	1	2	4	1	2	.	1	1	1	5	2
	10. Clothing Trades,	28,260	22·4	10	3	.	1	4	2	.	.	.	.	.	1	.	.	.	.	1	1	.	1	1	1	1	.	4	1
	11. Food Supply Trades,	9,242	16·9	3	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	25·8	15	2	.	4	6	3	.	.	.	.	.	.	.	.	.	2	2	.	5	.	1	.	3	.	4	.
	13. Petty Shopkeepers,	7,894	19·8	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	15·5	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
	15. Domestic Servants,	36,603	5·7	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	3	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	24·4	42	23	2	5	7	4	1	.	.	.	.	1	1	.	.	3	5	3	3	3	2	3	3	4	16	4
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates,	6,024	.	34	4	.	5	11	12	2	.	.	.	.	.	.	.	.	3	3	3	5	.	.	.	6	.	17	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* similar Statistics for each of th

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	Aug. 25,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	Sept. 1,	22·1	3·7	12	.	.	.	.	.	.	.	.	2	.	.	2	.	.	1	.
	„ 8,	23·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	2	1	1	1	.
	„ 15,	23·9	1·8	13	.	.	.	.	.	.	.	.	1	.	5	.	.	.	.	.
	„ 22,	22·1	9·2	12	.	.	.	.	.	.	.	.	5	.	2	.	1	.	1	.
	„ 29,	25·8	5·5	14	.	.	.	.	.	.	.	.	3	1	3	.	.	1	1	.
	Oct. 6,	28·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	.	.	1	1	.
	„ 13,	28·9	1·8	13	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 89,146.	Aug. 25,	25·3	2·7	19	.	.	.	.	.	.	.	.	2	1	3	1	3	1	2	1
	Sept. 1,	20·0	5·3	15	.	.	.	.	.	.	.	.	4	.	3	.	1	.	.	.
	„ 8,	25·3	10·7	19	.	.	.	.	.	.	.	.	8	.	2	1	.	1	.	.
	„ 15,	33·3	10·7	25	.	.	.	1	.	.	.	.	7	2	1	3	1	1	.	3
	„ 22,	36·0	10·7	27	.	1	.	.	.	.	.	.	7	4	3	.	1	2	.	.
	„ 29,	25·3	8·0	19	.	.	.	.	2	.	.	.	4	.	2	1	.	1	.	1
	Oct. 6,	29·3	4·0	22	.	.	.	.	.	.	.	.	5	2	2	1	1	5	1	.
	„ 13,	24·0	2·7	18	.	.	.	.	.	.	.	1	1	3	2	.	.	2	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 30,107.	Aug. 25,	26·0	12·1	15	.	.	.	.	.	.	.	.	7	.	1	.	.	.	1	.
	Sept. 1,	34·6	1·7	20	.	.	.	.	.	.	.	.	1	1	2	1	2	1	1	.
	„ 8,	29·4	8·7	17	.	.	.	.	.	.	.	.	5	.	3	2	1	.	.	.
	„ 15,	34·6	5·2	20	.	.	.	.	.	.	.	.	3	1	1	1	1	2	1	1
	„ 22,	41·6	13·9	24	.	.	.	.	.	.	.	1	7	.	1	.	1	1	.	2
	„ 29,	36·4	5·2	21	.	.	.	.	1	.	.	.	2	.	4	2	1	1	2	.
	Oct. 6,	31·2	6·9	18	.	.	.	.	1	.	.	.	3	1	4	.	.	3	.	.
	„ 13,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	2	2	.	3	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Aug. 25,	26·3	11·5	16	.	.	.	.	.	.	.	.	7	.	2	.	.	1	.	.
	Sept. 1,	29·6	13·2	18	.	.	.	.	.	.	.	1	7	1	1	.	1	.	.	.
	„ 8,	29·6	11·5	18	.	.	.	.	.	.	.	.	7	.	3	1	.	.	.	1
	„ 15,	37·9	4·9	23	.	.	.	.	.	.	.	.	3	3	2	2	.	3	.	.
	„ 22,	29·6	9·9	18	.	.	.	.	.	.	.	1	5	.	4	.	.	1	.	2
	„ 29,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	1
	Oct. 6,	29·6	8·2	18	.	.	.	.	.	.	.	.	5	1	1	1	.	4	.	1
	„ 13,	29·6	3·3	18	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	Aug. 25,	28·5	2·7	21	.	.	.	.	.	.	.	.	2	.	4	2	.	5	1	.
	Sept. 1,	34·0	5·4	25	.	.	.	.	.	.	.	.	4	.	4	.	.	.	2	.
	„ 8,	25·8	6·8	19	.	.	.	.	.	.	.	2	3	.	1	1	.	3	1	.
	„ 15,	38·0	4·1	28	.	.	1	.	.	.	.	.	2	.	1	.	2	3	1	2
	„ 22,	17·7	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	.
	„ 29,	29·9	6·8	22	.	.	.	.	2	.	.	1	2	2	2	1	.	.	.	.
	Oct. 6,	23·1	2·7	17	.	.	.	.	.	.	.	.	2	.	2	1	2	3	.	.
	„ 13,	29·9	6·2	22	.	1	.	.	1	1	.	.	3	2	1	.	2	3	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Aug. 25,	20·0	5·7	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.
	Sept. 1,	28·5	5·7	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	.	.
	„ 8,	22·8	5·7	8	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.
	„ 15,	34·2	11·4	12	.	.	.	.	.	.	.	.	4	1	1	.	1	1	.	.
	„ 22,	51·3	5·7	18	.	.	.	.	.	.	.	.	2	.	3	1	.	2	1	.
	„ 29,	22·8	2·9	8	.	.	.	.	.	.	.	.	1	.	2	2	.	1	.	.
	Oct. 6,	28·5	2·9	10	.	.	.	.	.	.	.	.	1	1	1	2	1	1	.	.
	„ 13,	28·5	2·9	10	.	.	.	.	.	.	.	1	.	.	1	.	1	1	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Aug. 25,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	2	1	2	.	1	1	.
	Sept. 1,	21·1	5·0	17	.	.	.	.	.	.	.	.	4	1	1	1	2	1	.	1
	„ 8,	41·0	13·7	33	.	.	.	.	1	.	.	.	10	3	3	.	1	1	1	.
	„ 15,	32·3	6·2	26	.	.	.	.	.	.	.	.	5	1	3	4	1	3	.	.
	„ 22,	16·2	2·5	13	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.
	„ 29,	27·4	5·0	22	.	.	.	.	.	.	.	.	4	1	2	1	1	3	2	1
	Oct. 6,	31·1	7·5	25	.	.	.	.	.	.	.	.	6	1	2	1	3	3	1	.
	„ 13,	34·8	5·0	28	.	.	.	.	1	.	.	.	3	1	3	1	2	5	1	2
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1906 (Est.) 35,188.	Aug. 25,	20·8	3·0	14	.	.	.	.	.	.	.	.	2	1	.	.	1	1	1	.
	Sept. 1,	18·4	.	8	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.
	„ 8,	23·7	3·0	16	.	.	.	.	.	.	.	.	2	.	.	2	1	.	2	.
	„ 15,	31·2	5·9	21	.	.	.	.	1	.	.	.	3	1	3	.	2	1	.	.
	„ 22,	25·2	3·0	17	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	3
	„ 29,	26·7	5·9	18	.	.	.	.	.	.	.	.	4	1	1	2	1	1	.	.
	Oct. 6,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	1	1	2	2	1	.	.
	„ 13,	22·3	1·5	15	.	.	.	.	.	.	.	.	1	2	1	1	.	.	3	2

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,208.	Aug. 25,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.	2	1	.	.
	Sept. 1,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	2	1	1	.	.
	„ 8,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 15,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	1	.	1	.	.	.
	„ 22,	28·6	1·6	15	.	.	1	.	.	.	.	.	.	.	2	1	1	1	.	2
	„ 29,	25·1	6·3	16	.	.	.	.	.	.	.	.	4	2	1	1	1	2	.	.
	Oct. 6,	18·8	3·1	12	.	.	.	.	.	.	.	.	2	.	2	.	1	1	.	1
	„ 13,	12·6	3·1	8	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Aug. 25,	20·0	4·0	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	1	.
	Sept. 1,	18·0	4·0	9	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.
	„ 8,	22·0	8·0	11	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.
	„ 15,	24·0	6·0	12	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
	„ 22,	22·0	6·0	11	.	.	.	.	1	.	.	.	2	2	.	.	.	1	.	.
	„ 29,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1
	Oct. 6,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1
	„ 13,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Aug. 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	Sept. 1,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 8,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
	„ 15,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
	„ 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	4	2	.	.	.	.
	„ 29,	20·7	5·9	7	.	.	.	.	.	.	.	.	2	2	.	1	.	.	.	.
	Oct. 6,	35·5	5·9	12	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.
	„ 13,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
Belfast. Pop. in 1906 (Est.) 346,220.	Aug. 25,	19·8	4·0	139	.	.	.	.	2	2	.	.	24	5	21	6	2	7	3	2
	Sept. 1,	19·1	4·8	134	.	.	1	.	7	1	.	2	23	7	15	6	4	16	6	5
	„ 8,	21·5	7·0	151	.	1	1	.	7	.	.	1	39	5	16	6	3	8	3	.
	„ 15,	20·2	6·4	142	.	.	.	.	3	1	.	3	38	3	18	6	3	12	1	.
	„ 22,	20·1	5·0	141	.	.	1	.	5	.	.	2	27	3	14	8	4	12	4	.
	„ 29,	19·4	5·0	136	.	2	1	.	3	.	.	4	25	6	19	4	4	7	4	1
	Oct. 6,	20·5	3·4	144	.	1	1	.	2	1	.	.	19	6	20	9	2	15	4	3
	„ 13,	15·5	1·7	109	.	.	.	1	1	.	.	2	8	10	17	4	2	11	1	3
Cork. Pop. (in 1901) 76,122.	Aug. 25,	21·2	1·4	31	.	.	.	.	.	.	.	.	2	1	8	2	.	.	.	1
	Sept. 1,	16·4	2·1	24	.	.	.	.	.	.	.	.	3	.	3	2	.	1	1	3
	„ 8,	22·6	5·5	33	.	.	.	.	1	.	.	.	7	.	3	3	3	.	.	4
	„ 15,	17·8	5·5	26	.	.	.	.	1	.	.	.	7	.	6	1	.	1	.	.
	„ 22,	34·2	11·0	50	.	.	.	.	.	1	.	.	15	1	4	5	.	1	.	6
	„ 29,	27·4	6·2	40	.	.	.	1	1	.	.	.	7	.	6	2	4	4	1	3
	Oct. 6,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	2
	„ 13,	30·1	11·0	44	.	.	.	1	.	.	.	1	14	2	3	2	1	4	.	1
Londonderry. Pop. in 1906 (Est.) 42,067.	Aug. 25,	11·2	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	2
	Sept. 1,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	2
	„ 8,	19·8	7·4	16	.	1	.	.	1	1	.	.	3	.	2	1	1	2	2	.
	„ 15,	19·8	7·4	16	.	.	.	.	1	1	.	.	4	1	1	3	1	1	.	1
	„ 22,	8·7	1·2	7	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.
	„ 29,	19·8	3·7	16	.	1	.	.	.	1	.	.	1	1	3	.	.	4	.	.
	Oct. 6,	16·1	5·0	13	.	.	.	.	.	.	.	.	4	1	1	.	.	.	.	.
	„ 13,	13·6	3·7	11	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
Limerick. Pop. (in 1901) 38,151.	Aug. 25,	13·7	.	10	.	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.
	Sept. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	.
	„ 8,	20·5	2·7	15	.	.	1	.	.	.	.	.	1	.	1	.	2	.	.	.
	„ 15,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	1	.	1	.
	„ 22,	17·8	2·7	13	.	.	.	.	.	1	.	1	.	.	3	1	2	.	.	1
	„ 29,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	Oct. 6,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	2
	„ 13,	12·3	1·4	9	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1
Waterford. Pop. (in 1901) 26,769.	Aug. 25,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Sept. 1,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
	„ 8,	25·3	1·9	13	.	.	.	.	1	.	.	.	.	.	.	2	.	2	.	.
	„ 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 22,	9·7	5·8	5	.	.	.	.	1	.	.	.	2	.	.	1	.	.	.	.
	„ 29,	9·7	3·9	5	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.
	Oct. 6,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 13,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th October, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-2	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,784	4	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 2 ,,	47,959	28			14	5	3	2	2	1	1	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	1	.
Do. 3 ,,	47,214	23			11	2	.	.	3	3	3	.	.	.	.	.	.	.	.	2	1	4	.	.	1	.	.	2	.
Do. 4 ,,	40,911	31			17	6	2	.	.	7	2	.	.	.	.	.	.	.	.	1	2	2	2	.	3	.	1	6	.
Do. 5 ,,	17,387	13			9	6	.	.	2	1	.	.	.	.	.	1	.	.	.	.	1	3	.	.	.	.	.	1	.
Do 6 ,,	48,122	27			11	1	2	.	.	3	5	.	.	.	.	.	.	.	1	1	1	.	.	.	3	.	.	3	2
Do 7 ,,	1,524	1			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 ,,	5,060	2			2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 9 ,,	19,569	29			12	4	.	1	.	5	2	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	3	.
Do. 10 ,,	28,064	15			8	3	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	2	.
Do. 11 ,,	34,802	21			10	1	.	2	1	1	5	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1	1
Do. 12 ,,	33,588	25			12	1	2	2	5	1	1	.	.	.	1	.	.	.	1	2	.	3	.	.	.	1	1	2	.
Do. 13 ,,	15,006	12			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 14 ,,	240	. .			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	222			109	31	9	8	17	23	21	.	.	.	1	1	.	.	2	8	10	17	4	2	11	1	2	22	3
City of Cork.																													
CORK URBAN No. 1 DISTRICT. .	12,867	6	28·4	.	7	2	1		1		3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	4	.
Do. 2 ,, . .	10,701	4	24·4	4·9	5	.	1		3		1	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	1	.
Do. 3 ,, . .	9,978	6	26·1	10·5	5	1	.		3		1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	3	.
Do. 4 ,, . .	8,666	1	30·1	6·0	5	1	.		2		2	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	3	.
Do. 5 ,, . .	6,592	2	47·5	39 6	6	5	.		1		.	.	.	.	.	.	.	.	.	5	.	1	.	.	.	.	.	.	.
Do. 6 ,, . .	10,702	5	14·6	9·7	3	2	1		.		.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.
Do. 7 ,, . .	16,616	6	40·8	15·7	13	6	1		2		4	.	.	.	.	.	.	.	.	5	.	.	.	1	2	.	.	3	1
Total	76,122	30	30·1	11·0	44	17	4		12		11	.	.	.	1	.	.	.	1	14	2	3	2	1	4	.	.	14	1

TABLE IX.—**City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons** *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered,	232	282	238	246	217	273	289	228	204	222	218	225	162	271	225	241	220	203	204	208	240	211	211	226	211	222
DEATHS registered,	171	152	179	161	140	151	150	136	134	131	113	105	119	121	127	121	127	125	139	134	151	142	141	136	144	109
Annual Death-rate per 1,000 of estimated Population,	24·3	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20·1	19·4	20·5	15·5
AGES: Under 1 year,	39	30	29	35	35	21	33	28	21	26	24	24	27	21	21	30	29	37	43	39	59	43	49	40	39	31
1–5 years,	24	24	20	19	17	17	18	22	20	17	15	12	19	12	8	18	9	16	14	22	16	16	18	17	15	9
5–20 years,												11	14	10	13	9	14	17	12	5	10	10	14	15	14	8
20–40 years,	66	67	85	66	64	84	64	53	67	72	57	18	27	24	29	15	25	14	18	17	20	21	20	15	24	17
40–60 years,												22	15	26	26	31	22	24	29	26	30	26	20	21	28	23
60 years and upwards,	42	31	45	41	24	29	30	33	26	16	17	23	17	28	30	18	28	17	23	25	16	26	25	28	24	21
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2	1	.	2	.	.	1	.	.	2	1	.
Scarlet Fever,	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	1	.	1	1	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough,	21	18	20	12	13	8	15	16	7	14	7	4	9	8	1	4	2	4	2	7	7	3	5	3	2	1
Diphtheria,	.	.	.	.	1	1		1	.	.	2	2	.	.	1	.	1	1	2	1	.	1	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	.	.	1	1	.	.	2	.	.	.	.	1	1	2	3	2	1	.	2	1	3	2	4	.	2
Diarrhœal Diseases,	1	2	1	.	1	5	1	5	7	2	4	4	6	7	4	7	12	25	24	23	39	33	27	25	19	8
Pneumonia,	15	16	16	10	9	14	15	15	7	7	8	8	7	6	6	10	7	3	5	7	5	3	3	6	6	10
Tuberculous Disease: Phthisis,	18	19	29	21	28	33	16	21	22	30	24	12	20	21	26	22	25	18	21	15	16	18	14	19	20	17
Tuberculous Disease: Other Forms,	8	12	10	8	11	9	11	5	9	7	7	6	15	5	10	11	6	8	6	6	6	6	8	4	9	4
Cancer, Malignant Disease,	2	4	4	3	3	3	1	5	6	4	2	9	2	4	4	2	4	3	2	4	3	3	4	4	2	2
Diseases of Respiratory System	36	27	30	27	17	16	17	15	15	14	13	7	7	9	21	11	7	12	7	16	8	12	12	7	15	11
Violent Deaths,	3	4	4	2	4	6	1	2	1	5	.	3	6	4	.	2	4	2	3	6	3	1	4	4	4	1
Number of Uncertified Deaths,	3	5	2	2	.	4	2	2	5	.	1	1	2	.	3	.	3	1	2	5	.	.	.	1	3	3

*Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	Oct. 13,	2,355	1,295	14·3	.	2	19	14	12	17	93
EDINBURGH,	341,035	„ 13,	152	110	16·8	.	.	1	1	.	1	6
GLASGOW,	835,625	„ 13,	452	307*a*	19·2	.	2	2	2	15	2	32
CALCUTTA,	910,117	Aug. 25,	.	409	25·0	.	2	.	.	1	120‡	65*
BOMBAY,	977,822	Sept. 11,	408	905	48·1	1	5	.	.	1	121‡	171*
MADRAS,	509,346	Aug. 24,	409	438	44·7	1	3	?	?	?	108	120*
PARIS,	2,750,000	Sept. 29,	967	808	15·7	.	1	2	3†	2	12	56
BRUSSELS (with 8 Faubourgs).	612,401	„ 22,	231	170	14·4	.	.	2	2†	2	3	29
ANTWERP,	304,975	„ 22,	121	98	16·8	.	2	.	1†	.	.	39
AMSTERDAM,	561,216	„ 22,	276	133	12·4	.	1	3	2†	2	3	20
COPENHAGEN,	425,000	„ 22,	240	123	15·1	.	.	.	.	1	.	36
STOCKHOLM,	324,488	„ 15,	176	94	15·1	.	.	.	1†	.	.	7
CHRISTIANIA,	222,373	„ 29,	111	50	11·7	.	.	.	3†	.	.	2
ST. PETERSBURG,	1,424,700	„ 22,	744	583	21·3	.	9	24	30	5	43	61
MOSCOW,	1,092,360	Aug. 25,	.	626	29·9	.	2	9	8†	4	7	179
BERLIN,	2,067,194	Sept. 15,	890	587	14·8	.	2	6	7†	5	2	139
HAMBURG,	802,793	„ 15,	.	232	15·0	.	3	3	2†	3	.	67
BRESLAU,	476,158	„ 29,	.	187	20·5	.	1	.	4†	3	2	27
MUNICH,	540,000	„ 29,	.	167	16·1	.	.	1	3†	2	.	36
VIENNA (with suburbs).	1,937,869	„ 29,	992	536	14·4	.	4	2	5†	3	1	70
BUDA-PESTH,	791,748	„ 29,	434	232	15·3	.	3	5	4†	.	3	17
PRAGUE and Faubourgs.	460,849	„ 22,	197	153	17·3	.	.	.	3†	.	.	6
TRIESTE,	196,637	„ 15,	152	89	23·6	.	.	.	.	.	1	11
ROME,	531,502	Aug. 18,	268	194	19·0	.	2	.	.	2	9	36
VENICE,	—	.	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,860	Sept. 15,	2,302	1,523	19·1	.	2	4	19†	7	20	277
PHILADELPHIA,	1,469,126	„ 8,	.	489	17·3	.	.	.	8†	13	12	81
BOSTON,	602,526	„ 15,	.	219	19·0	.	.	.	3	3	7	35

a Including 3 deaths from cerebro spinal meningitis.
* Including 15 deaths from cholera in Calcutta, 58 in Bombay, and 20 in Madras.
† Including deaths from croup.
‡ Exclusive of 15 deaths from plague in Calcutta, and 26 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th October, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	2	.	.	.	.	2	.	.	.	.	.	4
" " 1, West,	.	1	.	.	.	.	.	1	.	.	.	.	2
" " 2,	.	4	.	.	.	.	.	3	.	.	.	.	7
" " 3,	.	2	.	.	2	.	4	.	2	.	.	.	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	2	6	.	.	.	8
" " 2,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 3,	.	.	.	.	.	.	.	2	3	.	.	.	5
" " 4,	.	.	1	.	1	.	.	.	.	.	.	.	2
New Kilmainham,	.	1	.	.	.	.	.	.	.	.	.	.	1
Total,	.	10	1	.	4	.	6	8	11	.	.	.	40

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th October, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th October.			
	Sept. 22.	Sept. 29.	Oct. 6.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	3	5	5	4	1	.	8
Scarlet Fever,	52	60	72	18	12	1	77*
Typhus,	1	1	2	.	.	.	2
Diphtheria,	19	19	20	5	8	.	17
Enteric Fever,	59	64	74	11	16	.	69
Pneumonia,	23	26	28	17	2	2	41

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 13th October, 1906:—

"The weather was throughout changeable and unsettled, and rain fell freely, especially on Thursday and Friday in Ireland and Scotland. Fine, bright spells, however, were enjoyed, particularly on Sunday and Saturday—the former day was warm, temperature ranging from 53·6° to 64·2°; the latter day was cold, the range of temperature being from 40·0° to 51·3°. On Sunday an area of low atmospheric pressure was central off the N.W. of Ireland—it was apparently passing out over the Atlantic in a northerly direction. By 8 a.m. of Monday a much deeper depression lay off Achill Island, the barometer being down to 29·15 inches at Blacksod Point. This disturbance caused a more or less copious rainfall all over the British Isles; but its movements were erratic, for it travelled southwards to Kerry and finally out over the Atlantic. At this time a large anticyclone pushed westward from Northern Germany, so that S.E. winds and warmth were experienced in England. On the other hand, a sudden 'chill' occurred over the West of Ireland, temperatures as low as 38° at Birr Castle, 43° at Blacksod Point, and 41° at Valentia being recorded on Thursday morning. In the east of Ireland extraordinary gloom prevailed on that day and rain fell heavily, as a V-shaped depression passed northeastwards to Scotland. On Friday morning 1·22 inches of rain were measured at Birr Castle, 1·05 inches at Donaghadee, and 1·12 inches at Leith. N.W. winds now brought a reduction of temperature and fine, bright, cold weather on Saturday. In Dublin the mean height of the barometer was 29·711 inches, the range being from 29·452 inches at 9 a.m. of Monday (wind, S.) to 29·919 inches at 9 p.m. of Saturday (wind, N.N.W.). The corrected mean temperature was 54·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 52·1°. The screened thermometers rose to 64·2° on Sunday and fell to 40·0° on Saturday. At first S.E., afterwards N.W. winds prevailed. The rainfall was 1·024 inches on 6 days, ·498 inch being recorded on Thursday. Splendid double rainbows were seen on Monday and Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·703 inches. The highest reading (29·994) was on Saturday at 9 p.m., wind N.N.W., and the lowest (29·439) on Monday at 9 a.m., wind S.S.W.

The mean temperature for the week was 52·5°, being 3·7° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Sunday, on which day the thermometer registered 64·3°, and was lowest on Saturday, the mercury having fallen to 36·9°. The mean of the Dry Bulb for the week was 51·7°, and of the Wet Bulb 49·5°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 30·1 hours. The rainfall during the week measured 1·125 inches.

At Greenwich the mean temperature for the week was 57·6°, the maximum 70·9°, and the minimum 42·0°; at Glasgow the maximum was 65·8°, the minimum 36·2°, and the mean 53·6°; and at Edinburgh the maximum was 63·2°, the minimum 38·5°, and the mean 53·2°. The rainfall at Greenwich measured 0·63 in.; at Glasgow 1·22 ins.; and at Edinburgh 1·42 ins. The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	S.	S.
Sunday, Oct. 7,	29·658	64·3	52·3	58·3	57·6	52·4	·70	·6	7·2	·060	S.S.W.	S.E.
Monday, „ 8,	29·457	60·9	48·3	54·6	55·5	51·3	·75	·7	6·1	·025	S.E.	Calm.
Tuesday, „ 9,	29·696	59·3	50·4	54·9	53·3	52·0	·92	·0	2·0	·105	Calm.	Calm.
Wednesday, „ 10,	29·816	62·0	45·4	53·7	52·2	51·8	·98	·1	5·3	·155	Calm.	N.N.W.
Thursday, „ 11,	29·713	55·4	48·9	52·2	52·5	52·2	·98	·9	0·0	·580	W.	Calm.
Friday, „ 12,	29·725	53·1	45·9	49·5	48·3	46·9	·91	·6	0·5	·200	W.	N.N.W.
Saturday, „ 13,	29·855	51·2	36·9	44·1	42·2	40·2	·85	·8	9·0	·000		
Mean, . .	29·703	58·0	46·9	52·5	51·7	49·5	·87	·5	Total 30·1	Total 1·125	—	

Sunday—Fine day but cloudy, light showers at intervals; night cloudy, light showers 2 a.m. to 3 a.m. *Monday*—Dull and cloudy, light shower 11 a.m. to 12 noon; night cloudy, light shower. *Tuesday*—Day cloudy and showery at intervals; night cloudy. *Wednesday*—Day cloudy and showery; night overcast, light showers 2 a.m. to 7 a.m. *Thursday*—Overcast and continuous showery day; night cloudy. *Friday*—Overcast and cloudy a.m., overcast and showery p.m.; night cloudy. *Saturday*—Fine but cloudy day night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 13th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Oct. 7,	62·0	55·2	55·2	64·9	53·7	59·3	6·2	·017
Monday, „ 8,	58·4	55·0	55·3	61·2	52·0	56·6	4·8	·094
Tuesday, „ 9,	54·7	54·6	55·1	59·1	51·9	55·5	2·9	·030
Wednesday, „ 10,	56·6	54·0	55·1	60·9	47·1	54·0	6·1	·147
Thursday, „ 11,	54·0	54·8	55·0	56·6	52·2	54·4	0·0	·511
Friday, „ 12,	51·4	54·4	55·0	54·8	47·2	51·0	0·2	·168
Saturday, „ 13,	46·6	52·7	55·0	51·7	39·6	45·7	7·2	—
Weekly Mean, .	54·8	54·4	55·1	58·5	49·1	53·8	Total 27·4	Total ·967

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—15041.

OFFICIAL.

'EEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

NSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

'WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

OL. XLIII.] WEEK ENDING SATURDAY, 20TH OCTOBER, 1906. [No. 42.

General Register Office, Charlemont House, Dublin, 22nd October, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in e Dublin Registration Area and the twenty-one principal provincial Urban Districts Ireland was 18·4 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,101,499.† The deaths registered in each of the st four weeks, and during the whole of that period, in the several Districts, alphaetically arranged, corresponded to the following annual rates per 1,000. In some stances owing to deaths not having been registered within the week in which they curred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Sept. 29.	Week ending Oct. 6.	Week ending Oct. 13.	Week ending Oct. 20.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 29.	Week ending Oct. 6.	Week ending Oct. 13.	Week ending Oct. 20.	Average Rate for 4 weeks.
Town Dists.	21·2	21·1	19·1	18·4	20·0	Lisburn,	9·1	31·8	18·2	4·5	15·9
rmagh,	27·5	13·7	34·4	27·5	25·8	Londonderry,	19·8	16·1	13·6	11·2	15·2
llymena,	4·8	4·8	23·9	23·9	14·4	Lurgan,	13·3	13·3	22·1	22·1	17·7
lfast,	19·4	20·5	15·5	17·4	18·2	Newry,	8·4	12·6	4·2	16·8	10·5
onmel,	25·6	15·4	20·5	15·4	19·2	Newtownards,	28·6	17·2	11·4	11·4	17·2
rk,	27·4	15·8	30·1	23·3	24·1	Portadown,	20·7	31·0	10·3	5·2	16·8
rogheda,	16·3	20·4	20·4	16·3	18·4	Queenstown	19·8	26·4	39·6	6·6	23·1
ublin Reg. Area,	24·5	26·0	23·7	21·7	24·0	Sligo,	19·2	4·8	14·4	14·4	13·2
undalk,	27·9	12·0	8·0	4·0	13·0	Tralee,	10·6	15·9	10·6	21·1	14·6
lway,	19·4	27·2	7·8	19·4	18·5	Waterford,	9·7	11·7	9·7	15·6	11·7
lkenny,	34·3	14·7	9·8	9·8	17·2	Wexford,	23·3	32·7	14·0	14·0	21·0
merick,	12·3	13·7	12·3	13·7	13·0						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last eek* were equal to an annual rate of 2·7 per 1,000, the rates varying from 0·0 in ne of the districts to 10·3 in Clonmel, the 3 deaths from all causes in that district cluding one from typhus and one from diarrhœa. Among the 122 deaths from all uses in Belfast are 2 from whooping-cough, one from diphtheria, and 13 from diarrœal diseases. The 34 deaths in Cork include one from enteric fever and 5 from iarrhœal diseases; included in the 8 deaths in Waterford are one each from whoopingough and diarrhœa; one of the 4 deaths from all causes in Newry is from enteric ever; among the 5 deaths in Lurgan are one from diphtheria and one friom diarrhœa; nd the 4 deaths from all causes in Armagh include one from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 40—122 boys and 118 girls; and the deaths to 166—86 males and 80 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 22·8 in every ,000 of the population; omitting the deaths (numbering 8) of persons admitted nto public institutions from localities outside the Area, the rate was 21·7 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective istricts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

During the forty-two weeks ending with Saturday last the death-rate averaged 23·0, and was 2·2 below the mean rate for the corresponding portions of the ten years, 1896–1905.

Included in the 166 deaths registered are 2 each from scarlet fever, whooping-cough, and diphtheria, 4 from enteric fever, and 12 from diarrhœal diseases, 8 of the latter being deaths of children under 5 years of age. In the 3 preceding weeks, deaths from scarlet fever were 0, 0, and 0; deaths from whooping-cough numbered 5, one, and 2; deaths from diphtheria were 0, 0, and one; deaths from enteric fever were one, 0, and 4; and deaths from diarrhœal diseases were 31, 31, and 12, respectively. One of the deaths from all causes was attributed to enteritis and 2 to *gastro-enteritis*, the 3 deaths being those of children under 5 years of age. The mean of the daily readings of the earth thermometer at 4 feet was 54·1°. Influenza caused one death.

There were 4 deaths from lobar pneumonia, 5 from broncho-pneumonia, and 8 from *pneumonia* (not defined).

All forms of tuberculous disease caused 26 deaths, including 12 from tuberculous phthisis, 9 from *phthisis*, 2 from tuberculous meningitis, one from tuberculous peritonitis, and 2 from other forms of the disease. In the 3 preceding weeks, deaths from all forms of the disease numbered 33, 31, and 23, respectively.

Two deaths were caused by carcinoma, one by sarcoma, and 4 by cancer (undefined).

Eleven deaths of infants, prematurely born, were registered.

The 10 deaths from diseases of the brain and nervous system include 5 deaths (all infants under one year of age) from *convulsions*.

Diseases of the heart and blood vessels caused 24 deaths and bronchitis 14 deaths.

There were 4 accidental deaths, one having been caused by scalds.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age and the death of one person aged 76 years.

Fifty-three of the persons whose deaths were registered during the week were under 5 years of age (42 being infants under one year, of whom 19 were under one month old) and 39 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·7 per 1,000; the rate in the City was 24·0 (North City Districts, 22·3; South, 25·2), and in the Suburbs, 14·0 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·9 per 1,000 inhabitants, the rate for the City being 3·0 (2·8 in the North City Districts, and 3·3 in the South) and for the Suburbs, 2·4 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (20) are equal to an annual rate of 36·8 per 1,000, and include one from influenza, 2 from broncho-pneumonia, one from *pneumonia* (not defined), and 2 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. One of the deaths was from diphtheria, 6 were from tuberculous disease, and one was from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·8 per 1,000. Among them are one each from scarlet fever and diphtheria, 2 from diarrhœal diseases, one from lobar pneumonia, 2 from tuberculous disease, and one from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (9) represent an annual rate of 14·8 per 1,000, and include one from epidemic enteritis, 2 each from broncho-pneumonia and bronchitis, and one caused accidentally.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 26·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 46·9. The 5 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include 2 each from enteric fever and tuberculous disease of the lungs; and the 6 deaths for Finglas and Glasnevin, part of, include one from tuberculous phthisis.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 29·9 per 1,000. Scarlet fever caused one death, *diarrhœa* 3 deaths, tuberculous phthisis 2 deaths, and bronchitis 3 deaths.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1,000. There was one each from *diarrhœa*, lobar pneumonia, *pneumonia* (not defined), and tuberculous phthisis, and there were 3 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (25) are equal to an annual rate of 31·1 per 1,000, and include one each from whooping-cough and *diarrhœa*, one from lobar pneumonia, 3 from *pneumonia* (not defined), 5 from tuberculous disease, one from bronchitis, and one death caused accidentally.

No. 4 South City District (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 19·3 per 1,000. There was one death from each of whooping-cough, enteric fever, lobar pneumonia, broncho-pneumonia, *pneumonia* (not defined), tuberculous phthisis, and bronchitis.

New Kilmainham District.—There was no death for this district recorded last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·4; Pembroke, 12·0; Blackrock, 6·0; and Kingstown, 8·9. The deaths from the principal epidemic diseases tabulated for these districts include one death each from enteric fever and epidemic enteritis for Rathmines and Rathgar, one from *diarrhœa* for Pembroke and one from *diarrhœa* for Kingstown. Among the 13 deaths from all causes for Rathmines and Rathgar are one from *pneumonia* (not defined) and 3 from tuberculous phthisis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Executive Sanitary Officer for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 20th October, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Sept. 29,	.	—	—	5	.	.	2	.	5	16	10	.	—	—	—	—	—	38
	Oct. 6,	.	—	—	14	.	.	3	.	4	24	8	.	—	—	—	—	—	53
	Oct. 13,	.	—	—	10	1	.	4	.	6	8	11	.	—	—	—	—	—	40
	Oct. 20,	.	—	—	14	1	.	5	.	5	22	7	.	—	—	—	—	—	54
Rathmines and Rathgar Urban District.	Sept. 29,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	3
	Oct. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 13,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	Oct. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Pembroke Urban District.	Sept. 29,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.
	Oct. 6,	.	3	.	1	.	.	1	.	.	1	1	.	—	1	.	—	—	8
	Oct. 13,	.	.	.	.	.	.	.	.	.	1	.	.	—	1	.	—	—	2
	Oct. 20,	.	.	.	1	.	.	.	.	1	.	.	.	—	.	.	—	—	2
Blackrock Urban District.	Sept. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Sept. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Oct. 13,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Oct. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Sept. 29,	.	—	—	39	.	.	5	.	8	20	9	.	—	—	—	—	—	81
	Oct. 6,	.	—	—	36	.	.	8	.	6	15	5	.	—	—	—	—	—	70
	Oct. 13,	.	—	—	48	.	.	8	.	10	12	10	.	—	—	—	—	—	88
	Oct. 20,	.	—	—	32	.	.	8	.	8	14	5	.	—	—	—	—	—	67

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th October, 1906.

From this it appears that :—

Four cases of measles were admitted into hospital during the week, 2 were discharged, there was one death, and 9 cases remained under treatment at its close.

Sixteen cases of scarlet fever were admitted to hospital, 6 were discharged, there was one death, and 86* cases remained under treatment at the close of the week.

Two cases of typhus were admitted to hospital, and 4 remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 4 were discharged, there were 2 deaths, and 16 patients remained under treatment at the close of the week.

Fifteen cases of enteric fever were admitted to hospital, 11 were discharged, there was one death, and 72 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 15 were discharged, there was one death, and 34 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·6), was equal to an average annual death-rate of 14·6 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 15·8 per 1,000, the rate for Glasgow being 17·1, and for Edinburgh 12·9.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th October. From this Report it appears that of a total of 43 cases notified 18 were scarlet fever, 12 diphtheria, 11 erysipelas, and 2 enteric fever. Among the 275 cases of infectious diseases in hospital at the close of the week were 110 cases of scarlet fever, 54 of diphtheria, 3 of membranous croup, 29 of enteric fever, 15 of measles, 13 of erysipelas, and 6 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 20th October 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 20th October, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 20th October, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th October, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th October, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	25	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	28·8	18·4	2·7	608	389	99	84	.	1	2	1	5	4	.	6	37	33	47	11	17	30	9	20	106	11	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—Total, d.	378,994	27·5	33·0	21·7	2·9	240	158	41	37	.	.	2	.	2	2	.	4	11	16	21	4	7	15	2	8	50	5	f56·3	31·2	45·5	0·21	f64·3	36·9	52·5	1·13	f65·0	37·4	53·3	0·80
City of Dublin,	298,385	37·1	35·0	24·0	3·0	197	135	35	31	.	.	2	.	2	2	.	3	8	15	18	4	5	15	2	8	46	4	g57·8	32·9	47·8	0·59	g64·2	40·0	54·0	1·02	g65·1	45·1	55·8	0·79
																												h57·4	27·0	46·2	0·39	h64·8	37·0	53·0	0·94	h64·8	37·0	52·8	1·13
Urban Distts. Rathmines and Rathgar.	33,208	19·4	26·7	20·4	3·1	17	13	2	5	.	.	.	.	.	.	.	1	1	1	3	.	1	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	22·0	12·0	2·0	11	6	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	23·8	6·0	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	32·5	8·9	3·0	11	3	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	57	32·5	48·2	0·58	64	43	54·6	1·12	63	44·5	55·7	0·92
Urban Districts.																																							
Belfast,	366,220	24·9	27·8	17·4	2·3	195	122	34	22	.	.	.	.	2	1	.	.	13	10	15	5	5	11	5	8	28	.	59·0	32·5	46·0	0·62	62·6	38·8	53·4	2·00	62·8	44·0	54·8	0·56
Cork,	76,122	33·6	28·1	28·3	4·1	41	34	8	6	.	.	.	.	.	.	.	1	5	4	3	.	3	2	1	2	12	.	60	38	49·6	0·37	61	47	54·8	0·57	64	49	58·4	1·78
Londonderry,	42,067	19·4	22·3	11·2	1·2	18	9	4	2	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	19·1	13·7	1·4	14	10	1	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	21·4	15·6	3·9	11	8	.	2	.	.	.	.	1	.	.	.	1	.	2	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	8·9	19·4	.	1	5	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	1	58	30	48	0·83	63	39	54	0·59	68	44	56	0·63
Dundalk,	13,076	9·4	27·9	4·0	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	40·9	16·3	4·1	10	4	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	29·4	16·8	4·2	7	4	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	56·0	31·3	45·3	0·20	64·8	36·3	51·8	1·74	63	34·6	52·5	0·41
Lurgan,	11,782	13·8	22·1	22·1	8·9	5	5	1	1	.	.	.	.	.	1	.	.	1	1	1	1	.	.	.	.	3	.	56·0	31·3	45·3	0·20	64·8	36·3	51·8	1·74	63	34·6	52·5	0·41
Lisburn,	11,461	10·1	40·9	4·5	.	9	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	56·0	31·3	45·3	0·20	64·8	36·3	51·8	1·74	63	34·6	52·5	0·41
Wexford,	11,168	23·2	42·0	14·0	.	9	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	62·3	23·9	4·8	13	5	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	4·8	14·4	.	1	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	55·9	24·3	43·6	0·55	61·5	35·0	53·6	0·83	66·4	36·3	53·0	1·01
Kilkenny,	10,609	11·5	.	9·8	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58	24	44·4	0·52	63	33	50·4	1·96	65	37	55·7	1·25
Clonmel,	10,167	7·8	35·9	15·4	10·3	7	3	.	1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	31·0	5·2	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	56·0	31·3	45·3	0·20	64·8	36·3	51·8	1·74	63	34·6	52·5	0·41
Tralee,	9,867	16·6	15·9	21·1	.	3	4	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	22·9	11·4	.	4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	56	36	46·1	0·72	62	42	53·2	1·67	61	42	53·2	0·60
Queenstown,	7,909	14·4	19·8	6·6	6·6	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	60	38	49·6	0·37	61	47	54·8	0·57	64	49	58·4	1·78
Armagh,	7,588	22·2	27·5	27·5	6·9	4	4	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	56·0	31·3	45·3	0·20	64·8	36·3	51·8	1·74	63	34·6	52·5	0·41

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 8 deaths of persons (including one under 1 year old and 2 at 60 years or upwards), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork, Queenstown. f Observations at Ordnance Survey Office, Phoenix Park. g Observations at Glasnevin. h Observations at Glasnevin and Phoenix Park.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 20th October, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.											URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.									
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
Diphtheria,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	2	.	.	.	.	1	.	1	.	.	.	4	.
Diarrhœal Diseases,	.	.	2	1	.	.	.	3	1	1	.	.	1	1	.	1	11	1
Pneumonia,	3	.	1	2	.	.	.	.	2	4	3	.	1	.	.	.	16	1
Tuberculous Disease. Phthisis,	2	4	1	.	.	2	1	2	1	4	1	.	3	.	.	.	21	.
Tuberculous Disease. Other Forms,	.	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	4	1
Cancer, Malignant Disease,	.	2	.	.	.	.	1	2	.	.	.	.	1	1	.	.	7	.
Other General Diseases	5	1	.	1	.	.	2	3	1	2	3	.	.	2	.	.	20	.
Total,	10	10	7	4	.	4	4	11	5	13	9	.	7	4	.	1	89	3
B. LOCAL DISEASES:																		
Diseases of: Nervous System	3	1	1	.	.	.	.	1	.	.	1	.	2	.	.	.	9	1
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	3	1	1	1	.	1	1	4	1	3	.	.	2	.	.	1	24	.
Diseases of: Respiratory System,	3	1	1	2	.	.	.	3	3	1	1	.	.	.	.	.	15	.
Diseases of: Digestive System,	1	.	1	1	.	.	.	1	.	.	1	.	1	2	.	.	8	1
Diseases of: Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Diseases of: Urinary System,	.	.	.	.	.	.	1	.	.	2	1	.	1	.	.	.	5	.
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	10	3	4	4	.	1	2	9	4	11	4	.	6	2	1	1	62	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	1	.	.	.	.	2	.	.	.	.	.	.	.	1	5	1
E. VIOLENT DEATHS,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	2
Deaths from all Causes,	20	14	12	9	.	5	6	22	9	25	13	.	13	6	1	3	158	8
Annual Rate of Mortality from all causes in every 1,000 of the population	36·8	18·6	20·8	14·8	.	26·0	46·9	29·9	25·7	31·1	19·3	.	20·4	12·0	6·0	8·9	21·7	.
	22·8							25·2					14·0					
	24·0																	
Ages at Death. Under 1 year,	7	4	3	4	.	.	.	6	2	5	4	.	2	4	.	.	41	1
1 and under 5 years,	2	1	1	1	.	.	.	2	.	1	1	.	.	1	.	1	11	.
5 ,, 20 ,,	1	1	1	.	.	.	.	1	.	1	.	.	.	.	.	.	5	1
20 ,, 40 ,,	1	5	3	1	.	3	3	1	3	4	2	.	3	1	.	1	31	3
40 ,, 60 ,,	6	2	2	.	.	1	1	5	2	8	2	.	3	.	1	.	33	1
60 and upwards,	3	1	2	3	.	1	2	7	2	6	4	.	5	.	.	1	37	2
Number of Uncertified Deaths,	2	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	5	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	3	5	1	.	.	1	3	1	4	4	.	3	.	.	.	27	6
Workhouse Hospitals,	1	2	2	1	.	.	.	6	2	5	3	.	1	.	.	.	23	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in the week of the ten years, 1896-1905.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 42nd Week of the 10 years 1896–1905.	In the Week ending Saturday, 20th October, 1906. Deaths of Persons of the Age							
	Oct. 17, 1896.	Oct. 23, 1897.	Oct. 22, 1898.	Oct. 21, 1899.	Oct. 20, 1900.	Oct. 19, 1901.	Oct. 18, 1902.	Oct. 24, 1903.	Oct. 22, 1904.	Oct. 21, 1905.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and upwards.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.				
Mean Temperature.	° 42·8	° 51·7	° 50·2	° 49·5	° 46·4	° 46·5	° 49·4	° 48·8	° 53·9	° 40·0	° 47·9	° 45·5							
ALL CAUSES.	148	142	174	250	168	150	200	164	191	143	173·0	166	19	23	11	6	34	34	5
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	1	.	52	.	.	19	.	6	.	7·8	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	2	1	1	.	.	2	.	.	.	·8	2	.	.	1	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	1	2	.	.	4	.	1	.	·9	1	.	.	.	.	.	1	.
Whooping-cough, ...	3	1	7	1	2	1	1	1	.	1	1·8	2	.	1	1	.	.	.	.
Diphtheria, ...	.	1	.	2	3	1	1	.	1	2	1·1	2	.	1	1	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Enteric Fever, ...	7	6	4	4	4	3	1	4	.	4	3·7	4	.	.	.	.	2	2	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	5	3	11	4	9	5	4 7	1 7	4 7	. 1	6·8	2 10	. 1	2 4	. 1	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	2	.	2	.	1	.	.	1	.	·7	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	1	.	.	.	.	. . .	. . .	. . 1	. . .	·2	. . .	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	1	7	10	17	7	6	. 5 . 7	. 2 . 2	3 8 . 3	. 2 . 4	8·4	4 5 . 8	. . . .	. 3 . .	1 . . .	. . . .	2 . . 2	. 1 . 4	.
Erysipelas, ...	.	.	.	.	.	1	.	.	1	.	·2	1	1	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	2	.	1	.	. .	. .	1 .	1 .	·5	. .	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	1	.	2	·3	1	.	.	.	.	1	.	.
Tuberculous Phthisis, "*Phthisis*," ...	8	12	19	26	23	20	. 18	7 12	6 19	2 16	18·8	12 9	.	.	.	2	8 4	3 3	.
Tuberculous Meningitis, ...	5	4	6	8	2	1	3	3	3	2	3·7	2	.	1	.	1	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	5	7	6	8	4	5	2 .	1 2	1 1	. .	4·2	1 .	.	1 .	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*, ...	4	2	1	5	5	5	2 1	4 .	6 .	5 .	4·0	2 .	.	.	.	1	.	1	.
Alcoholism, ...	.	.	.	1	1	.	.	1	1	.	·4	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	2	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.
Gout, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Carcinoma, ... Sarcoma, ... Cancer (undefined),	2	4	4	9	7	4	2 . 5	1 . 6	1 . 5	4 1 5	6·0	2 1 4	.	.	.	.	. 1 3	1 . 1	.
Diabetes Mellitus, ..	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.
Premature Birth, ...	1	3	2	1	4	3	1	3	9	2	2·9	11	11	.	.	.	.	.	.

* The figures for the years 1896–1900 are
† Formerly describe

SECOND WEEK ending Saturday, 20th October, 1906, with the deaths from each cause in the corresponding e average for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 42nd Week of the 10 years 1896–1905.	In the Week ending Saturday, 20th October, 1906. Deaths of Persons of the Ages of								
	Oct. 17, 1896.	Oct. 23, 1897.	Oct. 22, 1898.	Oct. 21, 1899.	Oct. 20, 1900.	Oct. 19, 1901.	Oct. 18, 1902.	Oct. 24, 1903.	Oct. 22, 1904.	Oct. 21, 1905.		ALL AGES. Mean Temp.	Under 1 month.	0 to 5: 1 month and under a year.	0 to 5: 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
ean Temperature.	° 42·8	° 51·7	° 50·2	° 49·5	° 46·4	° 46·5	° 49·4	° 48·8	° 53·9	° 40·0	° 47·9	° 45·5								
ngitis (not tuberc.) ...							3	2	1	1		1	.	.	1	.	.	.	.	.
ity, G. P. of Insane ...							1	3	4	.		.	.	.	.	.	.	.	.	.
psy							1	.	.	.		.	.	.	.	.	.	.	.	.
alsions							11	11	8	.		5	2	3	.	.	.	.	.	.
motor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
plegia Dis. of Cord ...							.	.	1	.		2	.	.	.	.	.	1	1	.
ous System (other .)	42	38	30	39	29	46	1	.	2	.	36·2	2	.	.	.	.	2	.	.	.
. Dis., Endocarditis ...							4	8	2	7		7	.	.	.	.	.	4	3	.
br. Hæm. Thromb. ...							1	.	8	5		3	.	.	.	.	.	1	2	.
lexy, Hemiplegia ...							4	2	4	2		2	.	.	.	.	.	.	1	1
rysm							.	1	1	.		.	.	.	.	.	.	.	.	.
olism, Thromb. (not ebral)							1	.	.	.		.	.	.	.	.	.	.	.	.
t and Blood Vessel Dis.							10	5	8	15		12	.	.	.	.	3	3	4	2
o (not Spasm. nor mb.)	1	3	2	.	2	1	.	.	.	.	·9	.	.	.	.	.	.	.	.	.
chitis	15	18	27	20	24	14	27	19	19	15	19·8	14	.	1	2	.	1	4	5	1
ma, Emphysema ...							.	.	.	.		.	.	.	.	.	.	.	.	.
risy	1	3	1	2	.	.	.	.	.	1	1·7	.	.	.	.	.	.	.	.	.
iratory Dis. (other) ...							3	4	.	2		1	.	1	.	.	.	.	.	.
illitis, Quinsy ...	.	.	1	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
ritis (not Epid.) ...							3	1	1	2		1	.	.	1	.	.	.	.	.
o Enteritis	1	.	1	2	.	.	3	2	2	.	1·8	2	.	1	1	.	.	.	.	.
onitis (not Puerp.) ...	1	.	1	.	1	.	1	2	.	.	·6	.	.	.	.	.	.	.	.	.
osis of Liver ...							1	.	1	2		1	.	.	.	.	.	.	1	.
r Dis. (other) ...	1	1	3	3	7	.	.	1	4	1	2·5	.	.	.	.	.	.	.	.	.
stive Dis. (other) ...	4	2	3	6	4	7	5	6	9	8	5·4	5	.	2	.	.	1	.	2	.
ritis, Acute ...							1	2	3	1		1	.	.	.	.	.	.	1	.
ht's Dis., Albuminuria	5	4	3	3	4	5	2	4	1	1	4·5	2	.	.	.	.	.	2	.	.
ary Sys. (Other Dis.)							1	3	.	2		2	.	.	.	.	.	.	2	.
rative Organs Dis. ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
lbirth (Accid. of) ...	.	.	.	1	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Age	5	8	5	10	12	11	6	7	1	3	6·8	1	.	.	.	.	.	.	.	1
r Diseases	17	4	18	13	9	6	19	12	17	9	12·4	12	4	2	1	.	2	2	1	.
ACCIDENT.																				
ailways	1	.	.	.	2	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
hicles and Horses ...	1	.	1	.	.	.	.	2	.	.	·4	.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exsive of Drowning) ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
uilding Operations ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
onflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions	3	1	1	.	.	2	.	1	.	.	·8	1	.	.	.	.	.	.	1	.
rowning	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
uffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous pours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
r Deaths by Accidents	2	2	3	5	.	2	4	4	2	6	3·0	3	.	.	.	1	2	.	.	.
LENCE OTHER THAN ACCIDENTAL.																				
icide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ide	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

gistration Area as then constituted.
le Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																								
	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.
No. of weeks in Annual Series.	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered,	199	250	285	202	195	223	167	250	210	238	189	230	199	223	235	186	226	230	180	268	209	225	321	146	186	240
*Average Births in corresponding week of previous 10 years,**	204	244	227	209	191	217	229	193	221	229	202	193	199	207	202	208	217	195	215	203	212	195	233	188	184	201
DEATHS registered,	174	191	165	169	178	154	142	126	149	125	130	140	156	149	125	180	151	167	166	184	220	201	184	198	175	166
Annual Death-rate per 1,000,	23·9	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7	25·3	27·2	24·1	22·8
*Average Deaths in corresponding week of previous 10 years,**	183	183	174	171	166	157	155	150	146	140	145	146	151	153	166	169	163	170	164	169	160	173	164	157	168	173
AGES, Under 5 years,	37	30	36	41	42	47	38	12	37	17	35	35	38	43	40	50	48	63	59	83	98	85	76	71	50	53
5—20 ,,	12	16	10	15	13	11	11	13	13	16	14	10	17	11	8	6	9	10	12	8	9	13	8	9	7	6
20—40 ,,	32	39	23	28	29	27	20	22	30	36	21	24	25	27	20	19	22	27	20	27	24	26	25	22	27	34
40—60 ,,	42	47	39	44	37	30	42	36	34	28	32	37	28	35	20	28	27	32	40	33	39	30	29	38	41	34
60—80 ,,	40	55	51	30	41	34	28	37	31	22	21	32	43	27	32	24	43	28	29	28	41	39	37	51	45	34
80 years and upwards,	11	4	6	11	11	5	3	6	4	6	7	2	5	6	5	3	2	7	6	5	9	8	9	7	5	5
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	1	.	.	2	.	.	.	.	.	1	2	2	.	2	1	.	.	.	.	1	.	.	1	.
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	2
Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Whooping-cough,	2	1	1	.	3	3	1	2	2	1	4	6	3	2	2	3	1	.	.	1	1	1	5	1	2	2
Diphtheria,	2	.	.	2	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	1	2
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	3	.	.	.	.	1	.	2	.	1	1	.	1	1	.	.	2	2	.	2	1	.	4	4
Diarrhœal Diseases,	4	.	3	1	3	2	1	4	.	2	.	3	3	10	11	10	29	27	28	49	40	34	31	31	12	12
Pneumonia,	17	21	18	13	13	10	6	6	13	4	4	9	12	13	4	5	4	8	5	4	9	7	12	10	16	17
Tuberculous Disease. Phthisis,	22	36	18	16	22	20	17	17	29	21	26	21	23	19	21	18	21	21	18	21	20	26	19	23	16	21
Tuberculous Disease. Other Forms,	10	15	10	16	7	8	13	12	11	9	11	7	11	13	4	7	9	8	9	9	11	12	14	8	7	5
Cancer, Malignant Disease,	10	6	5	15	8	10	6	8	6	12	7	4	14	9	8	4	12	11	10	7	11	6	6	13	9	7
Diseases of Heart and Blood Vessels,	27	22	22	28	30	15	29	26	21	14	15	26	27	19	19	17	20	12	22	21	28	25	18	24	25	24
Diseases of Respiratory System,	23	36	21	15	26	15	10	11	17	5	21	10	11	13	14	10	11	10	4	8	16	10	14	23	20	15
Violent Deaths,	2	3	1	4	5	2	3	3	4	3	4	2	3	4	2	3	2	8	7	5	2	5	5	4	6	4
Number of Uncertified Deaths,	5	5	3	7	7	11	3	3	9	4	3	2	5	4	3	5	1	2	1	1	7	9	4	4	7	5
Mean Temperature of the Air (Phœnix Park),	41·9	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9	50·4	53·3	52·5	45·5
Average Mean Temperature in corresponding week of previous 10 years	48·5	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·9‡	52·5	51·0	48·8	47·9
Rainfall in inches,	·810	·650	·455	·640	·810	·450	·005	·280	·790	·450	·390	235	·885	·220	·452	·320	·415	·695	·000	285	·280	·000	·000	·800	1·125	·210
Mean Humidity of the Air, complete Saturation, 1·0	·88	·85	·83	·83	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·83	·79	·86	·86	·84	·82	·90	·87	·92	·87	·85

* See note (*) at foot of Table IV.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th October, 1906; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH OCTOBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	23·1	166	53	6	34	64	34	5	.	.	2	.	2	2	.	4	12	22	17	21	5	7	5	15	4	70	5
	CLASSES. **Deaths in Families of the—**																												
I	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	15·0	5	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	.
II.	MIDDLE CLASS,	87,188	20·9	35	7	3	12	5	8	.	.	.	.	.	.	.	.	2	2	4	4	3	2	2	1	2	1	16	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,428	16·5	35	12	2	7	11	2	1	.	.	1	.	.	.	.	1	1	3	6	7	1	1	.	4	.	13	1
IV.	GENERAL SERVICE CLASS,	154,279	29·6	66	33	1	12	8	9	3	.	.	1	.	2	2	.	1	5	11	6	4	1	4	4	5	3	28	2
V.	INMATES OF WORKHOUSES,	6,024		25	.	.	3	8	13	1	.	.	.	.	.	.	.	.	4	4	1	6	1	.	.	4	.	9	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	MIDDLE CLASS.																												
II	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	18·9	8	4	.	2	2	.	.	.	.	.	.	.	.	.	1	1	2	1	1	.	1	.	1	.	2	.
	6. Clerks and Commercial Assistants,	30,432	22·3	13	3	.	6	2	2	.	.	.	.	.	.	.	.	.	1	1	1	1	.	1	1	.	.	8	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	23·2	12	.	3	3	.	6	.	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	1	1	5	1
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	9. Building and Furnishing Trades,	29,801	12·2	7	4	.	2	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	1	.	.	.	3	.
	10. Clothing Trades,	23,260	15·7	7	1	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.	.	2	.
	11. Food Supply Trades,	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	27·5	16	6	1	.	7	2	.	.	.	1	.	.	.	.	.	.	1	4	1	1	.	.	4	.	5	1
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	1	.	.	1	1	2	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	1	.	2	.
	15. Domestic Servants,	36,603	5·7	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	36·2	10	6	.	4	.	.	.	.	.	.	.	1	.	.	.	1	2	.	1	1	2	1	.	.	3	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	27·3	47	24	1	8	6	7	1	.	.	1	.	.	2	.	1	4	8	3	3	.	2	2	4	3	22	1
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	25	.	.	3	8	13	1	.	.	.	.	.	.	.	.	4	4	1	6	1	.	.	4	.	9	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* the similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Tubercular Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (part of).																				
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,832.	Sept. 1,	22·1	3·7	12	.	.	.	.	.	.	.	.	2	.	.	2	.	.	1	.
	„ 8,	23·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	2	1	1	1	.
	„ 15,	23·9	1·8	13	.	.	.	.	.	.	.	.	1	.	5	.	.	.	.	.
	„ 22,	22·1	9·2	12	.	.	.	.	.	.	.	.	5	.	2	.	1	.	1	.
	„ 29,	25·8	5·5	14	.	.	.	.	.	.	.	.	3	1	3	.	.	1	1	.
	Oct. 6,	23·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	.	.	1	1	1
	„ 13,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1
	„ 20,	36·8	.	20	.	.	.	.	.	.	.	.	.	3	2	.	.	3	.	2
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 89,146.	Sept. 1,	20·0	15·3	15	.	.	.	.	.	.	.	.	4	.	3	.	1	.	.	.
	„ 8,	25·3	10·7	19	.	.	.	.	.	.	.	.	8	.	2	1	.	1	.	.
	„ 15,	33·3	10·7	25	.	.	.	1	.	.	.	.	7	2	1	3	1	1	.	3
	„ 22,	36·0	10·7	27	.	1	.	.	.	.	.	.	7	4	3	.	1	2	.	.
	„ 29,	25·3	8·0	19	.	.	.	.	2	.	.	.	4	.	2	1	.	1	.	1
	Oct. 6,	29·3	4·0	22	.	.	.	.	.	.	.	.	3	2	2	1	1	5	1	.
	„ 13,	24·0	2·7	18	.	.	.	.	.	.	.	1	1	3	2	.	.	2	1	.
	„ 20,	18·6	1·3	14	.	.	.	.	.	1	.	.	.	.	4	2	2	1	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 80,107.	Sept. 1,	34·6	1·7	20	.	.	.	.	.	.	.	.	1	1	2	1	2	1	1	.
	„ 8,	29·4	8·7	17	.	.	.	.	.	.	.	.	5	.	3	3	1	.	.	.
	„ 15,	34·6	5·2	20	.	.	.	.	.	.	.	.	3	1	1	1	1	2	1	1
	„ 22,	41·6	13·9	24	.	.	.	.	.	.	.	1	7	.	1	.	1	1	.	2
	„ 29,	36·4	5·2	21	.	.	.	.	1	.	.	.	2	.	4	2	1	1	2	.
	Oct. 6,	31·2	6·9	18	.	.	.	.	1	.	.	.	3	1	4	.	.	3	.	.
	„ 13,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	2	2	.	3	.	.
	„ 20,	20·8	6·9	12	.	.	1	.	.	1	.	.	2	1	1	1	.	1	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 81,678.	Sept. 1,	29·6	13·2	18	.	.	.	.	.	.	.	1	7	1	1	.	1	.	.	.
	„ 8,	29·6	11·5	18	.	.	.	.	.	.	.	.	7	.	3	1	.	.	.	1
	„ 15,	37·9	4·9	23	.	.	.	.	.	.	.	.	3	3	2	2	.	3	.	.
	„ 22,	29·6	9·9	18	.	.	.	.	.	.	.	1	5	.	4	.	.	1	.	2
	„ 29,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	1
	Oct. 6,	29·6	8·2	18	.	.	.	.	.	.	.	.	5	1	1	1	.	4	.	1
	„ 13,	29·6	3·3	18	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.	1
	„ 20,	14·8	1·6	9	.	.	.	.	.	.	.	.	1	2	.	.	.	2	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	Sept. 1,	34·0	5·4	25	.	.	.	.	.	.	.	.	4	.	4	.	.	.	2	.
	„ 8,	25·8	6·8	19	.	.	.	.	.	.	.	2	3	.	1	1	.	3	1	.
	„ 15,	38·0	4·1	28	.	.	1	.	.	.	.	.	2	.	1	.	2	3	1	2
	„ 22,	17·7	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	.
	„ 29,	29·9	6·8	22	.	.	.	.	2	.	.	1	2	2	2	1	.	.	.	.
	Oct. 6,	23·1	2·7	17	.	.	.	.	.	.	.	.	2	.	2	1	2	3	.	.
	„ 13,	29·9	8·2	22	.	1	.	.	1	1	.	.	3	2	1	.	2	3	.	.
	„ 20,	29·9	5·4	22	.	.	1	.	.	.	.	.	3	.	2	.	2	3	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Sept. 1,	28·5	5·7	10	.	.	.	.	.	.	.	.	2	1	2	.	1	.	.	.
	„ 8,	22·8	5·7	8	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.
	„ 15,	34·2	11·4	12	.	.	.	.	.	.	.	.	4	1	1	.	1	1	.	.
	„ 22,	51·3	5·7	18	.	.	.	.	.	.	.	.	2	.	3	1	.	2	1	.
	„ 29,	22·8	2·9	8	.	.	.	.	.	.	.	.	1	.	2	2	.	1	.	.
	Oct. 6,	28·5	2·9	10	.	.	.	.	.	.	.	.	1	1	1	2	1	1	.	.
	„ 13,	28·5	2·9	10	.	.	.	.	.	.	.	1	.	.	1	.	1	1	1	.
	„ 20,	25·7	2·9	9	.	.	.	.	.	.	.	.	1	2	1	.	.	3	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Sept. 1,	21·1	5·0	17	.	.	.	.	.	.	.	.	4	1	1	1	2	1	.	1
	„ 8,	41·0	13·7	33	.	.	.	.	1	.	.	.	10	3	3	.	1	1	1	.
	„ 15,	32·3	6·2	26	.	.	.	.	.	.	.	.	5	1	3	4	1	3	.	.
	„ 22,	16·2	2·5	13	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.
	„ 29,	27·4	5·0	22	.	.	.	.	.	.	.	.	4	1	2	1	1	3	2	1
	Oct. 6,	31·1	7·5	25	.	.	.	.	.	.	.	.	6	1	2	1	3	3	1	.
	„ 13,	34·8	5·0	28	.	.	.	.	1	.	.	.	3	1	3	1	2	5	1	2
	„ 20,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	4	1	.	1	1	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,138.	Sept. 1,	13·4	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.
	„ 8,	28·7	3·0	16	.	.	.	.	.	.	.	.	2	.	.	2	1	.	2	.
	„ 15,	31·2	5·9	21	.	.	.	.	1	.	.	.	3	1	3	.	2	1	.	.
	„ 22,	25·2	3·0	17	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	3
	„ 29,	26·7	5·9	18	.	.	.	.	.	.	.	.	4	1	1	2	1	1	.	.
	Oct. 6,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	1	1	2	2	1	.	.
	„ 13,	22·3	1·5	15	.	.	.	.	.	.	.	.	1	2	1	1	.	.	3	2
	„ 20,	19·3	3·0	13	.	.	.	.	1	.	.	1	.	3	1	.	.	1	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted*; also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 88,908.	Sept. 1,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	2	1	1	.	.
	" 8,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	" 15,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	1	.	1	.	.	.
	" 22,	23·6	1·6	15	.	.	1	.	.	.	.	.	.	.	2	1	1	1	.	2
	" 29,	25·1	6·3	16	.	.	.	.	.	.	.	.	4	2	1	1	1	2	.	.
	Oct. 6,	18·8	3·1	12	.	.	.	.	.	.	.	.	2	.	2	.	1	1	.	1
	" 13,	12·6	3·1	8	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.
	" 20,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	1	3	.	1	.	.	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Sept. 1,	18·0	4·0	9	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.
	" 8,	22·0	8·0	11	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.
	" 15,	24·0	6·0	12	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
	" 22,	23·0	6·0	11	.	.	.	.	1	.	.	.	2	2	.	.	.	1	.	.
	" 29,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1
	Oct. 6,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1
	" 13,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	" 20,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Sept. 1,	20·7	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	" 8,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
	" 15,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
	" 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	4	2	.	.	.	.
	" 29,	20·7	5·9	7	.	.	.	.	.	.	.	.	2	2	.	1	.	.	.	.
	Oct. 6,	35·5	5·9	12	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.
	" 13,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
	" 20,	8·9	3·0	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Belfast. Pop. in 1906 (Est.) 376,220.	Sept. 1,	19·1	4·8	134	.	.	1	.	7	1	.	2	23	7	15	6	4	16	6	5
	" 8,	21·5	7·0	151	.	1	1	.	7	.	.	1	39	5	16	6	3	8	3	.
	" 15,	20·2	6·4	142	.	.	.	.	3	1	.	3	38	3	18	6	3	12	1	.
	" 22,	20·1	5·0	141	.	.	1	.	5	.	.	2	27	3	14	8	4	12	4	.
	" 29,	19·4	5·0	136	.	2	1	.	3	.	.	4	25	6	19	4	4	7	4	1
	Oct. 6,	20·5	3·4	144	.	1	1	.	2	1	.	.	19	6	20	9	2	15	4	3
	" 13,	15·5	1·7	109	.	.	.	1	1	.	.	2	8	10	17	4	2	11	1	3
	" 20,	17·4	2·3	122	.	.	.	.	2	1	.	.	13	10	15	5	5	11	5	.
Cork. Pop. (in 1901) 76,122.	Sept. 1,	16·4	2·1	24	.	.	.	.	.	.	.	.	3	.	3	2	.	1	1	3
	" 8,	22·6	5·5	33	.	.	.	.	1	.	.	.	7	.	3	3	3	.	.	4
	" 15,	17·8	5·5	26	.	.	.	.	1	.	.	.	7	.	6	1	.	1	.	.
	" 22,	34·2	11·0	50	.	.	.	.	.	1	.	.	15	1	4	5	.	1	.	6
	" 29,	27·4	6·2	40	.	.	.	1	1	.	.	.	7	.	6	2	4	4	1	3
	Oct. 6,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	2
	" 13,	30·1	11·0	44	.	.	.	1	.	.	.	1	14	2	3	2	1	4	.	1
	" 20,	23·3	4·1	34	.	.	.	.	.	.	.	1	5	4	3	.	3	2	1	.
Londonderry. Pop. in 1906 (Est.) 42,067.	Sept. 1,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	2
	" 8,	19·8	7·4	16	.	1	.	.	1	1	.	.	3	.	2	1	1	2	2	.
	" 15,	19·8	7·4	16	.	.	.	.	1	1	.	.	4	1	1	3	1	1	.	1
	" 22,	8·7	1·2	7	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.
	" 29,	19·8	3·7	16	.	1	.	.	.	1	.	.	1	1	3	.	.	4	.	.
	Oct. 6,	16·1	5·0	13	.	.	.	.	.	.	.	.	4	1	1	.	.	.	.	.
	" 13,	13·6	3·7	11	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
	" 20,	11·2	1·2	9	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	1
Limerick. Pop. (in 1901) 38,151.	Sept. 1,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3	.
	" 8,	20·5	2·7	15	.	.	1	.	.	.	.	.	1	.	1	.	2	.	.	.
	" 15,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	1	.	1	.
	" 22,	17·8	2·7	13	.	.	.	.	.	1	.	1	.	.	3	1	2	.	.	1
	" 29,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	Oct. 6,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	2
	" 13,	12·3	1·4	9	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1
	" 20,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Waterford. Pop. (in 1901) 26,769.	Sept. 1,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1
	" 8,	25·3	1·9	13	.	.	.	.	1	.	.	.	.	.	.	2	.	2	.	.
	" 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	" 22,	9·7	5·8	5	.	.	.	.	1	.	.	.	2	.	.	1	.	.	.	.
	" 29,	9·7	3·9	5	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.
	Oct. 6,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	" 13,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	" 20,	15·6	3·9	8	.	.	.	.	1	.	.	.	1	.	2	.	.	.	1	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th October, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-2	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyæmia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Malignant Disease: Cancer.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.			The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.																										
BELFAST URBAN No 1 DISTRICT,	14,734	10			10	4	.	.	1	2	3	.	.	.	.	.	.	.	.	3	1	.	.	.	.	1	1	2	.
Do. 2 ,, .	47,959	25			15	4	1	5	1	2	2	.	.	.	.	1	.	.	.	1	1	.	.	.	3	.	1	1	.
Do. 3 ,, .	47,214	21			14	4	1	1	3	2	3	.	.	.	.	1	.	.	.	2	2	3	1	1	2	.	.	2	.
Do. 4 ,, .	40,911	33			22	6	4	3	1	6	2	.	.	.	.	.	.	.	.	1	1	3	1	.	2	1	1	9	.
Do. 5 ,, .	17,387	5			5	.	1	1	1	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
Do 6 ,, .	48,122	12			10	2	1	.	.	4	3	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.	.	2	.
Do 7 ,, .	1,524	4			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 ,, .	5,060	1			2	.	.		.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Do. 9 ,, .	19,569	14			10	5	1	.	3	1	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.	4	.
Do. 10 ,, .	23,064	12			10	2	1	1		.	2	.	.	.	.	.	.	.	.	.	2	3	.	.	1	1	1	1	.
Do. 11 ,, .	34,802	26			7	1		.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	2	1	.
Do. 12 ,, .	33,588	22			12	4	.	.	3	5	.	.	.	.	.	.	.	.	.	1	2	3	1	.	1	.	1	3	.
Do. 13 ,, .	15,006	10			4		1	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	1	1	.
Do. 14 ,, .	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	195			122	34	13	12	19	22	22	.	.	.	.	2	1	.	.	13	10	15	5	5	11	5	8	23	.
City of Cork.																													
CORK URBAN No. 1 DISTRICT. .	12,867	5	28·4	4·1	7		.		1		2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.
Do. 2 ,, . .	10,701	5	9·7	9·7	2	1	.		1		.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
Do. 3 ,, . .	9,978	7	26·1	.	5	1	1		2		1	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	2	.
Do. 4 ,, . .	8,666	10	36·1	.	6	1	2		3		.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	3	.
Do. 5 ,, . .	6,592	7	31·6	7·9	4	1	.		2		1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
Do. 6 ,, . .	10,702	2	19·5	9·7	4	.			1		1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.
Do. 7 ,, . .	16,616	5	18·8	.	6	.	1		4		1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	4	.
Total	76,122	41	23·3	4·1	34	8			14		6	.	.	.	.	.	.	.	1	5	4	3	.	3	2	1	2	12	.

without the City are omitted.

Belfast.	1906—Week ending																									
	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.
No. of weeks in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Births registered,	282	238	246	217	273	239	228	204	222	218	225	162	271	225	241	220	203	204	208	240	211	211	226	211	222	195
Deaths registered,	152	179	161	140	151	150	136	134	131	118	105	119	121	127	121	127	125	139	134	151	142	141	136	144	109	122
Annual Death-rate per 1,000 of estimated Population,	21·6	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20·1	19·4	20·5	15·5	17·4
Ages: Under 1 year,	30	29	35	35	21	33	28	21	26	24	24	27	21	21	30	29	37	43	39	59	43	49	40	39	31	34
1–5 years,	24	20	19	17	17	23	22	20	17	15	12	19	12	8	18	9	16	14	22	16	16	13	17	15	9	13
5–20 years,											11	14	10	13	9	14	17	12	5	10	10	14	15	14	8	12
20–40 years,	67	85	66	64	84	64	53	67	72	57	18	27	24	29	15	25	14	18	17	20	21	20	15	24	17	19
40–60 years,											22	15	26	26	31	22	24	29	26	30	26	20	21	28	23	22
60 years and upwards,	31	45	41	24	29	30	33	26	16	17	23	17	28	30	18	28	17	23	25	16	26	25	28	24	21	22
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	1	2	1	.	.	1	.	.	2	1	.	2	.	.	1	.	.	2	1	.	.
Scarlet Fever,	.	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	1	.	1	1	1	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	18	20	12	13	8	15	16	7	14	7	4	9	3	1	4	2	4	2	7	7	3	5	3	2	1	2
Diphtheria,	.	.	.	1	1	.	1	.	.	2	2	.	.	1	.	1	1	2	1	.	1	.	.	1	.	1
*Pyrexia** (origin uncertain),	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	1	.	.	2	.	.	.	.	1	1	2	3	2	1	.	2	1	3	2	4	.	2	.
Diarrhœal Diseases,	2	1	.	1	5	1	5	7	2	4	4	6	7	4	7	12	25	24	23	39	33	27		19	8	13
Pneumonia,	16	16	10	9	14	15	15	7	7	8	8	7	6	6	10	7	3	5	7	5	3	3	6	6	10	10
Tuberculous Disease: Phthisis,	19	29	21	23	33	16	21	22	30	24	12	20	21	26	22	25	13	21	15	16	18	14	19	20	17	15
Tuberculous Disease: Other Forms,	12	10	8	11	9	11	5	9	7	7	6	15	5	10	11	6	8	6	6	6	6	8	4	9	4	5
Cancer, Malignant Disease,	4	4	3	3	3	1	5	6	4	2	9	2	4	4	2	4	3	2	4	3	3	4	4	2	2	5
Diseases of Respiratory System,	27	30	27	17	16	17	15	15	14	13	7	7	9	21	11	7	12	7	16	8	12	12	7	15	11	11
Violent Deaths,	4	4	2	4	6	1	2	1	5	..	3	6	4	.	2	4	2	3	6	3	1	4	4	4	1	5
Number of Uncertified Deaths,	5	2	2	.	4	2	2	5	.	1	1	2	.	3	.	3	1	2	5	.	.	.	1	3	3	.

*Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
			Exclusive of Stillborn.									
LONDON, . .	4,721,217	Oct. 20,	2,411	1,232	13·6	.	5	9	11	13	8	78
EDINBURGH, .	341,035	„ 20,	150	84	12·9	.	.	2	2	.	.	10
GLASGOW, . .	835,625	„ 20,	445	274*a*	17·1	.	.	2	.	8	2	23
CALCUTTA, . .	910,117	Sept. 1,	.	389	23·8	.	3	.	1	.	132‡	37*
BOMBAY, .	977,822	„ 18,	393	792	42·1	.	1	.	.	.	94‡	127*
MADRAS, . .	509,346	Aug. 31,	434	527	53·7	1	2	?	?	?	99	157*
PARIS, . .	2,750,000	Oct. 6,	982	855	16·6	.	2	1	5†	5	6	38
BRUSSELS (with 8 Faubourgs).	612,401	Sept. 29,	209	167	14·2	.	1	2	1†	2	1	21
ANTWERP, . .	304,975	„ 29,	123	78	13·3	.	1	.	2†	.	.	22
AMSTERDAM, .	561,216	„ 29,	264	149	13·8	.	2	1	.	.	1	17
COPENHAGEN, .	425,000	„ 29,	203	111	13·6	.	.	.	.	.	.	15
STOCKHOLM, .	324,488	„ 22,	175	76	12·2	.	.	.	2†	.	.	5
CHRISTIANIA, .	222,373	Oct. 6,	131	62	14·5	.	.	.	2†	.	1	7
ST. PETERSBURG,	1,424,700	Sept. 29,	599	567	20·8	1	8	24	24	.	41	47
MOSCOW, . .	1,092,360	„ 1,	.	645	30·8	.	4	3	8†	6	10	194
BERLIN, .	2,068,956	„ 22,	964	611	15·4	.	1	7	7†	7	6	97
HAMBURG, .	802,793	„ 22,	.	255	16·5	.	1	.	4†	2	.	50
BRESLAU, . .	476,158	Oct. 6,	.	193	21·1	.	.	.	2†	1	.	18
MUNICH, . .	540,000	„ 6,	.	191	18·4	.	.	.	1†	2	.	44
VIENNA (with suburbs).	1,958,323	„ 6,	926	546	14·5	.	3	4	8†	2	4	45
BUDA-PESTH, .	791,748	„ 6,	420	253	16·7	.	1	.	1†	1	3	16
PRAGUE and Faubourgs.	460,849	Sept. 29,	209	153	17·3	.	1	.	2†	.	3	10
TRIESTE, . .	196,637	„ 22,	111	93	24·7	.	.	.	.	3	.	15
ROME, . . .	531,502	Aug. 25,	224	168	16·5	.	.	.	1	1	5	33
VENICE, . .	—	.	.	.	.	.	.	.	.	.	.	.
NEW YORK, .	4,152,860	Sept. 22,	2,030	1,392	17·5	.	2	2	16†	8	30	231
PHILADELPHIA, .	1,469,126	„ 15,	.	500	17·7	.	1	.	4†	11	17	59
BOSTON, . .	602,526	„ 22,	.	235	20·4	.	.	.	4	4	8	27

a. Including one death from cerebro spinal meningitis.
* Including 6 deaths from cholera in Calcutta, 27 in Bombay, and 53 in Madras.
† Including deaths from croup.
‡ Exclusive of 7 deaths from plague in Calcutta, and 35 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th October, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	1	.	.	5	1	.	.	.	7
" " 1, West,	.	1	1	.	2	.	.	4	1	.	.	.	9
" " 2,	.	2	.	.	1	.	2	7	.	.	.	.	12
" " 3,	.	3	.	.	.	.	2	1	1	.	.	.	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	1	.	.	.	.	.	1	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	1	.	.	2	3	.	.	.	7
" " 2,	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	1	.	.	.	.	1	1	.	.	.	.	3
" " 4,	.	4*	.	.	.	.	.	1	.	.	.	.	5
New Kilmainham,	.	1	.	.	.	.	.	.	.	.	.	.	1
Total,	.	14*	1	.	5	.	5	22	7	.	.	.	54

* Including one case of "scarlatina and diphtheria."

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th October, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th October.			
	Sept. 29.	Oct. 6.	Oct. 13.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	5	5	8	4	2	1	9
Scarlet Fever,	60	72	77	16	6	1	86*
Typhus,	1	2	2	2	.	.	4
Diphtheria,	19	20	17	5	4	2	16
Enteric Fever,	64	74	69	15	11	1	72
Pneumonia,	26	28	41	9	15	1	34

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 20th October, 1906:—

"This week opened with a cold morning, but in the course of Sunday temperature rose fast as a baric depression approached the N.W. of Scotland from the Atlantic. This system brought fresh to strong or squally S.W. winds and passing showers. It was stationary, and central, off the W. coast of Norway till Thursday morning, when a remarkable change in the distribution of atmospheric pressure occurred. In the periphery of the large primary depression off the Norwegian coast a secondary area of low pressure developed over England and Wales, while the barometer continued to rise in Ireland and Scotland. The English depression travelled northwards, growing deeper and developing dangerous energy. By 8 a.m. of Friday it had become a well-marked cyclone, with its centre over the North Sea not far east of the mouth of the Tyne—the barometer reading at North Shields was 29·42 inches. North of this place strong N.E. winds or gales prevailed, and large quantities of rain or sleet fell—the Lammermuir Hills and Cheviots being deeply covered with snow. The rainfall measurement at North Shields on Friday morning was 1·77 inches, and at Nottingham it was 1·09 inches. In Ireland, calm, cold, bright weather was experienced. Early on Friday morning the thermometer fell to 27° in the screen at Birr Castle, and in the City of Dublin open grass spaces were white with hoar frost on Saturday morning. But this day changed quickly to clouds, heavy rain, and freshening S.E. to S. winds as a new depression advanced over Ireland from S.W. In Dublin the mean height of the barometer was 29·741 inches, pressure ranging from 29·991 inches at 9 a.m. of Sunday (wind, S.W.), to 29·547 inches at 9 p.m. of Saturday (wind, S.E.). The corrected mean temperature was 47·3°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 46·3°. The screened thermometers rose to 57·8° on Monday and fell to 32·9° on Saturday. W.S.W. was the dominant wind. Rain fell on 5 days to the amount of ·586 inch, ·499 inch being measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·737 inches. The highest reading (29·977) was on Sunday at 9 a.m., wind N.W., and the lowest (29·536) on Saturday at 9 p.m., wind S.E.

The mean temperature for the week was 45·5°, being 2·4° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Monday, on which day the thermometer registered 56·3°, and was lowest on Saturday, the mercury having fallen to 31·2°. The mean of the Dry Bulb for the week was 45·5°, and of the Wet Bulb 43·3°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 28·6 hours. The rainfall during the week measured 0·210 inch.

At Greenwich the mean temperature for the week was 41·2°, the maximum 62·9°, and the minimum 35·2°; at Glasgow the maximum was 56·2°, the minimum 34·5°, and the mean 45·3°; and at Edinburgh the maximum was 55·5°, the minimum 31·7°, and the mean 43·5°. The rainfall at Greenwich measured 0·21 in.; at Glasgow 1·27 ins.; and at Edinburgh 2·60 ins. The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Oct. 14,	29·910	54·8	33·4	44·1	48·8	46·8	·86	·8	0·4	·000	N.W.	S.W.
Monday, „ 15,	29·644	56·3	47·4	51·9	50·4	48·3	·86	·9	0·9	·010	S.W.	W.S.W.
Tuesday, „ 16,	29·554	55·4	46·4	50·9	49·4	46·6	·81	·7	5·0	·070	S.W.	S.W.
Wednesday, „ 17,	29·750	53·5	39·8	46·7	44·8	42·2	·81	·4	7·2	·000	S.W.	Calm.
Thursday, „ 18,	29·840	52·2	36·9	44·6	43·1	40·1	·79	·8	9·2	·000	W.	Calm.
Friday, „ 19,	29·808	39·7	34·1	36·9	34·2	33·9	·98	·5	4·7	·000	N.	Calm.
Saturday, „ 20,	29·652	55·3	31·2	43·3	47·7	45·0	·81	·8	1·2	·130	Calm.	S.E.
Mean, . . .	29·737	52·5	38·5	45·5	45·5	43·3	·85	·7	Total 28·6	Total ·210	Prevailing wind, S.W.	

Sunday—Day overcast; night cloudy. *Monday*—A cloudy day, light showers at intervals; night clear, light rain 6 to 6.30 a.m. *Tuesday*—A cloudy day, light showers at intervals; night clear. *Wednesday*—Fine bright day, light clouds; night overcast. *Thursday*—Very fine bright day, light clouds; night clear, frost. *Friday*—Fog a.m., fine bright and cloudy, cloudy p.m.; night clear, frost. *Saturday*—Bright and overcast a.m.; overcast, light rain, light shower hail p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 20th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Oct. 14,	45·3	50·2	54·9	55·6	36·1	45·9	1·0	·001
Monday, „ 15,	55·0	51·4	54·5	57·5	48·6	53·1	1·4	·020
Tuesday, „ 16,	51·2	51·6	54·1	57·0	47·7	52·4	5·7	·006
Wednesday, „ 17,	50·0	51·0	54·1	55·0	42·9	49·0	6·3	·030
Thursday, „ 18,	44·8	50·1	51·0	54·1	40·6	47·4	7·4	—
Friday, „ 19,	38·3	48·6	53·7	48·1	34·6	41·4	3·9	·008
Saturday, „ 20,	36·0	47·0	53·2	56·2	32·1	44·2	0·1	·442
Weekly Mean, .	45·8	50·0	54·1	54·8	40·4	47·6	Total 25·8	Total ·507

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—15112.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 27TH OCTOBER, 1906. [No. 43.

General Register Office, Charlemont House, Dublin, 29th October, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the last four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Oct. 6.	Week ending Oct. 13.	Week ending Oct. 20.	Week ending Oct. 27.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 6.	Week ending Oct. 13.	Week ending Oct. 20.	Week ending Oct. 27.	Average Rate for 4 weeks.
22 Town Dists.	21·1	19·1	18·4	18·4	19·3	Lisburn, . .	31·8	18·2	4·5	18·2	18·2
Armagh, . .	13·7	34·4	27·5	27·5	25·8	Londonderry, .	16·1	13·6	11·2	14·9	14·0
Ballymena, .	4·8	23·9	23·9	14·4	16·8	Lurgan, . .	13·3	22·1	22·1	17·7	18·8
Belfast, . .	20·5	15·5	17·4	17·1	17·6	Newry, . .	12·6	4·2	16·8	4·2	9·5
Clonmel, . .	15·4	20·5	15·4	5·1	14·1	Newtownards, .	17·2	11·4	11·4	11·4	12·9
Cork, . . .	15·8	30·1	23·3	15·8	21·2	Portadown,	31·0	10·3	5·2	5·2	12·9
Drogheda, . .	20·4	20·4	16·3	8·2	16·3	Queenstown .	26·4	39·6	6·6	13·2	21·4
Dublin Reg. Area,	26·0	23·7	21·7	21·6	23·2	Sligo, . .	4·8	14·4	14·4	14·4	12·0
Dundalk, . .	12·0	8·0	4·0	27·9	13·0	Tralee, . .	15·9	10·6	21·1	15·9	15·9
Galway, . .	27·2	7·8	19·4	19·4	18·5	Waterford, .	11·7	9·7	15·6	27·3	16·1
Kilkenny, . .	14·7	9·8	9·8	9·8	11·0	Wexford, . .	32·7	14·0	14·0	18·7	19·8
Limerick, . .	13·7	12·3	13·7	19·1	14·7						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in fourteen of the districts to 9·6 in Sligo, the 3 deaths from all causes in that district including one from diphtheria and one from diarrhœa. Among the 120 deaths from all causes in Belfast are one from measles, 3 from whooping-cough, one from diphtheria, 3 from enteric fever, and 5 from diarrhœal diseases. The 14 deaths in Limerick include one from diphtheria and one from diarrhœa; among the 14 deaths in Waterford is one from enteric fever; and the 3 deaths in Ballymena include one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 178—107 boys and 71 girls; and the deaths to 170—71 males and 99 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·4 in every 1,000 of the population; omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, the rate was 21·6 per 1,000. During the forty-three weeks ending with Saturday last the death-rate averaged 23·0, and was 2·2 below the mean rate for the corresponding portions of the ten years, 1896–1905.

The deaths registered (170) included 2 from measles, one from typhus, 2 from whooping-cough, 2 from enteric fever, and 8 deaths from diarrhœal diseases, 6 of the latter

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

deaths being of infants under one year of age and 2 being of children between the ages of one year and 5 years. In each of the 3 preceding weeks, deaths from measles were 0, one and 0; deaths from typhus were 0, 0, and 0; deaths from whooping-cough were one, 2, and 2; deaths from enteric fever were 0, 4, and 4; and deaths from diarrhœal diseases were 31, 12, and 12. The weekly mean of the daily readings of the earth thermometer at 4 feet was 52·6°. The deaths of 2 persons were directly attributed to influenza.

There was one death from lobar pneumonia, there were 6 deaths from broncho-pneumonia, and 6 deaths from *pneumonia* (not defined).

Of 30 deaths from all forms of tuberculous disease, 3 were from tuberculous phthisis, 14 were from *phthisis*, 3 from tuberculous meningitis, one from tuberculous peritonitis, one from *tabes mesenterica*, and 8 from other forms of the disease. In each of the 3 preceding weeks, deaths from tuberculosis were 31, 23, and 26.

There were 3 deaths from carcinoma and 7 deaths from cancer (undefined).

The deaths of 4 infants, prematurely born, were registered.

Of 10 deaths caused by diseases of the brain or nervous system, 4 were those of infants under one year of age from *convulsions*.

Diseases of the heart and blood vessels caused 26 deaths, and 17 deaths were due to bronchitis.

Of 7 deaths resulting from accidental causes, one was caused by a railway train, one by a fall from a vehicle, and one was by immersion.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under one year of age and the deaths of 4 persons aged 60 years and upwards.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 11 were under one month old) and 48 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 8 were octogenarians, and 2 (females) were stated to have been aged 93 and 96 years, respectively.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·6 per 1,000; the rate in the City was 22·7 (North City Districts, 23·5; South, 21·9), and in the Suburbs, 17·7 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·5 (2·4 in the North City Districts, and 2·6 in the South) and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000, and include one death from epidemic diarrhœa, one death from each of the broncho-pneumonia and *pneumonia* (not defined), 3 deaths from *phthisis*, one death from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. Whooping-cough, *diarrhœa*, and *pneumonia* (not defined) each caused one death, influenza caused one death; there were 2 deaths from *phthisis*, and 4 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000. Amongst the deaths are one from enteric fever, 2 from diarrhœal diseases, 3 from tuberculous disease, and 3 accidental deaths.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 23·0 per 1,000. The deaths included one from enteric fever, 2 from broncho-pneumonia, 4 from tuberculous disease, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 7·8. There was but one death for each of these districts, that for Clontarf and Howth, No. 1, part of, being from *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 25·8 per 1,000. There were 2 deaths from measles, one death from typhus, one death from *diarrhœa*, one death from tuberculous phthisis, and 3 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 34·2 per 1,000, and include one death from broncho-pneumonia and 2 deaths from *phthisis*.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 17·4 per 1,000. Whooping-cough and epidemic enteritis each caused one death; there were 2 deaths from tuberculous disease, and 3 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000. The deaths included one death from each of epidemic diarrhœa and broncho-pneumonia, 3 deaths from tuberculous disease, and 3 deaths from bronchitis.

New Kilmainham District.—There was but one death (representing an annual rate of 5·9 per 1,000), recorded for this district during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·7; Pembroke, 24·0; Blackrock, 6·0; and Kingstown, 17·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from *diarrhœa* for Pembroke. The 10 deaths from all causes for Rathmines and Rathgar include one from *pneumonia* (not defined), 2 from tuberculous disease, and one from bronchitis. The 12 deaths for Pembroke include one from lobar pneumonia, one from *pneumonia* (not defined), 5 from tuberculous disease, and one from accident. The 6 deaths from all causes for Kingstown include one from broncho-pneumonia, and 3 from diseases of the respiratory system.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 27th October, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 6,	.	—	—	14	.	.	3	.	4	24	8	.	—	—	—	—	—	53
	Oct. 13,	.	—	—	10	1	.	4	.	6	8	11	.	—	—	—	—	—	40
	Oct. 20,	.	—	—	14	1	.	5	.	5	22	7	.	—	—	—	—	—	54
	Oct. 27,	.	—	—	9	.	.	5	.	2	19	15	.	—	—	—	—	—	50
Rathmines and Rathgar Urban District.	Oct. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 13,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	Oct. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 27,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
Pembroke Urban District.	Oct. 6,	.	3	.	1	.	.	1	.	.	1	1	.	—	1	.	—	—	8
	Oct. 13,	.	.	.	.	.	.	.	.	.	1	.	.	—	1	.	—	—	2
	Oct. 20,	.	.	.	1	.	.	.	.	1	.	.	.	—	.	.	—	—	2
	Oct. 27,	.	.	.	.	.	.	.	.	1	.	.	1	—	.	.	—	—	2
Blackrock Urban District.	Oct. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 27,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	2
Kingstown Urban District.	Oct. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Oct. 13,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Oct. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 27,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
City of Belfast.	Oct. 6,	.	—	—	36	.	.	8	.	6	15	5	.	—	—	—	—	—	70
	Oct. 13,	.	—	—	48	.	.	8	.	10	12	10	.	—	—	—	—	—	88
	Oct. 20,	.	—	—	32	.	.	8	.	8	14	5	.	—	—	—	—	—	67
	Oct. 27,	.	—	—	33	.	.	4	1	9	11	9	.	—	—	—	—	—	67

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th October, 1906.

From this it appears that:—

Twenty-one cases of measles were admitted into hospital during the week, 2 were discharged, there was one death, and 27 cases remained under treatment at its close.

Eleven cases of scarlet fever were admitted to hospital, 14 were discharged, and 83* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital, there was one death, and 4 cases remained under treatment at the close of the week.

Nine cases of diphtheria were admitted to hospital; 7 were discharged, there was one death, and 17 patients remained under treatment at the close of the week.

Twelve cases of enteric fever were admitted to hospital, 10 were discharged, there was one death, and 73 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 15 cases of pneumonia were admitted to hospital, 18 were discharged, there was one death, and 30 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·4), was equal to an average annual death-rate of 14·6 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 16·3 per 1,000, the rate for Glasgow being 17·2, and for Edinburgh 16·1.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th October. From this Report it appears that of a total of 46 cases notified 18 were scarlet fever, 12 erysipelas, 10 diphtheria, one membranous croup, 3 enteric fever, and 2 puerperal fever. Among the 266 cases of infectious diseases in hospital at the close of the week were 117 cases of scarlet fever, 51 of diphtheria, 2 of membranous croup, 31 of enteric fever, 18 of measles, and 10 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 27th October 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Registration—Week ending Saturday, 27th October, 1906. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Deaths Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhoeal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 27th October, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th October, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th October, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	27·0	18·4	1·7	570	388	79	107	.	3	.	1	6	3	.	6	17	24	50	25	13	47	17	26	115	21	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	878,994	27·5	24·5	21·6	2·1	178	157	34	45	.	2	.	1	2	.	.	2	8	11	16	12	4	19	6	8	65	7	f63·3	33·9	51·2	0·71	f56·3	31·2	45·5	0·21	f54·5	36·9	52·5	1·13
City of Dublin,	293,385	37·1	27·9	22·7	2·5	157	138	30	37	.	2	.	1	2	.	.	2	7	7	14	7	4	14	5	5	57	7	g63·9 h62·4	39·2 31·0	52·7 51·8	0·70 0·61	g57·5 h57·4	32·9 27·0	47·8 46·2	0·59 0·39	g54·2 h54·8	40·0 37·0	54·0 53·0	1·02 0·94
Urban Dists. Rathmines and Rathgar.	33,203	19·4	11·0	15·7	.	7	10	.	4	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	14·0	24·0	2·0	7	12	2	2	.	.	.	.	.	.	.	.	1	2	2	3	.	.	1	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	6·0	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	14·8	17·8	.	5	6	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	3	..	63	38·5	52·9	0·54	57	32·5	48·2	0·58	64	43	54·6	1·12
Urban Districts.																																							
Belfast,	366,220	24·9	33·9	17·1	1·9	238	120	26	25	.	1	.	.	3	1	.	3	5	7	15	5	4	17	7	12	25	3	60·5	37·5	50·0	1·52	59·0	32·5	46·0	0·62	62·6	38·8	53·4	2·00
Cork,	76,122	33·6	25·8	15·8	.	37	28	3	8	.	.	.	.	.	.	.	.	.	.	5	1	.	3	.	.	9	.	60	39	52·4	0·92	60	38	49·6	0·37	61	47	54·8	0·57
Londonderry,	40,087	19·4	28·6	14·9	.	19	12	.	6	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	13·7	19·1	2·7	10	14	5	4	.	.	.	.	.	1	.	.	1	1	1	1	1	.	.	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	21·4	27·3	1·9	11	14	1	5	.	.	.	.	.	.	.	1	.	.	4	1	.	.	3	4	6	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	27·2	19·4	.	7	5	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1	59	42	50	0·93	58	30	48	0·83	63	39	54	0·59
Dundalk,	13,076	2·4	19·9	27·9	.	5	7	2	1	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	24·5	8·2	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	8·4	4·2	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60·7	37·0	49·9	1·26	56·0	31·8	45·3	0·20	64·8	36·3	51·8	1·74
Lurgan,	11,782	13·8	22·1	17·7	.	5	4	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	60·7	37·0	49·9	1·26	56·0	31·8	45·3	0·20	64·8	36·3	51·8	1·74
Lisburn,	11,461	10·1	40·9	18·2	.	9	4	1	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	.	60·7	37·0	49·9	1·26	56·0	31·8	45·3	0·20	64·8	36·3	51·8	1·74
Wexford,	11,168	23·2	18·7	18·7	.	4	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	23·9	14·4	4·8	5	8	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	33·6	14·4	9·6	7	3	.	2	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	2	62·5	29·5	48·7	2·28	55·9	24·3	43·6	0·55	61·5	35·0	53·6	0·88
Kilkenny,	10,609	11·5	39·3	9·8	.	8	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61	29	47·1	1·58	58	24	44·4	0·52	63	33	50·4	1·96
Clonmel,	10,187	7·8	.	5·1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	.	5·2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60·7	37·0	49·9	1·26	56·0	31·8	45·3	0·20	64·8	36·3	51·8	1·74
Tralee,	9,867	16·6	42·3	15·9	.	8	8	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	17·2	11·4	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	60	36	48·7	1·07	56	36	46·1	0·72	62	42	53·2	1·67
Queenstown,	7,909	14·4	33·6	13·2	6·6	6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	60	39	52·4	0·92	60	38	49·6	0·37	61	47	54·8	0·57
Armagh,	7,588	22·2	13·7	27·5	6·9	2	4	2	2	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.	2	.	60·7	37·0	49·9	1·26	56·0	31·3	45·3	0·20	64·8	36·3	51·8	1·74

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. *b* Formerly described as "Simple Continued Fever." *c* Exclusive of Pneumonia. *d* Exclusive of 18 deaths of persons (including 3 at 60 years or upwards), admitted to hospital from localities outside the Area. *e* It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 27th October, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.					URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA	Deaths in Institutions of Persons admitted from without the Registration Area.
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK AND DRUMCONDRA, No. 1 (pt. of)	FINGLAS AND GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diarrhœal Diseases,	1	1	2	.	.	.	.	1	.	1	1	.	.	1	.	.	8	.
Pneumonia,	2	1	.	2	.	.	.	.	1	.	1	.	1	2	.	1	11	2
Tuberculous Phthisis,	3	2	.	3	1	.	.	1	2	.	2	.	.	2	.	.	16	1
Tuberculous Other Forms.	.	.	3	1	.	.	.	.	.	2	1	.	2	3	.	.	12	1
Cancer, Malignant Disease,	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	4	6
Other General Diseases	1	3	1	.	.	.	.	3	1	1	1	.	1	1	.	.	13	1
Total,	9	8	7	7	1	.	.	8	5	6	6	.	4	9	.	1	71	11
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	1	3	2	.	.	.	1	.	1	1	.	.	.	.	.	10	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	3	2	3	.	.	1	4	2	2	2	.	4	2	.	.	26	.
Respiratory System,	1	4	.	.	.	.	.	3	.	3	3	.	1	.	1	3	19	.
Digestive System,	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	5	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	8	6	5	.	.	1	9	3	7	6	1	6	2	1	5	66	.
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	3	.	1	.	1	.	2	4	1	2	.	.	.	.	.	14	1
E. VIOLENT DEATHS,	1	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	6	1
Deaths from all Causes,	16	19	16	14	1	1	1	19	12	14	14	1	10	12	1	6	157	13
Annual Rate of Mortality from all causes in every 1,000 of the population	29·4	25·3	27·7	23·0	10·8	5·2	7·8	25·8	34·2	17·4	20·8	5·9	15·7	24·0	6·0	17·8	21·6	.
	23·5							21·9					17·7					
	22·7																	
Ages at Death. Under 1 year,	4	4	5	2	.	.	.	4	4	3	4	.	.	2	.	2	34	.
1 and under 5 years,	1	3	2	2	.	.	.	3	1	2	1	.	.	.	.	.	15	1
5 " 20 "	1	1	3	.	.	.	.	.	.	.	2	.	1	3	.	1	12	1
20 " 40 "	3	5	4	5	.	.	.	3	1	3	1	.	3	1	.	2	31	3
40 " 60 "	2	1	.	2	1	.	.	1	2	4	1	.	2	4	.	.	20	5
60 and upwards,	5	5	2	3	.	1	1	8	4	2	5	1	4	2	1	1	45	3
Number of Uncertified Deaths,	1	.	.	.	.	.	.	2	3	.	1	.	.	.	.	.	7	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	5	8	4	.	.	.	4	1	2	3	1	.	3	.	2	37	10
Workhouse Hospitals,	2	8	1	2	.	.	.	3	3	4	2	.	1	1	.	1	28	3

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in week of the ten years, 1896-

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 43rd Week of the 10 years 1896–1905.	In the Week ending Saturday 27th October, 1906. Deaths of Persons of the Age						
	Oct. 24, 1896.	Oct. 30, 1897.	Oct. 29, 1898.	Oct. 28, 1899.	Oct. 27, 1900.	Oct. 26, 1901.	Oct. 25, 1902.	Oct. 31, 1903.	Oct. 29, 1904.	Oct. 28, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 40·5	° 53·5	° 50·5	° 48·9	° 47·0	° 44·2	° 50·7	° 44·3	° 47·0	° 41·1	° 46·8	Mean Temp. ° 51·2						
ALL CAUSES.	190	189	177	244	141	146	223	162	156	133	176·1	170	11	23	16	13	34	25
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	.	44	.	.	20	.	4	1	6·9	2	.	1	1	.	.	.
Scarlet Fever,	9	2	1	1	2	1	2	1	2	1	2·2	.	.	.	.	.	.	.
Typhus,	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	.	1
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	3	2	5	.	3	3	1	.	1·7	2	.	.	.	1	.	1
Whooping-cough,	3	.	1	.	2	2	1	2	2	2	1·5	2	.	.	2	.	.	.
Diphtheria,	.	1	3	2	.	1	2	1	1	.	1·1	.	.	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	1	1	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.
Enteric Fever,	8	9	3	6	4	.	1	.	1	.	3·2	2	.	.	.	.	2	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	5	5	5	9	6	5	4	.	3	1	6·2	4	.	4	.	.	.	.
Diarrhœa, Dysentery,							10	4	3	2		4	.	2	2	.	.	.
Tetanus,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	3	.	1	2	1	2	.	1	1·1	1	.	1	.	.	.	.
Puerperal Septicæmia,	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	1	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.	.	.
Puerperal Fever,							.	.	.	.		.	.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	4	15	8	19	9	7	.	2	1	1	10·9	1	.	.	.	.	1	.
Pneumonia, Broncho-							14	3	3	6		6	1	3	.	.	1	1
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.	.
Pneumonia, Not defined,							8	2	4	3		6	.	.	1	.	1	2
Erysipelas,	2	1	.	1	.	.	.	1	.	.	·5	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	4	.	.	2	.	1	1	.	1	.	·9	.	.	.	.	.	.	.
Pyæmia (not Puerperal),							.	.	.	.		1	.	.	1	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.
Tuberculous Phthisis,	20	19	20	29	15	19	2	6	6	10	20·9	3	.	.	.	.	2	1
"*Phthisis*,"							15	18	19	11		14	.	.	.	1	10	2
Tuberculous Meningitis,	6	2	5	.	4	1	5	2	.	2	2·7	3	.	1	.	2	.	.
Tuberculous Peritonitis,	5	5	4	8	4	2	2	1	2	.	3·4	1	.	.	.	1	.	.
Tabes Mesenterica,							.	.	1	.		1	.	.	1	.	.	.
Tuberculous Dis. (other),	3	5	3	2	1	4	4	4	5	2	3·3	8	.	1	1	3	2	1
Scrofula,							.	.	.	.		.	.	.	.	.	.	.
Alcoholism,	1	.	2	1	.	3	.	2	1	.	1·0	1	.	.	.	.	1	.
Rheumatic Fever,	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma,	6	6	5	9	7	8	1	2	3	5	6·3	3	.	.	.	.	1	1
Sarcoma,							.	.	1	.		.	.	.	.	.	.	.
Cancer (undefined),							5	1	1	3		7	.	.	.	.	1	5
Diabetes Mellitus,	.	.	.	.	.	.	.	1	.	.	·1	2	.	.	.	.	.	1
Premature Birth,	6	7	2	2	7	2	4	6	4	3	4·3	4	4	.	.	.	.	.

* The figures for the years 1896-1900 are
† Formerly described

'HIRD WEEK ending Saturday, 27th October, 1906, with the deaths from each cause in the correspnoding average for those weeks.*

CSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 43rd Week of the 10 years 1896-1905.	In the Week ending Saturday, 27th October, 1906. Deaths of Persons of the Ages of							
	Oct. 24, 1896.	Oct. 30, 1897.	Oct. 29, 1898.	Oct. 28, 1899.	Oct. 27, 1900.	Oct. 26, 1901.	Oct. 25, 1902.	Oct. 31, 1903.	Oct. 29, 1904.	Oct. 28, 1905.		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
an Temperature.	° 40·5	° 53·5	° 50·5	° 48·9	° 47·0	° 44·2	° 50·7	° 44·3	° 47·6	° 41·1	° 46·8	Mean Temp. ° 51·2	Under 1 month.	1 month and under a year.	1 to 5.					
ritis (not tuberc.) ...							3	2	3	1		4	.	1	.	1	1	.	.
y, G. P. of Insane ...							.	3	1	.		.	.	.	.	.	.	.	.
sy							1	.	.	.		.	.	.	.	.	.	.	.
sions							13	5	5	5		4	1	3	.	.	.	.	.
otor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.
egia Dis. of Cord ...							3	2	2	.		1	.	.	1	.	.	.	.
is System (other							.	2	1	2		1	.	.	1	.	.	.	.
D	34	36	35	41	24	36					35·4								
Dis., Endocarditis ...							5	5	3	8		3	.	.	.	.	2	.	1	.
. Hæm. Thromb. ...							2	5	2	2		2	.	.	.	.	1	1	.
xy, Hemiplegia ...							7	4	7	1		4	.	.	.	.	2	2	.
ysm							.	.	.	.		.	.	.	.	.	.	.	.
ism, Thromb. (not							.	.	.	.		.	.	.	.	.	.	.	.
oral)																			
and Blood Vessel Dis.							11	12	12	8		17	.	.	.	.	3	1	10	3
(not Spasm. nor	1	.	.	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
b.)																				
hitis	15	23	22	20	17	19	23	15	10	14	17·8	17	.	3	3	.	1	1	7	2
a, Emphysema ...							.	.	.	2		.	.	.	.	.	.	.	.	.
sy	1	2	2	1	2	1	1	.	1	.	2·0	.	.	.	.	.	.	.	.	.
atory Dis. (other) ...							2	2	2	1		2	.	.	.	1	1	.	.	.
litis, Quinsy ...	1	1	1	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
tis (not Epid.) ...	2	2	2	.	.	1	1	4	2	1	2·2	1	.	.	.	.	.	.	1	.
Enteritis							3	1	2	1		.	.	.	.	.	.	.	.	.
itis (not Puerp.) ...	2	1	.	.	1	1	1	.	1	1	·8	.	.	.	.	.	.	.	.	.
sis of Liver ...							.	1	3	1	2·2	1	.	.	.	.	1	.	1	.
Dis. (other) ...	2	2	1	2	2	.	4	1	2	1		2	.	.	.	.	1	.	1	.
ive Dis. (other) ...	6	5	3	5	8	1	5	4	3	5	4·5	1	.	1	.	.	.	.	.	.
itis, Acute ...							2	.	.	1		2	.	.	.	1	.	.	.	1
's Dis., Albuminuria	5	4	4	5	4	1	1	1	2	3	4·0	1	.	.	.	.	.	.	1	.
ry Sys. (Other Dis.)							.	5	2	.		1	.	.	.	.	1	.	.	.
ative Organs Dis. ...	.	1	1	1	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
birth (Accid. of) ...	1	.	2	.	.	1	1	2	.	.	·7	1	.	.	.	.	1	.	.	.
ge	12	7	16	14	7	5	5	2	5	8	8·1	5	.	.	.	.	.	.	1	4
Diseases	18	16	13	9	4	19	19	13	10	6	12·7	13	5	2	2	.	.	.	4	.
ACCIDENT.																				
ilways	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	1	.	.	.	.
hicles and Horses ...	.	2	1	.	.	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
ps, Boats, Docks (ex-	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
ve of Drowning) ...																				
lding Operations ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
flagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rns, Scalds, Explosions	1	2	.	.	.	1	1	1	1	2	·9	.	.	.	.	.	.	.	1	.
owning	1	2	2	3	1	1	1	.	1	1	1·3	1	.	.	.	.	.	.	.	.
focation in Bed ...	1	.	.	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
pison or Poisonous	.	1	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
ours																				
Deaths by Accidents	4	2	2	2	2	.	1	3	.	2	1·8	4	.	.	.	1	2	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
ide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
e	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
ction	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

stration Area as then constituted.
Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																										
	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23	June 30.	July 7.	July 14	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25	Sept. 1.	Sept. 8	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.
No. of weeks in Annual Series.	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered,	250	285	202	195	223	167	250	210	238	189	230	199	223	235	186	226	230	180	268	209	225	321	146	186	240	178
*Average Births in corresponding week of previous 10 years.**	244	227	209	191	217	229	193	221	229	202	193	199	207	202	208	217	195	215	203	212	195	233	188	184	201	200
DEATHS registered,	191	165	169	178	154	142	126	149	125	130	140	156	149	125	130	151	167	166	184	220	201	184	198	175	166	170
Annual Death-rate per 1,000,	26·3	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7	25·3	27·2	24·1	22·8	23·4
*Average Deaths in corresponding week of previous 10 years,**	183	174	171	166	157	155	150	146	140	145	146	151	153	166	169	163	170	164	169	160	173	164	157	168	173	176
AGES,— Under 5 years,	30	36	41	42	47	38	12	37	17	35	35	38	48	40	50	48	63	59	83	98	85	76	71	50	53	50
5—20 ,,	16	10	15	13	11	11	13	13	16	14	10	17	11	8	6	9	10	12	8	9	13	8	9	7	6	13
20—40 ,,	39	23	28	29	27	20	22	30	36	21	24	25	27	20	19	22	27	20	27	24	26	25	22	27	34	34
40—60 ,,	47	39	44	37	30	42	36	34	28	32	37	28	35	20	28	27	32	40	33	39	30	29	38	41	34	25
60—80 ,,	55	51	30	41	34	28	37	31	22	21	32	43	27	32	24	43	28	19	28	41	39	37	51	45	34	38
80 years and upwards,	4	6	11	11	5	3	6	4	6	7	2	5	6	5	3	2	7	6	5	9	8	9	7	5	5	10
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	2	.	.	.	.	.	1	2	2	.	2	1	.	.	.	.	1	.	.	1	.	2
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Whooping-cough,	1	1	.	3	3	1	2	2	1	4	6	3	2	2	3	1	.	.	1	1	1	5	1	2	2	2
Diphtheria,	.	.	2	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	1	2	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	3	.	.	.	.	1	.	2	.	1	1	.	1	1	.	.	2	2	.	2	1	.	4	4	2
Diarrhœal Diseases,	.	3	1	3	2	1	4	.	2	.	3	3	10	11	10	29	27	28	49	40	34	31	31	12	12	8
Pneumonia,	21	18	13	13	10	6	6	13	4	4	9	12	13	4	5	4	8	5	4	9	7	12	10	16	17	13
Tuberculous Phthisis,	36	18	16	22	20	17	17	29	21	26	21	23	19	21	18	21	21	18	21	20	26	19	23	16	21	17
Disease. Other Forms,	15	10	16	7	8	13	12	11	9	11	7	11	13	4	7	9	8	9	9	11	12	14	8	7	5	13
Cancer, Malignant Disease,	6	5	15	8	10	6	8	6	12	7	4	14	9	8	4	12	11	10	7	11	6	6	13	9	7	10
Diseases of Heart and Blood Vessels,	22	22	28	30	15	29	26	21	14	15	26	27	19	19	17	20	12	22	21	28	25	18	24	25	24	26
Diseases of Respiratory System,	36	31	15	6	15	10	11	17	5	21	10	11	13	14	10	11	10	4	8	16	10	14	23	20	15	19
Violent Deaths,	3	1	4	5	2	3	3	4	3	4	2	3	4	2	3	2	8	7	5	2	5	5	4	6	4	7
Number of Uncertified Deaths,	5	3	7	7	11	3	3	9	4	3	2	5	4	3	5	1	2	1	1	7	9	4	4	7	5	7
Mean Temperature of the Air (Phœnix Park),	44·3	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9	50·4	53·3	52·5	45·5	51·2
Average Mean Temperature in corresponding week of previous 10 years	46·9	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·9‡	52·5	51·0	48·8	47·9	46·8
Rainfall in inches,	·650	·455	·640	·810	·450	·005	·280	·790	·450	·390	235	·885	·220	·452	·320	·415	·695	·000	285	·280	·000	·000	·800	1·125	·210	·707
Mean Humidity of the Air, complete Saturation, 1·0	·85	·83	·88	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·88	·79	·86	·86	·84	·82	·90	·87	·92	·87	·85	·88

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th October, 1906: the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	23·6	170	50	13	34	25	38	10	.	2	.	1	2	.	.	2	8	15	13	17	13	10	4	19	7	72	7
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class,	17,486	9·0	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
II.	Middle Class,	87,188	15·5	26	4	3	4	6	7	2	.	.	.	.	.	.	.	.	.	.	2	4	3	4	.	1	.	12	.
III.	Artisan Class and Petty Shopkeepers,	110,423	17·5	37	10	3	10	5	8	1	.	1	.	.	1	.	.	1	2	5	2	4	2	2	.	4	2	16	1
IV.	General Service Class,	154,279	33·8	73	34	5	11	8	12	3	.	1	.	1	1	.	.	1	6	10	7	6	5	.	4	9	5	27	6
V.	Inmates of Workhouses,	6,024		31	2	2	9	6	9	3	.	.	.	.	.	.	.	.	.	.	2	3	3	4	.	4	.	15	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	20·1	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	9·5	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	6. Clerks and Commercial Assistants,	30,482	18·8	11	1	3	2	2	3	.	.	.	.	.	.	.	.	.	.	.	.	2	3	1	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	19·3	10	2	.	2	2	2	2	.	.	.	.	.	.	.	.	.	.	1	2	.	2	.	1	.	4	.
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	1	1	.	1	2	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	3	.
	9. Building and Furnishing Trades,	29,801	12·2	7	2	.	3	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	1	1	3	.
	10. Clothing Trades,	23,260	9·0	4	1	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	1
	11. Food Supply Trades,	9,242	16·9	3	2	.	1	.	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	27·5	16	2	2	5	3	4	.	.	.	.	.	.	.	.	.	.	.	1	4	.	1	.	1	1	8	.
	13. Petty Shopkeepers,	7,894	13·2	2	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	5	.
	15. Domestic Servants,	36,603	8·5	6	2	.	2	.	1	1	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	14·5	4	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	33·1	57	28	3	7	6	11	2	.	1	.	1	1	.	.	1	5	9	5	4	4	.	4	9	3	19	5
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates,	6,024	.	31	2	2	9	6	9	3	.	.	.	.	.	.	.	.	.	.	2	3	3	4	.	4	.	15	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of).	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,332.	Sept. 8,	23·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	2	1	1	1	.
	„ 15,	28·9	1·8	13	.	.	.	.	.	.	.	.	1	.	5	.	.	.	.	.
	„ 22,	29·1	9·2	13	.	.	.	.	.	.	.	.	5	.	2	.	1	.	1	.
	„ 29,	25·8	5·5	14	.	.	.	.	.	.	.	.	3	1	3	.	.	1	1	.
	Oct. 6,	23·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	.	.	1	1	1
	„ 13,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	.	2	.	.	2	.	1
	„ 20,	36·8	.	20	.	.	.	.	.	.	.	.	.	3	2	.	.	3	.	2
	„ 27,	29·4	1·8	16	.	.	.	.	.	.	.	.	1	2	3	.	2	1	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Sept. 8,	25·3	10·7	19	.	.	.	.	.	.	.	.	8	.	2	1	.	1	.	.
	„ 15,	33·3	10·7	25	.	.	.	1	.	.	.	.	7	2	1	3	1	1	.	3
	„ 22,	36·0	10·7	27	.	1	.	.	.	.	.	.	7	4	3	.	1	2	.	.
	„ 29,	25·3	8·0	19	.	.	.	.	2	.	.	.	4	.	2	1	.	1	.	1
	Oct. 6,	29·3	4·0	22	.	.	.	.	.	.	.	.	3	2	2	1	1	5	1	.
	„ 13,	24·0	2·7	18	.	.	.	.	.	.	.	1	1	3	2	.	.	2	1	.
	„ 20,	18·6	1·3	14	.	.	.	.	.	1	.	.	.	.	4	2	2	1	.	1
	„ 27,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	2	.	.	4	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 (Est.) 80,107.	Sept. 8,	29·4	8·7	17	.	.	.	.	.	.	.	.	5	.	3	2	1	.	.	.
	„ 15,	34·6	5·2	20	.	.	.	.	.	.	.	.	3	1	1	1	2	1	1	.
	„ 22,	41·6	13·9	24	.	.	.	.	.	.	.	1	7	.	1	.	1	1	.	2
	„ 29,	36·4	5·2	21	.	.	.	.	1	.	.	.	2	.	4	2	1	1	2	.
	Oct. 6,	31·2	6·9	18	.	.	.	.	1	.	.	.	3	1	4	.	.	3	.	.
	„ 13,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	2	2	.	3	.	.
	„ 20,	20·8	6·9	12	.	.	1	.	.	1	.	.	2	1	1	1	.	1	.	.
	„ 27,	27·7	5·2	16	.	.	.	.	.	.	.	1	2	.	.	3	.	.	3	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 81,678.	Sept. 8,	29·6	11·5	18	.	.	.	.	.	.	.	.	7	.	3	1	.	.	.	1
	„ 15,	37·9	4·9	23	.	.	.	.	.	.	.	.	3	3	2	2	.	3	.	.
	„ 22,	29·6	9·9	18	.	.	.	.	.	.	.	1	5	.	4	.	.	1	.	2
	„ 29,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	1
	Oct. 6,	29·6	8·2	18	.	.	.	.	.	.	.	.	5	1	1	1	.	4	.	1
	„ 13,	29·6	3·3	18	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.	1
	„ 20,	14·8	1·6	9	.	.	.	.	.	.	.	.	1	2	.	.	.	2	1	.
	„ 27,	28·0	1·6	14	.	.	.	.	.	.	.	1	.	2	3	1	.	.	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 88,884.	Sept. 8,	25·8	6·8	19	.	.	.	.	.	.	.	2	3	.	1	1	.	3	1	.
	„ 15,	38·0	4·1	28	.	.	1	.	.	.	.	.	2	.	1	.	2	3	1	2
	„ 22,	17·7	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	.
	„ 29,	29·9	6·8	22	.	.	.	.	2	.	.	1	2	2	2	1	.	.	.	.
	Oct. 6,	23·1	2·7	17	.	.	.	.	.	.	.	.	2	.	2	1	2	3	.	.
	„ 13,	29·9	8·2	22	.	1	.	.	1	1	.	.	3	2	1	.	2	3	.	.
	„ 20,	29·9	5·4	22	.	.	1	.	.	.	.	.	3	.	2	.	2	3	.	1
	„ 27,	25·8	5·4	19	.	2	.	1	.	.	.	.	1	.	1	.	.	3	.	2
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Sept. 8,	22·8	5·7	8	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.
	„ 15,	34·2	11·4	12	.	.	.	.	.	.	.	.	4	1	1	.	1	1	.	.
	„ 22,	51·3	5·7	18	.	.	.	.	.	.	.	.	2	.	3	1	.	2	1	.
	„ 29,	22·8	2·9	8	.	.	.	.	.	.	.	.	1	.	2	2	.	1	.	.
	Oct. 6,	28·5	2·9	10	.	.	.	.	.	.	.	.	1	1	1	2	1	1	.	.
	„ 13,	28·5	2·9	10	.	.	.	.	.	.	.	1	.	.	1	.	1	1	1	.
	„ 20,	25·7	2·9	9	.	.	.	.	.	.	.	.	1	2	1	.	.	3	.	.
	„ 27,	34·2	.	12	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	3
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Sept. 8,	41·0	13·7	33	.	.	.	.	1	.	.	.	10	3	3	.	1	1	1	.
	„ 15,	32·3	6·2	26	.	.	.	.	.	.	.	.	5	1	3	4	1	3	.	.
	„ 22,	16·2	2·5	13	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.
	„ 29,	27·4	5·0	22	.	.	.	.	.	.	.	.	4	1	2	1	1	3	2	1
	Oct. 6,	31·1	7·5	25	.	.	.	.	.	.	.	.	6	1	2	1	3	3	1	.
	„ 13,	34·8	5·0	28	.	.	.	.	1	.	.	.	3	1	3	1	2	5	1	2
	„ 20,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	4	1	.	1	1	.
	„ 27,	17·4	2·5	14	.	.	.	.	1	.	.	.	1	.	.	2	1	3	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Sept. 8,	23·7	3·0	16	.	.	.	.	.	.	.	.	2	.	.	2	1	.	2	.
	„ 15,	31·2	5·9	21	.	.	.	.	1	.	.	.	3	1	3	.	2	1	.	.
	„ 22,	25·2	3·0	17	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	3
	„ 29,	26·7	5·9	18	.	.	.	.	.	.	.	.	4	1	1	2	1	1	.	.
	Oct. 6,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	1	1	2	2	1	.	.
	„ 13,	22·3	1·5	15	.	.	.	.	.	.	.	.	1	2	1	1	.	.	3	2
	„ 20,	19·3	3·0	13	.	.	.	.	1	.	.	1	.	3	1	.	.	1	.	.
	„ 27,	20·8	1·5	14	.	.	.	.	.	.	.	.	1	1	2	1	.	3	.	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,203.	Sept. 8,	9·4	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	" 15,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	1	.	1	.	.	.
	" 22,	23·6	1·6	15	.	.	1	.	.	.	.	.	.	.	2	1	1	1	.	2
	" 29,	25·1	6·3	16	.	.	.	.	.	.	.	.	4	2	1	1	1	2	.	.
	Oct 6,	18·8	3·1	12	.	.	.	.	.	.	.	.	2	.	2	.	1	1	.	1
	" 13,	12·6	3·1	8	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.
	" 20,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	1	3	.	1	.	.	1
	" 27,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Sept. 8,	22·0	8·0	11	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.
	" 15,	24·0	6·0	12	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
	" 22,	22·0	6·0	11	.	.	.	.	1	.	.	.	2	2	.	.	.	1	.	.
	" 29,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1
	Oct. 6,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1
	" 13,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	" 20,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	" 27,	24·0	2·0	12	.	.	.	.	.	.	.	.	1	2	2	3	.	.	1	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Sept. 8,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
	" 15,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
	" 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	4	2	.	.	.	.
	" 29,	20·7	5·9	7	.	.	.	.	.	.	.	.	2	2	.	1	.	.	.	.
	Oct. 6,	35·5	5·9	12	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.
	" 13,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
	" 20,	8·9	3·0	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.
Belfast. Pop. in 1906 (Est.) 386,220.	Sept. 8,	21·5	7·0	151	.	1	1	.	7	.	.	1	39	5	16	6	3	8	3	.
	" 15,	20·2	6·4	142	.	.	.	.	3	1	.	3	38	3	18	6	3	12	1	.
	" 22,	20·1	5·0	141	.	.	1	.	5	.	.	2	27	3	14	8	4	12	4	.
	" 29,	19·4	5·0	136	.	2	1	.	3	.	.	4	25	6	19	4	4	7	4	1
	Oct. 6,	20·5	3·4	144	.	1	1	.	2	1	.	.	19	6	20	9	2	15	4	3
	" 13,	15·5	1·7	109	.	.	.	1	1	.	.	2	8	10	17	4	2	11	1	3
	" 20,	17·4	2·3	122	.	.	.	.	2	1	.	.	13	10	15	5	5	11	5	.
	" 27,	17·1	1·9	120	.	1	.	.	3	1	.	3	5	7	15	5	4	17	7	3
Cork. Pop. (in 1901) 76,122.	Sept. 8,	22·6	5·5	33	.	.	.	.	1	.	.	.	7	.	3	3	3	.	.	4
	" 15,	17·8	5·5	26	.	.	.	.	1	.	.	.	7	.	6	1	.	1	.	.
	" 22,	34·2	11·0	50	.	.	.	.	.	1	.	.	15	1	4	5	.	1	.	6
	" 29,	27·4	6·2	40	.	.	.	1	1	.	.	.	7	.	6	2	4	4	1	3
	Oct. 6,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	2
	" 13,	30·1	11·0	44	.	.	.	1	.	.	.	1	14	2	3	2	1	4	.	1
	" 20,	23·3	4·1	34	.	.	.	.	.	.	.	1	5	4	3	.	3	2	1	.
	" 27,	15·8	.	23	.	.	.	.	.	.	.	.	.	.	5	1	.	3	.	.
Londonderry. Pop. in 1906 (Est.) 42,067.	Sept. 8,	19·8	7·4	16	.	1	.	.	1	1	.	.	3	.	2	1	1	2	2	.
	" 15,	19·8	7·4	16	.	.	.	.	1	1	.	.	4	1	1	3	1	1	.	1
	" 22,	8·7	1·2	7	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.
	" 29,	19·8	3·7	16	.	1	.	.	.	1	.	.	1	1	3	.	.	4	.	.
	Oct. 6,	16·1	5·0	13	.	.	.	.	.	.	.	.	4	1	1	.	.	.	.	.
	" 13,	13·6	3·7	11	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
	" 20,	11·2	1·2	9	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	1
	" 27,	14·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	.
Limerick. Pop. (in 1901) 38,151.	Sept. 8,	20·5	2·7	15	.	.	1	.	.	.	.	.	1	.	1	.	2	.	.	.
	" 15,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	1	.	1	.
	" 22,	17·8	2·7	13	.	.	.	.	.	1	.	1	.	.	3	1	2	.	.	1
	" 29,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	Oct. 6,	18·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	2
	" 13,	12·3	1·4	9	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1
	" 20,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	" 27,	19·1	2·7	14	.	.	.	.	.	1	.	.	1	1	1	1	1	.	.	5
Waterford. Pop. (in 1901) 26,769.	Sept. 8,	25·3	1·9	13	.	.	.	.	1	.	.	.	.	.	.	2	.	2	.	.
	" 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	" 22,	9·7	5·8	5	.	.	.	.	1	.	.	.	2	.	.	1	.	.	.	.
	" 29,	9·7	3·9	5	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.
	Oct. 6,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	" 13,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	" 20,	15·6	3·9	8	.	.	.	.	1	.	.	.	1	.	2	.	.	.	1	.
	"	27·3	1·9	14	.	.	.	.	.	.	.	1	.	.	4	1	.	.	3	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th October, 1906. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyæmia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms	Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,784	10	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		10	.	2	.	3	1	4	.	.	.	.	1	.	.	.	.	1	2	.	.	1	1	2	4	.
Do. 2 ,,	47,959	29			18	6	2	2	.	1	7	.	.	.	.	.	.	.	.	.	4	.	.	.	4	2	2	7	1
Do. 3 ,,	47,214	34			12	5	1	.	3	3	.	.	.	.	.	.	.	.	1	.	.	.	2	.	3	.	.	1	1
Do. 4 ,,	40,911	38			15	2	3	.	4	3	3	.	.	.	.	.	.	.	.	.	.	4	2	1	.	2	3	4	.
Do. 5 ,,	17,387	10			6	2	1	.	.	3	.	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	1	1	.
Do 6 ,,	48,122	28			17	1	3	2	2	7	2	.	1	.	.	1	.	.	2	1	.	1	.	1	2	.	.	3	1
Do 7 ,,	1,524	1			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
Do. 8 ,,	5,060	3			2	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.
Do. 9 ,,	19,569	13			7	1	1	1	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	1	.
Do. 10 ,,	23,064	18			6	.	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.
Do. 11 ,,	34,802	21			8	3	1	1	2	.	1	.	.	.	.	1	.	.	.	.	.	.	1	.	2	1	1	1	.
Do. 12 ,,	33,588	27			12	5	2	1	1	1	2	.	.	.	.	.	.	.	.	1	1	2	.	.	3	.	.	1	.
Do. 13 ,,	15,006	6			5	1	.	1	.	1	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.
Do. 14 ,,	240	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	238			120	26	17	9	17	26	25	.	1	.	.	3	1	.	3	5	7	15	5	4	17	7	12	25	3
City of Cork.																													
CORK URBAN No. 1 DISTRICT.	12,867	7	16·2	.	4	.	1		1		2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 ,,	10,701	5	.	.	.	.	.		.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 ,,	9,978	6	20·9	.	4	1	.		2		1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 4 ,,	8,666	3	12·0	.	2	.	.		1		1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 5 ,,	6,592	4	15·8	.	2	.	.		.		2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 ,,	10,702	3	29·2	.	6	1	1		3		1	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	2	.
Do. 7 ,,	16,616	9	15·7	.	5	1	.		3		1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	2	.
Total	76,122	37	15·8	.	23	3	2		10		8	.	.	.	.	.	.	.	.	.	.	5	1	.	3	.	.	9	.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																								
	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13	Oct. 20.	Oct. 27.
No. of weeks in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered,	288	246	217	273	289	228	204	222	218	225	162	271	225	241	220	203	204	208	240	211	211	226	211	222	195	238
DEATHS registered,	179	161	140	151	150	136	134	131	113	105	119	121	127	121	127	125	139	134	151	142	141	136	144	109	122	120
Annual Death-rate per 1,000 of estimated Population,	25·5	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20·1	19·4	20·5	15·5	17·4	17·1
AGES: Under 1 year,	29	35	35	21	33	28	21	26	24	24	17	21	21	30	29	37	43	39	59	43	49	40	39	31	34	26
1-5 years,	20	19	17	17	13	2	20	17	15	12	19	12	8	18	9	16	14	22	16	16	13	17	15	9	13	17
5-20 years,										11	14	10	13	9	14	17	12	5	10	10	14	15	14	8	12	9
20-40 years,	85	66	61	84	64	73	67	72	57	13	27	24	29	15	25	14	18	17	20	21	23	15	24	17	19	17
40-60 years,										22	15	26	26	31	22	24	29	26	30	16	20	21	28	23	22	23
60 years and upwards,	45	41	24	29	30	33	26	13	17	23	17	28	30	18	28	17	23	25	16	26	25	28	24	21	22	25
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	1	2	1	.	.	1	.	.	2	1	.	2	.	.	1	.	.	2	1	.	.	1
Scarlet Fever,	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	1	.	1	1	1	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Whooping-cough,	10	12	13	8	15	16	7	14	7	4	9	3	1	4	2	4	2	7	7	3	5	3	2	1	2	3
Diphtheria,	.	.	1	1		1	.	.	2	2	.	.	1	.	1	1	2	1	.	1	.	.	1	.	1	1
*Pyrexia** (origin uncertain),	1	.	.		1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	1	.	.	2	.	.	.	.	1	1	2	3	2	1	.	2	1	3	2	4	.	2	.	3
Diarrhœal Diseases,	1	.	1	5	1	5	7	2	4	4	6	7	4	7	12	25	24	23	39	3	27	25	19	8	13	5
Pneumonia,	16	10	9	14	15	15	7	7	8	8	7	6	6	10	7	3	5	7	5	3	3	6	6	10	10	7
Tuberculous Disease, Phthisis,	29	21	28	33	16	21	22	30	24	12	20	21	26	22	25	18	21	15	16	18	14	19	20	17	15	15
Tuberculous Disease, Other Forms,	10	8	11	9	11	5	9	7	7	6	15	5	10	11	6	8	6	6	6	6	8	4	9	4	5	5
Cancer, Malignant Disease,	4	3	3	3	1	5	6	4	2	9	2	4	4	2	4	3	2	4	3	3	4	4	2	2	5	4
Diseases of Respiratory System,	31	27	17	16	17	15	15	14	13	7	7	9	21	11	7	12	7	16	8	12	12	7	15	11	11	17
Violent Deaths,	4	2	4	6	1	2	1	5	.	3	6	4	.	2	4	2	3	6	3	1	4	4	4	1	5	7
Number of Uncertified Deaths,	2	.	.	4	2	2	5	.	1	1	2	.	3	.	3	1	2	5	.	.	.	1	3	3	.	3

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	Oct. 27,	2,474	1,209	13·4	.	9	15	16	5	11	55
EDINBURGH, .	341,035	„ 27,	150	105	16·1	.	.	.	1	.	.	8
GLASGOW, . .	835,625	„ 27,	432	275*a*	17·2	.	3	.	4	9	2	22
CALCUTTA, . .	910,117	Sept. 8,	.	383	23·4	1	2	.	.	.	110‡	51*
BOMBAY, .	977,822	„ 25,	445	729	38·8	1	.	.	.	2	86‡	109*
MADRAS, .	509,346	„ 7,	440	583	59·5	2	2	?	?	?	141	183*
PARIS, .	2,750,000	Oct. 13,	922	818	16·5	.	2	1	4†	6	8	47
BRUSSELS (with 8 Faubourgs).	612,401	„ 6,	204	156	13·2	.	2	.	.	4	1	17
ANTWERP, . .	304,975	„ 6,	149	73	12·5	.	.	.	.	.	.	13
AMSTERDAM, .	562,004	„ 6,	257	115	10·7	.	1	2	3†	.	1	13
COPENHAGEN, .	425,000	„ 6,	279	143	17·5	.	.	.	1†	3	1	24
STOCKHOLM, .	324,488	Sept. 29,	187	77	12·3	.	.	.	.	.	.	4
CHRISTIANIA, .	222,373	Oct. 13,	124	53	12·4	.	.	.	4†	.	.	4
ST. PETERSBURG,	1,424,700	„ 6,	679	569	20·8	.	4	25	29	8	31	54
MOSCOW, . .	1,092,360	Sept. 8,	.	590	28·2	.	.	8	4†	5	6	155
BERLIN,	2,069,353	„ 29,	943	584	14·7	.	3	4	12†	4	4	91
HAMBURG, .	802,793	„ 29,	.	232	15·0	.	2	.	3†	2	.	38
BRESLAU, . .	476,158	Oct. 13,	.	177	19·4	.	1	.	5†	5	1	14
MUNICH, . .	540,000	„ 13,	.	152	14·6	.	.	1	1†	1	.	23
VIENNA (with suburbs).	1,958,323	„ 13,	997	571	15·2	.	3	3	6†	.	6	40
BUDA-PESTH, .	791,748	„ 13,	415	2.7	14·9	.	2	5	4†	1	2	24
PRAGUE and Faubourgs.	460,849	„ 6,	199	137	15·5	.	1	.	.	.	1	12
TRIESTE, . .	196,637	Sept. 29,	134	89	23·6	.	.	.	1†	.	3	8
ROME, . . .	531,502	„ 1,	262	141	13·8	.	1	.	.	2	9	21
VENICE, . .	—	.	.	.	.	.	.	.	.	.	.	.
NEW YORK, .	4,152,860	Sept. 29,	2,292	1,284	16·1	.	5	3	12†	8	22	184
PHILADELPHIA,	1,469,126	„ 22,	.	422	14·9	.	.	.	7†	8	13	47
BOSTON, . .	602,526	„ 29,	.	187	16·1	.	.	.	.	1	4	19

a. Including 6 deaths from cerebro-spinal meningitis.
* Including 9 deaths from cholera in Calcutta, 21 in Bombay, and 71 in Madras.
† Including deaths from croup.
‡ Exclusive of 12 deaths from plague in Calcutta, and 41 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th October, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	2	2	.	.	.	4
" " 1, West,	.	.	.	.	.	.	.	3	.	.	.	.	3
" " 2,	.	1	.	.	1	.	2	4	.	.	.	.	8
" " 3,	.	2	.	.	.	.	.	2	6	.	.	.	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
South City No. 1,	.	2	.	.	1	.	.	3	4	.	.	.	10
" " 2,	.	1	.	.	1	.	.	.	1	.	.	.	3
" " 3,	.	1	.	.	1	.	.	.	1	.	.	.	3
" " 4,	.	1	.	.	1	.	.	1	.	.	.	.	3
New Kilmainham,	.	1	.	.	.	.	.	2	1	.	.	.	4
Total,	.	9	.	.	5	.	2	19	15	.	.	.	50

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th October, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th October.			
	Oct. 6.	Oct. 13.	Oct. 20.	No. admitted.	Dis-charged.	Died.	No. under treatment at close o week
Small-pox,	.	.	.	.	.	.	.
Measles,	5	8	9	21	2	1	27
Scarlet Fever,	72	77	86	11	14	.	83*
Typhus,	2	2	4	1	.	1	4
Diphtheria,	20	17	16	9	7	1	17
Enteric Fever,	74	69	72	12	10	1	73
Pneumonia,	28	41	34	15	18	1	30

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 27th October, 1906:—

"Weather of a southwesterly type was experienced in this week. Sunday was at first fine, bright and warm; but clouds, rain and excessive damp followed—a solar halo had been seen at 9 a.m. By 8 a.m. of Monday the barometer had receded to 29·29 inches at Valentia Island. Fresh to squally southerly winds blew over Ireland, but the atmosphere was much drier and the afternoon proved brilliant. Gradients for S.W. winds now became less steep, so that the wind, while it remained southwesterly, moderated, and the weather was warm, dry and bright. On the morning of Thursday a calm was accompanied by low temperature and fog in places—in Dublin a heavy dew fell in the morning and smoke-fog formed over the City. A bright, mild day followed, but in the afternoon cirrus cloud overspread the sky—a lunar halo being seen at 6.30 p.m. These signs ushered in a large and deep atmospheric depression, which was found off the west coasts of Ireland and Scotland on Friday morning. Southwesterly gales and heavy rains attended the disturbance as it passed northwards. Fair and calm but cold and foggy, weather was reported from the S.E. of England on Friday morning, when a fresh gale from S. was blowing at Wick, and a whole gale (force 10) from W.S.W. at Malin Head. A brief spell of fine weather followed, but on Saturday the barometer again fell as a new depression arrived off the West of Ireland from the Atlantic. In Dublin the mean height of the barometer was 29·940 inches, pressure ranging between 29·602 inches at 9 a.m. of Monday (wind, S.S.E.) and 30·391 inches at 9 a.m. of Thursday (wind, calm). The corrected mean temperature was 52·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 51·8°. On Monday the screened thermometers rose to 63·9°, on Thursday they fell to 39·2°. S.W. winds prevailed. Rain fell on 4 days to the amount of ·703 inch, of which ·358 inch was measured on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·934 inches. The highest reading (30·381) was on Thursday at 9 a.m., air calm, and the lowest (29·584) on Monday at 9 a.m., wind S.E.

The mean temperature for the week was 51·2°, being 4·4° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Monday, on which day the thermometer registered 63·3°, and was lowest on Thursday, the mercury having fallen to 33·9°. The mean of the Dry Bulb for the week was 51·1°, and of the Wet Bulb 48·4°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 31·2 hours. The rainfall during the week measured 0·707 inch.

At Greenwich the mean temperature for the week was 53·0°, the maximum 69·1°, and the minimum 32·1°; at Glasgow the maximum was 61·8°, the minimum 37·2°, and the mean 50·6°; and at Edinburgh the maximum was 60·5°, the minimum 39·8°, and the mean 49·9°. The rainfall at Greenwich measured 0·07 in.; at Glasgow 1·71 ins.; and at Edinburgh 0·79 in. The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Oct. 21,	29·697	60·3	49·9	55·1	57·3	55·8	·91	·6	0·0	·025	S.E.	E.S.E.
Monday, „ 22,	29·653	63·3	53·7	58·5	57·6	53·1	·74	·7	7·2	·022	S.E.	S.S.W.
Tuesday, „ 23,	29·862	62·8	50·4	56·6	53·3	50·3	·81	·7	5·6	·000	S.S.W.	W.S.W.
Wednesday, „ 24,	30·196	55·1	37·9	46·5	43·5	41·2	·84	·7	8·3	·000	W.S.W.	Calm.
Thursday, „ 25,	30·306	57·3	33·9	45·6	48·7	45·9	·81	·9	7·4	·000	Calm.	S.S.W.
Friday, „ 26,	29·894	55·3	43·9	49·6	49·3	46·5	·82	·8	0·0	·425	S.S.W.	W.
Saturday, „ 27,	29·933	54·6	37·9	46·3	47·9	45·8	·85	·9	2·7	·235	S.W.	S.W.
Mean, . . .	29·934	58·4	43·9	51·2	51·1	48·4	·83	·8	Total 31·2	Total ·707	Prevailing wind, S.S.W.	

Sunday—Day overcast, light showers at intervals; night cloudy. *Monday*—Fine day but cloudy, light showers at intervals; night cloudy. *Tuesday*—Fine but cloudy day; night clear. *Wednesday*—Fine bright day, light clouds; night clear. *Thursday*—Fine bright day, light clouds; night cloudy. *Friday*—Day overcast, light rain 9.30 a.m. to 5.30 p.m.; night clear. *Saturday*—Cloudy day, light showers at intervals; night cloudy, light rain 12 to 7 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 27th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Oct. 21,	58·2	48·9	53·0	59·8	54·0	56·9	0·0	·102
Monday, „ 22,	60·8	51·4	52·8	64·1	55·0	59·6	6·4	·003
Tuesday, „ 23,	58·2	52·0	52·7	63·8	52·1	58·0	6·3	—
Wednesday, „ 24,	50·4	51·8	52·6	55·5	45·0	50·3	7·2	—
Thursday, „ 25,	45·1	49·8	52·8	58·7	37·4	48·1	5·5	·004
Friday, „ 26,	54·7	50·0	52·3	56·8	45·6	51·2	0·0	·332
Saturday, „ 27,	46·2	49·2	52·3	54·8	40·2	47·5	2·2	·188
Weekly Mean, .	53·4	50·4	52·6	59·1	47·0	53·1	Total 27·6	Total ·629

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—15193.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 3RD NOVEMBER, 1906. [No. 44.

General Register Office, Charlemont House, Dublin, 5th November, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Oct. 13.	Week ending Oct. 20.	Week ending Oct. 27.	Week ending Nov. 3.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 13.	Week ending Oct. 20.	Week ending Oct. 27.	Week ending Nov. 3.	Average Rate for 4 weeks.
22 Town Dists.	19·1	18·4	18·4	20·7	19·2	Lisburn, . .	18·2	4·5	18·2	9·1	12·5
Armagh, . .	34·4	27·5	27·5	6·9	24·1	Londonderry, .	13·6	11·2	14·9	26·0	16·4
Ballymena, .	23·9	23·9	14·4	43·1	26·3	Lurgan, . .	22·1	22·1	17·7	8·9	17·7
Belfast, . .	15·5	17·4	17·1	17·4	16·9	Newry, . .	4·2	16·8	4·2	8·4	8·4
Clonmel, . .	20·5	15·4	5·1	10·3	12·8	Newtownards, .	11·4	11·4	11·4	22·9	14·3
Cork, . . .	30·1	23·3	15·8	14·4	20·9	Portadown,	10·3	5·2	5·2	36·2	14·2
Drogheda, . .	20·4	16·3	8·2	16·3	15·3	Queenstown .	39·6	6·6	13·2	6·6	16·5
Dublin Reg. Area,	23·7	21·7	21·6	27·4	23·6	Sligo, . .	14·4	14·4	14·4	4·8	12·0
Dundalk, . .	8·0	4·0	27·9	16·0	14·0	Tralee, . .	10·6	21·1	15·9	5·3	13·2
Galway, . .	7·8	19·4	19·4	15·5	15·5	Waterford, .	9·7	15·6	27·3	7·8	15·1
Kilkenny, . .	9·8	9·8	9·8	9·8	9·8	Wexford, . .	14·0	14·0	18·7	42·0	22·2
Limerick, . .	12·3	13·7	19·1	20·5	16·4						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in thirteen of the districts to 8·7 in Londonderry, the 21 deaths from all causes in that district including 7 from diarrhœal diseases. Among the 122 deaths from all causes in Belfast are 3 from whooping-cough, one from diphtheria, one from enteric fever, and 10 from diarrhœal diseases, and the 15 deaths in Limerick include one from diphtheria, 2 from enteric fever, and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 231—111 boys and 120 girls; and the deaths to 204—94 males and 110 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 28·1 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 27·4 per 1,000. During the forty-four weeks ending with Saturday last the death-rate averaged 23·1, and was 2·0 below the mean rate for the corresponding portions of the ten years, 1896–1905.

Of the 204 deaths registered there were 2 from measles, 3 from whooping-cough, one

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

(*a*) "The abnormally high death-rate was caused by the severity of the weather. Four persons died from chronic heart diseases and one from chronic diarrhœa."

from diphtheria, one from enteric fever, and 7 from diarrhœal diseases, 4 of the latter being deaths of infants under one year of age and one that of a child 2 years of age. There was one death of an infant under one year from enteritis, and there were 2 deaths from *gastro-enteritis*, one of the latter being that of an infant under one year of age and one that of a child one year of age. In the 3 preceding weeks, deaths from measles numbered one, 0, and 2; deaths from whooping-cough numbered 2, 2, and 2; deaths from diphtheria were one, 2, and 0; deaths from enteric fever were 4, 4, and 2; and deaths from diarrhœal diseases were 12, 12, and 8, respectively. Influenza caused 2 deaths.

There were 4 deaths from broncho-pneumonia and 6 deaths from *pneumonia* (not defined).

Among the 38 deaths from all forms of tuberculous disease were 13 from tuberculous phthisis, 8 from *phthisis*, 3 from tuberculous meningitis, 3 from tuberculous peritonitis, and 11 from other forms of the disease. Deaths from all forms of the disease in the 3 preceding weeks were 23, 26, and 30, respectively.

Carcinoma caused 6 deaths, sarcoma caused one death, and cancer (undefined) caused 3 deaths.

The deaths of 6 infants, prematurely born, were registered.

Diseases of the brain and nervous system caused 14 deaths, including 7 from *convulsions*, 6 of the latter being those of infants under one year of age and one that of a child 3 years of age.

There were 33 deaths from diseases of the heart and blood vessels, and 32 deaths from bronchitis.

There was only one accidental death, that of a child aged 3 years caused by burns.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 3 infants under one year old) and the death of one person aged 85 years.

Sixty-one of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 11 were under one month old), and 55 were aged 60 years and upwards, including 30 persons aged 70 and upwards, of whom 12 were octogenarians, and one (a man) was stated to have been aged 96 years.

Eighty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the N. Dublin Union Workhouse, 24 in the S. Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·4 per 1,000; the rate in the City was 29·3 (North City Districts, 24·6; South, 31·4), and in the Suburbs, 20·7 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·1 (1·7 in the North City Districts, and 2·6 in the South) and for the Suburbs, 1·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·7 per 1,000, and include one death from influenza, one death from *pneumonia* (not defined), 2 deaths from tuberculous disease, and one death from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (21) are equal to an annual rate of 28·0 per 1,000. Amongst the deaths were 2 from whooping-cough, one from diphtheria, one from enteric fever, 7 from tuberculous disease, and 3 deaths from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 31·2 per 1,000. There was one death from measles, there were 2 deaths from broncho-pneumonia, one death from *pneumonia* (undefined), 2 deaths from tuberculous disease, and one death from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (14) represent an annual rate of 23·0 per 1,000. The deaths included one from *pneumonia* (undefined), and 2 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 41·6; and Finglas and Glasnevin, part of, 0·0. The 8 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include 2 from tuberculous disease, and 2 from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (27) represent an annual rate of 36·7 per 1,000. There was one death from each of measles and whooping-cough, there were 2 deaths from diarrhœal diseases, one death from broncho-pneumonia, one death from *pneumonia* (undefined), 5 deaths from tuberculous disease, and 5 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 31·4 per 1,000. The deaths included one from broncho-pneumonia, 3 from tuberculous disease, and 5 deaths from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (32) are equal to an annual rate of 39·8 per 1,000. There were 3 deaths from diarrhœal diseases, there was one death from influenza; tuberculous disease caused 5 deaths, bronchitis 8 deaths, and one accidental death was registered.

No. 4 *South City District* (Grand Canal-street).—The deaths (23) are equivalent to an annual rate of 34·1 per 1,000. Among the deaths were one from *pneumonia* (undefined), 7 from tuberculous disease, and 2 deaths from bronchitis.

New Kilmainham District.—The only death for this district was one from *phthisis*, representing an annual rate of 5·9 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 25·1; Pembroke, 18·0; Blackrock, 11·9; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from *diarrhœa* for Rathmines and Rathgar. Of the 16 deaths from all causes for Rathmines and Rathgar one was from bronchitis. The 9 deaths from all causes for Pembroke include 2 from tuberculous disease, and one from bronchitis; the 2 deaths for Blackrock were from tuberculous disease; and among the 7 deaths from all causes for Kingstown was one from *pneumonia* (not defined).

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by the Executive Sanitary Officer for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 3rd November, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 13,	.	—	—	10	1	.	4	.	6	8	11	.	—	—	—	—	—	40
	Oct. 20,	.	—	—	14	1	.	5	.	5	22	7	.	—	—	—	—	—	54
	Oct. 27,	.	—	—	9	.	.	5	.	2	19	15	.	—	—	—	—	—	50
	Nov. 3,	.	—	—	12	.	.	19	.	7	18	10	.	—	—	—	—	—	66
Rathmines and Rathgar Urban District.	Oct. 13,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	Oct. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 27,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	Nov. 3,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	2
Pembroke Urban District.	Oct. 13,	.	.	.	.	.	.	.	.	.	1	.	.	—	1	.	—	—	2
	Oct. 20,	.	.	.	1	.	.	.	.	1	.	.	.	—	.	.	—	—	2
	Oct. 27,	.	.	.	.	.	.	.	.	1	.	.	1	—	.	.	—	—	2
	Nov. 3,	.	.	.	.	.	.	.	.	1	.	.	.	—	.	.	—	—	1
Blackrock Urban District.	Oct. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 27,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	2
	Nov. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Oct. 13,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Oct. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 27,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Nov. 3,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
City of Belfast.	Oct. 13,	.	—	—	48	.	.	8	.	10	12	10	.	—	—	—	—	—	88
	Oct. 20,	.	—	—	32	.	.	8	.	8	14	5	.	—	—	—	—	—	67
	Oct. 27,	.	—	—	33	.	.	4	1	9	11	9	.	—	—	—	—	—	67
	Nov. 3,	.	—	—	33	.	.	14	.	3	2	3	2	—	—	—	—	—	57

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd November, 1906.

From this it appears that:—

Thirteen cases of measles were admitted into hospital during the week, 5 were discharged, there were 3 deaths, and 32 cases remained under treatment at its close.

Eighteen cases of scarlet fever were admitted to hospital, 15 were discharged, and 86* cases remained under treatment at the close of the week.

Two cases of typhus were discharged from hospital during the week, and 2 cases remained under treatment at the close of the week.

One case of diphtheria was admitted to hospital, one was discharged, there was one death, and 16 patients remained under treatment at the close of the week.

Ten cases of enteric fever were admitted to hospital, 10 were discharged, and 73 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, 11 were discharged, and 32 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·0), was equal to an average annual death-rate of 14·6 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 16·0 per 1,000, the rate for Glasgow being 16·2, and for Edinburgh 14·4.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd November. From this Report it appears that of a total of 28 cases notified 12 were diphtheria, 10 scarlet fever, and 6 erysipelas. Among the 257 cases of infectious diseases in hospital at the close of the week were 102 cases of scarlet fever, 56 of diphtheria, one of membranous croup, 30 of enteric fever, 23 of measles, 11 of erysipelas, and of whooping cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 3rd November, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.[a]	Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths: From all Causes.	Deaths: From Diseases in cols. 10-18.	Registration—Week ending Saturday, 3rd November, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.[c]	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology.[e] Week ending 3rd November, 1906. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th October, 1906. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th October, 1906. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	29·6	20·7	2·1	626	437	94	112	.	2	.	.	6	3	.	4	30	27	49	30	16	56	2	8	129	19	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	378,994	27·5	31·8	27·4	1·9	231	199	33	53	.	2	.	.	3	1	.	1	7	10	21	17	9	32	1	4	77	6	f52·8	31·5	40·6	0·55	f63·3	33·9	51·2	0·71	f56·3	31·2	45·5	0·21
City of Dublin,	298,385	37·1	36·8	29·3	2·1	207	165	29	38	.	2	.	.	3	1	.	1	5	9	20	14	6	29	1	4	63	5	g54·0 h52·9	33·3 31·0	42·4 40·7	0·43 0·47	g63·9 h62·4	39·2 31·0	52·7 51·8	0·70 0·61	g57·8 h57·4	32·9 27·0	47·3 46·2	0·59 0·39
Urban Dists. Rathmines and Rathgar.	33,203	19·4	12·6	25·1	3·1	8	16	2	9	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	18·0	18·0	.	9	9	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	11·9	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	14·8	20·7	.	5	7	.	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	1	52	33·5	43·5	0·31	63	38·5	52·9	0·54	57	32·5	48·2	0·58
Urban Districts.																																							
Belfast,	366,220	24·9	27·6	17·4	2·1	194	132	36	24	.	.	.	.	3	1	.	1	10	13	13	7	3	15	1	2	16	3	53·0	30·0	44·4	0·73	60·5	37·5	50·0	1·52	59·0	32·5	46·0	0·62
Cork,	76,122	33·6	28·3	14·4	0·7	34	21	3	6	.	.	.	.	.	.	.	.	1	1	2	8	.	2	.	1	6	2	54	36	44·8	0·75	60	39	52·4	0·92	60	38	49·6	0·37
Londonderry,	42,067	19·4	29·7	26·0	8·7	24	21	10	3	.	.	.	.	.	.	.	.	7	.	3	1	1	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	64·2	20·5	5·5	47	15	3	5	.	.	.	.	.	1	.	2	1	1	1	.	2	.	.	.	8	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	23·4	7·8	1·9	12	4	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	27·2	15·5	.	7	4	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	4	.	53	31	44·3	1·49	59	42	50	0·93	58	30	48	0·83
Dundalk,	18,076	3·4	39·9	16·0	.	10	4	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	32·7	16·3	.	8	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	12·6	8·4	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	52·8	31·2	42·1	0·95	60·7	37·0	49·9	1·26	56·0	31·3	45·3	0·20
Lurgan,	11,782	13·8	8·9	8·9	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	52·3	31·2	42·1	0·95	60·7	37·0	49·9	1·26	56·0	31·3	45·3	0·20
Lisburn,	11,461	10·1	27·3	9·1	4·5	6	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	52·3	31·2	42·1	0·95	60·7	37·0	49·9	1·26	56·0	31·3	45·3	0·20
Wexford,	11,168	23·2	28·3	42·0	4·7	5	9	1	3	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	28·7	43·1	4·8	6	9	2	3	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	19·2	4·8	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	58·8	29·0	41·5	0·61	62·5	29·5	48·7	2·28	55·9	24·3	43·6	0·55
Kilkenny,	10,609	11·5	14·7	9·8	.	3	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	50	26	39·1	0·61	61	29	47·1	1·58	58	24	44·4	0·52
Clonmel,	10,167	7·8	41·0	10·8	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	25·8	36·2	.	5	7	1	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	1	52·3	31·2	42·1	0·95	60·7	37·0	49·9	1·26	56·0	31·3	45·3	0·20
Tralee,	9,867	16·6	26·4	5·3	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	34·3	22·9	.	6	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52	30	44·3	0·65	60	36	48·7	1·07	56	36	46·1	0·72
Queenstown,	7,909	14·4	19·8	6·6	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	54	36	44·8	0·75	60	39	52·4	0·92	60	38	49·6	0·37
Armagh,	7,588	22·2	20·6	6·9	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	52·3	31·2	42·1	0·95	60·7	37·0	49·9	1·26	56·0	31·3	45·3	0·20

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. *b* Formerly described as "Simple Continued Fever." *c* Exclusive of Pneumonia. *d* Exclusive of 5 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area. *e* It having been found impracticable to obtain Meteorological [illegible] Queenstown. *f* Observations at Ordnance Survey Office, Phœnix Park. *g* Observations by Sir John Moore taken at Fitzwilliam Square. *h* Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 3rd November, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	GOOLOCK and DRUMGONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	2	.	3	.	.	2	.	.	.	7	.
Pneumonia,	1	.	3	1	.	.	.	2	1	.	1	.	.	.	.	1	10	.
Tuberculous Disease. Phthisis,	.	4	1	.	.	2	.	4	.	4	4	1	.	.	1	.	21	.
Tuberculous Disease. Other Forms.	2	3	1	.	.	.	.	1	3	1	3	.	.	2	1	.	17	.
Cancer, Malignant Disease,	.	.	1	2	.	.	.	1	.	2	.	.	2	.	.	1	9	1
Other General Diseases	1	1	.	4	1	.	.	2	.	3	3	.	1	.	.	.	16	.
Total,	4	12	7	7	1	2	.	14	4	13	11	1	5	2	2	2	87	1
B. LOCAL DISEASES:																		
Diseases of Nervous System	1	2	3	2	.	1	.	.	.	2	.	.	2	.	.	.	13	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	1	3	5	1	.	1	.	3	1	6	4	.	4	1	.	3	33	.
Diseases of Respiratory System,	1	3	1	2	.	2	.	5	5	8	2	.	1	2	.	.	32	1
Diseases of Digestive System,	.	1	1	.	1	1	.	1	.	.	4	.	2	1	.	.	12	2
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	1	1	.	.	.	2	.	.	1	.	1	1	.	.	7	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Total,	3	9	11	6	1	6	.	12	6	16	11	.	10	5	.	3	99	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	.	.	1	.	.	.	1	1	2	1	.	1	2	.	2	12	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Deaths from all Causes,	8	21	18	14	2	8	.	27	11	32	23	1	16	9	2	7	199	5
Annual Rate of Mortality from all causes in every 1,000 of the population.	14·7	28·0	31·2	28·0	21·7	41·6	.	36·7	31·4	39·8	34·1	5·9	25·1	18·0	11·9	20·7	27·4	.
	24·6							34·4					20·7					
	29·3																	
Ages at Death. Under 1 year,	.	4	5	3	2	.	.	3	3	7	2	.	2	1	1	.	33	.
1 and under 5 years,	.	4	3	2	.	.	.	6	4	5	4	.	.	.	.	.	28	.
5 " 20 "	1	2	.	1	.	1	.	1	.	1	4	.	.	3	.	.	14	1
20 " 40 "	3	1	2	2	.	3	.	6	2	2	4	1	1	1	1	.	29	1
40 " 60 "	3	7	5	3	.	1	.	5	.	7	2	.	4	2	.	3	42	1
60 and upwards,	1	3	3	3	.	3	.	6	2	10	7	.	9	2	.	4	53	2
Number of Uncertified Deaths,	.	.	1	1	1	.	.	.	.	2	.	.	.	.	.	1	6	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	3	2	.	1	.	3	.	7	2	1	4	3	.	.	31	4
Workhouse Hospitals,	1	6	6	4	.	2	.	7	3	7	3	.	4	1	.	2	46	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered, th week of the ten years, 189 190

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 44th Week of the 10 years 1896-1905.	In the Week ending Saturday, 3rd November, 1906. Deaths of Persons of the Ag						of
	Oct. 31, 1896.	Nov. 6, 1897.	Nov. 5, 1898.	Nov. 4, 1899.	Nov. 3, 1900.	Nov. 2, 1901.	Nov. 1, 1902.	Nov. 7, 1903.	Nov. 5, 1904.	Nov. 4, 1905.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	0 to 5. 1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and upwards.
Mean Temperature.	° 38·3	° 48·5	° 48·4	° 50·0	° 50·8	° 51·0	° 50·1	° 43·9	° 49·0	° 42·7	° 47·3	° 40·6							
ALL CAUSES.	159	144	166	216	152	168	183	166	162	195	171·1	204	11	22	28	15	40	12	
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	.	1	38	1	.	16	.	6	.	6·2	2	.	1	1	.	.	.	.
Scarlet Fever, ...	3	.	2	.	1	1	3	.	1	.	1·1	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	1	1	1	.	1	2	1	1	1·0	2	.	.	.	.	2	.	.
Whooping-cough, ...	2	1	3	2	3	4	1	.	1	.	1·7	3	.	1	2	.	.	.	.
Diphtheria, ...	.	2	3	3	.	1	1	.	1	.	1·1	1	.	.	1	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.
Enteric Fever, ...	3	8	3	2	3	5	2	1	.	2	2·9	1	.	.	.	1	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	1	1	6	6	5	9	.	.	2	2	4·1	2	.	1	.	.	1	.	.
Diarrhœa, Dysentery,							3	1	3	2		5	1	2	1	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	2	.	1	1	1	.	.	1	·7	1	.	.	1	.	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	11	16	8	16	7	8	.	.	1	3	11·9	.	.	.	.	.	.	.	.
Pneumonia, Broncho-							5	2	9	6		4	.	2	2	.	.	.	.
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.	.	.
Pneumonia, Not defined,							7	9	2	9		6	.	.	2	.	1	2	.
Erysipelas, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	.	1	.	.	1	.	1	.	·3	1	.	.	.	.	1	.	.
							.	.	.	.		.	.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Tuberculous Phthisis, "*Phthisis*," ...	19	23	24	15	16	11	1	5	8	7	19·9	13	.	.	.	1	8	3	.
							2	21	12	17		8	.	.	.	1	3	2	.
Tuberculous Meningitis, ...	3	6	5	7	3	1	4	1	3	4	3·7	3	.	.	2	1	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	4	6	3	4	4	5	.	2	.	.	3·0	3	.	.	1	2	.	.	.
							.	.	2	.		.	.	.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*, ...	2	.	2	7	2	2	8	7	7	4	4·2	11	.	1	5	2	2	1	.
							.	.	.	1		.	.	.	.	.	.	.	.
Alcoholism, ...	1	1	.	.	3	.	1	.	2	.	·8	1	.	.	.	.	.	1	.
Rheumatic Fever, ...	1	.	.	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
Gout, ...	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.
Carcinoma, ...	2	11	4	3	10	7	1	7	2	2	6·5	6	.	.	.	.	1	3	1
Sarcoma, ...							.	.	1	1		1	.	.	.	.	.	.	1
Cancer (undefined),							6	1	3	4		3	.	.	.	.	.	1	2
Diabetes Mellitus, ..	.	.	.	.	.	.	.	1	1	1	·2	.	.	.	.	.	.	.	.
Premature Birth, ...	5	1	2	5	.	5	3	5	4	6	3·6	6	5	1	.	.	.	.	.

* The figures for the years 1896-1900 are
† Formerly described

-FOURTH WEEK ending Saturday, 3rd November, 1906, with the deaths from each cause in the corresponding e average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Oct. 31, 1896.	Nov. 6, 1897.	Nov. 5, 1898.	Nov. 4, 1899.	Nov. 3, 1900.	Nov. 2, 1901.	Nov. 1, 1902.	Nov. 7, 1903.	Nov. 5, 1904.	Nov. 4, 1905.	Averages in 44th Week of the 10 years 1896–1905.	In the Week ending Saturday, 3rd November, 1906. Deaths of Persons of the Ages of ALL AGES.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 38·3	° 48·5	° 48·4	° 50·0	° 50·8	° 51·0	° 50·1	° 43·9	° 49·0	° 42·7	° 47·3	° 40·6								
ingitis (not tuberc.) ...							6	5	4	2		1	.	.	.	1	.	.	.	.
nity, G. P. of Insane ...							1	2	.	1		2	.	.	.	.	.	1	1	.
epsy							2	1	1	1		1	.	.	.	.	.	.	1	.
ulsions							8	10	4	5		7	2	4	1	.	.	.	.	.
omotor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
aplegia Dis. of Cord ...							1	2	2	2		1	.	.	.	.	.	.	.	1
vous System (other s.)	36	27	33	31	26	41	2	.	1	1	35·1	2	.	.	.	1	.	.	.	1
v. Dis., Endocarditis ...							2	7	1	9		8	.	1	.	2	2	1	2	.
ebr. Hæm. Thromb. ...							1	2	5	3		4	.	.	.	.	1	3	.	.
plexy, Hemiplegia ...							2	4	6	6		3	.	.	.	.	.	2	1	.
urysm							1	.	.	1		.	.	.	.	.	.	.	.	.
bolism, Thromb. (not rebral)							.	.	.	.		.	.	.	.	.	.	.	.	.
rt and Blood Vessel Dis.							12	10	11	10		18	.	.	.	.	.	5	9	4
up (not Spasm. nor emb.)	.	4	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
nchitis	18	13	27	36	27	18	23	23	17	37	23·9	32	.	3	5	2	2	8	11	1
ema, Emphysema ...							.	.	1	2		.	.	.	.	.	.	.	.	.
arisy	1	.	.	1	2	3	.	.	.	.	1·8	.	.	.	.	.	.	.	.	.
piratory Dis. (other) ...							2	2	1	3		1	.	.	.	.	.	1	.	.
sillitis, Quinsy ...	.	.	.	.	.	3	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
eritis (not Epid.) ...							.	1	1	4		1	.	1	.	.	.	.	.	.
tro Enteritis	2	2	.	1	.	.	1	1	.	.	1·3	3	.	1	1	.	.	.	.	1
itonitis (not Puerp.) ...	3	.	.	.	.	1	.	1	.	1	·6	.	.	.	.	.	.	.	.	.
rhosis of Liver ...							.	3	1	.		2	.	.	.	.	.	.	2	.
er Dis. (other) ...	.	3	4	2	2	1	1	2	4	3	2·6	2	.	.	.	.	2	.	.	.
estive Dis. (other) ...	5	1	3	6	.	3	4	2	4	7	3·5	6	.	.	.	.	3	2	1	.
phritis, Acute ...							.	2	1	2		2	.	.	.	.	.	1	1	.
ght's Dis., Albuminuria	3	2	3	6	4	6	3	3	1	3	4·3	4	.	.	.	.	1	2	1	.
nary Sys. (Other Dis.)							.	1	1	2		1	.	.	.	.	.	.	1	.
nerative Organs Dis. ...	.	.	1	.	.	2	2	1	1	.	·7	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of) ...	2	.	.	.	.	.	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
l Age	8	5	10	6	14	8	3	5	5	2	6·6	4	.	.	.	.	.	.	1	3
ner Diseases	17	6	11	12	9	14	19	8	11	11	11·8	12	3	2	2	1	1	1	1	1
ACCIDENT.																				
Railways	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	2	1	3	2	1	2	.	1	1	.	1·3	1	.	.	1	.	.	.	.	.
Drowning	.	.	1	.	1	2	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous vapours	.	1	.	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
her Deaths by Accidents	2	1	1	1	4	1	1	.	.	2	1·3	.	.	.	.	.	.	.	.	.
IOLENCE OTHER THAN ACCIDENTAL.																				
micide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
icide	.	.	.	.	.	2	.	.	2	.	·4	.	.	.	.	.	.	.	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
nple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.
No. of weeks in Annual Series.	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered,	285	202	195	223	167	250	210	238	189	230	199	223	285	186	226	230	180	268	209	225	321	146	186	240	178	281
*Average Births in corresponding week of previous 10 years,**	227	209	191	217	229	193	221	229	202	193	199	207	202	208	217	195	215	203	212	195	233	188	184	201	200	199
DEATHS registered,	165	169	173	154	142	126	149	125	130	140	156	149	125	130	151	167	166	184	220	201	184	198	175	166	170	204
Annual Death-rate per 1,000,	22·7	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7	25·3	27·2	24·1	22·8	23·4	28·1
*Average Deaths in corresponding week of previous 10 years,**	174	171	166	157	155	150	146	140	145	146	151	153	166	169	163	170	164	169	160	173	164	157	168	173	176	171
AGES, Under 5 years,	36	41	42	47	38	12	37	17	35	35	38	48	40	50	48	63	59	83	98	85	76	71	50	53	50	61
5—20 "	10	15	13	11	11	13	13	16	14	10	17	11	8	6	9	10	12	8	9	13	8	9	7	6	13	15
20—40 "	23	28	29	27	20	22	30	36	21	24	25	27	20	19	22	27	20	27	24	26	25	22	27	34	34	30
40—60 "	39	44	37	30	42	36	34	28	32	37	28	35	20	28	27	32	40	33	39	30	29	38	41	34	25	43
60—80 "	51	30	41	34	28	37	31	22	21	32	43	27	32	24	43	28	29	28	41	39	37	51	45	34	38	42
80 years and upwards,	6	11	11	5	3	6	4	6	7	2	5	6	5	3	2	7	6	5	9	8	9	7	5	5	10	13
Deaths from :—																										
Small-pox,																										
Measles,	1			2						1	2	2		2	1					1			1		2	2
Scarlet Fever												2							1	1				2		
Typhus,										1									1						1	
Whooping-cough,	1		3	3	1	2	2	1	4	6	3	2	2	3	1			1	1	1	5	1	2	2	2	3
Diphtheria,		2					1				1			2					1				1	2		1
Pyrexia † (origin uncertain),														1	1											
Enteric Fever,	3					1		2		1	1		1	1			2	2		2	1		4	4	2	1
Diarrhœal Diseases,	3	1	3	2	1	4		2		3	3	10	11	10	29	27	28	49	40	34	31	31	12	12	8	7
Pneumonia,	18	13	13	10	6	6	18	4	4	9	12	13	4	5	4	8	5	4	9	7	12	10	16	17	13	10
Tuberculous Phthisis,	18	16	22	20	17	17	29	21	26	21	23	19	21	18	21	21	18	21	20	26	19	23	16	21	17	21
Disease. Other Forms,	10	16	7	8	13	12	11	9	11	7	11	13	4	7	9	8	9	9	11	12	14	8	7	5	13	17
Cancer, Malignant Disease,	5	15	8	10	6	8	6	12	7	4	14	9	8	4	12	11	10	7	11	6	6	13	9	7	10	10
Diseases of Heart and Blood Vessels,	22	28	30	15	29	26	21	14	15	26	27	19	19	17	20	12	22	21	28	25	18	24	25	24	26	33
Diseases of Respiratory System,	31	15	26	15	10	11	17	5	21	10	11	13	14	10	11	10	4	8	16	10	14	23	20	15	19	33
Violent Deaths,	1	4	5	2	3	3	4	3	4	2	3	4	2	3	2	8	7	5	2	5	5	4	6	4	7	1
Number of Uncertified Deaths,	3	7	7	11	3	3	9	4	3	2	5	4	3	5	1	2	1	1	7	9	4	4	7	5	7	6
Mean Temperature of the Air (Phœnix Park),	50·2	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9	50·4	53·3	52·5	45·5	51·2	40·6
Average Mean Temperature in corresponding week of previous 10 years	47·6	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·9‡	52·5	51·0	48·8	47·9	46·8	47·3
Rainfall in inches,	·455	·640	·810	·450	·005	·230	·790	·450	·390	235	·385	·220	·452	·820	·415	·695	·000	285	·280	·000	·000	·800	1·125	·210	·707	·545
Mean Humidity of the Air, complete Saturation, 1·0.	·83	·88	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·88	·79	·86	·86	·84	·82	·90	·87	·92	·87	·85	·83	·91

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd November, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 3RD NOVEMBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	28·3	204	61	15	30	43	42	13	.	2	.	.	3	1	.	1	7	14	10	21	17	10	7	33	1	91	6
	CLASSES. Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	12·0	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.
II.	MIDDLE CLASS,	87,188	20·3	34	6	2	7	6	10	3	.	.	.	.	1	1	.	.	.	2	.	7	3	2	1	4	.	15	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	20·8	44	16	2	5	11	9	1	.	1	.	.	2	.	.	.	4	7	5	3	4	2	.	6	.	17	2
IV.	GENERAL SERVICE CLASS,	154,279	39·7	75	31	10	12	12	6	4	.	1	.	.	.	.	.	1	2	4	4	6	4	2	6	10	1	33	3
V.	INMATES OF WORKHOUSES,	6,024		47	8	1	5	11	17	5	.	.	.	.	.	.	.	.	1	1	1	5	6	3	.	12	.	19	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,792	20·1	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	23·8	5	.	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	2	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	18·9	8	3	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	5	1
	6. Clerks and Commercial Assistants,	30,432	18·8	11	1	1	5	3	1	.	.	.	.	.	.	.	.	.	.	.	.	5	1	.	.	3	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	19·3	10	2	1	.	2	3	2	.	.	.	.	1	1	.	.	.	2	.	.	1	.	.	1	.	6	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	31·7	6	3	.	1	1	.	1	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.	.	.	3	.
	9. Building and Furnishing Trades,	29,801	21·0	12	4	1	.	2	5	.	.	.	.	.	1	.	.	.	1	2	1	1	1	1	.	.	.	6	1
	10. Clothing Trades,	28,260	20·2	9	5	.	2	.	2	.	.	.	.	.	.	.	.	.	2	2	1	.	1	.	.	2	.	3	1
	11. Food Supply Trades,	9,242	11·3	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	25·8	15	4	.	2	7	2	.	.	1	.	.	.	.	.	.	.	1	3	2	1	.	.	4	.	4	.
	13. Petty Shopkeepers,	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	35·0	9	2	.	2	2	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	5	.
	15. Domestic Servants,	36,603	8·5	6	2	.	2	1	.	1	.	.	.	.	.	.	.	.	2	2	.	.	.	1	.	.	.	3	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	39·9	11	1	3	2	3	1	1	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	8	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	28·4	49	26	7	6	6	3	1	.	1	.	.	.	.	.	.	.	1	2	5	4	.	6	8	1	22	2
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	47	8	1	5	11	17	5	.	.	.	.	.	.	.	.	1	1	1	5	6	3	.	12	.	19	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.)	Sept. 15,	23·9	1·8	13	.	.	.	.	.	.	.	.	1	.	5	.	.	.	.	.
	„ 22,	22·1	9·2	12	.	.	.	.	.	.	.	.	5	.	2	.	1	.	1	.
	„ 29,	25·8	5·5	14	.	.	.	.	.	.	.	.	3	1	3	.	.	1	1	.
(*Office, Clarence-street, Nth.*)	Oct. 6,	23·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	.	.	1	1	1
	„ 13,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1
	„ 20,	36·8	.	20	.	.	.	.	.	.	.	.	.	3	2	.	.	3	.	2
Pop. in 1906 (Est.) 28,882.	„ 27,	29·4	1·8	16	.	.	.	.	.	.	.	.	1	2	3	.	2	1	1	1
	Nov. 3,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.
North City, No. 1 (W.)	Sept. 15,	33·3	10·7	25	.	.	.	1	.	.	.	.	7	2	1	3	1	1	.	3
	„ 22,	36·0	10·7	27	.	1	.	.	.	.	.	.	7	4	3	.	1	2	.	.
	„ 29,	25·3	8·0	19	.	.	.	.	2	.	.	.	4	.	2	1	.	1	.	1
	Oct. 6,	29·3	4·0	22	.	.	.	.	.	.	.	.	3	2	2	1	1	5	1	.
(*Office, Summer-hill.*)	„ 13,	24·0	2·7	18	.	.	.	.	.	.	.	1	1	3	2	.	.	2	1	.
	„ 20,	18·6	1·3	14	.	.	.	.	.	1	.	.	.	.	4	2	2	1	.	1
	„ 27,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	2	.	.	4	.	.
Pop. in 1906 (Est.) 39,146.	Nov. 3,	18·0	5·3	21	.	.	.	.	2	1	.	1	.	.	4	3	.	3	.	.
North City, No. 2.	Sept. 15,	34·6	5·2	20	.	.	.	.	.	.	.	.	3	1	1	1	1	2	1	1
	„ 22,	41·6	13·9	24	.	.	.	.	.	.	.	1	7	.	1	.	1	1	.	2
	„ 29,	36·4	5·2	21	.	.	.	.	1	.	.	.	2	.	4	2	1	1	2	.
(*Office, Lisburn-street.*)	Oct. 6,	31·2	6·9	18	.	.	.	.	1	.	.	.	3	1	4	.	.	3	.	.
	„ 13,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	2	2	.	3	.	.
	„ 20,	29·8	6·9	12	.	.	1	.	.	1	.	.	2	1	1	1	.	1	.	.
	„ 27,	27·7	5·2	16	.	.	.	.	.	.	.	1	2	.	.	3	.	.	3	.
Pop. in 1906 Est.) 30,107.	Nov. 3,	31·2	1·7	18	.	1	.	.	.	.	.	.	.	3	1	1	1	1	.	1
North City, No. 3.	Sept. 15,	37·9	4·9	23	.	.	.	.	.	.	.	.	3	3	2	2	.	3	.	.
	„ 22,	29·6	9·9	18	.	.	.	.	.	.	.	1	5	.	4	.	.	1	.	2
	„ 29,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	1
	Oct. 6,	29·6	8·2	18	.	.	.	.	.	.	.	.	5	1	1	1	.	4	.	1
(*Office, Benburb-street.*)	„ 13,	29·6	3·3	18	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.	1
	„ 20,	14·8	1·6	9	.	.	.	.	.	.	.	.	1	2	.	.	.	2	1	.
	„ 27,	28·0	1·6	14	.	.	.	.	.	.	.	1	.	2	3	1	.	.	1	.
Pop. in 1906 (Est.) 31,678.	Nov. 3,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	1
South City, No. 1.	Sept. 15,	38·0	4·1	28	.	.	1	.	.	.	.	.	2	.	1	.	2	3	1	2
	„ 22,	17·7	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	.
	„ 29,	29·9	6·8	22	.	.	.	.	2	.	.	1	2	2	2	1	.	.	.	.
(*Office, South Earl-street.*)	Oct. 6,	23·1	2·7	17	.	.	.	.	.	.	.	.	2	.	2	1	2	3	.	.
	„ 13,	29·9	8·2	22	.	1	.	.	1	1	.	.	3	2	1	.	2	3	.	.
	„ 20,	29·9	5·4	22	.	.	1	.	.	.	.	.	3	.	2	.	2	3	.	1
	„ 27,	25·8	5·4	19	.	2	.	1	.	.	.	.	1	.	1	.	.	3	.	2
Pop. in 1906 (Est.) 38,884.	Nov. 3,	36·7	5·4	27	.	1	.	.	1	.	.	.	2	2	4	1	1	5	.	.
South City, No. 2.	Sept. 15,	34·2	11·4	12	.	.	.	.	.	.	.	.	4	1	1	.	1	1	.	.
	„ 22,	51·3	5·7	18	.	.	.	.	.	.	.	.	2	.	5	1	.	2	1	.
	„ 29,	22·8	2·9	8	.	.	.	.	.	.	.	.	1	.	2	2	.	1	.	.
(*Office, Castle-street.*)	Oct. 6,	23·5	2·9	10	.	.	.	.	.	.	.	.	1	1	1	2	1	1	.	.
	„ 13,	28·5	2·9	10	.	.	.	.	.	.	.	1	.	.	1	.	1	1	1	.
	„ 20,	25·7	2·9	9	.	.	.	.	.	.	.	.	1	2	1	.	.	3	.	.
	„ 27,	34·2	.	12	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	3
Pop. in 1906 (Est.) 18,286.	Nov. 3,	31·4	.	11	.	.	.	.	.	.	.	.	.	1	.	3	.	5	.	.
South City, No. 3.	Sept. 15,	32·3	6·2	26	.	.	.	.	.	.	.	.	5	1	3	4	1	3	.	.
	„ 22,	16·2	2·5	13	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.
	„ 29,	27·4	5·0	22	.	.	.	.	.	.	.	.	4	1	2	1	1	3	2	1
(*Office, Peter-street.*)	Oct. 6,	31·1	7·5	25	.	.	.	.	.	.	.	.	6	1	2	1	3	3	1	.
	„ 13,	34·8	5·0	28	.	.	.	.	1	.	.	.	3	1	3	1	2	5	1	2
	„ 20,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	4	1	.	1	1	.
	„ 27,	17·4	2·5	14	.	.	.	.	1	.	.	.	1	.	.	2	1	3	.	.
Pop. in 1906 (Est.) 41,940.	Nov. 3,	39·8	3·7	32	.	.	.	.	.	.	.	.	3	.	4	1	2	8	1	2
South City, No. 4.	Sept. 15,	31·2	5·9	21	.	.	.	.	1	.	.	.	3	1	3	.	2	1	.	.
	„ 22,	25·2	3·0	17	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	3
	„ 29,	26·7	5·9	18	.	.	.	.	.	.	.	.	4	1	1	2	1	1	.	.
(*Office, Grand Canal-street*)	Oct. 6,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	1	1	2	2	1	.	.
	„ 13,	22·3	1·5	15	.	.	.	.	.	.	.	.	1	2	1	1	.	.	3	2
	„ 20,	19·3	3·0	13	.	.	.	.	.	.	.	1	.	3	1	.	.	1	.	.
Pop. in 1906 (Est.) 35,188.	„ 27,	20·8	1·5	14	.	.	.	.	1	.	.	.	1	1	2	1	.	3	.	1
	Nov. 3,	34·1	.	23	.	.	.	.	.	.	.	.	.	1	4	3	.	2	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer. Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,208.	Sept. 15,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	1	.	1	.	.	.
	„ 22,	23·6	1·6	15	.	.	1	.	.	.	.	.	.	.	2	1	1	1	.	2
	„ 29,	25·1	6·3	16	.	.	.	.	.	.	.	.	4	2	1	1	1	2	.	.
	Oct 6,	18·8	3·1	12	.	.	.	.	.	.	.	.	2	.	2	.	1	1	.	1
	„ 13,	12·6	3·1	8	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.
	„ 20,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	1	3	.	1	.	.	1
	„ 27,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.
	Nov. 8,	25·1	3·1	16	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Sept. 15,	24·0	6·0	12	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
	„ 22,	22·0	6·0	11	.	.	.	.	1	.	.	.	2	2	.	.	.	1	.	.
	„ 29,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1
	Oct. 6,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1
	„ 13,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	„ 20,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 27,	24·0	2·0	12	.	.	.	.	.	.	.	.	1	2	2	3	.	.	1	.
	Nov. 3,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Sept. 15,	20·7	8·9	7	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
	„ 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	4	2	.	.	.	.
	„ 29,	20·7	5·9	7	.	.	.	.	.	.	.	.	2	2	.	1	.	.	.	.
	Oct. 6,	35·5	5·9	12	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.
	„ 13,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
	„ 20,	8·9	3·0	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.
	Nov. 3,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
Belfast. Pop. in 1906 (Est.) 376,220.	Sept. 15,	20·2	6·4	142	.	.	.	.	3	1	.	3	38	3	18	6	3	12	1	.
	„ 22,	20·1	5·0	141	.	.	1	.	5	.	.	2	27	3	14	8	4	12	4	.
	„ 29,	19·4	5·0	136	.	2	1	.	3	.	.	4	25	6	19	4	4	7	4	1
	Oct. 6,	20·5	3·4	144	.	1	1	.	2	1	.	.	19	6	20	9	2	15	4	3
	„ 13,	15·5	1·7	109	.	.	.	1	1	.	.	2	8	10	17	4	2	11	1	3
	„ 20,	17·4	2·3	122	.	.	.	.	2	1	.	.	13	10	15	5	5	11	5	.
	„ 27,	17·1	1·9	120	.	1	.	.	3	1	.	3	5	7	15	5	4	17	7	3
	Nov. 3,	17·4	2·1	122	.	.	.	.	3	1	.	1	10	13	13	7	3	15	1	3
Cork. Pop. (in 1901) 76,122.	Sept. 15,	17·8	5·5	26	.	.	.	.	1	.	.	.	7	.	6	1	.	1	.	.
	„ 22,	34·2	11·0	50	.	.	.	.	.	1	.	.	15	1	4	5	.	1	.	6
	„ 29,	27·4	6·2	40	.	.	.	1	1	.	.	.	7	.	6	2	4	4	1	3
	Oct. 6,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	2
	„ 13,	30·1	11·0	44	.	.	.	1	.	.	.	1	14	2	3	2	1	4	.	1
	„ 20,	23·3	4·1	34	.	.	.	.	.	.	.	1	5	4	3	.	3	2	1	.
	„ 27,	15·8	.	23	.	.	.	.	.	.	.	.	.	.	5	1	.	3	.	.
	Nov. 3,	14·4	0·7	21	.	.	.	.	.	.	.	.	1	1	2	3	.	2	.	2
Londonderry. Pop. in 1906 (Est.) 42,067.	Sept. 15,	19·8	7·4	16	.	.	.	.	1	1	.	.	4	1	1	3	1	1	.	1
	„ 22,	8·7	1·2	7	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.
	„ 29,	19·8	3·7	16	.	1	.	.	.	1	.	.	1	1	3	.	.	4	.	.
	Oct. 6,	16·1	5·0	13	.	.	.	.	.	.	.	.	4	1	1	.	.	.	.	.
	„ 13,	13·6	3·7	11	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
	„ 20,	11·2	1·2	9	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	1
	„ 27,	14·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	.
	Nov. 3,	26·0	8·7	21	.	.	.	.	.	.	.	.	7	.	3	1	1	.	.	1
Limerick. Pop. (in 1901) 38,151.	Sept. 15,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	1	.	1	.
	„ 22,	17·8	2·7	13	.	.	.	.	.	1	.	1	.	.	3	1	2	.	.	1
	„ 29,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	Oct. 6,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	2
	„ 13,	12·3	1·4	9	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1
	„ 20,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 27,	19·1	2·7	14	.	.	.	.	.	1	.	.	1	1	1	1	1	.	.	5
	Nov. 3,	20·5	5·5	15	.	.	.	.	.	1	.	2	1	1	1	.	2	.	.	3
Waterford. Pop. (in 1901) 26,769.	Sept. 15,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 22,	9·7	5·8	5	.	.	.	.	1	.	.	.	2	.	.	1	.	.	.	.
	„ 29,	9·7	3·9	5	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.
	Oct. 6,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 13,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 20,	15·6	3·9	8	.	.	.	.	1	.	.	.	1	.	2	.	.	.	1	.
	„ 27,	27·3	1·9	14	.	.	.	.	.	.	.	1	.	.	4	1	.	.	3	1
	Nov. 3,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd November, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,734	9	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the several distribution of the increase through the districts not being at present practicable, Death rates are omitted from this table.		7	3	.	1	1	1	1	.	.	.	.	.	.	.	.	1	1	1	1	.	2	.	.	1	.
Do. 2 ,, .	47,959	23			17	3	4	2	2	2	4	.	.	.	.	1	1	.	.	.	2	2	1	.	2	.	1	1	.
Do. 3 ,, .	47,214	21			15	4	3	.	4	2	2	.	.	.	.	1	.	.	.	3	3	4	.	.	1	.	.	1	1
Do. 4 ,, .	40,911	31			13	6	2	2	2	4	2	.	.	.	.	.	.	.	1	2	1	.	1	.	4	1	1	4	1
Do. 5 ,, .	17,387	12			9	2	.	1	.	3	3	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	5	.
Do 6 ,, .	48,122	22			14	1	2	1	.	2	8	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	2	.
Do 7 ,, .	1,524	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,, .	19,569	10			6	3	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	1
Do. 10 ,, .	28,064	24			12	5	2	1	.	3	1	.	.	.	.	1	.	.	.	.	2	1	.	.	2	.	.	1	.
Do. 11 ,, .	34,802	15			9	3	1	.	1	2	2	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	.	.	.
Do. 12 ,, .	33,588	21			12	6	.	1	3	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	1	.
Do. 13 ,, .	15,006	4			3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Do. 14 ,, .	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	194			122	36	15	10	16	21	24	.	.	.	.	3	1	.	1	10	13	13	7	3	15	1	2	16	3
City of Cork.																													
CORK URBAN No. 1 DISTRICT. .	12,867	6	12·2	.	3	1	.		1		1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 2 ,, . .	10,701	8	9·7	.	2	.	1		.		1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 3 ,, . .	9,978	2	26·1	.	5	.	1		3		1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.
Do. 4 ,, . .	8,666	3	12·0	6·0	2	1	1		.		.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
Do. 5 ,, . .	6,592	2	7·9	.	1	.	.		1		.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 6 ,, . .	10,702	8	9·7	.	2	.	.		1		1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 ,, . .	16,616	10	18·8	.	6	1	.		3		2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	2	2
Total	76,122	34	14·4	0·7	21	3	3		9		6	.	.	.	.	.	.	.	.	1	1	2	3	.	2	.	1	6	2

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons** *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13	Oct. 20.	Oct. 27.	Nov. 3.
No. of weeks in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered,	246	217	273	189	228	204	222	218	225	162	271	225	241	220	203	204	208	240	211	211	226	211	222	195	238	194
DEATHS registered.	161	140	151	150	136	134	131	113	105	119	121	127	121	127	125	139	134	151	142	141	136	144	109	122	120	122
Annual Death-rate per 1,000 of estimated Population.	22·9	19·9	21·5	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20·1	19·4	20·5	15·5	17·4	17·1	17·4
AGES: Under 1 year,	35	35	21	33	28	21	26	24	24	17	21	21	30	29	37	43	39	59	43	49	40	39	31	34	26	36
AGES: 1–5 years,	19	17	17	18	22	20	17	15	12	19	12	8	18	9	16	14	22	16	16	13	17	15	9	13	17	15
AGES: 5–20 years,									11	14	10	13	9	14	17	12	5	10	10	14	15	14	8	12	9	10
AGES: 20–40 years,	66	64	84	64	53	67	72	57	18	27	24	29	15	25	14	18	17	20	21	20	15	24	17	19	17	16
AGES: 40–60 years,									22	15	26	26	31	22	24	29	26	30	16	20	21	28	23	22	25	21
AGES: 60 years and upwards,	41	24	29	30	33	26	16	17	23	17	28	30	18	28	17	23	25	16	26	25	28	24	21	22	25	24
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	2	1	.	.	1	.	.	2	1	.	2	.	.	1	.	.	2	1	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	1	.	1	1	1	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Whooping-cough,	12	13	8	15	16	7	14	7	4	9	3	1	4	2	4	2	7	7	3	5	3	2	1	2	3	3
Diphtheria,	.	1	1	.	1	.	.	2	2	.	.	1	.	1	1	2	1	.	1	.	.	1	.	1	1	1
*Pyrexia** (origin uncertain),	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	.	.	2	.	.	.	.	1	1	2	3	2	1	.	2	1	3	2	4	.	2	.	3	1
Diarrhœal Diseases,	.	1	5	1	5	7	2	4	4	6	7	4	7	12	25	24	23	39	33	27	25	19	8	13	5	10
Pneumonia,	10	9	14	15	15	7	7	8	8	7	6	6	10	7	3	5	7	5	3	3	6	6	10	10	7	13
Tuberculous Disease, Phthisis,	21	28	33	16	21	22	30	24	12	20	21	26	22	23	13	21	15	16	18	14	19	20	17	15	15	13
Tuberculous Disease, Other Forms,	8	11	9	11	5	9	7	7	6	15	5	10	11	6	8	6	6	6	6	8	4	9	4	5	5	7
Cancer, Malignant Disease,	3	3	3	1	5	6	4	2	9	2	4	4	2	4	3	2	4	3	3	4	4	2	2	5	4	3
Diseases of Respiratory System,	27	17	16	17	15	15	14	18	7	7	9	21	11	7	12	7	16	8	12	13	7	15	11	11	17	13
Violent Deaths,	2	4	6	1	2	1	5	.	3	6	4	.	2	4	2	3	6	3	1	4	4	4	1	5	7	1
Number of Uncertified Deaths,	2	.	4	2	2	3	.	1	1	2	.	3	.	3	1	2	5	.	.	.	1	3	3	.	3	3

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	Nov. 3,	2,304	1,272	14·0	.	15	11	23	5	5	47
EDINBURGH, .	341,035	„ 3,	139	94	14·4	.	.	1	.	1	.	2
GLASGOW, . .	835,625	„ 3,	427	260*a*	16·2	.	2	3	6	3	3	12
CALCUTTA, . .	910,117	Sept. 15,	.	451	27·6	3	2	.	.	.	120‡	70*
BOMBAY, .	977,822	Oct. 2,	423	763	40·7	1	1	.	.	.	87‡	94*
MADRAS, . .	509,346	Sept. 14,	501	614	62·6	1	1	?	?	?	153	173*
PARIS, . .	2,750,000	Oct. 20,	946	751	14·6	.	.	2	3†	2	9	46
BRUSSELS (with 8 Faubourgs).	612,401	„ 13,	198	173	14·7	.	3	.	1†	2	.	15
ANTWERP, . .	304,975	„ 13,	134	82	14·0	.	.	.	1†	.	.	15
AMSTERDAM, .	562,004	„ 13,	252	121	11·2	.	1	3	2†	2	1	6
COPENHAGEN, .	425,000	„ 13,	238	112	13·7	.	.	.	.	1	.	12
STOCKHOLM, .	324,488	„ 6,	152	84	13·5	.	.	.	1†	1	.	4
CHRISTIANIA, .	222,373	„ 20,	120	59	13·8	.	.	.	1†	.	1	2
ST. PETERSBURG,	1,424,700	„ 13,	725	570	20·8	2	5	26	29	2	31	50
MOSCOW, . .	1,092,360	Sept. 15,	.	521	24·9	.	1	5	8†	7	8	105
BERLIN, .	2,068,086	Oct. 6,	945	537	13·5	.	4	1	10†	8	1	44
HAMBURG, .	802,793	„ 6,	.	224	14·5	.	1	1	3†	3	1	30
BRESLAU, . .	478,048	„ 20,	.	191	20·8	.	1	.	3†	4	2	25
MUNICH, . .	540,000	„ 20,	.	177	17·0	.	.	.	1†	.	.	25
VIENNA (with suburbs).	1,958,323	„ 20,	877	605	16·1	.	6	3	8†	1	7	45
BUDA-PESTH, .	791,748	„ 20,	363	271	17·8	.	3	5	3†	2	2	13
PRAGUE and Faubourgs.	460,849	„ 13,	173	149	16·8	.	.	.	3†	.	.	8
TRIESTE, . .	198,525	„ 6,	140	81	21·3	.	.	.	.	.	.	6
ROME, . . .	531,502	Sept. 8,	.	.	.	.	.	.	.	.	.	.
VENICE, . .	171,709	Oct. 6,	66	47	14·3	.	.	.	.	.	.	4
NEW YORK, .	4,152,860	„ 6,	2,323	1,268	15·9	.	2	3	22†	15	27	176
PHILADELPHIA,	1,469,126	Sept. 29,	.	439	15·5	.	1	.	13†	8	17	55
BOSTON, . .	602,526	Oct. 6,	.	227	19·7	.	.	.	2	2	4	20

a. Including 5 deaths from cerebro-spinal meningitis.
* Including 15 deaths from cholera in Calcutta, 12 in Bombay, and 64 in Madras.
† Including deaths from croup.
‡ Exclusive of 8 deaths from plague in Calcutta, and 40 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd November, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	2	3	.	.	.	6
" " 1, West,	.	.	.	.	1	.	2	(a) 4	4	.	.	.	11
" " 2,	.	.	.	.	1	.	3	5	1	.	.	.	10
" " 3,	.	3	.	.	1	.	2	2	.	.	.	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	4	.	.	1	.	.	.	2	.	.	.	7
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	4	.	.	15	.	.	1	.	.	.	.	20
" " 4,	.	.	.	.	.	.	.	3	.	.	.	.	3
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	12	.	.	19	.	7	(a) 18	10	.	.	.	66

(a) Two of the above cases of Typhoid were contracted outside the City Boundary, but are receiving treatment in the Mater Hospital.

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd November, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd November.			
	Oct. 13.	Oct. 20.	Oct. 27.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week
Small-pox,	.	.	.	.	.	.	.
Measles,	8	9	27	13	5	3	32
Scarlet Fever,	77	86	83	18	15	.	86*
Typhus,	2	4	4	.	2	.	2
Diphtheria,	17	16	17	1	1	1	16
Enteric Fever,	69	72	73	10	10	.	73
Pneumonia,	41	34	30	13	11	.	32

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 3rd November, 1906:—

"Unsettled, cold, and showery weather prevailed during this week. A cyclonic distribution of atmospheric pressure existed over Western Europe throughout; but from Russia a vast anticyclone was reported, the barometer rising above 30·9 inches over the centre of that country on Wednesday. On Sunday morning a large depression covered North-western Europe, the barometer reading only 29·16 inches at 8 a.m. in the Hebrides. During the ensuing 24 hours this depression spread southeastwards to Holland, while remaining central off the N. of Scotland. As a result, cold polar air streamed over Ireland, and thunder and lightning accompanied the sudden change of temperature in several districts. On Tuesday morning the lowest pressure was 29·11 inches at Portland Bill. Temperature was high with a S. wind in the S.E. of England (53° at Dungeness) where heavy rain fell; while Nairn in the N.E. of Scotland reported a reading of 25° at 8 a.m. Thunderstorms occurred on this day in Wales. On Wednesday the barometer was low all over the British Isles and France, and a new depression moved northwards over the latter country from the Mediterranean. This system finally crossed the British Isles in a northwesterly direction, bringing clouds, rain and warmth to Great Britain, whereas low temperatures held in Ireland—at 8 a.m. of Friday the thermometer ranged from 29° at Birr Castle to 51° at Nairn. In Dublin Thursday, November 1, was a day of wet and gloom, but Friday and Saturday were bright and chiefly fine. The mean height of the barometer was 29·369 inches, the range being from 29·615 inches at 9 p.m. of Wednesday (wind, W.) to 29·145 inches at 9 p.m. of Friday (wind, W.N.W.). The corrected mean temperature was as low as 42·4°, or 10·3° below that of the previous week. The mean dry bulb reading at 9 a.m. and 9 p.m. was 40·8°. On Sunday the screened thermometers rose to 54·0°, on Tuesday they fell to 33·3°. The prevalent wind was W. Rain fell on six days to the amount of ·434 inch, ·179 inch being measured on Wednesday. Lightning was seen on the evenings of Sunday and Tuesday. There was a lunar halo on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·393 inches. The highest reading (29·634) was on Wednesday at 9 p.m., air calm, and the lowest (29·143) on Friday at 9 p.m., wind W.S.W.

The mean temperature for the week was 40·6°, being 6·7° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Sunday, on which day the thermometer registered 52·8°, and was lowest on Tuesday, the mercury having fallen to 31·5°. The mean of the Dry Bulb for the week was 39·1°, and of the Wet Bulb 38·1°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 30·7 hours. The rainfall during the week measured 0·545 inch.

At Greenwich the mean temperature for the week was 46·8°, the maxi um 56·0°, and the minimum 37·2°; at Glasgow the maximum was 56·0°, the minimu 28·8°, and the mean 44·7°; and at Edinburgh the maximum was 52·0°, the minimum 31·5°, and the mean 43·3°. The rainfall at Greenwich measured 1·59 ins.; at Glasgow 1·52 ins.; and at Edinburgh 1·71 ins. The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Oct. 28,	29·431	52·8	37·9	45·4	44·1	42·7	·89	·6	3·2	·025	S.W.	W.S.W.
Monday, „ 29,	29·348	45·0	36·2	40·6	38·2	36·8	·88	·6	6·1	·000	S.W.	S.W.
Tuesday, „ 30.	29·483	42·7	31·5	37·1	34·2	33·7	·91	·9	3·5	·160	W.S.W.	N.W.
Wednesday, „ 31,	29·542	49·1	32·1	40·6	36·5	36·1	·97	·9	4·6	·185	Calm.	Calm.
Thursday, Nov. 1,	29·431	43·3	32·1	37·7	41·9	41·7	·96	·8	0·0	·175	S.W.	W.S.W.
Friday, „ 2,	29·249	47·3	31·9	39·6	37·8	36·9	·93	·6	6·7	·000	W.S.W.	W.S.W.
Saturday, „ 3.	29·267	51·8	34·9	43·4	41·0	38·8	·85	·7	6·6	·000	Calm	Calm.
Mean, . .	29·393	47·4	33·8	40·6	39·1	38·1	·91	·7	Total 30·7	Total ·545	Prevailing wind, W.S.W.	

Sunday—Cloudy day, light showers at intervals; night cloudy. *Monday*—Fine day but cloudy; night cloudy. *Tuesday*—Overcast a.m., cloudy p.m.; night overcast, light rain 11.0. p.m. to 12 m.n. and from 12.0 m.n. to 3.20 a.m. *Wednesday*—Dull and cloudy day; night overcast, light and heavy rain 4.30 a.m. to 9.0 a.m. *Thursday*—Overcast, and light rain 9.0 a.m. to 10.55 p.m.; night overcast. *Friday*—Fine bright day, light clouds; night clear. *Saturday*—Fine day but cloudy; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 3rd, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Oct. 28,	52·0	50·0	52·2	54·0	38·3	46·2	3·1	·009
Monday, „ 29,	41·1	48·0	52·1	45·8	37·0	41·4	5·6	·002
Tuesday, „ 30,	34·0	46·0	51·9	43·8	32·0	37·9	3·1	·097
Wednesday, „ 31,	43·1	45·2	51·5	50·2	38·5	44·4	3·4	·167
Thursday, Nov. 1,	42·9	45·2	51·0	45·2	37·8	41·5	0·0	·088
Friday, „ 2,	42·3	45·4	50·8	47·5	38·3	42·9	6·1	—
Saturday, „ 3,	43·1	44·8	50·4	52·0	36·0	44·0	3·7	·026
Weekly Mean, .	42·6	46·4	51·4	48·4	36·8	42·6	Total 25·0	Total ·389

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—15255.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 10TH NOVEMBER, 1906. [No. 45.

General Register Office, Charlemont House, Dublin, 12th November, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Oct. 20.	Week ending Oct. 27.	Week ending Nov. 3.	Week ending Nov. 10.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 20.	Week ending Oct. 27.	Week ending Nov. 3.	Week ending Nov. 10.	Average Rate for 4 weeks.
22 Town Dists.	18·4	18·4	20·7	21·6	19·8	Lisburn, . .	4·5	18·2	9·1	22·7	13·6
Armagh, . .	27·5	27·5	6·9	20·6	20·6	Londonderry, .	11·2	14·9	26·0	17·4	17·4
Ballymena, .	23·9	14·4	43·1	38·3	29·9	Lurgan, . .	22·1	17·7	8·9	13·3	15·5
Belfast, . .	17·4	17·1	17·4	18·7	17·7	Newry, . .	16·8	4·2	8·4	8·4	9·5
Clonmel, . .	15·4	5·1	10·3	51·3	20·5	Newtownards, .	11·4	11·4	22·9	11·4	14·3
Cork, . . .	23·3	15·8	14·4	26·7	20·0	Portadown,	5·2	5·2	36·2	10·3	14·2
Drogheda, . .	16·3	8·2	16·3	20·4	15·3	Queenstown .	6·6	13·2	6·6	19·8	11·6
Dublin Reg. Area,	21·7	21·6	27·4	24·9	23·9	Sligo, . .	14·4	14·4	4·8	14·4	12·0
Dundalk, . .	4·0	27·9	16·0	16·0	16·0	Tralee, . .	21·1	15·9	5·3	31·7	18·5
Galway, . .	19·4	19·4	15·5	11·7	16·5	Waterford, .	15·6	27·3	7·8	21·4	18·0
Kilkenny, . .	9·8	9·8	9·8	24·6	13·5	Wexford, . .	14·0	18·7	42·0	14·0	22·2
Limerick, . .	13·7	19·1	20·5	17·8	17·8						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in twelve of the districts to 6·9 in Armagh, the 3 deaths from all causes in that district including one from diarrhœa. Among the 131 deaths from all causes in Belfast are 2 from measles, one from scarlet fever, 3 from whooping-cough, 2 from diphtheria, one from enteric fever, and 5 from diarrhœal diseases; the 39 deaths from all causes in Cork include one from whooping-cough and 3 from diarrhœal diseases; included in the 3 deaths in Galway is one from pyrexia (origin uncertain); the 4 deaths in Dundalk include one from measles; included in the 5 deaths in Lisburn is one from whooping-cough; and among the 10 deaths in Clonmel is one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—107 boys and 91 girls; and the deaths to 192—80 males and 112 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 26·4 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 24·9 per 1,000. During the forty-five weeks ending with Saturday last the death-rate averaged 23·2, and was 1·9 below the mean rate for the corresponding portions of the ten years, 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths (192) included 6 deaths from measles (in Cork-street Hospital, admitted from South Dublin Union Workhouse), 2 from whooping-cough, one from diphtheria, one from enteric fever, and 2 from diarrhœal diseases. In each of the 3 preceding weeks deaths from measles were 0, 2, and 2; deaths from whooping-cough were 2, 2, and 3; deaths from diphtheria were 2, 0, and one; deaths from enteric fever were 4, 2, and one; and deaths from diarrhœal diseases were 12, 8, and 7. One death from influenza was recorded.

Lobar pneumonia and broncho-pneumonia each caused 2 deaths, and there were deaths from *pneumonia* (not defined).

Of a total of 40 deaths from all forms of tuberculous disease, 15 were from tuberculous phthisis, 16 were returned as from *phthisis*, 2 from tuberculous meningitis, one death each from tuberculous peritonitis and from *tabes mesenterica*, and 5 deaths from other forms of the disease. In each of the 3 preceding weeks, the deaths from all forms of tuberculous disease numbered 26, 30, and 38.

There were 3 deaths from carcinoma, one death from sarcoma, and 7 deaths from cancer (undefined).

The deaths of 4 infants under the age of one year were due to prematurity.

Of 15 deaths from diseases of the brain and nervous system, there were 8 from *convulsions*, 7 of the latter being deaths of infants under one year of age.

There were 32 deaths from diseases of the heart and blood vessels, and bronchitis was the cause of death in 15 instances.

Of 3 deaths attributed to accidental causes, one was by burning, of a child under years of age, and one was by drowning.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 6 infants under one year of age.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 10 were under one month old) and 52 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 7 were octogenarians.

Eighty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the N. Dublin Union Workhouse and 23 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·9 per 1,000; the rate in the City was 26·3 (North City Districts, 24·6; South, 28·1), and in the Suburbs, 20·1 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 2·1 (0·7 in the North City Districts, and 3·7 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000, and include one death from influenza, 2 deaths from *phthisis*, and 2 deaths caused accidentally.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 28 per 1,000. Amongst them are one each from *diarrhœa* and *pneumonia* (not defined), 3 deaths from tuberculous disease, and 4 from diseases of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20 per 1,000. There were 2 deaths from tuberculous disease of the lungs, 3 from bronchitis, and there was one accidental death.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 24·7 per 1,000, and include one death each from whooping cough and broncho-pneumonia, 2 deaths from tuberculous disease, and 2 deaths from diseases of the respiratory system.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 36·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 31·3. Among the 7 deaths from all causes for Coolock and Drumcondra, No. 1, part of, are 2 deaths from tuberculous disease; and of the 4 deaths from all causes for Finglas and Glasnevin, part of, one is from tuberculous phthisis.

No. 1 South City District (South Earl-street).—The deaths (33) represent an annual rate of 44·8 per 1,000. There were 6 deaths from measles, one death each from diphtheria, *diarrhœa*, broncho-pneumonia, and *pneumonia* (not defined), 7 deaths from tuberculous disease, and 3 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1,000. Amongst them are one death from tuberculous phthisis, and one from bronchitis.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·6 per 1,000. One of the deaths was from whooping-cough, one from enteric fever, and one from tuberculous disease, and there were 2 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000, and include 2 deaths from croupous pneumonia, 3 from tuberculous disease, and 2 deaths from bronchitis.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 35·2 per 1,000. There was one death from *pneumonia* (not defined), and there were 4 deaths from tuberculous phthisis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·7; Pembroke, 14·0; Blackrock, 29·8; and Kingstown, 32·5. There was no death from any of the principal epidemic diseases recorded for these districts. Among the deaths from all causes for Rathmines and Rathgar are 3 from tuberculous disease of the lungs; the 7 deaths from all causes for Pembroke include one death from *pneumonia* (not defined) and one from bronchitis; and the 11 deaths from all causes for Kingstown include 2 deaths from *phthisis*.

* See Columns 10–13 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 10th November, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 20,	.	—	—	14	1	.	5	.	5	22	7	.	—	—	—	—	—	54
	Oct 27,	.	—	—	9	.	.	5	.	2	19	15	.	—	—	—	—	—	50
	Nov. 3,	.	—	—	12	.	.	19	.	7	18	10	.	—	—	—	—	—	66
	Nov. 10,	.	—	—	4	1	.	4	.	3	7	9	.	—	—	—	—	—	28
Rathmines and Rathgar Urban District.	Oct. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 27,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	Nov. 3,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	2
	Nov. 10,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	—	3
Pembroke Urban District.	Oct. 20,	.	.	.	1	.	.	.	.	1	.	.	.	—	.	.	—	—	2
	Oct. 27,	.	.	.	.	.	.	.	.	1	.	.	1	—	.	.	—	—	2
	Nov. 3,	.	.	.	.	.	.	.	.	1	.	.	.	—	.	.	—	—	1
	Nov. 10,	.	.	.	.	.	.	.	.	.	1	1	.	—	.	.	—	—	2
Blackrock Urban District.	Oct. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 27,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	2
	Nov. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Oct. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 27,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Nov. 3,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Nov. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
City of Belfast.	Oct. 20,	.	—	—	32	.	.	8	.	8	14	5	.	—	—	—	—	—	67
	Oct. 27,	.	—	—	33	.	.	4	1	9	11	9	.	—	—	—	—	—	67
	Nov. 3,	.	—	—	33	.	.	14	.	3	2	3	2	—	—	—	—	—	57
	Nov. 10,	.	—	—	41	2	.	9	1	11	7	9	2	—	—	—	—	—	82

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th November, 1906.

From this it appears that:—

Twenty-four cases of measles were admitted into hospital during the week, 3 were discharged, there were 5 deaths, and 48 cases remained under treatment at its close.

Thirteen cases of scarlet fever were admitted to hospital, 6 were discharged, and 93* cases remained under treatment at the close of the week.

Two cases of typhus remained under treatment in hospital at the close of the week.

Six cases of diphtheria were admitted to hospital, and 22 patients remained under treatment at the close of the week.

Twelve cases of enteric fever were admitted to hospital, 11 were discharged, there were 2 deaths, and 72 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 1 were discharged, there were 3 deaths, and 31 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·7), was equal to an average annual death-rate of 14·9 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 17·0 per 1,000 the rate for Glasgow being 18·9 and for Edinburgh 13·8.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th November. From this Report it appears that of a total of 24 cases notified 8 were scarlet fever, 7 diphtheria, 6 erysipelas, and 3 enteric fever. Among the 241 cases of infectious diseases in hospital at the close of the week were 91 cases of scarlet fever, 47 of diphtheria, one of membranous croup, 29 of measles, 24 of enteric fever, 10 of erysipelas, and 2 of whooping cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 10th November, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 10th November, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia. b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e. Week ending 10th November, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd November, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th October, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	27·8	21·6	1·8	588	456	88	128	.	9	1	.	7	4	1	2	13	25	60	19	18	78	8	18	136	31	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total, d.	378,994	27·5	27·2	24·9	1·7	198	181	27	52	.	6	.	.	2	1	.	1	2	8	26	7	10	19	3	8	77	9	f50·3	30·9	43·8	0·82	f52·8	31·5	40·6	0·55	f63·8	33·9	51·2	0·71
City of Dublin,	293,885	37·1	30·2	26·8	2·1	170	148	21	40	.	6	.	.	2	1	.	1	2	7	21	7	7	18	3	8	71	6	g52·0 h50·9	36 1 33·0	46·2 44·3	0·61 0·57	g54·0 h52 9	33·3 31·0	42·4 40·7	0·48 0·47	g63·9 h62·4	33·2 31·0	52·7 51·8	0·70 0·61
Urban Dists. Rathmines and Rathgar.	33,203	19·4	17·3	15·7	.	11	10	1	3	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	12·0	14·0	.	6	7	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	23·3	29·8	.	4	5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	20·7	32·5	.	7	11	2	5	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	1	.	.	.	.	52	33·5	43·5	0·34	63	38·5	52·9	0·54
Urban Districts.																																							
Belfast,	366,220	24·9	25·6	18·7	2·0	183	131	33	30	.	2	1	.	3	2	.	1	5	11	12	7	3	27	4	8	22	4	51·5	36·0	45·1	0·42	53·0	30·0	44·4	0·73	60·5	37·5	50·0	1·52
Cork,	76,122	33·6	27·4	26·7	2·7	40	39	7	15	.	.	.	.	1	.	.	.	3	2	8	1	4	7	.	.	12	1	54	39	46·2	1·22	54	36	44·8	0·75	60	39	52·4	0·92
Londonderry,	42,037	19·4	28·5	17·4	.	23	14	3	5	.	.	.	.	.	.	.	.	.	1	3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	28·2	17·8	1·4	17	18	4	4	.	.	.	.	.	.	.	.	1	.	3	1	.	1	.	.	3	5	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	15·6	21·4	.	8	11	1	4	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	28·3	11·7	3·9	6	3	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	50	33	41·3	.	53	31	44·3	1·49	59	42	50	0·93
Dundalk,	18,076	2·4	31·9	16·0	4·0	8	4	1	1	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	28·6	20·4	.	7	5	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	21·0	8·4	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53·7	35·0	42·9	0·13	52·3	31·2	42·1	0·95	60·7	37·0	49·9	1·26
Lurgan,	11,782	13·8	53·1	13·3	.	12	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	53·7	35·0	42·9	0·13	52·3	31·2	42·1	0·95	60·7	37·0	49·9	1·26
Lisburn,	11,461	10·1	31·8	22·7	4·5	7	5	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	1	.	.	53·7	35·0	42·9	0·13	52·3	31·2	42·1	0·95	60·7	37·0	49·9	1·26
Wexford,	11,168	23·2	23·3	14·0	.	5	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	47·9	38·3	.	10	8	3	2	.	.	.	.	.	.	.	.	.	1	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	43·2	14·4	4·8	9	3	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	2	52·5	25·3	42·2	0·14	53·8	29·0	4·5	0·61	62·5	29·5	48·7	2·28
Kilkenny,	10,609	11·5	49 1	24·6	.	10	5	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	52	35	43·5	0·24	50	26	39·1	0·61	61	29	47·1	1·58
Clonmel,	10,167	7·8	66·7	51·3	5·1	13	10	3	1	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	36·2	10·8	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	53 7	35·0	42·9	0·13	52·3	31·2	42·1	0·95	60·7	37·0	49·9	1·26
Tralee,	9,867	16·6	63·4	31·7	.	12	6	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	40·1	11·4	.	7	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	50	34	43·5	0·29	52	30	44·3	0·85	60	36	48·7	1·07
Queenstown,	7,909	14·4	13·2	19·8	.	2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	54	39	44·2	1·22	54	36	44·8	0·75	60	39	52·4	0·92
Armagh,	7,588	22·2	13·7	20·6	6·9	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	53·7	35·0	42·9	0·13	52·3	31·2	42·1	0·95	60·7	37·0	49·9	1·26

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly "Simple or Cerebro-Spinal Fever." c Exclusive of Pneumonia. d Exclusive of 11 deaths of persons admitted to hospital from localities outside the Area. e Observations at Ordnance Survey Office, Phœnix Park, in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lurgan, Portadown, Newry, and Portadown, those at Queenstown. f Observations at Ordnance Survey Office, Phœnix Park. g Observations by Sir John Moore taken at Fitzwilliam Square. h Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 10th November, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	6	.	.	.	.	.	.	.	.	6	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Pneumonia,	.	1	.	1	.	.	.	2	.	.	2	1	.	1	.	.	8	.
Tuberculous Disease. Phthisis,	2	2	2	1	.	1	1	5	1	.	2	4	3	.	.	2	26	5
Tuberculous Disease. Other Forms.	.	1	.	1	.	1	.	2	.	1	1	.	.	.	.	.	7	2
Cancer, Malignant Disease,	.	1	.	.	.	1	.	.	.	4	1	.	2	.	.	1	10	1
Other General Diseases	1	2	2	1	.	1	.	1	.	1	.	.	4	.	.	2	15	1
Total,	3	8	4	5	.	4	1	18	1	8	6	5	9	1	.	5	78	9
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	2	2	1	.	2	.	2	2	1	1	.	.	1	1	.	15	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	3	2	2	3	.	.	1	4	4	2	3	.	1	2	2	3	32	.
Diseases of: Respiratory System,	.	4	3	2	.	.	.	3	1	2	2	1	.	1	.	.	19	.
Diseases of: Digestive System,	2	3	.	1	.	.	1	3	.	1	2	.	.	1	2	2	18	2
Diseases of: Lymphatic System, &c.,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of: Urinary System,	2	1	.	1	.	1	1	.	.	1	.	.	.	.	.	.	7	.
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	12	7	9	.	3	3	12	7	7	8	1	1	5	5	5	92	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	.	1	.	.	.	3	1	.	.	.	.	1	.	1	8	.
E. VIOLENT DEATHS,	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Deaths from all Causes,	12	21	12	15	.	7	4	33	9	15	14	6	10	7	5	11	181	11
Annual Rate of Mortality from all causes in every 1,000 of the population	22·1	28·0	20·8	24·7	.	36·4	31·3	44·8	25·7	18·6	20·8	35·2	15·7	14·0	29·8	32·5	24·9	.
	24·6							28·1					20·1					
	26·3																	
Ages at Death. Under 1 year,	1	7	2	2	.	1	1	5	.	1	1	.	1	1	2	2	27	.
1 and under 5 years,	1	.	2	3	.	1	.	10	1	.	2	.	.	2	1	.	24	1
5 ,, 20 ,,	1	.	1	.	.	.	.	.	.	3	1	1	.	1	.	.	8	2
20 ,, 40 ,,	4	1	.	5	.	3	1	6	1	.	2	2	4	.	.	2	31	5
40 ,, 60 ,,	2	8	4	1	.	1	2	4	2	2	5	3	2	.	1	2	39	3
60 and upwards,	3	5	3	4	.	1	.	8	5	8	3	.	3	3	1	5	52	.
Number of Uncertified Deaths,	.	4	.	.	.	1	.	1	.	.	.	.	1	.	1	1	9	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	5	3	7	.	1	.	11	2	3	6	.	1	2	.	.	45	10
Workhouse Hospitals,	3	.	2	4	.	1	.	6	6	5	1	1	2	1	.	.	32	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in the week of the ten years, 1896–1905,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years 1896–1905.	In the Week ending Saturday 10th November, 1906. Deaths of Persons of the Ages						
	Nov. 7, 1896.	Nov. 13, 1897.	Nov. 12, 1898.	Nov. 11, 1899.	Nov. 10, 1900.	Nov. 9, 1901.	Nov. 8, 1902.	Nov. 14, 1903.	Nov. 12, 1904.	Nov. 11, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	38·3	52·5	48·4	47·7	45·1	43·2	47·7	47·6	46·7	43·0	46·0	Mean Temp. 43·8						
ALL CAUSES.	172	123	201	249	154	171	228	157	156	152	177·3	192	10	17	25	10	36	42
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli),	.	.	.	39	.	.	16	.	7	.	6·2	6	.	.	6	.	.	.
Scarlet Fever,	5	8	3	1	.	.	4	1	1	1	2·4	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	2	1	1	1	.	4	1	.	1	1·1	1	.	.	.	.	.	1
Whooping-cough,	3	2	4	1	1	1	.	3	.	.	1·5	2	.	.	1	1	.	.
Diphtheria,	.	1	2	3	.	.	3	.	.	1	1·0	1	.	1	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.
Enteric Fever,	7	9	5	5	4	2	5	3	.	2	4·2	1	.	.	1	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	2	3	8	6	6	2	. / 2	. / 1	3 / 2	. / 4	3·9	. / 2	.	. / 1	.	.	.	.
Tetanus,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.
Rabies, *Hydrophobia*,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	1	.	1	.	1	2	.	.	·6	1	.	.	.	.	1	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	1	.	. / 1	. / .	. / .	. / .	·2	. / . / .	.	. / . / .	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.
Pneumonia, Lobar, Broncho-Epidemic, Not defined,	10	7	9	20	4	10	. / 8 / . / 9	. / 5 / . / 1	1 / 2 / . / 3	3 / 5 / . / 5	10·2	2 / 2 / . / 4	.	. / . / . / .	. / 2 / . / 1	.	. / . / . / .	2 / . / . / 3
Erysipelas,	1	.	.	.	.	.	2	.	1	.	·4	.	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	.	.	.	.	. / 2	. / .	. / .	. / .	·2	. / .	.	. / .	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	2	.	1	1	·4	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	15	13	17	21	26	19	1 / 23	4 / 12	6 / 16	8 / 13	19·4	15 / 16	.	.	.	2 / 1	11 / 11	2 / 4
Tuberculous Meningitis,	3	3	10	5	.	5	6	4	1	.	3·7	2	.	.	2	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*,	6	3	10	5	5	3	2 / .	. / 1	. / .	. / .	3·5	1 / 1	.	1 / .	. / 1	.	.	.
Tuberculous Dis. (other), *Scrofula*,	3	2	5	3	4	3	6 / .	5 / .	4 / .	6 / .	4·1	5 / .	.	1 / .	1 / .	1	1	1
Alcoholism,	.	.	1	1	.	1	4	.	2	.	·9	1	.	.	.	.	1	.
Rheumatic Fever,	.	.	.	.	.	.	.	.	.	1	·1	1	.	1	.	.	.	.
Gout,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Carcinoma, Sarcoma, Cancer (undefined),	3	5	6	9	9	1	1 / . / 4	3 / 1 / 5	7 / 1 / 3	2 / 1 / 3	6·4	3 / 1 / 7	.	. / . / .	. / . / .	.	. / . / .	1 / 1 / 1
Diabetes Mellitus,	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	1
Premature Birth,	2	1	6	4	6	7	1	3	5	2	3·7	4	3	1	.	.	.	.

* The figures for the years 1896–1900 ar
† Formerly describe

-FIFTH WEEK ending Saturday, 10th November, 1906, with the deaths from each cause in the corresponding e average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Nov. 7, 1896.	Nov. 13, 1897.	Nov. 12, 1898.	Nov. 11, 1899.	Nov. 10, 1900.	Nov. 9, 1901.	Nov. 8, 1902.	Nov. 14, 1903.	Nov. 12, 1904.	Nov. 11, 1905.	Averages in 45th Week of the 10 years 1896-1905.	In the Week ending Saturday, 10th November, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5: Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 38·3	° 52·5	° 48·4	° 47·7	° 45·1	° 43·2	° 47·7	° 47·6	° 46·7	° 43·0	° 46·0	Mean Temp. ° 43·8								
ingitis (not tuberc.) ...							4	4	.	5		3	.	.	1	2	.	.	.	.
nity, G. P. of Insane ...							.	.	3	1		2	.	.	.	.	.	.	1	1
epsy							.	2	1	.		2	.	.	.	.	1	.	1	.
ulsions							6	7	6	6		8	2	5	1	.	.	.	.	.
omotor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
plegia Dis. of Cord ...							.	.	1	1		.	.	.	.	.	.	.	.	.
vous System (other s.)							1	.	1	3		.	.	.	.	.	.	.	.	.
	35	26	30	37	28	52					35·9									
r. Dis., Endocarditis ...							5	5	8	6		10	.	.	.	.	2	5	3	.
bbr. Hæm. Thromb. ...							.	2	3	.		5	.	.	.	.	.	1	3	1
plexy, *Hemiplegia* ...							8	4	1	4		2	.	.	.	.	.	.	2	.
urysm							2	1	.	1		.	.	.	.	.	.	.	.	.
bolism, Thromb. (not rebral)							.	2	.	.		.	.	.	.	.	.	.	.	.
rt and Blood Vessel Dis.							12	18	7	10		15	.	.	.	.	.	5	9	1
p (not Spasm. nor mb.)	2	2	.	.	1	2	.	.	.	1	·8	1	.	1	.	.	.	.	.	.
nchitis	29	11	25	37	15	19	35	24	21	24	24·0	15	.	2	2	.	.	5	6	.
ma, Emphysema ...							1	.	2	.		1	.	.	.	.	.	1	.	.
risy	2	3	.	.	3	3	.	2	.	.	2·3	2	.	.	.	.	.	1	1	.
piratory Dis. (other) ...							4	2	.	1		.	.	.	.	.	.	.	.	.
illitis, Quinsy ...	.	1	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
ritis (not Epid.) ...	1	2	1	2	1	.	3	1	1	1	1·5	2	.	.	2	.	.	.	.	.
ro Enteritis							.	.	2	.		1	.	.	1	.	.	.	.	.
onitis (not Puerp.) ...	2	.	1	1	.	1	.	2	.	.	·7	1	.	.	.	.	1	.	.	.
hosis of Liver ...	3	3	4	1	1	2	1	1	2	1	2·4	3	.	.	.	.	1	1	1	.
r Dis. (other) ...							.	1	2	2		2	.	.	.	.	.	.	1	1
stive Dis. (other) ...	3	1	4	6	9	4	7	3	1	3	4·1	11	2	2	1	2	.	1	2	1
hritis, Acute ...	6	1	5	7	3	7	4	.	1	1	5·2	2	.	1	.	1	.	.	.	.
ht's Dis., Albuminuria							4	2	2	2		5	.	.	.	.	3	2	.	.
nary Sys. (Other Dis.)							1	1	4	1		.	.	.	.	.	.	.	.	.
erative Organs Dis. ...	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
dbirth (Accid. of) ...	.	1	1	1	1	.	1	.	1	.	·6	.	.	.	.	.	.	.	.	.
Age	13	12	16	11	11	13	6	5	3	7	9·7	4	.	.	.	.	.	.	2	.
er Diseases	10	9	17	14	7	6	11	8	11	8	10·1	10	3	.	1	.	1	2	2	1
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	.	1	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exsive of Drowning) ...	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
uilding Operations ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
onflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions	2	.	5	.	3	2	.	1	1	1	1·5	1	.	.	1	.	.	.	.	.
rowning	.	.	.	4	.	.	1	.	2	.	·7	1	.	.	.	.	1	.	.	.
uffocation in Bed ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Poison or Poisonous pours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
er Deaths by Accidents	2	.	2	1	1	4	1	3	.	.	1·4	1	.	.	.	.	.	1	.	.
LENCE OTHER THAN ACCIDENTAL.																				
icide	.	.	1	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
ide	.	.	.	1	1	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

gistration Area as then constituted.
le Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.
No. of weeks in Annual Series.	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered,	202	195	223	167	250	210	238	189	230	199	221	231	186	226	230	180	168	209	225	321	146	186	240	178	281	198
*Average Births in corresponding week of previous 10 years,**	209	191	217	229	193	221	229	202	193	199	207	202	208	217	195	215	203	212	195	233	188	184	201	200	199	194
DEATHS registered,	169	173	154	142	126	149	125	130	140	156	149	125	130	151	167	166	184	220	201	184	198	175	166	170	204	192
Annual Death-rate per 1,000,	23·3	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7	25·3	27·2	24·1	22·8	23·4	28·1	26·4
*Average Deaths in corresponding week of previous 10 years,**	171	166	157	155	150	146	140	145	146	151	153	166	169	163	170	164	169	160	173	164	157	168	173	176	171	177
AGES, Under 5 years,	41	42	47	38	12	37	17	35	35	38	43	40	50	48	63	59	88	98	85	76	71	50	53	50	61	52
5—20 ,,	15	13	11	11	13	13	16	14	10	17	11	8	6	9	10	12	8	9	13	8	9	7	6	13	15	10
20—40 ,,	28	29	27	20	22	30	36	21	24	25	27	20	19	22	27	20	27	24	26	25	22	27	34	34	30	36
40—60 ,,	44	37	30	42	36	34	28	32	37	28	35	20	28	27	32	40	33	39	30	29	38	41	34	25	43	42
60—80 ,,	30	41	34	28	37	31	22	21	32	43	27	32	24	48	28	29	28	41	39	37	51	45	34	38	42	45
80 years and upwards,	11	11	5	3	6	4	6	7	2	5	6	5	3	2	7	6	5	9	8	9	7	5	5	10	13	7
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	2	.	.	.	.	.	1	2	2	.	2	1	.	.	.	.	1	.	.	1	.	2	2	6
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.
Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Whooping-cough,	.	3	3	1	2	2	1	4	6	3	2	2	3	1	.	.	1	1	1	5	1	2	2	2	3	2
Diphtheria,	2	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	1	2	.	1	1
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	1	.	2	.	1	1	.	1	1	.	.	2	2	.	2	1	.	4	4	2	1	1
Diarrhœal Diseases,	1	3	2	1	4	.	2	.	3	3	10	11	10	29	27	28	49	40	34	31	31	12	12	8	7	2
Pneumonia,	13	18	10	6	6	13	4	4	9	12	13	4	5	4	8	5	4	9	7	12	10	16	17	13	10	8
Tuberculous Disease. Phthisis,	16	22	20	17	17	29	21	26	21	23	19	21	13	21	21	18	21	20	26	19	23	16	21	17	21	31
Tuberculous Disease. Other Forms,	16	7	8	13	12	11	9	11	7	11	13	4	7	9	8	9	9	11	12	14	8	7	5	13	17	9
Cancer, Malignant Disease,	15	8	10	6	8	6	12	7	4	14	9	8	4	12	11	10	7	11	6	6	13	9	7	10	10	11
Diseases of Heart and Blood Vessels,	28	30	15	29	26	21	14	15	26	27	19	19	17	20	12	22	21	28	25	18	24	25	24	26	33	32
Diseases of Respiratory System,	15	16	15	10	11	17		21	10	11	13	14	10	11	10	4	8	16	10	14	23	20	15	19	33	19
Violent Deaths,	4	5	2	3	3	4	3	4	2	3	4	2	3	2	8	7	5	2	3	5	4	6	4	7	1	3
Number of Uncertified Deaths,	7	7	11	3	3	9	4	3	2	5	4	3	5	1	2	1	1	7	9	4	4	7	5	7	6	9
Mean Temperature of the Air (Phœnix Park),	46·8	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9	50·4	53·3	52·5	45·5	51·2	40·6	43·3
Average Mean Temperature in corresponding week of previous 10 years	49·5	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·9‡	52·5	51·0	48·8	47·9	46·8	47·3	46·0
Rainfall in inches,	·640	·810	·450	·005	·280	·790	·450	·390	285	·385	·220	·452	·320	·415	·695	·000	285	·280	·000	·000	800	1·125	·210	·707	·545	·820
Mean Humidity of the Air, complete Saturation, 1·0.	·88	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·83	·79	·86	·86	·84	·82	·90	·87	·92	·87	·85	·83	·91	·86

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

In the Dublin Registration Area during the Week ending Saturday, 10th November, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH NOVEMBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	875,350	26·7	192	52	10	36	42	45	7	.	6	.	.	2	1	.	1	2	12	8	31	9	11	8	19	3	91	9
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	26·9	9	1	.	.	1	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	8	.
II.	MIDDLE CLASS,	87,188	21·5	36	4	1	11	10	9	1	.	.	.	.	.	.	.	.	.	.	1	7	2	4	1	4	.	17	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	22·2	47	12	4	8	10	13	.	.	.	.	.	1	.	.	1	1	3	2	8	2	1	4	5	.	22	3
IV.	GENERAL SERVICE CLASS,	154,279	32·5	67	30	4	9	16	7	1	.	6	.	.	1	1	.	.	1	9	5	8	3	3	3	8	3	25	5
V.	INMATES OF WORKHOUSES,	6,024		33	5	1	3	5	11	3	.	.	.	.	.	.	.	.	.	.	.	8	2	2	.	2	.	19	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	46·8	7	1	.	.	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	16·6	7	.	.	1	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	5	1
	6. Clerks and Commercial Assistants,	30,482	27·4	16	4	.	6	2	3	1	.	.	.	.	.	.	.	.	.	.	1	4	1	.	1	4	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	23·2	12	.	1	4	4	3	.	.	.	.	.	.	.	.	.	.	.	.	3	1	2	.	.	.	6	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades,	29,801	31·5	18	5	3	3	4	3	.	.	.	.	.	1	.	.	1	1	3	1	3	.	.	3	2	.	6	1
	10. Clothing Trades,	28,260	33·6	15	2	1	3	3	6	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	3	.	8	1
	11. Food Supply Trades,	9,242	16·9	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades,	30,352	12·0	7	1	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	3	1
	13. Petty Shopkeepers,	7,894	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	27·2	7	3	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	5	1
	15. Domestic Servants,	36,603	15·7	11	2	1	3	3	2	.	.	.	.	.	1	.	.	.	1	2	.	3	1	1	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	10·9	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	26·7	46	24	2	5	10	4	1	.	6	.	.	.	1	.	.	.	7	5	5	2	2	3	6	2	14	4
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	33	5	1	8	5	11	3	.	.	.	.	.	.	.	.	.	.	.	8	2	2	.	2	.	19	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (part of).																				
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	Sept. 22,	22·1	9·2	12	.	.	.	.	.	.	.	.	5	.	2	.	1	.	1	.
	„ 29,	25·8	5·5	14	.	.	.	.	.	.	.	.	3	1	3	.	.	1	1	.
	Oct. 6,	23·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	.	.	1	1	1
	„ 13,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1
	„ 20,	36·8	.	20	.	.	.	.	.	.	.	.	.	3	2	.	.	3	.	2
	„ 27,	29·4	1·8	16	.	.	.	.	.	.	.	.	1	2	3	.	2	1	1	1
	Nov. 3,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.
	„ 10,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 89,146.	Sept. 22,	36·0	10·7	27	.	1	.	.	.	.	.	.	7	4	3	.	1	2	.	.
	„ 29,	25·3	8·0	19	.	.	.	.	2	.	.	.	4	.	2	1	.	1	.	1
	Oct. 6,	29·3	4·0	22	.	.	.	.	.	.	.	.	3	2	2	1	1	5	1	.
	„ 13,	24·0	2·7	18	.	.	.	.	.	.	.	1	1	3	2	.	.	2	1	.
	„ 20,	18·6	1·3	14	.	.	.	.	.	1	.	.	.	.	4	2	2	1	.	1
	„ 27,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	2	.	.	4	.	.
	Nov. 3,	18·0	5·3	21	.	.	.	.	2	1	.	1	.	.	4	3	.	3	.	.
	„ 10,	28·0	1·3	21	.	.	.	.	.	.	.	.	1	1	2	1	1	4	.	4
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 Est.) 80,107.	Sept. 22,	41·6	13·9	24	.	.	.	.	.	.	.	1	7	.	1	.	1	1	.	2
	„ 29,	36·4	5·2	21	.	.	.	.	1	.	.	.	2	1	4	2	1	1	2	.
	Oct. 6,	31·2	6·9	18	.	.	.	.	1	.	.	.	3	1	4	.	.	3	.	.
	„ 13,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	2	2	.	3	.	.
	„ 20,	20·8	6·9	12	.	.	1	.	.	1	.	.	2	1	1	1	.	1	.	.
	„ 27,	27·7	5·2	16	.	.	.	.	.	.	.	1	2	.	.	3	.	.	3	.
	Nov. 3,	31·2	1·7	18	.	1	.	.	.	.	.	.	.	3	1	1	1	1	.	1
	„ 10,	20·8	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 81,678.	Sept. 22,	29·6	9·9	18	.	.	.	.	.	.	.	1	5	.	4	.	.	1	.	2
	„ 29,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	1
	Oct. 6,	29·6	8·2	18	.	.	.	.	.	.	.	.	5	1	1	1	.	4	.	1
	„ 13,	29·6	3·3	18	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.	1
	„ 20,	14·8	1·6	9	.	.	.	.	.	.	.	.	1	2	.	.	.	2	1	.
	„ 27,	23·0	1·6	14	.	.	.	.	.	.	.	1	.	2	3	1	.	.	1	.
	Nov. 3,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	1
	„ 10,	24·7	1·6	15	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 88,384.	Sept. 22,	17·7	.	13	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	.
	„ 29,	29·9	6·8	22	.	.	.	.	2	.	.	1	2	2	2	1	.	.	.	.
	Oct. 6,	23·1	2·7	17	.	.	.	.	.	.	.	.	2	.	2	1	.	3	.	.
	„ 13,	29·9	8·2	22	.	1	.	.	1	1	.	.	3	2	1	.	2	3	.	1
	„ 20,	29·9	5·4	22	.	.	1	.	.	.	.	.	3	.	2	.	2	3	.	2
	„ 27,	25·8	5·4	19	.	2	.	1	.	.	.	.	1	.	1	.	.	3	.	.
	Nov. 3,	36·7	5·4	27	.	1	.	.	1	.	.	.	2	2	4	1	1	5	.	1
	„ 10,	44·8	10·9	33	.	6	.	.	.	1	.	.	1	2	5	2	.	3	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Sept. 22,	51·3	5·7	18	.	.	.	.	.	.	.	.	2	.	3	1	.	2	1	.
	„ 29,	22·8	2·9	8	.	.	.	.	.	.	.	.	1	.	2	2	.	1	.	.
	Oct. 6,	28·5	2·9	10	.	.	.	.	.	.	.	.	1	1	1	2	1	1	.	.
	„ 13,	28·5	2·9	10	.	.	.	.	.	.	.	1	.	.	1	.	1	1	1	.
	„ 20,	25·7	2·9	9	.	.	.	.	.	.	.	.	1	2	1	.	.	3	.	.
	„ 27,	34·2	.	12	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	3
	Nov. 3,	31·4	.	11	.	.	.	.	.	.	.	.	.	1	.	3	.	5	.	.
	„ 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Sept. 22,	16·2	2·5	13	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.
	„ 29,	27·4	5·0	22	.	.	.	.	.	.	.	.	4	1	2	1	1	3	2	1
	Oct. 6,	31·1	7·5	25	.	.	.	.	.	.	.	.	6	1	2	1	3	3	1	.
	„ 13,	34·8	5·0	28	.	.	.	.	1	.	.	.	3	1	3	1	2	5	1	2
	„ 20,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	4	1	.	1	1	.
	„ 27,	17·4	2·5	14	.	.	.	.	1	.	.	.	1	.	.	2	1	3	.	.
	Nov. 3,	39·8	3·7	32	.	.	.	.	.	.	.	.	3	.	4	1	2	3	1	2
	„ 10,	18·6	2·5	15	.	.	.	.	1	.	.	1	.	.	.	1	4	2	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,138.	Sept. 22,	25·2	3·0	17	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	3
	„ 29,	26·7	5·9	18	.	.	.	.	.	.	.	.	4	1	1	2	1	1	.	.
	Oct. 6,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	1	1	2	2	1	.	2
	„ 13,	22·3	1·5	15	.	.	.	.	.	.	.	.	1	2	1	1	.	.	3	.
	„ 20,	19·3	3·0	18	.	.	.	.	1	.	.	1	.	3	1	.	.	1	.	1
	„ 27,	20·8	1·5	14	.	.	.	.	.	.	.	.	1	1	2	1	.	3	.	.
	Nov. 3,	34·1	.	23	.	.	.	.	.	.	.	.	.	1	4	3	.	2	.	.
	„ 10,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of opulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ublic Institutions being assigned to the Districts from which the deceased were admitted*; also, rovincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	Sept. 22,	23·6	1·6	15	.	.	1	.	.	.	.	.	.	.	2	1	1	1	.	2
	„ 29,	25·1	6·3	16	.	.	.	.	.	.	.	.	4	2	1	1	1	2	.	.
	Oct 6,	18·8	3·1	12	.	.	.	.	.	.	.	.	2	.	2	.	1	1	.	1
	„ 13,	12·6	3·1	8	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.
	„ 20,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	1	3	.	1	.	.	1
	„ 27,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.
	Nov. 3,	25·1	3·1	16	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.
	„ 10,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Sept. 22,	22·0	6·0	11	.	.	.	.	1	.	.	.	2	2	.	.	.	1	.	.
	„ 29,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1
	Oct. 6,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1
	„ 13,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	„ 20,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 27,	24·0	2·0	12	.	.	.	.	.	.	.	.	1	2	2	3	.	.	1	.
	Nov. 3,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.
	„ 10,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Sept. 22,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	4	2	.	.	.	.
	„ 29,	20·7	5·9	7	.	.	.	.	.	.	.	.	2	2	.	1	.	.	.	.
	Oct. 6,	35·5	5·9	12	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.
	„ 13,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
	„ 20,	8·9	3·0	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.
	Nov. 3,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	„ 10,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1
Belfast. Pop. in 1906 (Est.) 386,220.	Sept. 22,	20·1	5·0	141	.	.	1	.	5	.	.	2	27	3	14	8	4	12	4	.
	„ 29,	19·4	5·0	136	.	2	1	.	3	.	.	4	25	6	19	4	4	7	4	1
	Oct. 6,	20·5	3·4	144	.	1	1	.	2	1	.	.	19	6	20	9	2	15	4	3
	„ 13,	15·5	1·7	109	.	.	.	1	1	.	.	2	8	10	17	4	2	11	1	3
	„ 20,	17·4	2·3	122	.	.	.	.	2	1	.	.	13	10	15	5	5	11	5	.
	„ 27,	17·1	1·9	120	.	1	.	.	3	1	.	3	5	7	15	5	4	17	7	3
	Nov. 3,	17·4	2·1	122	.	.	.	.	3	1	.	1	10	13	13	7	3	15	1	3
	„ 10,	18·7	2·0	131	.	2	1	.	3	2	.	1	5	11	12	7	3	27	4	4
Cork. Pop. (in 1901) 76,122.	Sept. 22,	34·2	11·0	50	.	.	.	.	.	1	.	.	15	1	4	5	.	1	.	6
	„ 29,	27·4	6·2	40	.	.	.	1	1	.	.	.	7	.	6	2	4	4	1	3
	Oct. 6,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	2
	„ 13,	30·1	11·0	44	.	.	.	1	.	.	.	1	14	2	3	2	1	4	.	1
	„ 20,	23·3	4·1	34	.	.	.	.	.	.	.	1	5	4	3	.	3	2	1	.
	„ 27,	15·8	.	23	.	.	.	.	.	.	.	.	.	.	5	1	.	3	.	.
	Nov. 3,	14·4	0·7	21	.	.	.	.	.	.	.	.	1	1	2	3	.	2	.	2
	„ 10,	26·7	2·7	39	.	.	.	.	1	.	.	.	3	2	8	1	4	7	.	1
Londonderry. Pop. in 1906 (Est.) 42,067.	Sept. 22,	8·7	1·2	7	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.
	„ 29,	19·8	3·7	16	.	1	.	.	.	1	.	.	1	1	3	.	.	4	.	.
	Oct. 6,	16·1	5·0	13	.	.	.	.	.	.	.	.	4	1	1	.	.	.	.	.
	„ 13,	13·6	3·7	11	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
	„ 20,	11·2	1·2	9	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	1
	„ 27,	14·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	.
	Nov. 3,	26·0	3·7	21	.	.	.	.	.	.	.	.	7	.	3	1	1	.	.	1
	„ 10,	17·4	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	4	.	.
Limerick. Pop. (in 1901 38,151.	Sept. 22,	17·8	2·7	13	.	.	.	.	.	1	.	1	.	.	3	1	2	.	.	1
	„ 29,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	Oct. 6,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	2
	„ 13,	12·3	1·4	9	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1
	„ 20,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 27,	19·1	2·7	14	.	.	.	.	.	1	.	.	1	1	1	1	1	.	.	5
	Nov. 3,	20·5	5·5	15	.	.	.	.	.	1	.	2	1	1	1	.	2	.	.	3
	„ 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	.	1	.	5
Waterford. Pop. (in 1901) 26,769.	Sept. 22,	9·7	5·8	5	.	.	.	.	1	.	.	.	2	.	.	1	.	.	.	.
	„ 29,	9·7	3·9	5	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.
	Oct. 6,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 13,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 20,	15·6	3·9	8	.	.	.	.	1	.	.	.	1	.	2	.	.	.	1	.
	„ 27,	27·3	1·9	14	.	.	.	.	.	.	.	1	.	.	4	1	.	.	3	1
	Nov. 3,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
	„ 10,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th November, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Puerperal* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,734	8	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		9	2	1	3	1	2	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	5	1
Do. 2 ,, .	47,959	15			25	10	3	2	2	4	4	.	1	.	.	2	1	.	.	.	2	.	1	.	2	1	4	5	.
Do. 3 ,, .	47,214	18			11	.	1	2	2	2	4	.	.	1	.	.	.	.	.	.	1	2	1	.	4	.	.	3	1
Do. 4 ,, .	40,911	22			15	4	3	2	1	2	3	.	.	.	.	1	.	.	.	1	1	.	1	.	3	1	1	4	.
Do. 5 ,, .	17,887	9			5	1	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1
Do 6 ,, .	48,122	26			15	3	.	1	4	2	5	.	.	.	.	.	.	.	.	1	2	3	1	1	2	.	.	1	.
Do 7 ,, .	1,524	.			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	3			5	2	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
Do. 9 ,, .	19,569	12			10	3	3	.	2	1	1	.	.	.	.	.	1	.	.	.	.	2	.	.	3	2	2	2	1
Do. 10 ,, .	28,064	18			12	2	2	2	2	2	2	.	.	.	.	.	.	.	.	.	1	2	.	1	5	.	.	1	.
Do. 11 ,, .	34,802	17			9	1	.	2	.	4	2	.	.	.	.	.	.	.	.	1	2	1	1	1	1	.	1	.	.
Do. 12 ,, .	33,588	23			9	3	.	.	3	1	2	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	.	1	.
Do. 13 ,, .	15,006	9			4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.
Do. 14 ,, .	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	180			131	33	13	14	19	22	30	.	2	1	.	3	2	.	1	5	11	12	7	3	27	4	8	22	4
City of Cork.																													
CORK URBAN No. 1 DISTRICT, .	12,867	3	20·3	4·1	5	3	1	1			.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	1	.
Do. 2 ,, . .	10,701	6	39·0	4·9	8	1	.	6			1	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	2	.
Do. 3 ,, . .	9,978	9	52·3	5·2	10	2	1	2			5	.	.	.	.	.	.	.	.	1	.	1	1	2	4	.	.	2	.
Do. 4 ,, . .	8,666	5	30·1	.	5	.	.	2			3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	4	.
Do. 5 ,, . .	6,592	2	15·8	.	2	.	.	2			.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.
Do. 6 ,, . .	10,702	8	9·7	.	2	.	.	.			2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 7 ,, . .	16,616	7	22·0	3·1	7	1	1	1			4	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.	.	2	.
Total	76,122	40	26·7	2·7	39	7	3	14			15	.	.	.	.	1	.	.	.	3	2	8	1	4	7	.	.	12	1

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22	Sept. 29.	Oct. 6.	Oct. 13	Oct. 20.	Oct. 27.	Nov 3.	Nov. 10.
No. of weeks in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered,	217	273	239	228	204	222	218	225	162	271	225	241	220	203	204	208	240	211	211	226	211	222	195	238	194	180
DEATHS registered,	140	151	150	136	134	131	113	105	119	121	127	121	127	125	139	134	151	142	141	136	144	109	121	120	122	131
Annual Death-rate per 1,000 of estimated Population,	19·9	21·5	21·4	19 4	19·1	18·7	16 1	15 0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20 1	19·4	20·5	15·5	17·4	17·1	17·4	18·7
AGES: Under 1 year,	35	21	33	28	21	26	24	24	27	21	21	30	29	37	43	39	59	43	49	40	39	31	34	26	36	33
AGES: 1-5 years,	17	17	23	23	20	17	15	12	19	12	8	18	9	16	14	22	16	16	13	17	15	9	13	17	15	13
AGES: 5-20 years,								11	14	10	13	9	14	17	12	5	10	10	14	15	14	8	12	9	10	14
AGES: 20-40 years,	61	84	64	53	67	72	57	13	27	24	29	15	25	14	18	17	20	21	20	15	24	17	19	17	16	19
AGES: 40-60 years,								22	15	26	26	31	22	24	29	26	30	26	20	21	28	23	22	23	23	22
AGES: 60 years and upwards,	24	29	30	33	26	13	17	23	17	28	30	18	28	17	23	25	16	26	25	28	24	21	22	25	24	30
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	2	1	.	.	1	.	.	2	1	.	2	.	.	1	.	.	2	1	.	.	1	.	2
Scarlet Fever,	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	1	.	1	1	1	.	.	.	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Whooping-cough,	13	8	15	16	7	14	7	4	9	3	1	4	2	4	2	7	7	3	5	3	2	1	2	3	3	3
Diphtheria,	1	1	.	1	.	.	2	2	.	.	1	.	1	1	2	1	.	1	.	.	1	.	1	1	1	2
*Pyrexia** (origin uncertain),	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	2	.	.	.	.	1	1	2	3	2	1	.	2	1	3	2	4	.	2	.	3	1	1
Diarrhœal Diseases,	1	5	1	5	7	2	4	4	6	7	4	7	12	25	24	23	39	3[illegible]	27	25	19	8	13	5	10	5
Pneumonia,	9	14	15	15	7	7	8	8	7	6	6	10	7	3	5	7	5	3	3	6	6	10	10	7	13	11
Tuberculous Disease, Phthisis,	23	33	16	21	22	30	24	12	20	21	26	22	25	13	21	15	16	18	14	19	20	17	15	13	13	12
Tuberculous Disease, Other Forms,	11	9	11	5	9	7	7	6	15	5	10	11	6	8	6	6	6	6	8	4	9	4	5	5	7	7
Cancer, Malignant Disease,	3	3	1	5	6	4	2	9	2	4	4	2	4	3	2	4	3	3	4	4	2	2	5	4	3	3
Diseases of Respiratory System,	17	16	17	15	15	14	13	7	7	9	21	11	7	12	7	16	8	12	12	7	15	11	11	17	15	27
Violent Deaths,	4	6	1	2	1	5	.	3	6	4	.	2	4	2	3	6	3	1	4	4	4	1	5	7	1	4
Number of Uncertified Deaths,	.	4	2	2	5	.	1	1	2	.	3	.	3	1	2	5	.	.	.	1	3	3	.	3	3	4

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	Nov. 10,	2,220	1,328	14·7	.	19	17	11	7	6	44
EDINBURGH, .	341,035	„ 10,	120	90	13·8	.	.	.	3	.	1	.
GLASGOW, . .	835,625	„ 10,	405	303*a*	18·9	.	.	1	3	7	2	9
CALCUTTA, . .	910,117	Sept. 22,	.	390	23·9	.	.	.	.	.	93‡	61*
BOMBAY, . .	977,822	Oct. 9,	461	675	35·9	.	.	.	.	.	91‡	89*
MADRAS, . .	509,346	Sept. 21,	450	600	61·2	3	3	?	?	?	109‡	206*
PARIS, . .	2,750,000	Oct. 27,	897	839	16·3	.	2	1	5†	2	9	44
BRUSSELS (with 8 Faubourgs).	612,401	„ 20,	219	145	12·3	.	2	3	2†	3	.	17
ANTWERP, . .	304,975	„ 20,	122	79	13·5	.	.	.	.	1	1	20
AMSTERDAM, .	562,004	„ 20,	255	129	12·0	.	4	1	1†	1	3	5
COPENHAGEN, .	425,000	„ 20,	226	105	12·9	.	.	.	.	2	.	10
STOCKHOLM, .	324,488	„ 13,	171	96	15·4	.	1	.	2†	1	.	4
CHRISTIANIA, .	222,373	„ 27,	84	56	13·1	.	.	.	9†	.	.	4
ST. PETERSBURG,	1,424,700	„ 20,	831	593	21·6	1	7	31	38	5	26	28
MOSCOW, . .	1,092,360	Sept. 22,	.	552	26·4	1	4	9	4†	9	12	87
BERLIN, . .	2,067,654	Oct. 13,	888	538	13·6	.	6	9	7†	2	3	59
HAMBURG, . .	802,793	„ 13,	.	220	14·3	.	.	.	2†	4	.	36
BRESLAU, . .	478,048	„ 27,	.	156	17·0	.	1	.	4†	2	1	13
MUNICH, . .	540,000	„ 27,	.	168	16·2	.	.	.	6†	1	1	34
VIENNA (with suburbs).	1,958,323	„ 27,	892	555	14·7	.	8	3	10†	3	2	32
BUDA-PESTH, .	791,748	„ 27,	407	229	15·1	.	2	1	1†	1	3	8
PRAGUE and Faubourgs.	460,849	„ 20,	173	145	16·4	.	.	.	1†	1	.	9
TRIESTE, . .	198,525	„ 13,	136	95	25·0	.	.	.	.	.	2	5
ROME, . . .	531,502	Sept. 8,	.	.	.	.	.	.	.	.	.	.
VENICE, . .	171,709	Oct. 13,	51	63	19·1	.	.	.	.	.	.	2
NEW YORK, .	4,152,860	„ 13,	2,107	1,284	16·1	.	2	1	22†	11	17	135
PHILADELPHIA,	1,469,126	„ 6,	.	402	13·5	.	.	1	9†	7	9	26
BOSTON, . .	602,526	„ 13,	.	178	15·4	.	.	1	1	1	3	9

a. Including 4 deaths from cerebro-spinal meningitis.
* Including 15 deaths from cholera in Calcutta, 7 in Bombay, and 80 in Madras.
† Including deaths from croup.
‡ Exclusive of 4 deaths from plague in Calcutta, 27 in Bombay, and one in Madras.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th November, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	1	1	.	.	.	.	4	.	.	.	.	6
" " 2,	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 3,	.	2	.	.	.	.	1	.	1	.	.	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	2	.	1	2	8	.	.	.	14
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	2	.	.	.	.	.	.	.	2
" " 4,	.	.	.	.	.	.	1	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	4	1	.	4	.	3	7	9	.	.	.	28

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th November, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th November.			
	Oct. 20.	Oct. 27.	Nov. 3.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	9	27	32	24	3	5	48
Scarlet Fever,	86	83	86	13	6	.	93*
Typhus,	4	4	2	.	.	.	2
Diphtheria,	16	17	16	6	.	.	22
Enteric Fever,	72	73	73	12	11	2	72
Pneumonia,	34	30	32	11	9	3	31

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 10th November, 1906:—

"Weather of a very unsettled type was prevalent during this week—on Sunday afternoon a sharp thunderstorm, accompanied by heavy showers of rain and hail, passed over Dublin from the eastward; on Tuesday evening a vapour fog of exceptional density hung over the City and suburbs for several hours. Wednesday was very wet on the coast, but fine inland, and on that and the two following days fresh to strong or squally N.E. winds blew with great persistence. Only on Saturday did the weather moderate, becoming fine and dry, although the sky remained overcast. But the foregoing record of thunder, lightning, hail, rain, fog, clouds, and wind seems tame when compared with the bad, even terrible, weather experienced in England and on the Continent, in connection with two remarkable cyclonic disturbances. The first of these was central over Brittany on Sunday morning—at 8 a.m. the barometer was down to 28·86 inches at Lorient. This depression travelled northeastwards and lay off the Wash on Monday morning. It caused heavy rains in France and England and thunderstorms in eastern and southern Ireland. After Tuesday another depression passed from the Bay of Biscay to the English Channel. Strong N.E. winds sprang up in the British Isles, and rain fell in torrents over England and France—in London the rainfall up to 8 a.m. of Saturday was 2·31 inches on 5 days. During the last two days a large anticyclone, advancing from Iceland, spread southeastwards over the British Isles. In Dublin the mean height of the barometer was 29·781 inches, the range being from 29·325 inches at 9 a.m. of Sunday (wind, E.) to 30·492 inches at 9 p.m. of Saturday (wind, N.E.). The mean temperature was 46·2°, and this was also the mean of the dry bulb readings at 9 a.m. and 9 p.m. The screened thermometers fell to 36·1° on Sunday and rose to 52·0° on Thursday. N.E. winds prevailed for the most part. The rainfall was ·607 inch on 4 days, ·264 inch being measured on Sunday and ·250 inch on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·790 inches. The highest reading (30·514) was on Saturday at 9 p.m., air calm, and the lowest (29·331) on Sunday at 9 a.m., wind E.

The mean temperature for the week was 43·8°, being 2·2° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Sunday and Thursday, on which days the thermometer registered 50·3°, and was lowest on Sunday, the mercury having fallen to 30·9°. The mean of the Dry Bulb for the week was 44·6°, and of the Wet Bulb 42·7°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 5·2 hours. The rainfall during the week measured 0·820 inch.

At Greenwich the mean temperature for the week was 47·3°, the maximum 56·0°, and the minimum 33·5°; at Glasgow the maximum was 52·4°, the minimum 30·2°, and the mean 42·4°; and at Edinburgh the maximum was 48·7°, the minimum 37·3°, and the mean 43·2°. The rainfall at Greenwich measured 2·62 ins.; at Glasgow 0·56 in.; and at Edinburgh 1·31 ins. The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Nov. 4,	29·334	50·3	30·9	40·6	46·7	44·7	·87	·9	3·8	·315	E.	N.E.
Monday, „ 5,	29·580	47·8	40·9	44·4	40·9	40·8	·99	·8	0·7	·015	W.N.W.	W.
Tuesday, „ 6,	29·680	50·0	33·7	41·9	40·2	39·9	·98	·9	0·0	·030	Calm.	Calm.
Wednesday, „ 7,	29·614	48·3	32·9	40·6	45·8	44·3	·89	·9	0·7	·450	Calm.	N.N.E.
Thursday, „ 8,	29·758	50·3	46·1	48·2	49·2	46·2	·79	1·0	0·0	·000	N.N.E.	N.N.E.
Friday, „ 9,	30·079	49·3	42·1	45·7	45·5	41·9	·75	·8	0·0	·010	N.E.	N.E.
Saturday, „ 10,	30·455	47·3	42·9	45·1	44·2	40·9	·76	·6	0·0	·000	N.E.	Calm.
Mean, . .	29·790	49·0	38·5	43·8	44·6	42·7	·86	·8	Total 5·2	Total ·820	Prevailing wind, N.E.	

Sunday—Fine and cloudy a.m., overcast and cloudy, heavy hail, heavy rain, stormy 4.20 p.m. to 5.15 p.m.; night cloudy, heavy rain 2.15 a.m. to 7.0 a.m. *Monday*—Day overcast; night overcast, light rain 3.0 a.m. to 7.0 a.m., ground fog. *Tuesday*—Cloudy and showery day, heavy fog 5.0 p.m. to 10.15 p.m.; night clear. *Wednesday*—Day overcast, heavy rain 12.0 noon to 5.30 p.m.; night overcast, light rain and heavy 12 m.n. to 3.0 a.m. *Thursday*—Day overcast and dull; night cloudy. *Friday*—Day overcast, light showers a.m. and p.m. at intervals; night cloudy. *Saturday*—Day overcast but fine; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 10th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Nov. 4,	49·6	44·1	50·1	51·7	36·1	43·9	4·2	·206
Monday, „ 5,	44·0	45·2	49·9	50·1	40·1	45·1	1·3	·031
Tuesday, „ 6,	46·1	45·7	49·7	50·7	39·1	44·9	0·0	·040
Wednesday, „ 7,	47·0	45·6	49·3	49·6	39·3	44·5	0·0	·280
Thursday, „ 8,	49·9	46·2	49·2	51·3	46·4	48·9	0·0	·001
Friday, „ 9,	49·2	47·0	49·1	50·8	39·9	45·4	0·0	·002
Saturday, „ 10,	46·4	46·1	49·1	48·0	43·2	45·6	0·0	—
Weekly Mean, .	47·5	45·7	49·5	50·3	40·6	45·5	Total 5·5	Total ·560

Dublin: Printed for His Majesty's Stationery Office.
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—15336.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 17TH NOVEMBER, 1906. [No. 46.

General Register Office, Charlemont House, Dublin, 19*th November,* 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Oct. 27.	Week ending Nov. 3.	Week ending Nov. 10.	Week ending Nov. 17.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 27.	Week ending Nov. 3.	Week ending Nov. 10.	Week ending Nov. 17.	Average Rate for 4 weeks.
22 Town Dists.	18·4	20·7	21·6	21·5	20·6	Lisburn, . .	18·2	9·1	22·7	18·2	17·1
Armagh, . .	27·5	6·9	20·6	13·7	17·2	Londonderry, .	14·9	26·0	17·4	17·4	18·9
Ballymena, .	14·4	43·1	38·3	14·4	27·5	Lurgan, . .	17·7	8·9	13·3	22·1	15·5
Belfast, . .	17·1	17·4	18·7	20·6	18·5	Newry, . .	4·2	8·4	8·4	16·8	9·5
Clonmel, . .	5·1	10·3	51·3	10·3	19·3	Newtownards, .	11·4	22·9	11·4	17·2	15·7
Cork, . . .	15·8	14·4	26·7	26·0	20·7	Portadown,	5·2	36·2	10·3	10·3	15·5
Drogheda, . .	8·2	16·3	20·4	24·5	17·4	Queenstown .	13·2	6·6	19·8	19·8	14·9
Dublin Reg. Area,	21·6	27·4	24·9	25·6	24·9	Sligo, . .	14·4	4·8	14·4	14·4	12·0
Dundalk, . .	27·9	16·0	16·0	23·9	20·9	Tralee, . .	15·9	5·3	31·7	15·9	17·2
Galway, . .	19·4	15·5	11·7	7·8	13·6	Waterford, .	27·3	7·8	21·4	7·8	16·1
Kilkenny, . .	9·8	9·8	24·6	19·7	16·0	Wexford, . .	18·7	42·0	14·0	23·3	24·5
Limerick, . .	19·1	20·5	17·8	15·0	18·1						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·5 in Lisburn, the 4 deaths from all causes in that district including one from whooping-cough. Among the 145 deaths from all causes in Belfast are one from measles, 3 from whooping-cough, and 4 from diarrhœal diseases; the 38 deaths in Cork include one from whooping-cough and 3 from diarrhœal diseases; and included in the 14 deaths from all causes in Londonderry is one from enteric fever,

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 182—101 boys and 81 girls; and the deaths to 191—89 males and 102 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 26·3 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 25·6 per 1,000. During the forty-six weeks ending with Saturday last the death-rate averaged 23·2, and was 1·9 below the mean rate for the corresponding portions of the ten years, 1896–1905.

Amongst the deaths (191) registered there were 9 from measles (of these 8 were admitted to Cork-street Fever Hospital from South Dublin Union Workhouse), one from

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

whooping-cough, one from enteric fever, and 3 from diarrhœal diseases. In each of the 3 preceding weeks, deaths from measles were 2, 2, and 6; deaths from whooping-cough were 2, 3, and 2; deaths from enteric fever were 2, one, and one; and deaths from diarrhœal diseases were 8, 7, and 2. The deaths of 3 persons were directly attributed to influenza.

Of the deaths from pneumonia, 5 were from lobar pneumonia, 4 were from broncho-pneumonia, and 3 were returned as *pneumonia* (not defined).

Of the 24 deaths from all forms of tuberculous disease, 8 were from tuberculous phthisis, 11 were returned as from *phthisis*, and 5 deaths were from other forms of the disease. In each of the 3 preceding weeks, deaths from all forms of tuberculous disease were 30, 38, and 40.

Seven deaths were returned from carcinoma, 2 from sarcoma, and 4 from cancer (undefined).

The deaths of 5 infants, prematurely born, were registered.

Of 14 deaths from diseases of the brain and nervous system, 5, all being infants under one year of age, were from *convulsions*.

There were 27 deaths from diseases of the heart and blood vessels.

Bronchitis caused 31 deaths.

Of 9 deaths assigned to accidental violence, 2 (of children under 5 years) were caused by burns, 2 were by drowning, and one was by suffocation in bed, of an infant under one year of age.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old and the death of a man aged 78 years.

Sixty-one of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 11 were under one month old) and 47 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 7 were octogenarians, and one (a male) was stated to have been aged 90 years.

Eighty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the N. Dublin Union Workhouse and 25 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·6 per 1,000; the rate in the City was 28·4 (North City Districts, 24·9; South, 32·2), and in the Suburbs, 15·8 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·5 (0·7 in the North City Districts, and 4·4 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000, and include 3 deaths from influenza, one death from broncho-pneumonia, 2 deaths from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. There were 2 deaths from *diarrhœa*, one death from *phthisis*, 5 deaths from bronchitis, and one death caused accidentally.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·3 per 1,000. Amongst the deaths are one from *pneumonia* (not defined), 2 from tuberculous disease, and one from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (16) represent an annual rate of 26·3 per 1,000. Croupous pneumonia and *phthisis* each caused 2 deaths, and diseases of the respiratory system caused 3 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 46·9. The 3 deaths from all causes for Clontarf and Howth, No. 1, part of, include one from bronchitis. Of the 3 deaths from all causes for Coolock and Drumcondra, No. 1, part of, one was from lobar pneumonia and one from tuberculous phthisis; and the 6 deaths from all causes for Finglas and Glasnevin, part of, include one from broncho-pneumonia, and one from *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (29) represent an annual rate of 39·4 per 1,000, and include 8 deaths from measles, one death each from whooping-cough, *diarrhœa*, and croupous-pneumonia, 2 deaths from broncho-pneumonia, and 4 deaths each from tuberculous disease and bronchitis.

No. 2 South City District (Castle-street).—The deaths (14) are equal to an annual rate of 39·9 per 1,000. Tuberculous disease caused 3 and bronchitis 4 deaths.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 33·6 per 1,000. There was one death each from measles and croupous pneumonia, there were 6 deaths from tuberculous disease, 7 from bronchitis, and there was one accidental death.

No. 4 South City District (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. Amongst them were one death each from enteric fever, *phthisis*, and bronchitis, and 2 deaths caused accidentally.

New Kilmainham District.—The one death recorded represents an annual rate of 5·9 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·1; Pembroke, 12·0; Blackrock, 17·9; and Kingstown, 23·7. There were no deaths from any of the principal epidemic diseases recorded for these districts. The 9 deaths from all causes for Rathmines and Rathgar include one from tuberculous phthisis, one from bronchitis, and one accidental death. The 6 deaths from all causes for Pembroke include one death caused by accident. Amongst the 3 deaths from all causes for Blackrock were one from bronchitis and one caused by accident; and the 8 deaths from all causes for Kingstown include 2 from tuberculous disease of the lungs, 2 from bronchitis, and one death caused by accident.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases otification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. wcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive nitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock ban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban strict; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 17th November, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 27,	.	—	—	9	.	.	5	.	2	19	15	.	—	—	—	—	—	50
	Nov. 3,	.	—	—	12	.	.	19	.	7	18	10	.	—	—	—	—	—	66
	Nov. 10,	.	—	—	4	1	.	4	.	3	7	9	.	—	—	—	—	—	28
	Nov. 17,	.	—	—	17	.	.	6	.	.	9	10	.	—	—	—	—	—	42
Rathmines and Rathgar Urban District.	Oct. 27,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	Nov. 3,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	2
	Nov. 10,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	—	3
	Nov. 17,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	—	5
Pembroke Urban District.	Oct. 27,	.	.	.	.	.	.	.	.	1	.	.	1	—	.	.	—	—	2
	Nov. 3,	.	.	.	.	.	.	.	.	1	.	.	.	—	.	.	—	—	1
	Nov. 10,	.	.	.	.	.	.	.	.	.	1	1	.	—	.	.	—	—	2
	Nov. 17,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
Blackrock Urban District.	Oct. 27,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	2
	Nov. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Oct. 27,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Nov. 3,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Nov. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Nov. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Oct. 27,	.	—	—	33	.	.	4	1	9	11	9	.	—	—	—	—	—	67
	Nov. 3,	.	—	—	33	.	.	14	.	3	2	3	2	—	—	—	—	—	57
	Nov. 10,	.	—	—	41	2	.	9	1	11	7	9	2	—	—	—	—	—	82
	Nov. 17,	.	—	—	25	.	.	5	2	7	8	9	.	—	—	—	—	—	56

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 17th November, 1906.

From this it appears that:—

Twenty-one cases of measles were admitted into hospital during the week, 15 were dis-rged, there were 8 deaths, and 46 cases remained under treatment at its close.

Eleven cases of scarlet fever were admitted to hospital, 12 were discharged, and 92* ses remained under treatment at the close of the week.

Two cases of typhus remained under treatment in hospital at the close of the week.

Seven cases of diphtheria were admitted to hospital, 5 were discharged, 2 died, and 22 tients remained under treatment at the close of the week.

Six cases of enteric fever were admitted to hospital, 11 were discharged, there was one ath, and 66 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, were discharged, there were 2 deaths, and 28 cases remained under treatment at the end the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the e was 15·4), was equal to an average annual death-rate of 15·4 per 1,000 persons living; e average rate for 8 principal towns of Scotland was 17·0 per 1,000 the rate for Glasgow ng 16·6 and for Edinburgh 15·3.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a y of his Return of Infectious Diseases notified during the week ended 17th November. From this Report ppears that of a total of 45 cases notified 26 were scarlet fever, 8 erysipelas, 7 diphtheria, 2 mem-nous croup, and 2 enteric fever. Among the 249 cases of infectious diseases in hospital at the close of week were 95 cases of scarlet fever, 44 of diphtheria, 2 of membranous croup, 36 of measles, 25 of eric fever, 10 of erysipelas, and 2 of whooping cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 17th November, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Registration—Week ending Saturday, 17th November, 1906. Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 17th November, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th November, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd November, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	24·8	21·5	1·8	523	455	82	129	.	10	.	.	6	.	.	2	10	50	62	16	20	69	15	20	142	20	○ .	○ .	○ .	.	○ .	○ .	○ .	.	○ .	○ .	○ .	.
Dublin Registration Area:—Total, d.	378,994	27·5	25·0	25·6	1·9	182	186	36	47	.	9	.	.	1	.	.	1	3	10	19	5	12	33	9	8	76	3	f54·2	32·9	41·9	0·48	f50·3	30·9	43·8	0·82	f52·8	31·5	40·6	0·55
City of Dublin,	298,885	27·1	26·1	28·4	2·5	147	160	30	41	.	9	.	.	1	.	.	1	3	10	16	5	11	29	5	5	71	3	g55·8 h54·1	38·8 33·0	45·8 43·9	0·42 0·39	g52·0 h50·9	36·1 33·0	46·2 44·3	0·61 0·57	g54·0 h52·9	33·3 31·0	42·4 40·7	0·43 0·47
Urban Dists. Rathmines and Rathgar.	33,203	19·4	15·7	14·1	.	10	9	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	26·0	12·0	.	13	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·9	17·9	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	26·6	23·7	.	9	8	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	1	1	.	56	41·5	47·2	0·37	53	38	46·9	0·52	52	38·5	48·5	0·34
Urban Districts.																																							
Belfast,	366,220	24·9	26·9	20·6	1·1	189	145	26	37	.	1	.	.	3	.	.	.	4	12	20	10	3	22	6	9	39	5	50·0	28·0	41·8	0·83	51·5	36·0	45·1	0·42	53·0	30·0	44·4	0·73
Cork,	76,122	33·6	20·5	26·0	2·7	30	38	10	12	.	.	.	.	1	.	.	.	3	4	8	.	1	4	.	2	11	5	57	43	48·4	0·44	54	39	46·2	1·22	54	36	44·8	0·75
Londonderry,	42,067	19·4	21·1	17·4	1·2	17	14	.	6	.	.	.	.	.	.	.	1	.	.	3	.	1	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	23·7	15·0	.	21	11	2	4	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	7·8	7·8	.	4	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	38·8	7·8	.	10	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	51	35	43	0·97	50	33	41·3	.	53	31	44·3	1·49
Dundalk,	18,076	9·4	12·0	23·9	.	3	6	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	20·4	24·5	.	5	6	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	12·6	16·8	.	3	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51·5	33·6	42·0	0·60	53·7	35·0	42·9	0·13	52·8	31·2	42·1	0·95
Lurgan,	11,782	13·8	17·7	22·1	.	4	5	.	4	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	1	51·5	33·6	42·0	0·60	53·7	35·0	42·9	0·18	52·8	31·2	42·1	0·95
Lisburn,	11,461	10·1	22·7	16·2	4·5	5	4	2	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	1	.	51·5	33·6	42·0	0·60	53·7	35·0	42·9	0·13	52·8	31·2	42·1	0·95
Wexford,	11,168	23·2	37·4	23·3	.	8	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	23·9	14·4	.	5	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	14·4	14·4	.	3	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	52·5	32·9	43·0	0·77	52·5	25·3	42·2	0·14	53·8	29·0	41·5	0·61
Kilkenny,	10,609	11·5	39·0	19·7	.	12	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	55	35	43·9	0·71	52	35	43·5	0·24	50	26	39·1	0·61
Clonmel,	10,167	7·8	15·4	10·3	.	3	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	10·3	10·3	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	51·5	33·6	42·0	0·60	53·7	35·0	42·9	0·18	52·8	31·2	42·1	0·95
Tralee,	9,867	16·6	31·7	15·9	.	6	3	1	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	17·2	17·2	.	3	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	51	32	43·0	0·75	50	34	46·5	0·29	52	30	44·3	0·65
Queenstown,	7,909	14·4	33·0	19·8	.	5	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	57	43	48·4	0·44	54	39	46·2	1·22	54	36	44·8	0·75
Armagh,	7,588	22·2	20·6	13·7	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	51·5	33·6	42·0	0·60	53·7	35·0	42·9	0·18	52·8	31·2	42·1	0·95

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly [illegible] d Exclusive of 5 deaths of persons admitted to hospital from localities outside the Area. [illegible] in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at [illegible]

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 17th November, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	City of Dublin.												Urban Districts of				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Registration Districts in																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (part of)	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
A. General Diseases:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	8	.	1	.	.	.	.	.	.	9	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Pneumonia,	1	.	1	2	.	1	1	3	.	1	.	.	.	.	.	.	10	2
Tuberculous Disease. Phthisis,	.	1	1	2	.	1	1	2	2	5	1	.	1	.	.	2	19	.
Tuberculous Disease. Other Forms.	.	.	1	.	.	.	.	2	1	1	.	.	.	.	.	.	5	.
Cancer, Malignant Disease,	.	1	.	3	1	.	1	1	.	3	1	.	.	1	.	.	12	1
Other General Diseases	4	3	3	.	1	.	2	1	.	2	.	.	1	.	.	1	18	.
Total,	5	7	6	7	2	2	5	19	3	13	3	.	2	1	.	3	78	3
B. Local Diseases:																		
Diseases of Nervous System	2	1	2	.	.	.	.	.	2	1	3	1	.	2	.	.	14	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	2	.	1	5	.	.	.	4	2	4	3	.	2	.	1	2	26	1
Diseases of Respiratory System,	2	5	1	3	1	.	.	4	5	7	1	.	1	.	1	2	33	1
Diseases of Digestive System,	.	2	2	1	.	.	.	2	1	1	1	.	1	1	.	.	12	.
Diseases of Lymphatic System &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Total,	6	8	6	9	1	1	.	10	10	13	9	1	4	4	2	4	88	2
C. Other Specified Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Causes Ill-defined and Not Specified,	2	2	.	.	.	.	1	.	1	.	3	.	2	.	.	.	11	.
E. Violent Deaths,	1	1	.	.	.	.	.	.	.	1	2	.	1	1	1	1	9	.
Deaths from all Causes,	14	18	12	16	3	3	6	29	14	27	17	1	9	6	3	8	186	5
Annual Rate of Mortality from all causes in every 1,000 of the population	25·8	24·0	20·8	26·3	32·5	15·6	46·9	39·4	39·9	33·6	25·2	5·9	14·1	12·0	17·9	23·7	25·6	.
	24·9							32·2					15·8					
	28·4																	
Ages at Death. Under 1 year,	2	4	2	1	1	.	2	6	7	4	1	.	3	1	.	2	36	.
1 and under 5 years,	1	1	1	2	.	.	.	11	.	2	6	.	.	1	.	.	25	.
5 " 20 "	.	.	3	1	.	.	.	3	.	1	1	.	.	1	2	.	12	.
20 " 40 "	2	1	3	4	1	2	4	1	2	5	3	.	2	1	.	2	33	.
40 " 60 "	4	4	2	3	.	1	.	3	1	4	5	1	2	1	.	2	33	5
60 and upwards,	5	8	1	5	1	.	.	5	4	11	1	.	2	1	1	2	4[illegible]	.
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	3	3	1		1	11	1	6	4	.	1	1	1	1	41	4
Workhouse Hospitals,	1	.	4	4	.	.	1	6	4	9	4	1	1	.	.	.	35	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register week of the ten years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 46th Week of the 10 years 1896-1905.	In the Week ending Sat 17th November, 190				
												Deaths of Persons of the				
	Nov. 14, 1896.	Nov. 20, 1897.	Nov. 19, 1898.	Nov. 18, 1899.	Nov. 17, 1900.	Nov. 16, 1901.	Nov. 15, 1902.	Nov. 21, 1903.	Nov. 19, 1904.	Nov. 18, 1905.		ALL AGES.	0 to 5.			
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 42·4	° 46·3	° 43·6	° 48·0	° 44·4	° 40·2	° 47·9	° 40·2	° 45·8	° 38·0	° 43·7	° 42·9				
ALL CAUSES.	190	156	186	248	179	180	202	182	183	158	186·4	191	11	25	25	12
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	.	.	51	1	.	10	.	8	.	7·0	9	.	2	7	.
Scarlet Fever, ...	5	1	.	2	1	.	2	.	.	1	1·2	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	.	3	2	.	3	1	1	1	4	1·7	3	.	.	.	.
Whooping-cough, ...	4	.	2	2	2	1	1	2	4	1	1·9	1	.	1	.	.
Diphtheria, ...	1	1	1	3	1	3	1	2	1	1	1·5	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.
Enteric Fever, ...	2	6	3	9	3	.	4	2	2	.	3·1	1	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery,	1	2	2	5	4	2	.	.	1	.	3·0	.	.	.	.	.
							3	4	4	2		3	.	1	1	.
Tetanus, ...	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	1	.	2	2	.	2	2	2	2	1·3	1	.	1	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	1	.	.	1	.	.	.	1	1	.	·4	.	.	.	.	.
							.	.	.	.		.	.	.	.	.
							.	.	.	.		.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	12	5	23	22	9	8	.	1	1	3	13·7	5	.	.	2	.
Pneumonia, Broncho-							2	9	6	6		4	.	.	1	.
Pneumonia, Epidemic,							.	.	1	.		.	.	.	.	.
Pneumonia, Not defined,							7	8	9	5		3	.	.	1	.
Erysipelas, ...	1	.	.	.	1	1	.	.	.	2	·5	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	.	.	1	.	.	.	.	1	1	.	·3	2	.	.	.	.
							.	.	.	.		.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	24	16	22	17	30	36	.	2	10	11	23·3	8	.	.	.	1
							19	18	13	15		11	.	.	.	2
Tuberculous Meningitis, ...	.	6	3	6	3	3	2	5	2	3	3·3	.	.	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	3	6	6	5	2	4	2	2	1	.	3·2	.	.	.	.	.
							.	.	1	.		.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*, ...	8	5	4	4	.	3	3	6	5	9	4·7	5	.	3	.	2
							.	.	.	.		.	.	.	.	.
Alcoholism, ...	1	1	.	.	.	2	.	1	.	1	·6	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	2	1	·3	.	.	.	.	.
Gout, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.
Carcinoma, ... Sarcoma, ... Cancer (undefined),	4	6	4	10	6	9	.	2	4	2	6·5	7	.	.	.	.
							1	.	.	.		2	.	.	.	.
							5	4	5	3		4	.	.	.	.
Diabetes Mellitus, ...	.	.	.	.	.	.	1	1	1	.	·3	1	.	.	.	.
Premature Birth, ...	2	1	5	4	3	8	2	1	3	5	3·4	5	5	.	.	.

* The figures for the years 1896-190
† Formerly desc

ORT IXTH WEEK ending Saturday, 17th November, 1906, with the deaths from each cause in the corresponding nd t average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Nov. 14, 1896.	Nov. 20, 1897.	Nov. 19, 1898.	Nov. 18, 1899.	Nov. 17, 1900.	Nov. 16, 1901.	Nov. 15, 1902.	Nov. 21, 1903.	Nov. 19, 1904.	Nov. 18, 1905.	Averages in 46th Week of the 10 years 1896–1905.	In the Week ending Saturday, 17th November, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5: Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and upwards	80 and upwards
ean Temperature.	° 42·4	° 46·3	° 43·6	° 48·0	° 44·4	° 40·2	° 47·9	° 40·2	° 45·8	° 38·0	° 43·7	° 42·9								
Me gitis (not tuberc.) ...							2	1	5	1		2	.	1	.	1	.	.	.	.
In ity, G. P. of Insane ...							1	2	1	2		.	.	.	.	.	.	.	.	.
Ep psy							.	2	.	.		1	.	.	.	.	1	.	.	.
Co lsions							7	8	7	4		5	3	2	.	.	.	.	.	.
Lo notor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
Pa plegia Dis. of Cord ...							.	4	1	2		1	.	.	.	.	1	.	.	.
Ne ous System (other l.)	37	28	30	31	37	36	4	1	3	2	37·1	5	.	.	.	1	1	3	.	.
Va Dis., Endocarditis ...							6	4	7	6		5	.	.	.	.	2	1	2	.
Ce or. Hæm. Thromb. ...							2	2	2	2		2	.	.	.	.	.	2	.	.
Ap lexy, *Hemiplegia* ...							9	6	3	3		4	.	.	.	.	.	2	2	.
Ar rysm							1	2	.	.		.	.	.	.	.	.	.	.	.
Er olism, Thromb. (not ebral)							1	.	.	.		1	.	.	.	1	.	.	.	.
He t and Blood Vessel Dis.							20	13	11	12		15	.	.	.	.	3	5	7	.
Cr (not Spasm. nor mb.)	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Br chitis	24	26	26	26	22	15	26	31	21	24	24·1	31	.	5	2	1	1	6	10	6
As na, Emphysema ...							.	.	.	1		.	.	.	.	.	.	.	.	.
Pl isy	2	4	4	1	5	2	.	.	.	.	2·4	1	.	.	.	.	.	1	.	.
Re iratory Dis. (other) ...							2	1	1	1		2	.	.	1	.	.	.	1	.
To illitis, Quinsy ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
En ritis (not Epid.) ...							.	1	1	.		4	.	1	2	1	.	.	.	.
Gr o Enteritis	2	1	1	.	1	1	.	1	1	2	1·2	2	.	1	1	.	.	.	.	.
Pe nitis (not Puerp.) ...	1	1	2	2	.	.	1	1	.	.	·8	.	.	.	.	.	.	.	.	.
Ci osis of Liver ...							2	.	3	.		1	.	.	.	.	.	.	1	.
Li r Dis. (other) ...	4	4	3	1	1	2	1	2	1	.	2·4	.	.	.	.	.	.	.	.	.
Di stive Dis. (other) ...	1	3	4	7	7	4	8	5	4	3	4·6	5	.	2	.	.	.	.	3	.
Ne ritis, Acute ...							4	.	2	1		.	.	.	.	.	.	.	.	.
Bi nt's Dis., Albuminuria	5	6	4	2	7	2	2	3	5	2	4·7	1	.	.	.	.	.	1	.	.
Ur ary Sys. (Other Dis.)							2	.	.	.		.	.	.	.	.	.	.	.	.
G rative Organs Dis. ...	.	1	1	1	.	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
C lbirth (Accid. of) ...	.	.	.	.	.	.	2	.	1	1	·4	.	.	.	.	.	.	.	.	.
C Age	14	8	10	12	14	12	6	6	3	3	8·8	3	.	.	.	.	.	.	1	2
C r Diseases	22	8	15	13	10	16	20	10	4	5	12·3	15	3	4	4	1	.	.	3	.
ACCIDENT.																				
B ailways	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
E ehicles and Horses ...	1	.	.	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
I ships, Boats, Docks (exclusive of Drowning) ...	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
I uilding Operations ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
I onflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E burns, Scalds, Explosions	2	1	3	3	2	.	.	1	1	2	1·5	2	.	.	2	.	.	.	.	.
E Drowning	1	1	.	1	2	2	.	.	1	.	·8	2	.	.	1	.	.	1	.	.
E uffocation in Bed ...	.	1	.	.	.	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	.
E Poison or Poisonous apours	1	.	1	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
O er Deaths by Accidents	2	4	.	.	2	1	2	.	2	1	1·4	4	.	.	.	1	.	2	1	.
OLENCE OTHER THAN ACCIDENTAL.																				
I icide	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
S cide	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
E ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

th egistration Area as then constituted,
s ple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																									
	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.
No. of weeks in Annual Series.	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered,	195	223	167	250	210	238	189	230	199	223	235	186	226	230	180	268	209	225	321	146	186	240	178	281	198	182
*Average Births in corresponding week of previous 10 years,**	191	217	229	193	221	229	202	193	199	207	202	208	217	196	215	203	212	195	233	188	184	201	200	199	194	199
DEATHS registered,	178	154	142	126	149	125	130	140	156	149	125	130	151	167	166	184	220	201	184	198	175	166	170	204	192	191
Annual Death-rate per 1,000,	23·8	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7	25·3	27·2	24·1	22·8	23·4	28·1	26·4	26·3
*Average Deaths in corresponding week of previous 10 years,**	166	157	155	150	146	140	145	146	151	153	166	169	163	170	164	169	16	173	164	157	168	173	176	171	177	186
AGES,— Under 5 years,	42	47	38	12	37	17	35	35	38	48	40	50	48	63	59	83	98	85	76	71	50	53	50	61	52	61
5—20 ,,	13	11	11	13	13	16	14	10	17	11	8	6	9	10	12	8	9	13	8	9	7	6	13	15	10	12
20—40 ,,	29	27	20	22	30	36	21	24	25	27	20	19	22	27	20	27	24	26	25	22	27	34	34	30	36	33
40—60 ,,	37	30	42	36	34	28	33	37	28	35	20	28	27	32	40	33	39	30	29	38	41	34	25	48	42	38
60—80 ,,	41	34	28	37	31	22	21	32	43	27	32	24	43	28	19	28	41	39	37	51	45	34	38	42	45	39
80 years and upwards,	11	5	3	6	4	6	7	2	5	6	5	3	2	7	6	5	9	8	9	7	5	5	10	13	7	8
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	.	.	.	.	.	1	2	2	.	2	1	.	.	.	.	1	.	.	1	.	2	2	6	9
Scarlet Fever	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.
Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.
Whooping-cough,	3	3	1	2	2	1	4	6	3	2	2	3	1	.	.	1	1	1	5	1	2	2	2	3	2	1
Diphtheria,	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	1	2	.	1	1	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	2	.	1	1	.	1	1	.	.	2	2	.	2	1	.	4	4	2	1	1	1
Diarrhœal Diseases,	3	2	1	4	.	2	.	3	3	10	11	10	29	27	28	49	40	34	31	31	12	12	8	7	2	3
Pneumonia,	13	10	6	6	13	4	4	9	12	13	4	5	4	8	5	4	9	7	12	10	16	17	13	10	8	12
Tuberculous Phthisis,	22	20	17	17	29	21	26	21	23	19	21	18	21	21	18	21	20	26	19	23	16	21	17	21	31	19
Disease. Other Forms,	7	8	13	12	11	9	11	7	11	13	4	7	9	8	9	9	11	12	14	8	7	5	13	17	9	5
Cancer, Malignant Disease,	8	10	6	8	6	12	7	4	14	9	8	4	12	11	10	7	11	6	6	13	3	7	10	10	11	13
Diseases of Heart and Blood Vessels,	30	15	29	26	21	14	15	26	27	19	19	17	20	12	22	21	28	25	18	24	25	24	26	33	32	27
Diseases of Respiratory System,	26	15	10	11	17		21	10	11	13	14	10	11	10	4	8	16	10	14	23	20	15	19	33	19	34
Violent Deaths,	5	2	3	3	4	3	4	2	3	4	2	3	2	8	7	5	2	5	5	4	6	4	7	1	3	9
Number of Uncertified Deaths,	7	11	3	3	9	4	3	2	5	4	3	5	1	2	1	1	7	9	4	4	7	5	7	6	9	3
Mean Temperature of the Air (Phœnix Park),	47·3	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9	50·4	53·3	52·5	45·5	51·2	40·6	43·3	42·9
Average Mean Temperature in corresponding week of previous 10 years	50·9	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·9‡	52·5	51·0	48·8	47·9	46·8	47·3	46·0	43·7
Rainfall in inches,	·810	·450	·005	·230	·790	·450	·390	235	·885	·220	·452	·320	·415	·695	·000	285	·280	·000	·000	·800	1·125	·210	·707	·545	·830	·475
Mean Humidity of the Air, complete Saturation, 1·0,	·89	·84	·79	·85	·86	·79	·84	·80	·82	·84	·80	·88	·79	·86	·86	·84	·82	·90	·87	·92	·87	·85	·88	·91	·86	·87

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS OF SOCIAL POSITION OF THE PERSONS [illegible] in the Dublin Registration Area during the Week ending Saturday, 17th November, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 17th November, 1906. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,850	26·5	191	61	12	33	38	39	8	.	9	.	.	1	.	.	1	3	14	12	19	5	13	5	34	9	80	3
	CLASSES. Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	17·9	6	2	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	3	.
II.	MIDDLE CLASS,	87,188	15·5	26	5	1	8	6	5	1	.	.	.	.	.	.	.	.	.	.	2	2	.	5	.	1	1	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	18·9	40	12	3	8	10	7	.	.	.	.	.	.	.	.	.	1	.	3	4	1	2	1	8	4	16	1
IV.	GENERAL SERVICE CLASS,	154,279	38·7	83	37	7	14	8	18	4	.	8	.	.	1	.	.	1	2	12	3	11	2	2	3	15	4	31	2
V.	INMATES OF WORKHOUSES,	6,024		36	5	1	3	12	14	1	.	1	.	.	.	.	.	.	.	1	3	2	2	4	1	8	.	15	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	33·4	5	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	11·8	5	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
	6. Clerks and Commercial Assistants,	30,432	17·1	10	2	.	6	1	1	.	.	.	.	.	.	.	.	.	.	.	2	2	.	2	.	.	1	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	19·3	10	1	1	1	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	7	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.
	9. Building and Furnishing Trades,	29,801	22·7	13	7	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	2	2	6	1
	10. Clothing Trades,	23,260	13·5	6	.	.	2	3	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	1	1	1	.
	11. Food Supply Trades,	9,242	22·6	4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	22·3	13	2	.	5	2	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	.	8	.
	13. Petty Shopkeepers,	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	2	.
	15. Domestic Servants,	36,603	8·5	6	1	.	2	1	1	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	1	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	2	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	38·9	67	34	7	9	4	10	3	.	8	.	.	1	.	.	1	1	11	2	8	2	1	3	12	4	24	2
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	36	5	1	3	12	14	1	.	1	.	.	.	.	.	.	.	1	3	2	2	4	1	8	.	15	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (part of).																				
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,382.	Sept. 29,	25·8	5·5	14	.	.	.	.	.	.	.	.	3	1	3	.	.	1	1	.
	Oct. 6,	23·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	.	.	1	1	1
	„ 13,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1
	„ 20,	36·8	.	20	.	.	.	.	.	.	.	.	.	3	2	.	.	3	.	2
	„ 27,	29·4	1·8	16	.	.	.	.	.	.	.	.	1	2	3	.	2	1	1	1
	Nov. 3,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.
	„ 10,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.
	„ 17,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Sept. 29,	25·3	8·0	19	.	.	.	.	2	.	.	.	4	.	2	1	.	1	.	1
	Oct. 6,	29·3	4·0	22	.	.	.	.	.	.	.	.	3	2	2	1	1	5	1	.
	„ 13,	24·0	2·7	18	.	.	.	.	.	.	.	1	1	3	2	.	.	2	1	.
	„ 20,	18·6	1·3	14	.	.	.	.	.	1	.	.	.	.	4	2	2	1	.	1
	„ 27,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	2	.	.	4	.	.
	Nov. 3,	28·0	5·3	21	.	.	.	.	2	1	.	1	.	.	4	3	.	3	.	.
	„ 10,	28·0	1·3	21	.	.	.	.	.	.	.	.	1	1	2	1	1	4	.	4
	„ 17,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	.	1	.	1	5	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 Est.) 80,107.	Sept. 29,	36·4	5·2	21	.	.	.	.	1	.	.	.	2	.	4	2	1	1	2	.
	Oct. 6,	31·2	6·9	18	.	.	.	.	1	.	.	.	3	1	4	.	.	3	.	.
	„ 13,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	2	2	.	3	.	.
	„ 20,	20·8	6·9	12	.	.	1	.	.	1	.	.	2	1	1	1	.	1	.	.
	„ 27,	27·7	5·2	16	.	.	.	.	.	.	.	1	2	.	.	3	.	.	3	.
	Nov. 3,	31·2	1·7	18	.	1	.	.	.	.	.	.	.	3	1	1	1	1	.	1
	„ 10,	20·8	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
	„ 17,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,673.	Sept. 29,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	1
	Oct. 6,	29·6	8·2	18	.	.	.	.	.	.	.	.	5	1	1	1	.	4	.	1
	„ 13,	29·6	3·3	18	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.	1
	„ 20,	14·8	1·6	9	.	.	.	.	.	.	.	.	1	2	.	.	.	2	1	.
	„ 27,	28·0	1·6	14	.	.	.	.	.	.	.	1	.	2	3	1	.	.	1	.
	Nov. 3,	28·0	.	14	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	1
	„ 10,	24·7	1·6	15	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	.
	„ 17,	26·3	.	16	.	.	.	.	.	.	.	.	.	2	2	.	3	3	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	Sept. 29,	29·9	6·8	22	.	.	.	.	2	.	.	1	2	2	2	1	.	.	.	.
	Oct. 6,	23·1	2·7	17	.	.	.	.	.	.	.	.	2	.	2	1	2	3	.	.
	„ 13,	29·9	8·2	22	.	1	.	.	1	1	.	.	3	2	1	.	2	3	.	.
	„ 20,	29·9	5·4	22	.	.	1	.	.	.	.	.	3	.	2	.	2	3	.	1
	„ 27,	25·8	5·4	19	.	2	.	1	.	.	.	.	1	.	1	.	.	3	.	2
	Nov. 3,	36·7	5·4	27	.	1	.	.	1	.	.	.	2	2	4	1	1	5	.	.
	„ 10,	44·8	10·9	33	.	6	.	.	.	1	.	.	1	2	5	2	.	3	.	1
	„ 17,	39·4	18·6	29	.	8	.	.	1	.	.	.	1	3	2	2	1	4	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Sept. 29,	22·8	2·9	8	.	.	.	.	.	.	.	.	1	.	2	2	.	1	.	.
	Oct. 6,	28·5	2·9	10	.	.	.	.	.	.	.	.	1	1	1	2	1	1	.	.
	„ 13,	28·5	2·9	10	.	.	.	.	.	.	.	1	.	.	1	.	1	1	1	.
	„ 20,	25·7	2·9	9	.	.	.	.	.	.	.	.	1	2	1	.	.	3	.	.
	„ 27,	34·2	.	12	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	3
	Nov. 3,	31·4	.	11	.	.	.	.	.	.	.	.	.	1	.	3	.	5	.	.
	„ 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 17,	39·9	.	14	.	.	.	.	.	.	.	.	.	.	2	1	.	5	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Sept. 29,	27·4	5·0	22	.	.	.	.	.	.	.	.	4	1	2	1	1	3	2	1
	Oct. 6,	31·1	7·5	25	.	.	.	.	.	.	.	.	6	1	2	1	3	3	1	.
	„ 13,	34·8	5·0	28	.	.	.	.	.	.	.	.	3	1	3	1	2	5	1	2
	„ 20,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	4	1	.	1	1	.
	„ 27,	17·4	2·5	14	.	.	.	.	1	.	.	.	1	.	.	2	1	3	.	.
	Nov. 3,	39·8	3·7	32	.	.	.	.	1	.	.	.	3	.	4	1	2	8	1	2
	„ 10,	18·6	2·5	15	.	.	.	.	.	.	.	1	.	.	.	1	4	2	.	.
	„ 17,	33·6	1·2	27	.	1	.	.	1	.	.	.	.	1	5	1	3	7	1	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,138.	Sept. 29,	26·7	5·9	18	.	.	.	.	.	.	.	.	4	1	1	2	1	1	.	.
	Oct. 6,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	1	1	2	2	1	.	.
	„ 13,	22·3	1·5	15	.	.	.	.	.	.	.	.	1	2	1	1	.	.	3	2
	„ 20,	19·3	3·0	13	.	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.
	„ 27,	20·8	1·5	14	.	.	.	.	1	.	.	1	1	1	2	1	.	3	.	1
	Nov. 3,	34·1	.	23	.	.	.	.	.	.	.	.	.	1	4	3	.	2	.	.
	„ 10,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.
	„ 17,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	1	.	1	1	2	1

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,908.	Sept. 29,	25·1	6·3	16	.	.	.	.	.	.	.	.	4	2	1	1	1	2	.	.
	Oct. 6,	18·8	3·1	12	.	.	.	.	.	.	.	.	2	.	2	.	1	1	.	1
	„ 13,	12·6	3·1	8	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.
	„ 20,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	1	3	.	1	.	.	1
	„ 27,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.
	Nov. 3,	25·1	3·1	16	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.
	„ 10,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	1
	„ 17,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Sept. 29,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1
	Oct. 6,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1
	„ 13,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	„ 20,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 27,	24·0	2·0	12	.	.	.	.	.	.	.	.	1	2	2	3	.	.	1	.
	Nov. 3,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.
	„ 10,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 17,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Sept. 29,	20·7	5·9	7	.	.	.	.	.	.	.	.	2	2	.	1	.	.	.	.
	Oct. 6,	35·5	5·9	12	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.
	„ 13,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
	„ 20,	8·9	3·0	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.
	Nov. 3,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	„ 10,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	.
Belfast. Pop. in 1906 (Est.) 386,220.	Sept. 29,	19·4	5·0	186	.	2	1	.	3	.	.	4	25	6	19	14	4	7	4	1
	Oct. 6,	20·5	3·4	144	.	1	1	.	2	1	.	.	19	6	20	9	2	15	4	3
	„ 13,	15·5	1·7	109	.	.	.	1	1	.	.	2	8	10	17	4	2	11	1	3
	„ 20,	17·4	2·3	122	.	.	.	.	2	1	.	.	13	10	15	5	5	11	5	.
	„ 27,	17·1	1·9	120	.	1	.	.	3	1	.	3	5	7	15	5	4	17	7	3
	Nov. 3,	17·4	2·1	122	.	.	.	.	3	1	.	1	10	13	13	7	3	15	1	3
	„ 10,	18·7	2·0	131	.	2	1	.	3	2	.	1	5	11	12	7	3	27	4	4
	„ 17,	20·6	1·1	145	.	1	.	.	3	.	.	.	4	12	20	10	3	22	6	5
Cork. Pop. (in 1901) 76,122.	Sept. 29,	27·4	6·2	40	.	.	.	1	1	.	.	.	7	.	6	2	4	4	1	3
	Oct. 6,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	2
	„ 13,	30·1	11·0	44	.	.	.	1	.	.	.	.	14	2	3	2	1	4	.	1
	„ 20,	23·3	4·1	34	.	.	.	.	.	.	.	1	5	4	3	.	3	2	1	.
	„ 27,	15·8	.	23	.	.	.	.	.	.	.	.	.	.	5	1	.	3	.	.
	Nov. 3,	14·4	0·7	21	.	.	.	.	.	.	.	.	1	1	2	3	.	2	.	2
	„ 10,	26·7	2·7	39	.	.	.	.	1	.	.	.	3	2	8	1	4	7	.	1
	„ 17,	26·0	2·7	38	.	.	.	.	1	.	.	.	3	4	8	.	1	4	.	5
Londonderry. Pop. in 1906 (Est.) 42,067.	Sept. 29,	19·8	3·7	16	.	1	.	.	.	1	.	.	1	1	3	.	.	4	.	.
	Oct. 6,	16·1	5·0	13	.	.	.	.	.	.	.	.	4	1	1	.	.	.	.	.
	„ 13,	13·6	3·7	11	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
	„ 20,	11·2	1·2	9	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	1
	„ 27,	14·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	.
	Nov. 3,	26·0	3·7	21	.	.	.	.	.	.	.	.	7	.	3	1	1	.	.	1
	„ 10,	17·4	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	4	.	.
	„ 17,	17·4	1·2	14	.	.	.	.	.	.	.	1	.	.	3	.	1	3	.	1
Limerick. Pop. (in 1901) 38,151.	Sept. 29,	12·3	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	Oct. 6,	18·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	2
	„ 13,	12·3	1·4	9	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1
	„ 20,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 27,	19·1	2·7	14	.	.	.	.	.	1	.	.	1	1	1	1	1	.	.	5
	Nov. 3,	20·5	5·5	15	.	.	.	.	.	1	.	2	1	1	1	.	2	.	.	3
	„ 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	.	1	.	5
	„ 17,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
Waterford. Pop. (in 1901) 26,769.	Sept. 29,	9·7	3·9	5	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.
	Oct. 6,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 13,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 20,	15·6	3·9	8	.	.	.	.	1	.	.	.	1	.	2	.	.	.	1	.
	„ 27,	27·3	1·9	14	.	.	.	.	.	.	.	1	.	.	4	1	.	.	3	1
	Nov. 3,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
	„ 10,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	1
	„ 17,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th November, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,784	12	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 2 ,, .	47,959	15			20	3	1	2	7	2	5	.	.	.	.	2	.	.	.	.	.	2	3	.	1	2	2	6	.
Do. 3 ,, .	47,214	19			9	2	2	1	3	.	1	.	.	.	.	.	.	.	.	.	3	2	1	.	1	.	.	.	.
Do. 4 ,, .	40,911	30			25	6	7	2	5	3	2	.	.	.	.	.	.	.	.	2	1	3	1	.	8	1	2	9	1
Do. 5 ,, .	17,387	12			7	1	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	1	2	.
Do 6 ,, .	48,122	20			19	2	1	1	4	3	8	.	.	.	.	1	.	.	.	.	2	3	.	3	2	1	1	5	1
Do 7 ,, .	1,524	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	5			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 9 ,, .	19,569	13			12	1	3	2	2	2	2	.	1	.	.	.	.	.	.	.	3	2	1	.	2	.	.	3	1
Do. 10 ,, .	28,064	16			11	2	.	1	1	1	6	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2	.
Do. 11 ,, .	34,802	25			18	4	.	1	1	5	7	.	.	.	.	.	.	.	.	1	.	3	.	.	2	2	1	4	1
Do. 12 ,, .	33,588	14			16	3	.	3	2	6	2	.	.	.	.	.	.	.	.	.	1	1	1	.	3	.	2	5	.
Do. 13 ,, .	15,006	7			5	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
Do. 14 ,, .	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	189			145	26	14	15	28	25	37	.	1	.	.	3	.	.	.	4	12	20	10	3	22	6	9	39	5
City of Cork.																													
CORK URBAN No. 1 DISTRICT. .	12,867	4	28·4	.	7	2	.		1		4	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	1	.
Do. 2 ,, . .	10,701	10	19·5	4·9	4	.	1		2		1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	1
Do. 3 ,, . .	9,978	8	20·9	.	4	.	1		3		.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.
Do. 4 ,, . .	8,666	2	24·1	.	4	.	.		1		3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.
Do. 5 ,, . .	6,592	.	31·6	.	4	1	1		.		2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
Do. 6 ,, . .	10,702	5	.	.	.	.	.		.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 ,, . .	16,616	6	47·1	9·4	15	7	1		5		2	.	.	.	.	1	.	.	.	2	.	4	.	1	2	.	.	6	4
Total	76,122	30	26·0	2·7	38	10	4		12		12	.	.	.	.	1	.	.	.	3	4	8	.	1	4	.	2	11	5

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.
No. of weeks in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered,	273	239	228	204	222	218	225	162	271	225	241	220	203	204	208	240	211	211	226	211	222	195	238	194	180	189
DEATHS registered.	151	150	136	134	131	118	105	119	121	127	121	127	125	139	134	151	142	141	136	144	109	123	120	122	131	145
Annual Death-rate per 1,000 of estimated Population.	21·5	21·4	19·4	19·1	18·7	16·1	15 0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20·1	19·4	20·5	15·5	17·4	17·1	17 4	18·7	20·6
AGES — Under 1 year,	21	33	28	21	26	24	24	17	21	21	30	29	37	43	39	59	43	49	40	39	31	34	26	36	33	26
AGES — 1-5 years,	17	13	22	20	17	15	12	19	12	8	18	9	16	14	22	16	16	13	17	15	9	13	17	15	13	14
AGES — 5-20 years,							11	14	10	13	9	14	17	12	5	10	10	14	15	14	8	12	9	10	14	15
AGES — 20-40 years,	84	64	53	67	72	57	13	27	24	29	15	25	14	18	17	20	21	20	15	24	17	19	17	16	19	28
AGES — 40-60 years,							22	15	26	26	31	22	24	29	26	30	26	20	21	28	23	22	23	21	22	25
AGES — 60 years and upwards,	29	30	33	26	16	17	23	17	28	30	18	28	17	23	25	16	26	25	23	24	21	22	25	24	30	37
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	2	1	.	.	1	.	.	2	1	.	2	.	.	1	.	.	2	1	.	.	1	.	2	1
Scarlet Fever,	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	1	.	1	1	1	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Whooping-cough,	8	15	16	7	14	7	4	9	3	1	4	2	4	2	7	7	3	5	3	2	1	2	3	3	3	3
Diphtheria,	1	.	1	.	.	2	2	.	.	1	.	1	1	2	1	.	1	.	.	1	.	1	1	1	2	.
*Pyrexia** (origin uncertain),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	2	.	.	.	.	1	1	2	3	2	1	.	2	1	3	2	4	.	2	.	3	1	1	.
Diarrhœal Diseases,	5	1	5	7	2	4	4	6	7	4	7	12	25	24	23	39	33	27	25	19	8	13	5	10	5	4
Pneumonia,	14	15	15	7	7	8	8	7	6	6	10	7	3	5	7	5	3	3	6	6	10	10	7	13	11	12
Tuberculous Disease, Phthisis,	33	16	21	22	30	24	12	20	21	26	22	25	13	21	15	16	18	14	19	20	17	15	15	18	12	20
Tuberculous Disease, Other Forms,	9	11	5	9	7	7	6	15	5	10	11	6	8	6	6	6	6	8	4	9	4	5	5	7	7	10
Cancer, Malignant Disease,	3	1	5	6	4	2	9	2	4	4	2	4	3	2	4	3	3	4	4	2	2	5	4	3	3	3
Diseases of Respiratory System,	16	17	15	15	14	13	7	7	9	21	11	7	12	7	16	8	12	12	7	15	11	11	17	15	27	22
Violent Deaths,	6	1	2	1	5	.	3	6	4	.	2	4	2	3	6	3	1	4	4	4	1	5	7	1	4	6
Number of Uncertified Deaths,	4	2	2	5	.	1	1	2	.	3	.	3	1	2	5	.	.	.	1	3	3	.	3	3	4	5

*Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	Nov. 17,	2,390	1,391	15·4	.	10	5	16	10	8	29
EDINBURGH, .	341,035	„ 17,	125	100	15·3	.	1	.	3	.	.	3
GLASGOW, . .	835,625	„ 17,	449	266*a*	16·6	.	1	1	2	10	1	14
CALCUTTA, . .	910,117	Sept. 29,	.	387	23·7	.	.	.	.	.	101‡	84*
BOMBAY, . .	977,822	Oct. 16,	415	661	35·2	2	2	.	.	.	74‡	69*
MADRAS, . .	509,346	Sept. 28,	458	627	64·0	1	2	?	?	?	141	188*
PARIS, . .	2,750,000	Nov. 3,	900	837	16·3	.	6	1	4†	6	5	34
BRUSSELS (with 8 Faubourgs).	612,401	Oct. 27,	212	143	12·1	.	.	.	2†	3	3	14
ANTWERP, . .	297,311	„ 27,	132	74	12·9	.	.	.	2†	1	.	18
AMSTERDAM, .	562,004	„ 27,	244	115	10·7	.	4	2	2†	.	4	6
COPENHAGEN, .	425,000	„ 27,	236	113	13·9	.	2	.	1†	.	1	13
STOCKHOLM, .	324,488	„ 20,	157	73	11·7	.	.	.	2†	1	.	4
CHRISTIANIA, .	222,373	Nov. 3,	126	55	12·9	.	.	.	3†	.	.	2
ST. PETERSBURG,	1,424,700	Oct. 27,	757	596	21·7	.	9	27	32	5	33	45
MOSCOW, . .	1,092,360	Sept. 29,	.	536	25·6	1	4	11	9†	6	11	88
BERLIN, . .	2,073,012	Oct. 20,	858	527	13·3	.	1	14	10†	2	5	36
HAMBURG, . .	819,380	„ 20,	.	227	14·7	.	1	.	1†	1	2	29
BRESLAU, . .	478,048	Nov. 3,	.	197	21·5	.	1	.	6†	1	.	16
MUNICH, . .	540,000	„ 3,	.	191	18·4	.	.	.	4†	.	.	29
VIENNA (with suburbs).	1,958,323	„ 3,	906	614	16·3	.	5	1	7†	.	.	48
BUDA-PESTH, .	791,748	„ 3,	364	254	16·7	.	3	4	6†	2	.	7
PRAGUE and Faubourgs.	460,849	Oct. 27,	179	170	19·2	.	1	3	2†	.	.	8
TRIESTE, . .	198,525	„ 20,	123	78	20·5	.	.	.	.	.	1	4
ROME, . . .	531,179	Sept. 8.	260	165	16·2	.	.	.	.	1	13	17
VENICE, . .	171,709	Oct. 20,	61	44	13·4	.	.	.	.	1	1	2
NEW YORK, .	4,152,800	„ 20,	2,265	1,452	18·2	.	4	3	22†	13	27	136
PHILADELPHIA,	1,469,126	„ 13,	.	493	17·4	.	.	.	10†	9	10	37
BOSTON, . .	602,526	„ 20,	.	206	17·8	.	.	.	5	1	5	14

a. Including 10 deaths from cerebro-spinal meningitis.
* Including 29 deaths from cholera in Calcutta, 6 in Bombay, and 67 in Madras.
† Including deaths from croup.
‡ Exclusive of 7 deaths from plague in Calcutta, and 27 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th November, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	1	1	.	.	.	3
" " 1, West,	.	1	.	.	2	.	.	6	.	.	.	.	9
" " 2,	.	13	.	.	.	.	.	1	1	.	.	.	15
" " 3,	.	.	.	.	3	.	.	.	2	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	1	.	.	.	.	.	.	4	.	.	.	5
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 4,	.	.	.	.	.	.	.	1	1	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	17	.	.	6	.	.	9	10	.	.	.	42

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th November, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th November.			
	Oct. 27.	Nov. 3.	Nov. 10.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	27	32	48	21	15	8	46
Scarlet Fever,	83	86	93	11	12	.	92*
Typhus,	4	2	2	.	.	.	2
Diphtheria,	17	16	22	7	5	2	22
Enteric Fever,	73	73	72	6	11	1	66
Pneumonia,	30	32	31	12	13	2	28

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 17th November, 1906:—

"At first anticyclonic, fine and quiet but dull, the weather afterwards fell into a very unsettled, rough, rainy condition. On Sunday the barometer stood at, or slightly above, 30·5 inches in the central space of an anticyclone lying over Ireland and the greater part of England and Belgium. In Ireland the day, although fine and dry, was very dull. Not much change occurred in the ensuing 24 hours, for on Monday morning the barometer still stood at 30·5 inches in parts of Ireland and England. The anticyclone, however, was already drifting eastwards, and on Tuesday the centre of highest pressure was found over the west of England (barometer at 8 a.m., 30·51 inches at Liverpool, 30·50 inches at Bath and Oxford). In Ireland the mercury was falling at this time, and a light southerly wind finally sprang up, dispersing the clouds. Wednesday broke, with a briskly falling barometer in Ireland and Scotland and fresh southerly winds in the former country. During the remainder of the week a series of ever-deepening atmospheric depressions swept in rapid succession across the British Isles. They brought with them S.W. to W. gales, rain and at first high temperatures—at 8 a.m. of Friday the thermometer stood at 54° at both Valentia and Roche's Point, and in the course of the day it rose to 55·8° in Dublin. The deepest of all the depressions was observed on Saturday, when the barometer fell to 29·180 inches at 9 a.m. in Dublin—in the afternoon of this day the wind was W.N.W. and bright sunshine prevailed at times. In Dublin the mean height of the barometer was 30·000 inches, pressure ranging from 30·535 inches at 9 a.m. of Sunday (wind, W.) to 29·180 inches at 9 a.m. of Saturday (wind again W.). The mean temperature was 45·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·9°. On Friday the screened thermometers rose to 55·8°, on Saturday they fell to 38·8°. The dominant wind was S.W. Rain fell on 4 days to the amount of ·419 inch, ·142 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·998 inches. The highest reading (30·539) was on Sunday at 9 p.m., air calm, and the lowest (29·173) on Saturday at 9 a.m., wind S.W.

The mean temperature for the week was 42·9°, being 0·8° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Friday, on which day the thermometer registered 54·2°, and was lowest on Wednesday, the mercury having fallen to 32·9°. The mean of the Dry Bulb for the week was 43·0°, and of the Wet Bulb 41·3°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 8·0 hours. The rainfall during the week measured 0·475 inch.

At Greenwich the mean temperature for the week was 43·0°, the maximum 53·5°, and the minimum 29·2°; at Glasgow the maximum was 49·8°, the minimum 34·5°, and the mean 42·5°; and at Edinburgh the maximum was 47·0°, the minimum 36·3°, and the mean 41·8°. The rainfall at Greenwich measured 0·90 in.; at Glasgow 1·48 ins.; and at Edinburgh 0·68 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.*

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Nov. 11,	30·537	41·7	37·1	39·4	40·2	38·3	·85	·2	0·2	·000	Calm.	Calm.
Monday, „ 12,	30·508	47·6	37·4	42·5	40·7	39·0	·87	·1	3·2	·000	Calm.	Calm.
Tuesday, „ 13,	30·399	45·4	33·1	39·3	37·2	36·3	·93	·6	0·0	·000	Calm.	Calm.
Wednesday, „ 14,	30·091	51·3	32·9	42·1	48·4	45·6	·81	·9	1·0	·160	S.S.W.	W.S.W.
Thursday, „ 15,	29·802	52·1	39·4	45·8	44·3	42·7	·88	·9	1·3	·165	S.S.W.	W.
Friday, „ 16,	29·453	54·2	38·3	46·3	49·0	47·3	·89	·9	0·0	·085	S.S.E.	W.S.W.
Saturday, „ 17,	29·201	50·9	38·5	44·7	41·1	39·7	·89	·7	1·8	·065	S.W.	W.S.W.
Mean, . .	29·998	49·0	36·7	42·9	43·0	41·3	·87	·6	Total 8·0	Total ·475	—	

Sunday—Day overcast and dull; night overcast. *Monday*—Overcast a.m., cloudy and fine p.m. *Tuesday*—Overcast and dull day; night clear. *Wednesday*—Day overcast and cloudy, light showers a.m. and p.m.; night clear to 5.0 a.m., light rain 5.20 to 6.30 a.m. *Thursday*—Day cloudy and showery; night overcast, light and heavy rain 5.0 a.m. to 7.0 a.m. *Friday*—Overcast, light showers all day; night cloudy, light showers 4.50 a.m. to 5.10 a.m. *Saturday*—Cloudy, and light showers at intervals; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 17th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Nov. 11,	45·0	46·0	49·1	48·1	41·8	45·0	0·0	—
Monday, „ 12,	43·9	45·6	49·0	47·2	40·7	44·0	0·0	—
Tuesday, „ 13,	46·1	45·1	49·0	47·9	41·5	44·7	0·5	—
Wednesday, „ 14,	50·8	45·0	48·9	51·8	41·4	46·6	0·8	·098
Thursday, „ 15,	51·9	45·2	48·8	54·0	40·1	47·1	1·9	·126
Friday, „ 16,	45·1	45·0	48·5	55·2	39·2	47·2	0·1	·077
Saturday, „ 17,	45·4	46·2	47·4	51·9	38·5	45·2	2·3	·057
Weekly Mean, .	46·9	45·4	48·7	50·9	40·5	45·7	Total 5·6	Total ·358

DUBLIN: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—15417.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 24TH NOVEMBER, 1906. [No. 47.

General Register Office, Charlemont House, Dublin, 26th November, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Nov. 3.	Week ending Nov. 10.	Week ending Nov. 17.	Week ending Nov. 24.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 3.	Week ending Nov. 10.	Week ending Nov. 17.	Week ending Nov. 24.	Average Rate for 4 weeks.
22 Town Dists.	20·7	21·6	21·5	21·8	21·4	Lisburn, . .	9·1	22·7	18·2	31·8	20·5
Armagh, . .	6·9	20·6	13·7	6·9	12·0	Londonderry, .	26·0	17·4	17·4	13·6	18·6
Ballymena, .	43·1	38·3	14·4	9·6	26·3	Lurgan, . .	8·9	13·3	22·1	22·1	16·6
Belfast, . .	17·4	18·7	20·6	17·8	18·6	Newry, . .	8·4	8·4	16·8	16·8	12·6
Clonmel, . .	10·3	51·3	10·3	35·9	26·9	Newtownards, .	22·9	11·4	17·2	34·3	21·4
Cork, . . .	14·4	26·7	26·0	30·8	24·5	Portadown, .	36·2	10·3	10·3	20·7	19·4
Drogheda, . .	16·3	20·4	24·5	28·6	22·4	Queenstown .	6·6	19·8	19·8	19·8	16·5
Dublin Reg. Area,	27·4	24·9	25·6	23·8	25·4	Sligo, . . .	4·8	14·4	14·4	9·6	10·8
Dundalk, . .	16·0	16·0	23·9	4·0	15·0	Tralee, . .	5·3	31·7	15·9	10·6	15·9
Galway, . .	15·5	11·7	7·8	11·7	11·7	Waterford, .	7·8	21·4	7·8	29·2	16·6
Kilkenny, . .	9·8	24·6	19·7	63·8	30·7	Wexford, . .	42·0	14·0	23·3	18·7	24·5
Limerick, . .	20·5	17·8	15·0	26·0	19·8						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in thirteen of the districts to 7·8 in Waterford, the 15 deaths from all causes in that district including 4 from scarlet fever. Among the 125 deaths from all causes in Belfast are one from measles, one from scarlet fever, 4 from whooping-cough, one from diphtheria, and 3 from diarrhœal diseases; and the 45 deaths in Cork include one from whooping-cough, one from diphtheria, one from enteric fever, and 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 186—87 boys and 99 girls; and the deaths to 182—81 males and 101 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·0 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 23·8 per 1,000. During the forty-seven weeks ending with Saturday last the death-rate averaged 23·3, and was 1·9 below the mean rate for the corresponding portions of the ten years, 1896–1905.

Of the 182 deaths registered 9 were caused by measles (8 occurring in Cork-street Fever Hospital, having been admitted thereto from South Dublin Union Workhouse),

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*), Table II. ‡ See columns 10–18 of Table II.

2 by whooping-cough, one each by diphtheria and enteric fever, and 6 by diarrhœal diseases. In each of the 3 preceding weeks, deaths from measles numbered 2, 6, and 9; deaths from whooping-cough were 3, 2, and one; deaths from diphtheria were one, one, and 0; deaths from enteric fever were one, one, and one; and deaths from diarrhœal diseases numbered 7, 2, and 3. There were 3 deaths from influenza.

Lobar pneumonia caused 3 deaths, broncho-pneumonia 8 deaths, and *pneumonia* (not defined) caused 7 deaths.

There were 34 deaths from all forms of tuberculous disease, including 7 deaths from tuberculous phthisis, 20 returned as from *phthisis*, one death from tuberculous meningitis, and 6 deaths from other forms of the disease. In the 3 preceding weeks, deaths from all forms of the disease numbered 38, 40, and 24, respectively.

Two deaths were attribued to carcinoma and 3 to cancer (undefined).

The deaths of 2 infants, prematurely born, were registered.

Diseases of the brain and nervous system caused 12 deaths, including those of 3 infants under one month old from *convulsions*.

There were 22 deaths from diseases of the heart and blood vessels, and 23 deaths from bronchitis.

Three deaths were assigned to accidental violence.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Forty-nine of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 8 were under one month old) and 59 were aged 60 years and upwards, including 28 persons aged 70 and upwards, of whom 10 were octogenarians.

Eighty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the N. Dublin Union Workhouse and 15 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·8 per 1,000; the rate in the City was 26·3 (North City Districts, 24·2; South, 28·5), and in the Suburbs, 15·2 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 3·2 (2·4 in the North City Districts, and 4·0 in the South) and for the Suburbs, 0·6.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 20·2 per 1,000, and include one death from *diarrhœa*, 3 deaths from tuberculous disease, and one death from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. One of the deaths was from enteric fever, 3 were from diarrhœal diseases, 2 from broncho-pneumonia, 3 from tuberculous disease of the lungs, and 2 from bronchitis; one death was attributed to accidental violence.

No. 2 North City District (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 31·2 per 1,000. Whooping-cough and *pneumonia* (not defined) each caused one death; and there were 3 deaths each from tuberculous disease and bronchitis.

No. 3 North City District (Benburb-street).—The deaths (16) represent an annual rate of 26·3 per 1,000. Among them are 2 deaths from *pneumonia* (not defined), 3 deaths from tuberculous disease, and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 20·8 per 1,000 inhabitants; Clontarf and Howth No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 7·8. Of the 4 deaths from all causes for Coolock and Drumcondra, No. 1, part of, one was from diphtheria; and the only death recorded for Finglas and Glasnevin, part of, was from broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (38) represent an annual rate of 51·6 per 1,000. There were 9 deaths from measles, one death from lobar-pneumonia, 2 deaths each from broncho-pneumonia and *pneumonia* (not defined), 6 deaths from tuberculous disease, and 8 deaths from diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. Two deaths were caused by bronchitis, and one death was assigned to accidental violence.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·9 per 1,000, and include one death each from whooping-cough, epidemic enteritis, and broncho-pneumonia, 3 deaths from tuberculous disease, and 4 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·8 per 1,000. The deaths include one from lobar-pneumonia, 7 from tuberculous disease, and one from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000. One of the deaths was from tuberculous phthisis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·4; Pembroke, 14·0; Blackrock, 11·9; and Kingstown, 8·9. The only death from any of the principal epidemic diseases recorded for these districts was one from *diarrhœa* for Rathmines and Rathgar, in which district the 13 deaths from all causes also included one death from influenza, 2 from broncho-pneumonia, one death from *phthisis*, and 2 deaths from diseases of the respiratory system. The 7 deaths from all causes for Pembroke include one from *pneumonia* (not defined) and one from bronchitis. One of the 2 deaths from all causes for Blackrock was from *phthisis*, and the 3 deaths from all causes for Kingstown include one from influenza.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

eturns of the number of cases of Infectious Diseases notified under the "Infectious Diseases ification) Act, 1889," as set forth in the following Table have been kindly furnished by:— r Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. cett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive tary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock n District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban ict; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

LE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration rea (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, lackrock, and Kingstown), and in the City of Belfast, during the week ended 24th November, 1906, nd each of the preceding three weeks. A dash (—) denotes that the disease in question is not otifiable in the District.

TIES AND URBAN ISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
ity of ublin.	Nov. 3,	.	—	—	12	.	.	19	.	7	18	10	.	—	—	—	—	—	66
	Nov. 10,	.	—	—	4	1	.	4	.	3	7	9	.	—	—	—	—	—	28
	Nov. 17,	.	—	—	17	.	.	6	.	.	9	10	.	—	—	—	—	—	42
	Nov. 24,	.	—	—	3	.	.	3	.	2	9	11	.	—	—	—	—	—	28
thmines Rathgar Urban istrict.	Nov. 3,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	2
	Nov. 10,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	—	3
	Nov. 17,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	—	5
	Nov. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
mbroke Urban istrict.	Nov. 3,	.	.	.	.	.	.	.	.	1	.	.	.	—	.	.	—	—	1
	Nov. 10,	.	.	.	.	.	.	.	.	.	1	1	.	—	.	.	—	—	2
	Nov. 17,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
	Nov. 24,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
ackrock Urban istrict.	Nov. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
ngstown Urban istrict.	Nov. 3,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Nov. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Nov. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 24,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2
ity of elfast.	Nov. 3,	.	—	—	33	.	.	14	.	3	2	3	2	—	—	—	—	—	57
	Nov. 10,	.	—	—	41	2	.	9	1	11	7	9	2	—	—	—	—	—	82
	Nov. 17,	.	—	—	25	.	.	5	2	7	8	9	.	—	—	—	—	—	56
	Nov. 24,	.	—	—	40	.	.	6	.	7	10	12	1	—	—	—	—	—	76

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

ble XII. exhibits the number of cases of certain infectious diseases treated in the in Hospitals during the week ended 24th November, 1906.

om this it appears that:—

enty-one cases of measles were admitted into hospital during the week, 5 were dis- ed, there were 8 deaths, and 54 cases remained under treatment at its close.

e cases of scarlet fever were admitted to hospital, 20 were discharged, and 77* remained under treatment at the close of the week.

o cases of typhus were discharged from hospital during the week.

e cases of diphtheria were admitted to hospital, 8 were discharged, and 19 patients ned under treatment at the close of the week.

ght cases of enteric fever were admitted to hospital, 14 were discharged, there were 2 s, and 58 cases remained under treatment in hospital at the close of the week.

addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, e discharged, there were 3 deaths, and 29 cases remained under treatment at the end week.

ENGLAND AND SCOTLAND.

e mortality last week in 76 large English towns, including London (in which the as 16·0), was equal to an average annual death-rate of 16·3 per 1,000 persons living, verage rate for 8 principal towns of Scotland was 19·1 per 1,000 the rate for Glasgow 19·3 and for Edinburgh 21·0.

INFECTIOUS DISEASE IN EDINBURGH.

ave been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a his Return of Infectious Diseases notified during the week ended 24th November. From this Report ars that of a total of 50 cases notified 26 were scarlet fever, 12 diphtheria, one membranous 0 erysipelas, and one enteric fever. Among the 256 cases of infectious diseases in hospital at the the week were 102 cases of scarlet fever, 46 of diphtheria, one of membranous croup, 34 of s, 18 of enteric fever, 14 of erysipelas, and 2 of whooping cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 24th November, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Urban Dists.	TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by. Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Week ending 24th November, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th November, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th November, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	COLS.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
	TOTAL OF 22 TOWN DISTRICTS,	1,101,499	19·3	29·7	21·8	2·1	627	460	93	153	.	10	5	.	7	3	.	2	17	36	53	18	17	76	6	12	148	20	.	.	.	.	.	.	.	.	.	.	.	.
	DUBLIN REGISTRATION AREA:— TOTAL, d.	378,994	27·5	25·6	23·8	2·6	186	173	30	58	.	9	.	.	2	1	.	1	6	16	25	6	5	29	3	3	74	5	f63·1	30·7	47·7	0·16	f54·2	32·9	42·9	0·48	f50·3	30·9	43·8	0·82
	CITY OF DUBLIN,	298,885	37·1	28·6	26·3	3·2	161	148	28	46	.	9	.	.	2	1	.	1	5	13	23	6	5	25	2	2	71	4	g64·4 h62·8	33·0 29·0	48·8 47·3	0·21 0·22	g55·8 h54·1	33·8 33·0	45·8 43·9	0·42 0·39	g52·0 h50·9	36·1 33·0	46·2 44·3	0·61 0·57
Urban Dists.	RATHMINES AND RATHGAR.	33,208	19·4	18·8	20·4	1·6	12	13	1	7	.	.	.	.	.	.	.	.	1	2	1	.	.	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists.	PEMBROKE	26,025	16·4	18·0	14·0	.	9	7	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists.	BLACKROCK	8,759	8·1	6·0	11·9	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists.	KINGSTOWN,	17,622	12·1	8·9	8·9	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	62	33	48·8	0·42	56	41·5	47·2	0·37	58	38	46·9	0·52
	URBAN DISTRICTS.																																							
	BELFAST,	366,220	24·9	30·0	17·8	1·4	211	125	32	33	.	1	1	.	4	1	.	.	3	18	16	7	2	24	1	6	21	1	60·0	29·0	45·5	0·90	50·0	28·0	41·3	0·83	51·5	36·0	45·1	0·42
	CORK,	76,122	33·6	42·5	30·8	4·1	62	45	8	16	.	.	.	.	1	1	.	1	3	1	5	2	2	6	.	1	15	4	55	34	47·0	0·97	57	43	48·4	0·44	54	39	46·2	1·22
	LONDONDERRY,	42,067	19·4	31·0	13·6	.	25	11	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
	LIMERICK,	38,151	18·1	21·9	26·0	.	16	19	1	9	.	.	.	.	.	.	.	.	.	2	3	1	.	3	.	.	7	2	.	.	.	.	.	.	.	.	.	.	.	.
	WATERFORD,	26,769	18·7	50·6	29·2	7·8	26	15	4	2	.	.	4	.	.	.	.	.	.	1	1	1	.	1	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.
	GALWAY,	18,426	2·5	35·0	11·7	.	9	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	60	29	45	0·54	51	35	45	0·97	50	33	41·3	.
	DUNDALK,	18,076	9·4	31·9	4·0	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
	DROGHEDA,	12,760	8·6	24·5	28·6	.	6	7	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	59·8	30·3	46·2	0·60	51·5	33·6	42·0	0·60	53·7	35·0	42·9	0·13
	NEWRY,	12,405	17·8	29·4	16·8	4·2	7	4	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1	59·8	30·3	46·2	0·60	51·5	33·6	42·0	0·60	53·7	35·0	42·9	0·13
	LURGAN,	11,782	13·8	44·3	22·1	.	10	5	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	59·8	30·3	46·2	0·60	51·5	33·6	42·0	0·60	53·7	35·0	42·9	0·13
	LISBURN,	11,461	10·1	9·1	31·8	.	2	7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
	WEXFORD,	11,168	23·2	18·7	18·7	4·7	4	4	1	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	59·0	31·0	—	0·82	52·5	32·9	43·0	0·77	52·5	25·3	42·2	0·14
	BALLYMENA,	10,886	8·9	9·6	9·6	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	59	28	46·7	0·20	55	35	43·9	0·71	52	35	43·5	0·24
	SLIGO,	10,870	8·7	28·8	9·6	.	6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.	.	11	.	.	.	.	.	.	.	.	.	.	.	.	.
	KILKENNY,	10,609	11·5	33·6	68·8	4·9	17	14	3	8	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1	3	59·8	30·3	46·2	0·60	51·5	33·6	42·0	0·60	53·7	35·0	42·9	0·13
	CLONMEL,	10,167	7·8	41·0	35·9	5·1	8	7	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	PORTADOWN,	10,092	13·2	31·0	20·7	.	6	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	57	31	46·2	0·36	51	32	43·0	0·75	50	34	46·5	0·29
	TRALEE,	9,867	16·6	15·9	10·6	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	1	55	34	47·0	0·97	57	43	48·4	0·44	54	39	46·2	1·22
	NEWTOWNARDS,	9,110	18·9	40·1	34·3	.	7	6	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	59·8	30·3	46·2	0·60	51·5	33·6	42·0	0·60	53·7	35·0	42·9	0·13
	QUEENSTOWN,	7,909	14·4	33·0	19·8	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.												
	ARMAGH,	7,588	22·2	6·9	6·9	6·9	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.												

METEOROLOGY. e

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 9 deaths of persons (including one under 1 year old and one at 61 years), admitted to hospital from localities outside the Area [illegible] for Cork and [illegible] for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at [illegible] for Belfast and Londonderry.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 24th November, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	9	.	.	.	.	.	.	.	.	9	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	1	3	.	.	.	.	.	.	.	1	.	.	1	.	.	.	6	.
Pneumonia,	.	2	1	2	.	.	1	5	.	1	1	.	2	1	.	.	16	2
Tuberculous Phthisis,	1	3	2	3	.	.	.	5	.	2	6	1	1	.	1	.	25	2
Tuberculous Disease. Other Forms.	2	.	1	.	.	.	.	1	.	1	1	.	.	.	.	.	6	1
Cancer, Malignant Disease,	.	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	5	.
Other General Diseases	3	1	3	2	.	.	.	1	1	1	1	.	2	1	.	1	17	1
Total,	7	10	9	9	.	3	1	21	1	7	9	1	6	2	1	1	88	6
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	3	3	1	.	.	.	2	.	1	.	.	2	.	.	.	12	.
Diseases of: Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Heart and Blood Vessels,	1	3	3	2	.	.	.	4	2	2	1	.	2	1	.	.	21	1
Diseases of: Respiratory System,	1	2	3	2	.	1	.	8	2	5	1	.	2	1	1	.	29	1
Diseases of: Digestive System,	2	.	.	.	.	.	.	1	.	.	1	.	.	2	.	1	7	.
Diseases of: Lymphatic System &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Urinary System,	.	.	.	2	.	.	.	1	.	1	.	.	.	.	.	.	4	1
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	8	9	7	.	1	.	16	4	10	3	.	7	4	1	1	75	3
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	1	.	.	.	.	.	1	.	3	.	1	.	1	.	.	7	.
E. VIOLENT DEATHS,	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	3	.
Deaths from all Causes,	11	20	18	16	.	4	1	38	6	20	12	2	13	7	2	3	173	9
Annual Rate of Mortality from all causes in every 1,000 of the population	20·2	26·6	31·2	26·3	.	20·8	7·8	51·6	17·1	24·9	17·8	11·7	20·4	14·0	11·9	8·9	23·8	.
	24·2							28·5					15·2					
	26·3																	
Ages at Death. Under 1 year,	3	4	4	.	.	1	.	9	1	6	.	.	1	.	.	1	30	1
1 and under 5 years,	.	2	3	.	.	.	1	8	.	1	.	.	3	.	.	.	18	.
5 „ 20 „	2	1	.	.	.	.	.	3	1	2	2	.	.	1	.	.	13	1
20 „ 40 „	2	5	3	6	.	.	.	4	.	.	4	1	1	1	1	.	28	2
40 „ 60 „	3	1	4	5	.	.	.	4	.	2	4	.	1	1	.	2	27	4
60 and upwards,	1	7	4	5	.	3	.	10	4	9	2	1	7	4	1	.	53	1
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	1	2	.	1	.	.	.	5	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	7	1	6	.	3	.	14	2	2	4	.	2	1	.	.	44	7
Workhouse Hospitals,	3	4	6	2	.	.	.	6	1	5	3	.	.	.	.	.	30	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in week of the ten years, 1896-1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 47th Week of the 10 years 1896-1905.	In the Week ending Satu 24th November, 1906					
												Deaths of Persons of the					
	Nov. 21, 1896.	Nov. 27, 1897.	Nov. 26, 1898.	Nov. 25, 1899.	Nov. 24, 1900.	Nov. 23, 1901.	Nov. 22, 1902.	Nov. 28, 1903.	Nov. 26, 1904.	Nov. 25, 1905.		ALL AGES.	0 to 5.				
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 42·6	° 43·0	° 40·7	° 48·2	° 37·4	° 44·9	° 42·4	° 44·4	° 33·6	° 40·0	° 41·7	° 47·7					
ALL CAUSES.	198	170	208	220	187	176	237	188	170	173	192·7	182	8	23	18	13	30
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	.	.	38	.	.	19	.	12	.	6·9	9	.	5	4	.	.
Scarlet Fever, ...	7	3	4	1	.	.	5	.	1	1	2·2	.	.	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	5	1	.	.	1	2	.	.	1·2	3	.	.	.	.	.
Whooping-cough, ...	3	1	5	.	5	1	.	3	4	3	2·5	2	.	2	.	.	.
Diphtheria, ...	.	.	.	2	1	4	4	1	.	.	1·2	1	1	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.
Enteric Fever, ...	1	12	2	4	9	3	2	5	.	.	3·8	1	.	.	.	1	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	3	5	6	3	5	2	2	.	.	2	4·1	2	.	1	1	.	.
Diarrhœa, Dysentery,							5	3	4	1		4	.	.	3	.	1
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	2	.	1	1	1	.	2	4	1·1	3	1	2	.	.	.
Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	1	.	.	.	1	.	.	.	.	·2	1	.	.	.	.	1
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	18	10	15	20	11	11	.	1	1	2	14·6	3	.	.	.	1	1
Pneumonia, Broncho-							7	6	9	7		8	.	1	2	3	.
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.
Pneumonia, Not defined,							9	8	5	6		7	.	.	.	.	3
Erysipelas, ...	1	.	2	.	1	1	.	.	.	.	·5	.	.	.	.	.	.
Septicæmia (not Puerperal) Pyæmia (not Puerperal),	1	.	.	.	1	.	1	.	.	.	·4	3	.	.	1	.	2
							.	.	1	.		.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	28	16	27	20	31	23	3	5	4	7	22·9	7	.	.	.	.	5
							18	23	11	13		20	.	.	1	2	10
Tuberculous Meningitis, ...	1	3	8	3	.	1	2	2	5	1	2·6	1	.	1	.	.	.
Tuberculous Peritonitis, *Tabes Mesenterica*, ...	3	3	4	7	3	4	2	1	1	.	2·8	.	.	.	.	.	.
							.	.	.	.		.	.	.	.	.	.
Tuberculous Dis. (other), *Scrofula*, ...	4	4	5	3	6	8	6	5	7	6	5·6	6	.	2	.	3	1
							1	1	.	.		.	.	.	.	.	.
Alcoholism, ...	.	1	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.
Rheumatic Fever, ...	2	1	.	1	1	.	.	.	.	.	·5	.	.	.	.	.	.
Gout, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Carcinoma, ...	6	4	11	7	4	2	2	1	5	4	6·8	2	.	.	.	.	1
Sarcoma, ...							.	1	.	1		.	.	.	.	.	.
Cancer (undefined),							7	6	2	5		3	.	.	.	.	1
Diabetes Mellitus, ..	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	1
Premature Birth, ...	3	7	3	.	2	7	4	2	3	2	3·3	2	1	1	.	.	.

* The figures for the years 1896-1900 e
† Formerly descri d

Y-SEVENTH WEEK ending Saturday, 24th November, 1906, with the deaths from each cause in the corresponding ie average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 47th Week of the 10 years 1896-1905.	In the Week ending Saturday, 24th November, 1906. Deaths of Persons of the Ages of							
	Nov. 21, 1896.	Nov. 27, 1897.	Nov. 26, 1898.	Nov. 25, 1899.	Nov. 24, 1900.	Nov. 23, 1901.	Nov. 22, 1902.	Nov. 28, 1903.	Nov. 26, 1904.	Nov. 25, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 42·6	° 43·0	° 40·7	° 48·2	° 37·4	° 44·9	° 42·4	° 44·4	° 33·6	° 40·0	° 41·7	Mean Temp. ° 47·7							
ningitis (not tuberc.) ...							5	2	2	1		3	.	1	1	.	.	.	.	1
nity, G. P. of Insane ...							4	3	2	2		1	.	.	.	.	.	1	.	.
lepsy							1	3	.	1		.	.	.	.	.	.	.	.	.
vulsions							19	11	6	6		3	3	.	.	.	.	.	.	.
omotor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
aplegia Dis. of Cord ...							1	1	2	.		1	.	.	.	.	.	.	.	1
vous System (other is.)	32	30	35	35	39	48	2	1	3	3	40·6	4	.	.	2	.	.	.	2	.
v. Dis., Endocarditis ...							3	5	3	6		4	.	.	.	.	.	4	.	.
ebr. Hæm. Thromb. ...							.	7	2	3		1	.	.	.	.	1	.	.	.
plexy, Hemiplegia ...							9	7	4	2		3	.	.	.	.	1	1	1	.
urysm							.	1	2	.		.	.	.	.	.	.	.	.	.
bolism, Thromb. (not erebral)							.	.	.	.		.	.	.	.	.	.	.	.	.
art and Blood Vessel Dis.							11	16	12	13		14	.	.	.	.	1	1	9	3
up (not Spasm. nor lemb.)	1	.	1	2	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
onchitis	31	19	28	27	21	21	33	23	21	31	25·5	23	.	1	2	.	.	4	14	2
hma, Emphysema ...							.	.	1	.		.	.	.	.	.	.	.	1	.
urisy	5	2	2	2	4	3	.	.	.	.	2·6	3	.	.	.	1	1	.	1	.
spiratory Dis. (other) ...							3	1	.	3		4	.	.	1	.	.	.	3	.
nsillitis, Quinsy ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
teritis (not Epid.) ...	1	1	.	.	2	.	1	.	1	3	1·4	1	.	.	.	.	.	.	.	.
stro Enteritis							2	2	.	1			.	.	.	1	.	.	.	.
itonitis (not Puerp.) ...	1	.	1	.	.	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.
rhosis of Liver ...	3	1	3	2	2	2	1	.	1	2	2·1	1	.	.	.	.	.	1	.	.
er Dis. (other) ...							2	.	1	1		.	.	.	.	.	.	.	.	.
gestive Dis. (other) ...	4	7	1	2	4	4	9	5	3	7	4·6	5	.	1	.	.	.	2	2	.
phritis, Acute ...							1	.	5	2		1	.	.	.	.	1	.	.	.
ght's Dis., Albuminuria	4	6	5	5	7	3	4	5	2	3	5·3	4	.	.	.	.	.	2	2	.
inary Sys. (Other Dis.)							.	.	.	1		.	.	.	.	.	.	.	.	.
nerative Organs Dis. ...	1	.	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of) ...	.	1	1	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
l Age	13	12	10	12	12	8	2	4	8	3	8·4	3	.	.	.	.	.	.	2	1
her Diseases	10	13	14	16	11	13	18	12	4	9	12·0	11	1	5	.	1	.	1	2	1
ACCIDENT.																				
Railways	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	.	.	.	.	.	1	.	1	1	·3	1	.	.	.	.	.	.	1	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Building Operations ...	.	2	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	2	1	2	2	1	1	.	.	3	2	1·4	.	.	.	.	.	.	.	.	.
Drowning	1	.	.	.	1	.	.	1	2	.	·5	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
her Deaths by Accidents	3	.	3	2	1	1	1	.	1	.	1·2	2	1	.	.	.	.	.	1	.
IOLENCE OTHER THAN ACCIDENTAL.																				
omicide	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
icide	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
nple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																									
	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.
No. of weeks in Annual Series.	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered,	223	167	250	210	238	189	230	199	223	235	186	226	230	180	268	209	225	321	146	186	240	178	231	198	182	186
*Average Births in corresponding week of previous 10 years,**	217	229	193	221	229	202	193	199	207	202	208	217	195	215	203	212	195	233	188	184	201	200	199	194	199	183
DEATHS registered,	154	142	126	149	125	130	140	156	149	125	130	151	167	166	184	210	201	184	198	175	166	170	204	192	191	182
Annual Death-rate per 1,000,	21·2	19·5	17·3	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7	25·3	27·2	24·1	22·8	23·4	28·1	26·4	26·3	25·0
*Average Deaths in corresponding week of previous 10 years,**	157	155	150	146	140	145	146	151	153	166	169	163	170	164	169	160	173	164	157	168	173	176	171	177	186	193
AGES,— Under 5 years,	47	38	12	37	17	35	35	38	43	40	50	48	63	39	83	98	85	76	71	50	53	50	61	52	61	49
5—20 "	11	11	13	13	16	14	10	17	11	8	6	9	10	12	8	9	13	8	9	7	6	13	15	10	12	13
20—40 "	27	20	22	30	36	21	24	25	27	20	19	22	27	20	27	24	26	25	22	27	34	34	30	36	33	30
40—60 "	30	42	36	34	28	32	37	28	35	20	28	27	32	40	33	39	30	29	38	41	34	25	43	42	38	31
60—80 "	34	28	37	31	22	21	32	43	27	32	24	43	28	29	28	41	39	37	51	45	34	38	42	45	39	49
80 years and upwards,	5	3	6	4	6	7	2	5	6	5	3	2	7	6	5	9	8	9	7	5	5	10	13	7	8	10
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	.	.	.	.	1	2	2	.	2	1	.	.	.	.	1	.	.	1	.	2	2	6	9	9
Scarlet Fever	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.
Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
Whooping-cough	3	1	2	2	1	4	6	3	2	2	3	1	.	.	1	1	1	5	1	2	2	2	3	2	1	2
Diphtheria,	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	1	2	.	1	1	.	1
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	2	.	1	1	.	1	1	.	.	2	2	.	2	1	.	4	4	2	1	1	1	1
Diarrhœal Diseases,	2	1	4	.	2	.	3	3	10	11	10	29	27	28	49	40	34	31	31	12	12	8	7	2	3	6
Pneumonia,	10	6	6	18	4	4	9	12	13	4	5	4	8	5	4	9	7	12	10	16	17	13	10	8	12	18
Tuberculous Disease. { Phthisis,	20	17	17	29	21	26	21	23	19	21	18	21	21	18	21	20	26	19	23	16	21	17	21	31	19	27
Tuberculous Disease. { Other Forms,	8	13	12	11	9	11	7	11	13	4	7	9	8	9	9	11	12	14	8	7	5	13	17	9	5	7
Cancer, Malignant Disease,	10	6	8	6	12	7	4	14	9	8	4	12	11	10	7	11	6	6	13	9	7	10	10	11	13	5
Diseases of Heart and Blood Vessels,	15	29	26	21	14	15	26	27	19	19	17	20	12	22	21	28	25	18	24	25	24	26	33	32	27	22
Diseases of Respiratory System,	15	10	11	17	5	21	10	11	13	14	10	11	10	4	8	16	10	14	23	20	15	19	33	19	34	30
Violent Deaths,	2	3	3	4	3	4	2	3	4	2	3	2	8	7	5	2	5	5	4	6	4	7	1	3	9	3
Number of Uncertified Deaths,	11	3	3	9	4	3	2	5	4	3	5	1	2	1	1	7	9	4	4	7	5	7	6	9	3	5
Mean Temperature of the Air (Phœnix Park),	55·7	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9	50·4	53·3	52·5	45·5	51·2	40·6	48·8	42·9	47·7
Average Mean Temperature in corresponding week of previous 10 years	53·5	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·9‡	52·5	51·0	48·8	47·9	46·8	47·3	46·0	43·7	41·7
Rainfall in inches,	·450	·005	·280	·790	·450	·390	235	·885	·220	·452	·320	·415	·695	·000	·285	·280	·000	·000	·800	1·125	·210	·707	·545	·820	·475	·155
Mean Humidity of the Air, complete Saturation, 1·0,	·84	·79	·85	·86	·79	·84	·80	·83	·84	·80	·88	·79	·86	·86	·84	·82	·90	·87	·92	·87	85	·83	·91	·86	·87	·85

* See note (*) at foot of Table IV. † Name only described as "Simple Continued Fever." ‡ For nine weeks only.

in the Dublin Registration Area during the Week ending Saturday, 24th November, 1906: the Annual Death-rate represented by the Deaths registered; also Indices of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH NOVEMBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	25·3	182	49	13	30	31	49	10	.	9	.	.	2	1	.	1	6	19	18	27	7	5	3	30	3	70	5
	CLASSES. Deaths in Families of the—																												
I	PROFESSIONAL AND INDEPENDENT CLASS.	17,486	12·0	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS.	87,188	17·3	29	3	1	4	7	11	3	.	.	.	.	.	.	.	.	.	.	2	4	1	.	.	6	1	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.	110,423	19·8	42	14	1	8	4	12	3	.	1	.	.	1	.	.	1	2	5	6	6	1	1	1	7	.	15	.
IV.	GENERAL SERVICE CLASS.	154,279	34·8	75	28	8	12	13	13	1	.	8	.	.	1	1	.	.	4	14	7	13	3	8	2	8	2	23	5
V.	INMATES OF WORKHOUSES.	6,024		32	4	3	5	6	12	2	.	.	.	.	.	.	.	.	.	.	2	4	2	.	.	9	.	15	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	23·7	10	1	.	2	2	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	7	.
	6. Clerks and Commercial Assistants,	30,482	8·6	5	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	1	.	.	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	23·2	12	1	.	1	4	4	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	1	7	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	2	.	.	.	2	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades,	29,801	19·2	11	6	1	2	.	1	1	.	.	.	.	.	.	.	1	1	2	1	2	1	.	1	3	.	1	.
	10. Clothing Trades,	23,260	13·5	6	.	.	3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1	.	1	.
	11. Food Supply Trades,	9,242	16·9	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	22·3	13	2	.	3	2	5	1	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	2	.	7	.
	13. Petty Shopkeepers,	7,894	33·0	5	2	.	.	1	1	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	3	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	2	2	.	2	.	.	.	.	.	1	1
	15. Domestic Servants,	36,603	5·7	4	1	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	6	.	.	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	1	.	1	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	34·8	60	25	8	6	11	10	.	.	8	.	.	1	1	.	.	2	12	7	7	2	2	2	7	2	19	3
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	32	4	3	5	6	12	2	.	.	.	.	.	.	.	.	.	.	2	4	2	.	.	9	.	15	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* similar Statistics for each of

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all causes.	Annual Rate of Mortality per 1,000 Living. From diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	Oct. 6,	23·9	3·7	13	.	.	.	.	.	.	.	.	2	.	1	.	.	1	1
	„ 13,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.
	„ 20,	36·8	.	20	.	.	.	.	.	.	.	.	.	3	2	.	.	3	.
	„ 27,	29·4	1·8	16	.	.	.	.	.	.	.	.	1	2	3	.	2	1	1
	Nov. 3,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.
	„ 10,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	„ 17,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1
	„ 24,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Oct. 6,	29·3	4·0	22	.	.	.	.	.	.	.	.	3	2	2	1	1	5	1
	„ 13,	24·0	2·7	18	.	.	.	.	.	.	.	1	1	3	2	.	.	2	1
	„ 20,	18·6	1·3	14	.	.	.	.	.	1	.	.	.	.	4	2	2	1	.
	„ 27,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	2	.	.	4	.
	Nov. 3,	18·0	5·3	21	.	.	.	.	2	1	.	1	.	.	4	3	.	3	.
	„ 10,	28·0	1·3	21	.	.	.	.	.	.	.	.	.	1	2	1	1	4	.
	„ 17,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	.	1	.	1	5	1
	„ 24,	26·6	5·3	20	.	.	.	.	.	.	.	1	3	2	3	.	.	2	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 Est.) 30,107.	Oct. 6,	31·2	6·9	18	.	.	.	.	1	.	.	.	3	1	4	.	.	3	.
	„ 13,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	2	2	.	3	.
	„ 20,	20·8	6·9	12	.	.	1	.	.	1	.	.	2	1	1	1	.	1	.
	„ 27,	27·7	5·2	16	.	.	.	.	.	.	.	1	2	.	.	3	.	.	3
	Nov. 3,	31·2	1·7	18	.	1	.	.	.	.	.	.	.	3	1	1	1	1	.
	„ 10,	20·8	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1
	„ 17,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.
	„ 24,	31·2	1·7	18	.	.	.	.	1	.	.	.	.	1	2	1	1	3	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Oct. 6,	29·6	8·2	18	.	.	.	.	.	.	.	.	5	1	1	1	.	4	.
	„ 13,	29·6	3·3	18	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.
	„ 20,	14·8	1·6	9	.	.	.	.	.	.	.	.	1	2	.	.	.	2	1
	„ 27,	23·0	1·6	14	.	.	.	.	.	.	.	1	.	2	3	1	.	.	1
	Nov. 3,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.
	„ 10,	24·7	1·6	15	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.
	„ 17,	26·3	.	16	.	.	.	.	.	.	.	.	.	2	2	.	3	3	.
	„ 24,	26·3	.	16	.	.	.	.	.	.	.	.	.	2	3	.	2	2	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	Oct. 6,	23·1	2·7	17	.	.	.	.	.	.	.	.	2	.	2	1	2	3	.
	„ 13,	29·9	8·2	22	.	1	.	.	1	1	.	.	3	2	1	.	2	3	.
	„ 20,	29·9	5·4	22	.	.	1	.	.	.	.	.	3	.	2	.	2	3	.
	„ 27,	25·8	5·4	19	.	.	.	1	.	.	.	.	1	.	1	.	.	3	.
	Nov. 3,	36·7	5·4	27	.	2	.	.	.	.	.	.	2	2	4	1	1	5	.
	„ 10,	44·8	10·9	33	.	1	.	.	1	.	.	.	1	2	5	2	.	3	.
	„ 17,	39·4	13·6	29	.	6	.	.	.	1	.	.	1	3	2	2	1	4	.
	„ 24,	51·6	12·2	38	.	8	.	.	1	.	.	.	.	5	5	1	.	8	.
					.	9	.	.	.	.	.	.	.						
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Oct. 6,	28·5	2·9	10	.	.	.	.	.	.	.	.	1	1	1	2	1	1	.
	„ 13,	28·5	2·9	10	.	.	.	.	.	.	.	1	.	1	.	1	1	1	1
	„ 20,	25·7	2·9	9	.	.	.	.	.	.	.	.	1	2	1	.	.	3	.
	„ 27,	34·2	.	12	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.
	Nov. 3,	31·4	.	11	.	.	.	.	.	.	.	.	.	1	.	3	.	5	.
	„ 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	„ 17,	39·9	.	14	.	.	.	.	.	.	.	.	.	.	2	1	.	5	.
	„ 24,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Oct. 6,	31·1	7·5	25	.	.	.	.	.	.	.	.	6	1	2	1	3	3	1
	„ 13,	34·8	5·0	28	.	.	.	.	1	.	.	.	3	1	3	1	2	5	1
	„ 20,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	4	1	.	1	1
	„ 27,	17·4	2·5	14	.	.	.	.	1	.	.	.	1	.	.	2	1	3	.
	Nov. 3,	39·8	3·7	32	.	.	.	.	.	.	.	.	3	.	4	1	2	3	1
	„ 10,	18·6	2·5	15	.	.	.	.	1	.	.	1	.	.	.	1	4	2	.
	„ 17,	33·6	1·2	27	.	1	.	.	.	.	.	.	.	1	5	1	3	7	1
	„ 24,	24·9	2·5	20	.	.	.	.	1	.	.	.	1	1	2	1	.	5	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Oct. 6,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	1	1	2	2	1	.
	„ 13,	22·3	1·5	15	.	.	.	.	.	.	.	.	1	2	1	1	.	.	3
	„ 20,	19·8	3·0	13	.	.	.	.	.	.	.	1	.	3	1	.	.	1	.
	„ 27,	20·8	1·5	14	.	.	.	.	1	.	.	.	1	1	2	1	.	3	.
	Nov. 3,	34·1	.	23	.	.	.	.	.	.	.	.	.	1	4	3	.	2	.
	„ 10,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	2	1	1	2	.
	„ 17,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	1	.	1	1	2
	„ 24,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	6	1	.	1	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,203.	Oct 6,	18·8	3·1	12	.	.	.	.	.	.	.	.	2	.	2	.	1	1	.	1
	„ 13,	12·6	3·1	8	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.
	„ 20,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	1	3	.	1	.	.	1
	„ 27,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.
	Nov. 3,	25·1	3·1	16	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.
	„ 10,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	1
	„ 17,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	„ 24,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	2	1	.	.	2	.	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Oct. 6,	26·0	.	13	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1
	„ 13,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	„ 20,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 27,	24·0	2·0	12	.	.	.	.	.	.	.	.	1	2	2	3	.	.	1	.
	Nov. 3,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.
	„ 10,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 17,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	„ 24,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Oct. 6,	35·5	5·9	12	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.
	„ 13,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
	„ 20,	8·9	3·0	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.
	Nov. 3,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	„ 10,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	.
	„ 24,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1906 (Est.) 386,220.	Oct. 6,	20·5	3·4	144	.	1	1	.	2	1	.	.	19	6	20	9	2	15	4	3
	„ 13,	15·5	1·7	109	.	.	.	1	1	.	.	2	8	10	17	4	2	11	1	3
	„ 20,	17·4	2·3	122	.	.	.	.	2	1	.	.	13	10	15	5	5	11	5	.
	„ 27,	17·1	1·9	120	.	1	.	.	3	1	.	3	5	7	15	5	4	17	7	3
	Nov. 3,	17·4	2·1	122	.	.	.	.	3	1	.	1	10	13	13	7	3	15	1	3
	„ 10,	18·7	2·0	131	.	2	1	.	3	2	.	1	5	11	12	7	3	27	4	4
	„ 17,	20·6	1·1	145	.	1	.	.	3	.	.	.	4	12	20	10	3	22	6	5
	„ 24,	17·8	1·4	125	.	1	1	.	4	1	.	.	3	13	16	7	2	24	1	1
Cork. Pop. (in 1901) 76,122.	Oct. 6,	27·4	0·7	23	.	.	.	.	.	.	.	.	1	.	2	1	1	2	.	2
	„ 13,	15·8	11·0	44	.	.	.	1	.	.	.	1	14	2	3	2	1	4	.	1
	„ 20,	30·1	4·1	34	.	.	.	.	.	.	.	1	5	4	3	.	3	2	1	.
	„ 27,	23·3	.	23	.	.	.	.	.	.	.	.	.	.	5	1	.	3	.	.
	Nov. 3,	15·8	0·7	21	.	.	.	.	.	.	.	.	1	1	2	3	.	2	.	2
	„ 10,	14·4	2·7	39	.	.	.	.	1	.	.	.	3	2	8	1	4	7	.	1
	„ 17,	26·7	2·7	38	.	.	.	.	1	.	.	.	3	4	8	.	1	4	.	5
	„ 24,	30·8	4·1	45	.	.	.	.	1	1	.	1	3	1	5	2	2	6	.	4
Londonderry. Pop. in 1906 (Est.) 42,067.	Oct. 6,	16·1	5·0	13	.	.	.	.	.	.	.	.	4	1	1	.	.	.	.	.
	„ 13,	13·6	3·7	11	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
	„ 20,	11·2	1·2	9	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	1
	„ 27,	14·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	.
	Nov. 3,	26·0	8·7	21	.	.	.	.	.	.	.	.	7	.	3	1	1	.	.	1
	„ 10,	17·4	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	4	.	.
	„ 17,	17·4	1·2	14	.	.	.	.	.	.	.	1	.	.	3	.	1	3	.	1
	„ 24,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	1
Limerick. Pop. (in 1901) 38,151.	Oct. 6,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	2
	„ 13,	12·3	1·4	9	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1
	„ 20,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 27,	19·1	2·7	14	.	.	.	.	.	1	.	.	1	1	1	1	1	.	.	5
	Nov. 3,	20·5	5·5	15	.	.	.	.	.	1	.	2	1	1	1	.	2	.	.	3
	„ 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	.	1	.	5
	„ 17,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	„ 24,	26·0	.	19	.	.	.	.	.	.	.	.	.	2	3	1	.	3	.	2
Waterford. Pop. (in 1901) 26,769.	Oct. 6,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 13,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 20,	15·6	3·9	8	.	.	.	.	1	.	.	.	1	.	2	.	.	.	1	.
	„ 27,	27·3	1·9	14	.	.	.	.	.	.	.	1	.	.	4	1	.	.	3	1
	Nov. 3,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
	„ 10,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	1
	„ 17,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 24,	29·2	7·8	15	.	.	4	.	.	.	.	.	.	1	1	1	.	1	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th November, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20.	Total No. of Deaths.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,784	9	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
Do. 2 ,, .	47,959	29			17	3	2	1	1	1	9	.	.	.	.	2	.	.	.	.	1	.	2	.	4	1	2	5	.
Do. 3 ,, .	47,214	25			16	7	1	1	2	2	3	.	1	.	.	.	.	.	.	.	4	3	.	1	4	.	.	1	.
Do. 4 ,, .	40,911	23			19	7	3	.	2	1	6	.	.	.	.	.	.	.	.	.	3	.	2	.	6	.	2	3	.
Do. 5 ,, .	17,387	9			4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	3	.
Do 6 ,, .	48,122	29			11	.	2	1	5	2	1	.	.	.	.	.	.	.	.	.	.	3	2	.	1	.	1	1	.
Do 7 ,, .	1,524	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	3			3	.	1	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 9 ,, .	19,569	11			4	.	.	1	1	1	1	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Do. 10 ,, .	28,064	16			11	3	3	1	.	.	4	.	.	.	.	.	.	.	.	1	2	2	.	1	2	.	.	1	.
Do. 11 ,, .	34,802	22			14	5	2	3	1	1	2	.	.	.	.	.	1	.	.	2	1	2	.	.	1	.	.	1	.
Do. 12 ,, .	33,588	24			13	4	1	2	2	1	3	.	.	.	.	1	.	.	.	.	.	2	1	.	.	.	.	4	.
Do. 13 ,, .	15,006	9			11	2	1	3	1	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	2	1
Do. 14 ,, .	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	211			125	32	16	13	18	13	33	.	1	1	.	4	1	.	.	3	13	16	7	2	24	1	6	21	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT. .	12,867	8	28·4	.	7	.	.		1		6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
Do. 2 ,, . .	10,701	8	29·2	.	6	1	1		3		1	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	3	.
Do. 3 ,, . .	9,978	15	52·3	15·7	10	3	2		3		2	.	.	.	.	.	1	.	.	2	.	1	1	1	2	.	.	1	1
Do. 4 ,, . .	8,666	4	30·1	.	5	1	.		4		.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	2	1
Do. 5 ,, . .	6,592	9	68·3	7 9	8	.	.		4		4	.	.	.	.	.	.	.	1	.	.	2	.	.	1	.	.	3	.
Do. 6 ,, . .	10,702	13	24·4	4·9	5	3	.		1		1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2
Do. 7 ,, . .	16,616	10	12·6	3·1	4	.	1		1		2	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1	1	.
Total	76,122	62	30·8	4·1	45	8	4		17		16	.	.	.	.	1	1	.	1	3	1	5	2	2	6	.	1	15	4

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. [illegible] *without the City are omitted.*

BELFAST.	1906—Week ending June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.
No. of weeks in Annual Series,	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered,	289	228	204	222	218	225	162	271	225	241	220	203	204	208	240	211	211	226	211	222	195	238	194	180	189	211
DEATHS registered.	150	136	134	131	113	105	119	121	127	121	127	125	139	134	151	142	141	136	144	109	122	120	122	131	145	125
Annual Death-rate per 1,000 of estimated Population.	21·4	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20·1	19·4	20·5	15·5	17·4	17·1	17·4	18·7	20·6	17·8
AGES: Under 1 year,	33	28	21	26	24	24	27	21	21	30	29	37	43	39	59	43	49	40	39	31	34	26	36	33	26	32
1–5 years,	23	22	20	17	15	12	19	12	8	18	9	16	14	22	16	16	13	17	15	9	13	17	15	13	14	16
5–20 years,						11	14	10	13	9	14	17	12	5	10	10	14	15	14	8	12	9	10	14	15	13
20–40 years,	64	53	67	72	57	13	27	24	29	15	25	14	18	17	20	21	20	15	24	17	19	17	16	19	28	18
40–60 years,						22	15	26	26	31	22	24	29	26	30	26	20	21	28	23	22	23	21	22	25	13
60 years and upwards,	30	33	26	16	17	23	17	28	30	18	28	17	23	25	16	26	25	28	24	21	22	25	24	30	37	33
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	2	1	.	.	1	.	.	2	1	.	2	.	.	1	.	.	2	1	.	.	1	.	2	1	1
Scarlet Fever,	.	.	.	.	1	.	.	2	.	.	.	.	.	1	1	.	1	1	1	.	.	.	.	1	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Whooping-cough,	15	16	7	14	7	4	9	3	1	4	2	4	2	7	7	3	5	3	2	1	2	3	3	3	3	4
Diphtheria,	.	1	.	.	2	2	.	.	1	.	1	1	2	1	.	1	.	.	1	.	1	1	1	2	.	1
*Pyrexia** (origin uncertain),	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	2	.	.	.	.	1	1	2	3	2	1	.	2	1	3	2	4	.	2	.	3	1	1	.	.
Diarrhœal Diseases,	1	5	7	2	4	4	6	7	4	7	12	25	24	23	39	33	27	25	19	8	13	5	10	5	4	3
Pneumonia,	15	15	7	7	8	8	7	6	6	10	7	3	5	7	5	3	3	6	6	10	10	7	13	11	12	13
Tuberculous Disease, Phthisis,	16	21	22	30	24	12	20	21	26	22	25	13	21	15	16	18	14	19	20	17	15	15	13	12	20	16
Tuberculous Disease, Other Forms,	11	5	9	7	7	6	15	5	10	11	6	8	6	6	6	6	8	4	9	4	5	5	7	7	10	7
Cancer, Malignant Disease,	1	5	6	4	2	9	2	4	4	2	4	3	2	4	3	3	4	4	2	2	5	4	3	3	3	2
Diseases of Respiratory System,	17	15	15	14	13	7	7	9	21	11	7	12	7	16	8	12	12	7	15	11	11	17	13	27	22	24
Violent Deaths,	1	2	1	5	.	3	6	4	.	2	4	2	3	6	3	1	4	4	4	1	5	7	1	4	6	1
Number of Uncertified Deaths,	2	2	5	.	1	1	2	.	3	.	3	1	2	5	.	.	.	1	3	3	.	3	3	4	5	1

*Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
			Exclusive of Stillborn.									
LONDON, . .	4,721,217	Nov. 24,	2,532	1,453	16·0	.	26	8	14	5	3	24
EDINBURGH, .	341,035	„ 24,	135	137	21·0	.	2	1	2	.	.	3
GLASGOW, . .	835,625	„ 24,	475	309*a*	19·3	.	.	2	1	7	1	15
CALCUTTA, . .	910,117	Oct. 6,	.	419	25·6	4	.	.	.	.	117‡	70*
BOMBAY, . .	977,822	„ 23,	364	664	35·3	.	1	.	17	.	79‡	66*
MADRAS, . .	509,346	„ 5,	472	584	59·6	3	3	?	?	?	130	178*
PARIS, . .	2,750,000	Nov. 10,	952	851	16·5	1	1	.	3†	4	6	34
BRUSSELS (with 8 Faubourgs).	612,401	„ 3,	178	151	12·8	.	2	2	.	1	3	6
ANTWERP, . .	297,311	„ 3,	126	67	11·8	.	.	.	.	.	.	11
AMSTERDAM, .	562,944	„ 3,	275	154	14·3	.	5	1	1†	.	2	3
COPENHAGEN, .	425,000	„ 3,	211	119	14·6	.	.	.	.	1	1	5
STOCKHOLM, .	324,488	Oct. 27,	152	65	10·4	.	.	1	.	.	1	1
CHRISTIANIA, .	222,373	Nov. 10,	190	53	12·4	.	.	2	.	1	.	1
ST. PETERSBURG,	1,424,700	„ 3,	712	650	23·7	1	13	27	39	3	27	58
MOSCOW, . .	1,092,360	Oct. 6,	.	656	31·3	.	2	11	18†	2	10	87
BERLIN, . .	2,075,707	„ 27,	900	550	13·8	.	2	3	9†	5	3	48
HAMBURG, . .	819,380	Nov. 3,	.	226	14·6	.	.	3	3†	3	2	19
BRESLAU, . .	478,048	„ 10,	.	204	22·3	.	2	.	2†	2	.	11
MUNICH, . .	540,000	„ 10,	.	175	16·9	.	.	.	1†	1	.	26
VIENNA (with suburbs).	1,958,323	„ 10,	921	556	14·8	.	11	4	7†	.	2	29
BUDA-PESTH, .	791,748	„ 10,	420	251	16·5	.	1	3	8†	.	.	15
PRAGUE and Faubourgs.	466,133	„ 3,	168	143	15·9	.	.	.	4†	1	.	10
TRIESTE, . .	198,525	Oct. 27,	114	71	18·6	.	.	.	.	.	1	7
ROME, . . .	531,502	Sept. 15,	243	180	17·7	.	.	.	.	1	16	23
VENICE, . .	171,709	Oct. 27,	.	.	.	.	.	.	.	.	.	.
NEW YORK, .	4,152,860	„ 27,	2,162	1,299	16·3	.	.	3	25†	6	28	102
PHILADELPHIA,	1,469,126	„ 20,	.	469	16·6	.	.	.	16†	6	14	26
BOSTON, . .	602,526	„ 27,	.	204	17·7	.	.	.	.	.	5	9

a. Including 4 deaths from cerebro-spinal meningitis.
* Including 20 deaths from cholera in Calcutta, 4 in Bombay, and 65 in Madras.
† Including deaths from croup.
‡ Exclusive of 9 deaths from plague in Calcutta, and 31 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th November, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	2	1	.	.	.	3
" " 1, West,	.	2	.	.	2	.	.	1	1*	.	.	.	6
" " 2,	.	.	.	.	.	.	1	2	1	.	.	.	4
" " 3,	.	.	.	.	.	.	.	1	1	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	.	.	1	.	4	.	.	.	6
" " 2,	.	.	.	.	1	.	.	.	2	.	.	.	3
" " 3,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 4,	.	.	.	.	.	.	.	2	1	.	.	.	3
New Kilmainham,	.	.	.	.	.	.	.	1	.	.	.	.	1
Total,	.	3	.	.	3	.	2	9	11*	.	.	.	28

* Including one case admitted to Hospital from Blackrock.

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th November, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th November.			
	Nov. 3.	Nov. 10.	Nov. 17.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	32	48	46	21	5	8	54
Scarlet Fever,	86	93	92	5	20	.	77*
Typhus,	2	2	2	.	2	.	.
Diphtheria,	16	22	22	5	8	.	19
Enteric Fever,	73	72	66	8	14	2	58
Pneumonia,	32	31	28	11	7	3	29

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 24th November, 1906:—

"Winter and summer met in this week. The first three days were cold even for November; on Wednesday afternoon came a sudden burst of warmth, and the last three days were summerlike in their mildness. At 8 a.m. of Sunday the barometer was low all over North-western Europe, lowest in a depression central near Wick, where the reading was only 28·73 inches. A second depression lay at the same time over the south of Sweden, while a third was off the west of Ireland. As gradients were slight, the wind was variable and feeble and temperature was consequently low. Snow lay on the Dublin mountains. During the next two days the Scottish depression moved slowly, southwards at first, afterwards in an easterly direction, gradually filling up as it travelled. Rain or hail and sleet fell abundantly in Scotland and Wales, thunderstorms occurred on Tuesday in the north of the latter country, and keen N.W. winds and low temperatures prevailed in all districts. On Wednesday, the isobars ran from S.W. to N.E. and so favoured a rise of temperature by inducing a strong S.W. current—at 8 a.m. the thermometer ranged from 54° at Portland Bill to 29° at Nairn; in Dublin a maximum of 60·4° was recorded in the evening. Thursday was still warmer—the range in Dublin was from 56·9° to 63·0°, giving a mean temperature of 60° F. on the 22nd of November. On Saturday the maximum was 64·4°, but the mean temperature was lower, because the thermometer had fallen to 47·8° during the previous night. The warm weather extended to Central Europe, Scandinavia, and the Baltic. It showed a tendency to give way on Saturday evening. In Dublin the mean atmospheric pressure was 29·775 inches, the barometer falling to 29·093 inches at 9 p.m. of Sunday (wind, W.) and rising to 30·418 inches at 9 p.m. of Saturday (wind, W.N.W.). The mean temperature was 48·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 48·6°. The screened thermometers fell to 33·0° on Tuesday and rose to 64·4° on Saturday. The prevalent wind was S.W. Rain fell on 2 days to the amount of ·208 inch ·191 inch being measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·777 inches. The highest reading (30·430) was on Saturday at 9 p.m., wind W., and the lowest (29·090) on Sunday at 9 p.m., wind W.

The mean temperature for the week was 47·7°, being 6·0° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Saturday, on which day the thermometer registered 62·1°, and was lowest on Sunday, the mercury having fallen to 30·7°. The mean of the Dry Bulb for the week was 47·3°, and of the Wet Bulb 45·1°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 16·8 hours. The rainfall during the week measured 0·155 inch.

At Greenwich the mean temperature for the week was 46·2°, the maximum 60·3°, and the minimum 28·5° ; at Glasgow the maximum was 59·8°, the minimum 32·0°, and the mean 46·0° ; and at Edinburgh the maximum was 60·3°, the minimum 33·4°, and the mean 44·8°. The rainfall at Greenwich measured 0·38 in. ; at Glasgow 0·25 in. ; and at Edinburgh 0·35 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.*

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Nov. 18,	29·091	38·7	30·7	34·7	35·8	34·9	·93	·6	2·6	·155	S.W.	W.
Monday, „ 19,	29·114	43·2	36·3	39·8	37·3	35·5	·84	·6	3·3	·000	W.N.W.	W.
Tuesday, „ 20,	29·552	43·7	32·4	38·1	38·2	36·4	·84	·5	1·8	·000	W.S.W.	S.E.
Wednesday, „ 21,	29·644	59·0	44·9	52·0	51·6	52·6	·88	·4	0·2	·000	S.W.	S.W.
Thursday, „ 22,	30·067	60·0	55·9	58·5	57·4	54·8	·84	·9	1·3	·000	S.W.	S.W.
Friday, „ 23,	30·301	57·8	54·5	56·2	55·4	52·0	·79	·6	0·3	·000	S.W.	S.S.W.
Saturday, „ 24,	30·369	62·1	46·9	54·5	52·5	49·2	·80	·6	6·8	·000	S.W.	W.
Mean, . .	29·777	52·1	43·2	47·7	47·3	45·1	·85	·6	Total 16·8	Total ·155	Prevailing wind, S.W.	

Sunday—Cloudy a.m., overcast and showery p.m. ; night cloudy, light showers 12 m.n. to 7.0 a.m. *Monday*—Fine day but cloudy ; night clear. *Tuesday*—Cloudy a.m., overcast p.m. ; night cloudy. *Wednesday*—Overcast and cloudy day, fine ; night cloudy. *Thursday*—Overcast and cloudy day, fine ; night clear. *Friday*—Fine day but cloudy ; night clear. *Saturday*—Fine bright day ; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 24th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Nov. 18,	35·5	44·8	48·3	40·8	33·8	37·3	2·8	·198
Monday, „ 19,	41·1	43·3	48·2	44·7	35·8	40·3	2·7	—
Tuesday, „ 20,	36·0	42·0	48·0	44·6	32·9	38·8	0·8	·008
Wednesday, „ 21,	52·0	42·7	47·9	60·8	43·3	52·1	0·0	—
Thursday, „ 22,	59·6	46·0	47·4	62·8	57·0	59·9	2·2	—
Friday, „ 23,	57·8	48·1	47·5	60·1	55·6	57·9	0·0	—
Saturday, „ 24,	63·0	48·0	47·9	65·4	45·0	55·2	5·5	—
Weekly Mean, .	49·3	45·0	47·9	54·2	43·3	48·8	Total 14·0	Total ·206

Dublin : Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—15496.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 1ST DECEMBER, 1906. [No. 48.

General Register Office, Charlemont House,
Dublin, 3rd December, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Nov. 10.	Week ending Nov. 17.	Week ending Nov. 24.	Week ending Dec. 1.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 10.	Week ending Nov. 17.	Week ending Nov. 24.	Week ending Dec. 1.	Average Rate for 4 weeks.
22 Town Dists.	21·6	21·5	21·8	20·0	21·2	Lisburn,	22·7	18·2	31·8	18·2	22·7
Armagh,	20·6	13·7	6·9	.	10·3	Londonderry,	17·4	17·4	13·6	13·6	15·5
Ballymena,	38·3	14·4	9·6	19·2	20·4	Lurgan,	13·3	22·1	22·1	8·9	16·6
Belfast,	18·7	20·6	17·8	18·2	18·8	Newry,	8·4	16·8	16·8	16·8	14·7
Clonmel,	51·3	10·3	35·9	5·1	25·6	Newtownards,	11·4	17·2	34·3	28·6	22·9
Cork,	26·7	26·0	30·8	19·2	25·7	Portadown,	10·3	10·3	20·7	25·8	16·8
Drogheda,	20·4	24·5	28·6	16·3	22·4	Queenstown	19·8	19·8	19·8	6·6	16·5
Dublin Reg. Area	24·9	25·6	23·8	23·8	24·5	Sligo,	14·4	14·4	9·6	19·2	14·4
Dundalk,	16·0	23·9	4·0	8·0	13·0	Tralee,	31·7	15·9	10·6	5·3	15·9
Galway,	11·7	7·8	11·7	15·5	11·7	Waterford,	21·4	7·8	29·2	21·4	20·0
Kilkenny,	24·6	19·7	6·8	14·7	31·9	Wexford,	14·0	23·3	18·7	56·0	28·0
Limerick,	17·8	15·0	26·0	21·9	20·2						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·5 in Lisburn, the 4 deaths from all causes in that district including one from whooping-cough. Among the 128 deaths from all causes registered in Belfast are one from measles, one from scarlet fever, one from typhus, 2 from whooping-cough, 3 from enteric fever, and 4 from diarrhœal diseases; and the 16 deaths from all causes in Limerick include one from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 289—154 boys and 135 girls; and the deaths to 179—78 males and 101 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 24·6 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 23·8 per 1,000. During the forty-eight weeks ending with Saturday last the death-rate averaged 23·3, and was 1·9 below the mean rate for the corresponding portions of the ten years, 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The 179 deaths registered include 3 deaths from measles, one death from scarlet fever, 3 deaths from whooping-cough, 2 from diphtheria, 3 from enteric fever, and 4 from diarrhœal diseases. In each of the 3 preceding weeks, deaths from measles were 6, 9, and 9; deaths from scarlet fever were 0, 0, and 0; deaths from whooping-cough were 2, one, and 2; deaths from diphtheria were one, 0, and one; deaths from enteric fever were one, one, and one; and deaths from diarrhœal diseases were 2, 3, and 6. Two deaths were attributed to influenza.

Broncho-pneumonia caused 7 deaths, and *pneumonia* (not defined) caused 4 deaths.

Of 25 deaths from all forms of tuberculous disease, one was from tuberculous phthisis, 12 were returned as from *phthisis*, 2 were from tuberculous meningitis, one was from tuberculous peritonitis, one from *tabes mesenterica*, and 8 were from other forms of the disease. In the 3 weeks preceding, deaths from all forms of tuberculous disease numbered 40, 24, and 34, respectively.

There were 3 deaths from carcinoma and 6 from cancer (undefined).

Four deaths of infants, prematurely born, were registered.

Diseases of the brain and nervous system caused 16 deaths, including the deaths of 5 infants (all under one year of age) from *convulsions*.

There were 23 deaths from diseases of the heart and blood vessels, and 25 from bronchitis.

Three deaths were caused by accidental violence, 2 having been caused by burns, one of the latter being the death of a child under 5 years of age.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the death of one person aged 76 years.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 10 were under one month old) and 50 were aged 60 years and upwards, including 30 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a female) was stated to have been aged 96 years.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the N. Dublin Union Workhouse, 16 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·8 per 1,000; the rate in the City was 26·1 (North City Districts, 25·3; South, 27·1), and in the Suburbs, 15·8 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·3 (2·4 in the North City Districts, and 2·2 in the South) and for the Suburbs, 1·8 per 1,000.

No. 1 North City Disvrict, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000, and include one death from enteric fever, 2 deaths from tuberculous disease, 2 from bronchitis, and one death caused accidentally.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. There was one death each from diphtheria, enteric fever, and epidemic diarrhœa, and there were 3 deaths from tuberculous disease, and one death from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000. Among them are one death each from enteric fever, dysentery, broncho-pneumonia, and *phthisis*, 2 deaths from *pneumonia* (not defined), and 2 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (20) represent an annual rate of 32·9 per 1,000, and include one death from whooping-cough, 3 deaths from broncho-pneumonia, 4 from tuberculous disease, and 2 from bronchitis. There was one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra No. 1, part of, 26·0; and Finglas and Glasnevin, part of, 39·1. Of the 5 deaths from all causes for Coolock and Drumcondra, No. 1, part of, 2 were from tuberculous disease; and among the 5 deaths from all causes for Finglas and Glasnevin, part of, one was from *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (29) represent an annual rate of 39·4 per 1,000. There were 3 deaths from measles, one death each from whooping-cough, diphtheria, and broncho-pneumonia, 2 deaths from tuberculous disease, and 5 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·8 per 1,000. One death each was caused by scarlet fever, *pneumonia* (not defined), and tuberculous phthisis, and 2 deaths were caused by bronchitis.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 28·6 per 1,000, and include one death from *pneumonia* (not defined), 3 deaths from tuberculous disease, and 5 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·8 per 1,000. Broncho-pneumonia caused one death and bronchitis caused 3 deaths.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000. The 2 deaths are from tuberculous disease.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8; Pembroke, 14·0; Blackrock, 17·9; and Kingstown, 11·8. The deaths from the principal epidemic diseases recorded for these districts consist of one death each from whooping-cough and *diarrhœa* for Rathmines and Rathgar, and one death from *diarrhœa* for Kingstown. Among the 12 deaths from all causes for Rathmines and Rathgar are one death from broncho-pneumonia, one from *phthisis*, and one from bronchitis; and the 4 deaths from all causes for Kingstown include one from *phthisis* and one from bronchitis.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 1st December, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 10,	.	—	—	4	1	.	4	.	3	7	9	.	—	—	—	—	—	28
	Nov. 17,	.	—	—	17	.	.	6	.	.	9	10	.	—	—	—	—	—	42
	Nov. 24,		—	—	3	.	.	3	.	2	9	11	.	—	—	—	—	—	28
	Dec. 1,	.	—	—	4	.	.	3	.	6	10	10	.	—	—	—	—	—	33
Rathmines and Rathgar Urban District.	Nov. 10,	.	—	—	1	.	.	.		.	1	1	.	—	—	—	—	—	3
	Nov. 17,	.	—	—	2	.	.	3		.	.	.	.	—	—	—	—	—	5
	Nov. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Pembroke Urban District.	Nov. 10,	.	.	.	.	.	.	.	.	.	1	1	.	—	.	.	—	—	2
	Nov. 17,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
	Nov. 24,	.	.	.	.	.	.	.	.	.	.	1	.	—	.		—	—	1
	Dec. 1,	.	.	.	.	.	.	1	.	.	.	1	.	—	.	.	—	—	2
Blackrock Urban District.	Nov. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Nov. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Nov. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 24,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2
	Dec. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Nov. 10,	.	—	—	41	2	.	9	1	11	7	9	2	—	—	—	—	—	82
	Nov. 17,	.	—	—	25	.	.	5	2	7	8	9	.	—	—	—	—	—	56
	Nov. 24,	.	—	—	40	.	.	6	.	7	10	12	1	—	—	—	—	—	76
	Dec. 1,	.	—	—	21	.	.	10	1	4	6	10	.	—	—	—	—	—	52

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st December, 1906.

From this it appears that:—

Thirty cases of measles were admitted into hospital during the week, 29 were discharged, and 45 cases remained under treatment at its close.

[illegible] cases of scarlet fever were admitted to hospital, 13 were discharged, there was one death, and 72* cases remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 3 were discharged, there was one death, and 21 patients remained under treatment at the close of the week.

Seven cases of enteric fever were admitted to hospital, 14 were discharged, there was one death, and 50 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, [illegible] discharged, and 31 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·5), was equal to an average annual death-rate of 15·8 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 17·6 per 1,000 the rate for Glasgow was 17·0 and for Edinburgh 14·2.

INFECTIOUS DISEASE IN EDINBURGH.

We have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st December. From this Report it appears that of a total of 54 cases notified 21 were scarlet fever, 17 erysipelas, 13 diphtheria, and 2 enteric fever. Among the 280 cases of infectious diseases in hospital at the close of the week were 109 of scarlet fever, 44 of diphtheria, 43 of measles, 19 of erysipelas, 18 of enteric fever, and 3 of whooping cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 1st December, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 1st December, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 1st December, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th November, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th November, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	30·6	20·0	1·5	646	423	75	124	.	4	2	1	6	2	.	7	9	31	40	26	19	70	9	12	133	18	.	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	378,994	27·5	39·8	23·8	2·2	289	173	30	49	.	3	1	.	3	2	.	3	4	11	12	11	8	29	3	3	72	6	f59·0	38·9	49·1	0·33	f60·1	30·7	47·7	0·16	f54·2	32·9	42·9	0·48
City of Dublin.	293,885	37·1	46·0	26·1	2·3	259	147	26	38	.	3	1	.	2	2	.	3	2	10	10	11	6	25	2	2	65	5	g61·2 / h58·8	35·8 / 35·2	50·6 / 47·4	0·23 / 0·23	g61·4 / h62·8	33·0 / 29·0	48·8 / 47·3	0·21 / 0·22	g55·8 / h54·1	38·8 / 33·0	45·8 / 43·9	0·42 / 0·39
Urban Dists. Rathmines and Rathgar.	33,208	19·4	17·3	18·8	3·1	11	12	2	6	.	.	.	.	1	.	.	.	1	1	1	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	26·0	14·0	.	18	7	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	17·9	.	2	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	11·8	11·8	3·0	4	4	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	1	1	.	64	37·5	51·0	0·01	62	33	48·8	0·12	56	41·5	47·2	0·37
Urban Districts.																																								
Belfast,	366,220	24·9	25·3	18·2	1·7	178	128	25	38	.	1	1	1	2	.	.	3	4	12	14	10	4	21	2	3	31	2	58·0	37·0	50·2	0·71	60·0	29·0	45·5	0·90	50·0	28·0	41·8	0·83
Cork,	76,122	33·6	25·3	19·2	.	37	28	8	10	.	.	.	.	.	.	.	.	.	4	3	.	1	4	1	1	9	4	55	42	50·9	0·07	55	34	47·0	0·97	57	43	48·4	0·44
Londonderry,	42,067	19·4	27·3	18·6	.	22	11	2	4	.	.	.	.	.	.	.	.	.	.	2	1	.	6	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	56·0	21·9	1·4	41	16	2	6	.	.	.	.	.	.	1	.	.	1	2	1	1	2	.	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	48·7	21·4	1·9	25	11	2	1	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	27·2	15·5	.	7	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.	53	46	51	0·50	60	29	45	0·54	51	35	45	0·97
Dundalk,	13,076	3·4	35·9	8·0	.	9	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	4·1	16·3	.	1	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	12·6	16·8	.	8	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	55·1	34·5	48·0	0·57	59·8	30·3	46·2	0·60	51·5	33·6	42·0	0·60
Lurgan,	11,782	13·8	8·9	8·9	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	55·1	34·5	48·0	0·57	59·8	30·3	46·2	0·60	51·5	33·6	42·0	0·60
Lisburn,	11,461	10·1	13·6	18·2	4·5	3	4	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	55·1	34·5	48·0	0·57	59·8	30·3	46·2	0·60	51·5	33·6	42·0	0·60
Wexford,	11,168	23·2	46·7	56·0	.	10	12	3	3	.	.	.	.	.	.	.	.	.	.	.	2	1	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	19·2	19·2	.	4	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	19·2	19·2	.	4	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2	55·5	38·7	49·6	1·00	59·0	31·0	47·2	0·82	52·5	32·9	43·0	0·77
Kilkenny,	10,609	11·5	.	14·7	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	56	37	48·1	0·22	59	28	46·7	0·20	55	35	43·9	0·71
Clonmel,	10,167	7·8	.	5·1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	20·7	25·8	.	4	5	.	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	55·1	34·5	48·0	0·57	59·8	30·3	46·2	0·60	51·5	33·6	42·0	0·60
Tralee,	9,867	16·6	10·6	5·3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	13·9	5·7	28·6	.	1	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	2	2	.	56	38	48·8	0·45	57	31	46·2	0·36	51	32	43·0	0·75
Queenstown,	7,909	14·4	13·2	6·6	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	55	42	50·9	0·07	55	34	47·0	0·97	57	43	48·4	0·44
Armagh,	7,588	22·2	13·7	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·1	34·5	48·0	0·57	59·8	30·3	46·2	0·60	51·5	33·6	42·0	0·60

described as "Simple Continued Fever."

[illegible] Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 1st December, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLASNEVIN & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of).	FINGLAS and GLASNEVIN (period).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	3	.
Scarlet Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	.	.	.	1	.	.	.	.	1	.	.	.	3	.
Diphtheria,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
*Pyrexia** (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Diarrhœal Diseases,	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	4	.
Pneumonia,	.	.	3	3	.	.	.	1	1	1	1	.	1	.	.	.	11	.
Tuberculous Disease. Phthisis,	1	1	1	2	.	1	1	1	1	.	.	1	1	.	.	1	12	1
Tuberculous Disease. Other Forms.	1	2	.	2	.	1	.	1	.	3	.	1	.	.	.	.	11	1
Cancer, Malignant Disease,	.	1	.	1	.	.	.	1	.	2	1	.	2	.	.	.	8	1
Other General Diseases	2	.	1	6	.	.	.	.	.	3	.	.	2	1	.	.	15	.
Total,	5	7	7	15	.	2	1	9	3	9	2	2	8	1	.	2	73	3
B. LOCAL DISEASES:																		
Diseases of Nervous System	2	.	1	.	.	.	1	4	1	2	2	.	1	1	.	.	15	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	.	3	3	1	1	.	3	3	1	3	.	.	2	2	1	.	23	.
Diseases of Respiratory System,	2	1	2	2	.	1	.	5	2	6	4	.	1	.	1	2	29	.
Diseases of Digestive System,	.	1	.	1	.	1	.	2	.	2	3	.	.	.	1	.	11	1
Diseases of Lymphatic System &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	1	.	.	.	.	3	1	.	1	.	.	2	.	.	9	1
Diseases of Generative System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	6	7	4	1	2	4	18	5	13	10	.	4	5	3	2	88	3
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	3	1	1	.	.	1	.	2	.	1	.	.	.	.	.	.	9	.
E. VIOLENT DEATHS,	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	3	.
Deaths from all Causes	13	14	15	20	1	5	5	29	8	23	12	2	12	7	3	4	173	6
Annual Rate of Mortality from all causes in every 1,000 of the population	23·9	18·6	26·0	32·9	10·8	26·0	39·1	39·4	22·8	28·6	17·8	11·7	18·8	14·0	17·9	11·8	23·8	.
	25·8							27·1					16·8					
	26·1																	
Ages at Death. Under 1 year,	3	4	2	5	.	1	.	4	.	5	2	.	2	1	.	1	30	.
1 and under 5 years,	1	1	.	7	.	1	.	6	2	4	1	.	.	.	.	1	24	.
5 ,, 20 ,,	.	1	1	1	.	2	.	4	1	1	.	2	2	2	1	1	19	2
20 ,, 40 ,,	2	.	3	3	1	.	1	.	2	3	2	.	.	.	.	.	17	1
40 ,, 60 ,,	2	3	4	3	.	1	1	7	2	3	4	.	2	2	.	.	34	2
60 and upwards,	5	5	5	1	.	.	3	8	1	7	3	.	6	2	2	1	40	1
Number of Uncertified Deaths,	.	1	.	1	.	.	.	1	1	1	.	.	.	1	.	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	6	6	4	.	1	.	9	4	5	2	.	1	2	1	.	45	4
Workhouse Hospitals,	2	.	5	3	.	.	1	6	1	4	2	.	.	1	1	1	27	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re
week of the ten ye

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 48th Week of the 10 years 1896–1905.	In the Week endin 1st December			
												Deaths of Persons			
												ALL AGES.	0 to 5.		
	Nov. 28, 1896.	Dec. 4, 1897.	Dec. 3, 1898.	Dec. 2, 1899.	Dec. 1, 1900.	Nov. 30, 1901.	Nov. 29, 1902.	Dec. 5, 1903.	Dec. 3, 1904.	Dec. 2, 1905.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.
Mean Temperature.	° 45·0	° 40·2	° 41·7	° 47·1	° 43·4	° 42·1	° 43·5	° 34·6	° 41·3	° 44·1	° 42·3	° 49·1			
ALL CAUSES.	212	170	212	259	167	141	230	207	204	157	195·9	179	10	20	24
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	1	.	1	29	.	.	14	.	12	.	5·7	3	.	.	2
Scarlet Fever, ...	5	3	4	2	.	1	8	2	.	.	2·5	1	.	.	1
Typhus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	2	1	1	1	.	3	2	.	1	1·2	2	.	.	1
Whooping-cough, ...	7	2	3	1	6	1	.	5	3	1	2·9	3	.	.	2
Diphtheria, ...	.	2	1	2	1	.	4	2	1	.	1·3	2	.	.	2
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.
Enteric Fever, ...	2	11	2	6	4	2	4	2	2	2	3·7	3	.	.	1
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	5	.	.	4	1	4	2	.	1	2	2·9	1	1	.	.
Diarrhœa, Dysentery,							5	.	2	3		3	.	1	1
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	2	2	.	2	.	2	1	1	1	1·1	3	.	1	2
Puerperal Septicæmia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.
Puerperal Fever, ...							.	.	.	.		.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	2	1	.	·3	1	.	.	.
Pneumonia, Lobar,	18	11	10	17	9	8	.	.	3	1	12·6	.	.	.	.
Pneumonia, Broncho-							9	8	5	5		7	.	2	2
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.
Pneumonia, Not defined,							5	2	11	4		4	.	.	1
Erysipelas, ...	.	.	.	1	.	1	1	.	.	.	·3	.	.	.	.
Septicæmia (not Puerperal)	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.
Pyæmia (not Puerperal),							.	.	.	.		.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.
Tuberculous Phthisis,	15	19	34	35	14	23	4	5	10	6	23·2	1	.	.	.
"*Phthisis*," ...							18	18	19	12		12	.	.	.
Tuberculous Meningitis, ...	6	4	7	4	2	1	3	2	2	4	3·5	2	.	.	1
Tuberculous Peritonitis,	4	4	2	4	4	.	1	.	.	1	2·2	1	.	.	.
Tabes Mesenterica, ...							.	1	1	.		1	.	.	.
Tuberculous Dis. (other),	3	1	4	7	7	3	8	5	10	5	5·3	8	.	2	1
Scrofula, ...							.	.	.	.		.	.	.	.
Alcoholism, ...	1	.	1	.	.	1	2	1	.	.	·6	1	.	.	.
Rheumatic Fever, ...	1	.	.	1	.	1	1	.	.	1	·5	.	.	.	.
Gout, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.
Carcinoma, ...	5	5	8	9	13	5	3	6	6	2	8·2	3	.	.	.
Sarcoma, ...							.	.	.	1		.	.	.	.
Cancer (undefined),							6	5	3	5		6	.	.	.
Diabetes Mellitus, ..	.	.	.	.	.	.	.	1	1	.	2	1	.	.	.
Premature Birth, ...	6	6	2	2	.	3	1	3	2	1	2·6	4	3	1	.

* The figures for the years 1896
† Formerly

'Y-EIGHTH WEEK ending Saturday, 1st December, 1906, with the deaths from each cause in the corresponding
he average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Nov. 28, 1896.	Dec. 4, 1897.	Dec. 3, 1898.	Dec. 2, 1899.	Dec. 1, 1900.	Nov. 30, 1901.	Nov. 29, 1902.	Dec. 5, 1903.	Dec. 3, 1904.	Dec. 2, 1905.	Averages in 48th Week of the 10 years 1896–1905.	In the Week ending Saturday, 1st December, 1906. Deaths of Persons of the Ages of: All Ages.	0 to 5: Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 45·0	° 40·3	° 41·7	° 47·1	° 43·4	° 42·1	° 43·5	° 34·6	° 41·3	° 44·1	° 42·3	Mean Temp. ° 49·1								
ningitis (not tuberc.) ...							2	4	.	3		4	.	.	2	2	.	.	.
sanity, G. P. of Insane ...							2	.	3	1		1	.	.	.	.	1	.	.
ilepsy							1	.	2	.		.	.	.	.	.	.	.	.
nvulsions							10	13	5	5		5	2	3	.	.	.	.	.
comotor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...							.	2	2	2		4	.	.	.	.	2	2	.
ervous System (other Dis.)	43	38	42	38	38	25	2	3	3	3	39·2	2	.	.	.	2	.	.	.
lv. Dis., Endocarditis ...							2	6	4	7		4	.	.	.	2	1	.	1	.
rebr. Hæm. Thromb. ...							4	3	2	2		3	.	.	.	.	.	1	2	.
oplexy, Hemiplegia ...							5	9	2	3		3	.	.	.	.	.	1	1	1
neurysm							.	.	.	.		.	.	.	.	.	.	.	.	.
nbolism, Thromb. (not cerebral)							.	.	.	.		1	.	.	.	.	.	1	.	.
eart and Blood Vessel Dis.							11	15	12	13		12	.	.	.	.	2	4	4	2
oup (not Spasm. nor Memb.)	1	.	.	.	2	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
ronchitis	30	24	44	48	32	11	36	36	37	32	33·0	25	2	2	3	.	.	3	12	3
sthma, Emphysema ...							.	.	.	.		.	.	.	.	.	.	.	.	.
leurisy	9	.	3	1	2	2	.	.	.	.	2·4	.	.	.	.	.	.	.	.	.
espiratory Dis. (other) ...							2	1	3	1		4	.	1	1	.	.	1	1	.
onsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
nteritis (not Epid.) ...							.	.	.	2		.	.	.	.	.	.	.	.	.
astro Enteritis	.	1	.	1	.	.	2	1	1	1	·9	3	1	1	.	.	.	.	.	1
eritonitis (not Puerp.) ...	.	1	1	1	2	.	1	1	.	.	·7	1	.	.	.	.	1	.	.	.
irrhosis of Liver ...							.	1	3	2		.	.	.	.	.	.	.	.	.
iver Dis. (other) ...	2	1	1	3	1	4	5	.	1	1	2·5	2	.	.	.	.	1	1	.	.
igestive Dis. (other) ...	6	5	6	5	3	2	6	7	3	4	4·7	6	.	2	.	2	.	2	.	.
ephritis, Acute ...							3	.	2	2		.	.	.	.	.	.	.	.	.
right's Dis., Albuminuria	3	2	3	3	4	3	2	3	1	2	3·9	10	.	.	.	.	2	4	4	.
rinary Sys. (Other Dis.)							3	1	1	1		.	.	.	.	.	.	.	.	.
enerative Organs Dis. ...	.	.	1	.	.	1	.	1	1	.	·4	1	.	.	.	.	.	1	.	.
hildbirth (Accid. of) ...	.	.	.	2	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
Old Age	13	7	13	14	10	16	5	5	7	4	9·4	4	.	.	.	.	.	.	3	1
Other Diseases	18	15	14	14	7	19	19	14	10	5	13·5	8	1	4	.	.	.	1	1	1
ACCIDENT.																				
By Railways	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
By Vehicles and Horses ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
n Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
n Building Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
n Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	.	.	1	.	.	.	.	.	1	·4	2	.	.	1	.	1	.	.	.
By Drowning	.	.	.	1	.	1	1	1	.	1	·5	.	.	.	.	.	.	.	.	.
By Suffocation in Bed ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Deaths by Accidents	4	.	1	1	1	.	.	2	.	1	1·0	1	.	.	.	.	.	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Suicide	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

e Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8	Sept. 15.	Sept. 22	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.
No. of week in Annual Series.	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered,	167	250	210	238	189	230	199	223	235	186	226	230	180	268	209	225	321	146	186	240	178	231	198	182	286	289
*Average Births in corresponding week of previous 10 years,**	229	193	221	229	202	193	199	207	202	208	217	195	215	203	212	195	233	188	184	201	200	199	194	199	183	193
DEATHS registered,	142	126	149	125	130	140	156	149	135	180	151	167	166	184	220	201	184	198	175	166	170	204	192	191	182	179
Annual Death-rate per 1,000,	19·5	17·8	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7	25·3	27·2	24·1	22·8	23·4	28·1	26·4	26·3	25·0	24·6
*Average Deaths in corresponding week of previous 10 years,**	155	150	146	140	145	146	151	153	166	169	163	170	164	169	160	173	164	157	168	173	176	171	177	186	193	196
AGES,— Under 5 years,	38	12	37	17	35	35	38	48	40	50	48	63	79	83	95	85	76	71	50	58	50	61	52	61	49	54
5—20 ,,	11	13	13	16	14	10	17	11	8	6	9	10	12	8	9	13	8	9	7	6	13	15	10	12	13	21
20—40 ,,	20	22	30	36	21	24	25	27	20	19	22	27	20	27	24	26	25	22	27	34	34	30	36	33	30	18
40—60 ,,	42	36	34	28	32	37	28	35	20	28	27	32	40	38	39	31	29	28	41	34	25	43	42	38	31	36
60—80 ,,	28	37	31	22	21	32	43	27	32	24	43	28	29	28	41	39	37	51	45	34	38	42	45	39	49	41
80 years and upwards,	3	6	4	6	7	2	5	6	5	3	2	7	6	5	9	8	9	7	5	5	10	13	7	8	10	9
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	1	2	2	.	2	1	.	.	.	.	1	.	.	1	.	2	2	6	9	9	3
Scarlet Fever	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	1
Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.
Whooping-cough	1	2	2	1	4	6	8	2	2	3	1	.	.	1	1	1	5	1	2	2	2	3	2	1	2	3
Diphtheria	.	.	1	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	1	2	.	1	1	.	1	2
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever	.	1	.	2	.	1	1	.	1	1	.	.	2	2	.	2	1	.	4	4	2	1	1	1	1	3
Diarrhœal Diseases,	1	4	.	2	.	8	3	10	11	10	29	27	28	49	40	34	31	31	12	12	8	7	2	3	6	4
Pneumonia	6	6	13	4	4	9	12	13	4	5	4	8	5	4	9	7	12	10	16	17	13	10	8	12	18	11
Tuberculous Disease. { Phthisis,	17	17	29	21	26	21	28	19	21	18	21	21	18	21	20	26	19	28	16	21	17	21	31	19	27	13
Tuberculous Disease. { Other Forms,	13	12	11	9	11	7	11	13	4	7	9	8	9	9	11	12	14	8	7	5	13	17	9	5	7	12
Cancer, Malignant Disease,	6	8	6	12	7	4	14	9	8	4	12	11	10	7	11	6	6	13	9	7	10	10	11	13	5	9
Diseases of Heart and Blood Vessels,	29	26	21	14	15	26	27	19	19	17	20	12	22	21	28	25	18	24	25	24	26	38	32	27	22	23
Diseases of Respiratory System,	10	11	17	5	21	10	11	13	14	10	11	10	4	8	16	10	14	23	20	15	19	33	19	34	30	29
Violent Deaths,	3	3	4	3	4	2	3	4	2	3	2	8	7	5	2	5	5	4	6	4	7	1	3	9	3	8
Number of Uncertified Deaths,	3	3	9	4	3	2	5	4	3	5	1	2	1	1	7	9	4	4	7	5	7	6	9	3	5	6
Mean Temperature of the Air (Phœnix Park),	56·1	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9	50·4	53·3	52·5	45·5	51·2	40·6	43·3	42·9	47·7	49·1
Average Mean Temperature in corresponding week of previous 10 years.	54·7	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·9‡	52·5	51·0	48·8	47·9	46·8	47·3	46·0	43·7	41·7	42·3
Rainfall in inches,	·005	·280	·790	·450	·390	·235	·885	·220	·452	·320	·415	·695	·000	·285	·280	·000	·000	·800	1·125	·210	·707	·545	·820	·475	·155	·330
Mean Humidity of the Air, complete Saturation, 1·0,	·79	·85	·86	·79	·84	·80	·82	·84	·80	·83	·79	·86	·86	·84	·82	·90	·87	·92	·87	·85	·88	·91	·86	·87	·85	·89

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

In the Dublin Registration Area during the week ending Saturday, 1st December, 1906, the Annual Death Rate represented by the Persons whose Deaths were registered of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST DECEMBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	24·9	179	54	21	18	36	41	9	.	3	1	.	3	2	.	3	4	16	11	13	12	9	5	29	3	81	6
	CLASSES.																												
	Deaths in Families of the—																												
I	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	9·0	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS,	87,188	15·5	26	2	2	3	6	9	4	.	.	.	.	.	.	.	.	.	.	.	2	1	8	.	4	1	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	17·9	38	16	3	1	8	9	1	.	.	1	.	1	2	.	.	1	5	2	1	2	2	1	7	.	18	5
IV.	GENERAL SERVICE CLASS,	154,279	36·4	83	32	13	10	13	12	3	.	3	.	.	2	.	.	3	2	10	7	8	5	2	4	13	2	32	1
V.	INMATES OF WORKHOUSES,	6,024		29	4		2	8	11	1	.	.	.	.	.	.	.	.	1	1	2	2	4	1	.	5	.	14	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	7·1	8	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.
	6. Clerks and Commercial Assistants,	30,482	5·1	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	36·7	19	1	2	3	5	4	4	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	13	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	3	.	.	1	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	2
	9. Building and Furnishing Trades,	29,801	17·5	10	3	2	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	5	.
	10. Clothing Trades,	23,260	15·7	7	3	1	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	3	.	2	.
	11. Food Supply Trades,	9,242	16·9	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades,	30,352	17·2	10	4	.	.	2	3	1	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	2	.	6	1
	13. Petty Shopkeepers,	7,894	26·4	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	2
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	27·2	7	3	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	3	1
	15. Domestic Servants,	36,603	14·2	10	2	.	4	2	1	1	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	.	1	6	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	36·2	10	1	1	2	3	2	1	.	.	.	.	1	.	.	2	.	3	2	.	.	.	.	2	.	3	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	32·5	56	26	11	4	6	8	1	.	3	.	.	1	.	.	.	1	5	5	7	4	1	3	10	1	20	.
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates.	6,024	.	29	4	3	2	8	11	1	.	.	.	.	.	.	.	.	1	1	2	2	4	1	.	5	.	14	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* similar Statistics for each of

Districts.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).
	Corr.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
City of Dublin (part of).																			
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,832.	Oct. 13,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.
	„ 20,	36·8	.	20	.	.	.	.	.	.	.	.	.	3	2	.	.	3	.
	„ 27,	29·4	1·8	16	.	.	.	.	.	.	.	.	1	2	3	.	2	1	1
	Nov. 3,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.
	„ 10,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	„ 17,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1
	„ 24,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.
	Dec. 1,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	.	1	1	.	2	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Oct. 13,	24·0	2·7	18	.	.	.	.	.	.	.	1	1	3	2	.	.	2	1
	„ 20,	18·6	1·8	14	.	.	.	.	.	1	.	.	.	.	4	2	2	1	.
	„ 27,	25·8	2·7	19	.	.	.	.	1	.	.	.	1	1	2	.	.	4	.
	Nov. 3,	18·0	5·3	21	.	.	.	.	2	1	.	1	.	.	4	3	.	3	.
	„ 10,	28·0	1·8	21	.	.	.	.	.	.	.	.	1	1	2	1	1	4	.
	„ 17,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	.	1	.	1	5	1
	„ 24,	26·6	5·3	20	.	.	.	.	.	.	.	1	3	2	3	.	.	2	1
	Dec. 1,	18·6	4·0	14	.	.	.	.	.	1	.	1	1	.	1	2	1	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 Est.) 30,107.	Oct. 13,	26·0	.	15	.	.	.	.	.	.	.	.	.	3	2	2	.	3	.
	„ 20,	20·8	6·9	12	.	.	1	.	.	1	.	.	2	1	1	1	.	1	.
	„ 27,	27·7	5·2	16	.	.	.	.	.	.	.	1	2	.	.	3	.	.	3
	Nov. 3,	31·2	1·7	18	.	1	.	.	.	.	.	.	.	3	1	1	1	1	.
	„ 10,	20·8	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1
	„ 17,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.
	„ 24,	31·2	1·7	18	.	.	.	.	1	.	.	.	.	1	2	1	1	3	.
	Dec. 1,	26·0	3·5	15	.	.	.	.	.	.	.	1	1	3	1	.	.	2	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Oct. 13,	29·6	3·3	18	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.
	„ 20,	14·8	1·6	9	.	.	.	.	.	.	.	.	1	2	.	.	.	2	1
	„ 27,	23·0	1·6	14	.	.	.	.	.	.	.	1	.	2	3	1	.	.	1
	Nov. 3,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.
	„ 10,	14·7	1·6	15	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.
	„ 17,	26·3	.	16	.	.	.	.	.	.	.	.	.	2	2	.	3	3	.
	„ 24,	26·3	.	16	.	.	.	.	.	.	.	.	.	2	3	.	2	2	.
	Dec. 1,	32·9	1·6	20	.	.	.	.	1	.	.	.	.	3	2	2	1	2	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	Oct. 13,	29·9	8·2	22	.	1	.	.	1	1	.	.	3	2	1	.	2	3	.
	„ 20,	25·9	5·4	22	.	.	1	.	.	.	.	.	3	.	2	.	2	3	.
	„ 27,	25·8	5·4	19	.	2	.	1	.	.	.	.	1	.	1	.	.	3	.
	Nov. 3,	36·7	5·4	27	.	1	.	.	1	.	.	.	2	2	4	1	1	5	.
	„ 10,	44·8	10·9	33	.	6	.	.	.	1	.	.	1	2	5	2	.	3	.
	„ 17,	39·4	13·6	29	.	8	.	.	1	.	.	.	1	3	2	2	1	4	.
	„ 24,	51·6	12·2	38	.	9	.	.	.	.	.	.	.	5	5	1	.	8	.
	Dec. 1,	39·4	6·8	29	.	3	.	.	1	1	.	.	.	1	1	1	1	5	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Oct. 13,	28·5	2·9	10	.	.	.	.	.	.	.	1	.	.	1	.	1	1	1
	„ 20,	25·7	2·9	9	.	.	.	.	.	.	.	.	1	2	1	.	.	3	.
	„ 27,	34·2	.	12	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.
	Nov. 3,	31·4	.	11	.	.	.	.	.	.	.	.	.	1	.	3	.	5	.
	„ 10,	15·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	„ 17,	39·9	.	14	.	.	.	.	.	.	.	.	.	.	2	1	.	5	.
	„ 24,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
	Dec. 1,	22·8	2·9	8	.	.	1	.	.	.	.	.	.	1	1	.	.	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Oct. 13,	34·8	5·0	28	.	.	.	.	1	.	.	.	3	1	3	1	2	5	1
	„ 20,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	4	1	.	1	1
	„ 27,	17·4	2·5	14	.	.	.	.	1	.	.	.	1	.	.	2	1	3	.
	Nov. 3,	39·8	3·7	32	.	.	.	.	.	.	.	.	3	.	4	1	2	8	1
	„ 10,	18·6	2·5	15	.	.	.	.	1	.	.	1	.	.	.	1	4	2	.
	„ 17,	33·6	1·2	27	.	1	.	.	.	.	.	.	.	1	5	1	3	7	1
	„ 24,	24·9	2·5	20	.	.	.	.	1	.	.	.	1	1	2	1	.	5	.
	Dec. 1,	28·6	.	23	.	.	.	.	.	.	.	.	.	1	.	3	2	6	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Oct. 13,	22·3	1·5	15	.	.	.	.	.	.	.	.	1	2	1	1	.	.	3
	„ 20,	19·3	3·0	13	.	.	.	.	.	.	.	.	.	3	1	.	.	1	.
	„ 27,	20·8	1·5	14	.	.	.	.	1	.	.	1	1	1	2	1	.	3	.
	Nov. 3,	34·1	.	23	.	.	.	.	.	.	.	.	.	1	4	3	.	2	.
	„ 10,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	2	1	1	2	.
	„ 17,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	1	.	1	1	2
	„ 24,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	6	1	.	1	.
	Dec. 1,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	.	.	1	4	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,308.	Oct. 13,	12·6	3·1	8	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.
	" 20,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	1	3	.	1	.	.	1
	" 27,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.
	Nov. 3,	25·1	3·1	16	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.
	" 10,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	1
	" 17,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	" 24,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	2	1	.	.	2	.	1
	Dec. 1,	18·8	3·1	12	.	.	.	.	1	.	.	.	1	1	1	.	2	1	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Oct. 13,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
	" 20,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	" 27,	24·0	2·0	12	.	.	.	.	.	.	.	.	1	2	2	3	.	.	1	.
	Nov. 3,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.
	" 10,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	" 17,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	" 24,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	Dec. 1,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Oct 13,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
	" 20,	8·9	3·0	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	5	.	.
	Nov. 3,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	" 10,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1
	" 17,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	.
	" 24,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.
Belfast. Pop. in 1906 (Est.) 356,220.	Oct. 13,	15·5	1·7	109	.	.	.	1	1	.	.	2	8	10	17	4	2	11	1	3
	" 20,	17·4	2·3	122	.	.	.	.	2	1	.	.	13	10	15	5	5	11	5	.
	" 27,	17·1	1·9	120	.	1	.	.	3	1	.	3	5	7	15	5	4	17	7	3
	Nov. 3,	17·4	2·1	122	.	.	.	.	3	1	.	1	10	13	13	7	3	15	1	3
	" 10,	18·7	2·0	131	.	2	1	.	3	2	.	1	5	11	12	7	3	27	4	4
	" 17,	20·6	1·1	145	.	1	.	.	3	.	.	.	4	12	20	10	3	22	6	5
	" 24,	17·8	1·4	125	.	1	1	.	4	1	.	.	3	13	16	7	2	24	1	1
	Dec. 1,	18·2	1·7	128	.	1	1	1	2	.	.	3	4	12	14	10	4	21	2	2
Cork. Pop. (in 1901) 76,122.	Oct. 13,	15·8	11·0	44	.	.	.	1	.	.	.	1	14	2	3	2	1	4	.	1
	" 20,	30·1	4·1	34	.	.	.	.	.	.	.	1	5	4	3	.	3	2	1	.
	" 27,	23·3	.	23	.	.	.	.	.	.	.	.	.	.	5	1	.	3	.	.
	Nov. 3,	15·8	0·7	21	.	.	.	.	.	.	.	.	1	1	2	3	.	2	.	2
	" 10,	14·4	2·7	39	.	.	.	.	1	.	.	.	3	2	8	1	4	7	.	1
	" 17,	26·7	2·7	38	.	.	.	.	1	.	.	.	3	4	8	.	1	4	.	5
	" 24,	30·8	4·1	45	.	.	.	.	1	1	.	1	3	1	5	2	2	6	.	4
	Dec. 1,	19·2	.	28	.	.	.	.	.	.	.	.	.	4	3	.	1	4	1	4
Londonderry. Pop. in 1906 (Est.) 42,067.	Oct. 13,	13·6	3·7	11	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	1
	" 20,	11·2	1·2	9	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	1
	" 27,	14·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	.
	Nov. 3,	26·0	8·7	21	.	.	.	.	.	.	.	.	7	.	3	1	1	.	.	1
	" 10,	17·4	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	4	.	.
	" 17,	17·4	1·2	14	.	.	.	.	.	.	.	1	.	.	3	.	1	3	.	1
	" 24,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	1
	Dec. 1,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	2	1	.	6	.	1
Limerick. Pop. (in 1901) 38,151.	Oct. 13,	12·3	1·4	9	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1
	" 20,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	" 27,	19·1	2·7	14	.	.	.	.	.	1	.	.	1	1	1	1	1	.	.	5
	Nov. 3,	20·5	5·5	15	.	.	.	.	.	1	.	2	1	1	1	.	2	.	.	3
	" 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	.	1	.	5
	" 17,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	" 24,	26·0	.	19	.	.	.	.	.	.	.	.	.	2	3	1	.	3	.	2
	Dec. 1,	21·9	1·4	16	.	.	.	.	.	.	.	1	.	1	2	1	1	2	.	2
Waterford. Pop. (in 1901) 26,769.	Oct. 13,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	" 20,	15·6	3·9	8	.	.	.	.	1	.	.	.	1	.	2	.	.	.	1	.
	" 27,	27·3	1·9	14	.	.	.	.	.	.	.	1	.	.	4	1	.	.	3	1
	Nov. 3,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
	" 10,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	1
	" 17,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	" 24,	29·2	7·8	15	.	.	4	.	.	.	.	.	.	1	1	1	.	1	.	.
	Dec. 1,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st December, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tubercuious Disease. Phthisis.	Other Forms	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,784	19	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		7	.	1	1	1	2	2	.	.	.	.	.	.	.	1	1	1	1	1	.	1	.	.	2	.
Do. 2 ,,	47,959	12			12	3	1	3	2	.	3	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	1	1	.
Do. 3 ,,	47,214	23			10	1	.	.	2	2	5	.	.	.	.	1	.	.	.	.	.	2	.	1	2	.	1	3	.
Do. 4 ,,	40,911	26			22	6	2	2	2	5	5	.	.	.	.	1	.	.	.	1	1	.	.	1	6	.	.	9	1
Do. 5 ,,	17,387	9			4	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	1	.
Do 6 ,,	48,122	17			25	5	1	3	2	4	10	.	.	.	.	.	.	.	.	1	1	2	2	.	6	.	.	8	.
Do 7 ,,	1,524	3			2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.
Do. 8 ,,	5,060	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,,	19,569	13			11	3	2	1	1	1	3	.	1	1	.	.	.	.	.	1	1	2	2	1	.	.	.	1	1
Do. 10 ,,	28,064	14			10	3		1	3	2	1	.	.	.	.	.	.	.	2	.	2	2	.	1	.	.	.	.	.
Do. 11 ,,	34,802	9			4	1	.	.		3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	.
Do. 12 ,,	33,588	12			14	2	3	2	3	2	2	.	.	.	1	.	.	.	.	.	2	1	.	.	3	.	.	5	.
Do. 13 ,,	15,006	9			7	1	.	.	.	2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	2	.
Do. 14 ,,	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	178			128	25	11	14	16	24	38	.	1	1	1	2	.	.	3	4	12	14	10	4	21	2	3	34	2
City of Cork.																													
CORK URBAN No. 1 DISTRICT,	12,867	5	16·2	.	4	1	.		.		3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Do. 2 ,,	10,701	5	34·1	.	7	3	.		3		1	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	1	2
Do. 3 ,,	9,978	5	20·9	.	4		.		3		1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.
Do. 4 ,,	8,668	5	36·1	.	6	1	1		1		3	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	2	1
Do. 5 ,,	6,592	2	15·8	.	2		.				2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 ,,	10,702	4	24·4	.	5	3	1		1		.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	1	1	1
Do. 7 ,,	16,616	11	.	.	.	.	.		.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total	76,122	37	19·2	.	28	8	2		8		10	.	.	.	.	.	.	.	.	.	4	3	.	1	4	1	1	9	4

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	June 9.	June 16.	June 23.	June 30.	July 7.	July 14	July 21	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22	Sept. 29.	Oct. 6.	Oct. 13	Oct. 20	Oct. 27	Nov 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.
No. of weeks in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered,	228	204	222	218	225	162	271	225	241	220	203	204	208	240	211	211	226	211	222	195	238	194	180	189	211	178
DEATHS registered.	136	134	131	113	105	119	121	127	121	127	125	139	134	151	142	141	136	144	109	121	120	142	131	145	125	123
Annual Death-rate per 1,000 of estimated Population.	19·4	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20·1	19·4	20·5	15·5	17·4	17·1	17·4	18·7	20·6	17·8	18·2
AGES — Under 1 year,	28	21	26	24	24	27	21	21	30	29	37	43	39	59	43	49	40	39	31	34	26	36	33	26	32	25
1–5 years,	22	20	17	15	12	19	12	8	18	9	16	14	22	16	16	13	17	15	9	13	17	15	13	14	16	11
5–20 years,					11	14	10	13	9	14	17	12	5	10	10	14	15	14	8	12	9	10	14	15	13	14
20–40 years,	53	67	72	57	13	27	24	29	15	25	14	18	17	20	21	20	15	24	17	19	17	16	19	28	18	16
40–60 years,					22	15	26	26	31	22	24	29	26	30	36	20	21	28	23	22	23	23	22	25	13	24
60 years and upwards.	33	26	16	17	23	17	28	30	18	28	17	23	25	16	26	25	28	24	21	22	25	24	30	37	33	38
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	1	.	.	1	.	.	2	1	.	2	.	.	1	.	.	2	1	.	.	1	.	2	1	1	1
Scarlet Fever,	.	.	.	1	.	.	2	.	.	.	.	.	1	1	.	1	1	1	.	.	.	.	1	.	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Whooping-cough,	16	7	14	7	4	9	3	1	4	2	4	2	7	7	3	5	3	2	1	2	3	3	3	3	4	2
Diphtheria,	1	.	.	2	2	.	.	1	.	1	1	2	1	.	1	.	.	1	.	1	1	1	2	.	1	.
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	.	.	.	.	1	1	2	3	2	1	.	2	1	3	2	4	.	2	.	3	1	1	.	.	3
Diarrhœal Diseases,	5	7	.	4	4	6	7	4	7	12	25	24	23	39	33	27	25	19	8	13	5	10	5	4	3	4
Pneumonia,	15	7	7	8	8	7	6	6	10	7	3	5	7	5	3	3	6	6	10	10	7	13	11	12	13	12
Tuberculous Disease, Phthisis,	21	22	30	24	12	20	21	26	22	25	13	21	15	16	18	14	19	20	17	15	15	13	12	10	16	14
Tuberculous Disease, Other Forms,	5	9	7	7	6	15	5	10	11	6	8	6	6	6	6	8	4	9	4	5	5	7	7	10	7	10
Cancer, Malignant Disease,	5	6	4	2	9	2	4	4	2	4	3	2	4	3	3	4	4	2	2	5	4	3	3	3	2	4
Diseases of Respiratory System.	15	15	14	13	7	7	9	21	11	7	12	7	16	8	12	12	7	15	11	11	17	15	27	22	24	21
Violent Deaths,	2	1	5	.	3	6	4	.	2	4	2	3	6	3	1	4	4	4	1	5	7	1	4	6	1	2
Number of Uncertified Deaths,	2	5	.	1	1	2	.	3	.	3	1	2	5	.	.	.	1	3	3	.	3	3	4	5	1	2

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,721,217	Dec. 1,	2,345	1,406	15·5	.	21	12	20	13	7	20
EDINBURGH,	341,035	„ 1,	136	93*a*	14·2	.	1	1	1	.	.	2
GLASGOW, . .	835,625	„ 1,	443	273*a*	17·0	.	1	.	1	14	2	8
CALCUTTA, . .	910,117	Oct. 13,	.	469	28·7	1	.	.	.	.	121‡	79*
BOMBAY, . .	977,822	„ 30,	451	665	35·4	.	.	.	.	.	72‡	54*
MADRAS, .	509,346	„ 12,	438	509	51·9	.	.	?	?	?	118	119*
PARIS, .	2,750,000	Nov. 17,	1,034	897	17·4	.	3	3	2†	2	8	27
BRUSSELS (with 8 Faubourgs).	612,401	„ 10,	196	174	14·8	.	2	1	2†	1	2	12
ANTWERP, . .	297,311	„ 10,	143	86	15·1	.	.	.	3†	.	3	12
AMSTERDAM, .	562,944	„ 10,	242	152	14·1	.	3	1	.	3	.	5
COPENHAGEN, .	425,000	„ 10,	257	108	13·2	.	.	.	.	.	.	8
STOCKHOLM, .	324,488	„ 3,	179	74	11·9	.	.	2	2†	.	.	5
CHRISTIANIA, .	222,373	„ 17,	112	40	9·3	.	.	.	1†	1	.	1
ST. PETERSBURG,	1,424,700	„ 10,	900	618	22·5	.	10	24	31	4	25	48
MOSCOW, . .	1,092,360	Oct. 13,	.	543	25·9	1	1	14	11†	2	11	49
BERLIN, . .	2,078,745	Nov. 3,	923	553	13·9	.	.	8	8†	3	1	47
HAMBURG, .	802,793	„ 10,	.	222	14·4	.	2	5	4†	1	1	25
BRESLAU, . .	481,157	„ 17,	.	192	20·8		4	.	2†	3		10
MUNICH, .	540,000	„ 17,	.	176	16·9	.	.	.	2†	1	.	18
VIENNA (with suburbs).	1,958,323	„ 17,	939	569	15·1	.	7	7	10†	3	1	41
BUDA-PESTH, .	791,748	„ 17,	443	248	16·3	.	2	4	6†	1	1	8
PRAGUE and Faubourgs.	466,133	„ 10,	191	161	18·0	.	6	1	3†	.	.	10
TRIESTE, . .	198,525	„ 3,	120	103	27·1	.	.	.	.	.	3	8
ROME, . . .	531,502	Sept. 22,	242	142	13·9	.	.	.	.	1	8	14
VENICE, .	171,709	Nov. 3,	.	.	.	.	.	.	.	.	.	.
NEW YORK, .	4,152,860	„ 3,	2,181	1,271	15·4	.	3	5	25†	5	26	80
PHILADELPHIA,	1,469,126	Oct. 27,	.	484	17·1	.	.	.	12†	7	11	35
BOSTON, . .	602,526	Nov. 3,	.	210	18·2	.	.	.	2	1	5	4

a. Including one death from cerebro-spinal meningitis in Edinburgh, and 4 in Glasgow.
* Including 28 deaths from cholera in Calcutta, 4 in Bombay, and 14 in Madras.
† Including deaths from croup.
‡ Exclusive of 11 deaths from plague in Calcutta, and 27 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st December, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	1	1	.	.	.	2
" " 1, West,	.	.	.	.	1	.	.	.	1	.	.	.	2
" " 2,	.	.	.	.	1	.	1	1	2	.	.	.	5
" " 3,	.	1	.	.	.	.	3	3	2	.	.	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	1	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	1	3	3	.	.	.	7
" " 2,	.	1	.	.	.	.	.	.	1	.	.	.	2
" " 3,	.	2	.	.	.	.	.	.	.	.	.	.	2
" " 4,	.	.	.	.	1	.	.	2	.	.	.	.	3
New Kilmainham,	.	.	.		.	.	.	.	.	.	.	.	.
Total,	.	4	.	.	3	.	6	10	10	.	.	.	33

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st December, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st December.			
	Nov. 10.	Nov. 17.	Nov. 24.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	48	46	54	20	29	.	45
Scarlet Fever,	93	92	77	9	13	1	72*
Typhus,	2	2	.	.	.	.	.
Diphtheria,	22	22	19	6	3	1	21
Enteric Fever,	72	66	58	7	14	1	50
Pneumonia,	31	28	29	10	8	.	31

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 1st December, 1906:—

"Exceptionally mild and open weather held over the British Isles, France, and Germany during the greater portion of this week; the air was humid and close, while the sky was for the most part heavily clouded. Needless to say that these conditions sprang from the persistence of a strong equatorial current, which had declared itself so suddenly and emphatically in the middle of the previous se'nnight. Only in the Baltic region did seasonable cold prevail from time to time in the wake of successive atmospheric depressions which passed eastwards over the North of Europe. The deepest of these was off the N.W. coast of Norway on Thursday morning when the barometer read 28·85 inches at Bodö. As it stood at 30·49 inches at the same time over the west and centre of France, gradients for westerly winds were obviously steep, and in the course of the day named or during the following night a fresh gale was very generally felt on and around the British and Irish coasts. The accompanying rainfall was mostly inconsiderable; but, as the storm system travelled away towards the east, a brisk fall of temperature took place, so that Saturday was distinctly cold—in Dublin the mean temperature of Thursday was 55·2°, of Friday 47·9°, and of Saturday only 41·0°. Solar and lunar halos were frequently observed, and on Thursday evening the unique spectacle of a double lunar rainbow, with well-marked colours, was seen in Dublin. In this City the mean height of the barometer was 30·162 inches, the observed range of pressure being from 30·490 inches at 9 p.m. of Sunday (wind, W.) to 29·745 inches at 9 p.m. of Thursday (wind blowing a gale from W.). The mean temperature was 50·6°, and the mean dry bulb reading at 9 a.m. and 9 p.m. was 48·7°. On Sunday the screened thermometers rose to 61·2°, on Saturday they fell to 35·8°. The prevalent wind was W. Rain fell on six days, but only ·225 inch was measured, of which ·094 inch was recorded on Thursday. At 8 a.m. of Saturday the thermometer marked −4° F. at Haparanda on the Gulf of Bothnia."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·167 inches. The highest reading (30·499) was on Sunday at 9 p.m., wind W., and the lowest (29·771) on Thursday at 9 p.m., wind S.W.

The mean temperature for the week was 49·1°, being 6·8° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Sunday, on which day the thermometer registered 59·0°, and was lowest on Saturday, the mercury having fallen to 33·9°. The mean of the Dry Bulb for the week was 47·8°, and of the Wet Bulb 46·2°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 12·6 hours. The rainfall during the week measured 0·330 inch.

At Greenwich the mean temperature for the week was 47·3°, the maximum 56·0°, and the minimum 33·8°; at Glasgow the maximum was 56·2°, the minimum 32·0°, and the mean 47·8°; and at Edinburgh the maximum was 56·3°, the minimum 35·4°, and the mean 48·9°. The rainfall at Greenwich measured 0·09 in.; at Glasgow 1·53 ins.; and at Edinburgh 0·46 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.*

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Nov. 25,	30·470	59·0	49·4	54·2	49·7	47·6	·87	9	1·0	·000	S.W.	W.
Monday, „ 26,	30·301	55·2	46·1	50·7	52·2	50·8	·91	·7	1·1	·085	S.W.	W.S.W.
Tuesday, „ 27,	30·167	46·3	46·0	46·2	48·8	47·8	·97	·8	5·7	·050	W.S.W.	S.W.
Wednesday, „ 28,	30·077	55·8	51·4	53·6	52·2	50·9	·91	·8	1·2	·025	S.W.	S.W.
Thursday, „ 29,	29·918	57·2	49·8	53·5	52·3	50·9	·91	·9	1·2	·115	W.S.W.	S.W.
Friday, „ 30,	29·972	55·1	37·1	46·1	40·2	37·9	·82	·7	0·2	·000	W.S.W.	W.
Saturday, Dec. 1,	30·265	44·3	33·9	39·1	39·5	37·7	·86	·8	2·2	·055	W.	S.W.
Mean, . .	30·167	53·3	44·8	49·1	47·3	46·2	·89	·8	Total 12·6	Total ·330	Prevailing wind, S.W.	

Sunday—Cloudy a.m., overcast p.m., fine; night clear. *Monday*—Cloudy a.m., overcast p.m.; night cloudy, overcast, light rain 11.30 p.m. to 4.0 a.m. *Tuesday*—Fine day, light clouds; night cloudy, light rain 8.30 p.m. to 12 m.n. *Wednesday*—Overcast and cloudy day; night cloudy and showery. *Thursday*—Cloudy day, light showers; night overcast and cloudy, heavy rain 7.55 p.m. to 11.45 p.m. *Friday*—Day cloudy, fine; night clear. *Saturday*—Fine but cloudy day; night cloudy and showery.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 1st, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Nov. 25,	47·2	47·0	48·0	61·0	41·6	51·3	0·4	—
Monday, „ 26,	53·0	47·0	48·0	56·6	45·3	51·0	1·0	·064
Tuesday, „ 27,	49·0	48·0	48·1	56·1	47·7	51·9	4·1	·005
Wednesday, „ 28,	52·9	48·0	48·2	56·4	50·0	53·2	2·0	008
Thursday, „ 29,	51·7	48·4	48·3	58·9	51·3	55·1	1·4	·066
Friday, „ 30,	43·9	49·1	48·5	56·7	39·0	47·9	0·0	·005
Saturday, Dec. 1,	38·3	46·2	48·8	45·2	38·0	41·6	1·0	·025
Weekly Mean,	48·0	47·7	48·3	55·8	44·7	50·3	Total 9·9	Total ·173

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—15577.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 8TH DECEMBER, 1906. [No. 49.

General Register Office, Charlemont House, Dublin, 10*th December*, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Nov. 17.	Week ending Nov. 24.	Week ending Dec. 1.	Week ending Dec. 8.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 17.	Week ending Nov. 24.	Week ending Dec. 1.	Week ending Dec. 8.	Average Rate for 4 weeks.
22 Town Dists.	21·5	21·8	20·0	20·4	20·9	Lisburn, . .	18·2	31·8	18·2	13·6	20·5
Armagh, . .	13·7	6·9	.	13·7	8·6	Londonderry, .	17·4	13·6	13·6	19·8	16·1
Ballymena, .	14·4	9·6	19·2	23·9	16·8	Lurgan, . .	22·1	22·1	8·9	39·8	23·2
Belfast, . .	20·6	17·8	18·2	19·8	19·1	Newry, . .	16·8	16·8	16·8	16·8	16·8
Clonmel, . .	10·3	35·9	5·1	20·5	18·0	Newtownards, .	17·2	34·3	28·6	5·7	21·4
Cork, . . .	26·0	30·8	19·2	19·9	24·0	Portadown, .	10·3	20·7	25·8	15·5	18·1
Drogheda, . .	24·5	28·6	16·3	24·5	23·5	Queenstown .	19·8	19·8	6·6	19·8	16·5
Dublin Reg. Area,	25·6	23·8	23·8	22·4	23·9	Sligo, . . .	14·4	9·6	19·2	4·8	12·0
Dundalk, . .	23·9	4·0	8·0	12·0	12·0	Tralee, . .	15·9	10·6	5·3	21·1	13·2
Galway, . .	7·8	11·7	15·5	7·8	10·7	Waterford, .	7·8	29·2	21·4	15·6	18·5
Kilkenny, . .	19·7	68·8	14·7	9·8	28·2	Wexford, . .	23·3	18·7	56·0	23·3	30·3
Limerick, . .	15·0	26·0	21·9	24·6	21·9						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in fifteen of the districts to 6·9 in Armagh, one of the 2 deaths from all causes registered in that district being from measles. Among the 139 deaths from all causes registered in Belfast are 5 from measles, one from scarlet fever, one from whooping-cough, 3 from diphtheria, 6 from enteric fever, and 3 from diarrhœal diseases. The 29 deaths in Cork include 2 from diphtheria and one from pyrexia (origin uncertain); among the 16 deaths registered in Londonderry is one from scarlet fever; the 8 deaths in Waterford include one from whooping-cough; and among the 9 deaths registered in Lurgan is one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 189—96 boys and 93 girls; and the deaths to 169—72 males and 97 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·3 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

into public institutions from localities outside the Area, the rate was 22·4 per 1,000. During the forty-nine weeks ending with Saturday last the death-rate averaged 23·3, and was 1·9 below the mean rate for the corresponding portions of the ten years, 1896–1905.

Amongst the 169 deaths registered are 2 from measles (of children admitted to Cork Street Fever Hospital from the South Dublin Union Workhouse), 5 from whooping-cough, and 2 from diarrhœal diseases. In the 3 preceding weeks, deaths from measles were 9, 9, and 3; deaths from whooping-cough were one, 2, and 3; and deaths from diarrhœal diseases were 3, 6, and 4, respectively. Four deaths were attributed to influenza.

One death from lobar pneumonia, 7 deaths from broncho-pneumonia, and 5 deaths from *pneumonia* (not defined) were registered.

There were 35 deaths from all forms of tuberculous disease, including 10 deaths from tuberculous phthisis, 12 deaths from *phthisis*, 3 deaths from tuberculous meningitis, one death from tuberculous peritonitis, and 9 deaths from other forms of the disease. In the 3 weeks preceding, deaths from all forms of the disease numbered 24, 34, and 25, respectively.

Carcinoma caused 4 deaths and cancer (undefined) 3 deaths.

Eight deaths of infants, due to prematurity, were registered.

Diseases of the brain and nervous system caused 12 deaths, including those of 3 infants under one year of age from *convulsions*.

There were 30 deaths from diseases of the heart and blood vessels, and 21 deaths from bronchitis.

There was one accidental death, caused by drowning.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases were all of infants under one year of age.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 15 were under one month old) and 41 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 7 were octogenarians.

Seventy-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 26 took place in the N. Dublin Union Workhouse and 20 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·4 per 1,000; the rate in the City was 24·3 (North City Districts, 27·7; South, 20·8), and in the Suburbs, 15·8 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·2 (1·4 in the North City Districts, and 1·1 in the South) and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000. One of the deaths was from broncho-pneumonia, 5 were from tuberculous disease, and 2 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (26) are equal to an annual rate of 34·6 per 1,000, and include 2 deaths from diarrhœal diseases, 2 from *pneumonia* (not defined), 4 from tuberculous disease, and 5 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Amongst them are one death from whooping-cough, and 2 deaths each from *pneumonia* (not defined), tuberculous disease, and bronchitis.

No. 3 North City District (Benburb-street).—The deaths (20) represent an annual rate of 32·9 per 1,000. Whooping-cough and broncho-pneumonia each caused one death, tuberculous disease caused 6 deaths, and bronchitis caused 3 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 20·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0. The 4 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one death each from *phthisis* and bronchitis.

No. 1 South City District (South Earl-street).—The deaths (13) represent an annual rate of 17·7 per 1,000. There were 2 deaths from measles, one from whooping-cough, 3 from tuberculous disease, one from bronchitis, and one caused by accidental violence.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 20·0 per 1,000. Influenza, *pneumonia* (not defined), and tuberculous disease each caused one death.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·9 per 1,000. They include one death each from influenza and broncho-pneumonia, 4 deaths from tuberculous disease, and 4 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·7 per 1,000, and include one death each from influenza and broncho-pneumonia, 3 deaths from *phthisis*, and one death from bronchitis.

New Kilmainham District.—The one death recorded represents an annual rate of 5·9 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·3; Pembroke, 20·0; Blackrock, 6·0; and Kingstown, 11·8. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from whooping-cough for Rathmines and Rathgar. Amongst the 11 deaths from all causes for Rathmines and Rathgar there were 3 from tuberculous disease. The 10 deaths from all causes for Pembroke include one death each from influenza, croupous pneumonia, broncho-pneumonia, and bronchitis, and 2 deaths from tuberculous disease. The only death registered for Blackrock was one caused by tuberculous disease. The 4 deaths from all causes for Kingstown include one from broncho-pneumonia and one from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Lawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 8th December, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 17,	.	—	—	17	.	.	6	.	.	9	10	.	—	—	—	—	—	42
	Nov. 24,	.	—	—	3	.	.	3	.	2	9	11	.	—	—	—	—	—	28
	Dec. 1,		—	—	4	.	.	3	.	6	10	10	.	—	—	—	—	—	33
	Dec. 8,	.	—	—	5	.	.	4	.	3	7	7	.	—	—	—	—	—	26
Rathmines and Rathgar Urban District.	Nov. 17,	.	—	—	2	.	.	3		.	.	.	.	—	—	—	—	—	5
	Nov. 24,	.	—	—	.	.	.	.		.	.	.	.	—	—	—	—	—	.
	Dec. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 8,	.	—	—	4	.	.	.	.	.	1	.	.	—	—	—	—	—	5
Pembroke Urban District.	Nov. 17,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
	Nov. 24,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
	Dec. 1,	.	.	.	.	.	.	1	.	.	.	1	.	—	.	.	—	—	2
	Dec. 8,	.	2	.	.	.	.	1	.	.	1	.	.	—	.	.	—	—	4
Blackrock Urban District.	Nov. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 8,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2
Kingstown Urban District.	Nov. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 24,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2
	Dec. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 8,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	2
City of Belfast.	Nov. 17,	.	—	—	25	.	.	5	2	7	8	9	.	—	—	—	—	—	56
	Nov. 24,	.	—	—	40	.	.	6	.	7	10	12	1	—	—	—	—	—	76
	Dec. 1,	.	—	—	21	.	.	10	1	4	6	10	.	—	—	—	—	—	52
	Dec. 8,	.	—	—	19	.	.	9	1	4	4	10	.	—	—	—	—	—	47

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th December, 1906.

From this it appears that:—

Seventeen cases of measles were admitted into hospital during the week, 12 were discharged, there were 2 deaths, and 48 cases remained under treatment at its close.

Nineteen cases of scarlet fever were admitted to hospital, 17 were discharged, there was one death, and 73* cases remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 4 were discharged, and 20 patients remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, 12 were discharged, and 43 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, were discharged, there was one death, and 28 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·4), was equal to an average annual death-rate of 15·8 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 18·4 per 1,000 the rate for Glasgow being 18·8 and for Edinburgh 15·9.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th December. From this Report it appears that of a total of 59 cases notified 23 were scarlet fever, 12 erysipelas, 21 diphtheria, and 3 enteric fever. Among the 291 cases of infectious diseases in hospital at the close of the week were 111 cases of scarlet fever, 52 of diphtheria, 35 of measles, 20 of erysipelas, 20 of enteric fever, and 3 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 8th December, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 8th December, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. Week ending 8th December, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st December, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th November, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·8	25·3	20·4	1·7	534	430	76	111	.	8	2	.	7	6	1	6	5	35	51	30	12	68	4	13	128	21	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—Total, d.	378,994	27·5	26·0	22·4	1·2	189	163	33	41	.	2	.	.	5	.	.	.	2	12	22	13	5	21	1	3	69	7	f54·0	27·9	44·3	0·49	f59·0	38·9	49·1	0·33	f61·1	30·7	47·7	0·16
City of Dublin,	298,385	27·1	30·0	24·3	1·2	169	137	28	33	.	2	.	.	3	.	.	.	2	9	19	10	5	19	1	2	67	6	g55·9 h53·9	32·8 30·0	46·9 45·4	0·36 0·41	g61·2 h58·8	35·8 35·2	50·6 47·4	0·23 0·23	g61·4 h62·8	33·0 29·0	48·8 47·3	0·21 0·22
Urban Dists. Rathmines and Rathgar.	32,208	19·4	12·6	17·3	3·1	8	11	2	1	.	.	.	.	2	.	.	.	.	.	2	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Pembroke	26,025	16·4	18·0	20·0	.	9	10	2	5	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Blackrock	8,759	8·1	.	6·0	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Dists. Kingstown,	17,622	12·1	8·9	11·8	.	3	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	56	35·5	46·3	0·31	64	37·5	51·0	0·04	62	33	48·8	0·42
Urban Districts.																																							
Belfast,	366,220	24·9	26·3	19·8	2·7	185	139	21	35	.	5	1	.	1	3	.	6	3	10	13	11	3	23	2	4	34	.	54·5	33·0	44·8	1·52	58·0	37·0	50·2	0·71	60·0	29·0	45·5	0·90
Cork,	76,122	33·6	22·6	19·9	2·1	33	29	5	6	.	.	.	.	.	2	1	.	.	5	3	1	1	1	.	3	16	1	57	36	47·5	0·15	55	42	50·9	0·07	55	34	47·0	0·97
Londonderry,	42,067	19·4	24·8	19·8	1·2	20	16	4	2	.	.	1	.	.	.	.	.	.	3	3	1	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	12·3	24·6	.	9	18	3	3	.	.	.	.	.	.	.	.	.	1	1	1	.	6	.	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	33·1	15·6	1·9	17	8	1	2	.	.	.	.	1	.	.	.	.	.	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	27·2	7·8	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	53	34	49·5	0·69	58	46	51	0·50	60	29	45	0·54
Dundalk,	13,076	9·4	31·9	12·0	.	8	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	20·4	24·5	.	5	6	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	25·2	16·8	.	6	4	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	53·9	33·6	44·4	0·94	55·1	34·5	48·0	0·57	59·8	30·3	46·2	0·60
Lurgan,	11,782	13·8	26·6	39·8	4·4	6	9	1	2	.	.	.	.	.	1	.	.	.	1	.	1	.	3	.	.	1	2	53·9	33·6	44·4	0·94	55·1	34·5	48·0	0·57	59·8	30·3	46·2	0·60
Lisburn,	11,461	10·1	9·1	13·6	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	53·9	33·6	44·4	0·94	55·1	34·5	48·0	0·57	59·8	30·3	46·2	0·60
Wexford,	11,168	23·2	.	23·3	.	8	5	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	28·7	28·9	.	6	5	1	4	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	9·6	4·8	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56·0	27·8	45·1	1·02	55·5	38·7	49·6	1·00	59·0	31·0	47·2	0·82
Kilkenny,	10,609	11·5	14·7	9·8	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	54	26	43·1	0·31	56	37	48·1	0·22	59	28	46·7	0·20
Clonmel,	10,167	7·8	20·5	20·5	.	4	4	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	56·8	15·5	.	11	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	53·9	33·6	44·4	0·94	55·1	34·5	48·0	0·57	59·8	30·3	46·2	0·60
Tralee,	9,867	16·6	10·6	21·1	.	2	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	11·4	5·7	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	54	34	44·8	0·71	56	38	48·8	0·45	57	31	46·2	0·36
Queenstown,	7,909	14·4	33·0	19·8	.	5	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	57	36	47·5	0·15	55	42	50·9	0·07	55	34	47·0	0·97
Armagh,	7,588	22·2	27·5	13·7	6·9	4	2	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	53·9	33·6	44·4	0·94	55·1	34·5	48·0	0·57	59·8	30·3	46·2	0·60

c It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 8th December, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLONTARF & HOWTH No. 1 (part of).	GOOLOCK and DRUMCONDRA, No. 1 (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	1	.	.	.	1	.	.	.	.	2	.	.	.	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*Pyrexia** (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Pneumonia,	1	2	2	1	.	.	.	.	1	1	1	.	.	2	.	1	12	1
Tuberculous Phthisis,	4	3	1	3	.	1	.	2	.	2	3	.	2	1	.	.	22	.
Disease. Other Forms.	1	1	1	3	.	.	.	1	1	2	.	.	1	1	1	.	13	.
Cancer, Malignant Disease,	.	.	1	.	.	.	.	1	.	.	3	.	.	.	.	.	5	2
Other General Diseases	1	5	.	2	.	1	.	.	1	2	2	.	1	1	.	.	16	2
Total,	7	13	6	10	.	2	.	7	3	7	9	.	6	5	1	1	77	5
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	3	1	1	.	.	.	1	.	2	2	.	1	.	.	.	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	4	4	4	.	1	.	1	2	3	2	.	4	2	.	1	30	.
Respiratory System,	2	5	2	3	.	1	.	1	.	4	1	.	.	1	.	1	21	.
Digestive System,	.	1	.	.	.	.	.	.	.	2	1	.	.	1	.	1	6	.
Lymphatic System &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Total,	5	13	7	9	.	2	.	3	3	11	7	.	5	5	.	3	73	1
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	4	.	1	1	.	.	.	2	1	2	.	1	.	.	.	.	12	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Deaths from all Causes,	16	26	14	20	.	4	.	13	7	20	16	1	11	10	1	4	163	6
Annual Rate of Mortality from all causes in every 1,000 of the population	29·4	34·6	24·2	32·9	.	20·8	.	17·7	20·0	24·9	23·7	5·9	17·3	20·0	6·0	11·8	22·4	.
	27·7							20·8					15·8					
	24·3																	
Ages at Death. Under 1 year,	3	10	3	3	.	.	.	2	1	4	1	1	2	2	1	.	33	1
1 and under 5 years,	1	1	.	4	.	1	.	5	1	2	2	.	2	.	.	1	20	.
5 ,, 20 ,,	2	1	1	1	.	.	.	.	.	1	.	.	2	.	.	.	8	.
20 ,, 40 ,,	3	5	1	1	.	2	.	2	1	3	4	.	.	1	.	.	23	1
40 ,, 60 ,,	1	5	3	5	.	.	.	4	3	4	6	.	4	2	.	1	38	4
60 and upwards,	6	4	6	6	.	1	.	.	1	6	3	.	1	5	.	2	41	.
Number of Uncertified Deaths,	1	1	.	1	.	.	.	.	1	2	.	.	1	.	.	.	7	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	6	2	4	.	.	.	2	1	5	5	.	.	.	.	.	26	3
Workhouse Hospitals,	2	7	8	7	.	1	.	6	2	5	3	.	1	1	.	.	43	3

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 18

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 49th Week of the 10 years 1896–1905.	In the Week ending Satur 8th December, 1906. Deaths of Persons of the A					
	Dec. 5, 1896.	Dec. 11, 1897.	Dec. 10, 1898.	Dec. 9, 1899.	Dec. 8, 1900.	Dec. 7, 1901.	Dec. 6, 1902.	Dec. 12, 1903.	Dec. 10, 1904.	Dec. 9, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 40·9	° 42·8	° 48·1	° 44·3	° 45·8	° 45·4	° 38·5	° 40·9	° 40·4	° 46·6	° 43·4	Mean Temp. ° 44·3					
ALL CAUSES.	198	171	170	258	189	153	196	186	192	168	188·1	169	15	19	20	8	24
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	.	.	30	.	.	9	1	10	.	5·0	2	.	.	2	.	.
Scarlet Fever, ...	4	4	.	1	1	1	2	.	1	1	1·5	.	.	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	2	2	2	3	1	5	1	2	2·0	4	.	.	.	.	.
Whooping-cough, ...	7	.	3	1	4	.	.	7	.	2	2·4	5	1	1	2	1	.
Diphtheria, ...	.	1	.	3	.	2	2	.	1	1	1·0	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.
Enteric Fever, ...	4	7	4	2	3	1	2	1	2	2	2·8	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	.	3	1	4	3	4	.	.	.	1	2·1	1	.	1	.	.	.
Diarrhœa, Dysentery,							1	2	1	1		1	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	1	2	1	.	.	.	1	1	2	·9	2	.	2	.	.	.
Puerperal Septicæmia,	.	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.	.
Puerperal Fever, ...							1	.	.	.		.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	12	5	9	25	15	5	.	1	1	1	12·7	1	.	.	.	.	.
Pneumonia, Broncho-							8	8	6	5		7	.	2	3	1	.
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.
Pneumonia, Not defined,							4	10	8	4		5	.	.	.	3	2
Erysipelas, ...	2	.	.	1	.	.	1	.	.	1	·5	.	.	.	.	.	.
Septicæmia (not Puerperal)	1	2	.	1	.	2	2	.	.	.	·9	.	.	.	.	.	.
Pyæmia (not Puerperal),							.	1	.	.		.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.
Tuberculous Phthisis,	28	18	17	27	18	32	1	2	9	6	23·9	10	.	.	.	2	5
"*Phthisis*," ...							25	20	18	18		12	.	.	.	2	8
Tuberculous Meningitis, ...	3	1	1	5	7	1	3	4	2	1	2·8	3	.	1	1	1	.
Tuberculous Peritonitis,	3	4	6	8	5	2	1	.	2	.	3·1	1	.	.	1	.	.
Tabes Mesenterica, ...							.	.	.	.		.	.	.	.	.	.
Tuberculous Dis. (other),	1	2	8	7	7	4	3	5	8	2	4·8	9	.	4	3	1	.
Scrofula, ...							.	.	.	1		.	.	.	.	.	.
Alcoholism, ...	.	1	1	.	1	1	1	1	.	1	·7	.	.	.	.	.	.
Rheumatic Fever, ...	1	1	.	.	2	.	.	.	.	.	·4	.	.	.	.	.	.
Gout, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.
Carcinoma, ...	1	4	8	12	6	5	3	1	5	2	6·7	4	.	.	.	.	.
Sarcoma, ...							1	.	.	.		.	.	.	.	.	.
Cancer (undefined),							5	7	3	4		3	.	.	.	.	.
Diabetes Mellitus, ..	.	.	.	.	.	.	1	2	.	2	·5	.	.	.	.	.	.
Premature Birth, ...	7	4	1	4	4	2	2	1	9	2	3·6	8	7	.	1	.	.

* The figures for the years 1896–1900 a
† Formerly describ

For NINTH WEEK ending Saturday, 8th December, 1906, with the deaths from each cause in the corresponding and average for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Dec. 5, 1896.	Dec. 11, 1897.	Dec. 10, 1898.	Dec. 9, 1899.	Dec. 8, 1900.	Dec. 7, 1901.	Dec. 6, 1902.	Dec. 12, 1903.	Dec. 10, 1904.	Dec. 9, 1905.	Averages in 49th Week of the 10 years 1896–1905.	In the Week ending Saturday, 8th December, 1906. Deaths of Persons of the Ages of: All Ages.	0 to 5: Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
ean Temperature.	° 40·9	° 42·8	° 48·1	° 44·3	° 45·8	° 45·4	° 38·5	° 40·9	° 40·4	° 46·6	° 43·4	° 44·3								
Me gitis (not tuberc.) ...							1	4	1	3		1	.	.	1	.	.	.	.	.
Ins ity, G. P. of Insane ...							.	2	1	2		.	.	.	.	.	.	.	.	.
Ep psy							.	1	.	1		.	.	.	.	.	.	.	.	.
Co sions							11	7	4	8		3	1	2	.	.	.	.	.	.
Lo motor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
Pa legia Dis. of Cord ...							2	3	1	2		6	.	.	.	.	4	2	.	.
Ne ous System (other l)	42	31	28	40	47	29	1	1	1	8	39·0	2	.	.	1	.	1	.	.	.
Va Dis., Endocarditis ...							3	3	6	7		7	.	.	.	.	2	3	2	.
Ce r. Hæm. Thromb. ...							1	1	3	1		3	.	.	.	.	.	1	2	.
Ap exy, *Hemiplegia* ...							7	6	9	4		5	.	.	.	.	.	.	4	1
An rysm							2	.	.	.		.	.	.	.	.	.	.	.	.
En lism, Thromb. (not ebral)							.	.	1	.		.	.	.	.	.	.	.	.	.
He and Blood Vessel Dis.							13	14	13	14		15	.	.	.	.	1	6	3	5
Cr (not Spasm. nor nb.)	2	1	2	2	.	.	1	.	1	.	·9	.	.	.	.	.	.	.	.	.
Br chitis	29	27	31	38	19	18	38	32	18	22	27·2	21	.	3	1	.	2	4	11	.
As na, Emphysema ...							1	.	.	.		.	.	.	.	.	.	.	.	.
Pl isy	5	3	1	5	2	2	.	.	.	.	2·6	.	.	.	.	.	.	.	.	.
Re ratory Dis. (other) ...							1	2	4	.		.	.	.	.	.	.	.	.	.
To llitis, Quinsy ...	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Er itis (not Epid.) ...	1	1	.	.	.	2	2	1	.	3	1·2	.	.	.	.	.	.	.	.	.
Go o Enteritis							.	1	1	.		.	.	.	.	.	.	.	.	.
Pe itis (not Puerp.) ...	.	.	1	.	.	.	1	.	.	2	·4	.	.	.	.	.	.	.	.	.
Ci osis of Liver ...	2	2	4	5	2	4	2	.	2	1	3·0	3	.	.	.	.	.	2	1	.
Li Dis. (other) ...							3	2	1	.		.	.	.	.	.	.	.	.	.
Di tive Dis. (other) ...	3	5	6	2	8	5	4	3	8	9	5·3	3	.	1	1	.	.	1	.	.
Ne ritis, Acute ...							3	2	2	1		2	.	.	.	.	.	1	1	.
Br t's Dis., Albuminuria	5	7	2	4	4	7	5	1	1	3	5·6	1	.	.	.	.	.	.	1	.
Ur ary Sys. (Other Dis.)							.	2	4	3		.	.	.	.	.	.	.	.	.
Ge rative Organs Dis. ...	.	.	.	1	2	.	.	1	2	.	·6	1	.	.	.	.	.	1	.	.
Ch birth (Accid. of) ...	.	1	.	.	.	1	.	.	2	.	·4	.	.	.	.	.	.	.	.	.
Ol age	11	18	8	12	8	6	3	4	3	1	7·4	2	.	.	.	.	.	.	1	1
Ot r Diseases	16	11	14	8	14	11	9	5	13	8	10·9	15	6	1	3	.	1	.	4	.
ACCIDENT.																				
By ailways	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
By ehicles and Horses ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
In ips, Boats, Docks (exsive of Drowning) ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In ilding Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In nflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By arns, Scalds, Explosions	4	2	6	.	1	2	1	3	1	1	2·1	.	.	.	.	.	.	.	.	.
By rowning	.	.	.	.	1	.	.	1	.	.	·2	1	.	.	.	.	1	.	.	.
By uffocation in Bed ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
By oison or Poisonous ours	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Ot r Deaths by Accidents	.	2	1	2	1	1	.	2	1	1	1·1	.	.	.	.	.	.	.	.	.
VLENCE OTHER THAN ACCIDENTAL.																				
Hi icide	.	.	.	2	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
St de	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Ex ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

the gistration Area as then constituted.
"Si le Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1906—Week ending																									
	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8	Sept. 15.	Sept. 22	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.
No. of weeks in Annual Series.	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
Births registered,	250	210	288	189	230	199	223	255	186	226	230	180	268	209	225	321	146	186	240	178	281	198	182	186	289	189
*Average Births in corresponding week of previous 10 years,**	193	221	229	202	193	199	207	202	208	217	195	215	203	212	195	233	188	184	201	200	199	194	199	183	193	195
Deaths registered,	126	149	125	130	140	156	149	125	130	151	167	166	184	220	201	184	198	175	166	170	204	192	191	182	179	169
Annual Death-rate per 1,000,	17·8	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7	25·3	27·2	24·1	22·8	23·4	28·1	26·4	26·3	25·0	24·6	23·3
*Average Deaths in corresponding week of previous 10 years,**	150	146	140	145	146	151	153	166	169	163	170	164	169	160	173	164	157	168	173	176	171	177	186	193	196	188
Ages, Under 5 years,	12	37	17	35	35	38	48	40	50	48	63	59	83	98	85	76	71	50	53	50	61	52	61	49	51	54
5—20 ,,	13	13	16	14	10	17	11	8	6	9	10	12	8	9	13	8	9	7	6	13	15	10	12	13	21	8
20—40 ,,	22	30	36	21	24	25	27	20	19	22	27	20	27	24	26	25	22	27	34	34	30	36	33	30	18	24
40—60 ,,	36	34	28	32	37	28	35	20	28	27	32	40	33	39	30	29	38	41	34	25	43	42	38	31	36	42
60—80 ,,	37	31	22	21	32	43	27	32	24	43	28	29	28	41	39	37	51	45	34	38	42	45	39	49	41	34
80 years and upwards,	6	4	6	7	2	5	6	5	3	2	7	6	5	9	8	9	7	5	5	10	13	7	8	10	9	7
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	1	2	2	.	2	1	.	.	.	.	1	.	.	1	.	2	2	6	9	9	3	2
Scarlet Fever	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	1	.
Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
Whooping-cough	2	2	1	4	6	3	2	2	3	1	.	.	1	1	1	5	1	2	2	2	3	2	1	2	3	5
Diphtheria,	.	1	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	1	2	.	1	1	.	1	2	.
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	2	.	1	1	.	1	1	.	.	2	2	.	2	1	.	4	4	2	1	1	1	1	3	.
Diarrhœal Diseases,	4	.	2	.	3	3	10	11	10	29	27	28	49	40	34	31	31	12	12	8	7	2	3	6	4	2
Pneumonia,	6	13	4	4	9	12	13	4	5	4	8	5	4	9	7	12	10	16	17	13	10	8	12	18	11	18
Tuberculous Phthisis,	17	29	21	26	21	23	19	21	18	21	21	18	21	20	26	19	23	16	21	17	21	31	19	27	13	22
Disease. Other Forms,	12	11	9	11	7	11	13	4	7	9	8	9	9	11	12	14	8	7	5	13	17	9	5	7	12	13
Cancer, Malignant Disease,	8	6	12	7	4	14	9	8	4	12	11	10	7	11	6	6	13	9	7	10	10	11	13	5	9	7
Diseases of Heart and Blood Vessels,	26	21	14	15	26	27	19	19	17	20	12	22	21	28	25	18	24	25	24	26	33	32	27	22	28	30
Diseases of Respiratory System,	11	17	5	21	10	11	13	14	10	11	10	4	8	16	10	14	23	20	15	19	33	19	34	30	29	21
Violent Deaths,	3	4	3	4	2	3	4	2	3	2	8	7	5	2	5	5	4	6	4	7	1	3	9	3	3	1
Number of Uncertified Deaths,	3	9	4	3	2	5	4	3	5	1	2	1	1	7	9	4	4	7	5	7	6	9	3	5	6	7
Mean Temperature of the Air (Phœnix Park),	55·0	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9	50·4	53·3	52·5	45·5	51·2	40·6	43·8	42·9	47·7	49·1	44·3
Average Mean Temperature in corresponding week of previous 10 years	54·4	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·9‡	52·5	51·0	48·8	47·9	46·8	47·3	46·0	43·7	41·7	42·3	43·4
Rainfall in inches,	·230	·790	·450	·390	235	·385	·220	·452	·320	·415	·695	·000	·285	·280	·000	·000	800	1·125	·210	·707	·545	·820	·475	·155	·330	·485
Mean Humidity of the Air, complete Saturation, 1·0.	·85	·86	·79	·84	·80	·82	·84	·80	·88	·79	·86	·86	·84	·82	·90	·87	·92	·87	·85	·83	·91	·86	·87	·85	·89	·83

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH DECEMBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	23·5	169	54	8	24	42	34	7	.	2	.	.	5	.	.	.	2	9	13	22	13	7	3	21	1	80	7
	CLASSES. **Deaths in Families of the—**																												
I.	Professional and Independent Class,	17,486	9·0	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
II.	Middle Class,	87,188	14·4	24	4	2	5	5	6	2	.	.	.	.	.	.	.	.	.	.	2	5	1	.	.	1	.	15	.
III.	Artisan Class and Petty Shopkeepers,	110,423	16·1	34	10	2	6	9	5	2	.	.	.	.	1	.	.	.	.	1	1	5	2	1	.	3	1	20	2
IV.	General Service Class,	154,279	32·1	62	31	2	10	10	7	2	.	1	.	.	4	.	.	.	2	7	7	7	6	2	3	9	.	21	5
V.	Inmates of Workhouses,	6,024		46	8	2	3	17	15	1	.	1	.	.	.	.	.	.	.	1	1	5	4	4	.	8	.	23	.
	Professional and Independent Class.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	6·7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class.	1,277	40·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	Middle Class.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	18·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	16·6	7	2	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	4	.
	6. Clerks and Commercial Assistants,	30,432	18·7	8	2	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	18·5	7	.	.	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6	.
	Artisan Class and Petty Shopkeepers.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	5·3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	9. Building and Furnishing Trades,	29,801	21·0	12	6	1	1	3	1	.	.	.	.	.	1	.	.	.	.	1	1	1	1	1	.	.	1	6	1
	10. Clothing Trades,	23,260	11·2	5	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	1
	11. Food Supply Trades,	9,242	5·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades,	30,352	24·1	14	2	1	2	3	4	2	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	9	.
	13. Petty Shopkeepers,	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	General Service Class.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	15·5	4	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.
	15. Domestic Servants,	36,603	14·2	10	5	.	2	2	1	.	.	.	.	.	.	.	.	.	2	2	.	2	.	1	1	.	.	4	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	25·4	7	2	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	3	.	1	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	23·8	41	24	1	5	6	4	1	.	1	.	.	4	.	.	.	.	5	4	4	6	.	2	5	.	15	3
	Inmates of Workhouses.																												
V.	18. Workhouse Inmates,	6,024	.	46	8	2	3	17	15	1	.	1	.	.	.	.	.	.	.	1	1	5	4	4	.	8	.	23	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents c RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of th the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths i* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 living. From all causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhoeal Diseases.	Pneumonia.	Tubercular Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
City of Dublin (part of).																				
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	Oct. 20,	36·8	.	20	.	.	.	.	.	.	.	.	.	3	2	.	.	3	.	2
	„ 27,	29·4	1·8	16	.	.	.	.	.	.	.	.	1	2	3	.	2	1	1	1
	Nov. 3,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.
	„ 10,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.
	„ 17,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.
	„ 24,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	.
	Dec. 1,	23·9	1·8	18	.	.	.	.	.	.	.	1	.	.	1	1	.	2	1	.
	„ 8,	29·4	.	16	.	.	.	.	.	.	.	.	.	1	4	1	.	2	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Oct. 20,	18·6	1·3	14	.	.	.	.	.	1	.	.	.	.	4	2	2	1	.	1
	„ 27,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	2	.	.	4	.	.
	Nov. 3,	28·0	5·3	21	.	.	.	.	2	1	.	1	.	.	4	3	.	3	.	.
	„ 10,	28·0	1·3	21	.	.	.	.	.	.	.	.	1	1	2	1	1	4	.	4
	„ 17,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	.	1	.	1	5	1	1
	„ 24,	26·6	5·3	20	.	.	.	.	.	.	.	1	3	2	3	.	.	2	1	1
	Dec. 1,	18·6	4·0	14	.	.	.	.	.	1	.	1	1	.	1	2	1	1	.	1
	„ 8,	34·6	2·7	26	.	.	.	.	.	.	.	.	2	2	3	1	.	5	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 Est.) 30,107.	Oct. 20,	20·8	6·9	12	.	.	1	.	.	1	.	.	2	1	1	1	.	1	.	.
	„ 27,	27·7	5·2	16	.	.	.	.	.	.	.	1	2	.	.	3	.	.	3	.
	Nov. 3,	31·2	1·7	18	.	1	.	.	.	.	.	.	.	3	1	1	1	1	.	1
	„ 10,	20·8	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
	„ 17,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.
	„ 24,	31·2	1·7	18	.	.	.	.	1	.	.	.	.	1	2	1	1	3	.	.
	Dec. 1,	26·0	3·5	15	.	.	.	.	.	.	.	1	1	3	1	.	.	2	.	.
	„ 8,	24·2	1·7	14	.	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Oct. 20,	14·8	1·6	9	.	.	.	.	.	.	.	.	1	2	.	.	.	2	1	.
	„ 27,	28·0	4·6	14	.	.	.	.	.	.	.	1	.	2	3	1	.	.	1	.
	Nov. 3,	28·0	.	14	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	1
	„ 10,	24·7	1·6	15	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	.
	„ 17,	26·8	.	16	.	.	.	.	.	.	.	.	.	2	2	.	3	3	.	.
	„ 24,	26·8	.	16	.	.	.	.	.	.	.	.	.	2	3	.	2	2	.	.
	Dec. 1,	32·9	1·6	20	.	.	.	.	1	.	.	.	.	3	2	2	1	2	1	1
	„ 8,	32·9	1·6	20	.	.	.	.	1	.	.	.	.	1	3	3	.	3	.	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	Oct. 20,	29·9	5·4	22	.	.	1	.	.	.	.	.	3	.	2	.	2	3	.	1
	„ 27,	25·8	5·4	19	.	2	.	1	.	.	.	.	1	.	1	.	.	3	.	2
	Nov. 3,	36·7	5·4	27	.	1	.	.	1	.	.	.	2	2	4	1	1	5	.	.
	„ 10,	44·8	10·9	33	.	6	.	.	.	1	.	.	1	2	5	2	.	3	.	1
	„ 17,	39·4	13·6	29	.	8	.	.	1	.	.	.	1	3	2	2	1	4	.	.
	„ 24,	51·6	12·2	38	.	9	.	.	.	.	.	.	.	5	5	1	.	8	.	.
	Dec. 1,	39·4	6·8	29	.	8	.	.	1	1	.	.	.	1	1	1	1	5	.	1
	„ 8,	17·7	24·1	13	.	2	.	.	1	.	.	.	.	.	2	1	1	1	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Oct. 20,	25·7	2·9	9	.	.	.	.	.	.	.	.	1	2	1	.	.	3	.	.
	„ 27,	34·2	.	12	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	3
	Nov. 3,	31·4	.	11	.	.	.	.	.	.	.	.	.	1	.	3	.	5	.	.
	„ 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 17,	39·9	.	14	.	.	.	.	.	.	.	.	.	.	2	1	.	5	.	1
	„ 24,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.
	Dec. 1	22·8	2·9	8	.	.	1	.	.	.	.	.	.	1	1	.	.	2	.	1
	„ 8,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Oct. 20,	31·1	2·5	25	.	.	.	.	1	.	.	.	1	4	4	1	.	1	1	.
	„ 27,	17·4	2·5	14	.	.	.	.	1	.	.	.	1	.	.	2	1	3	.	.
	Nov. 3,	39·8	3·7	32	.	.	.	.	.	.	.	.	3	.	4	1	2	8	1	2
	„ 10,	18·6	2·5	15	.	.	.	.	1	.	.	1	.	.	.	1	4	2	.	.
	„ 17,	33·6	1·2	27	.	1	.	.	.	.	.	.	.	1	5	1	3	7	1	1
	„ 24,	24·9	2·5	20	.	.	.	.	1	.	.	.	1	1	2	1	.	5	.	1
	Dec. 1,	28·6	.	23	.	.	.	.	.	.	.	.	.	1	.	3	2	6	.	1
	„ 8,	24·9	.	20	.	.	.	.	.	.	.	.	.	1	2	2	.	4	.	2
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Oct. 20,	19·3	3·0	13	.	.	.	.	1	.	.	1	.	3	1	.	.	1	.	.
	„ 27,	20·3	1·5	14	.	.	.	.	.	.	.	.	1	1	2	1	.	3	.	1
	Nov. 3,	34·1	.	28	.	.	.	.	.	.	.	.	.	1	4	3	.	2	.	.
	„ 10,	20·3	.	14	.	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.
	„ 17,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	1	.	1	1	2	1
	„ 24,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	6	1	.	1	.	2
	Dec. 1,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.
	„ 8,	23·7	.	16	.	.	.	.	.	.	.	.	.	1	3	.	3	1	.	.

* Formerly described as "Simple Continued Fever."

rtain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of opulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ublic Institutions being assigned to the Districts from which the deceased were admitted;* also, rovincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,205.	Oct. 20	20·4	3·1	13	.	.	.	.	.	.	.	1	1	1	3	.	1	.	.	1
	„ 27,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.
	Nov. 3,	25·1	3·1	16	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.
	„ 10,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	1
	„ 17,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	„ 24,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	2	1	.	.	2	.	1
	Dec. 1,	18·8	3·1	12	.	.	.	.	1	.	.	.	1	1	1	.	2	1	.	.
	„ 8,	17·3	3·1	11	.	.	.	.	2	.	.	.	.	.	2	1	.	.	.	1
Pembroke Urban District. Pop. in 1906 (Est.) 26,025.	Oct. 20,	12·0	2·0	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
	„ 27,	24·0	2·0	12	.	.	.	.	.	.	.	.	1	2	2	3	.	.	1	.
	Nov. 3,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.
	„ 10,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 17,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	„ 24,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	Dec. 1,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	„ 8,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Oct 20,	8·9	3·0	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.
	Nov. 3,	26·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	„ 10,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	.
	„ 24,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.
	„ 8,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Belfast. Pop. in 1906 (Est.) 376,220.	Oct. 20,	17·4	2·3	122	.	.	.	.	2	1	.	.	13	10	15	5	5	11	5	.
	„ 27,	17·1	1·9	120	.	1	.	.	3	1	.	3	5	7	15	5	4	17	7	3
	Nov. 3,	17·4	2·1	122	.	.	.	.	3	1	.	1	10	13	13	7	3	15	1	3
	„ 10,	18·7	2·0	131	.	2	1	.	3	2	.	1	5	11	12	7	3	27	4	4
	„ 17,	20·6	1·1	145	.	1	.	.	3	.	.	.	4	12	20	10	3	22	6	5
	„ 24,	17·8	1·4	125	.	1	.	.	4	1	.	.	3	13	16	7	2	24	1	1
	Dec. 1,	18·2	1·7	128	.	1	1	1	2	.	.	3	4	12	14	10	4	21	2	2
	„ 8,	19·8	2·7	139	.	5	1	.	1	3	.	6	3	10	13	11	3	23	2	.
Cork. Pop. (in 1901) 76,122.	Oct. 20,	30·1	4·1	34	.	.	.	.	.	.	.	1	5	4	3	.	3	2	1	.
	„ 27,	23·3	.	23	.	.	.	.	.	.	.	.	.	.	5	1	.	3	.	.
	Nov. 3,	15·8	0·7	21	.	.	.	.	.	.	.	.	1	1	2	3	.	2	.	2
	„ 10,	14·4	2·7	39	.	.	.	.	1	.	.	.	3	2	8	1	4	7	.	1
	„ 17,	26·7	2·7	38	.	.	.	.	1	.	.	.	3	4	8	.	1	4	.	5
	„ 24,	30·8	4·1	45	.	.	.	.	1	1	.	1	3	1	5	2	2	6	.	4
	Dec. 1,	19·2	.	28	.	.	.	.	.	.	.	.	.	4	3	.	1	4	1	4
	„ 8,	19·9	2·1	29	.	.	.	.	.	2	1	.	.	5	3	1	1	1	.	1
Londonderry. Pop. in 1906 (Est.) 42,067.	Oct. 20,	11·2	1·2	9	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	1
	„ 27,	14·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	.
	Nov. 3,	26·0	8·7	21	.	.	.	.	.	.	.	.	7	.	3	1	1	.	.	1
	„ 10,	17·4	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	4	.	.
	„ 17,	17·4	1·2	14	.	.	.	.	.	.	.	.	.	.	3	.	1	3	.	1
	„ 24,	13·6	.	11	.	.	.	.	.	.	.	1	.	.	1	1	1	4	.	1
	Dec. 1,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	2	1	.	6	.	1
	„ 8,	19·8	1·2	16	.	.	1	.	.	.	.	.	.	3	3	1	.	1	.	2
Limerick. Pop. (in 1901) 38,151.	Oct. 20,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 27,	19·1	2·7	14	.	.	.	.	.	1	.	.	1	1	1	1	1	.	.	5
	Nov. 3,	20·5	5·5	15	.	.	.	.	.	1	.	2	1	1	1	.	2	.	.	3
	„ 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	.	1	.	5
	„ 17,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	„ 24,	26·0	.	19	.	.	.	.	.	.	.	.	.	2	3	1	.	3	.	2
	Dec. 1,	21·9	1·4	16	.	.	.	.	.	.	.	1	.	1	2	1	1	2	.	2
	„ 8,	24·6	.	18	.	.	.	.	.	.	.	.	.	1	1	1	.	6	.	5
Waterford. Pop. (in 1901) 26,769.	Oct. 20,	15·6	3·9	8	.	.	.	.	1	.	.	.	1	.	2	.	.	.	1	.
	„ 27,	27·3	1·9	14	.	.	.	.	.	.	.	1	.	.	4	1	.	.	3	1
	Nov. 3,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
	„ 10,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	1
	„ 17,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 24,	29·2	7·8	15	.	.	4	.	.	.	.	.	.	1	1	1	.	1	.	.
	Dec. 1,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.
	„ 8,	15·6	1·9	8	.	.	.	.	1	.	.	.	.	.	1	.	.	5	.	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th December, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	Total No. of Deaths.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Malignant Disease. Cancer.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,734	3	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		4	.	1	.	1	1	1	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Do. 2 ,, .	47,959	19			23	1	2	2	4	7	7	.	.	.	.	.	.	.	3	.	2	1	2	.	8	.	1	3	.
Do. 3 ,, .	47,214	19			10	1	3	1	1	2	2	.	1	.	.	.	.	.	.	1	.	2	.	.	2	.	.	2	.
Do. 4 ,, .	40,911	21			21	4	3	2	4	3	5	.	2	.	.	.	1	.	2	.	2	2	2	.	4	.	.	9	.
Do. 5 ,, .	17,387	14			11	3	3	1	1	1	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1	1	6	.
Do 6 ,, .	48,122	13			18	1	1	.	4	4	8	.	1	.	.	.	.	.	1	.	.	2	2	.	5	.	.	4	.
Do 7 ,, .	1,524	4			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	1			2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 9 ,, .	19,569	12			8	2	.	.	3	1	2	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	1	.
Do. 10 ,, .	28,064	15			14	2	4	1	2	2	3	.	1	.	.	.	2	.	.	.	2	4	1	1	1	.	.	4	.
Do. 11 ,, .	34,802	20			7	2	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	2	.
Do. 12 ,, .	33,588	26			10	4	3	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	1	1	.
Do. 13 ,, .	15,006	18			10	1	2	2	.	2	3	.	.	.	.	.	.	.	.	.	2	.	2	.	1	.	1	2	.
Do. 14 ,, .	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	185			139	21	24	9	23	27	35	.	5	1	.	1	3	.	6	3	10	13	11	3	23	2	4	31	.
City of Cork.																													
CORK URBAN No. 1 DISTRICT. .	12,867	5	8·1	.	2	1	.		.		1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 2 ,, . .	10,701	6	39·0	4·9	8	2	.		5		1	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	2	5	1
Do. 3 ,, . .	9,978	5	36·6	5·2	7	1	3		2		1	.	.	.	.	.	1	.	.	.	3	1	.	.	.	.	1	3	.
Do. 4 ,, . .	8,666	4	36·1	.	6	.	.		4		2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4	.
Do. 5 ,, . .	6,592	2	.	.	.	.	.		.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 ,, . .	10,702	3	.	.	.	.	.		.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 ,, . .	16,616	8	18·8	3·1	6	1	2		2		1	.	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	2	.
Total	76,122	33	19·9	2·1	29	5	5		13		6	.	.	.	.	.	2	1	.	.	5	3	1	1	1	.	3	16	1

* Formerly described as "Simple Continued Fever."

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	June 16.	June 23.	June 30.	July 7.	July 14	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22	Sept. 29.	Oct. 6.	Oct. 13	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.
No. of weeks in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered,	204	222	218	225	162	271	225	241	220	203	204	208	240	211	211	226	211	222	195	238	194	180	189	211	178	185
DEATHS registered.	134	131	118	105	119	121	127	121	127	125	139	134	151	142	141	136	144	109	123	120	122	131	145	125	123	139
Annual Death-rate per 1,000 of estimated Population.	19·1	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20·1	19·4	20·5	15·5	17·4	17·1	17·4	18·7	20·6	17·8	18·2	19·8
AGES — Under 1 year,	21	26	24	24	17	21	21	30	29	37	43	39	59	43	49	40	39	31	34	26	36	33	26	32	25	21
AGES — 1-5 years,	20	17	15	12	19	12	8	18	9	16	14	22	16	16	13	17	15	9	13	17	15	13	14	16	11	24
AGES — 5-20 years,				11	14	10	13	9	14	17	12	5	10	10	14	15	14	8	12	9	10	14	15	13	14	9
AGES — 20-40 years,	67	72	57	18	27	24	29	15	25	14	18	17	20	21	20	15	24	17	19	17	16	19	28	18	16	23
AGES — 40-60 years,				22	15	26	26	31	22	24	29	26	30	26	20	21	28	23	22	23	21	22	25	13	24	27
AGES — 60 years and upwards.	26	16	17	23	17	28	30	18	28	17	23	25	16	26	25	28	24	21	22	25	24	30	37	33	38	35
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	1	.	.	2	1	.	2	.	.	1	.	.	2	1	.	.	1	.	2	1	1	1	5
Scarlet Fever,	.	.	1	.	.	2	.	.	.	.	.	1	1	.	1	1	1	.	.	.	.	1	.	1	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Whooping-cough,	7	14	7	4	9	3	1	4	2	4	2	7	7	3	5	3	2	1	2	3	3	3	3	4	2	1
Diphtheria,	.	.	2	2	.	.	1	.	1	1	2	1	.	1	.	.	1	.	1	1	1	2	.	1	.	3
*Pyrexia** (origin uncertain).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	1	1	2	3	2	1	.	2	1	3	2	4	.	2	.	3	1	1	.	.	3	6
Diarrhœal Diseases,	7	2	4	4	6	7	4	7	12	25	24	23	39	33	27	25	19	8	13	5	10	5	4	3	4	3
Pneumonia,	7	7	8	8	7	6	6	10	7	3	5	7	5	3	3	6	6	10	10	7	13	11	12	13	12	10
Tuberculous Disease, Phthisis,	22	30	24	12	20	21	26	22	25	13	21	15	16	18	14	19	20	17	15	15	13	12	20	16	14	13
Tuberculous Disease, Other Forms,	9	7	7	6	15	5	10	11	6	8	6	6	6	6	8	4	9	4	5	5	7	7	10	7	10	11
Cancer, Malignant Disease,	6	4	2	9	2	4	4	2	4	3	2	4	3	3	4	4	2	2	5	4	3	3	3	2	4	3
Diseases of Respiratory System	15	14	13	7	7	9	21	11	7	12	7	16	8	12	12	7	15	11	11	17	15	27	22	24	21	23
Violent Deaths,	1	5	.	3	6	4	.	2	4	2	3	6	3	1	4	4	4	1	5	7	1	4	6	1	2	2
Number of Uncertified Deaths,	5	.	1	1	2	.	3	.	3	1	2	5	.	.	.	1	3	3	.	3	3	4	5	1	2	.

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	Dec. 8,	2,338	1,482	16·4	.	21	12	20	18	7	15
EDINBURGH,	341,035	„ 8,	139	104	15·9	.	1	1	.	.	.	2
GLASGOW,	835,625	„ 8,	421	301*a*	18·8	.	.	2	3	12	2	12
CALCUTTA,	910,117	Oct. 20,	.	498	30·5	1	.	.	.	.	139‡	91*
BOMBAY,	977,822	Nov. 6,	406	676	35·9	.	2	.	.	.	90‡	68*
MADRAS,	509,346	Oct. 19,	415	448	45·7	.	2	?	?	?	122	91*
PARIS,	2,750,000	Nov. 24,	901	895	17·4	.	.	2	4†	1	9	38
BRUSSELS (with 8 Faubourgs).	612,401	„ 17,	189	174	14·8	.	4	2	4†	1	.	10
ANTWERP,	297,311	„ 17,	107	61	10·7	.	.	.	.	1	1	6
AMSTERDAM,	562,944	„ 17,	255	165	15·3	.	3	2	3†	4	.	3
COPENHAGEN,	425,000	„ 17,	231	113	13·9	.	.	.	.	.	.	3
STOCKHOLM,	324,488	„ 10,	153	89	14·3	.	.	.	.	.	.	2
CHRISTIANIA,	222,373	„ 24,	139	59	13·8	.	.	1	8†	2	.	2
ST. PETERSBURG,	1,424,700	„ 17,	764	674	24·6	.	13	21	39	12	33	54
MOSCOW,	1,092,360	Oct. 20,	.	579	27·6	.	4	10	11†	6	19	62
BERLIN,	2,080,304	Nov. 10,	909	587	14·7	.	2	5	8†	4	6	48
HAMBURG,	802,793	„ 17,	.	207	13·4	.	2	1	4†	3	2	16
BRESLAU,	481,157	„ 24,	.	185	20·0	.	1	.	5†	1	1	10
MUNICH,	540,000	„ 24,	.	188	18·1	.	.	.	2†	1	1	26
VIENNA (with suburbs).	1,958,323	„ 24,	923	625	16·6	.	8	2	6†	2	.	29
BUDA-PESTH,	791,748	„ 24,	370	271	17·8	.	9	2	2†	1	2	8
PRAGUE and Faubourgs.	466,133	„ 17,	168	141	15·7	.	6	.	.	.	1	13
TRIESTE,	198,525	„ 10,	136	73	19·2	.	.	.	2†	1	1	.
ROME,	531,562	Sept. 29,	241	164	16·1	.	.	.	2	3	6	18
VENICE,	171,709	Nov. 3,	.	.	.	.	.	.	.	.	.	.
NEW YORK,	1,152,860	„ 10,	2,096	1,323	16·6	.	2	3	39†	6	23	57
PHILADELPHIA,	1,469,126	„ 3,	.	.	.	.	.	.	.	.	.	.
BOSTON,	602,526	„ 10,	.	219	19·0	.	1	1	5	.	1	3

a. Including 5 deaths from cerebro-spinal meningitis.
* Including 34 deaths from cholera in Calcutta, 1 in Bombay, and 12 in Madras.
† Including deaths from croup.
‡ Exclusive of 7 deaths from plague in Calcutta, and 12 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th December, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 1, West,	.	2	.	.	.	.	.	1	1	.	.	.	4
" " 2,	.	1	.	.	.	.	.	2	2	.	.	.	5
" " 3,	.	1	.	.	.	.	.	1	.	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	1	.	.	1	1	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
South City No. 1,	.	.	.	.	.	.	2	1	2	.	.	.	5
" " 2,	.	.	.	.	1	.	1	.	1	.	.	.	3
" " 3,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 4,	.	1	.	.	.	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	5	.	.	4	.	3	7	7	.	.	.	26

TABLE XII – The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th December, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th December.			
	Nov. 17.	Nov. 24.	Dec. 1.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	46	54	45	17	12	2	48
Scarlet Fever	92	77	72	19	17	1	73*
Typhus,	2	.	.	.	.	.	.
Diphtheria,	22	19	21	3	4	.	20
Enteric Fever,	66	58	50	5	12	.	43
Pneumonia,	28	29	31	4	6	1	28

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 8th December, 1906 :—

"Save on Friday, when an area of high atmospheric pressure lay over Ireland, baric gradients were steep and the wind was consequently strong and squally. Indeed on Monday and again on Wednesday westerly gales of considerable violence prevailed over the greater part of North-western Europe. Sunday was cloudy and unsettled, and in Dublin the W. wind rose to gale force in the afternoon. At 8 a.m. of Monday the barometer ranged from 28·80 inches at Christiansund, on the west coast of Norway, to 30·56 inches at Biarritz. The steep baric gradients caused strong westerly (between S.W. and N.W.) winds and mild, unsettled weather. The Norwegian depression travelled quickly eastwards to Finland, in which country the barometer fell to 28·6 inches on Tuesday morning. By 8 a.m. of Wednesday the centre of another equally deep depression reached the Shetlands, the barometer falling to 28·8 inches at Sumburgh Head, or nearly an inch (·98 inch) under Tuesday morning's reading at that station. Hail and sleet squalls occurred in many places and lightning was seen at Blacksod Point and in the Scilly Isles. Thunder-storms subsequently were experienced in the Co. Kerry, Lancashire, and Kent, while lightning alone was observed in several places. The barometer rose so fast in the wake of this disturbance that the isobar of 30·4 inches embraced the southern half of Ireland, Wales, and Central England on Friday morning. At Sumburgh Head the increase of pressure in 24 hours was 1·26 inches, at Stornoway it was 1·20 inches. On Saturday, for the third time during the week, a large and deep depression arrived over Norway from the Norwegian Sea, and the weather again became windy and showery. At 8 a.m. the barometer marked 28·54 inches at Bodö, whereas it was 30·31 inches at Lyons. In Dublin the mean height of the barometer was 30·034 inches, the range being from 29·408 inches at 7 p.m. of Wednesday (wind, N.W.) to 30·442 inches at 9 a.m. of Friday (wind, W.). The corrected mean temperature was 46·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·0°. On Wednesday the screened thermometers rose to 55·9°; on Friday they fell to 32·8°, the grass minimum being 28·7°. Rainfall was ·362 inch on 6 days, ·171 inch being measured on Wednesday. The prevalent winds were W. and N.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·038 inches. The highest reading (30·442) was on Friday at 9 a.m., wind N.N.W., and the lowest (29·510) on Wednesday at 9 p.m., wind N.W.

The mean temperature for the week was 44·3°, being 0·9° above the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Tuesday, on which day the thermometer registered 54·0°, and was lowest on Friday, the mercury having fallen to 27·9°. The mean of the Dry Bulb for the week was 44·9°, and of the Wet Bulb 42·5°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 9·7 hours. The rainfall during the week measured 0·485 inch.

At Greenwich the mean temperature for the week was 43·8°, the maximum 54·3°, and the minimum 28·1°; at Glasgow the maximum was 54·2°, the minimum 32·8°, and the mean 43·8°; and at Edinburgh the maximum was 55·3°, the minimum 34·9°, and the mean 43·8°. The rainfall at Greenwich measured 0·29 in.; at Glasgow 1·51 ins.; and at Edinburgh 0·26 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.*

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 2,	30·079	52·9	40·9	46·9	51·8	49·4	·84	·6	0·0	·075	W.S.W.	W.S.W.
Monday, „ 3,	30·035	53·0	46·0	49·5	48·6	45·8	·82	·7	2·0	·030	W.	W.
Tuesday, „ 4,	30·027	54·0	46·5	50·3	50·8	48·7	·86	·7	0·0	·095	W.S.W.	W.
Wednesday, „ 5,	29·571	51·3	35·8	43·6	42·7	39·3	·78	·8	1·2	·215	W.	N.W.
Thursday, „ 6,	30·296	45·2	31·9	40·1	39·0	36·5	·80	·0	0·8	·000	Calm.	N.
Friday, „ 7,	30·338	45·3	27·9	36·6	38·6	36·4	·82	·5	5·5	·025	N.N.W.	S.W.
Saturday, „ 8,	29·919	46·5	40·2	43·4	42·7	41·1	·88	·8	0·2	·045	W.	W.
Mean,	30·038	49·7	38·9	44·3	44·9	42·5	·83	·6	Total 9·7	Total ·485	Prevailing wind, W.	

Sunday—Day overcast, light showers p.m.; night overcast, light rain 3.0 a.m. to 5.30 a.m. *Monday*—Cloudy day, light showers p.m.; night overcast, light rain 4.30 to 7.0 a.m. *Tuesday*—Day overcast, light showers a.m. and p.m.; night cloudy and showery. *Wednesday*—Cloudy and showery a.m., overcast, light and heavy showers p.m.; night cloudy. *Thursday*—Fine day but cloudy; night clear. *Friday*—Cloudy and dull day; night overcast, light rain 11.15 p.m. to 7.0 a.m. *Saturday*—Fine but cloudy day; night cloudy and showery.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 8th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Dec. 2,	53·0	45·6	48·7	53·9	42·9	48·4	0·0	·047
Monday, „ 3,	49·3	47·1	48·4	54·2	47·7	51·0	1·2	·021
Tuesday, „ 4,	51·0	47·3	48·3	55·4	48·0	51·7	0·0	·070
Wednesday, „ 5,	41·3	47·4	48·4	54·8	38·0	46·4	1·1	·174
Thursday, „ 6,	43·0	46·0	48·4	47·6	39·2	43·4	0·0	—
Friday, „ 7,	35·0	44·3	48·3	45·7	32·5	39·1	2·0	·003
Saturday, „ 8,	45·3	44·1	48·2	43·1	41·6	42·4	0·1	·042
Weekly Mean,	45·4	46·0	48·4	50·7	41·4	46·1	Total 4·4	Total ·357

Dublin: Printed for His Majesty's Stationery Office.
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—15668.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 15TH DECEMBER, 1906. [No. 50.

General Register Office, Charlemont House, Dublin, 17th December, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Nov. 24.	Week ending Dec. 1.	Week ending Dec. 8.	Week ending Dec. 15.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 24.	Week ending Dec. 1.	Week ending Dec. 8.	Week ending Dec. 15.	Average Rate for 4 weeks.
22 Town Dists.	**21·8**	**20·0**	**20·4**	**19·7**	**20·5**	Lisburn,	31·8	18·2	13·6	9·1	18·2
Armagh,	6·9	.	13·7	13·7	8·6	Londonderry,	13·6	13·6	19·8	14·9	15·5
Ballymena,	9·6	19·2	23·9	19·2	18·0	Lurgan,	22·1	8·9	39·8	17·7	22·1
Belfast,	17·8	18·2	19·8	16·8	18·2	Newry,	16·8	16·8	16·8	29·4	20·0
Clonmel,	35·9	5·1	20·5	15·4	19·2	Newtownards,	34·3	28·6	5·7	34·3	25·7
Cork,	30·8	19·2	19·9	21·2	22·8	Portadown,	20·7	25·8	15·5	20·7	20·7
Drogheda,	28·6	16·3	24·5	8·2	19·4	Queenstown	19·8	6·6	19·8	19·8	16·5
Dublin Reg. Area,	23·8	23·8	22·4	22·3	23·1	Sligo,	9·6	19·2	4·8	24·0	14·4
Dundalk,	4·0	8·0	12·0	4·0	7·0	Tralee,	10·6	5·3	21·1	10·6	11·9
Galway,	11·7	15·5	7·8	31·1	16·5	Waterford,	29·2	21·4	15·6	33·1	24·8
Kilkenny,	68·8	14·7	9·8	9·8	25·8	Wexford,	18·7	56·0	23·3	42·0	35·0
Limerick,	26·0	21·9	24·6	16·4	22·2						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in thirteen of the districts to 5·8 in Waterford, the 17 deaths from all causes registered in that district including one from scarlet fever and 2 from diarrhœal diseases. Among the 118 deaths from all causes registered in Belfast are 2 from whooping-cough, one from diphtheria, and 4 from diarrhœal diseases. The 31 deaths registered in Cork include 2 from whooping-cough and one from diarrhœa; the 8 deaths in Galway include one from diphtheria; one of the 2 deaths in Kilkenny is from whooping-cough; and of the 3 deaths in Clonmel one is from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—94 boys and 104 girls; and the deaths to 171—76 males and 95 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·5 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 22·3 per 1,000. During the fifty weeks ending with Saturday last the death-rate averaged 23·3, and was 2·0 below the mean rate for the corresponding portions of the ten years, 1896–1905.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

Of the 171 deaths registered there were 4 from whooping-cough, 5 from diphtheria, and 4 from diarrhœal diseases. In each of the 3 preceding weeks, deaths from whooping-cough were 2, 3, and 5; deaths from diphtheria were one, 2, and 0; and deaths from diarrhœal diseases were 6, 4, and 2. Influenza caused one death.

One death from lobar pneumonia, 8 deaths from broncho-pneumonia, and 6 deaths from *pneumonia* (not defined) were registered.

Of 20 deaths from all forms of tuberculous disease, 8 were from tuberculous phthisis, 7 from *phthisis*, 3 from tuberculous meningitis, and 2 from other forms of the disease. In the 3 preceding weeks, deaths from all forms of the disease numbered 34, 25, and 35, respectively.

One death was caused by carcinoma and 6 were caused by cancer (undefined).

The deaths of 6 infants, prematurely born, were registered.

Diseases of the brain and nervous system caused 11 deaths, including 8 deaths caused by *convulsions*, 7 of the latter being those of infants under one year of age, and one that of a child aged 14 months.

There were 33 deaths from diseases of the heart and blood vessels, and 24 from bronchitis.

The 3 accidental deaths were caused by burns, 2 being those of children under 5 years of age.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Sixty of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 13 were under one month old) and 37 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 2 were octogenarians, and one (a man) was stated to have been aged 92 years.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 3 took place in the N. Dublin Union Workhouse and 17 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·3 per 1,000; the rate in the City was 23·8 (North City Districts, 21·4; South, 26·3), and in the Suburbs, 17·1 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·1 (1·7 in the North City Districts, and 2·6 in the South) and for the Suburbs, 0·6 per 1,000.

No. 1 *North City Disvrict, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000. One death from diphtheria, 2 deaths from *pneumonia* (not defined), and one death each from *phthisis* and bronchitis were recorded.

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 29·3 per 1,000, and include one death each from *diarrhœa*, broncho-pneumonia, and *pneumonia* (not defined), 2 deaths from tuberculous disease, and 5 deaths from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. There were 2 deaths from epidemic enteritis, 3 from broncho-pneumonia, and one death from tuberculous disease; one death was caused by burns accidentally received.

No. 3 *North City District* (Benburb-street).—The deaths (8) represent an annual rate of 13·2 per 1,000. Among them are one death each from whooping-cough, lobar-pneumonia, and *pneumonia* (not defined), 2 deaths from *phthisis*, and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 15·6. The 3 deaths from all causes for Clontarf and Howth, No. 1, part of, include one from influenza; and the 2 deaths from all causes for Finglas and Glasnevin, part of, include one from tuberculous phthisis.

No. 1 *South City District* (South Earl-street).—The deaths (28) represent an annual rate of 38·0 per 1,000. Whooping-cough caused 2 deaths, diphtheria and *diarrhœa* each caused one death, broncho-pneumonia 2 deaths, tuberculous disease 4 deaths, and bronchitis 6 deaths. One death was caused by accidental burns.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1,000, and include one death each from whooping-cough and *phthisis*, and 2 deaths from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 23·6 per 1,000. Among them are one death from tuberculous phthisis and 5 from bronchitis.

No. 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·3 per 1,000. They include one death each from diphtheria and *pneumonia* (not defined), and 2 deaths each from tuberculous meningitis and bronchitis.

New Kilmainham District.—The one death recorded for this district was from diphtheria, and represents an annual rate of 5·9 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·4; Pembroke, 18·0; Blackrock, 17·9; and Kingstown, 29·6. The only death from any of the principal epidemic diseases recorded for these districts was one from diphtheria for Kingstown. The 6 deaths from all causes for Rathmines and Rathgar include one each from broncho-pneumonia, *pneumonia* (not defined), tuberculous phthisis, and bronchitis. The 9 deaths from all causes for Pembroke include 2 from tuberculous disease of the lungs, one from bronchitis, and one caused by accidental burns. Amongst the 3 deaths from all causes for Blackrock there was one from broncho-pneumonia; and the 10 deaths from all causes for Kingstown include one from tuberculous phthisis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 15th December, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 24,	.	—	—	3	.	.	3	.	2	9	11	.	—	—	—	—	—	28
	Dec. 1,	.	—	—	4	.	.	3	.	6	10	10	.	—	—	—	—	—	33
	Dec. 8,	.	—	—	5	.	.	4	.	3	7	7	.	—	—	—	—	—	26
	Dec. 15,	.	—	—	3	1	.	13	.	1	6	10	.	—	—	—	—	—	34
Rathmines and Rathgar Urban District.	Nov. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 8,	.	—	—	4	.	.	.	.	.	1	.	.	—	—	—	—	—	5
	Dec. 15,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	3
Pembroke Urban District.	Nov. 24,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	.	—	—	1
	Dec. 1,	.	.	.	.	.	.	1	.	.	.	1	.	—	.	.	—	—	2
	Dec. 8,	.	2	.	.	.	.	1	.	.	1	.	.	—	.	.	—	—	4
	Dec. 15,	.	4	.	.	.	.	.	.	.	1	1	.	—	2	.	—	—	8
Blackrock Urban District.	Nov. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 8,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2
	Dec. 15,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	4
Kingstown Urban District.	Nov. 24,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2
	Dec. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 8,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	2
	Dec. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Nov. 24,	.	—	—	40	.	.	6	.	7	10	12	1	—	—	—	—	—	76
	Dec. 1,	.	—	—	21	.	.	10	1	4	6	10	.	—	—	—	—	—	52
	Dec. 8,	.	—	—	19	.	.	9	1	4	4	10	.	—	—	—	—	—	47
	Dec. 15,	.	—	—	17	.	.	6	1	4	2	9	1	—	—	—	—	—	40

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th December, 1906.

From this it appears that:—

Six cases of measles were admitted into hospital during the week, 10 were discharged, there was one death, and 43 cases remained under treatment at its close.

Twenty cases of scarlet fever were admitted to hospital, 7 were discharged, and 86* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital and remained under treatment at the close of the week.

Thirteen cases of diphtheria were admitted to hospital, 4 were discharged, there were 4 deaths, and 25 patients remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, 10 were discharged, and 38 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 11 were discharged, there were 2 deaths, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·0), was equal to an average annual death-rate of 17·4 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 18·1 per 1,000, the rate for Glasgow being 18·0 and for Edinburgh 19·1.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th December. From this Report it appears that of a total of 58 cases notified 26 were scarlet fever, 20 diphtheria, 7 erysipelas, and 5 enteric fever. Among the 303 cases of infectious diseases in hospital at the close of the week were 112 cases of scarlet fever, 64 of diphtheria, 39 of measles, 21 of erysipelas, 19 of enteric fever, and 3 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 15th December, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Registration—Week ending Saturday, 15th December, 1906. Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e — Week ending 15th December, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th December, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st December, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	28·5	19·7	1·5	603	416	74	110	.	.	2	.	9	7	.	.	13	24	48	18	9	70	7	16	122	26	°	°	°	.	°	°	°	.	°	°	°	.
Dublin Registration Area:—Total, d.	878,994	27·5	27·2	22·3	1·8	198	162	33	35	.	.	.	.	4	5	.	.	4	15	14	5	5	25	3	7	56	12	f49·0	26·0	37·3	1·10	f54·0	27·9	44·3	0·49	f59·0	33·9	49·1	0·33
City of Dublin,	298,385	37·1	28·6	23·8	2·1	161	134	29	27	.	.	.	.	4	4	.	.	4	12	10	5	2	23	2	6	46	10	g55·7 / h48·5	31·5 / 29·0	39·4 / 37·8	0·92 / 1·04	g55·9 / h53·9	32·8 / 30·0	46·9 / 45·4	0·36 / 0·41	g61·2 / h58·8	35·8 / 35·2	50·6 / 47·4	0·23 / 0·25
Urban Dists. Rathmines and Rathgar.	33,203	19·4	26·7	9·4	.	17	6	1	1	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	24·0	18·0	.	12	9	.	5	.	.	.	.	.	.	.	.	.	.	2	.	1	1	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·9	17·9	.	3	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	14·8	29·6	3·0	5	10	2	1	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	2	2	54	33·5	40·5	1·08	56	35·5	46·3	0·31	64	37·5	51·0	0·04
Urban Districts.																																							
Belfast,	366,220	24·9	31·2	16·8	1·0	219	118	20	26	.	.	.	.	2	1	.	.	4	6	15	9	3	21	1	4	20	1	49·0	30·8	38·4	0·86	54·5	33·0	44·8	1·52	58·0	37·0	50·2	0·71
Cork,	76,122	33·6	27·4	21·2	2·1	40	31	5	13	.	.	.	.	2	.	.	.	1	2	4	.	.	4	.	2	13	2	54	35	43·2	1·02	57	36	47·5	0·15	55	42	50·9	0·07
Londonderry,	42,067	19·4	28·5	14·9	.	23	12	4	3	.	.	.	.	.	.	.	.	.	.	.	1	.	4	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	15·0	16·4	.	11	12	3	4	.	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	29·2	33·1	5·8	15	17	2	6	.	.	1	.	.	.	.	.	2	.	1	.	.	2	1	2	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	27·2	31·1	3·9	7	8	.	3	.	.	.	.	.	1	.	.	.	.	3	.	.	2	.	.	5	1	50	32	41	1·65	53	34	49·5	0·69	58	46	51	0·50
Dundalk,	18,076	9·4	51·8	4·0	.	18	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	24·5	8·2	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	12·6	29·4	.	3	7	.	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	3	.	48·3	30·5	37·2	0·78	53·9	33·6	44·4	0·94	55·1	34·5	48·0	0·57
Lurgan,	11,782	13·8	26·6	17·7	.	6	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	48·3	30·5	37·2	0·78	53·9	33·6	44·4	0·94	55·1	34·5	48·0	0·57
Lisburn,	11,461	10·1	9·1	9·1	4·5	2	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	48·3	30·5	37·2	0·78	53·9	33·6	44·4	0·94	55·1	34·5	48·0	0·57
Wexford,	11,168	23·2	32·7	42·0	.	7	9	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	38·3	19·2	.	8	4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	19·2	24·0	4·8	4	5	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	1	49·7	32·5	38·5	1·68	56·0	27·8	45·1	1·02	55·5	38·7	49·6	1·00
Kilkenny,	10,609	11·5	34·3	9·8	4·9	7	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	53	28	37·1	1·78	54	26	43·1	0·31	56	37	48·1	0·22
Clonmel,	10,167	7·8	10·3	15·4	5·1	2	3	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,099	13·2	46·5	20·7	.	9	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	48·3	30·5	37·2	0·78	53·9	33·6	44·4	0·94	55·1	34·5	48·0	0·57
Tralee,	9,867	16·6	37·0	10·6	.	7	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	40·1	34·3	.	7	6	.	2	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	1	.	58	33	39·2	1·47	54	34	44·8	0·71	56	38	48·8	0·45
Queenstown,	7,909	14·4	26·4	19·8	.	4	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	54	35	43·2	1·02	57	36	47·5	0·15	55	42	50·9	0·07
Armagh,	7,588	22·2	34·4	13·7	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	48·3	30·5	37·2	0·78	53·9	33·6	44·4	0·94	55·1	34·5	48·0	0·57

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 9 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area.
e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 15th December, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	GOOLOCK and DRUMCONDRA, No. 1 (part of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	.	.	.	2	1	.	.	.	.	.	.	.	4	.
Diphtheria,	1	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1	5	.
*Pyrexia** (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Pneumonia,	2	2	3	2	.	.	.	2	.	.	1	.	2	.	1	.	15	.
Tuberculous Disease. { Phthisis,	1	1	.	2	.	.	1	3	1	1	.	.	1	2	.	1	14	1
Tuberculous Disease. { Other Forms.	.	1	1	.	.	.	.	1	.	.	2	.	.	.	.	.	5	.
Cancer, Malignant Disease,	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	1	5	2
Other General Diseases	2	1	1	.	1	.	.	3	1	3	.	.	.	.	.	2	14	2
Total,	6	6	7	5	2	.	1	13	3	5	4	1	4	3	1	5	66	5
B. LOCAL DISEASES:																		
Diseases of { Nervous System	3	2	1	.	.	.	.	.	.	1	1	.	.	.	1	1	10	1
Diseases of { Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of { Heart and Blood Vessels,	2	3	3	1	1	.	1	2	3	6	6	.	1	1	.	3	33	.
Diseases of { Respiratory System,	1	5	.	1	.	.	.	6	2	5	3	.	1	1	.	.	25	.
Diseases of { Digestive System,	.	4	1	1	.	1	.	1	.	1	.	.	.	1	.	1	11	.
Diseases of { Lymphatic System &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of { Urinary System,	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	4	1
Diseases of { Generative System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	14	5	3	1	1	1	10	5	14	10	.	2	5	2	5	84	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	2	1	.	.	.	.	4	1	.	1	.	.	.	.	.	9	.
E. VIOLENT DEATHS,	.	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	3	.
Deaths from all Causes,	12	22	14	8	3	1	2	28	9	19	15	1	6	9	3	10	162	9
Annual Rate of Mortality from all causes in every 1,000 of the population	22·1	29·3	24·2	18·2	32·5	5·2	15·6	38·0	25·7	28·6	22·3	5·9	9·4	18·0	17·9	29·6	22·3	.
	21·4							26·3					17·1					
	23·8																	
Ages at Death. Under 1 year,	4	5	4	2	.	1	.	5	2	2	4	.	1	.	1	2	33	.
1 and under 5 years,	2	5	2	1	.	.	.	8	1	2	3	1	.	1	.	1	27	.
5 „ 20 „	1	.	1	.	.	.	.	2	1	.	.	.	.	.	.	1	6	.
20 „ 40 „	1	4	3	3	.	.	1	1	.	3	1	.	2	1	.	2	22	4
40 „ 60 „	3	2	4	2	.	.	1	6	4	4	5	.	2	2	1	3	39	3
60 and upwards,	1	6	.	.	3	.	.	6	1	8	2	.	1	5	1	1	35	2
Number of Uncertified Deaths,	1	3	.	.	.	.	1	5	.	.	.	.	.	.	.	2	12	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	5	5	2	.	1	.	7	1	2	3	.	2	4	.	2	36	9
Workhouse Hospitals,	.	2	1	.	.	.	.	6	1	6	2	.	1	1	.	.	20	.

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 18

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 50th Week of the 10 years 1896–1905.	In the Week ending Satur 15th December, 1906. Deaths of Persons of the A					
	Dec. 12, 1896.	Dec. 18, 1897.	Dec. 17, 1898.	Dec. 16, 1899.	Dec. 15, 1900.	Dec. 14, 1901.	Dec. 13, 1902.	Dec. 19, 1903.	Dec. 17, 1904.	Dec. 16, 1905.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.		
Mean Temperature.	° 39·9	° 45·2	° 46·4	° 38·9	° 48·1	° 37·6	° 40·0	° 41·7	° 42·6	° 43·0	° 42·3	° 37·3					
ALL CAUSES.	173	191	169	256	184	138	219	193	197	148	186·8	171	13	20	27	6	26
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	.	.	23	1	.	10	.	6	.	4·0	.	.	.	.	.	.
Scarlet Fever, ...	10	4	1	1	1	.	1	2	.	.	2·0	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	.	6	.	1	1	4	2	3	1·9	1	.	.	.	.	.
Whooping-cough, ...	4	2	5	3	7	1	.	4	.	2	2·8	4	.	.	3	1	.
Diphtheria, ...	2	2	3	2	.	.	1	2	.	1	1·3	5	.	.	5	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	2	10	6	2	1	.	5	1	2	1	3·0	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	3	2	.	3	2	.	.	.	.	.	2·0	2	.	2	.	.	.
Diarrhœa, Dysentery,							5	1	2	1		2	.	.	1	.	.
Tetanus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	.	1	.	1	.	.	4	2	·8	1	.	1	.	.	.
Puerperal Septicæmia,	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	1
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.	.
Puerperal Fever, ...							.	.	.	.		.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	12	9	14	21	7	12	.	.	2	.	12·2	1	.	.	.	.	1
Broncho-Epidemic,							11	4	5	5		8	1	.	4	.	2
Not defined,							.	.	.	.		.	.	.	.	.	.
							11	3	3	3		6	.	2	.	1	2
Erysipelas, ...	1	.	.	.	2	.	.	.	.	.	·3	.	.	.	.	.	.
Septicæmia (not Puerperal)	.	1	.	.	2	1	1	.	.	1	·6	.	.	.	.	.	.
Pyæmia (not Puerperal),							.	.	.	.		.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Tuberculous Phthisis,	24	22	21	36	19	15	.	2	10	3	21·0	8	.	.	.	1	3
"*Phthisis*," ...							18	14	20	6		7	.	.	.	3	3
Tuberculous Meningitis, ...	1	5	2	6	3	.	6	4	2	1	3·0	3	.	1	2	.	.
Tuberculous Peritonitis,	5	.	4	3	3	2	1	2	1	4	2·9	.	.	.	.	.	.
Tabes Mesenterica, ...							1	.	2	1		.	.	.	.	.	.
Tuberculous Dis. (other),	2	3	.	5	3	2	4	9	10	9	4·7	2	.	.	.	2	.
Scrofula, ...							.	.	.	.		.	.	.	.	.	.
Alcoholism, ...	.	1	.	.	.	.	1	.	.	.	·2	1	.	.	.	.	1
Rheumatic Fever, ...	.	.	.	2	1	1	.	.	.	.	·4	.	.	.	.	.	.
Gout, ...	.	.	1	.	3	.	.	.	.	.	·4	.	.	.	.	.	.
Carcinoma, ...	3	11	7	3	8	6	3	6	3	5	7·8	1	.	.	.	.	1
Sarcoma, ...							.	2	.	.		.	.	.	.	.	.
Cancer (undefined),							6	6	3	6		6	.	.	.	.	1
Diabetes Mellitus, ...	.	.	.	.	.	.	.	.	1	3	·4	2	.	.	.	1	1
Premature Birth, ...	2	2	1	7	2	3	1	3	6	6	3·3	6	6	.	.	.	.

* The figures for the years 1896–1900 a
† Formerly describ

TH WEEK ending Saturday, 15th December, 1906, with the deaths from each cause in the corresponding average for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 50th Week of the 10 years 1896–1905.	In the Week ending Saturday, 15th December, 1906. Deaths of Persons of the Ages of							
	Dec. 12, 1896.	Dec. 18, 1897.	Dec. 17, 1898.	Dec. 16, 1899.	Dec. 15, 1900.	Dec. 14, 1901.	Dec. 13, 1902.	Dec. 19, 1903.	Dec. 17, 1904.	Dec. 16, 1905.		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.					
Mean Temperature.	39·9	45·2	46·4	38·9	48·1	37·6	40·0	41·7	42·6	43·0	42·3	37·3								
ngitis (not tuberc.) ...							3	3	3	2		1	.	.	1	.	.	.	.	.
nity, G. P. of Insane ...							2	3	1	1		1	.	.	.	.	.	.	1	.
epsy							3	.	.	2		.	.	.	.	.	.	.	.	.
ulsions							9	10	6	6		8	2	5	1	.	.	.	.	.
motor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
plegia Dis. of Cord ...							.	1	3	1		1	.	.	.	.	1	.	.	.
vous System (other s.)							6	3	1	2		.	.	.	.	.	.	.	.	.
	33	34	32	41	34	37					38·7									
. Dis., Endocarditis ...							3	4	4	4		11	.	.	.	.	3	5	3	.
br. Hæm. Thromb. ...							3	3	5	3		3	.	.	.	.	.	2	1	.
olexy, Hemiplegia ...							4	6	3	1		.	.	.	.	.	.	.	.	.
arysm							.	1	1	.		.	.	.	.	.	.	.	.	.
polism, Thromb. (not rebral)							.	.	.	.		.	.	.	.	.	.	.	.	.
rt and Blood Vessel Dis.							9	20	18	13		19	.	.	.	1	1	9	7	1
up (not Spasm. nor emb.)	.	.	.	1	.	1	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
nchitis	23	21	29	42	36	19	37	26	26	16	27·5	24	.	4	4	.	1	5	10	.
ma, Emphysema ...							1	.	1	.		.	.	.	.	.	.	.	.	.
risy	4	4	1	2	3	1	1	.	2	.	3·0	.	.	.	.	.	.	.	.	.
piratory Dis. (other) ...							3	4	3	.		1	1	.	.	.	.	.	.	.
sillitis, Quinsy ...	.	2	.	.	.	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
eritis (not Epid.) ...							.	2	.	1	·5	1	.	.	1	.	.	.	.	.
tro Enteritis	.	.	.	.	.	.	1	1	.	.		1	.	.	.	.	.	.	1	.
tonitis (not Puerp.) ...	1	2	1	.	.	1	1	.	.	1	·7	.	.	.	.	.	.	.	.	.
hosis of Liver ...							3	1	.	1		1	.	.	.	.	.	1	.	.
er Dis. (other) ...	2	6	2	3	5	3	2	2	1	1	3·2	.	.	.	.	.	.	.	.	.
estive Dis. (other) ...	3	3	4	9	10	2	7	7	5	2	5·2	8	1	2	1	.	1	2	1	.
hritis, Acute ...							4	2	2	3		.	.	.	.	.	.	.	.	.
ght's Dis., Albuminuria	6	8	2	3	3	6	1	5	.	3	5·0	4	.	.	.	.	2	1	.	1
nary Sys. (Other Dis.)							1	.	1	.		1	.	.	.	.	.	1	.	.
nerative Organs Dis. ...	1	4	.	1	2	.	.	1	1	.	1·0	1	.	.	.	.	1	.	.	.
ildbirth (Accid. of) ...	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	1	.	.	.
Age	9	14	13	11	9	4	9	8	7	8	9·2	2	.	.	.	.	.	.	1	1
ner Diseases	14	15	15	13	13	17	15	7	11	11	13·1	12	2	3	2	.	.	3	2	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	1	1	3	2	.	1	.	.	1	1	1·0	3	.	.	2	.	.	1	.	.
Drowning	.	.	1	2	2	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
her Deaths by Accidents	2	1	1	1	1	.	1	1	3	.	1·1	.	.	.	.	.	.	.	.	.
IOLENCE OTHER THAN ACCIDENTAL.																				
micide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
cide	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
ple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending																									
	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8	Sept. 15.	Sept. 22	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.
No. of weeks in Annual Series.	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered,	210	288	189	230	199	223	235	186	226	230	180	268	209	225	321	146	186	240	178	281	198	182	186	289	189	198
*Average Births in corresponding week of previous 10 years,**	221	229	202	193	199	207	202	208	217	195	215	203	212	195	233	188	184	201	200	199	194	199	183	193	195	190
DEATHS registered,	149	125	180	140	156	149	125	180	151	167	166	184	220	201	184	198	175	166	170	204	192	191	182	179	169	171
Annual Death-rate per 1,000,	20·5	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7	25·8	27·2	24·1	22·8	23·4	28·1	26·4	26·3	25·0	24·6	23·3	23·5
*Average Deaths in corresponding week of previous 10 years,**	146	140	145	146	151	153	166	169	163	170	164	169	160	173	164	157	168	173	176	171	177	186	193	196	188	187
AGES, Under 5 years,	37	17	35	35	38	48	40	50	48	63	59	88	98	85	76	71	50	53	50	61	52	61	49	54	54	60
5—20 "	13	16	14	10	17	11	8	6	9	10	12	8	9	13	8	9	7	6	18	15	10	12	13	21	8	6
20—40 "	30	36	21	24	25	27	20	19	22	27	20	27	24	26	25	22	27	34	34	30	36	33	30	18	24	26
40—60 "	34	28	32	37	28	35	20	28	27	32	40	33	39	30	29	38	41	34	25	43	42	38	31	36	42	42
60—80 "	31	22	21	32	43	27	32	24	43	28	29	28	41	39	37	51	45	34	38	42	45	39	49	41	34	34
80 years and upwards,	4	6	7	2	5	6	5	3	2	7	6	5	9	8	9	7	5	5	10	13	7	8	10	9	7	3
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	2	2	.	2	1	.	.	.	.	1	.	.	1	.	2	2	6	9	9	3	2	.
Scarlet Fever	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	1	.	.
Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
Whooping-cough,	2	1	4	6	3	2	2	3	1	.	.	1	1	1	5	1	2	2	2	3	2	1	2	3	5	4
Diphtheria,	1	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	1	2	.	1	1	.	1	2	.	5
Pyrexia † (origin uncertain),	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	2	.	1	1	.	1	1	.	.	2	2	.	2	1	.	4	4	2	1	1	1	1	3	.	.
Diarrhœal Diseases,	.	2	.	3	3	10	11	10	29	27	28	49	40	34	31	31	12	12	8	7	2	3	6	4	2	4
Pneumonia,	13	4	4	9	12	13	4	5	4	8	5	4	9	7	12	10	16	17	13	10	8	12	18	11	13	15
Tuberculous Disease. Phthisis,	29	21	26	21	23	19	21	18	21	21	18	21	20	26	19	28	16	21	17	21	31	19	27	13	22	15
Tuberculous Disease. Other Forms,	11	9	11	7	11	13	4	7	9	8	9	9	11	12	14	8	7	5	13	17	9	5	7	12	13	5
Cancer, Malignant Disease,	6	12	7	4	14	9	8	4	12	11	10	7	11	6	6	13	9	7	10	10	11	13	5	9	7	7
Diseases of Heart and Blood Vessels,	21	14	15	26	27	19	19	17	20	12	22	21	28	25	18	24	25	24	26	38	32	27	22	23	30	33
Diseases of Respiratory System,	17	5	21	10	11	13	14	10	11	10	4	8	16	10	14	23	20	15	19	33	19	34	30	29	21	25
Violent Deaths,	4	3	4	2	3	4	2	3	2	8	7	5	2	3	5	4	6	4	7	1	3	9	3	3	1	3
Number of Uncertified Deaths,	9	4	3	2	5	4	3	5	1	2	1	1	7	9	4	4	7	5	7	6	9	3	5	6	7	12
Mean Temperature of the Air (Phœnix Park),	60·1	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9	50·4	53·3	52·5	45·5	51·2	40·6	43·8	42·9	47·7	49·1	44·3	37·3
Average Mean Temperature in corresponding week of previous 10 years	56·8	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·0‡	52·5	51·0	48·8	47·9	46·8	47·3	46·0	43·7	41·7	42·3	43·4	42·3
Rainfall in inches,	·790	·450	·390	235	·885	·220	·452	·320	·415	·695	·000	·285	280	·000	·000	·800	1·125	·210	·707	·545	·820	·475	·155	·330	·485	1·100
Mean Humidity of the Air, complete Saturation, 1·0,	·86	·79	·84	·80	·82	·84	·80	·88	·79	·86	·86	·84	·82	·90	·87	·92	·87	·85	·88	·91	·86	·87	·85	·89	·88	·90

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—SHOWING IN FIVE GENERAL CLASSES the Annual Death-rate represented by the Deaths in the Dublin Registration Area during the Week ending Saturday, 15th December, 1906: the Annual Death-rate per 1,000 of the Population in each Class and Group in 1901; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH DECEMBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,850	23·8	171	60	6	26	42	34	3	.	.	.	.	4	5	.	.	4	13	15	15	5	7	8	25	3	80	12
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	15·0	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
II.	MIDDLE CLASS,	87,188	16·1	27	7	.	7	6	5	2	.	.	.	.	.	1	.	.	.	1	2	3	.	1	3	1	1	15	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	21·2	45	18	2	6	7	12	.	.	.	.	.	1	1	.	.	2	4	5	2	.	1	2	8	2	21	4
IV.	GENERAL SERVICE CLASS,	154,279	30·6	74	32	3	11	19	8	1	.	.	.	.	3	3	.	.	1	7	8	8	4	3	3	9	.	32	6
V.	INMATES OF WORKHOUSES,	6,024		20	2	1	1	8	8	.	.	.	.	.	.	.	.	.	1	1	.	2	1	1	.	7	.	8	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	11·8	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	2	.
	6. Clerks and Commercial Assistants,	30,432	13·7	8	2	.	5	1	2	.	.	.	.	.	.	1	.	.	.	1	.	2	.	.	.	.	.	5	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	28·2	12	3	.	3	2	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	1	6	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	3	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	2	.	.	.	.	.	.	1	1
	9. Building and Furnishing Trades,	29,801	31·5	18	9	.	2	5	2	.	.	.	.	.	.	1	.	.	1	2	2	.	.	1	2	1	2	8	1
	10. Clothing Trades,	23,260	15·7	7	2	.	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	4	.
	11. Food Supply Trades,	9,242	16·9	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1
	12. Other Trades and Callings ranking with Trades,	30,352	15·5	9	1	1	1	1	5	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.	4	1
	13. Petty Shopkeepers,	7,894	26·4	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	2	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	2	.	1	1	2	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	4	1
	15. Domestic Servants,	36,603	1·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	25·4	7	2	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	3	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	34·8	60	28	2	9	15	5	1	.	.	.	.	3	2	.	.	1	6	8	6	3	2	2	8	.	25	4
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	20	2	1	1	8	8	.	.	.	.	.	.	.	.	.	1	1	.	2	1	1	.	7	.	8	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* similar Statistics for each of the

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,552.	Oct. 27,	29·4	1·8	16	.	.	.	.	.	.	.	.	1	2	3	.	2	1	1	1
	Nov. 3,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.
	„ 10,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.
	„ 17,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.
	„ 24,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.
	Dec. 1,	28·9	1·8	13	.	.	.	.	.	.	.	1	.	.	1	1	.	2	1	.
	„ 8,	29·4	.	16	.	.	.	.	.	.	.	.	.	1	4	1	.	2	.	1
	„ 15,	22·1	1·8	12	.	.	.	.	.	1	.	.	.	2	1	.	.	1	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Oct. 27,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	2	.	.	4	.	.
	Nov. 3,	28·0	5·3	21	.	.	.	.	2	1	.	1	.	.	4	3	.	3	.	.
	„ 10,	28·0	1·8	21	.	.	.	.	.	.	.	.	1	1	2	1	1	4	.	4
	„ 17,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	.	1	.	1	5	1	1
	„ 24,	26·6	5·3	20	.	.	.	.	.	.	.	1	3	2	3	.	.	2	1	1
	Dec. 1,	18·6	4·0	14	.	.	.	.	.	1	.	1	1	.	1	2	1	1	.	1
	„ 8,	34·6	2·7	26	.	.	.	.	.	.	.	.	2	2	3	1	.	5	.	1
	„ 15,	29·3	1·3	22	.	.	.	.	.	.	.	.	1	2	1	1	.	5	.	3
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 Est.) 30,107.	Oct. 27,	27·7	5·2	16	.	.	.	.	.	.	.	1	2	.	.	3	.	.	3	.
	Nov. 3,	31·2	1·7	18	.	1	.	.	.	.	.	.	.	3	1	1	1	1	.	1
	„ 10,	20·8	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	.
	„ 17,	20·8	.	12	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.
	„ 24,	31·2	1·7	18	.	.	.	.	1	.	.	.	.	1	2	1	1	3	.	.
	Dec. 1,	26·0	3·5	15	.	.	.	.	.	.	.	.	1	3	1	.	.	2	.	.
	„ 8,	24·2	1·7	14	.	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.
	„ 15,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	3	.	1	.	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Oct. 27,	28·0	1·6	14	.	.	.	.	.	.	.	1	.	2	3	1	.	.	1	.
	Nov. 3,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	1
	„ 10,	24·7	1·6	15	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	.
	„ 17,	26·3	.	16	.	.	.	.	.	.	.	.	.	2	2	.	3	3	.	.
	„ 24,	26·3	.	16	.	.	.	.	.	.	.	.	.	2	3	.	2	2	.	.
	Dec. 1,	32·9	1·6	20	.	.	.	.	1	.	.	.	.	3	2	2	1	2	1	1
	„ 8,	32·9	1·6	20	.	.	.	.	1	.	.	.	.	1	3	3	.	3	.	1
	„ 15,	13·2	1·6	8	.	.	.	.	1	.	.	.	.	2	2	.	.	1	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,884.	Oct. 27,	25·8	5·4	19	.	2	.	1	.	.	.	.	1	.	1	.	.	3	.	2
	Nov. 3,	36·7	5·4	27	.	1	.	.	1	.	.	.	2	2	4	1	1	5	.	.
	„ 10,	44·8	10·9	33	.	6	.	.	.	1	.	.	1	2	5	2	.	3	.	1
	„ 17,	39·4	13·6	29	.	8	.	.	1	.	.	.	1	3	2	2	1	4	.	.
	„ 24,	51·6	12·2	38	.	9	.	.	.	.	.	.	.	5	5	1	.	8	.	.
	Dec. 1,	39·4	6·8	29	.	3	.	.	1	1	.	.	.	1	1	1	1	5	.	1
	„ 8,	17·7	4·1	13	.	2	.	.	1	.	.	.	.	.	2	1	1	1	1	.
	„ 15,	38·0	5·4	28	.	.	.	.	2	1	.	.	1	2	3	1	.	6	1	5
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Oct. 27,	34·2	.	12	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	3
	Nov. 3,	31·4	.	11	.	.	.	.	.	.	.	.	.	1	.	3	.	5	.	.
	„ 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	„ 17,	39·9	.	14	.	.	.	.	.	.	.	.	.	.	2	1	.	5	.	1
	„ 24,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.
	Dec. 1	22·8	2·9	8	.	.	1	.	.	.	.	.	.	1	1	.	.	2	.	1
	„ 8,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1
	„ 15,	25·7	2·9	9	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Oct. 27,	17·4	2·5	14	.	.	.	.	1	.	.	.	1	.	.	2	1	3	.	.
	Nov. 3,	39·8	3·7	32	.	.	.	.	.	.	.	.	3	.	4	1	2	8	1	3
	„ 10,	18·6	2·5	15	.	.	.	.	1	.	.	1	.	.	.	1	4	2	.	.
	„ 17,	33·6	1·2	27	.	1	.	.	.	.	.	.	.	1	5	1	3	7	1	.
	„ 24,	24·9	2·5	20	.	.	.	.	1	.	.	.	1	1	2	1	.	5	.	1
	Dec. 1,	28·6	.	23	.	.	.	.	.	.	.	.	.	1	.	3	2	6	.	1
	„ 8,	24·9	.	20	.	.	.	.	.	.	.	.	.	1	2	2	.	4	.	2
	„ 15,	23·6	.	19	.	.	.	.	.	.	.	.	.	.	1	.	1	5	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,138.	Oct. 27,	20·8	1·5	14	.	.	.	.	.	.	.	.	1	1	2	1	.	3	.	1
	Nov. 3,	34·1	.	23	.	.	.	.	.	.	.	.	.	1	4	3	.	2	.	.
	„ 10,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.
	„ 17,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	1	.	1	1	2	1
	„ 24,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	6	1	.	1	.	2
	Dec. 1,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.
	„ 8,	23·7	.	16	.	.	.	.	.	.	.	.	.	1	3	.	3	1	.	.
	„ 15,	22·3	1·5	15	.	.	.	.	.	1	.	.	.	1	.	2	.	3	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia* (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 88,208.	Oct. 27,	15·7	.	10	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.
	Nov. 3,	25·1	3·1	16	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.
	„ 10,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	1
	„ 17,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	„ 24,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	2	1	.	.	2	.	1
	Dec. 1,	18·8	3·1	12	.	.	.	.	1	.	.	.	1	1	1	.	2	1	.	.
	„ 8,	17·3	3·1	11	.	.	.	.	2	.	.	.	.	.	2	1	.	.	.	1
	„ 15,	19·4	.	6	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Oct. 27,	24·0	2·0	12	.	.	.	.	.	.	.	.	1	2	2	3	.	.	1	.
	Nov. 3,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.
	„ 10,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 17,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	„ 24,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	Dec. 1,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	„ 8,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
	„ 15,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Oct 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.
	Nov. 3,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	„ 10,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	.
	„ 24,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.
	„ 8,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 15,	29·6	3·0	10	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	2
Belfast. Pop. in 1906 (Est.) 366,220.	Oct. 27,	17·1	1·9	120	.	1	.	.	3	1	.	3	5	7	15	5	4	17	7	3
	Nov. 3,	17·4	2·1	122	.	.	.	.	3	1	.	1	10	13	13	7	3	15	1	3
	„ 10,	18·7	2·0	131	.	2	1	.	3	2	.	1	5	11	12	7	3	27	4	4
	„ 17,	20·6	1·1	145	.	1	.	.	3	.	.	.	4	12	20	10	3	22	6	5
	„ 24,	17·8	1·4	125	.	1	1	.	4	1	.	.	3	13	16	7	2	24	1	1
	Dec. 1,	18·2	1·7	128	.	1	1	1	2	.	.	3	4	12	14	10	4	21	2	2
	„ 8,	19·8	2·7	139	.	5	1	.	1	3	.	6	3	10	13	11	3	23	2	.
	„ 15,	16·8	1·0	118	.	.	.	.	2	1	.	.	4	6	15	9	3	21	1	1
Cork. Pop. (in 1901) 76,122.	Oct. 27,	23·3	.	23	.	.	.	.	.	.	.	.	.	.	5	1	.	3	.	.
	Nov. 3,	15·8	0·7	21	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	2
	„ 10,	14·4	2·7	39	.	.	.	.	1	.	.	.	3	2	8	1	4	7	.	1
	„ 17,	26·7	2·7	38	.	.	.	.	1	.	.	.	3	4	8	.	1	4	.	5
	„ 24,	30·8	4·1	45	.	.	.	.	1	1	.	1	3	1	5	2	2	6	.	4
	Dec. 1,	19·2	.	28	.	.	.	.	.	.	.	.	.	4	3	.	1	4	1	4
	„ 8,	19·9	2·1	29	.	.	.	.	.	2	1	.	.	5	3	1	1	1	.	1
	„ 15,	21·2	2·1	31	.	.	.	.	2	.	.	.	1	2	4	.	.	4	.	2
Londonderry. Pop. in 1906 (Est.) 42,067.	Oct. 27,	14·9	.	12	.	.	.	.	.	.	.	.	.	1	1	.	1	4	1	.
	Nov. 3,	26·0	8·7	21	.	.	.	.	.	.	.	.	7	.	3	1	1	.	.	1
	„ 10,	17·4	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	4	.	.
	„ 17,	17·4	1·2	14	.	.	.	.	.	.	.	.	1	.	3	.	1	3	.	1
	„ 24,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	1
	Dec. 1,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	2	1	.	6	.	1
	„ 8,	19·8	1·2	16	.	.	1	.	.	.	.	.	.	3	3	1	.	1	.	2
	„ 15,	14·9	.	12	.	.	.	.	.	.	.	.	.	.	.	1	.	4	1	2
Limerick. Pop. (in 1901) 38,151.	Oct. 27,	19·1	2·7	14	.	.	.	.	.	1	.	.	1	1	1	1	1	.	.	5
	Nov. 3,	20·5	5·5	15	.	.	.	.	.	1	.	2	1	1	1	.	2	.	.	3
	„ 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	.	1	.	5
	„ 17,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	„ 24,	26·0	.	19	.	.	.	.	.	.	.	.	.	2	3	1	.	3	.	2
	Dec. 1,	21·9	1·4	16	.	.	.	.	.	.	.	.	1	1	2	1	1	2	.	2
	„ 8,	24·6	.	18	.	.	.	.	.	.	.	.	.	1	1	1	.	6	.	5
	„ 15,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	4	.	3
Waterford. Pop. (in 1901) 26,769.	Oct. 27,	27·3	1·9	14	.	.	.	.	.	.	.	1	.	.	4	1	.	.	3	1
	Nov. 3,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
	„ 10,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	1
	„ 17,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 24,	29·2	7·8	15	.	.	4	.	.	.	.	.	.	1	1	1	.	1	.	.
	Dec. 1,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.
	„ 8,	15·6	1·9	8	.	.	.	.	1	.	.	.	.	.	1	.	.	5	.	.
	„ 15,	33·1	5·8	17	.	.	1	.	.	.	.	.	2	.	1	.	.	2	1	.

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th December, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,734	6	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		11	1	.	1	2	3	4	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	2	3	.
Do. 2 ,, .	47,959	43			19	3	.	2	6	5	3	.	.	.	.	1	.	.	.	.	.	2	1	.	5	.	.	5	1
Do. 3 ,, .	47,214	38			15	4	1	.	2	4	4	.	.	.	.	.	.	.	.	1	4	.	1	.	1	.	.	4	.
Do. 4 ,, .	40,911	33			16	2	1	2	5	3	3	.	.	.	.	1	.	.	.	.	.	2	1	1	3	.	.	2	.
Do. 5 ,, .	17,387	9			6	3	.	1	.	1	1	.	.	.	.	.	1	.	.	1	.	.	1	.	1	.	1	1	.
Do 6 ,, .	48,122	17			11	.	1	2	3	1	4	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
Do 7 ,, .	1,524	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	1			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 9 ,, .	19,569	11			7	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	.	2	2	.	1	.	1	2	.
Do. 10 ,, .	28,064	16			8	2	1	.	.	3	2	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	1	.
Do. 11 ,, .	34,802	17			9	2	.	.	1	5	1	.	.	.	.	.	.	.	.	1	.	2	1	1	3	.	.	1	.
Do. 12 ,, .	33,588	25			10	2	1	1	2	1	3	.	.	.	.	.	.	.	.	.	.	3	.	.	3	1	.	1	.
Do. 13 ,, .	15,006	12			5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 14 ,, .	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	219			118	20	6	13	23	30	26	.	.	.	.	2	1	.	.	4	6	15	9	3	21	1	4	20	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT. .	12,867	5	28·4	.	7	1	.	1			5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	5	1
Do. 2 ,, . .	10,701	6	48·7	9·7	10	1	2	4			3	.	.	.	.	1	.	.	.	1	1	2	.	.	1	.	.	4	.
Do. 3 ,, . .	9,978	7	26·1	5·2	5	.	1	1			3	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	1		.
Do. 4 ,, . .	8,666	2	6·0	.	1	1	.	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 ,, . .	6,592	7	7·9	.	1		.	.			1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 ,, . .	10,702	9	24·4	.	5	2	.	2			1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Do. 7 ,, . .	16,616	4	6·2	.	2	.	.	2			.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Total	76,122	40	21·2	2·1	31	5	3	10			13	.	.	.	.	2	.	.	.	1	2	4	.	.	4	.	2	13	2

* Formerly described as "Simple Continued Fever."

Table IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

Belfast.	1906—Week ending																									
	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.
No. of weeks in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
Births registered,	222	218	225	162	271	225	241	220	203	204	208	240	211	211	226	211	222	195	238	194	180	189	211	178	185	219
Deaths registered,	131	113	105	119	121	127	121	127	125	139	134	151	142	141	136	144	109	122	120	122	131	145	125	128	139	118
Annual Death-rate per 1,000 of estimated Population,	18·7	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20·1	19·4	20·5	15·5	17·4	17·1	17·4	18·7	20·6	17·8	18·2	19·8	16·8
Ages: Under 1 year,	26	24	24	27	21	21	30	29	37	43	39	59	43	49	40	39	31	34	26	36	33	26	32	25	21	20
1–5 years,	17	15	12	19	12	8	18	9	16	14	22	16	16	13	17	15	9	13	17	15	13	14	16	11	24	6
5–20 years,			11	14	10	13	9	14	17	12	5	10	10	14	15	14	8	12	9	10	14	15	13	14	9	13
20–40 years,	72	57	13	27	24	29	15	25	14	18	17	20	21	20	15	24	17	19	17	16	19	28	18	16	23	23
40–60 years,			22	15	26	26	31	22	24	29	26	30	26	20	21	28	23	22	26	21	22	25	13	24	27	30
60 years and upwards,	16	17	23	17	28	30	18	28	17	23	25	16	26	25	28	24	21	22	25	24	30	37	33	38	35	26
Deaths from:—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	2	1	.	2	.	.	1	.	.	2	1	.	.	1	.	2	1	1	1	5	.
Scarlet Fever,	.	1	.	.	2	.	.	.	.	.	1	1	.	1	1	1	.	.	.	.	1	.	1	1	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
Whooping-cough,	14	7	4	9	3	1	4	2	4	2	7	7	3	5	3	2	1	2	3	3	3	3	4	2	1	2
Diphtheria,	.	2	2	.	.	1	.	1	1	2	1	.	1	.	.	1	.	1	1	1	2	.	1	.	3	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	1	2	3	2		.	2	1	3	2	4	.	2	.	3	1	1	.	.	3	6	.
Diarrhœal Diseases,	2	4	4	6	7	4	7	12	25	24	23	39	38	27	25	19	8	13	5	10	5	4	3	4	3	4
Pneumonia,	7	8	8	7	6	6	10	7	3	5	7	5	3	3	6	6	10	10	7	18	11	12	13	12	10	6
Tuberculous Disease: Phthisis,	30	24	12	20	21	26	22	25	18	21	15	16	18	14	19	20	17	15	15	18	12	20	16	14	13	15
Tuberculous Disease: Other Forms,	7	7	6	15	5	10	11	6	8	6	6	6	6	8	4	9	4	5	5	7	7	10	7	10	11	9
Cancer, Malignant Disease,	4	2	9	2	4	4	2	4	3	2	4	3	3	4	4	2	2	5	4	3	3	3	2	4	3	3
Diseases of Respiratory System,	14	13	7	7	9	21	11	7	12	7	16	8	12	12	7	15	11	11	17	13	27	22	24	21	23	21
Violent Deaths,	5	.	3	6	4	.	2	4	2	3	6	3	1	4	4	4	1	5	7	1	4	6	1	2	2	1
Number of Uncertified Deaths,	.	1	1	2	.	3	.	3	1	2	5	.	.	.	1	3	3	.	3	3	4	5	1	2	.	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	Dec. 15,	2,172	1,628	18·0	.	26	15	16	18	15	15
EDINBURGH,	341,035	„ 15,	117	125	19·1	.	.	.	1	1	.	3
GLASGOW,	835,625	„ 15,	458	289*a*	18·0	.	.	1	6	13	3	6
CALCUTTA,	910,117	Oct. 27,	.	483	29·6	3	.	.	.	.	131‡	73*
BOMBAY,	977,822	Nov. 13,	420	610	32·4	.	1	.	.	1	70‡	64*
MADRAS,	509,346	Oct. 26,	381	444	45·3	1	.	?	?	?	114	81*
PARIS,	2,750,000	Dec. 1,	935	909	17·7	.	3	.	3†	2	7	28
BRUSSELS (with 8 Faubourgs).	612,401	Nov. 24,	216	176	14·9	.	4	5	1†	1	5	15
ANTWERP,	297,311	„ 24,	157	68	11·9	1	.	.	2†	.	1	8
AMSTERDAM,	562,944	„ 24,	262	127	11·8	.	10	.	1†	1	2	5
COPENHAGEN,	425,000	„ 24,	249	116	14·2	.	.	.	1†	1	.	6
STOCKHOLM,	324,488	„ 17,	175	68	10·9	.	.	.	1†	1	.	5
CHRISTIANIA,	222,373	Dec. 1,	105	56	13·1	.	.	.	2†	2	.	1
ST. PETERSBURG,	1,424,700	Nov. 24,	884	659	24·1	1	12	25	27	3	21	57
MOSCOW,	1,154,000	Oct. 27,	.	476	21·5	1	6	7	13†	3	9	51
BERLIN,	2,080,542	Nov. 17,	874	582	14·6	.	6	12	8†	4	2	53
HAMBURG,	802,793	„ 24,	.	243	15·7	.	2	1	4†	3	1	21
BRESLAU,	481,157	Dec. 1,	.	180	19·5	.	1	1	4†	5	.	4
MUNICH,	540,000	„ 1,	.	166	16·0	.	.	.	1†	2	.	23
VIENNA (with suburbs).	1,958,323	„ 1,	911	606	16·1	.	8	6	13†	3	2	31
BUDA-PESTH,	791,748	„ 1,	416	273	18·0	.	6	8	5†	3	1	12
PRAGUE and Faubourgs.	406,133	Nov. 24,	196	165	18·4	.	3	.	3†	.	.	14
TRIESTE,	158,525	„ 17,	126	67	17·6	.	.	.	.	.	2	1
ROME,	531,562	Oct. 6,	246	185	18·1	.	.	.	.	3	5	19
VENICE,	171,709	Nov. 3,	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,112,800	„ 17,	2,246	1,363	17·1	.	3	5	36†	8	15	41
PHILADELPHIA,	1,469,126	„ 2,	.	.	.	.	.	.	.	.	.	.
BOSTON,	602,726	„ 17,	.	203	17·6	.	.	1	2	1	3	2

a. Including 4 deaths from cerebro-spinal meningitis.
* Including 28 deaths from cholera in Calcutta, 3 in Bombay, and 2 in Madras.
† Including deaths from croup.
‡ Exclusive of 10 deaths from plague in Calcutta, and 16 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th December, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro Spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 1, West,	.	.	.	.	1	.	.	1	.	.	.	.	2
" " 2,	.	.	1	.	.	.	.	2	.	.	.	.	3
" " 3,	.	1	.	.	2	.	1	1	1	.	.	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	4	.	.	1	4	.	.	.	9
" " 2,	.	1	.	.	.	.	.	.	1	.	.	.	2
" " 3,	.	1	.	.	3*	.	.	1	3	.	.	.	8
" " 4,	.	.	.	.	1	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	1	.	.	.	1	.	.	.	2
Total,	.	3	1	.	13*	.	1	6	10	.	.	.	34

* Including 2 cases of "diphtheria and measles."

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th December, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th December.			
	Nov. 24.	Dec. 1.	Dec. 8.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	54	45	48	6	10	1	43
Scarlet Fever,	77	72	73	20	7	.	86*
Typhus,	.	.	.	1	.	.	1
Diphtheria,	19	21	20	13	4	4	25
Enteric Fever,	58	50	43	5	10	.	38
Pneumonia,	29	31	28	5	11	2	20

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 15th December, 1906:—

"A cold, unsettled, and generally inclement period, during which large and deep atmospheric depressions, with their "secondaries," passed in an easterly or southeasterly direction across North-western to Central and Eastern Europe. On Sunday morning the barometer varied from 28·54 inches at Bodö, on the N.W. coast of Norway, to 30·06 inches at Biarritz and 30·07 inches at Lisbon. Cold and strong N.W. winds prevailed, and rain, hail or snow fell in many districts. By Monday morning the Arctic disturbance had passed away towards the White Sea, but other depressions were central near Stockholm and over the Riviera. The weather was fine and frosty in Ireland, less fair in England, and a heavy snow-storm, yielding 1·17 inches of water in the raingauge, was reported from Yarmouth. Tuesday was mild and damp in Ireland owing to the appearance of a new depression off the N. of Scotland. This system grew deeper and spread south-eastwards across the British Isles, with the result that cold N.W. winds sprang up, and sleet and hail fell in many places, thunder and lightning occurring in the W. and S of Ireland, the Scilly Isles, and Lancashire. Thursday was fine, though very cold, in the Dublin district—from Liverpool a thunderstorm was reported. Friday dawned on a snow-covered country, but after an incessant rainfall on Saturday the thermometer reached its highest point for the week on the evening of that day. The waning Moon was seen in conjunction with the planets Mercury and Venus to S.E., at 7 a.m. of Friday. In Dublin the mean height of the barometer was 29·773 inches, pressure ranging from 30·033 inches at 9 a.m. of Monday (wind, W.) to 29·337 inches at 9 a.m. of Wednesday (wind, W.S.W.). The corrected mean temperature was 39·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 38·3°. The screened thermometers fell to 31·5° on Monday, and rose to 49·7° on Saturday in the evening. The mean grass minimum was 30·2°. W.S.W. and W. winds prevailed. The rainfall was ·920 inch on 5 days, ·360 inch being measured on Tuesday and ·372 inch on Saturday.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·782 inches. The highest reading (30·128) was on Monday at 9 a.m., wind W., and the lowest (29·348) on Wednesday at 9 a.m., wind W.S.W.

The mean temperature for the week was 37·3°, being 5·0° below the average for the corresponding period of the 10 years, 1896-1905. The temperature was highest on Tuesday, on which day the thermometer registered 49·0°, and was lowest on Monday, the mercury having fallen to 26·0°. The mean of the Dry Bulb for the week was 37·0°, and of the Wet Bulb 35·8°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 15·8 hours. The rainfall during the week measured 1·100 inches.

At Greenwich the mean temperature for the week was 36·5°, the maximum 46·8°, and the minimum 26·9°; at Glasgow the maximum was 42·8°, the minimum 23·8°, and the mean 34·2°; and at Edinburgh the maximum was 40·8°, the minimum 28·8°, and the mean 33·4°. The rainfall at Greenwich measured 0·40 in.; at Glasgow 1·36 ins.; and at Edinburgh 0·77 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.*

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 9,	29·942	42·1	34·9	38·5	36·6	34·5	·82	·6	2·4	·000	N.W.	W.
Monday, „ 10,	30·027	37·2	26·0	31·6	31·8	31·2	·93	·6	0·0	·030	W.	Calm.
Tuesday, „ 11,	29·700	49·0	32·1	40·6	43·6	42·9	·94	·9	1·8	·420	W.	S.W.
Wednesday, „ 12,	29·520	44·7	31·9	38·3	34·4	33·0	·86	·6	1·3	·085	W.S.W.	W.S.W.
Thursday, „ 13,	29·471	40·9	31·3	36·1	36·3	35·1	·90	·9	5·0	·020	W.S.W.	S.W.
Friday, „ 14,	29·876	38·9	31·8	35·4	33·6	32·6	·89	·8	5·3	·080	W.S.W.	W.
Saturday, „ 15,	29·935	48·8	32·3	40·6	42·4	41·5	·94	·6	0·0	·465	S.S.W.	S.W.
Mean, . .	29·782	43·1	31·5	37·3	37·0	35·8	·90	·7	Total 15·8	Total 1·100	Prevailing wind, W.S.W.	

Sunday—Fine but cloudy day; night clear. *Monday*—Day overcast; night cloudy and showery. *Tuesday*—Cloudy and showery day; night overcast, light and heavy rain 1.0 a.m. to 5.0 a.m. *Wednesday*—Cloudy, light showers, snow a.m., cloudy and showery p.m.; night clear till 1.30, overcast from 1.40 a.m. *Thursday*—Cloudy day, light showers; night clear, snow from 2.0 a.m. to 2.20 a.m. *Friday*—Overcast, hail, snow a.m.; night cloudy and showery. *Saturday*—Day overcast, light rain 8.30 a.m. to 5.30 p.m.; night overcast, light rain at intervals.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 15th, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Dec. 9,	38·4	44·0	48·0	44·5	36·6	40·6	2·4	—
Monday, „ 10,	33·3	42·2	48·0	38·9	31·7	35·3	0·0	—
Tuesday, „ 11,	47·7	42·0	47·6	49·6	32·0	40·8	0·0	·350
Wednesday, „ 12,	37·2	42·7	47·1	48·9	34·5	41·7	0·1	·077
Thursday, „ 13,	38·2	41·2	47·0	41·8	34·1	38·0	3·7	·079
Friday, „ 14,	34·0	40·4	46·7	39·1	33·0	36·1	3·0	·015
Saturday, „ 15,	37·3	40·0	46·2	50·4	34·8	42·6	0·0	·388
Weekly Mean, .	38·0	41·8	47·2	44·7	33·8	39·3	Total 9·2	Total ·909

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—15778.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 22ND DECEMBER, 1906. [No. 51.

General Register Office, Charlemont House, Dublin, 24th December, 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Dec. 1.	Week ending Dec. 8.	Week ending Dec. 15.	Week ending Dec. 22.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 1.	Week ending Dec. 8.	Week ending Dec. 15.	Week ending Dec. 22.	Average Rate for 4 weeks.
22 Town Dists.	20·0	20·4	19·7	22·8	20·7	Lisburn, . .	18·2	13·6	9·1	22·7	15·9
Armagh, . .	.	13·7	13·7	20·6	12·0	Londonderry, .	13·6	19·8	14·9	18·6	16·7
Ballymena, .	19·2	23·9	19·2	33·5	23·9	Lurgan, . .	8·9	39·8	17·7	13·3	19·9
Belfast, . .	18·2	19·8	16·8	18·1	18·2	Newry, . .	16·8	16·8	29·4	21·0	21·0
Clonmel, . .	5·1	20·5	15·4	20·5	15·4	Newtownards, .	28·6	5·7	34·3	17·2	21·4
Cork, . . .	19·2	19·9	21·2	24·0	21·1	Portadown, .	25·8	15·5	20·7	10·3	18·1
Drogheda, . .	16·3	24·5	8·2	16·3	16·3	Queenstown .	6·6	19·8	19·8	13·2	14·9
Dublin Reg. Area,	23·8	22·4	22·3	23·8	24·3	Sligo, . . .	19·2	4·8	24·0	9·6	14·4
Dundalk, . .	8·0	12·0	4·0	27·9	13·0	Tralee, .	5·3	21·1	10·6	15·9	13·2
Galway, . .	15·5	7·8	31·1	19·4	18·5	Waterford, .	21·4	15·6	33·1	29·2	24·8
Kilkenny, . .	14·7	9·8	9·8	24·6	14·7	Wexford, . .	56·0	23·3	42·0	23·3	36·1
Limerick, . .	21·9	24·6	16·4	20·5	20·8						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in fourteen of the districts to 4·8 in Ballymena, the 7 deaths from all causes registered in that district including one from enteric fever. Among the 127 deaths from all causes registered in Belfast are 2 from measles, one from scarlet fever, one from whooping-cough, one from diphtheria, one from enteric fever, and one from diarrhœa. The 35 deaths from all causes registered in Cork include one from whooping-cough and 2 from diarrhœal diseases; included in the 15 deaths in Waterford is one from whooping-cough; and one of the 7 deaths from all causes registered in Dundalk is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 189—92 boys and 97 girls; and the deaths to 217—110 males and 107 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 29·9 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 28·8 per 1,000. During the fifty-one weeks ending with Saturday last the death-rate averaged 23·4, and was 1·9 below the mean rate for the corresponding portions of the ten years, 1896–1905

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths registered (217) include 2 each from measles, whooping-cough, diphtheria enteric fever, and diarrhœal diseases. In each of the 3 preceding weeks, deaths from measles were 3, 2, and 0; deaths from whooping-cough were 3, 5, and 4; deaths from diphtheria were 2, 0, and 5; deaths from enteric fever were 3, 0, and 0; and deaths from diarrhœal diseases were 4, 2, and 4. Five deaths were attributed to influenza.

There were 3 deaths from lobar pneumonia, 11 from broncho-pneumonia, and 9 deaths from *pneumonia* (not defined).

All forms of tuberculous disease caused 36 deaths, including 18 from tuberculous phthisis, 9 returned as from *phthisis*, 2 each from tuberculous meningitis and tuberculous peritonitis, and 5 from other forms of the disease. In the 3 preceding weeks deaths from all forms of tuberculous disease numbered 25, 35, and 20, respectively.

There were 3 deaths from carcinoma and 14 deaths from cancer (undefined).

The deaths of 3 infants, due to prematurity, were registered.

Diseases of the brain and nervous system caused 19 deaths, including 9 deaths from *convulsions*, all of the latter being those of infants under one year of age.

Thirty-five deaths were caused by diseases of the heart and blood vessels, and 22 were caused by bronchitis.

There were 5 accidental deaths, including 4 deaths of children under 5 years of age caused by scalds.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year of age and the deaths of 3 persons aged 60 years and upwards.

Sixty-four of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 11 were under one month old) and 66 were aged 60 years and upwards, including 29 persons aged 70 and upwards, of whom 9 were octogenarians, and one (a female) was stated to have been aged 90 years.

Ninety-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the N. Dublin Union Workhouse and 31 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 28·8 per 1,000; the rate in the City was 31·6 (North City Districts, 30·1; South, 33·3), and in the Suburbs, 18·9 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·4 (1·0 in the North City Districts, and 1·8 in the South) and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000, and include one death from broncho-pneumonia, 3 deaths from tuberculous disease, and one death from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (29) are equal to an annual rate of 38·6 per 1,000. Among them are one death each from lobar-pneumonia and broncho-pneumonia, 2 deaths from *pneumonia* (not defined), and 4 deaths each from tuberculous disease of the lungs and bronchitis. There were 3 deaths caused by accidental scalds.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·4 per 1,000. One of the deaths was from influenza, one from whooping-cough, and one from *diarrhœa*; there were 2 deaths caused by *pneumonia* (not defined), one death by tuberculous meningitis, and one by accidental scalds.

No. 3 North City District (Benburb-street).—The deaths (19) represent an annual rate of 31·3 per 1,000. Of the deaths, 2 were from influenza, one was from diphtheria, 2 were from broncho-pneumonia, 3 from *phthisis*, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 31·2; and Finglas and Glasnevin, part of, 7·8. Of the 3 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from tuberculous phthisis; among the 6 deaths from all causes for Coolock and Drumcondra, No. 1, part of, was one from *phthisis*; the only death recorded for Finglas and Glasnevin, part of, was one from *phthisis*.

No. 1 South City District (South Earl-street).—The deaths (33) represent an annual rate of 44·8 per 1,000. There were 2 deaths from measles, one each from broncho-pneumonia and *pneumonia* (not defined), 6 deaths from tuberculous disease, and 6 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 34·2 per 1,000, and include one death from diphtheria, 3 deaths from tuberculous disease of the lungs, and 2 deaths from bronchitis.

No. 3 South City District (Peter-street).—The deaths (21) are equal to an annual rate of 29·8 per 1,000. Among them are one death each from *diarrhœa* and croupous pneumonia, 2 deaths from broncho-pneumonia, 6 from tuberculous disease, and 2 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 28·2 per 1,000. One death each was caused by croupous pneumonia and *pneumonia* (not defined), 2 deaths by broncho-pneumonia, and 4 by tuberculous disease.

New Kilmainham District.—The deaths (3) which are equal to an annual rate of 17·6 per 1,000, consist of one death from enteric fever and 2 deaths from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8; Pembroke, 20·0; Blackrock, 23·8; and Kingstown, 14·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Rathmines and Rathgar. Among the 12 deaths from all causes for Rathmines and Rathgar are one death from influenza, one death from *pneumonia* (not defined), and 5 deaths from diseases of the heart and blood vessels. Of the 10 deaths from all causes for Pembroke there was one each from *pneumonia* (not defined) and tuberculous phthisis, and there were 2 from broncho-pneumonia and one from bronchitis; and the 4 deaths from all causes for Blackrock include one each from *pneumonia* (not defined) and bronchitis, and one death caused accidentally.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 22nd December, 1906, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 1,	.	—	—	4	.	.	3	.	6	10	10	.	—	—	—	—	—	33
	Dec. 8,	.	—	—	5	.	.	4	.	3	7	7	.	—	—	—	—	—	26
	Dec. 15,	.	—	—	3	1	.	13	.	1	6	10	.	—	—	—	—	—	34
	Dec. 22,	.	—	—	7	.	.	2	.	.	10	15	1	—	—	—	—	—	35
Rathmines and Rathgar Urban District.	Dec. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 8,	.	—	—	4	.	.	.	.	.	1	.	.	—	—	—	—	—	5
	Dec. 15,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	3
	Dec. 22,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	3
Pembroke Urban District.	Dec. 1,	.	.	.	.	.	.	1	.	.	.	1	.	—	.	.	—	—	2
	Dec. 8,	.	2	.	.	.	.	1	.	.	1	.	.	—	.	.	—	—	4
	Dec. 15,	.	4	.	.	.	.	.	.	.	1	1	.	—	2	.	—	—	8
	Dec. 22,	.	.	.	.	.	.	.	.	.	.	.	.	—	4	.	—	—	4
Blackrock Urban District.	Dec. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 8,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2
	Dec. 15,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	4
	Dec. 22,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	—	—	—	5
Kingstown Urban District.	Dec. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 8,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	2
	Dec. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 22,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
City of Belfast.	Dec. 1,	.	—	—	21	.	.	10	1	4	6	10	.	—	—	—	—	—	52
	Dec. 8,	.	—	—	19	.	.	9	1	4	4	10	.	—	—	—	—	—	47
	Dec. 15,	.	—	—	17	.	.	6	1	4	2	9	1	—	—	—	—	—	40
	Dec. 22,	.	—	—	25	.	.	5	.	1	4	7	1	—	—	—	—	—	43

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd December, 1906.

From this it appears that :—

Six cases of measles were admitted into hospital during the week, 19 were discharged, there were 2 deaths, and 28 cases remained under treatment at its close.

Ten cases of scarlet fever were admitted to hospital, 17 were discharged, there was one death, and 78* cases remained under treatment at the close of the week.

One case of typhus remained under treatment at the close of the week.

One case of diphtheria was admitted to hospital, 3 cases were discharged, there was one death, and 22 patients remained under treatment at the close of the week.

Seven cases of enteric fever were admitted to hospital, 9 were discharged, and 36 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 6 were discharged, there were 3 deaths, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 20·7), was equal to an average annual death-rate of 19·1 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 19·9 per 1,000, the rate for Glasgow being 20·6 and for Edinburgh 17·9.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd December. From this Report it appears that of a total of 53 cases notified 27 were scarlet fever, 16 diphtheria, 7 erysipelas, and 3 enteric fever. Among the 320 cases of infectious diseases in hospital at the close of the week were 124 cases of scarlet fever, 66 of diphtheria, 46 of measles, 20 of erysipelas, 18 of enteric fever and 3 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the Week ending Saturday, 22nd December, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Persons to an Acre.	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 22nd December, 1906. Numbers Registered. Births. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Deaths. Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e Week ending 22nd December, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th December, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th December, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	24·6	22·8	1·1	519	481	93	132	.	5	1	.	5	3	.	3	7	36	62	15	33	72	9	18	156	23	°	°	°	.	°	°	°	.	°	°	°	.
Dublin Registration Area:—Total, d.	378,994	27·5	26·0	28·8	1·2	189	209	39	65	.	2	.	.	2	2	.	1	2	23	27	7	16	24	5	8	87	8	f53·2	33·1	45·5	0·00	f49·0	26·0	37·3	1·10	f54·0	27·9	44·3	0·49
City of Dublin,	293,385	37·1	26·5	31·6	1·4	149	178	36	47	.	2	.	.	1	2	.	1	2	18	26	7	13	21	4	7	82	6	g54·8 h53·9	38·4 34·0	47·9 46·4	0·00 0·00	g49·7 h48·5	31·5 29·0	39·4 37·8	0·92 1·04	g55·9 h53·9	32·8 30·0	46·9 45·4	0·36 0·41
Urban Dists. Rathmines and Rathgar.	38,208	19·4	29·8	18·8	1·6	19	12	1	7	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	16·0	20·0	.	8	10	1	5	.	.	.	.	.	.	.	.	.	3	1	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	23·8	23·8	.	4	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	26·6	14·8	.	9	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2	56	36·5	47·8	0·00	54	33·5	40·5	1·38	56	35·5	46·3	0·31
Urban Districts.																																							
Belfast,	366,220	24·9	25·3	18·1	1·0	178	127	25	32	.	2	1	.	1	1	.	1	1	6	14	5	8	24	2	5	38	1	53·8	33·5	45·6	0·94	49·0	30·8	38·4	0·86	54·5	33·0	44·3	1·52
Cork,	76,122	33·6	20·5	24·0	2·1	30	35	10	6	.	.	.	.	1	.	.	.	2	1	4	1	2	9	.	.	13	1	53	41	47·2	0·04	54	35	43·2	1·02	57	36	47·5	0·15
Londonderry,	42,067	19·4	12·4	18·6	.	10	15	3	3	.	.	.	.	.	.	.	.	.	1	1	.	2	4	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	10·9	20·5	1·4	8	15	7	1	.	.	.	.	.	.	.	.	1	.	2	1	.	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	13·6	29·2	1·9	7	15	1	3	.	.	.	.	1	.	.	.	.	1	4	.	2	2	1	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	27·2	19·4	.	7	5	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	1	2	56	38	48	0·16	50	32	41	1·65	53	34	49·5	0·69
Dundalk,	18,076	3·4	8·0	27·9	4·0	2	7	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	12·3	16·3	.	3	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	25·2	21·0	.	6	5	1	3	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	52·8	35·3	45·6	0·00	48·3	30·5	37·2	0·78	53·9	33·6	44·4	0·94
Lurgan,	11,782	13·8	53·1	13·3	.	12	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	52·8	35·3	45·6	0·00	48·3	30·5	37·2	0·78	53·9	33·6	44·4	0·94
Lisburn,	11,461	10·1	40·9	22·7	.	9	5	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	52·8	35·3	45·6	0·00	48·3	30·5	37·2	0·78	53·9	33·6	44·4	0·94
Wexford,	11,168	28·2	32·7	23·3	4·7	7	5	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	33·5	33·5	4·8	7	7	2	2	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	8·7	4·8	9·6	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	54·4	30·6	45·2	0·04	49·7	32·5	38·5	1·68	56·0	27·8	45·1	1·02
Kilkenny,	10,609	11·5	59·0	24·6	.	12	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	54	28	41·6	0·00	53	28	37·1	1·78	54	26	43·1	0·31
Clonmel,	10,167	7·8	15·4	20·5	.	3	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	25·8	10·3	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	52·8	35·5	45·6	0·00	48·3	30·5	37·2	0·78	53·9	33·6	44·4	0·94
Tralee,	9,867	16·6	5·3	15·9	.	1	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	74·4	17·2	.	13	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	55	39	46·6	0·00	53	33	39·2	1·47	54	34	44·8	0·71
Queenstown,	7,909	14·4	26·4	13·2	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	53	41	47·2	0·04	54	35	43·2	1·02	57	36	47·5	0·15
Armagh,	7,588	22·2	34·4	20·6	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	52·8	35·3	45·6	0·00	48·3	30·5	37·2	0·78	53·9	33·6	44·4	0·94

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 8 deaths of persons (including one at 64 years), admitted to hospital from localities outside the Area.

e Observations at Ordnance Survey Office, Phœnix Park. f Observations by Sir John Moore taken at Fitzwilliam Square. g Observations by Mr. E. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 22nd December, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Diphtheria,	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.
*Pyrexia** (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
Diarrhœal Diseases,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Pneumonia,	1	4	2	2	.	.	.	2	.	3	4	.	1	3	1	.	23	.
Tuberculous Disease. Phthisis,	2	4	.	3	1	1	1	4	3	5	2	.	.	1	.	.	27	.
Tuberculous Disease. Other Forms.	1	.	1	.	.	.	.	2	.	1	2	.	.	.	.	.	7	2
Cancer, Malignant Disease,	1	2	3	1	1	1	.	2	.	.	2	.	.	1	.	2	16	1
Other General Diseases	.	2	1	2	.	1	.	1	1	1	1	.	1	.	.	.	11	.
Total,	5	12	9	9	2	3	1	13	5	11	11	1	3	5	1	2	93	4
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	4	2	2	.	.	.	3	.	3	1	.	2	1	.	.	19	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	1	3	5	.	2	.	7	2	3	2	.	5	2	1	1	35	.
Respiratory System,	1	4	.	1	.	.	.	7	2	3	1	2	.	1	1	1	24	1
Digestive System,	1	3	1	2	1	1	.	1	1	1	1	.	1	1	.	.	15	1
Lymphatic System &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Urinary System,	1	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	4	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	12	6	10	1	3	.	18	7	10	6	2	8	5	2	2	98	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	1	2	1	.	.	.	.	2	.	3	2	.	1	.	.	1	13	.
E. VIOLENT DEATHS,	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	5	.
Deaths from all Causes,	12	29	17	19	3	6	1	33	12	24	19	3	12	10	4	5	209	8
Annual Rate of Mortality from all causes in every 1,000 of the population	22·1	38·6	29·4	31·3	32·5	31·2	7·8	44·8	34·2	29·8	23·2	17·6	18·8	20·0	23·8	14·8	28 8	.
	30·1							33·3					18·9					
	31·6																	
Ages at Death. Under 1 year,	2	6	6	4	.	.	.	6	1	10	1	.	1	1	.	1	39	.
1 and under 5 years,	1	5	2	4	.	.	.	2	3	1	3	1	1	2	.	.	25	.
5 " 20 "	2	3	1	.	1	2	1	2	.	.	1	.	1	.	1	.	15	2
20 " 40 "	1	2	2	2	1	2	.	5	3	3	3	.	1	1	.	.	26	2
40 " 60 "	4	7	2	6	.	1	.	6	2	6	2	.	1	1	.	1	39	3
60 and upwards,	2	6	4	3	1	1	.	12	3	4	9	2	7	5	3	3	65	1
Number of Uncertified Deaths,	.	3	.	1	.	.	.	1	.	.	1	.	.	.	.	2	8	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	8	6	7	1	1	1	5	3	5	3	.	1	.	1	.	42	6
Workhouse Hospitals,	4	6	2	3	.	1	.	13	3	6	4	.	1	2	.	.	45	2

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register in the week of the ten years, 18-19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 51st Week of the 10 years 1896-1905.	In the Week ending Saturday 22nd December, 190						
												Deaths of Persons of the						
												ALL AGES.	0 to 5.					
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	60 and under 80.
	Dec. 19, 1896.	Dec. 25, 1897.	Dec. 24, 1898.	Dec. 23, 1899.	Dec. 22, 1900.	Dec. 21, 1901.	Dec. 20, 1902.	Dec. 26, 1903.	Dec. 24, 1904.	Dec. 23, 1905.								
Mean Temperature.	° 33·8	° 41·7	° 42·5	° 40·5	—	° 33·5	° 46·7	° 39·7	° 38·2	° 46·1	° 40·3‡	° 45·5						
ALL CAUSES.	183	146	169	285	175	196	235	153	184	171	189·7	217	11	28	25	17	28	56
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	.	.	.	24	.	.	9	1	10	.	4·4	2	.	1	1	.	.	.
Scarlet Fever, ...	5	3	2	1	1	2	1	1	.	1	1·7	.	.	.	.	.	.	.
Typhus, ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	2	2	8	1	1	1	1	.	.	1·7	5	.	1	2	.	.	1
Whooping-cough, ...	12	.	4	2	6	4	3	3	.	1	3·5	2	.	.	2	.	.	.
Diphtheria, ...	1	1	.	3	1	3	.	.	.	.	·9	2	.	.	2	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.
Enteric Fever, ...	2	5	1	3	3	4	3	2	1	4	2·8	2	.	.	1	.	1	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	.	4	3	5	4	2	1	.	1	.	2·2	.	.	.	.	.	.	.
Diarrhœa, Dysentery,							2	.	.	1		2	1	.	.	.	.	1
Tetanus, ...	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	1	1	.	.	.	3	.	1	·6	1	.	.	.	1	.	.
Puerperal Septicæmia,	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.	.	.
Puerperal Fever, ...							.	.	.	.		1	.	.	.	1	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	13	10	5	24	6	8	.	.	.	2	11·5	3	1	.	.	.	1	.
Pneumonia, Broncho-							7	4	9	5		11	.	2	3	.	.	3
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.	.	.
Pneumonia, Not defined,							6	5	7	4		9	.	1	3	1	1	.
Erysipelas, ...	1	1	1	.	.	1	.	.	.	2	·6	.	.	.	.	.	.	.
Septicæmia (not Puerperal)	1	1	.	.	1	.	.	.	.	1	·5	.	.	.	.	.	.	.
Pyæmia (not Puerperal),							.	1	.	.		.	.	.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.
Tuberculous Phthisis,	13	15	15	30	26	24	3	8	6	10	22·3	18	.	.	1	3	9	5
"*Phthisis*," ...							25	23	8	17		9	.	.	.	2	4	3
Tuberculous Meningitis, ...	1	3	6	3	2	5	2	3	.	1	2·6	2	.	.	1	1	.	.
Tuberculous Peritonitis,	4	.	7	9	3	2	1	.	1	.	2·7	2	.	.	.	.	2	.
Tabes Mesenterica, ...							.	.	.	.		.	.	.	.	.	.	.
Tuberculous Dis. (other),	6	4	5	4	6	3	8	6	8	2	5·3	5	.	2	1	1	.	1
Scrofula, ...							.	.	.	1		.	.	.	.	.	.	.
Alcoholism, ...	1	1	.	.	.	1	.	.	1	1	·5	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	2	.	1	.	.	.	.	·3	.	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carcinoma, ...	6	12	4	7	10	7	4	2	3	1	7·4	3	.	.	.	.	1	1
Sarcoma, ...							.	.	.	1		.	.	.	.	.	.	.
Cancer (undefined),							6	6	2	3		14	.	.	.	.	.	6
Diabetes Mellitus, ..	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.
Premature Birth, ...	3	2	5	2	2	7	2	2	6	7	3·8	3	2	1	.	.	.	.

‡ For nine years only.

* The figures for the years 1896-1900 are

† Formerly describe

-FIRST WEEK ending Saturday, 22nd December, 1906, with the deaths from each cause in the corresponding
he average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Dec. 19, 1896.	Dec. 25, 1897.	Dec. 24, 1898.	Dec. 23, 1899.	Dec. 22, 1900.	Dec. 21, 1901.	Dec. 20, 1902.	Dec. 26, 1903.	Dec. 24, 1904.	Dec. 23, 1905.	Averages in 51st Week of the 10 years 1896–1905.	In the Week ending Saturday, 22nd December, 1906. Deaths of Persons of the Ages of: ALL AGES.	0 to 5: Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 33·8	° 41·7	° 42·5	° 40·5	–	° 33·5	° 46·7	° 39·7	° 38·2	° 46·1	° 40·3‡	Mean Temp. ° 45·5								
ningitis (not tuberc.) ...							5	1	2	4		1	.	1	.	.	.	.	.	.
anity, G. P. of Insane ...							2	1	3	2		1	.	.	.	.	.	.	1	.
ilepsy							3	1	1	.		.	.	.	.	.	.	.	.	.
vulsions							9	10	9	6		9	1	8	.	.	.	.	.	.
omotor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
aplegia Dis. of Cord ...							1	2	.	1		.	.	.	.	.	.	.	.	.
rvous System (other is.)	33	29	43	54	40	42	5	1	3	4	43·3	8	.	1	.	.	1	2	1	3
lv. Dis., Endocarditis ...							3	3	9	2		9	.	.	.	2	2	2	2	1
ebr. Hæm. Thromb. ...							2	1	4	3		1	.	.	.	1	.	.	.	.
oplexy, Hemiplegia ...							9	4	10	1		10	.	.	.	.	.	3	6	1
eurysm							1	1	.	1		.	.	.	.	.	.	.	.	.
bolism, Thromb. (not erebral)							.	1	.	.		.	.	.	.	.	.	.	.	.
art and Blood Vessel Dis.							14	9	19	19		15	.	.	.	.	1	2	7	5
oup (not Spasm. nor Memb.)	.	.	2	2	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
onchitis	38	20	24	44	27	24	40	16	26	24	28·3	22	.	3	2	1	.	5	11	.
hma, Emphysema ...							1	.	2	.		.	.	.	.	.	.	.	.	.
urisy	3	.	1	3	2	.	1	.	1	.	2·0	1	.	.	.	.	1	.	.	.
spiratory Dis. (other) ...							3	.	2	1		2	1	.	.	.	.	.	1	.
nsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
teritis (not Epid.) ...							1	1	2	3	1·0	1	.	.	1	.	.	.	.	.
stro Enteritis	.	.	.	.	.	.	.	.	1	2		2	.	2	.	.	.	.	.	.
itonitis (not Puerp.) ...	.	1	1	.	2	1	.	.	1	.	·6	3	.	.	.	1	1	1	.	.
rhosis of Liver ...							1	.	.	.	2·2	2	.	.	.	.	.	2	.	.
er Dis. (other) ...	2	3	2	2	6	.	2	1	1	2		.	.	.	.	.	.	.	.	.
gestive Dis. (other) ...	4	2	3	8	1	10	5	3	2	4	4·2	8	1	1	.	1	2	2	1	.
phritis, Acute ...							1	.	.	2		1	.	.	.	1	.	.	.	.
ght's Dis., Albuminuria	3	2	2	5	2	9	4	8	3	5	5·3	2	.	.	.	.	.	.	2	.
inary Sys. (Other Dis.)							2	1	2	2		2	.	.	.	.	.	1	1	.
nerative Organs Dis. ...	1	1	.	.	1	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of) ...	2	.	.	1	.	1	.	.	.	1	·5	1	.	.	.	.	1	.	.	.
l Age	8	10	8	21	3	8	8	3	4	3	7·6	2	.	.	.	.	.	.	2	.
her Diseases	14	10	15	14	12	12	20	11	7	7	12·2	13	4	4	1	.	.	1	3	.
ACCIDENT.																				
Railways	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	.	2	1	.	.	1	.	2	1	·7	1	.	.	.	.	.	.	1	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	2	1	1	.	3	4	2	1	1	2	1·7	4	.	.	4	.	.	.	.	.
Drowning	1	1	1	.	.	3	.	1	.	.	·7	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
her Deaths by Accidents	1	2	2	1	1	3	3	.	2	1	1·6	.	.	.	.	.	.	.	.	.
IOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
icide	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.
nple Continued Fever."

‡ For nine years only.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1906—Week ending																										
	June 30.	July 7.	July 14	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.
No. of weeks in Annual Series.	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Births registered,	238	189	230	199	223	235	186	226	230	180	268	209	225	321	146	186	240	178	231	198	182	186	289	189	198	189
*Average Births in corresponding week of previous 10 years,**	229	202	193	199	207	202	208	217	195	215	203	212	195	233	188	184	201	200	199	194	199	183	193	195	190	164
Deaths registered,	125	130	140	156	149	125	130	151	167	166	184	220	201	184	198	175	166	170	204	192	191	182	179	169	171	217
Annual Death-rate per 1,000,	17·2	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7	25·3	27·2	24·1	22·8	23·4	28·1	26·4	26·3	25·0	24·6	23·3	23·5	29·9
*Average Deaths in corresponding week of previous 10 years,**	140	145	146	151	153	166	169	163	170	164	169	160	173	164	157	168	173	176	171	177	186	193	196	188	187	190
Ages, Under 5 years,	17	35	35	38	48	40	50	48	63	59	88	98	85	76	71	50	58	50	61	52	61	49	54	54	60	64
5—20 "	16	14	10	17	11	8	6	9	10	12	8	9	13	8	9	7	6	13	15	10	12	13	21	8	6	17
20—40 "	36	21	24	25	27	20	19	22	27	20	27	24	26	25	22	27	34	34	30	36	33	30	18	24	26	28
40—60 "	28	32	37	28	35	20	28	27	32	40	33	39	30	29	38	41	34	25	43	42	38	31	36	42	42	42
60—80 "	22	21	32	43	27	32	24	43	28	29	28	41	39	37	51	45	34	38	42	45	39	49	41	34	34	56
80 years and upwards,	6	7	2	5	6	5	3	2	7	6	5	9	8	9	7	5	5	10	13	7	8	10	9	7	3	10
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	2	2	.	2	1	.	.	.	.	1	.	.	1	.	2	2	6	9	9	3	2	.	2
Scarlet Fever	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	1	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Whooping-cough	1	4	6	3	2	2	3	1	.	.	1	1	1	5	1	2	2	2	3	2	1	2	3	5	4	2
Diphtheria,	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	1	2	.	1	1	.	1	2	.	5	2
Pyrexia † (origin uncertain),	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	.	1	1	.	1	1	.	.	2	2	.	2	1	.	4	4	2	1	1	1	1	3	.	.	2
Diarrhœal Diseases,	2	.	3	3	10	11	10	29	27	28	49	40	34	31	31	12	12	8	7	2	3	6	4	2	4	2
Pneumonia,	4	4	9	12	13	4	5	4	8	5	4	9	7	12	10	16	17	13	10	8	12	18	11	13	15	23
Tuberculous Disease. Phthisis,	21	26	21	23	19	21	18	21	21	18	21	20	26	19	23	16	21	17	21	31	19	27	13	22	15	27
Tuberculous Disease. Other Forms,	9	11	7	11	13	4	7	9	8	9	9	11	12	14	8	7	5	13	17	9	5	7	12	13	5	9
Cancer, Malignant Disease,	12	7	4	14	9	8	4	12	11	10	7	11	6	6	13	9	7	10	10	11	13	5	9	7	7	17
Diseases of Heart and Blood Vessels,	14	15	26	27	19	19	17	20	12	22	21	28	25	18	24	25	24	26	33	32	27	22	23	30	33	35
Diseases of Respiratory System,	5	21	10	11	13	14	10	11	10	4	8	16	10	14	23	20	15	19	33	19	34	30	29	21	25	25
Violent Deaths,	3	4	2	3	4	2	3	2	8	7	5	2	5	5	4	6	4	7	1	3	9	3	3	1	3	5
Number of Uncertified Deaths,	4	3	2	5	4	3	5	1	2	1	1	7	9	4	4	7	5	7	6	9	3	5	6	7	12	8
Mean Temperature of the Air (Phœnix Park),	56·6	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9	50·4	53·3	52·5	45·5	51·2	40·6	43·8	42·9	47·7	49·1	44·3	37·3	45·5
Average Mean Temperature in corresponding week of previous 10 years	58·4	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·9‡	52·5	51·0	48·8	47·9	46·8	47·3	46·0	43·7	41·7	42·3	43·4	42·3	40·3‡
Rainfall in inches,	·450	·390	235	·885	·220	·452	·320	·415	·695	·000	·285	280	·000	·000	·800	1·125	·210	·707	·545	·820	·475	·155	·330	·485	1·100	·000
Mean Humidity of the Air, complete Saturation, 1·0,	·79	·84	·80	·82	·84	·80	·83	·79	·86	·86	·84	·82	·90	·87	·92	·87	·85	·88	·91	·86	·87	·85	·89	·83	·90	·86

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday 22nd December, 1906; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND DECEMBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS,	375,350	30·1	217	64	17	28	42	56	10	.	2	.	.	2	2	.	2	2	10	23	27	9	17	9	25	5	92	8
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	15·0	5	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.
II.	MIDDLE CLASS,	87,188	22·1	37	7	5	3	4	14	4	.	.	.	.	.	.	.	1	.	1	6	3	.	5	.	1	.	21	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	19·8	42	11	2	8	8	13	.	.	1	.	.	.	1	.	.	1	3	5	7	1	1	1	5	2	17	1
IV.	GENERAL SERVICE CLASS,	154,279	43·3	86	42	9	9	9	17	.	.	1	.	.	2	1	.	1	.	5	12	8	5	4	8	13	3	28	6
V.	INMATES OF WORKHOUSES,	6,024		47	4	1	8	21	9	4	.	.	.	.	.	.	.	.	1	1	.	9	3	5	.	6	.	23	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class.	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	26·1	11	2	2	.	1	4	2	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	.	.	5	.
	6. Clerks and Commercial Assistants,	30,482	15·4	9	3	1	2	1	2	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	1	.	5	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	30·9	16	2	2	1	2	8	1	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	.	.	10	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	37·0	7	3	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	4	.
	9. Building and Furnishing Trades,	29,801	12·2	7	3	1	.	2	1	.	.	1	.	.	.	.	.	.	1	2	1	.	.	1	.	1	.	2	.
	10. Clothing Trades,	23,260	20·2	9	2	1	3	.	3	.	.	.	.	.	.	.	.	.	.	.	2	4	.	.	.	1	1	3	.
	11. Food Supply Trades,	9,242	33·9	6	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	3	.
	12. Other Trades and Callings ranking with Trades,	30,352	20·6	12	2	.	3	4	3	.	.	.	.	.	.	1	.	.	.	1	.	1	1	.	.	1	1	7	1
	13. Petty Shopkeepers,	7,894	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	11·7	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
	15. Domestic Servants,	36,603	12·8	9	.	3	1	.	5	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	2	.	3	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	36·2	10	7	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	2	.	4	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	37·1	64	35	6	6	8	9	.	.	1	.	.	2	1	.	1	.	5	8	6	4	3	7	8	3	20	4
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates.	6,024	.	47	4	1	8	21	9	4	.	.	.	.	.	.	.	.	1	1	.	9	3	5	.	6	.	23	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* similar Statistics for each of the

DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
City of Dublin (part of).	Cols. (1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	15	(16)	(17)	(18)	(19)	(2
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	Nov. 3,	14·7	.	8	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	
	„ 10,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	
	„ 17,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	
	„ 24,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	
	Dec. 1,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	.	1	1	.	2	1	
	„ 8,	29·4	.	16	.	.	.	.	.	.	.	.	.	1	4	1	.	2	.	
	„ 15,	22·1	1·8	12	.	.	.	.	.	1	.	.	.	2	1	.	.	1	.	
	„ 22,	22·1	.	12	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.	
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 89,146.	Nov. 3,	28·0	5·3	21	.	.	.	.	2	1	.	1	.	.	4	3	.	3	.	
	„ 10,	28·0	1·3	21	.	.	.	.	.	.	.	.	1	1	2	1	1	4	.	
	„ 17,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	.	1	.	1	5	1	
	„ 24,	26·6	5·3	20	.	.	.	.	.	.	.	1	3	2	3	.	.	2	1	
	Dec. 1,	18·6	4·0	14	.	.	.	.	.	1	.	1	1	.	1	2	1	1	.	
	„ 8,	34·6	2·7	26	.	.	.	.	.	.	.	.	2	2	3	1	.	5	.	
	„ 15,	29·3	1·3	22	.	.	.	.	.	.	.	.	1	2	1	1	.	5	.	
	„ 22,	38·6	.	29	.	.	.	.	.	.	.	.	.	4	4	.	2	4	3	
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 Est.) 80,107.	Nov. 3,	31·2	1·7	18	.	1	.	.	.	.	.	.	.	3	1	1	1	1	.	
	„ 10,	20·8	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1	
	„ 17,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	
	„ 24,	31·2	1·7	18	.	.	.	.	1	.	.	.	.	1	2	1	1	3	.	
	Dec. 1,	26·0	3·5	15	.	.	.	.	.	.	.	1	1	3	1	.	.	2	.	
	„ 8,	24·2	1·7	14	.	.	.	.	1	.	.	.	.	2	1	1	1	2	.	
	„ 15,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	3	.	1	.	.	1	
	„ 22,	29·4	3·5	17	.	.	.	.	1	.	.	.	1	2	.	1	3	.	1	
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 81,678.	Nov. 3,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	
	„ 10,	24·7	1·6	15	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	
	„ 17,	26·3	.	16	.	.	.	.	.	.	.	.	.	2	2	.	3	3	.	
	„ 24,	26·3	.	16	.	.	.	.	.	.	.	.	.	2	3	.	2	2	.	
	Dec. 1,	32·9	1·6	20	.	.	.	.	.	.	.	.	.	3	2	2	1	2	1	
	„ 8,	32·9	1·6	20	.	.	.	.	1	.	.	.	.	1	3	3	.	3	.	
	„ 15,	13·2	1·6	8	.	.	.	.	1	.	.	.	.	2	2	.	.	1	.	
	„ 22,	31·3	1·6	19	.	.	.	.	.	1	.	.	.	2	3	.	1	1	.	
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 88,884.	Nov. 3,	36·7	5·4	27	.	1	.	.	1	.	.	.	2	2	4	1	1	5	.	
	„ 10,	44·8	10·9	33	.	6	.	.	.	1	.	.	1	2	5	2	.	3	.	
	„ 17,	39·4	13·6	29	.	8	.	.	1	.	.	.	1	3	2	2	1	4	.	
	„ 24,	51·6	12·2	38	.	9	.	.	.	.	.	.	.	5	5	1	.	8	.	
	Dec. 1,	39·4	6·8	29	.	3	.	.	1	1	.	.	.	1	1	1	1	5	.	
	„ 8,	17·7	4·1	13	.	2	.	.	1	.	.	.	.	.	2	1	1	1	1	
	„ 15,	38·0	5·4	28	.	.	.	.	2	1	.	.	1	2	3	1	.	6	1	
	„ 22,	44·8	2·7	33	.	2	.	.	.	.	.	.	.	2	4	2	2	7	.	
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Nov. 3,	31·4	.	11	.	.	.	.	.	.	.	.	.	1	.	3	.	5	.	
	„ 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	
	„ 17,	39·9	.	14	.	.	.	.	.	.	.	.	.	.	2	1	.	5	.	
	„ 24,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	
	Dec. 1,	22·8	2·9	8	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	
	„ 8,	20·0	.	7	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	
	„ 15,	25·7	2·9	9	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	
	„ 22,	34·2	2·9	12	.	.	.	.	.	1	.	.	.	.	3	.	.	2	.	
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Nov. 3,	39·8	3·7	32	.	.	.	.	.	.	.	.	3	.	4	1	2	8	1	
	„ 10,	18·6	2·5	15	.	.	.	.	1	.	.	1	.	.	.	1	4	2	.	
	„ 17,	33·6	1·2	27	.	1	.	.	.	.	.	.	.	1	5	1	3	7	1	
	„ 24,	24·9	2·5	20	.	.	.	.	1	.	.	.	1	1	2	1	.	5	.	
	Dec. 1,	28·6	.	23	.	.	.	.	.	.	.	.	.	1	.	3	2	6	.	
	„ 8,	24·9	.	20	.	.	.	.	.	.	.	.	.	1	2	2	.	4	.	
	„ 15,	23·6	.	19	.	.	.	.	.	.	.	.	.	.	1	.	1	5	.	
	„ 22,	29·8	1·2	24	.	.	.	.	.	.	.	.	1	3	5	1	.	3	.	
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1906 (Est.) 35,188.	Nov. 3,	34·1	.	23	.	.	.	.	.	.	.	.	.	1	4	3	.	2	.	
	„ 10,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	2	1	1	2	.	
	„ 17,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	1	.	1	1	2	
	„ 24,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	6	1	.	1	.	
	Dec. 1,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	.	.	1	4	.	
	„ 8,	23·7	.	16	.	.	.	.	.	.	.	.	.	1	3	.	3	1	.	
	„ 15,	22·3	1·5	15	.	.	.	.	.	1	.	.	.	1	.	2	.	3	.	
	„ 22,	26·2	.	19	.	.	.	.	.	.	.	.	.	4	2	2	2	1	.	

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of opulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ublic Institutions being assigned to the Districts from which the deceased were admitted;* also, rovincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 38,208.	Nov. 3,	25·1	3·1	16	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.
	„ 10,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	1
	„ 17,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	„ 24,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	2	1	.	.	2	.	1
	Dec. 1,	18·8	3·1	12	.	.	.	.	1	.	.	.	1	1	1	.	2	1	.	.
	„ 8,	17·3	3·1	11	.	.	.	.	2	.	.	.	.	.	2	1	.	.	.	1
	„ 15,	9·4	.	6	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.
	„ 22,	18·8	1·6	12	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Nov. 3,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.
	„ 10,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 17,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	„ 24,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	Dec. 1,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	„ 8,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
	„ 15,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.
	„ 22,	20·0	.	10	.	.	.	.	.	.	.	.	.	3	1	.	1	1	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Nov. 3,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	„ 10,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	.
	„ 24,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.
	„ 8,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	„ 15,	29·6	3·0	10	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	2
	„ 22,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	2
Belfast. Pop. in 1906 (Est.) 376,220.	Nov. 3,	17·4	2·1	122	.	.	.	.	3	1	.	1	10	13	13	7	3	15	1	3
	„ 10,	18·7	2·0	131	.	2	1	.	3	2	.	1	5	11	12	7	3	27	4	4
	„ 17,	20·6	1·1	145	.	1	.	.	3	.	.	.	4	12	20	10	3	22	6	5
	„ 24,	17·8	1·4	125	.	1	1	.	4	1	.	.	3	13	16	7	2	24	1	1
	Dec. 1,	18·2	1·7	128	.	1	1	1	2	.	.	3	4	12	14	10	4	21	2	2
	„ 8,	19·8	2·7	139	.	5	1	.	1	3	.	6	3	10	13	11	3	23	2	.
	„ 15,	16·8	1·0	118	.	.	.	.	2	1	.	.	4	6	15	9	3	21	1	1
	„ 22,	18·1	1·0	127	.	2	1	.	1	1	.	1	1	6	14	5	8	24	2	1
Cork. Pop. (in 1901) 76,122.	Nov. 3,	15·8	0·7	21	.	.	.	.	.	.	.	.	1	1	2	3	.	2	.	2
	„ 10,	14·4	2·7	39	.	.	.	.	1	.	.	.	3	2	8	1	4	7	.	1
	„ 17,	26·7	2·7	38	.	.	.	.	1	.	.	.	3	4	8	.	1	4	.	5
	„ 24,	30·8	4·1	45	.	.	.	.	1	1	.	1	3	1	5	2	2	6	.	4
	Dec. 1,	19·2	.	28	.	.	.	.	.	.	.	.	.	4	3	.	1	4	1	4
	„ 8,	19·9	2·1	29	.	.	.	.	.	2	1	.	.	5	3	1	1	1	.	1
	„ 15,	21·2	2·1	31	.	.	.	.	2	.	.	.	1	2	4	.	.	4	.	2
	„ 22,	24·0	2·1	35	.	.	.	.	1	.	.	.	2	1	4	1	2	9	.	1
Londonderry. Pop. in 1906 (Est.) 42,067.	Nov. 3,	26·0	8·7	21	.	.	.	.	.	.	.	.	7	.	3	1	1	.	.	1
	„ 10,	17·4	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	4	.	.
	„ 17,	17·4	1·2	14	.	.	.	.	.	.	.	1	.	.	3	.	1	3	.	1
	„ 24,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	1
	Dec. 1,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	2	1	.	6	.	1
	„ 8,	19·8	1·2	16	.	.	1	.	.	.	.	.	.	3	3	1	.	1	.	2
	„ 15,	14·9	.	12	.	.	.	.	.	.	.	.	.	.	.	1	.	4	1	2
	„ 22,	18·6	.	15	.	.	.	.	.	.	.	.	.	1	1	.	2	4	1	3
Limerick. Pop. (in 1901) 38,151.	Nov. 3,	20·5	5·5	15	.	.	.	.	.	1	.	2	1	1	1	.	2	.	.	3
	„ 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	.	1	.	5
	„ 17,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	„ 24,	26·0	.	19	.	.	.	.	.	.	.	.	.	2	3	1	.	3	.	2
	Dec. 1,	21·9	1·4	16	.	.	.	.	.	.	.	1	.	1	2	1	1	2	.	2
	„ 8,	24·6	.	18	.	.	.	.	.	.	.	.	.	1	1	1	.	6	.	5
	„ 15,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	4	.	3
	„ 22,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	.	2	1	.	1	.	2
Waterford. Pop. (in 1901) 26,769.	Nov. 3,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
	„ 10,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	1
	„ 17,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 24,	29·2	7·8	15	.	.	4	.	.	.	.	.	.	1	1	1	.	1	.	.
	Dec. 1,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.
	„ 8,	15·6	1·9	8	.	.	.	.	1	.	.	.	.	.	1	.	.	5	.	.
	„ 15,	33·1	5·8	17	.	.	1	.	.	.	.	.	2	.	1	.	.	2	1	.
	„ 22,	29·2	1·9	15	.	.	.	.	1	.	.	.	.	1	4	.	2	2	1	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd December, 1906, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyæmia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,734	9	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		8	1	.	1	1	2	3	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	2	.
Do. 2 ,, .	47,959	19			12	1	.	1	5	2	3	.	.	.	.	.	.	.	.	.	.	2	.	.	5	.	.	2	.
Do. 3 ,, .	47,214	25			14	2	2	1	3	2	4	.	.	.	.	.	.	.	.	.	2	1	3	.	.	.	.	5	.
Do. 4 ,, .	40,911	18			23	5	2	1	3	7	5	.	.	.	.	.	.	.	.	1	2	2	.	3	4	.	.	13	.
Do. 5 ,, .	17,387	11			9	.	.	.	6	.	3	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	1	6	.
Do 6 ,, .	48,122	20			18	3	5	1	.	4	5	.	1	1	.	1	1	.	.	.	1	1	1	1	4	.	.	3	.
Do 7 ,, .	1,524	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,, .	5,060	.			3	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
Do. 9 ,, .	19,569	17			6	1	1	1	.	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1	1	1
Do. 10 ,, .	23,064	13			6	1	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
Do. 11 ,, .	34,802	14			11	5	2	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.
Do. 12 ,, .	33,588	22			15	6	2	2	2	1	2	.	.	.	.	.	.	.	.	.	.	2	.	1	3	2	3	4	.
Do. 13 ,, .	15,006	10			2	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
Do. 14 ,, .	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	349,180	178			127	25	15	8	24	23	32	.	2	1	.	1	1	.	1	1	6	14	5	8	24	2	5	38	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT. .	12,867	5	28·4	4·1	7	2	.	3		2		.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	5	.
Do. 2 ,, . .	10,701	3	39·0	.	8	2	.	3		3		.	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	2	1
Do. 3 ,, . .	9,978	10	31·4	5·2	6	1	3	2				.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	1	.
Do. 4 ,, . .	8,666	1	12·0	.	2	.	.	1		1		.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 5 ,, . .	6,592	4	15·8	.	2	1	.	1				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 ,, . .	10,702	3	19·5	.	4	2	1	1				.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Do. 7 ,, . .	16,616	4	18·8	3·1	6	2	.	4				.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.	3	.
Total,	76,192	30	24·0	2·1	35	10	4	15		6		.	.	.	.	1	.	.	.	2	1	4	1	2	9	.	.	13	1

Table IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons [illegible] *without the City are omitted.*

Belfast.	1906—Week ending																									
	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 8.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.
No. of weeks in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Births registered,	218	225	162	271	225	241	220	203	204	208	240	211	211	226	211	222	195	238	194	180	189	211	178	185	219	178
Deaths registered.	113	105	119	121	127	121	127	125	139	134	151	142	141	136	144	109	123	120	122	131	145	125	123	139	118	127
Annual Death-rate per 1,000 of estimated Population.	16·1	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20·1	19·4	20·5	15·5	17·4	17·1	17·4	18·7	20·6	17·8	18·2	19·8	16·8	18·1
Ages: Under 1 year,	24	24	17	21	21	30	29	37	43	39	59	43	49	40	39	31	34	26	36	33	26	32	25	21	20	25
1–5 years,	15	12	19	12	8	18	9	16	14	22	16	16	13	17	15	9	13	17	15	13	14	16	11	24	6	15
5–20 years,		11	14	10	13	9	14	17	12	5	10	10	14	15	14	8	12	9	10	14	15	13	14	9	13	8
20–40 years,	57	18	27	24	29	15	25	14	18	17	20	21	20	15	24	17	19	17	16	19	28	18	16	23	23	24
40–60 years,		22	15	26	26	31	22	24	29	26	30	26	20	21	28	23	22	23	21	22	25	13	24	27	30	23
60 years and upwards,	17	23	17	28	30	18	28	17	23	25	16	26	25	28	24	21	22	25	24	30	37	33	38	35	26	32
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	2	1	.	2	.	.	1	.	.	2	1	.	.	1	.	2	1	1	1	5	.	2
Scarlet Fever,	1	.	.	2	.	.	.	.	.	1	1	.	1	1	1	.	.	.	.	1	.	1	1	1	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Whooping-cough,	7	4	9	3	1	4	2	4	2	7	7	3	5	3	2	1	2	3	3	3	3	4	2	1	2	1
Diphtheria,	2	2	.	.	1	.	1	1	2	1	.	1	.	.	1	.	1	1	1	2	.	1	.	3	1	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	1	2	3	2	1	.	2	1	3	2	4	.	2	.	3	1	1	.	.	3	6	.	1
Diarrhœal Diseases,	4	4	6	7	4	7	12	25	24	23	39	33	27	25	19	8	13	5	10	5	4	3	4	3	4	1
Pneumonia,	8	8	7	6	6	10	7	3	5	7	5	3	3	6	6	10	10	7	13	11	12	13	12	10	6	6
Tuberculous Disease: Phthisis,	24	12	20	21	26	22	25	13	21	15	16	18	14	19	20	17	15	15	13	12	20	16	14	13	15	14
Tuberculous Disease: Other Forms,	7	6	15	5	10	11	6	8	6	6	6	6	8	4	9	4	5	5	7	7	10	7	10	11	9	5
Cancer, Malignant Disease,	2	9	2	4	4	2	4	3	2	4	3	3	4	4	2	2	5	4	3	3	3	2	4	3	3	8
Diseases of Respiratory System,	13	7	7	9	21	11	7	12	7	16	8	12	12	7	15	11	11	17	15	27	22	24	21	23	21	24
Violent Deaths,	.	3	6	4	.	2	4	2	3	6	3	1	4	4	4	1	5	7	1	4	6	1	2	2	1	2
Number of Uncertified Deaths,	1	1	2	.	3	.	3	1	2	5	.	.	.	1	3	3	.	3	3	4	5	1	2	.	1	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,721,217	Dec. 22,	2,503	1,878	20·7	.	24	9	14	32	6	16
EDINBURGH,	341,035	„ 22,	115	117	17·9	.	1	1	1	.	.	3
GLASGOW,	835,625	„ 22,	452	330*a*	20·6	.	.	2	5	14	2	9
CALCUTTA,	910,117	Nov. 3,	.	525	32·2	1	.	.	1	.	147‡	109*
BOMBAY,	977,822	„ 20,	403	673	35·8	.	.	.	.	.	87‡	73*
MADRAS,	509,346	„ 2,	381	476	48·5	2	2	?	?	?	122	89*
PARIS,	2,750,000	Dec. 8,	924	860	16·7	.	4	2	4†	7	8	23
BRUSSELS (with 8 Faubourgs).	612,401	„ 1,	208	150	12·7	.	2	3	1†	.	2	6
ANTWERP,	297,311	„ 1,	116	67	11·8	.	.	.	2†	.	.	8
AMSTERDAM,	562,944	„ 1,	267	149	13·8	.	9	.	2†	3	.	6
COPENHAGEN,	425,000	„ 1,	225	111	13·6	.	.	.	.	2	1	7
STOCKHOLM,	324,488	Nov. 24,	145	81	13·0	.	.	.	.	.	.	3
CHRISTIANIA,	222,373	Dec. 8,	107	44	10·3	.	.	.	5†	1	.	.
ST. PETERSBURG,	1,424,700	„ 1,	744	697	25·4	.	18	26	27	5	28	55
MOSCOW,	1,154,000	Nov. 3,	.	521	23·5	1	4	9	13†	4	14	54
BERLIN,	2,086,825	„ 24,	922	574	14·3	.	5	12	10†	6	2	32
HAMBURG,	802,793	Dec. 1,	.	243	15·7	.	.	1	1†	.	.	22
BRESLAU,	481,157	„ 8,	.	188	20·4	.	2	.	1†	1	.	19
MUNICH,	540,000	„ 8,	.	203	19·5	.	1	.	2†	1	.	30
VIENNA (with suburbs).	1,958,323	„ 8,	1,002	626	16·6	.	6	1	12†	1	1	40
BUDA-PESTH,	791,748	„ 8,	376	284	18·7	.	4	5	5†	.	1	14
PRAGUE and Faubourgs.	466,133	„ 1,	166	159	17·7	.	3	.	2†	.	.	11
TRIESTE,	198,525	Nov. 24,	108	90	23·6	.	.	.	1†	1	.	1
ROME,	531,562	Oct. 13,	259	147	14·4	.	.	.	.	4	6	11
VENICE,	171,709	Nov. 3,	.	.	.	.	.	.	.	.	.	.
NEW YORK,	4,152,800	„ 24,	2,157	1,359	17·1	.	5	7	43†	4	20	42
PHILADELPHIA,	1,469,126	„ 3,	.	436	15·4	.	1	1	10†	3	9	26
		„ 10,	.	474	16·8	.	4	.	19†	3	16	29
BOSTON,	602,526	„ 24,	.	190	16·4	.	.	.	2	1	3	4

a. Including 5 deaths from cerebro-spinal meningitis.
* Including 38 deaths from cholera in Calcutta, 17 in Bombay, and one in Madras.
† Including deaths from croup.
‡ Exclusive of 7 deaths from plague in Calcutta, and 12 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd December, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro Spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	1	.	.	.	.	2
" " 1, West,	.	(a)1	.	.	.	.	.	.	3	.	.	.	4
" " 2,	.	2	.	.	.	.	.	1	.	.	.	.	3
" " 3,	.	.	.	.	.	.	.	.	1	.	.	.	1
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	1	.	.	5	9	1	.	.	16
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	1	.	.	.	.	.	.	2	.	.	.	3
" " 4,	.	1	.	.	1	.	.	.	.	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	3	.	.	.	.	3
Total,	.	(a)7	.	.	2	.	.	10	15	1	.	.	35

(a) Including one case of Scarlet fever reported from Mater Hospital, but patient came from Newtown, Co. Wicklow.

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd December, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd December.			
	Dec. 1.	Dec. 8.	Dec. 15.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	45	48	43	6	19	2	28
Scarlet Fever,	72	73	86	10	17	1	78*
Typhus,	.	.	1	.	.	.	1
Diphtheria,	21	20	25	1	3	1	22
Enteric Fever,	50	43	38	7	9	.	36
Pneumonia,	31	28	20	5	6	3	16

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 22nd December, 1906:—

"Although for the most part cloudy and dull, the weather of this week was quiet and mild, and in a word singularly fine for the time of year—the Winter Solstice occurring on Saturday. On Sunday an area of high barometric pressure lay to the southward of Ireland, whereas a depression existed off the North of Scotland, and a small secondary was central near Portland Bill. Temperature was above 50° all over Ireland, but the weather was fine. In England and Scotland, on the contrary, there was a tolerably general rainfall. Between Sunday and Tuesday the barometer rose generally, but temperature remained high. On Tuesday a large anticyclone began to spread westward across Germany to the British Isles from Russia, in which country the barometer stood at 30·9 inches on Tuesday and the three following days. With the advance of the highpressure system temperature fell quickly on the Continent, and frost increased in intensity day by day over Central Europe and France. In Ireland, Scotland, and Norway, the distribution of atmospheric pressure induced S.W. winds, and temperature remained high till Saturday. At 8 a.m. of Thursday the thermometer read 52° at Christiansund, on the west coast of Norway (64 N. Lat.), whereas it stood at 23° at Munich (48° N. Lat.); the corresponding readings on Friday morning were 48° at Christiansund, 18° at Munich. England began to feel the anticyclonic chill on Wednesday, the east and centre of Ireland on Thursday. In Dublin the mean height of the barometer was 30·412 inches, pressure ranging between 30·095 inches at 9 a.m. of Sunday (wind, W.S.W.) and 30·584 inches at 9 a.m. of Friday (wind, N.N.E.). The curious thing is that with the uniformly high pressure was associated a high mean temperature—namely, 47·9°. The mean dry bulb reading at 9 a.m and 9 p.m. was 46·5°. The screened thermometers rose to 51·8° on Monday and fell to 38·4° on Saturday. S.W. was the dominant wind. There was no measurable rainfall."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·412 inches. The highest reading (30·580) was on Friday at 9 a.m., air calm, and the lowest (30·105) on Sunday at 9 a.m., wind W.

The mean temperature for the week was 45·5°, being 5·2° above the average for the corresponding period of the 9 years, 1896-9 and 1901-5. The temperature was highest on Monday, on which day the thermometer registered 53·2°, and was lowest on Thursday, the mercury having fallen to 33·1°. The mean of the Dry Bulb for the week was 45·1°, and of the Wet Bulb 43·1°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 5·4 hours. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 39·2°, the maximum 49·4°, and the minimum 27·6°; at Glasgow the maximum was 53·2°, the minimum 32·8°, and the mean 44·9°; and at Edinburgh the maximum was 53·4°, the minimum 30·0°, and the mean 44·7°. The rainfall at Greenwich measured 0·50 in.; at Glasgow 0·09 in.; and at Edinburgh 0·01 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.*

Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 16,	30·176	53·0	47·1	50·1	50·8	49·1	·89	·6	0·0	·000	W.	S.W.
Monday, „ 17,	30·312	53·2	48·9	51·1	50·8	47·4	·78	·7	0·3	·000	S.W.	W.S.W.
Tuesday, „ 18,	30·385	52·4	42·8	47·6	48·8	45·4	·77	·6	0·0	·000	S.W.	S.W.
Wednesday, „ 19,	30·450	50·8	39·1	45·0	46·1	43·7	·83	·6	2·3	·000	S.W.	S.W.
Thursday, „ 20,	30·540	52·0	33·1	42·6	40·6	39·7	·94	·0	2·8	·000	Calm.	Calm.
Friday, „ 21,	30·565	46·2	39·9	43·1	41·5	40·1	·89	·4	0·0	·000	Calm.	N.E.
Saturday, „ 22,	30·457	42·2	35·4	38·8	37·0	36·1	·92	·1	0·0	·000	Calm.	Calm.
Mean, . .	30·412	50·0	40·9	45·5	45·1	43·1	·86	·4	Total 5·4	Total ·000	Prevailing wind, S.W.	

Sunday—Day overcast, fine; night fine and cloudy. *Monday*—Day overcast, fine; night cloudy. *Tuesday*—Day overcast, fine; night cloudy. *Wednesday*—Fine day, cloudy; night cloudy. *Thursday*—Fine day, cloudy; night overcast. *Friday*—Day overcast, fine; night overcast. *Saturday*—Day overcast, fine; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 22nd, 1906.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Dec. 16,	52·8	41·9	46·0	53·9	48·8	51·4	0·0	·001
Monday, „ 17,	52·5	44·0	45·9	51·5	50·1	52·3	0·0	—
Tuesday, „ 18,	51·0	44·9	45·9	54·2	48·5	51·4	0·0	—
Wednesday, „ 19,	48·7	44·8	46·0	52·0	44·1	48·1	1·0	—
Thursday, „ 20,	40·8	44·0	46·0	51·8	37·5	44·7	1·4	—
Friday, „ 21,	43·4	44·0	46·0	47·8	41·8	44·8	0·0	—
Saturday, „ 22,	46·0	43·8	46·0	43·9	37·9	40·9	0·0	—
Weekly Mean,	47·0	43·9	46·0	51·2	44·1	47·7	Total 2·4	Total ·001

DUBLIN: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—15870.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] WEEK ENDING SATURDAY, 29TH DECEMBER, 1906. [No. 52.

General Register Office, Charlemont House, Dublin, 31*st December,* 1906.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,101,499.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Dec. 8.	Week ending Dec. 15.	Week ending Dec. 22.	Week ending Dec. 29.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 8.	Week ending Dec. 15.	Week ending Dec. 22.	Week ending Dec. 29.	Average Rate for 4 weeks.
22 Town Dists.	20·4	19·7	22·8	19·8	20·7	Lisburn, .	13·6	9·1	22·7	18·2	15·9
Armagh, . .	13·7	13·7	20·6	20·6	17·2	Londonderry, .	19·8	14·9	18·6	18·6	18·0
Ballymena, .	23·9	19·2	33·5	9·6	21·5	Lurgan, . .	39·8	17·7	13·3	17·7	22·1
Belfast, . .	19·8	16·8	18·1	18·4	18·3	Newry, . .	16·8	29·4	21·0	8·4	18·9
Clonmel, . .	20·5	15·4	20·5	41·0	24·3	Newtownards, .	5·7	34·3	17·2	34·3	22·9
Cork, . . .	19·9	21·2	24·0	19·2	21·1	Portadown, .	15·5	20·7	10·3	41·3	21·9
Drogheda, . .	24·5	8·2	16·3	32·7	20·4	Queenstown .	19·8	19·8	13·2	19·8	18·2
Dublin Reg. Area,	22·4	22·3	28·8	22·8	24·1	Sligo, . . .	4·8	24·0	9·6	4·8	10·8
Dundalk, . .	12·0	4·0	27·9	16·0	15·0	Tralee, .	21·1	10·6	15·9	10·6	14·6
Galway, . .	7·8	31·1	19·4	11·7	17·5	Waterford, .	15·6	33·1	29·2	21·4	24·8
Kilkenny, . .	9·8	9·8	24·6	14·7	14·7	Wexford, . .	23·3	42·0	23·3	18·7	26·8
Limerick, . .	24·6	16·4	20·5	5·5	16·8						

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 0·9 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·0 in Dundalk, the 4 deaths from all causes registered in that district including one from measles. Among the 129 deaths from all causes registered in Belfast are 2 from whooping-cough, one from diphtheria, and 2 from diarrhœal diseases. The 28 deaths from all causes registered in Cork include one from diphtheria; and included in the 3 deaths registered in Galway is one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 224—122 boys and 102 girls; and the deaths to 170—89 males and 81 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·4 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 22·8 per 1,000. During the fifty-two weeks ending with Saturday last the death-rate averaged 23·4, and was 2·0 below the mean rate for the corresponding portions of the ten years, 1896–1905.

Of the 170 deaths registered there were 2 from measles, one from scarlet fever, 3 from

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

whooping-cough, one death each from diphtheria, *pyrexia* (origin uncertain), and enteric fever, and 2 deaths from diarrhœal diseases. In each of the 3 preceding weeks, deaths from measles were 2, 0, and 2; deaths from scarlet fever were 0, 0, and 0; deaths from whooping-cough were 5, 4, and 2; deaths from diphtheria were 0, 5, and 2; deaths from *pyrexia* (origin uncertain) were 0, 0, and 0; deaths from enteric fever were 0, 0, and 2; and deaths from diarrhœal diseases were 2, 4, and 2. Two deaths were directly attributed to influenza.

Lobar pneumonia caused one death, broncho-pneumonia 6 deaths, and *pneumonia* (not defined) 5 deaths.

Of 32 deaths from all forms of tuberculous disease, 7 were from tuberculous phthisis, 13 were returned as from *phthisis*, 6 were from tuberculous meningitis, one from *tabes mesenterica*, and 5 from other forms of the disease. The deaths from all forms of the disease in the 3 preceding weeks numbered 35, 20, and 36, respectively.

There were 3 deaths from carcinoma, one death from sarcoma, and 6 deaths from cancer (undefined).

Four deaths of infants were ascribed to prematurity.

Diseases of the brain and nervous system caused 19 deaths, including 6 deaths of children under 5 years of age from *convulsions*, 3 of the latter being those of infants under one year of age.

Twenty deaths were caused by diseases of the heart and blood vessels, and there were 17 deaths from bronchitis.

There were 5 accidental deaths.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 children under 5 years of age (including 3 infants under one year old) and the deaths of 4 persons aged 60 years and upwards.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 6 were under one month old) and 39 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 4 were octogenarians.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the N. Dublin Union Workhouse, 10 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·8 per 1,000; the rate in the City was 25·6 (North City Districts, 24·2; South, 27·1), and in the Suburbs, 13·4 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·8 (1·7 in the North City Districts, and 1·8 in the South) and for the Suburbs, 0·6 per 1,000.

No. 1 North City Disurict, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000. There were 3 deaths from broncho-pneumonia, one death each from influenza, *pneumonia* (not defined), and tuberculous disease, and 2 accidental deaths.

No. 1 North City District, West (Summer-hill).—The deaths (9) are equal to an annual rate of 12·0 per 1,000, and include one death each from *phthisis* and bronchitis. There was one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Among them are one death each from scarlet fever, whooping cough, *diarrhœa*, and tuberculous meningitis, and 3 deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (25) represent an annual rate of 41·2 per 1,000. Whooping-cough and enteric fever each caused one death, tuberculous disease caused 4 deaths, and diseases of the respiratory system 3 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 23·5. The 4 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from broncho-pneumonia and 2 from *phthisis*, and the 3 deaths from all causes for Finglas and Glasnevin, part of, include one from tuberculous disease.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 28·5 per 1,000. One of the deaths was from measles, one from whooping-cough, and one from *pneumonia* (not defined); there were 4 deaths from tuberculous disease, and 3 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 37·1 per 1,000, and include one death from broncho-pneumonia, 3 deaths from tuberculous disease of the lungs, and 3 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·9 per 1,000. Among them are one death each from measles and lobar-pneumonia, 7 deaths from tuberculous disease, and 3 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. Of the deaths there was one each from diphtheria, *diarrhœa*, broncho-pneumonia, and *pneumonia* (not defined), and there were 4 deaths from tuberculous disease.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000. One of the deaths was caused accidentally.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·6; Pembroke, 10·0; Blackrock, 11·9; and Kingstown, 20·7. The only death from any of the principal epidemic diseases tabulated for these districts was one from *pyrexia* (origin uncertain) for Pembroke. The 8 deaths from all causes for Rathmines include one each from influenza, *pneumonia* (not defined), *phthisis*, and bronchitis. The 5 deaths from all causes for Pembroke include one from *phthisis* and one from bronchitis. Of the 2 deaths from all causes for Blackrock one was from *phthisis*; and the 7 deaths from all causes for Kingstown include one each from *pneumonia* (not defined), tuberculous disease, and bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

STURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases ification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
r Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. cett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive tary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock n District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban ict; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

LE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration rea (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 29th December, 1906, nd each of the preceding three weeks. A dash (—) denotes that the disease in question is not otifiable in the District.

ITIES AND URBAN ISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro spinal Fever.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 8,	.	—	—	5	.	.	4	.	3	7	7	.	—	—	—	—	—	26
	Dec. 15,	.	—	—	3	1	.	13	.	1	6	10	.	—	—	—	—	—	34
	Dec. 22,	.	—	—	7	.	.	2	.	.	10	15	1	—	—	—	—	—	35
	Dec. 29	.	—	—	2	.	.	2	.	6	4	8	.	—	—	—	—	—	22
thmines Rathgar Urban istrict.	Dec. 8,	.	—	—	4	.	.	.	.	.	1	.	.	—	—	—	—	—	5
	Dec. 15,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	3
	Dec. 22,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	3
	Dec. 29,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
mbroke Urban istrict.	Dec. 8,	.	2	.	.	.	.	1	.	.	1	.	.	—	.	.	—	—	4
	Dec. 15,	.	4	.	.	.	.	.	.	.	1	1	.	—	2	.	—	—	8
	Dec. 22,	.	.	.	.	.	.	.	.	.	.	.	.	—	4	.	—	—	4
	Dec. 29,	.	.	.	.	.	.	.	.	.	.	.	.	—	3	.	—	—	3
ackrock Urban istrict.	Dec. 8,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2
	Dec. 15,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	4
	Dec. 22,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	—	—	—	5
	Dec. 29,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	4
ngstown Urban istrict.	Dec. 8,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	2
	Dec. 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 22,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	Dec. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Dec. 8,	.	—	—	19	.	.	9	1	4	4	10	.	—	—	—	—	—	47
	Dec. 15,	.	—	—	17	.	.	6	1	4	2	9	1	—	—	—	—	—	40
	Dec. 22,	.	—	—	25	.	.	5	.	1	4	7	1	—	—	—	—	—	43
	Dec. 29,	.	—	—	20	.	.	8	1	1	4	14	.	—	—	—	—	—	48

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

able XII. exhibits the number of cases of certain infectious diseases treated in the lin Hospitals during the week ended 29th December, 1906.

om this it appears that:—

ve cases of measles were admitted into hospital during the week, 14 were disged, there was one death, and 18 cases remained under treatment at its close.

n cases of scarlet fever were admitted to hospital, 15 were discharged, and 73* s remained under treatment at the close of the week.

ne case of typhus was admitted to hospital, and 2 cases remained under treatment at close of the week.

ven cases of diphtheria were admitted to hospital, 5 were discharged, there was one h, and 23 patients remained under treatment at the close of the week.

hree cases of enteric fever were admitted to hospital, 4 were discharged, there one death, and 34 cases remained under treatment in hospital at the close of the week.

addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, re discharged, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

e mortality last week in 76 large English towns, including London (in which the was 20·4), was equal to an average annual death-rate of 19·7 per 1,000 persons living, average rate for 8 principal towns of Scotland was 19·0 per 1,000, the rate for Glasgow 19·9 and for Edinburgh 17·7.

INFECTIOUS DISEASE IN EDINBURGH.

have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a of his Return of Infectious Diseases notified during the week ended 29th December. From this Report pears that of a total of 44 cases notified 24 were diphtheria, one membranous croup, 10 scarlet fever erysipelas. Among the 327 cases of infectious diseases in hospital at the close of the week 128 cases of scarlet fever, 68 of diphtheria, one of membranous croup, 45 of measles, 20 of erysipelas, enteric fever, and 6 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 29th December, 1906, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.a	Population. Persons to an Acre.	Annual Rate per 1,000 persons represented by. Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 29th December, 1906. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia, b (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System. c	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.	Meteorology. e. Week ending 29th December, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd December, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th December, 1906. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)
Total of 22 Town Districts,	1,101,499	19·3	28·3	19·8	0·9	493	418	70	119	.	3	1	.	6	3	1	1	5	32	45	21	21	71	9	18	120	24	°	°	°		°	°	°		°	°	°	
																												.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—Total, d.	378,994	27·5	30·8	22·8	1·5	224	166	29	37	.	2	1	.	3	1	1	1	2	12	20	12	9	19	5	8	58	12	f46·1	20·9	31·8	0·33	f53·2	33·1	45·5	0·00	f49·0	26·0	37·3	1·10
City of Dublin,	298,385	37·1	35·5	25·6	1·8	200	144	27	29	.	2	1	.	3	1	.	1	2	10	17	11	8	16	4	7	51	9	g47·1	24·8	34·7	0·41	g54·8	38·4	47·9	0·00	g49·7	31·5	39·4	0·92
																												h46·2	22·0	32·7	0·46	h53·9	34·0	46·4	0·00	h48·5	29·0	37·8	1·04
Urban Dists. Rathmines and Rathgar.	33,203	19·4	15·7	12·6	.	10	8	1	4	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	16·0	10·0	2·0	8	5	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·9	11·9	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	8·9	20·7	.	3	7	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	1	3	.	46·0	27·5	35·4	0·29	56	36·5	47·8	0·00	54	33·5	40·5	1·08
Urban Districts.																																							
Belfast,	366,220	24·9	22·1	18·4	0·7	155	129	19	36	.	.	.	.	2	1	.	.	2	16	9	3	9	30	.	4	32	1	47·0	27·0	35·2	0·78	53·8	33·5	45·6	0·94	49·0	30·8	38·4	0·86
Cork,	76,122	33·6	19·9	19·2	0·7	29	28	7	6	.	.	.	.	.	1	.	.	.	3	3	3	.	7	.	.	9	1	50	28	38·4	0·26	53	41	47·2	0·04	54	35	43·2	1·02
Londonderry,	42,067	19·4	21·1	18·6	1·2	17	15	2	5	.	.	.	.	.	.	.	.	1	.	4	1	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	2·7	5·5	.	2	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	7·8	21·4	.	4	11	1	6	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	11·7	11·7	3·9	3	3	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2	49	16	37·3	0·70	56	38	48	0·16	50	32	41	1·65
Dundalk,	18,076	3·4	23·9	16·0	4·0	6	4	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	32·7	52·7	.	8	8	2	3	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	21·0	8·4	.	5	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	45·9	19·3	32·3	0·65	52·8	35·3	45·6	0·00	48·3	30·5	37·2	0·78
Lurgan,	11,782	13·8	17·7	17·7	.	4	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	2	1	.	45·9	19·3	32·3	0·65	52·8	35·3	45·6	0·00	48·3	30·5	37·2	0·78
Lisburn,	11,461	10·1	9·1	18·2	.	2	4	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	45·9	19·3	32·3	0·65	52·8	35·3	45·6	0·00	48·3	30·5	37·2	0·78
Wexford,	11,168	23·2	4·7	18·7	.	1	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	19·2	9·6	.	4	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	4·8	4·8	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	47·5	8·0	31·9	2·08	54·4	30·6	45·2	0·04	49·7	32·5	38·5	1·68
Kilkenny,	10,609	11·5	49·1	14·7	.	10	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1	48	14	31·4	0·57	54	28	41·6	0·00	53	28	37·1	1·78
Clonmel,	10,167	7·8	10·3	41·0	.	2	8	2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	25·8	41·3	.	5	8	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	45·9	19·3	32·3	0·65	52·8	35·3	45·6	0·00	48·3	30·5	37·2	0·78
Tralee,	9,867	16·6	26·4	10·6	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	22·9	34·3	.	4	6	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	46	29	35·0	0·39	55	39	46·6	0·00	53	33	39·2	1·47
Queenstown,	7,909	14·4	6·6	19·8	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	50	28	38·4	0·26	53	41	47·2	0·04	54	35	43·2	1·02
Armagh,	7,588	22·2	6·9	20·6	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	2	.	45·9	19·3	32·3	0·65	52·8	35·3	45·6	0·00	48·3	30·5	37·2	0·78

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1906. b Formerly

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Ratngar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 29th December, 1906, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
*Pyrexia** (origin uncertain)	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Pneumonia,	4	.	.	.	.	1	.	1	1	1	2	.	1	.	.	1	12	.
Tuberculous Disease. Phthisis,	.	1	.	2	.	2	.	2	3	4	3	.	1	1	1	.	20	.
Tuberculous Disease. Other Forms.	1	.	1	2	.	.	1	2	.	3	1	.	.	.	.	1	12	.
Cancer, Malignant Disease,	.	.	.	1	.	.	.	2	.	4	1	.	1	.	.	.	9	1
Other General Diseases	3	2	2	2	.	.	.	.	2	1	2	.	1	.	.	.	15	.
Total,	8	3	6	9	.	3	1	9	6	14	11	.	4	2	1	2	79	1
B. LOCAL DISEASES:																		
Diseases of: Nervous System	2	1	2	4	.	.	1	2	2	1	1	.	1	.	1	.	18	1
Diseases of: Organs of Special Sense,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of: Heart and Blood Vessels,	1	.	1	5	1	.	1	1	1	2	2	1	1	2	.	1	20	.
Diseases of: Respiratory System,	.	1	3	3	.	.	.	3	3	3	.	.	1	1	.	1	19	1
Diseases of: Digestive System,	1	.	1	1	.	.	.	4	1	.	1	.	.	.	.	1	10	1
Diseases of: Lymphatic System &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of: Urinary System,	.	3	.	1	.	1	.	.	.	.	2	.	.	.	.	.	7	.
Diseases of: Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	5	7	15	1	1	2	11	7	6	6	1	3	3	1	4	77	3
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. CAUSES ILL-DEFINED AND NOT SPECIFIED,	.	.	1	1	.	.	.	1	.	.	1	.	1	.	.	.	5	.
E. VIOLENT DEATHS,	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	5	.
Deaths from all Causes,	14	9	14	25	1	4	3	21	13	20	18	2	8	5	2	7	166	4
Annual Rate of Mortality from all causes in every 1,000 of the population	25·8	12·0	24·2	41·2	10·8	20·8	23·5	28·5	37·1	24·9	26·7	11·7	12·6	10·0	11·9	20·7	22·8	.
	24·2							27·1					13·4					
	25·6																	
Ages at Death. Under 1 year,	5	2	6	5	.	1	.	1	3	.	3	1	1	.	.	1	29	.
1 and under 5 years,	3	.	2	2	.	.	1	6	2	2	2	.	.	.	1	.	21	.
5 „ 20 „	.	.	.	6	.	.	.	2	.	3	2	.	.	1	.	1	15	.
20 „ 40 „	2	2	.	2	.	1	1	6	2	4	4	.	3	1	1	1	30	.
40 „ 60 „	1	4	2	3	1	2	.	2	2	7	6	1	.	2	.	1	34	2
60 and upwards,	3	1	4	7	.	.	1	4	4	4	1	.	4	1	.	3	37	2
Number of Uncertified Deaths,	1	.	.	3	.	.	.	1	1	1	2	.	2	.	1	.	12	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	2	5	6	.	1	.	2	2	7	8	.	2	1	.	2	41	3
Workhouse Hospitals,	.	1	2	3	.	.	.	2	2	4	1	.	.	1	.	1	17	1

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regist d week of the ten years 89

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 52nd Week of the 10 years 1896-1905.	In the Week ending Sa r 29th December, 16. Deaths of Persons of th A g				
	Dec. 26, 1896.	Jan. 1, 1898.	Dec. 31, 1898.	Dec. 30, 1899.	Dec. 29, 1900.	Dec. 28, 1901.	Dec. 27, 1902.	Jan. 2, 1904.	Dec. 31, 1904.	Dec. 30, 1905.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 38·9	° 45·4	° 44·5	° 35·9	° 42·8	° 35·2	° 46·5	° 36·3	° 44·1	° 45·7	° 41·5	Mean Temp. ° 31·8				
ALL CAUSES.	178	223	186	280	149	200	188	240	187	139	197·0	170	6	23	21	15
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles (Morbilli), ...	2	1	.	15	.	.	7	1	16	.	4·2	2	.	1	1	.
Scarlet Fever, ...	3	1	1	1	1	.	2	2	1	.	1·2	1	.	.	1	.
Typhus, ...	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	3	2	9	.	3	.	2	.	1	2·2	2	.	.	.	.
Whooping-cough, ...	15	2	4	2	5	.	1	12	2	1	4·4	3	.	2	1	.
Diphtheria, ...	.	2	1	1	.	2	3	.	.	2	1·1	1	.	.	1	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyrexia† (origin uncertain),	1	1	.	.	.	.	.	1	.	1	·4	1	.	.	.	1
Enteric Fever, ...	.	5	1	2	3	5	3	1	2	3	2·5	1	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Diarrhœa (Infective Enteritis)	.	1	2	1	2	3	1	.	1	.	2·1	.	.	.	.	.
Diarrhœa, Dysentery,							3	.	5	2		2	.	1	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rabies, *Hydrophobia*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax (Splenic Fever), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	2	.	.	.	.	.	3	3	2	1·0	1	.	.	1	.
Puerperal Septicæmia,	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.
Puerperal Pyæmia,							.	.	.	.		.	.	.	.	.
Puerperal Fever, ...							.	.	.	.		.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia, Lobar,	13	14	7	22	12	7	.	1	2	.	13·4	1	.	.	.	1
Pneumonia, Broncho-							7	10	5	8		6	.	4	2	.
Pneumonia, Epidemic,							.	.	.	.		.	.	.	.	.
Pneumonia, Not defined,							8	10	5	3		5	.	.	.	.
Erysipelas, ...	.	1	.	.	.	2	2	.	.	.	·5	.	.	.	.	.
Septicæmia (not Puerperal)	1	.	1	1	.	1	.	1	1	.	·6	.	.	.	.	.
Pyæmia (not Puerperal),							.	.	.	.		.	.	.	.	.
Other Infective Conditions,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.
Tuberculous Phthisis,	15	22	18	28	17	21	3	7	6	5	20·9	7	.	.	.	1
"*Phthisis*," ...							20	18	15	14		13	.	.	1	3
Tuberculous Meningitis, ...	8	.	6	6	2	4	4	3	3	.	3·6	6	.	2	2	2
Tuberculous Peritonitis,	4	5	4	5	1	1	1	.	.	.	2·4	.	.	.	.	.
Tabes Mesenterica, ...							1	1	1	.		1	.	.	1	.
Tuberculous Dis. (other),	5	1	5	3	3	4	7	7	5	1	4·1	5	.	.	.	3
Scrofula, ...							.	.	.	.		.	.	.	.	.
Alcoholism, ...	1	1	.	2	1	.	.	3	.	2	1·0	1	.	.	.	.
Rheumatic Fever, ...	1	1	.	.	.	2	.	.	1	.	·5	1	.	.	.	.
Gout, ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.
Carcinoma, ...	1	9	4	5	9	4	1	3	5	4	5·8	3	.	.	.	.
Sarcoma, ...							.	.	.	.		1	.	.	.	.
Cancer (undefined),							4	5	2	2		6	.	.	.	.
Diabetes Mellitus, ...	.	.	.	.	.	.	.	.	1	1	·2	1	.	.	.	.
Premature Birth, ...	1	1	6	5	1	1	.	2	2	1	2·0	4	3	1	.	.

* The figures for the years 1896-190 r
† Formerly desc e

-SECOND WEEK ending Saturday, 29th December, 1906, with the deaths from each cause in the corresponding
he average for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Dec. 26, 1896.	Jan 1, 1898.	Dec. 31, 1898.	Dec. 30, 1899.	Dec. 29, 1900.	Dec. 28, 1901.	Dec. 27, 1902.	Jan. 2, 1904.	Dec. 31, 1904.	Dec. 30, 1905.	Averages in 52nd Week of the 10 years 1896–1905.	In the Week ending Saturday, 29th December, 1906. Deaths of Persons of the Ages of ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 38·9	° 45·4	° 44·5	° 35·9	42·8	° 35·2	° 46·5	° 36·3	° 41·1	° 45·7	° 41·5	° 31·8								
ningitis (not tuberc.) ...							4	1	1	1		3	.	.	2	1	.	.	.	.
anity, G. P. of Insane ...							2	3	.	.		2	.	.	.	.	.	.	2	.
ilepsy ...							2	.	.	.		1	.	.	.	1	.	.	.	.
vulsions ...							6	6	6	4		6	1	2	3	.	.	.	.	.
comotor Ataxy ...							.	.	.	.		.	.	.	.	.	.	.	.	.
raplegia Dis. of Cord ...							1	2	1	2		4	.	.	.	.	1	1	2	.
rvous System (other Dis.)	28	48	41	43	36	53	4	2	1	2	42·4	3	.	.	.	.	2	.	1	.
lv. Dis., Endocarditis ...							5	11	6	5		3	.	.	.	.	1	1	1	.
rebr. Hæm. Thromb. ...							.	6	3	.		2	.	.	.	.	.	2	.	.
oplexy, Hemiplegia ...							3	6	7	10		4	.	.	.	.	.	2	2	.
eurysm ...							1	.	.	.		1	.	.	.	.	1	.	.	.
mbolism, Thromb. (not erebral)							.	.	.	.		.	.	.	.	.	.	.	.	.
art and Blood Vessel Dis.							15	24	7	15		10	.	.	.	.	1	3	4	2
oup (not Spasm. nor Memb.)	.	1	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
onchitis ...	37	35	22	72	25	37	25	34	30	19	33·7	17	.	3	.	1	1	1	10	1
thma, Emphysema ...							1	1	.	.		2	.	.	.	.	.	1	1	.
eurisy ...	2	3	5	4	2	2	.	.	.	.	2·8	.	.	.	.	.	.	.	.	.
spiratory Dis. (other) ...							.	2	5	1		1	.	.	.	.	.	1	.	.
nsillitis, Quinsy ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
teritis (not Epid.) ...							.	2	1	.		3	.	.	2	.	1	.	.	.
stro Enteritis ...	.	1	.	.	.	2	.	.	.	.	·6	3	.	2	1	.	.	.	.	.
ritonitis (not Puerp.) ...	.	2	.	1	.	1	2	1	.	.	·7	1	.	.	.	.	.	1	.	.
rrhosis of Liver ...							1	.	1	2		2	.	.	.	.	2	.	.	.
ver Dis. (other) ...	3	2	5	1	2	2	1	3	.	2	2·5	.	.	.	.	.	.	.	.	.
gestive Dis. (other) ...	1	6	8	5	1	4	5	7	10	1	4·8	2	.	.	.	.	.	1	1	.
phritis, Acute ...							.	1	1	1		4	.	.	.	.	3	1	.	.
ight's Dis., Albuminuria	7	7	3	3	1	5	3	4	4	4	4·6	2	.	.	.	.	.	2	.	.
inary Sys. (Other Dis.)							.	1	.	1		1	.	.	.	.	.	.	1	.
nerative Organs Dis. ...	1	1	.	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	.	1	.
ildbirth (Accid. of) ...	.	1	.	.	1	.	1	2	.	1	·6	1	.	.	.	.	1	.	.	.
d Age ...	6	6	14	22	10	11	4	9	5	4	9·1	2	.	.	.	.	.	.	1	1
her Diseases ...	12	24	18	14	8	14	12	12	11	5	13·0	8	2	3	2	1	.	.	.	.
ACCIDENT.																				
Railways ...	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	1	.	.	1	.	1	1	.	.	1	·5	1	.	.	.	.	.	1	.	.
Ships, Boats, Docks (exclusive of Drowning) ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	3	1	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Conflagrations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions	5	5	.	1	2	2	2	4	1	2	2·4	.	.	.	.	.	.	.	.	.
Drowning ...	1	1	3	1	.	1	1	1	.	1	1·0	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Poison or Poisonous Vapours	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
her Deaths by Accidents	1	4	2	3	2	3	4	1	1	1	2·2	3	.	1	.	.	.	1	1	.
IOLENCE OTHER THAN ACCIDENTAL.																				
omicide ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
icide ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ecution ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as the n constituted.
nple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1906—Week ending July 7.	July 14	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.
No. of weeks in Annual Series.	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered,	189	230	199	223	235	186	226	210	180	208	209	225	321	146	186	240	178	231	198	182	186	289	189	198	189	224
*Average Births in corresponding week of previous 10 years,**	202	193	199	207	202	208	217	195	215	203	212	195	233	188	184	201	200	199	194	199	183	193	195	190	164	191
DEATHS registered,	130	140	156	149	125	130	151	167	166	184	250	201	184	198	175	166	170	204	192	191	182	179	169	171	217	170
Annual Death-rate per 1,000,	17·9	19·3	21·5	20·5	17·2	17·9	20·8	23·0	22·8	25·3	30·3	27·7	25·3	27·2	24·1	22·8	23·4	28·1	26·4	26·3	25·0	24·6	23·3	23·5	29·9	23·4
*Average Deaths in corresponding week of previous 10 years,**	145	146	151	153	166	169	163	170	164	169	160	173	164	157	168	173	176	171	177	186	193	196	188	187	190	197
AGES, Under 5 years,	35	35	38	43	40	50	48	63	59	83	98	85	76	71	50	53	50	61	52	61	49	54	54	60	64	50
5—20 "	14	10	17	11	8	6	9	10	12	8	9	13	8	9	7	6	13	15	10	12	13	21	8	6	17	15
20—40 "	21	24	25	27	20	19	22	27	20	27	24	26	25	22	27	34	34	30	36	33	30	18	24	26	28	30
40—60 "	32	37	28	35	20	28	27	32	40	33	39	30	29	38	41	34	25	43	42	38	31	36	42	42	42	36
60—80 "	21	32	43	27	32	24	43	28	29	28	41	39	37	51	45	34	38	42	45	39	49	41	34	34	56	35
80 years and upwards,	7	2	5	6	5	3	2	7	6	5	9	8	9	7	5	5	10	13	7	8	10	9	7	3	10	4
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	2	2	.	2	1	.	.	.	.	1	.	.	1	.	2	2	6	9	9	3	2	.	2	2
Scarlet Fever	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	1	.	.	.	1
Typhus,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Whooping-cough,	4	6	3	2	2	3	1	.	.	1	1	1	5	1	2	2	2	3	2	1	2	3	5	4	2	3
Diphtheria,	.	.	1	.	.	2	.	.	.	.	1	.	.	.	1	2	.	1	1	.	1	2	.	5	2	1
Pyrexia † (origin uncertain),	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Enteric Fever,	.	1	1	.	1	1	.	.	2	2	.	2	1	.	4	4	2	1	1	1	1	3	.	.	2	1
Diarrhœal Diseases,	.	3	3	10	11	10	29	27	28	49	40	34	31	31	12	12	8	7	2	3	6	4	2	4	2	2
Pneumonia,	4	9	12	13	4	5	4	8	5	4	9	7	12	10	16	17	13	10	8	12	18	11	13	15	23	12
Tuberculous Disease. {Phthisis,	26	21	23	19	21	18	21	21	18	21	20	26	19	23	16	21	17	21	31	19	27	13	22	15	27	20
{Other Forms,	11	7	11	13	4	7	9	8	9	9	11	12	14	8	7	5	13	17	9	5	7	12	13	5	9	12
Cancer, Malignant Disease,	7	4	14	9	8	4	12	11	10	7	11	6	6	13	9	7	10	10	11	13	5	9	7	7	17	10
Diseases of Heart and Blood Vessels,	15	26	27	19	19	17	20	12	22	21	28	25	18	24	25	24	26	33	32	27	22	23	30	33	35	20
Diseases of Respiratory System,	21	10	11	13	14	10	11	10	4	8	16	10	14	23	20	15	19	33	19	34	30	29	21	25	25	20
Violent Deaths,	4	2	3	4	2	3	2	8	7	5	2	5	5	4	6	4	7	1	3	9	3	8	1	3	5	5
Number of Uncertified Deaths,	8	2	5	4	3	5	1	2	1	1	7	9	4	4	7	5	7	6	9	3	5	6	7	12	8	12
Mean Temperature of the Air (Phœnix Park),	55·8	57·5	59·0	60·6	60·5	61·3	58·9	61·8	62·6	60·5	52·4	51·9	50·4	53·3	52·5	45·5	51·2	40·6	43·8	42·9	47·7	49·1	44·3	37·3	45·5	31·8
Average Mean Temperature in corresponding week of previous 10 years	58·4	59·7	60·9	59·2	59·4	57·1	58·1	57·0	56·1	55·9	54·9	53·9‡	52·5	51·0	48·8	47·9	46·8	47·3	46·0	43·7	41·7	42·3	43·4	42·3	40·3‡	41·5
Rainfall in inches,	·390	·235	·885	·220	·452	·320	·415	·695	·000	·285	·280	·000	·000	·800	1·125	·210	·707	·545	·820	·475	·155	·330	·485	1·100	·000	·332
Mean Humidity of the Air, complete Saturation, 1·0.	·84	·80	·82	·84	·80	·83	·79	·86	·86	·84	·82	·90	·87	·92	·87	·85	·83	·91	·86	·87	·85	·89	·85	·90	·86	·92

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH DECEMBER, 1906.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal)	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
	ALL PERSONS.	375,350	23·6	170	50	15	30	36	35	4	.	2	1	.	3	1	1	1	2	11	12	20	12	10	6	20	5	74	12
	CLASSES.																												
	Deaths in Families of the—																												
I	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	6·0	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
II.	MIDDLE CLASS,	87,188	11·4	19	4	.	3	4	6	2	.	.	.	.	1	.	.	.	.	1	1	3	.	1	.	3	1	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	23·1	49	11	4	7	15	11	1	.	1	.	.	.	.	.	1	1	3	3	4	3	1	1	6	3	25	4
IV.	GENERAL SERVICE CLASS,	154,279	32·5	82	35	9	16	12	9	1	.	1	1	.	2	1	1	.	.	6	8	10	7	5	5	6	1	34	8
V.	INMATES OF WORKHOUSES,	6,024		18	.	2	4	5	7	.	.	.	.	.	.	.	.	.	1	1	.	3	2	2	.	4	.	6	.
	PROFESSIONAL AND INDEPENDENT CLASS.																												
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,860	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																												
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	4·7	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	6. Clerks and Commercial Assistants,	30,482	12·0	7	1	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	2	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	13·5	7	2	.	.	1	3	1	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	5	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	5·3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades,	29,801	35·0	20	5	2	3	6	4	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	2	13	1
	10. Clothing Trades,	23,260	13·5	6	1	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	3	.
	11. Food Supply Trades,	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	29·2	17	4	1	3	5	3	1	.	1	.	.	.	.	.	1	1	3	.	2	1	.	1	2	.	8	3
	13. Petty Shopkeepers,	7,894	33·0	5	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.
	GENERAL SERVICE CLASS.																												
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	11·7	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1
	15. Domestic Servants,	36,603	7·1	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	29·0	8	3	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	3	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	38·3	66	19	9	11	10	6	1	.	1	1	.	2	1	1	.	.	6	5	9	7	2	4	4	1	28	6
	INMATES OF WORKHOUSES.																												
V.	18. Workhouse Inmates,	6,024	.	18	.	2	4	5	7	.	.	.	.	.	.	.	.	.	1	1	.	3	2	2	.	4	.	6	.

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* similar Statistics for each of t

City of Dublin (part of). DISTRICTS.	1906. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1906 (Est.) 28,882.	Nov. 10,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	„ 17,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1
	„ 24,	20·2	1·8	11	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.
	Dec. 1,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	.	1	1	.	2	1
	„ 8,	29·4	.	16	.	.	.	.	.	.	.	.	.	1	4	1	.	2	.
	„ 15,	22·1	1·8	12	.	.	.	.	.	1	.	.	.	2	1	.	.	1	.
	„ 22,	22·1	.	12	.	.	.	.	.	.	.	.	.	1	2	1	1	1	.
	„ 29,	25·8	.	14	.	.	.	.	.	.	.	.	.	4	.	1	.	.	2
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1906 (Est.) 39,146.	Nov. 10,	28·0	1·3	21	.	.	.	.	.	.	.	.	1	1	2	1	1	4	.
	„ 17,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	.	1	.	1	5	1
	„ 24,	26·6	5·3	20	.	.	.	.	.	.	.	1	3	2	3	.	.	2	1
	Dec. 1,	18·6	4·0	14	.	.	.	.	.	1	.	1	1	.	1	2	1	1	.
	„ 8,	34·6	2·7	26	.	.	.	.	.	.	.	.	2	2	3	1	.	5	.
	„ 15,	29·3	1·3	22	.	.	.	.	.	.	.	.	1	2	1	1	.	5	.
	„ 22,	38·6	.	29	.	.	.	.	.	.	.	.	.	4	4	.	2	4	3
	„ 29,	12·0	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1906 Est.) 30,107.	Nov. 10,	20·8	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1
	„ 17,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.
	„ 24,	31·2	1·7	18	.	.	.	.	1	.	.	.	.	1	2	1	1	3	.
	Dec. 1,	26·0	3·5	15	.	.	.	.	.	.	.	1	1	3	1	.	.	2	.
	„ 8,	24·2	1·7	14	.	.	.	.	1	.	.	.	.	2	1	1	1	2	.
	„ 15,	24·2	3·5	14	.	.	.	.	.	.	.	.	2	3	.	1	.	.	1
	„ 22,	29·4	3·5	17	.	.	.	.	1	.	.	.	1	2	.	1	3	.	1
	„ 29,	24·2	5·2	14	.	.	1	.	1	.	.	.	1	.	.	1	.	3	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1906 (Est.) 31,678.	Nov. 10,	24·7	1·6	15	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.
	„ 17,	26·3	.	16	.	.	.	.	.	.	.	.	.	2	2	.	3	3	.
	„ 24,	26·3	.	16	.	.	.	.	.	.	.	.	.	2	3	.	2	2	.
	Dec. 1,	32·9	1·6	20	.	.	.	.	1	.	.	.	.	3	2	2	1	2	1
	„ 8,	32·9	1·6	20	.	.	.	.	1	.	.	.	.	1	3	3	.	3	.
	„ 15,	13·2	1·6	8	.	.	.	.	1	.	.	.	.	2	2	.	.	1	.
	„ 22,	31·3	1·6	19	.	.	.	.	.	1	.	.	.	2	3	.	1	1	.
	„ 29,	41·2	3·3	25	.	.	.	.	1	.	.	1	.	.	2	2	1	3	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1906 (Est.) 38,384.	Nov. 10,	44·8	10·9	33	.	6	.	.	.	1	.	.	1	2	5	2	.	3	.
	„ 17,	39·4	18·6	29	.	8	.	.	1	.	.	.	1	3	2	2	1	4	.
	„ 24,	51·6	12·2	38	.	9	.	.	.	.	.	.	.	5	5	1	.	8	.
	Dec. 1,	39·4	6·8	29	.	3	.	.	1	1	.	.	.	1	1	1	1	5	.
	„ 8,	17·7	4·1	13	.	2	.	.	1	.	.	.	.	.	2	1	1	1	1
	„ 15,	38·0	5·4	28	.	.	.	.	2	1	.	.	1	2	3	1	.	6	1
	„ 22,	44·8	2·7	33	.	2	.	.	.	.	.	.	.	2	4	2	2	7	.
	„ 29,	28·5	2·7	21	.	1	.	.	1	.	.	.	.	1	2	2	2	3	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1906 (Est.) 18,286.	Nov. 10,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	„ 17,	39·9	.	14	.	.	.	.	.	.	.	.	.	.	2	1	.	5	.
	„ 24,	17·1	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
	Dec. 1,	22·8	2·9	8	.	.	1	.	.	.	.	.	.	1	1	.	.	2	.
	„ 8,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	„ 15,	25·7	2·9	9	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
	„ 22,	34·2	2·9	12	.	.	.	.	.	1	.	.	.	.	3	.	.	2	.
	„ 29,	37·1	.	13	.	.	.	.	.	.	.	.	.	1	3	.	.	3	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1906 (Est.) 41,940.	Nov. 10,	18·6	2·5	15	.	.	.	.	1	.	.	1	.	.	.	1	4	2	.
	„ 17,	33·6	1·2	27	.	1	.	.	.	.	.	.	.	1	5	1	3	7	1
	„ 24,	24·9	2·5	20	.	.	.	.	1	.	.	.	1	1	2	1	.	5	.
	Dec. 1,	28·6	.	23	.	.	.	.	.	.	.	.	.	1	.	3	2	6	.
	„ 8,	24·9	.	20	.	.	.	.	.	.	.	.	.	1	2	2	.	4	.
	„ 15,	23·6	.	19	.	.	.	.	.	.	.	.	.	.	1	.	1	5	.
	„ 22,	29·8	1·2	24	.	.	.	.	.	.	.	.	1	3	5	1	.	3	.
	„ 29,	24·9	1·2	20	.	1	.	.	.	.	.	.	.	1	4	3	4	3	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1906 (Est.) 35,188.	Nov. 10,	20·8	.	14	.	.	.	.	.	.	.	.	.	2	2	1	1	2	.
	„ 17,	25·2	1·5	17	.	.	.	.	.	.	.	1	.	.	1	.	1	1	2
	„ 24,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	6	1	.	1	.
	Dec. 1,	17·8	.	12	.	.	.	.	.	.	.	.	.	1	.	.	1	4	.
	„ 8,	28·7	.	16	.	.	.	.	.	.	.	.	.	1	3	.	3	1	.
	„ 15,	22·3	1·5	15	.	.	.	.	.	1	.	.	.	1	.	2	.	3	.
	„ 22,	28·2	.	19	.	.	.	.	.	.	.	.	.	4	2	2	2	1	.
	„ 29,	26·7	3·0	18	.	.	.	.	.	1	.	.	1	2	3	1	1	.	.

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

DISTRICTS.	1906 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer Malignant Disease.	Diseases of Respiratory System (exclusive of Pneumonia).	Violence (Accidental, Homicidal and Suicidal).	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rathmines and Rathgar Urban District. Pop. in 1906 (Est.) 33,203.	Nov. 10,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	1
	" 17,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
	" 24,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	2	1	.	.	2	.	1
	Dec. 1,	18·8	3·1	12	.	.	.	.	1	.	.	.	1	1	1	.	2	1	.	.
	" 8,	17·3	3·1	11	.	.	.	.	2	.	.	.	.	.	2	1	.	.	.	1
	" 15,	9·4	.	6	.	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.
	" 22,	18·8	1·6	12	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.
	" 29,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	2
Pembroke Urban District. Pop. in 1906 (Est.) 26,025	Nov. 10,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	" 17,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	" 24,	14·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	Dec. 1,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	" 8,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.
	" 15,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.
	" 22,	20·0	.	10	.	.	.	.	.	.	.	.	.	3	1	.	1	1	.	.
	" 29,	10·0	2·0	5	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.
Kingstown Urban District. Pop. in 1906 (Est.) 17,622.	Nov. 10,	32·5	.	11	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1
	" 17,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	.
	" 24,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.
	" 8,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	" 15,	29·6	3·0	10	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	2
	" 22,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	2
	" 29,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.
Belfast. Pop. in 1906 (Est.) 386,220.	Nov. 10,	18·7	2·0	131	.	2	1	.	3	2	.	1	5	11	12	7	3	27	4	4
	" 17,	20·6	1·1	145	.	1	.	.	3	.	.	.	4	12	20	0	3	22	6	5
	" 24,	17·8	1·4	125	.	1	1	.	4	1	.	.	3	13	16	7	2	24	1	1
	Dec. 1,	18·2	1·7	128	.	1	1	1	2	.	.	3	4	12	14	10	4	21	2	2
	" 8,	19·8	2·7	139	.	5	1	.	1	3	.	6	3	10	13	11	3	23	2	.
	" 15,	16·8	1·0	118	.	.	.	.	2	1	.	.	4	6	15	9	3	21	1	1
	" 22,	18·1	1·0	127	.	2	1	.	1	1	.	1	1	6	14	5	8	24	2	1
	" 29,	18·4	0·7	129	.	.	.	.	2	1	.	.	2	16	9	3	9	30	.	1
Cork. Pop. (in 1901) 76,122.	Nov. 10,	14·4	2·7	39	.	.	.	.	1	.	.	.	3	2	8	1	4	7	.	1
	" 17,	26·7	2·7	38	.	.	.	.	1	.	.	.	3	4	8	.	1	4	.	5
	" 24,	30·8	4·1	45	.	.	.	.	1	1	.	1	3	1	5	2	2	6	.	4
	Dec. 1,	19·2	.	28	.	.	.	.	.	.	.	.	.	4	3	.	1	4	1	4
	" 8,	19·9	2·1	29	.	.	.	.	.	2	1	.	.	5	3	1	1	1	.	1
	" 15,	21·2	2·1	31	.	.	.	.	2	.	.	.	1	2	4	.	.	4	.	2
	" 22,	24·0	2·1	35	.	.	.	.	1	.	.	.	2	1	4	1	2	9	.	1
	" 29,	19·2	0·7	28	.	.	.	.	.	1	.	.	.	3	3	3	.	7	.	1
Londonderry. Pop. in 1906 (Est.) 42,067.	Nov. 10,	17·4	.	14	.	.	.	.	.	.	.	.	.	1	3	.	.	4	.	.
	" 17,	17·4	1·2	14	.	.	.	.	.	.	.	1	.	.	3	.	1	3	.	1
	" 24,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	1	1	1	4	.	1
	Dec. 1,	13·6	.	11	.	.	.	.	.	.	.	.	.	.	2	1	.	6	.	1
	" 8,	19·8	1·2	16	.	.	1	.	.	.	.	.	.	3	3	1	.	1	.	2
	" 15,	14·9	.	12	.	.	.	.	.	.	.	.	.	.	.	1	.	4	1	2
	" 22,	18·6	.	15	.	.	.	.	.	.	.	.	.	1	1	.	2	4	1	3
	" 29,	18·6	1·2	15	.	.	.	.	.	.	.	.	1	.	4	1	.	3	.	.
Limerick. Pop. (in 1901) 38,151.	Nov. 10,	17·8	1·4	13	.	.	.	.	.	.	.	.	1	.	3	1	.	1	.	5
	" 17,	15·0	.	11	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	1
	" 24,	26·0	.	19	.	.	.	.	.	.	.	.	.	2	3	1	.	3	.	2
	Dec. 1,	21·9	1·4	16	.	.	.	.	.	.	.	1	.	1	2	1	1	2	.	2
	" 8,	24·6	.	18	.	.	.	.	.	.	.	.	.	1	1	1	.	6	.	5
	" 15,	16·4	.	12	.	.	.	.	.	.	.	.	.	.	2	.	.	4	.	3
	" 22,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	.	2	1	.	1	.	2
	" 29,	5·5	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1
Waterford. Pop. (in 1901) 26,769.	Nov. 10,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	1	1	.	4	.	1
	" 17,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	" 24,	29·2	7·8	15	.	.	4	.	.	.	.	.	.	1	1	1	.	1	.	.
	Dec. 1,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.
	" 8,	15·6	1·9	8	.	.	.	.	1	.	.	.	.	.	1	.	.	5	.	.
	" 15,	33·1	5·8	17	.	.	1	.	.	.	.	.	2	.	1	.	.	2	1	.
	" 22,	29·2	1·9	15	.	.	.	.	1	.	.	.	.	1	4	.	2	3	1	1
	" 29,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th December, 1906. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyæmia* (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia.)	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(29)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN No 1 DISTRICT,	14,734	7	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		7	1	.	.	.	4	2	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.	1	2	.
Do. 2 ,,	47,959	11			14	1	1	.	1	5	6	.	.	.	.	.	.	.	.	.	2	.	.	1	4	.	.	2	.
Do. 3 ,,	47,214	20			10	2	1	2	1	2	2	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	1	2	.
Do. 4 ,,	40,911	23			16	4	2	1	4	3	2	.	.	.	.	1	.	.	.	1	1	2	.	1	2	.	.	9	.
Do. 5 ,,	17,387	6			5	.	1	.	2	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	3	.
Do 6 ,,	48,122	15			18	1	.	.	4	4	9	.	.	.	.	.	.	.	.	.	2	1	.	2	6	.	.	5	1
Do 7 ,,	1,524	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	9			3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 9 ,,	19,569	5			5	.	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.
Do. 10 ,,	28,064	15			6	.	1	1	1	1	2	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	2	.
Do. 11 ,,	34,802	10			20	5	1	2	3	3	6	.	.	.	.	1	.	.	.	1	2	2	1	2	3	.	1	3	.
Do. 12 ,,	33,588	27			18	5	3	1	2	5	2	.	.	.	.	.	.	.	.	.	4	2	.	.	5	.	.	3	.
Do. 13 ,,	15,006	8			7	.	2	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.
Do. 14 ,,	240	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	155			129	19	13	8	20	33	36	.	.	.	.	2	1	.	.	2	16	9	3	9	30	.	4	32	1
City of Cork.																													
CORK URBAN No. 1 DISTRICT.	12,867	3	32·4	4·1	8	3	1	2			2	.	.	.	.	.	1	.	.	.	1	.	1	.	1	.	.	4	.
Do. 2 ,,	10,701	6	34·1	.	7	2	1	4			.	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	3	.
Do. 3 ,,	9,978	6	.	.	.	.	.	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 ,,	8,666	3	18·1	.	3	1	.	.			2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.
Do. 5 ,,	6,592	4	28·7	.	3	1	.	1			1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 6 ,,	10,702	2	.	.	.	.	.	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 ,,	16,616	5	22·0	.	7	.	.	6			1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	1
Total	76,122	29	19·2	0·7	28	7	2	13			6	.	.	.	.	.	1	.	.	.	3	3	3	.	7	.	.	9	1

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1906—Week ending																									
	July 7.	July 14	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.
No. of weeks in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered,	225	162	271	225	241	220	203	204	208	240	211	211	226	211	222	195	238	194	180	189	211	178	185	219	178	155
DEATHS registered.	105	119	121	127	121	127	125	139	134	151	142	141	136	144	109	121	120	122	131	145	125	123	139	118	127	129
Annual Death-rate per 1,000 of estimated Population.	15·0	16·9	17·2	18·1	17·2	18·1	17·8	19·8	19·1	21·5	20·2	20·1	19·4	20·5	15·5	17·4	17·1	17·4	18·7	20·6	17·8	18·2	19·8	16·8	18·1	18·4
AGES — Under 1 year,	24	27	21	21	30	29	37	43	39	59	43	49	40	39	31	34	26	36	33	26	32	25	21	20	25	19
1-5 years,	12	19	12	8	18	9	16	14	22	16	16	13	17	15	9	13	17	15	13	14	16	11	24	6	15	13
5-20 years,	11	14	10	13	9	14	17	12	5	10	10	14	15	14	8	12	9	10	14	15	13	14	9	13	8	8
20-40 years,	18	27	24	29	15	25	14	18	17	20	21	20	15	24	17	19	17	16	19	28	18	16	23	23	24	20
40-60 years,	22	15	26	26	31	22	24	29	26	30	26	20	21	28	23	22	26	21	22	25	13	24	27	30	28	33
60 years and upwards,	23	17	28	30	18	28	17	23	25	16	26	25	28	24	21	22	25	24	30	37	33	38	35	26	32	36
Deaths from :—																										
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	2	1	.	2	.	.	1	.	.	2	1	.	.	1	.	2	1	1	1	5	.	2	.
Scarlet Fever,	.	.	2	.	.	.	.	.	1	1	.	1	1	1	.	.	.	.	1	.	1	1	1	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
Whooping-cough,	4	9	3	1	4	2	4	2	7	7	3	5	3	2	1	2	3	3	3	3	4	2	1	2	1	2
Diphtheria,	2	.	.	1	.	1	1	2	1	.	1	.	.	1	.	1	1	1	2	.	1	.	3	1	1	1
*Pyrexia** (origin uncertain),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	1	2	3	2	1	.	2	1	3	2	4	.	2	.	3	1	1	.	.	3	6	.	1	.
Diarrhœal Diseases,	4	6	7	4	7	12	25	24	23	39	33	27	25	19	8	13	5	10	5	4	3	4	3	4	1	2
Pneumonia,	8	7	6	6	10	7	3	5	7	5	3	3	6	6	10	10	7	13	11	12	13	12	10	6	6	16
Tuberculous Disease — Phthisis,	12	20	21	26	22	25	13	21	15	16	18	14	19	20	17	15	15	13	12	20	16	14	13	15	14	9
Tuberculous Disease — Other Forms,	6	15	5	10	11	6	8	6	6	6	6	8	4	9	4	5	5	7	7	10	7	10	11	9	5	3
Cancer, Malignant Disease,	9	2	4	4	2	4	3	2	4	3	3	4	4	2	2	5	4	3	3	3	2	4	3	3	8	9
Diseases of Respiratory System	7	7	9	21	11	7	12	7	16	8	12	12	7	15	11	11	17	15	27	22	24	21	23	21	24	30
Violent Deaths,	3	6	4	.	2	4	2	3	6	3	1	4	4	4	1	5	7	1	4	6	1	2	2	1	2	.
Number of Uncertified Deaths,	1	2	.	3	.	3	1	2	5	.	.	.	1	3	3	.	3	3	4	5	1	2	.	1	1	1

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,721,217	Dec. 29,	1,694	1,850	20·4	.	29	8	26	31	4	21
EDINBURGH, .	341,035	„ 29,	135	116	17·7	.	.	.	.	.	.	5
GLASGOW, . .	835,625	„ 29,	471	318*a*	19·9	.	.	3	1	16	5	4
CALCUTTA, . .	910,117	Nov. 10	.	595	36·4	2	1	.	.	1	165‡	147*
BOMBAY, . .	977,822	„ 27,	426	624	33·2	.	2	.	.	.	74‡	75*
MADRAS, . .	509,346	„ 9,	410	357	36·4	.	4	?	?	?	96	82*
PARIS, . .	2,750,000	Dec. 15,	945	870	16·9	.	2	6	3†	4	5	20
BRUSSELS (with 8 Faubourgs).	612,401	„ 8,	236	148	12·6	.	2	1	2†	1	.	8
ANTWERP, . .	297,311	„ 8,	113	76	13·3	.	.	.	1†	.	1	12
AMSTERDAM, .	560,482	„ 8,	246	130	12·0	.	8	4	1†	.	.	.
COPENHAGEN, .	425,000	„ 8,	244	91	11·2	.	.	.	.	.	1	4
STOCKHOLM, .	324,488	„ 1,	161	76	12·2	.	.	.	.	.	.	1
CHRISTIANIA, .	222,373	„ 15,	138	50	11·7	.	1	.	3†	.	.	2
ST. PETERSBURG,	1,424,700	„ 8,	.	667	24·4	1	22	28	25	6	23	56
MOSCOW, . .	1,154,000	Nov. 10,	.	572	25·8	.	8	6	11†	4	13	50
BERLIN, . .	2,088,907	Dec. 1,	916	549	13·7	.	1	6	10†	4	5	35
HAMBURG, . .	802,793	„ 8,	.	229	14·8	.	1	1	5†	1	.	14
BRESLAU, . .	482,326	„ 15,	.	174	18·8	.	2	1	5†	1	.	4
MUNICH, . .	540,000	„ 15,	.	194	18·7	.	.	.	5†	1	.	15
VIENNA (with suburbs).	1,958,323	„ 15,	928	639	17·0	.	10	7	9†	5	2	35
BUDA-PESTH, .	791,748	„ 15,	425	263	17·3	.	9	3	5†	1	2	11
PRAGUE and Faubourgs.	466,133	„ 8,	202	184	20·5	.	3	.	.	.	1	8
TRIESTE, . .	198,525	„ 1,	134	73	19·2	.	.	.	.	2	3	2
ROME, . . .	531,502	Oct. 20,	222	149	14·6	.	.	.	.	.	6	8
VENICE, . .	171,709	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, .	4,152,860	Dec. 1,	2,155	1,244	15·6	.	7	8	32†	5	20	34
PHILADELPHIA,	1,469,126	Nov. 17,	.	473	16·7	.	4	1	10†	2	20	27
BOSTON, . .	602,526	Dec. 1,	.	167	14·5	.	.	.	3	1	2	4

a. Including 4 deaths from cerebro-spinal meningitis.
* Including 66 deaths from cholera in Calcutta, 15 in Bombay, and one in Madras.
† Including deaths from croup.
‡ Exclusive of 7 deaths from plague in Calcutta, and 4 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th December, 1906.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro Spinal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	2	.	1	.	.	.	3
" " 1, West,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 2,	.	.	.	.	.	.	.	1	1	.	.	.	2
" " 3,	.	1	.	.	.	.	2	2	.	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	1	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	.	.	.	.	5	.	.	.	6
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 4,	.	.	.	.	2	.	1	.	1	.	.	.	4
New Kilmainham,	.	.	.	.	.	.	.	1	.	.	.	.	1
Total,	.	2	.	.	2	.	6	4	8	.	.	.	22

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th December, 1906, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th December.			
	Dec. 8.	Dec. 15.	Dec. 22.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox,	.	.	.	.	.	.	.
Measles,	48	43	28	5	14	1	18
Scarlet Fever,	73	86	78	10	15	.	73*
Typhus,	.	1	1	1	.	.	2
Diphtheria,	20	25	22	7	5	1	23
Enteric Fever,	43	38	36	3	4	1	34
Pneumonia,	28	20	16	11	5	.	22

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 29th December, 1906:—

"Hard on a spell of singularly mild and open weather for the time of year, came a cold snap of unusual severity, which lasted almost throughout the week now under review—only on Monday did temperature rise decidedly above the normal. At the close of the previous week, atmospheric pressure gave way over the whole of northwestern and central Europe, and the fall of the barometer became rapid during Sunday night, so that on Monday gradients for westerly winds had become steep. These winds brought higher temperatures to Ireland, Wales, and the southeast of England; but intense frost still held in France and Germany, and it was also very cold in the southeast of England. Christmas Eve was dull and wet in Dublin, but sleet or snow fell in Great Britain. Christmas Day was at first fine and cold, afterwards dull and rainy in Dublin, in which city the highest temperature in the daytime was only 39·8°. By 8 a.m. a cyclone had reached the southwest of Norway from the northwestward. This system grew deeper, and an energetic secondary depression developed over the Straits of Dover, so that by 8 a.m. of Wednesday the barometer was down to 28·67 inches at Skudesnæs in Norway and to 28·84 inches at Dungeness in Kent. A snowstorm of exceptional violence in consequence raged throughout the British Isles, and was accompanied by thunderstorms in various places and by northerly gales on the exposed British and Irish coasts. So general and severe a snowstorm has not occurred since January 18, 1881. On Friday the weather moderated, but frost held to the close of the week, the thermometer falling to 11° at Birr Castle early on Saturday morning. In Dublin the mean height of the barometer was 29·833 inches, pressure ranging from 30·341 inches at 9 p.m. of Sunday (wind, W.) to 29·280 inches at 9 a.m. of Wednesday (wind, N.). The corrected mean temperature was 34·7°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 33·8°. The screened thermometers rose to 47·1° on Monday and fell to 24·8° on Saturday. The rainfall was ·413 inch on 5 days, ·247 inch being measured on Tuesday. The dominant wind was N.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·832 inches. The highest reading (30·336) was on Sunday at 9 p.m., wind S.W., and the lowest (29·286) on Wednesday at 9 a.m., air calm.

The mean temperature for the week was 31·8°, being 9·7° below the average for the corresponding period of the 10 years, 1896–1905. The temperature was highest on Monday, on which day the thermometer registered 46·1°, and was lowest on Saturday, the mercury having fallen to 20·9°. The mean of the Dry Bulb for the week was 32·0°, and of the Wet Bulb 31·4°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 6·6 hours. The rainfall during the week measured 0·332 inch.

At Greenwich the mean temperature for the week was 31·4°, the maximum 42·9°, and the minimum 22·3°; at Glasgow the maximum was 45·8°, the minimum 17·9°, and the mean 32·3°; and at Edinburgh the maximum was 42·5°, the minimum 22·7°, and the mean 31·7°. The rainfall at Greenwich measured 0·68 in.; at Glasgow 0·39 in.; and at Edinburgh 0·05 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1906. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 23,	30·330	38·3	27·5	32·9	34·2	33·8	·90	·9	0·7	·007	Calm.	S.W.
Monday, „ 24,	30·112	46·1	36·2	41·2	41·2	40·1	·92	·7	0·0	·060	S.W.	W.
Tuesday, „ 25,	29·740	43·2	32·0	37·6	35·0	34·4	·94	·5	0·0	·170	N.W.	S.W.
Wednesday, „ 26,	29·350	38·2	25·2	31·7	31·1	30·6	·94	·5	0·0	·020	Calm.	W.N.W.
Thursday, „ 27,	29·560	31·4	22·4	26·9	29·7	29·1	·92	·6	2·5	·075	W.	N.N.W.
Friday, „ 28,	29·849	32·3	23·0	27·7	28·1	27·6	·90	·6	3·4	·000	N.N.W.	N.W.
Saturday, „ 29,	29·881	28·2	20·9	24·6	24·9	24·5	·91	·5	0·0	·000	N.W.	Calm.
Mean,	29·832	36·8	26·7	31·8	32·0	31·4	·92	·6	Total 6·6	Total ·332	Prevailing wind, N.W.	

Sunday—Overcast and cloudy day; night cloudy, light rain 5.30 p.m. to 9.20 p.m. *Monday*—Cloudy, light rain 11 a.m., overcast, light rain 12.0 to 4.30 p.m.; night cloudy. *Tuesday*—Day overcast and showery; night overcast, light rain 12.0 to 7.0 a.m. *Wednesday*—Day cloudy, heavy snow 7.30 a.m. to 10.30 a.m.; night clear. *Thursday*—Day cloudy, snow 7.0 to 9.0 a.m., snow 2.0 to 3.0 p.m.; night clear. *Friday*—Overcast, snow 7.0 to 8.0 a.m., cloudy p.m.; night clear. *Saturday*—Day overcast; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 29th, 1906.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1906. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperatures in Shade, read at 9 p.m. Max.	Air Temperatures in Shade, read at 9 p.m. Min.	Air Temperatures in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall read at 9 a.m.
	°	°	°	°	°	°	hrs.	ins.
Sunday, Dec. 23,	34·2	42·2	46·1	39·8	33·2	36·5	0·0	·005
Monday, „ 24,	42·3	41·6	46·0	47·0	38·2	42·6	0·0	·046
Tuesday, „ 25,	35·2	42·0	45·9	44·9	34·3	39·6	0·0	·278
Wednesday, „ 26,	33·7	41·2	45·7	39·3	27·8	33·6	0·0	·051
Thursday, „ 27,	30·5	39·3	45·4	32·9	25·0	29·0	1·3	·034
Friday, „ 28,	31·7	38·2	45·1	33·3	26·2	29·8	1·4	—
Saturday, „ 29,	27·1	37·5	44·9	31·0	24·5	27·8	0·0	—
Weekly Mean,	33·5	40·3	45·6	38·3	29·9	34·1	Total 2·7	Total ·414

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—15897.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLIII.] QUARTER ENDING SATURDAY, 29TH DECEMBER, 1906. [No. 52A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,757 statute acres, and the population estimated to the middle of 1906, 378,994, there were registered during the thirteen weeks ended on Saturday, 29th December, 1906, 2,636, births—1,348 boys and 1,288 girls—being equal to an annual ratio of 1 in 35·9, or 27·8 in every 1,000 of the population.

The number of births registered in the city was 2,259, equivalent to an annual rate of 30·8 in every 1,000 of the population; and in the urban districts named above, 377, equal to an annual rate of 17·6 in every 1,000 of the population.

There were registered in London during the same period 29,989 births—being equal to an annual birth-rate of 25·4 in every 1,000 of the estimated population; in Glasgow there were registered 5,800, being equal to 27·8 per 1,000; and in Edinburgh, 1,760—a number affording an annual birth-rate of 20·6 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,384—1,099 males and 1,285 females—affording an annual ratio of 1 in 39·7, or 25·2 in every 1,000 of the estimated population; omitting the deaths (96) of persons admitted into Public Institutions from localities outside the Area, the rate was 24·1 per 1,000. The annual mortality represented by the deaths registered during the fourth quarter of the ten years, 1896–1905, in the Dublin Registration Area as then constituted, was 25·4 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered la quarter was 938, representing an annual mortality of 24·9 in every 1,000 of tl population; and the number in the South City districts was 982, equivalent to rate of 27·5 per 1,000. In the urban districts the number of deaths registered w 368, being equal to an annual death-rate of 17·2 in every 1,000.

The number of deaths registered in London during the same period was 18,836— number equal to an annual rate of mortality of 16·0 in every 1,000 of the inhabitants in Glasgow the number was 3,799, equal to 18·2 in every 1,000; and in Edinburgl 1,377, affording an annual death-rate of 16·2 in every 1,000 of the estimate population.

Diseases.—The number of deaths from the principal epidemic diseases† registere in the Dublin Registration Area during last quarter was 207, being 129 below th number for the preceding quarter; and the annual rate per 1,000 of the populatio represented by the deaths from these diseases was 2·2, being 1·3 below the rate fc the preceding three months.

The following tabular statement shows the mortality from each of the principa epidemic diseases in the period under notice, and the average number of deaths fron the diseases which occurred in the corresponding period of the 10 years, 1896–1905:—

Names of Diseases.	No. of Deaths in Dec. Quarter, 1906.	Average No. of Deaths in Dec. Quarters, 1896-1905.
Small-pox,	—	•
Measles,	38	74
Scarlet Fever,	4	21
Typhus,	1	1
Whooping-cough,	32	30
Diphtheria,	16	14
Pyrexia (origin uncertain),	1	2
Enteric Fever,	20	43
Diarrhœal Diseases,	95	62

Small-pox.—There was no fatality from small-pox during the quarter. Fron Table I. it appears that no case of the disease was admitted to any of the Dublir hospitals, or treated therein during the period.

Measles.—The deaths from measles were 38 in number, and equal to an annua rate of 0·40 per 1,000 of the estimated population; in the 3 earlier quarters of th year such deaths numbered 0, 9, and 9, respectively; of the 38 deaths from measles 35 appertained to the district of No. I. South City. Table I. shows that 32 death from measles occurred in hospital during the quarter, and that 164 cases were admitted for treatment in that period. Although the deaths from measles registere during the quarter were in excess of those registered in the first 9 months of th year, they were considerably less than the average for the corresponding quarte of the preceding 10 years, 1896-1905, namely, 74 deaths.

Scarlet Fever.—There were 4 deaths from scarlet fever registered during the quarter, the average number of deaths for the December quarter in the 10 years 1896-1905, being 21; in each of the 3 preceding quarters of the year 1906, death from scarlet fever were 5, 0, and 4. From Table I. it appears that 239 cases o scarlet fever were treated in hospitals during the period under notice.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective district as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased person were admitted.

† See note (*), page 862.

Typhus.—One death was due to typhus; from Table I. it appears that 6 cases of typhus were admitted to hospitals for treatment, 4 were discharged, there was one death, and 2 patients remained under treatment at the close of the quarter.

Influenza.—In the March quarter of the year 17 deaths were attributed to influenza, in the June quarter the number was 19; the deaths from this disease declined to 5 in September quarter, but rose to 28 (equal to an annual rate of 0·30 per 1,000 of the estimated population of the Area) in the period under notice; the latter figure is in excess of the average (18 deaths) for the December quarter of the 10 years, 1896-1905.

Whooping-cough.—This disease accounted for the deaths of 32 persons. This number represents an annual death rate of 0·34 per 1,000 of the estimated population of the Area, and is slightly above the average for the December quarter of the preceding 10 years, namely, 30 deaths; in the preceding quarters of the year, deaths from whooping-cough numbered 19, 21 and 29, respectively.

Diphtheria.—The deaths from diphtheria were 16 in number; 15, 5, and 4 deaths from this disease were registered in each of the 3 preceding quarters of the year, the average for the December quarter of the preceding 10 years being 14 deaths. According to Table I. there were 75 cases of diphtheria admitted to hospitals for treatment, 57 were discharged, 14 died, and 23 cases remained under treatment at the close of the quarter.

Enteric Fever.—The deaths (20) registered represent an annual rate of 0·21 per 1,000, and are less than half of the average number (43) of deaths from enteric fever for the December quarter of the 10 years, 1896-1905. The deaths in each of the 3 earlier quarters of the year were 12, 11, and 11. Of 184 cases of enteric fever under treatment in hospital during the quarter, 138 were discharged, 12 died, and 34 remained under treatment on Saturday, 29th December, 1906.

Diarrhœal Diseases.—The deaths from diarrhœal diseases include those classified as epidemic diarrhœa (infective enteritis) and *diarrhœa*, dysentery; of the former there were 32 deaths and of the latter 63, in all 95 deaths, as against 275 deaths from diarrhœal diseases in September quarter, 23 in the June quarter, and 24 in the March quarter of the year. The total deaths for the quarter (95) represent an annual rate of 1·00 per 1,000 of the estimated population of the Area, and are above the average number (62) of deaths from such diseases for the corresponding December quarter of the 10 years, 1896-1905. Of the 95 deaths attributed to diarrhœal diseases, 78 were of children under 5 years of age.

Pneumonia.—The deaths under the heading pneumonia, include deaths returned as from lobar pneumonia, broncho-pneumonia, and *pneumonia* (not otherwise defined), such deaths in the aggregate were 178, including 25 deaths from lobar pneumonia, 77 from broncho-pneumonia, and 76 deaths from *pneumonia* (not defined); the total is considerably in excess of the average, namely 148, and represents an annual death rate of 1·88 per 1,000 of the estimated population of the Dublin Registration Area.

Tuberculous Disease.—The total number of deaths registered as being caused by tuberculous disease is 394, or only 19 below the aggregate deaths caused by the principal epidemic diseases,* influenza and pneumonia. The total deaths from tuberculous disease represent an annual death-rate of 4·2 per 1,000 of the estimated population of the Area; in each of the earlier quarters of the year, the rate was 5·0, 4·5, and 4·2 per 1,000 of the population. The deaths from tuberculous disease include 115 deaths from tuberculous phthisis, 157 deaths returned as from *phthisis* (not otherwise defined), 33 deaths from tuberculous meningitis, 12 deaths from tuberculous peritonitis, 4 deaths from *tabes mesenterica*, and 73 deaths from other forms of the disease. For the portions of the city situated in the Union of North Dublin, the annual rate for all forms of

* See note (*) on page 862.

tuberculous disease was 4·2 per 1,000; in the portion of the city situate in the Union of South Dublin, the rate was 4·8 per 1,000, and in the remaining portion of the Dublin Registration Area, including the urban districts of Rathmines and Rathgar, of Pembroke, of Blackrock and of Kingstown, the aggregate rate from all forms of tuberculous disease was 2·2 per 1,000 of the estimated population of the urban districts. The annual death rate for tuberculous phthisis (*phthisis*) for the whole area, in the December quarter of 1906, was 2·7 per 1,000; for the city districts of the North Dublin Union it was 2·9 per 1,000; for the city districts of the South Dublin Union it was 3·3 per 1,000; and for the aggregate of the urban districts it was 1·6 per 1,000 of the estimated population of these districts.

Malignant Diseases.—The deaths, included 45 from carcinoma, 7 from sarcoma, and 76 deaths from cancer (undefined).

Premature Birth.—The deaths of 64 infants, prematurely born, were registered.

Diseases of the Brain and Nervous System.—Amongst the deaths (176) from these diseases there were 73 of children under 5 years of age from *convulsions.*

Diseases of the Heart and Blood Vessels.—The deaths attributed to diseases of the organs of circulation were 354 in number.

Diseases of the Respiratory System.—Of 313 deaths from diseases of the respiratory organs (not including pneumonia), there were 280 deaths from bronchitis.

Accidental Deaths.—There were 54 deaths assigned to accidental causes; this number includes 17 deaths by burns or scalds—13 of the latter figure being deaths of children under 5 years of age; 6 deaths by drowning; 6 deaths by vehicles and horses, and 4 deaths of infants under 1 year of age by suffocation in bed.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 29th December, 1906.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small-pox, . .	.	.	.	.	.
Measles, . . .	5	164	119	32	18
Scarlet Fever, . .	60	179	161	5	73*
Typhus . .	1	6	4	1	2
Diphtheria, . .	19	75	57	14	23
Enteric Fever, . .	64	120	138	12	34
Pneumonia, . .	26	136	119	21	22

In 91 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 91 cases, 56 (or 61·5 per cent.), were deaths of children under 5 years of age: these 56 deaths form 7·7 per cent. of the total number of deaths of children of that age. Of the deaths of 150 infants under one month old registered, there were 26 (or 17·3 per cent.) regarding which the cause was uncertified.

From Table II., on pages 860*b* and 860*c*, it will be seen that, excluding 96 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,288, equal to an annual rate of 24·1 per 1,000 of the estimated population, and that 205 of these deaths, representing an annual rate of 2·2 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was

* Exclusive of 12 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

† See note (*), page 862.

2 per 1,000, and for the urban districts 17·2 per 1,000. The death-rate resented by the mortality from the principal epidemic diseases in the city was , and in the urban districts 1·1, the rates for the several districts varying from 0·0 three of the districts, to 6·6 in South City No. 1, the 331 deaths from all causes that district including 35 from measles, one each from scarlet fever and typhus, rom whooping-cough, 4 from diphtheria, and 14 from diarrhœal diseases.

Occupations.—Table III., on pages 860*d* and 861, shows the occupations or social sition of the persons whose deaths were registered during the quarter, the various lings being grouped in classes and orders, so as to show the respective rates of mor- lity in the several social grades of the population. From this Table it will be observed at the deaths in families of the "Professional and Independent Class" were equal an annual rate of 14·0 per 1,000 of the persons in that class according to the nsus of 1901; in the "Middle Class" the death-rate was 17·2 per 1,000; among e "Artisan Class and Petty Shopkeepers" it was 19·9; and in the "General rvice Class" and the "Inmates of Workhouses," combined, it was 34·9.

Ages.—Of the 2,384 persons whose deaths were registered in the Dublin Regis- ation Area during the quarter, 729 were under 5 years of age, including 451 fants under one year of age, representing a rate of 171·1 per 1,000 births gistered. The number of deaths of children under 5 years of age is ual to an annual mortality of 76·4 in every 1,000 children at that age (according the Census of 1901); 152 were between the ages of 5 and 20, representing an nual rate of 5·7 per 1,000 persons of that age period; the total number under 20 ars being equal to an annual mortality of 24·3 per 1,000 of the population at that e (according to the Census of 1901); 372 or 11·0 per 1,000 persons were between and 40; 490 or 28·6 per 1,000 between 40 and 60; 543 or 89·5 per 1,000 tween 60 and 80; 98 or 205·9 per 1,000 were aged 80 and upwards, including persons aged 90 and upwards.

Public Institutions.—Of the 2,384 deaths recorded during the quarter, 997, or 1·8 per cent., occurred in public institutions, viz., 557 in the various hospitals, isons, and lunatic asylums; 175 in the North Dublin Union Workhouse; 255 in e South Dublin Union Workhouse; and 10 (those of persons admitted from within e Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean eekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 5·0°. At Greenwich for the quarter, it was 45·5°; and at Glasgow, 44·8°. The rainfall at Dublin during the thirteen weeks measured 7·084 inches; at reenwich, 9·05 inches; and at Glasgow, 13·60 inches.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 29th December, 1906,** the num
AREA, the annual Rate per 1,000 of the Population of the respective Districts represen
the principal causes; also the Deaths by certain age-periods, and the number of Uncertif
were admitted.

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1906.*	QUARTER (13 WEE			DEATHS.								
		ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		TOTAL DEATHS.							CAUSED		
		FROM ALL CAUSES.	FROM DISEASES IN COLS. 11–19.		Infants under 1 year of Age.	1 and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	Persons aged 60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13
North City.													
NORTH CITY, No. 1, E.,	28,332	24·6	1·0	174	39	19	11	28	36	41	.	.	.
,, 1, W.	39,146	25·9	2·6	253	68	27	12	36	51	59	.	.	.
,, 2,	30,107	25·9	3·1	195	45	23	14	30	42	41	.	1	2
,, 3,	31,673	26·8	2·0	212	46	31	10	38	40	47	.	.	.
CLONTARF AND HOWTH, No. 1, part of,	4,806	13·3	.	16	3	.	1	5	2	5	.	.	.
COOLOCK AND DRUMCONDRA, No. 1, part of,	10,017	22·4	1·2	56	6	3	6	17	9	15	.	.	.
FINGLAS AND GLASNEVIN, part of,	6,665	19·2	.	32	3	2	1	12	5	9	.	.	.
South City.													
SOUTH CITY, No. 1,	38,384	34·5	6·6	331	60	74	19	38	55	85	.	35	1
,, 2,	18,286	28·4	1·3	130	28	18	3	21	26	34	.	.	1
,, 3,	41,940	27·8	2·3	292	61	29	15	35	58	94	.	2	.
,, 4,	35,138	23·3	1·4	205	32	27	16	32	52	46	.	.	.
NEW KILMAINHAM,	8,891	10·8	1·3	24	3	2	3	5	6	5	.	.	.
Urban Districts.													
RATHMINES AND RATHGAR,	33,203	16·9	1·7	140	20	8	6	22	27	57	.	.	.
PEMBROKE,	26,025	16·6	0·5	108	15	7	13	12	22	39	.	.	.
BLACKROCK,	8,759	16·0	.	35	5	2	5	3	5	15	.	.	.
KINGSTOWN,	17,622	19·3	1·4	85	14	4	6	11	16	34	.	.	.
Total City, North,	150,746	24·9	2·0	938	210	105	55	166	185	217	.	1	2
Total City, South,	142,639	27·5	3·0	982	184	150	56	131	197	264	.	37	2
Total City, North & South,	293,385	26·2	2·5	1,920	394	255	111	297	382	481	.	38	4
Total Urban Districts,	85,609	17·2	1·1	368	54	21	30	48	70	145	.	.	.
Total Registration Area,	378,994	24·1	2·2	2,288	448	276	141	345	452	626	.	38	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				96	3	2	11	27	38	15	.	.	.

* See note (*) on page 863.

of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased*

ENDED 29TH DECEMBER, 1906.

DEATHS. Caused by: Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia* † (origin uncertain)	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Number of Uncertified Deaths.	REGISTRARS' DISTRICTS, &c.
(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
													North City.
.	.	1	.	2	4	16	19	8	3	17	8	8	NORTH CITY, No. 1, E.
.	3	3	.	4	15	17	30	11	8	42	8	15	,, 1, W.
.	5	1	.	2	12	20	15	13	6	22	6	1	,, 2.
.	5	1	.	2	8	20	23	13	10	26	3	9	,, 3.
.	.	.	.	.	.	.	3	.	4	1	.	1	CLONTARF AND HOWTH, No. 1, part of.
.	.	1	.	2	.	3	12	2	4	5	.	2	COOLOCK AND DRUMCONDRA, No. 1, part of.
.	.	.	.	.	.	2	7	1	2	.	.	1	FINGLAS AND GLASNEVIN, part of.
													South City.
1	8	4	.	.	14	20	34	14	14	54	2	12	SOUTH CITY, No. 1.
.	1	1	.	1	2	8	16	7	3	27	2	7	,, 2.
.	5	.	.	1	16	14	32	18	22	55	5	9	,, 3.
.	1	2	.	2	7	20	26	14	11	20	5	9	,, 4.
.	.	1	.	1	1	1	8	1	.	3	1	.	NEW KILMAINHAM.
													Urban Districts.
.	4	.	.	2	8	9	15	3	10	10	1	7	RATHMINES AND RATHGAR.
.	.	.	1	.	2	10	10	6	6	10	4	2	PEMBROKE.
.	.	.	.	.	.	3	4	2	.	5	3	2	BLACKROCK.
.	.	1	.	.	5	6	6	1	5	11	3	6	KINGSTOWN.
.	13	7	.	12	39	78	109	48	37	113	25	37	**North.** } **Total City.**
1	15	8	.	5	40	63	116	54	50	159	15	37	**South.** } **Total City.**
1	28	15	.	17	79	141	225	102	87	272	40	74	**North & South.** } **Total City.**
.	4	1	1	2	15	28	35	12	21	36	11	17	**Total Urban Districts.**
1	32	16	1	19	94	169	260	114	108	308	51	91	**Total Registration Area.**
.	.	.	.	1	1	9	12	8	20	5	3	.	

* See note (*) on page 862. † Formerly described as "Simple Continued Fever."

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL **Quarter** (13 weeks) **ending Saturday, 29th December, 1906**; the Annual Death-rate the Number from some of the Principal Causes of Death; also the number of Uncertified Deaths.

Class.	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Quarter: Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	ALL PERSONS,	375,350	25·4	2,384	729	152	372	490	543	98
	CLASSES.									
	Deaths in Families of the—									
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	14·0	61	6	.	6	17	22	10
II.	MIDDLE CLASS,	87,188	17·2	375	63	23	78	75	110	26
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	19·9	549	172	34	90	120	121	12
IV.	GENERAL SERVICE CLASS,	154,279	34·9	959	438	77	137	149	132	26
V.	INMATES OF WORKHOUSES,	6,024		440	50	18	61	129	158	24
I.	PROFESSIONAL AND INDEPENDENT CLASS.									
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	24·6	48	5	.	5	13	18	7
	2. Merchants and Manufacturers, Higher Class,	1,277	6·3	2	1	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	8,360	5·3	11	.	.	1	4	4	2
II.	MIDDLE CLASS.									
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	11·9	23	.	.	3	6	13	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	16·0	88	20	2	12	20	30	4
	6. Clerks and Commercial Assistants,	30,432	15·8	120	28	10	41	21	18	2
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	21·3	144	15	11	22	28	49	19
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.									
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	9,874	19·9	49	22	1	6	9	10	1
	9. Building and Furnishing Trades,	29,801	21·9	163	67	19	19	30	27	1
	10. Clothing Trades,	23,260	16·3	95	22	4	24	19	24	2
	11. Food Supply Trades,	9,242	16·4	38	12	3	7	9	7	.
	12. Other Trades and Callings ranking with Trades,	30,352	22·8	173	37	6	32	45	47	6
	13. Petty Shopkeepers,	7,894	15·7	31	12	1	2	8	6	2
IV.	GENERAL SERVICE CLASS.									
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	20·0	67	20	3	10	16	14	4
	15. Domestic Servants,	36,603	8·7	80	18	4	20	14	18	6
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	27·0	97	36	8	22	17	12	2
	17. Hawkers, Porters, Labourers, &c.,	89,861	31·8	715	364	62	85	102	88	14
V.	INMATES OF WORKHOUSES.									
	18. Workhouse Inmates,	6,024	.	440	50	18	61	129	158	24

POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and

(13 WEEKS) ENDING SATURDAY, 29TH SEPTEMBER, 1906.

Causes of Death.																			Class and Order.
Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain.)	Enteric Fever.	Diarrhœal Diseases.	Total. Cols. 10-18.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	*Convulsions.*	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.	Number of Uncertified Deaths.	
(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
.	38	4	1	32	16	1	20	95	207	178	272	122	128	73	313	54	1,037	91	
.	.	.	.	.	.	.	.	.	.	5	1	.	10	.	7	.	38	.	I.
.	.	.	.	2	2	.	6	6	16	28	46	14	32	6	30	8	195	7	II.
.	6	2	.	9	4	.	6	27	54	46	64	26	19	14	78	16	232	27	III.
.	30	2	1	21	10	1	8	46	119	83	100	51	37	52	114	30	373	57	IV.
.	2	.	.	.	.	.	.	16	18	16	61	31	30	1	84	.	199	.	V.
																			I.
.	.	.	.	.	.	.	.	.	.	2	.	.	10	.	6	.	30	.	1
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2
.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	8	.	3
																			II.
.	.	.	.	.	.	.	1	.	1	.	1	.	2	.	1	1	17	.	4
.	.	.	.	.	.	.	1	2	3	8	7	3	12	3	5	1	46	2	5
.	.	.	.	.	1	.	3	4	8	11	27	6	4	2	13	2	47	4	6
.	.	.	.	2	1	.	1	.	4	9	11	5	14	1	11	4	85	1	7
																			III.
.	.	1	.	4	.	.	.	4	9	7	5	2	1	1	2	.	22	3	8
.	2	.	.	3	1	.	3	10	19	15	12	10	7	8	15	9	68	8	9
.	.	.	.	1	1	.	.	3	5	7	17	4	3	1	20	2	36	5	10
.	.	.	.	.	.	.	2	3	5	3	5	2	.	1	7	1	14	1	11
.	2	1	.	1	2	.	1	5	12	13	24	6	7	2	25	3	81	8	12
.	2	.	.	.	.	.	.	2	4	1	1	2	1	1	9	1	11	2	13
																			IV.
.	.	.	.	1	1	.	.	3	5	8	6	1	3	2	10	.	32	5	14
.	.	.	.	1	.	.	1	8	10	6	13	3	8	2	4	2	32	6	15
.	.	.	.	2	.	.	3	6	11	8	9	3	9	5	12	3	37	5	16
.	30	2	1	17	9	1	4	29	93	61	72	44	17	43	88	25	272	41	17
.	2	.	.	.	.	.	.	16	18	16	61	31	30	1	84	.	199	.	V. 18

* Formerly described as "Simple Continued Fever."

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 20·3 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Sligo, 11·8 ; Dundalk, 13·8 ; Newry, 13·9 ; Tralee, 14·2 ; Galway, 15·8 ; Londonderry, 16·5 ; Armagh, 16·9 ; Limerick, 17·4 ; Queenstown, 17·7 ; Belfast, 18·1 ; Lisburn, 18·2 ; Lurgan, 18·3 ; Kilkenny, 18·5 ; Portadown, 18·6 ; Waterford, 19·3 ; Drogheda, 19·4 ; Newtownards, 19·8 Clonmel, 20·5 ; Ballymena, 21·3 ; Cork, 22·0 ; Dublin Registration Area, 24·1 ; and Wexford, 26·1.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·9 per 1,000 of the population, the rates varying from 0·0 in three of the districts to 4·2 in Armagh, the 32 deaths from all causes registered in the latter district including two from measles and 6 from diarrhœal diseases. Among the 1,659 deaths from all causes registered in Belfast are 14 from measles, 6 from scarlet fever, 2 from typhus, 29 from whooping-cough, 13 from diphtheria, 17 from enteric fever, and 81 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter ;—

Small-pox.—There was no record of death from small-pox.

Measles.—Fourteen deaths were registered in Belfast, 3 in Dundalk, and 2 in Armagh.

Scarlet Fever.—Of the deaths, 6 were registered in Belfast, 5 in Waterford, and one in each of Londonderry and Clonmel.

Typhus.—There were 2 deaths in Belfast, and one death was registered in each of Cork and Clonmel.

Whooping-cough.—In Belfast 29 deaths were registered, in Cork 6 ; in each of Lisburn and Ballymena, 4 deaths ; in Waterford 3, and in each of Galway and Kilkenny there was one death from whooping-cough registered.

Diphtheria.—Of 24 deaths registered, 13 were of Belfast, 4 of Cork, 2 of Limerick, also 2 of Lurgan ; and one death from diphtheria appertained to each of Galway, Sligo, and Clonmel.

Enteric Fever.—The deaths in Belfast were 17 in number, in Limerick 4 ; in Cork 3 ; and in each of Londonderry, Waterford, Newry, and Ballymena one death was recorded.

One death was assigned to pyrexia for each of Cork, Galway and Kilkenny.

Diarrhœal Diseases.—There were 81 deaths from diarrhœal diseases in Belfast, 33 in Cork, and 16 in Londonderry, out of a total of 174 deaths from these diseases.

Phthisis.—The death-rate from phthisis for the 22 towns in the aggregate, was 2·4 per 1,000 of the population ; for the Dublin Registration Area it was 2·7 per 1,000, for Belfast County Borough 2·1 per 1,000, and for the Urban Districts, collectively, (exclusive of Belfast and Dublin Registration Area) it was 2·4 per 1,000.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, *pyrexia* (origin uncertain), enteric fever, and diarrhœal diseases.

Deaths from some of the principal causes; also the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Registration—Quarter (13 Weeks) ending Saturday, 29th December, 1906. Annual Rate per 1,000 persons represented by Births.	Deaths from All Causes.	Deaths from Diseases in Cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years and upwards.	Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	Pyrexia † (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer, Malignant Disease.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	23)	(24)	(25)	(26)	(27)
Total of 22 Town Districts,	1,101,499	19·3	27·1	20·3	1·9	7,449	5,601	1,135	1,532	.	57	17	5	80	40	4	47	268	383	670	263	222	792	112	204	1,693	263
Dublin Registration Area,	378,994	27·5	27·8	24·1	2·2	2,636	2,288	448	626	.	38	4	1	32	16	1	19	94	169	260	114	108	308	51	75	901	91
Urban Districts.																											
Belfast,	366,220	24·9	27·9	18·1	1·8	2,555	1,659	367	383	.	14	6	2	29	13	.	17	81	132	193	92	51	261	36	74	363	27
Cork,	76,122	33·6	24·5	22·0	2·5	467	418	95	121	.	.	.	1	6	4	1	3	33	29	53	15	16	55	2	14	147	24
Londonderry,	42,067	19·4	23·5	16·5	1·7	247	174	38	44	.	.	1	.	.	.	.	1	16	7	25	6	6	35	3	4	19	13
Limerick,	38,151	18·1	25·2	17·4	1·3	240	166	37	51	.	.	.	.	.	2	.	4	6	6	22	7	4	21	.	2	43	32
Waterford,	26,769	18·7	23·3	19·3	2·1	156	129	16	35	.	.	5	.	3	.	.	1	5	3	18	4	4	18	6	9	47	5
Galway,	13,426	2·5	26·2	15·8	1·2	88	53	8	20	.	.	.	.	1	1	1	.	1	3	11	.	2	8	.	.	19	7
Dundalk,	13,076	9·4	28·1	13·8	0·9	92	45	6	14	.	3	.	.	.	.	.	.	.	2	6	2	4	3	1	2	14	5
Drogheda,	12,760	8·6	22·9	19·4	0·3	73	62	8	22	.	.	.	.	.	.	.	.	1	2	8	.	2	2	1	2	16	.
Newry,	12,405	17·8	19·7	13·9	1·0	61	43	5	22	.	.	.	.	.	.	.	1	2	1	2	3	2	2	2	2	7	.
Lurgan,	11,782	13·8	31·9	18·3	1·4	94	54	6	20	.	.	.	.	.	2	.	.	2	5	8	4	4	6	3	3	19	4
Lisburn,	11,461	10·1	25·5	18·2	2·4	73	52	10	16	.	.	.	.	4	.	.	.	3	5	7	2	5	2	.	2	7	.
Wexford,	11,168	23·2	29·4	26·1	1·4	82	73	14	24	.	.	.	.	.	.	.	.	4	.	3	7	3	18	1	1	15	8
Ballymena,	10,886	8·9	30·1	21·3	2·6	82	58	12	20	.	.	.	.	4	.	.	1	2	4	10	2	1	11	.	.	6	1
Sligo,	10,870	3·7	19·5	11·8	1·8	53	32	3	18	.	.	.	.	.	1	.	.	4	.	2	.	.	4	.	1	7	12
Kilkenny,	10,609	11·5	38·5	18·5	1·1	102	49	9	16	.	.	.	.	1	.	1	.	1	2	5	1	.	13	.	1	16	5
Clonmel,	10,167	7·8	20·5	20·5	2·8	52	52	12	16	.	.	1	1	.	1	.	.	4	.	6	.	.	8	.	.	20	17
Portadown,	10,092	13·2	29·7	18·6	.	75	47	12	12	.	.	.	.	.	.	.	.	.	1	11	2	3	.	2	2	.	4
Tralee,	9,867	16·6	25·9	14·2	.	64	35	8	11	.	.	.	.	.	.	.	.	.	5	4	.	2	2	.	3	16	.
Newtownards,	9,110	18·9	30·3	19·8	.	69	45	7	19	.	.	.	.	.	.	.	.	.	3	7	.	3	6	2	4	5	3
Queenstown,	7,909	14·4	24·3	17·7	1·5	48	35	8	9	.	.	.	.	.	.	.	.	3	2	6	1	1	2	1	2	.	1
Armagh,	7,588	22·2	21·1	16·9	4·2	40	32	6	13	.	2	.	.	.	.	.	.	6	2	3	1	1	7	1	1	6	4

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1906; that for each of the other districts is the Population according to the Census of 1901.

† Formerly described as "Simple Continued Fever."

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 29th December, 1906,** Deaths in Public Institutions of persons *admitted from without each City being omitted,* and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 12-20.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 20 years.	20 and under 40 years.	40 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-cough.	Diphtheria.	*Pyrexia** (origin uncertain).	Enteric Fever.	Diarrhœal Diseases.	Pneumonia.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer, Malignant Disease.	Diseases of the Respiratory System (exclusive of Pneumonia).	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1.)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
City of Belfast.																													
BELFAST URBAN, No. 1 DISTRICT,	14,734	118	The estimate of the Population of Belfast now adopted (see Table IV.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		87	16	6	9	14	20	22	.	1	1	.	1	.	.	1	7	8	7	7	2	11	3	10	23	2
,, 2 ,,	47,959	290			226	52	21	25	36	33	59	.	1	.	.	9	2	.	3	3	20	14	16	1	37	6	14	41	3
,, 3 ,,	47,214	299			161	39	18	10	29	30	35	.	3	1	.	3	.	.	1	13	22	25	11	4	25	1	3	28	3
,, 4 ,,	40,911	353			253	62	36	19	40	51	45	.	2	1	.	4	1	.	3	11	16	26	14	8	47	6	11	87	4
,, 5 ,,	17,887	132			89	21	9	7	17	14	21	.	.	.	.	3	1	.	.	6	7	18	5	3	8	1	5	32	1
,, 6 ,,	48,122	268			203	21	21	14	31	45	71	.	3	1	.	3	2	.	4	8	9	19	12	9	38	2	3	41	6
,, 7 ,,	1,524	21			9	.	1	1	1	3	3	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	1	4	.
,, 8 ,,	5,060	31			27	4	3	2	4	4	10	.	.	.	.	1	1	.	.	1	.	4	1	2	7	.	.	3	.
,, 9 ,,	19,569	162			109	28	14	12	15	25	15	.	3	2	.	.	1	.	.	6	7	16	10	5	13	3	6	21	5
,, 10 ,,	23,064	205			123	26	16	10	20	21	30	.	1	.	.	2	4	.	2	3	17	22	1	5	19	1	1	18	.
,, 11 ,,	34,802	231			137	38	12	12	13	30	32	.	.	.	.	2	1	.	.	11	7	15	8	7	19	6	8	19	2
,, 12 ,,	33,588	315			162	46	18	15	33	28	22	.	.	.	2	1	.	.	2	5	13	21	3	1	28	5	9	35	.
,, 13 ,,	15,006	129			73	14	6	11	11	13	18	.	.	.	.	.	.	.	1	6	5	4	4	3	9	2	3	11	1
,, 14 ,,	240	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	2,555			1,659	367	181	147	264	317	383	.	14	6	2	29	13	.	17	81	132	193	92	51	261	36	74	363	27
City of Cork.																													
CORK URBAN, No. 1 DISTRICT,	12,867	63	22·4	1·2	72	21	4	15			32	.	.	.	.	1	1	.	.	2	7	3	2	.	3	.	3	34	1
,, 2 ,,	10,701	64	26·9	3·4	72	15	7	37			13	.	.	.	.	1	.	1	2	5	8	15	2	2	8	.	2	25	6
,, 3 ,,	9,978	86	27·3	3·6	68	10	13	28			17	.	.	.	1	1	2	.	.	5	8	6	6	4	13	.	2	21	1
,, 4 ,,	8,666	47	24·0	0·9	52	7	4	21			20	.	.	.	.	.	.	.	.	2	2	8	1	3	9	1	4	28	2
,, 5 ,,	6,592	46	21·2	4·2	35	9	1	12			13	.	.	.	.	.	.	.	1	6	2	6	.	1	2	.	.	5	.
,, 6 ,,	10,702	66	14·6	1·9	39	14	6	11			8	.	.	.	.	.	.	.	.	5	2	2	1	1	5	1	1	5	6
,, 7 ,,	16,616	95	19·3	2·9	80	19	8	35			18	.	.	.	.	3	1	.	.	8	.	13	3	5	15	.	2	29	8
Total,	76,122	467	22·0	2·5	418	95	43	159			121	.	.	.	1	6	4	1	3	33	29	53	15	16	55	2	14	147	24

* Formerly described as "Simple Continued Fever."

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & Co. (Limited), 87, 88, and 89, Abbey-Street.

375. Wt. P. 292. (9. 06.)—16040.